

Welcome to a brief presentation on the NCAA Softball Bat Compliance Program with an emphasis on the barrel compression testing...referred to as BCT. Before we dive into the details on how to perform BCT, let me quickly explain the goals of the entire compliance program and where barrel compression testing fits into the big picture. Following that theory are the details for executing BCT. Note that the NCAA Softball Playing Rules REQUIRE BCT occur prior to play in tournaments, series, doubleheaders and single games. No stickers = illegal bats = no game.

Finally, at the end of the presentation is an easy-to-use flow chart suitable for printing and putting in the bat testing fixture case for reference on the bat testing responsibilities.



On behalf of the NCAA Softball Rules Committee, I want to thank you for your diligence in helping monitor the appropriateness of bats used in the collegiate game. Several years ago, there was significant concern about the impact various bat models were having on our game and thus the NCAA Softball Bat Compliance Program was created.

The five goals listed here are the foundation of that program.

- 1) To protect the integrity of the game and the credibility to its participants;
- 2) To assure fair and equitable competition between teams;
- 3) To maintain the delicate balance of offense and defense;
- 4) To regulate the defender's available reaction time and therefore minimize injury risk; and
- 5) To ensure a player's performance is a result of the player's skill more than of her equipment by eliminating rogue bats.



To address those goals, a five-prong approach was created.

The first and second are the responsibility of the coach. The first is the requirement that bats used in NCAA competition must be USA Softball certified.

And the second is the model must be included on the current NCAA Approved Softball Bat List.

The third is the one we are going to concentrate on today -that is, Barrel Compression Testing which is done PRIOR to games, tournaments and daily in every tier of the NCAA post season.

The fourth is to provide a safety net for the opposing team by having umpires perform a pre-game inspection of bats for BCT verification (i.e. the appropriate sticker) and their suitability (that is, not damaged) prior to every game.

The fifth is post-competition compliance testing done in a lab on bats that both pass and fail BCT to confirm the test's validity as a predictor of compliance with the batted ball speed standard.

The generic term "bat testing" could refer to either of these last two prongs but remember BCT is done locally and PRIOR to competition and lab testing is done at the Sport Science lab AFTER competition.



Prior to the season, host administrations must secure a BCT fixture and have the following plans for every competition with the exception of those using NCAA assigned bat testing managers.

First, prior to the start of the season, each institution is responsible for acquiring the appropriate number of distinctive stickers to be used on bats that pass barrel compression testing for individual competitions.

Second, prior to competition, the disposition of bats that are surrendered following BCT failure, needs to be established and communicated.

Finally, the time, location, and bat testing manager for BCT should be communicated to both coaches in a timely manner but no later than 48 hours before game time.



Coaches must acquire enough stickers to accommodate use on every passed bat for either their opponents or for all events they host.

Stickers need not be the same event to event but must be distinctive each day of a multiday event if BCT occurs daily. In tournament settings, the host may provide distinctive

stickers for all teams in the event.

Alternatively, stickers may be used from teams competing in their first game. This process can also be used in a tournament as long as teams are notified as to the number of teams requiring their stickers.

NCAA	Planned po	when mo	Approved Bat List will be th del(s) must be immediately (	e 2nd Monday removed. In				
	Summary of strikes assessed to models currently on the NCAA Approved Softball Bat List: 1 strike asses. Demonin CFEM-19 (FEM-2) & PZP-20. Driv South FSEMD8. Moving 3//501 3//551 3//555 3//505 # 3//55							
	2 strikes each - Easton FP18GH10*** Mizuno 340554							
ATTROTED	BARREL COMPRESSION TESTING MINIMUMS: ALL BATS MUST MEET A MINIMUM OF 1550PSI EXCEPT THE FOLLOWING MODELS WHICH ARE SUMMARIZED BELOW AND NOTED ON THE APPROPRIATE LINES AND PAGES OF THE CURRENT NCAA APPROVED SOFTBALL BAT LIST							
SOFTBALL	"Demarkni Models "Prism & custom (PZF-20 & 21, PZ1-21, PZP-19, 20, 21 & 23)-1200pai minimum; all Whisper series -1100psi minimum ""Easton Models ""Ghost EFP4GHADS, FP21GHADG4TG10, FP22GH & FP22GHAD series, FP22GHAF10, and FP22GHAM10.							
	FP22GHT10, FP23GH8, FP23GHU series-900psi minimum ""Ghost FP16H ADGI D_500GHC series & FP20GHCAM10, FP20GHSINS10, FP21GHADGI D_5000esi minimum							
BAT LIST	Minute its fb	***Ghost EFP3GHB10, EFP4GHAD9 & 10, FP23GH9 & 10-1050psi minimum  Structure file characteres  VAILUXE_DVXE_EVEND excluse 400bmic information  KEVXE_EVEND excluse 200 psi						
	*****Mizuno	******Mizuno Models *****PWR CRBN (340527,340528,340529,350551 350552, 340533,340603 340605) -1400psi minimum						
	"""Monsta Model     """ZEPPI24A2 & 24PPFUL-1350psi minimum     ***Rawling: Models     ""MANTRA (PP1M9810 & RFPM39810) -1100psi minimum; MANTRA 3.0 (RFP4M9810) -1200psi minimum							
	""MANTRA PLUS (RF93MPS&10 & RF9MP3&10) - 1000psi minimum Rarrel Compression Testing and Pregame Inspection Information:							
	Bat Testing Manager Name (s)							
	Day One Sticke	r Color	# Passed Bats					
	Day Two Sticker Color # Passed Bats Date Umpire Initials # Bats Presented & Approved							
	FOR NCAA	GAMESDisqualifi	ed bats MUST be reported vi	a the Noncom				
	Bat testing ma	(under go nagers MUST file th	verning body choose NCAA e report for failed bats inclu	; scroll down t ding the actua				
	Falled BCT Information:							
	Date	Manufacturer	Model Number		BCT Readings	Bat Manager Initials		
	Disquaified Damaged Bat Information:							
	Date Manufacturer Model Number Issue (e.g. break, crack, illegal, illegible, cratie, wobble, endcap, connection) Initials					Initials		
	COD ALL COM	DETITION		<u> </u>				
	FOR ALL COM	PETITION:						

The responsibility for legally equipping the team rests with the coach regardless of if the bats are team or player owned, purchased or gifted.

In addition to presenting legal bats at testing, coaches must provide the first page and all relevant pages of a current NCAA Approved Softball Bat List that has their presented models highlighted and indicates the number of each in the first column. The redesigned bat list includes a new multi-color section to enter the information for use by the bat testing manager and umpires to detail bats that are disqualified and those that are appropriate for competition.

As in the past, a summary of all backstop style models with an exception to the 1550psi is provided at the top of the first page in a blue box for the convenience of the bat testing manager.

#### **THE BASICS OF**

#### **BARREL COMPRESSION TESTING**

Barrel compression testing is a simple predictor of bat performance.

In general, a reading of 1550 pounds per square inch (psi) is the minimum standard because it correlates to the maximum allowable batted ball speed of 98mph.

> However there are approved lower minimums for "backstop style" models as noted on the NCAA Approved Softball Bat List.

The basics of barrel compression testing is that it is a simple, reasonably accurate predictor of bat performance. A portable fixture is used to apply pressure to the bat barrel to measure barrel stiffness in specific locations.

In general, there's a linear correlation between the softness of the bat barrel and the exit speed of a batted ball.

Meaning if the barrel is stiff, the batted ball speed is likely slower than the 98mph standard and if it is soft, the batted ball speed is likely faster.

So a reading of 1550 pounds per square inch (psi) is the minimum standard of stiffness, as measured with this testing unit.

However, due to unique construction of "backstop style" models, there is a process for manufacturers to be granted a lower psi minimum as noted on the NCAA Approved Softball Bat List. Note-this is a number exception NOT an exception to being tested.



#### PREP BY TESTERS

#### LOCATE ALL TESTING MATERIALS

Case with fixture, cylinder, stop stick plus tape and pen to identify If applicable-postseason notebook

Insert and compress cylinder to confirm reading matches the load

Insert stop stick from preferred side until it is flush with far side then tighten set screw.

So let's talk about getting started in barrel compression testing. Prior to testing, coaches must gather all the bats they wish to have available for use. At the designated time, coaches must present their annotated bat list and should arrange the bats in the order in which they appear.

Note- coaches need not present the entire NCAA Approved Softball Bat List...only the first page and all additional relevant pages.

If testing is done daily, there is flexibility to present different bats daily but if testing is for an entire series or tournament, there is only one opportunity to present bats for testing.

Also prior to testing, the bat testing manager must ensure that all the necessary materials are present, test the fixture to ensure it is calibrated correctly and secure the stop stick to the BCT fixture for ease in testing the approximate sweet spot of the bat.



## Let's briefly talk about the process of barrel compression testing. There are four distinct parts:

The first is the bat testing manager must verify the model number on each bat EXACTLY MATCHES the model numbers on the annotated NCAA Approved Softball Bat List before continuing.

The second is to disqualify any bat with significant damage such as cracks and damaged end caps .

Next, compression test all bats that survive until each one has two passes or two fails, which ever happens first.

Finally, follow-up the test by applying a sticker to each bat that passes and retain possession of failed bats while amending the provided bat list to reflect those failures.

Let's go into detail on each part...



#### Returning to the first step...

Although by rule, coaches are responsible for legally equipping their teams, verification is the responsibility of the bat testing manager.

It is essential that testing only occurs on bats with legible model numbers and letters that exactly match models on the current NCAA Approved Softball Bat List. If the model number on the bat is illegible, it is excluded.

Finally, check to ensure the most current list is provided and that it appropriately documents what is presented for testing before totaling the team's bats and completing the information in the lavender box of page one.



Damage like the examples shown here, disqualifies the bat from testing. There's simply no need to waste time since these bats are obviously inappropriate.

Once a damaged bat is disqualified, amend the provided NCAA Approved Softball Bat List and return the bat to the team at this time (i.e. without testing or stickering).

Note- because bats can sustain damage at any time and will be used for batting practice and warm-ups between BCT and the game or games for which the round of testing is done, the umpire crew will continue to check every bat for damage immediately prior to each game.

The bat testing manager's role in this process is only to disqualify the obviously damaged bat that need not be tested.



#### So now to the test itself...finally!

The first step is to insert the bat until stopped by the stop stick. This will position the bat for testing at the approximate sweet spot.

Next, level the bat by placing the cylinder under the handle. *Tipplace something under or around the cylinder to prevent it from rolling away between bats.* 

With the fixture handle pointing downward, rotate the pressure gauge until it preloads to 500psi.

Then lift the fixture handle to obtain the first reading. Drop the handle and loosen the pressure gauge in order to turn the bat 90 degrees to retest.

If the results are the same, that is, both pass or both fail, that's the final result. If they differ, a third test result becomes final.



As noted earlier, most bat models must register at least 1550 pounds of pressure on the pressure gauge to pass.

However, there are documented exceptions referred to as "backstop style" bats. Collectively, they are listed on the first page of the NCAA Approved Softball Bat List for the bat testing manager's convenience.

The exact applicable psi minimum is also individually noted on the line of each appropriate model on the bat list .

There are two schools of thought on dealing with backstop style bats with lower BCT minimums. One is to keep the list of exceptions at the fixture while testing and check it as each bat is inserted. The other is to test the bat and if the reading is less than 1550psi, then consult the list to verify the model's approved exception.

Either way, if the gauge registers less than the required psi for that model, it is a failed test.



Bats that are sufficiently stiff and therefore pass are then stickered.

Note that stickers are destructible and cannot be repositioned nor reapplied.

If there are already stickers on the bat, placing them on top of old ones is preferred and if there are no stickers at the time of testing, the sticker should be placed at the bottom of the grip whenever possible.

If the handle has a rough finish, the sticker may need to be placed on the bottom of the grip to stick.

Typically, teams provide stickers that are then placed on the bats of their opponents but apecific stickers may alternatively be supplied by the host or a conference.



Failed bats should be identified with the school that owns it using athletic tape and then secured by administration. The exact disposition of the bat is determined by the testing group during the season... sometimes a conference, sometimes a tournament or the NCAA.

In the post season, the NCAA protocol is the bat is sent for further evaluation-NEVER returned to the team on site. The team's NCAA Approved Softball Bat List or log sheet is appropriately modified to reflect the number of bats passed. One quick additional comment on failed bats- if, as the bat testing manager, you want to demonstrate the failed score to the team representative, it should be done on every lever pull that results in a failed number. Never take the bat out of the fixture and later reinsert it to demonstrate the failed score. Unless the bat is reinserted exactly in the same position, there's a possibility of getting a slightly different reading which may lead to a conflicting result.



Before we wind this up, let me just quickly summarize a few key points unique to NCAA postseason barrel compression testing. Similar to the regular season, host institutions are responsible for providing the BCT fixture in the postseason.

The postseason notebook sent to each site has a document with step-by-step instructions and pictures for setting up the fixture, log sheets, stickers and a copy of the detailed information for participating coaches, NCAA site reps and host tournament directors from the championship handbook for ease in administering the testing.

Following the completion of the final game at the site, the host tournament director is responsible for return shipping all the materials including the completed log sheets and any failed bats.



#### A few final thoughts-

First, because BCT has occurred, the pregame inspection of bats by umpires is shortened to confirming the number of stickered bats matches the number of bats on the team's NCAA Approved Softball Bat List and checking for damage. If the numbers do not match, the umpires must revert back to their traditional matching of each bat model to the NCAA Approved Softball Bat List. In all cases, umpires shall correct the paperwork. I can't stress enough how important the bat testing manager is in this process of only testing appropriate bats.

Second, noncompliant/inappropriate bat reports from the Ref Quest website must be completed for all bats failing in-season BCT or that are removed by umpires for damage.

They are not necessary for bats disqualified by failed BCT in the postseason as those failures are noted on the log sheets returned at the end of the tier.



# This slide is a one-page flow chart depicting the responsibilities of each of the participants in barrel compression testing.

Responsibilities for the host are listed in black font; For the team representative in green font; For umpires in blue font; and

### For the bat testing manager in red.

This slide is available for download on the RefQuest website and is a great one-page summary to print and place in the bat testing fixture carrying case.



Once again, on behalf of all those who compete in or enjoy college softball, thank you for your time and efforts in this important undertaking.

Feel free to print this tutorial and place it in your team's BCT case for quick access.

For questions regarding the BCT fixture or the NCAA Bat Testing Program or Process, use the contact information noted here. For more detailed information on NCAA Softball Bat Testing, the document titled "NCAA Softball Bat COMPLIANCE and Testing INFORMATION" is posted on RefQuest.com.