

RAPID

Telaio ventrale a doppio effetto - Double-acting Inter row tool holder
Châssis entre-roue à double effet - Doppelseitiger Seitenrahmen



RAPID
PRO






Joystick
3+1

RAPID
LIGHT



DI SERIE

Incluso - Included - Inclus - Enthalten



Le staffature di fissaggio al trattore sono di competenza della concessionaria.
Adaption clamp for tractor made from our dealer.
Les fixations au tracteur sont la compétence du concessionnaire.
Adaptionsklemme für Traktor von Ihrem Händler machen.


Necessita **SCARICO LIBERO** al trattore!
Needs **FREE RETURN LINE** to the tractor!
Necessite de **RETOURN LIBRE** a tracteur!
FREIES ÖL-ABFLUSSROHR erforderlich!



COD.	MOD	Movimenti - Movements - Mouvements - Bewegungen	Distributor	Oil - Pressure	Kg
1035280I	BASIC	 F (Flottante - Floating - Flottant - Streubesitz)		10 lt/min - max 180 bar max	100
1035280K	LIGHT	 +  F (Flottante - Floating - Flottant - Streubesitz) + ON/OFF MOTOR		10-30 lt/min - max 180 bar max	110
1035280J	PRO	 F (Flottante - Floating - Flottant - Streubesitz) + ON/OFF MOTOR		20-30 lt/min - max 180 bar max	120
⚠ +2 MOVIMENTI DI SERIE +2 MOVEMENTS AS STANDARD +2 MOUVEMENT DE SÉRIE +2 BEWEGUNGEN SERIENMÄSSIG					

OPTIONAL	Descrizione - Description - Description - Beschreibung		Kg
1A04810S	Radiatore - Oil cooler Refroidisseur - Kühler		4
1A28002	Kit inclinazione - ingombro + 7 cm - Inclination Kit - dimensions + 7 cm Kit d'inclinaison - dimensions + 7 cm - Kippsatz - Gesamtabmessungen + 7 cm	+1 	25
1A28003	Fine-corsa idraulico - Hydraulic end-stroke Fin de course hydraulique - Hydraulischer Endhub	+1 	3
1A28005	Cavalletto regolabile con ruote - Adjustable stand with wheels Support réglable avec roues - Verstellbarer Ständer mit Rädern		20
1A28004	Ruota di appoggio su attacco a "C" - Support wheel on "C" direct connection Roue de support sur connexion directe "C" - Stützrad auf "C" Direktschluss		4

RAPID BASIC | LIGHT | PRO + ATTREZZI - RAPID BASIC | LIGHT | PRO + TOOLS - RAPID BASIC | LIGHT | PRO + OUTILS - RAPID BASIC | LIGHT | PRO + ZUBEHÖR

	Dischiera "BIO SPEED" Ø 36 cm per RAPID - Disc group "BIO SPEED" Ø 36 cm for RAPID Disque émotteur "BIO SPEED" Ø 36 cm pour RAPID - Leerlaufscheibe "BIO SPEED" Ø 36 cm für TCL	2 el.	1U35584	35
		3 el.	1U35594	41
 ATTACCO INCLUSO - CONNECTION INCLUDED - CONNEXION INCLUSE - ANGRIFF EINGESCHLOSSEN				
Descrizione - Description - Description - Beschreibung		COD.	Oil	Kg
	Kit attacco diretto "C" per RAPID - Direct connection kit "C" for RAPID Kit de connexion directe "C" por RAPID - RAPID Direktverbindingssatz "C"	1A28000		9
	Ecology meccanico - Ecology mechanic * Ecology mécanique - Ecology mechaniker	+1  	L. 30 cm 1U35452	30 lt/min 35
			L. 60 cm 1U35461	30 lt/min 40
	Spollonatore - Shoot removing head Empampreuse - Rebstammputzer	+1  	1U35510	15 lt/min 38
	Stella sarchiante - Mechanical rotor Herse mécanique - Fingerhacke		Ø 54 1U355000	30
			Ø 70 1U355060	45
	Stella sarchiante - Mechanical rotor Herse mécanique - Fingerhacke		Ø 54 1U355010	27
			Ø 70 1U355030	38
	Dischiera colmatrice folle Ø 46 cm - Disc fill in neutral Ø 46 cm Buteuse libre Ø 46 cm - Anhäufelscheiben ohne antrieb Ø 46 cm	1 d.	1U35170	25
		2 d.	1U35180	35

RAPID LIGHT | PRO + TCL

		COD.		
	Gruppo idraulico con tastatore a semplice effetto Hydraulic sensor device with single effect Tête interceps avec palpeur simple effet Hydraulische Sensoreinrichtung mit einem Effekt DESTRO - Right - Droit - Rechts	1037810I	15 lt/min - max 180 bar max	44
	L 30 cm DESTRO - Right - Droit - Rechts	1A28530		9
	L 40 cm DESTRO - Right - Droit - Rechts	1A28540		10
	L 50 cm DESTRO - Right - Droit - Rechts	1A28550		11
	L 70 cm DESTRO - Right - Droit - Rechts	1A28570		13
	Aratrino calandrato per TCL - Plough for TCL Decavaillonseuse pour TCL - Pflug für TCL	DESTRO - Right - Droit - Rechts	1A28500	13


OPTIONAL	COD.	Ø	Kg		COD.	Ø	Kg
	1A375020	31	20		1U35380		0,5
	1A375021	31	20		1U35360		2
	1A375040	36	28		1U35370		1,5
	1A375010		15		1A375011		15

CONFIGURAZIONI - CONFIGURATIONS - CONFIGURATIONS - KONFIGURATIONEN


SERIE VENTRALI RAPID - RAPID VENTRAL SERIES - SÉRIE VENTRALES RAPID - REIHE VENTRALEN RAPID



			
COD.	Descrizione - Description - Description - Beschreibung	N°	
1035280I	RAPID BASIC	1	100
1A28002	Kit inclinazione - Tilt kit - Kit d'inclinaison - Kit Neigung	1	25
1U35584	"BIO SPEED" 2 dischi - Discs - Disques - Scheiben	1	35




			
COD.	Descrizione - Description - Description - Beschreibung	N°	
1035280K	RAPID LIGHT	1	110
1A28002	Kit inclinazione - Tilt kit - Kit d'inclinaison - Kit Neigung	1	25
1037810I	TCL	1	44
1A28500	Aratrino calandrato - Plough - Decavillonseuse - Pflug	1	13
1A375020	Disco anteriore - Front disc - disque avant - vorderen Scheibe	1	20
1A375040	Disco posteriore - Rear Disc - disque arrière - hintere Scheibe	1	28




			
COD.	Descrizione - Description - Description - Beschreibung	N°	
1035280J	RAPID PRO	1	120
1A28003	Fine corsa idraulico - End stroke - Fin de course - Endhub	1	3
1037810I	TCL	1	44
1A375010	Ancora - Anchor - Ancre - Anker	1	15
1A28550	Lama estiva 50 cm - Summer blade 50 cm - Lame 50 cm - Sommermesser 50 cm	1	11
1U35380	Deflettore - Deflector - Déflecteur - Deflektor	2	1
1U35370	Sponda laterale - Lateral side - Versoir - Seitliche Seite	1	1,5
1U35360	Paletta - Tree trunk cleaner - Curé-ceps - Baumstammreiniger	1	2

CONFIGURAZIONI - CONFIGURATIONS - CONFIGURATIONS - KONFIGURATIONEN
SERIE VENTRALI RAPID - RAPID VENTRAL SERIES - SÉRIE VENTRALES RAPID - REIHE VENTRALEN RAPID



COD.		Descrizione - Description - Description - Beschreibung	N°		Kg
1035280J		RAPID PRO	1	120	
1A28003		Fine corsa idraulico - End stroke - Fin de course - Endhub	1	3	
1A28000		Kit attacco "C" - "C" connection Kit - "C" Connexion Kit - Kit de fixation "C"	1	7	
1U35452		Ecology L. 30 cm	1	35	
1A28005		Cavalletto con ruote - Stand with wheels - Support avec roues - Ständer mit Rädern	1	20	
1A04810S		Radiatore - Oil cooler - Refroidisseur - Kühler	1	4	



 L.TOT MIN	 30 cm 60 cm L. MIN [cm]	 30 40 50 70 cm L. MIN [cm]	 L. MIN [cm]	 Ø 54 Ø 70 L. MIN [cm]	
1035280I	75 85	75 85 95 105	100	95 105	XXX

CON / with / avec / mit - COD.1A28002 + 7 cm