


CALIFORNIA SERVICE TOOL RENTALS




SHOP ONLINE TODAY AT
CALSERVICETOOL.COM

CALIFORNIA
SERVICE TOOL 

APPLY FOR A CREDIT ACCOUNT ONLINE!

FASTER PROCESSING AND APPROVALS FOR ONLINE INQUIRIES!

SIGN UP TODAY AT *CALSERVICETOOL.COM*



BENEFITS OF OPENING A CREDIT ACCOUNT:



PROTECT CASHFLOW

Under our normal terms of sale, we provide 30 days interest free credit purchases.



SIMPLIFIED TRANSACTIONS

Save time executing the order while staying organized.



ACCOUNT SERVICES

Gaining access to service network of inside sales, project management and specialists.



ACCESS FROM ANY DEVICE

Place orders, check availability, and review order status from anywhere the job takes you.

555C CLASSIC ELECTRIC BENDER POWER UNIT

The 555C Classic Series features simple relay controls for easy field repairs, and compact handle design to prevent interference with conduit when bending.

- The optional PVC-coated Rigid conduit shoe group can be used on all 555 series benders
- Power Source: 120 VAC; 20 amp GFCI-protected receptacle; Weight: 260 lbs. (118 kg); Height: 44" (1118 mm); Width: 28.5" (724 mm); Depth: 28-1/2" (724 mm)

PRODUCT NO.	DESCRIPTION
555C	CLASSIC ELECTRIC BENDER UNIT
23802	1/2" - 2" SHOE GROUP EMT
28007	1/2" - 2" RIGID
28008	1/2" - 2" RIGID SHOE GROUP
37279	1/2" - 2" PVC COATED RIGID
12586	1/2" - 2" PVC-COATED RIGID SHOE GROUP



847 BENDER ELECTRIC PVC HEATER

Has heating chart, timer, and on/off switch with indicator light for added convenience

- Heavy-duty metal construction with reflective interior for fast, efficient heating
- Double doors with piano hinges allow heating shorter lengths with one door open



PRODUCT NO.	DESCRIPTION
851	1/2" - 4" ELECTRIC PVC HEATER - 54" LENGTH
847	1/2" - 6" ELECTRIC PVC HEATER - 71" LENGTH

881 HYDRAULIC BENDER WITH TABLE & PUMP

Fast and easy setup on the jobsite

- Steel reinforced follow bars for long life
- Bend a 90° elbow in 4" Rigid conduit in 95 seconds
- Ram positioner to ease the set up of the ram to accommodate different size shoes
- Locking swivel wheels for maneuverability
- Fork pockets to conveniently move the unit with a fork truck



PRODUCT NO.	DESCRIPTION
881CTDMBT	HYDRAULIC BENDER WITH TABLE & PUMP
31281	2-1/2", 3", 4" ONE SHOT 90° EMT, IMC, RIGID SHOE GROUP



854DX SINGLE SHOE ELECTRIC CONDUIT BENDER

Absolute encoder stops bending at precise angles

- Simple switching between vertical and horizontal bending configurations
- Digital pendant sets angle and monitors process
- Solid state system eliminates arcing and prevents damage from temporary power loss



854DX

PRODUCT NO.	DESCRIPTION
854DX	1/2" - 2" SINGLE SHOE CONDUIT BENDER
02840	1/2" - 2" SHOE GROUP PVC COATED - ACCESSORY



885 ONE-SHOT RIGID CONDUIT BENDER

(1-1/4" X 4") One-Shot and 5" Segment Rigid Conduit Bender without Hydraulic Pump

- Strong, yet lightweight, portable, pin-assembled aluminum components
- Easy-to-use ram travel scale and charts for accurate bends
- Make elbows, offsets and saddles



PRODUCT NO.	DESCRIPTION
885	1-1/4" X 4" ONE-SHOT AND 5" SEGMENT RIGID CONDUIT BENDER



WARNING: The products displayed within this catalog may contain a chemical known to the state of California to cause cancer, birth defects or other reproductive harm. Please visit the manufacturer's website for a detailed listing of known chemicals. For more information go to www.p65Warnings.ca.gov

UT10 PULLER W/ MOBILE VERSIBOOM™

Strong, rugged motor designed specifically for both big & small cable pulling applications up to 10000 LB

- Quick speed change from high speed to low-speed by simply double tapping foot pedal
- G10 puller also available for heavier pulls

PRODUCT NO.	DESCRIPTION
UT10-2S	10,000 LBS 2-SPEED CABLE PULLER
610-UT10CA5	5" ADAPTER WELDMENT (UTB)



610-UT10CA5

6810 ULTRA CABLE FEEDER

Dual motors drive each wheel for traction on both sides of the cable

- Feeds cable at variable speeds to match the speed of cable puller
- Accommodates cable ranging in size up to 3.5 IN (88.9mm) in diameter
- Now with new tires for improved traction with low friction cables
- Sets up easily and can be operated by just one person

PRODUCT NO.	DESCRIPTION
6810	ULTRA CABLE FEEDER



REEL JACKSTAND & SPINDLE

Two stands and a spindle are required for a complete setup

- Wide, welded steel base for added stability with 5/8" holes
- Roller bearings fit in the spindle groove to keep the spindle in place and turning freely
- Steel spindle with grooves to fit 683 reel stand



PRODUCT NO.	DESCRIPTION
JS-LARGE	REEL STAND
SPINDLE-LARGE	76" REEL STAND SPINDLE



6K CABLE PULLER

One person, 2 minute setup and operate!

- Quickly adapts from underground to overhead pulls
- No need to bolt to the ground on most pulls
- 6,000 lbs. peak capacity
- Versatile, can adapt to virtually any wire pull

PRODUCT NO.	DESCRIPTION
M6K	6,000 LBS 2-SPEED CABLE PULLER



G10 TUGGER™ 10K LB PULLER W/ MOBILE VERSIBOOM™

Easy control features for increased productivity

- The only UL listed 2 speed puller on the market that can shift from high speed/low load pulling to low speed/high load pulling with a simple double tap motion on the foot pedal control switch
- Sets up in less than 2 minutes and can be used in every pulling situation
- On-board force gauge provides visual communication of pulling force and speed changes



PRODUCT NO.	DESCRIPTION
G10	10,000 LBS 2-SPEED PULLER

690 POWER FISHING SYSTEM / VACUUM

Large 11 gallon tank

- Rugged self-contained unit includes everything needed to blow or vacuum fish line, poly line or measuring tape
- Curable tank and accessory storage box are corrosion, chemical and impact-resistant polyethylene
- Designed for the job site with 10' hose, large heavy-duty wheels and removable accessory box

PRODUCT NO.	DESCRIPTION
690	POWER FISHING SYSTEM / VAC

XD10 EXTREME DUTY CABLE PULLER

10,000 lbs. peak pulling force with a continuous pulling rating of 7,000 lbs

- Powerful gear box designed to operate under heavy loads with maximum output
- Quickly adapts from underground to overhead pulls
- Operates with handle or 18V cordless drill helping to eliminate any lifting



PRODUCT NO.	DESCRIPTION
XD10	10,000 LBS 2-SPEED CABLE PULLER
CPTRO1	TRIGGERS® DUAL REMOTE FOOT SWITCH

CABLE FEEDING SHEAVE

Cable Feeding Sheave guides cable safely into conduit regardless of pulling angle.

- Frame slides into the end of conduit and holds sheave, allowing the cable being fed into the conduit to smoothly roll over the sheave



PRODUCT NO. DESCRIPTION

8617220	2" Cable Feeding Sheave
8617230	3" Cable Feeding Sheave
8617240	4" Cable Feeding Sheave
8617250	5" Cable Feeding Sheave
8617260	6" Cable Feeding Sheave

08084350/08083230

DUCT RODDER

Condux Duct Rodders combine ease of operation and reliable performance to help increase the efficiency of your rodding operations



PRODUCT NO. DESCRIPTION

CPDR516500	5/16" X 500' DUCT RODDER
CPDR916800	9/16" X 800' DUCT RODDER

KNOCKOUTS

11-TON HYDRAULIC KNOCKOUT KIT WITH HAND PUMP AND SLUG-BUSTER® 1/2" - 4"

Powerful 11-ton hydraulic ram that punches 10 times faster than wrench method

- Compact, Lightweight Design - for portability and fast, easy one-person operation
- Knurled edge on punches for better grip
- New die design optimized for widest range of materials and drivers
- Laser markings for quick part identification. Alignment markings for improved accuracy
- Easy threading - draw studs with "dog point" tip helps eliminate cross-threading - Hex key access for easy removal from tool



PRODUCT NO. DESCRIPTION

7310SB	1/2" - 4" KNOCKOUT PUNCH KIT
743BB	5" KNOCKOUT PUNCH KIT
744BB	6" KNOCKOUT PUNCH KIT

HOOK TYPE SHEAVE

Strong, welded steel frames

- Forged steel closure-type hooks with 1" (25.4 mm) opening
- 5" (127 mm) wide aluminum alloy sheaves with self-lubricating bearings
- Maximum load capacity 8,000 lbs



PRODUCT NO. DESCRIPTION

8012	12" Hook-Type Sheave
8024	24" Hook-Type Sheave

HOOK TYPE SHEAVE

Strong, welded steel frames

- Forged steel closure-type hooks with 1" (25.4 mm) opening
- 5" (127 mm) wide aluminum alloy sheaves with self-lubricating bearings
- Maximum load capacity 4,000 lbs



PRODUCT NO. DESCRIPTION

651	12" Hook-Type Sheave
652	18" Hook-Type Sheave
653	24" Hook-Type Sheave

M18™ FORCE LOGIC™ 10T KNOCKOUT KIT 1/2 - 2"

Powerful hydraulic pump delivers up to 10 tons of force

- Powerful enough to punch 6" Holes in 12 gauge mild steel & 14 gauge Stainless Steel
- EXACT™ Punches and Dies are rated for both mild and stainless steel punching



49-16-2695



2676-22

PRODUCT NO. DESCRIPTION

2676-22	1/2 - 2" FORCE LOGIC 10T KNOCKOUT KIT
49-16-2695	2-1/2" - 4" KNOCKOUT SET



WARNING: The products displayed within this catalog may contain a chemical known to the state of California to cause cancer, birth defects or other reproductive harm. Please visit the manufacturer's website for a detailed listing of known chemicals. For more information go to www.p65Warnings.ca.gov



WHAT IT MEANS:

Fusion represents the best products from the top manufacturers in the industry. Our team is committed to never running out of the products you need to get the job done *safely & on time*.

BIGGEST FACTORS THAT GUIDE OUR SELECTION PROCESS:



Safety & Code Compliance

Our team of experts work closely with the industry's leading tool and safety manufacturers to ensure our inventory is stocked full with the latest safety products that meet and/or exceed code compliance.

Efficiency & Labor Savings

With tighter project timelines and increasing labor rates, we regularly review new products entering the market to ensure that we stock innovative solutions that help save you time and money.



Premier Vendor Partnerships


Over the past 50 years, we've worked with our premier vendor partners to streamline our supply chain and bulk up our inventories which allows us to pass on the cost and efficiency savings to our customers.



FUSION REWARDS

HOW IT WORKS:

Earn value back when you place orders online at
CALSERVICETOOL.COM



Jump Online



Place Your
Everyday Orders

5,974



Earn Points



Redeem For
Great Rewards

Look for points bonuses to earn up to **20% back!**

You can find bonuses on our premium products online, on monthly flyers & in the Source.

2X

3X

5X

8X

10X

MOST
ITEMS

\$1 = 1 POINT

5X \$1 = 5 POINTS

2X

\$1 = 2 POINTS

8X

\$1 = 8 POINTS

3X

\$1 = 3 POINTS

10X

\$1 = 10 POINTS

Visit Calservicetool.com/request to open an account and start earning back!

MX FUEL™ HANDHELD CORE DRILL KIT W/ STAND

AUTOSTOP™ technology provides you with maximum control & prevent over-rotation if bound up

- Delivers you the power to core up to 6" holes in reinforced concrete

Includes:

- (2) MX Fuel Redlithium XC406 battery pack
- MX Fuel Handheld Core Drill
- MX Fuel Charger
- Compact Stand
- Case with Wheels

PRODUCT NO. DESCRIPTION

MXF301-2CXS MX FUEL™ HANDHELD CORE DRILL KIT W STAND



Milwaukee®

68 LB 1-1/8" HEX PAVEMENT BREAKER WITH HAMMER TRUCK AND STEEL

Delivers a concrete pulverizing 52 joules of impact energy

- Active Vibration Control reduces vibration felt by the user at the handles
- Rubber-coated handles provide greater comfort and control
- Electronic Soft Start increases productivity by reducing bit walking

PRODUCT NO. DESCRIPTION

D25980K 68 LB 1-1/8" HEX PAVEMENT BREAKER

DEWALT



1-5/8" SDS-MAX® COMBINATION HAMMER

Features a powerful 13.0 Amp motor and has a dual-mode selector for combination versatility

- Vibration Control – for all day jobs, tool allows for maximum user comfort
- Provides soft-start and maintains constant speed under load
- Delivers 20 percent more power in hammer-only mode

BOSCH



PRODUCT NO. DESCRIPTION

11264EVS 1-5/8" SDS-MAX® COMBO HAMMER

14" 75.6 CC MM4® 4-STROKE ENGINE POWER CUTTER

4300 Max. RPM, 4.1 HP, 4-Cycle Gasoline Motor Type

- Fuel primer bulb for easier cold starts
- Pressure compensated carburetor with vented choke plate reduces flooding
- 5-Stage filtration system for better engine durability

Makita



PRODUCT NO. DESCRIPTION

EK7651H 14" WET/DRY POWER CUTTER

General Disclaimer: Unless otherwise specified, product prices already reflect discounts. Terms and conditions may be subject to change without notice. All offers are limited to stock on hand; no rain checks are available. Not valid on prior purchases. Consumer must pay applicable sales tax. Offer may not be combined with any other sale, promotion and/or offer. Promotions have no cash value. No resale accounts. California Service Tool reserves the right to cancel, revoke and discontinue any offer at any time without prior notification.

MX FUEL™ BREAKER

Most productive with the lowest vibration, lightest weight, and breaking over 2 tons per charge

- LED lights provide light at the chisel
- Front handle for easier transportation & maneuvering throughout the jobsite
- Anti-vibration body limits excess vibration & provides a comfortable grip while operating

Milwaukee®



PRODUCT NO. DESCRIPTION

MXF368-2XC MX FUEL™ BREAKER W 2 BATTERIES



DIAMOND CORING RIG W/ LARGE BASE STAND

Meter Box, Diamond Coring Motor & Vac-U-Rig® Kit

- Features a cast aluminum base with 4 leveling screws for fast accurate leveling adjustment
- Rear mounted rack and pinion feed
- Durable precision-ground 2-1/2" steel column, 43-1/2" high

Milwaukee®



PRODUCT NO. DESCRIPTION

4115-22 DIAMOND CORING RIG W/ LARGE BASE STAND

MX FUEL™ 14" CUT-OFF SAW

Fewer wearable parts, less noise and vibration, and zero emissions for a safer workspace indoors or outdoors

- Powerful gear box designed to operate under heavy loads with maximum output
- Quickly adapts from underground to overhead pulls
- Operates with handle or 18V cordless drill helping to eliminate any lifting

Milwaukee®



PRODUCT NO. DESCRIPTION

MXF314-2XC 14" CORDLESS CUT-OFF SAW W 2 BATTERIES

WORK PRO SERIES 3200PSI GAS PRESSURE WASHER

Direct drive axial piston Mi-T-M pump with brass manifold

- Powder coated steel frame and base plate with 1-1/4-inch tube handles
- 10-inch flat-free tires
- Equipped with the Mi-T-M Pressure Relief Start which eliminates build-up in the system
- Built-in low pressure detergent injector



PRODUCT NO. DESCRIPTION

WP3200-OMHB 3200PSI GAS PRESSURE WASHER

SANISPRAY ELECTRIC AIRLESS DISINFECTANT SPRAYER



Ideal disinfectant sprayer that delivers maximum productivity on mid-sized disinfecting jobs

- 1.5 Gal hopper delivers extended spray time along with self-contained portability
- Powerful DC motor with spark arrestor provides ability to spray alcohol-based (flammable) chemicals
- 15" spray extension - reduces operator chemical exposure



PRODUCT NO. DESCRIPTION

HP65 SANISPRAY ELECTRIC DISINFECTANT SPRAYER

6500 WATT 120/240V INDUSTRIAL GENERATOR

Consistent power with iAVR (Intelligent Automatic Voltage Regulation) technology

- Full GFCI protection
- OSHA worksite compliant - meets job site emission and safety requirements
- Long run time - up to 10.4 hrs
- Easy folding handles with reinforced standing legs



PRODUCT NO. DESCRIPTION

EB6500X 6500 WATT 120/240V INDUSTRIAL GENERATOR

3000 WATT 120V INVERTER GENERATOR

Super quiet - less noise than normal conversation

- Advanced inverter technology - reliable power for computers and other sensitive equipment
- Fuel efficient - Runs up to 20 hours on 3.4 gal of fuel
- Circuit protected - protects the generator from being overloaded
- Add more power with parallel capability



PRODUCT NO. DESCRIPTION

EU3000iS1 3000 WATT 120V INVERTER GENERATOR

MX FUEL™ ROCKET™ TOWER LIGHT/CHARGER



The most portable 10' light for both indoor and outdoor use

- 27,000 Lumens of task or area lighting
- The Telescopic lighting tower sets up in seconds to a max height of 10' with a motorized mast; collapses back down to 44" for easy transportation and storage
- 4 outriggers quickly deploy to provide more stability on uneven surfaces
- Up to 10 Hours on a single charge when powered by our MX FUEL™ REDLITHIUM™ XC406 battery pack



PRODUCT NO. DESCRIPTION

MXF041-XC MX FUEL™ ROCKET™ TOWER LIGHT/CHARGER

501 TRACKER II CABLE LOCATOR



Trace the path and determine the depth of buried wires, cables, and metallic pipes or conduit

- Use on active or dead systems
- Transmitter output and receiver sensitivity are both fully adjustable for maximum accuracy
- The transmitter offers three methods of connection: direct, inductive coupler, or inductive antenna



PRODUCT NO. DESCRIPTION

CL501 501 TRACKER II CABLE LOCATOR

6500 WATT INVERTER GENERATOR



Perfect for home back up power, RVs, outdoor events and job sites

- Eco Throttle™ - helps to reduce fuel consumption and operating noise
- Fuel efficient - up to 14 hrs on full tank at 1/4 load
- Reduces exhaust emissions levels
- The ability to power 120/240V at the same time



PRODUCT NO. DESCRIPTION

EU6500iS 6500 WATT 120/240V INVERTER GENERATOR



WARNING: The products displayed within this catalog may contain a chemical known to the state of California to cause cancer, birth defects or other reproductive harm. Please visit the manufacturer's website for a detailed listing of known chemicals. For more information go to www.p65Warnings.ca.gov

START SHOPPING THE INDUSTRY'S BEST ONLINE!

In the office or on the jobsite, we've given our customers the ability to view, purchase, and track their orders through our new web portal. Gain instant access to your data with our proprietary features designed to remove bottlenecks, standardize approved products, and review job spending. When paired together, these features help you do more with less and put money to the bottom line.



Real Time Inventory & Pricing

Check inventory on all of the top items you purchase.



Track Order Status

All of the information your team needs is in one spot.



View Finance

View, download & print all of your outstanding invoices from one convenient place.



Place Orders

Orders flow directly into our system for quick turnaround.



Review Order History

Our comprehensive account dashboard allows you to check the status of all open orders.



Reorder Pad

Quickly review & reorder all of your recently purchased products.

HYDRAULIC-LIFT EQUIPMENT MOVER

Heavy duty construction with weight capacities ranging from 1 ton to 5 tons per pair

- Side straps secure loads for stable moving
- Swivel casters permit easy positioning and movement in any direction
- Large wheels allow smooth movement over bumps and cracks of factory floors
- Adjustable forks with mounting pegs allow for positioning of forks to accommodate different width loads



M8



M10

ROL-A-LIFT

SUPERLIFT CONTRACTOR® SLC™ SERIES

Perfectly suited for construction work, industrial applications and HVAC installations

- Extremely durable yet also lightweight and portable
- A variety of load handling accessories make this unit extremely versatile
- Legs fold up and attachments are removable for easy storage
- Quiet, two-speed winch option — shift gears on the fly




33366-SGT



SLC12

PRODUCT NO.	DESCRIPTION
M4	HYDRAULIC-LIFT CAPACITY 4,000LBS
M8	HYDRAULIC-LIFT CAPACITY 8,000LBS
M10	HYDRAULIC-LIFT CAPACITY 10,000LBS

PRODUCT NO.	DESCRIPTION
SLC12	12' MATERIAL LIFT
SLC18	18' MATERIAL LIFT
SLC24	24' MATERIAL LIFT
33366-SGT	FORK EXTENSION, 4" X 36-1/2" X 4"



GUARDIAN 20001 ARC-O-POD CONFINED SPACE KIT



- High quality, 90-inch (max height) tripod
- Lightweight
- Highly portable

Includes:

- 15030 - Guardian 64" tripod
- 10974 - Guardian 50' 3-way SRL
- 10983 - Guardian bracket for SRL
- 00768 - Guardian ultra sack bag
- 15027 - Guardian winch adaptor bracket
- 15028 - Guardian 60' man winch
- 15025 - Guardian tripod pulley
- 9533-15 - Allegro ventilation fan



PRODUCT NO. **DESCRIPTION**

CS20001 GUARDIAN 20001 ARC-O-POD KIT

GX-2009 4-GAS CONFINED SPACE KIT W/ CHARGER

Strong, welded steel frames

- Forged steel closure-type hooks with 1" (25.4 mm) opening
- 5" (127 mm) wide aluminum alloy sheaves with self-lubricating bearings
- Maximum load capacity 4,000 lbs



PRODUCT NO. **DESCRIPTION**

72-0314RKC 4-GAS CONFINED SPACE DETECTOR KIT



WARNING: The products displayed within this catalog may contain a chemical known to the state of California to cause cancer, birth defects or other reproductive harm. Please visit the manufacturer's website for a detailed listing of known chemicals. For more information go to www.p65Warnings.ca.gov

18V 15-TON HYDRAULIC BATTERY ACTUATED CRIMPING TOOL

For comfort and improved grip, allowing one handed operation for advance, retract and hold

- Controls current, voltage and temperature to maximize battery life
- Forced air cooling fan cools the battery by forcing cool air through the battery's built-in air vents




15-TON REMOTE C-HEAD CRIMPER

Operating pressure at 10,000 PSI

- 2" jaw opening
- Used with P Dies
- Uses U dies with PUADP1 adapter
- Positive push button die locks



PRODUCT NO. DESCRIPTION

PAT46LI	18V 15-TON CORDLESS CRIMPING TOOL KIT
Y46LWSBHV	15-TON REMOTE C-HEAD CRIMPER
PFYR	DIE SET STAINLESS STEEL P DIE, YELLOW, INDEX KR
P1102	P-DIE STAINLESS STEEL P DIE, WHITE, INDEX 1102
P1103	NON BUTTING CIRCULAR P DIE, BLUE, INDEX 1103
P1104	STAINLESS STEEL P DIE, BROWN, INDEX 1104
P44ART	STAINLESS STEEL P DIE, BROWN, INDEX 302
P44RT	CIRCULAR NON-BUTTING TWIN STAINLESS STEEL P DIE, WHITE, INDEX 27
P998	STAINLESS STEEL U DIE, INDEX 998

FOR USE WITH PUADP1 STAINLESS STEEL U DIE ADAPTER

PRODUCT NO. DESCRIPTION

U997	STAINLESS STEEL RADIAL NON-BUTTING TWIN U DIE, ORANGE, INDEX 997
UC	STAINLESS STEEL CIRCULAR BUTTING TWIN U DIE, BROWN, INDEX C
UD	STAINLESS STEEL U DIE, INDEX D, BLUE
UN	STAINLESS STEEL U DIE, INDEX N RED
UO	STAINLESS STEEL CIRCULAR BUTTING TWIN U DIE, GREEN, INDEX O
U1CART	STAINLESS STEEL U DIE, INDEX 471 GOLD
U1CRT1	STAINLESS STEEL U DIE, GREEN, INDEX 11 GREEN
U25ART	STAINLESS STEEL U DIE, TAN, INDEX 296 TAN
U25RT	STAINLESS STEEL CIRCULAR BUTTING TWIN U DIE, 1/0 STR CU, PINK, INDEX 12
U26ART	STAINLESS STEEL U DIE, OLIVE, INDEX 297 OLIVE
U26RT	STAINLESS STEEL CIRCULAR BUTTING TWIN U DIE, 2/0 STR CU, BLACK, INDEX 13
U27ART	STAINLESS STEEL U DIE, RUBY, INDEX 467
U27RT	STAINLESS STEEL U DIE, ORANGE, INDEX 14
U28ART	STAINLESS STEEL U DIE, WHITE, INDEX 298
U28RT	STAINLESS STEEL CIRCULAR BUTTING TWIN U DIE, 4/0 STR CU, PURPLE, INDEX 15
U29ART	STAINLESS STEEL U DIE, RED, INDEX 324
U29RT	STAINLESS STEEL U DIE, YELLOW, INDEX 16
U2CABT	STAINLESS STEEL HEXAGONAL BUTTING TWIN U DIE, 2 STR AL, PINK, INDEX 348
U2CRT	STAINLESS STEEL U DIE, BROWN, INDEX 10
U30ART	STAINLESS STEEL U DIE, BLUE, INDEX 470
U30RT	STAINLESS STEEL U DIE, WHITE, INDEX 17
U31ART	STAINLESS STEEL U DIE, BROWN, INDEX 299
U32ART	STAINLESS STEEL U DIE, GREEN, INDEX 472
U32RT	STAINLESS STEEL U DIE, BLUE, INDEX 19
U34ART	STAINLESS STEEL U DIE, PINK, INDEX 300
U34RT	STAINLESS STEEL CIRCULAR BUTTING TWIN U DIE, 500 KCMIL, BROWN, INDEX 20
U36ART	STAINLESS STEEL U DIE, BLACK INDEX 473
U36RT	STAINLESS STEEL CIRCULAR NON-BUTTING TWIN U DIE, 600 KCMIL, GREEN, INDEX 22
U39ART-2	STAINLESS STEEL U DIE, YELLOW, INDEX 936
U39RT	STAINLESS STEEL CIRCULAR NON-BUTTING TWIN U DIE, 750 KCMIL, 600 FLEX, BLACK, INDEX 24
U3CRT	STAINLESS STEEL U DIE, WHITE, INDEX 9
U4CABT	STAINLESS STEEL HEXAGONAL BUTTING TWIN U DIE, GREEN, INDEX 375
U4CRT	STAINLESS STEEL U DIE, GRAY, INDEX 8
U6CABT	STAINLESS STEEL HEXAGONAL BUTTING TWIN U DIE, #4STR CU, #6STR AL, GRAY, INDEX 346
U8CRT	STAINLESS STEEL U DIE, RED, INDEX 49

18V 12-TON C-HEAD HEAD CORDLESS CRIMPING TOOL

Patented T-Track alignment guide for HYGROUND® as well as other asymmetrical connectors

- Ergonomic design and over molded handle for comfort grip
- C-Head with 1.65" jaw opening
- 355° head rotation
- Uses U dies




PRODUCT NO. DESCRIPTION

PAT750LI	18V 12-TON CORDLESS CRIMPING TOOL KIT
U997	STAINLESS STEEL RADIAL NON-BUTTING TWIN U DIE, ORANGE, INDEX 997
UC	STAINLESS STEEL CIRCULAR BUTTING TWIN U DIE, BROWN, INDEX C
UD	STAINLESS STEEL U DIE, INDEX D, BLUE
UN	STAINLESS STEEL U DIE, INDEX N RED
UO	STAINLESS STEEL CIRCULAR BUTTING TWIN U DIE, GREEN, INDEX O
U1CART	STAINLESS STEEL U DIE, INDEX 471 GOLD
U1CRT1	STAINLESS STEEL U DIE, GREEN, INDEX 11 GREEN
U25ART	STAINLESS STEEL U DIE, TAN, INDEX 296 TAN
U25RT	STAINLESS STEEL CIRCULAR BUTTING TWIN U DIE, 1/0 STR CU, PINK, INDEX 12
U26ART	STAINLESS STEEL U DIE, OLIVE, INDEX 297 OLIVE
U26RT	STAINLESS STEEL CIRCULAR BUTTING TWIN U DIE, 2/0 STR CU, BLACK, INDEX 13
U27ART	STAINLESS STEEL U DIE, RUBY, INDEX 467
U27RT	STAINLESS STEEL U DIE, ORANGE, INDEX 14
U28ART	STAINLESS STEEL U DIE, WHITE, INDEX 298
U28RT	STAINLESS STEEL CIRCULAR BUTTING TWIN U DIE, 4/0 STR CU, PURPLE, INDEX 15
U29ART	STAINLESS STEEL U DIE, RED, INDEX 324
U29RT	STAINLESS STEEL U DIE, YELLOW, INDEX 16
U2CABT	STAINLESS STEEL HEXAGONAL BUTTING TWIN U DIE, 2 STR AL, PINK, INDEX 348
U2CRT	STAINLESS STEEL U DIE, BROWN, INDEX 10
U30ART	STAINLESS STEEL U DIE, BLUE, INDEX 470
U30RT	STAINLESS STEEL U DIE, WHITE, INDEX 17
U31ART	STAINLESS STEEL U DIE, BROWN, INDEX 299
U32ART	STAINLESS STEEL U DIE, GREEN, INDEX 472
U32RT	STAINLESS STEEL U DIE, BLUE, INDEX 19
U34ART	STAINLESS STEEL U DIE, PINK, INDEX 300
U34RT	STAINLESS STEEL CIRCULAR BUTTING TWIN U DIE, 500 KCMIL, BROWN, INDEX 20
U36ART	STAINLESS STEEL U DIE, BLACK INDEX 473
U36RT	STAINLESS STEEL CIRCULAR NON-BUTTING TWIN U DIE, 600 KCMIL, GREEN, INDEX 22
U39ART-2	STAINLESS STEEL U DIE, YELLOW, INDEX 936
U39RT	STAINLESS STEEL CIRCULAR NON-BUTTING TWIN U DIE, 750 KCMIL, 600 FLEX, BLACK, INDEX 24
U3CRT	STAINLESS STEEL U DIE, WHITE, INDEX 9
U4CABT	STAINLESS STEEL HEXAGONAL BUTTING TWIN U DIE, GREEN, INDEX 375
U4CRT	STAINLESS STEEL U DIE, GRAY, INDEX 8
U6CABT	STAINLESS STEEL HEXAGONAL BUTTING TWIN U DIE, #4STR CU, #6STR AL, GRAY, INDEX 346
U8CRT	STAINLESS STEEL U DIE, RED, INDEX 49

18V 11-TON DIELESS LATCH HEAD BATTERY ACTUATED CRIMPER

Dieless System with range taking capability

- 355° Rotatable latch head
- Audible pop-off indicates properly completed crimps
- Ergonomically balanced




PRODUCT NO.

PAT644LI	18V 11-TON DIELESS BATTERY POWERED CRIMPING TOOL KIT
----------	--



EARN POINTS WHEN YOU BUY ONLINE!*

*Some products excluded. Points hold no cash value. Account must be in good standing to participate in FUSION program. We reserve the right to cancel or change at any time without notice.

GATOR 18V 12-TON L SERIES BATTERY POWERED CRIMPING TOOL KIT

Two-speed pump to reduce cycle time

- Head designs result in lower weight and improved durability - tested to 50,000 crimp cycles
- The pistol grip style tools utilize a 3.0 amp hour battery

PRODUCT NO.

EK1240L11

DESCRIPTION

18V 12-TON L SERIES BATTERY POWERED CRIMPING TOOL KIT



GATOR 18V 12-TON DIELESS L SERIES BATTERY POWERED CRIMPING TOOL KIT

For copper and aluminum color coded lugs and splices

- Pressure monitoring that alerts the operator if the crimping force of the tool does not meet specifications
- 18V lithium ion battery power reduces cycle time and provides 70% more cycles per charge



PRODUCT NO.

EK1210L11

DESCRIPTION

18V 12-TON DIELESS L SERIES BATTERY POWERED CRIMPING TOOL KIT

18V CORDLESS CABLE CUTTER



- Powerful cutter for copper and aluminum cables up to 2" in diameter
- Flip-top style cutting head is extremely durable

PRODUCT NO.

ESG50L11

DESCRIPTION

18V CORDLESS CABLE CUTTER

15-TON DIELESS HYDRAULIC CRIMPING TOOL

Head rotates 350 degrees to get into tight locations

- Two-speed pump provides rapid crimping cycle time
- Lightweight and strong fiberglass handles



PRODUCT NO.

1990

DESCRIPTION

DIELESS HYDRAULIC CRIMPING TOOL

10,000 PSI ELECTRIC HYDRAULIC PUMP



1/2 HP 115V AC/60hz

- Lightweight
- Small size
- Factory set relief valve
- 100,000 (+) life cycles
- Sealed electric pendant switch



PRODUCT NO.

EPP10

DESCRIPTION

1/2 HP 10,000 PSI ELECTRIC HYDRAULIC PUMP



WARNING: The products displayed within this catalog may contain a chemical known to the state of California to cause cancer, birth defects or other reproductive harm. Please visit the manufacturer's website for a detailed listing of known chemicals. For more information go to www.p65Warnings.ca.gov

MODEL 300 POWER DRIVE PIPE THREADER**Heavy-duty proven performance 1700W Motor**

- Lightweight, portable design at only 115-154 lbs (52-70 kg)
- Fast transport and set-up
- Self-contained oil system with adjustable flow control
- Versatility for threading and grooving

**PRODUCT NO. DESCRIPTION**

15722	MODEL 300 POWER DRIVE PIPE THREADER
40005	346 SUPPORT ARMS SET
10883	MODEL 418 OILER / 1 GAL
819	1/2" - 2" NIPPLE CHUCK KIT

MODEL 700 POWER DRIVE HAND-HELD THREADER**Designed for 12-R die heads**

- Double-throw reversible switch
- Cast aluminum body
- Spur gear reduction face gear drive.
- Spring-loaded adapter pawls
- Hardened steel spindle gear

**PRODUCT NO. DESCRIPTION**

41935	MODEL 700 POWER DRIVE PIPE THREADER
42625	SUPPORT ARM

MODEL 1224 1/2" - 4" NPT HAMMER CHUCK THREADING MACHINE**An induction motor helps minimize noise**

- Constant and proper lubrication of dies and workpiece with through-head oiling
- 1/4"-2" Universal Die Head; 2 1/2"-4" receding die head allows cutting of tapered or straight NPT/NPSM or BSPT/BSPP threads

**PRODUCT NO. DESCRIPTION**

26092	1/2" - 4" PIPE THREADER
26152	RECEDING DIE HEAD 2 1/2" - 4" NPT
26132	RECEDING DIE HEAD 1/4" - 2" NPT
819	1/2" - 2" NIPPLE CHUCK KIT

MODEL 535 1/2" - 2" NPT HAMMER CHUCK THREADING MACHINE**A large chip tray and oil reservoir makes the 535 ideal for longer uninterrupted threading**

- Can be used with geared 141 & 161 threaders
- High clearance carriage makes threading easier
- Speed chuck with rocker-action jaws centers and grips work piece instantly
- Length gauge for quick, accurate cut-off

**PRODUCT NO. DESCRIPTION**

93287	MODEL 535 POWER DRIVE THREADER
819	1/2" - 2" NIPPLE CHUCK KIT

GEARED THREADERS / PIPE THREADING ACCESSORIES**Models 141 & 161**

- Jaw clutch prevents jamming
- Simple adjustment for tapered or straight threads
- Cam-type work holder sets instantly

Models 744 & 844

- Model 744 is for 1/4" - 4"
- Model 844 Drive Bar for Geared Threaders

**PRODUCT NO. DESCRIPTION**

36620	2-1/2" - 4" RECEDING GEARED THREADER
36630	4" - 6" RECEDING GEARED THREADER
42405	MODEL 844 DRIVE BAR FOR GEARED THREADERS

**12-R 1/2" - 2" THREADER DIE SET W/ RATCHET & HANDLE****Include Die Heads, Ratchet Assembly, Ratchet Handle and Alloy Dies**

- Designed for use with plastic-coated piping
- Produces precise, uniform threading on conduits
- Carrying case keeps your tools organized and simplifies transportation

**PRODUCT NO. DESCRIPTION**

55207	EXPOSED RATCHET THREADER SET 12-R
-------	-----------------------------------

**M18 FUEL™ PIPE THREADER W/ ONE-KEY™ KIT****The industry's first cordless pipe threader**

- Side grip and die head retention lock for no engagement with spinning die head
- Offset die head for closer threading near pipe bends and against walls
- Multi-Speed Selector optimizes thread quality across pipe sizes
- AUTOSTOP™ kickback control prevents severe kickback

**PRODUCT NO. DESCRIPTION**

2874-22HD	M18 FUEL™ PIPE THREADER & ONE KEY™ KIT
-----------	--

OUR PLATFORM WILL HELP GROW YOUR BUSINESS

Calservicetool.com is so much more than just a B2B e-Commerce website. It is an all-encompassing business tool designed to alleviate your company's pain points and increase efficiency while saving you time & money!

Sign up today at Calservicetool.com/request

TOOLCRB

Save your most commonly purchased items for fast and easy ordering. By job function, seniority, department or product type, categorize each TOOLCRB the way you want.

JOBALYTICS

If you don't know where you're going, any road will get you there. JOBALYTICS gives you the insights you need to make strategic cost management decisions.

WORQ

Tired of receiving handwritten material requisitions from the field? Speed up procurement times and improve order accuracy with our Web Order Review Queue.

CRIMPING

HEAVY-DUTY PIPE CUTTERS

Extra-long shank protects adjustment threads

- Extra-large handle is provided for quick, easy adjustment
- Can be converted to 3-wheel cutter by replacing rollers with cutter wheel
- Second handle on 4-S and 6-S models makes two-man leverage possible on large pipe sizes

RIDGID



PRODUCT NO.	DESCRIPTION
32850	4" - 6" HEAVY DUTY PIPE CUTTER / 6-S
32840	2" - 4" HEAVY DUTY PIPE CUTTER / 4-S
32820	1/8" - 2" HEAVY DUTY PIPE CUTTER / 2-A

32850	4" - 6" HEAVY DUTY PIPE CUTTER / 6-S
32840	2" - 4" HEAVY DUTY PIPE CUTTER / 4-S
32820	1/8" - 2" HEAVY DUTY PIPE CUTTER / 2-A

MODEL 460-6 TRISTAND® 1/8" - 6" CHAIN VISE

Features an optimized base layout to maximize working area

- Convenient lug to clamp the weld ground
- Rugged leg chain for the tough demands and a durable tool tray
- Features integral folding legs for easy transport and setup, tool hangers and a base which overhangs the front legs for clear tool swing

RIDGID



PRODUCT NO.	DESCRIPTION
-------------	-------------

36273	MODEL 460-6 TRISTAND® CHAIN VISE 1/8" - 6"
-------	--

PIPE CRIMPING



M18™ FORCE LOGIC™ PRESS TOOL KIT WITH 1/2" - 2" JAWS

The industry's first brushless press tool, the M18™ FORCE LOGIC™ Press Tool is the smallest, most intelligent press tool in the industry

- The smallest & lightest full-sized press tool on the market, delivering 20% more run time per charge, 10% faster cycle time, & the single longest calibration interval in the industry at 50,000 cycles
- Auto-cycle ensures a full press every time and a prepress battery check to ensure the tool won't start a press if it can't complete

Milwaukee



PRODUCT NO.	DESCRIPTION
-------------	-------------

2773-22	1/2" - 2" JAWS / PRESS TOOL KIT
---------	---------------------------------



WARNING: The products displayed within this catalog may contain a chemical known to the state of California to cause cancer, birth defects or other reproductive harm. Please visit the manufacturer's website for a detailed listing of known chemicals. For more information go to www.p65Warnings.ca.gov

SO MUCH MORE THAN JUST TOOLS

HAYWARD
510-782-1000
3875 BAY CENTER PL.
HAYWARD, CA 94545

DUBLIN
925-361-9412
6500 SIERRA CT.
DUBLIN, CA 94568

MODESTO
209-550-2500
4719 STODDARD RD.
MODESTO, CA 95356

SACRAMENTO
916-925-3884
855 NATIONAL DR. #101
SACRAMENTO, CA 95834

CHICO
530-781-1300
629 ENTLER AVE. STE 32
CHICO, CA 95928

SAN JOSE
408-960-7390
620 E. TRIMBLE RD. STE 106
SAN JOSE, CA 95112

CALSERVICETOOL.COM