

OPERATIONAL INSTRUCTION

Date of print: 1/24/2023

Page:

according to § 20 GefStoffV (Germany)

Bevi Tab Oxygen

Material number 88.305.010

Field of activity:

Hazard to man and environment



Warning

H315 Causes skin irritation.

H319 Causes serious eye irritation. H335 May cause respiratory irritation.

Preventive measures and rules of conduct

July 7	

Keep out of reach of children.

P260 Do not breathe dust.

P264 Wash hands and face thoroughly after handling. Use only outdoors or in a well-ventilated area.

P280

Wear protective gloves/protective clothing/eye protection. P312 Call a POISON CENTER/doctor if you feel unwell.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

Provide good ventilation and/or an exhaust system in the work area.

In the case of the formation of dust: Dust should be exhausted directly at the point of origin.

Avoid generation of dust. Do not breathe dust. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Take off contaminated clothing and wash it before reuse. Have eye wash bottle or eye rinse ready at work place.

Respiratory protection:

Respiratory protection must be worn whenever the TLV (WEL) levels have been exceeded. In case of dust formation: Dust mask/Particulates filter P2 according to OSHA Standard - 29 CFR: 1910.134 or ANSI Z88.2.

The filter class must be suitable for the maximum contaminant concentration (gas/vapor/aerosol/particulates) that may arise when handling the product.

Hand protection:

Protective gloves according to OSHA Standard - 29 CFR: 1910.138.

Glove material: Nitrile rubber or butyl caoutchouc (butyl rubber).

Breakthrough time: >480 min.

Observe glove manufacturer's instructions concerning penetrability and breakthrough time.

Eve protection:

Tightly sealed goggles according to OSHA Standard - 29 CFR: 1910.133 or ANSI Z87.1-2010.

Body protection:

Wear suitable protective clothing.

printed by BeviClean with Qualisys SUMDAT



OPERATIONAL INSTRUCTION

Date of print: 1/24/2023

Page:

according to § 20 GefStoffV (Germany)

Bevi Tab Oxygen

Material number 88.305.010

Field of activity:

Reaction in case of danger

Avoid generation of dust. Do not breathe dust. Avoid contact with the substance.

If possible, eliminate leakage. Provide adequate ventilation.

Wear appropriate protective equipment. Keep unprotected people away.

Take off contaminated clothing and wash it before reuse.

Product is non-combustible. Extinguishing materials should therefore be selected according to surroundings.

Extinguishing media which must not be used for safety reasons:

Full water jet

Accidental release measures:

Collect dry and place in appropriate containers for disposal. Subsequent cleaning.

To clean the floor and all object contaminated by this material, use water.

First aid

Following skin contact:

General information: If medical advice is needed, have product container or label at hand.

Take off contaminated clothing and wash it before reuse.

In case of inhalation: If breathing is difficult, remove victim to fresh air and keep at rest in a position

comfortable for breathing. Seek medical attention if problems persist.

Immediately clean with water and soap followed by thorough rinsing. In case of skin

reactions, consult a physician.

Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids After eve contact:

apart. Remove contact lenses, if present and easy to do. Continue rinsing. Subsequently

consult an ophthalmologist.

Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an After swallowing

unconscious person. Do not induce vomiting. Seek medical attention.

Appropriate disposal

Waste key number 20 01 29*

Detergents containing hazardous substances.

* = Evidence for disposal must be provided.

Product: Special waste. Dispose of waste according to applicable legislation.

Smaller amounts: Dilute with plenty of water.

Contaminated packaging: Rinse with water. Wrap waste as is appropriate for the type of material.

Single packs can be disposed of together with household waste.

with Qualisys SUMDAT