

according to 29 CFR 1910.1200 and ANSI standard Z400.1-2010

Bevi Power alkalisch

Material number 88.304.001

 Revision date:
 4/14/2023

 Version:
 18.0

 Replaces version:
 17.0

 Language:
 en-US

 Date of print:
 4/27/2023

Page: 1 of 8

1. Product and company identification

Product identifier

Trade name: Bevi Power alkalisch

Relevant identified uses of the substance or mixture and uses advised against

General use: Cleaning agent

Details of the supplier of the safety data sheet

Company name: BeviClean GmbH
Street/POB-No.: Carl-Benz-Straße 5
Postal Code, city: 56218 Mülheim-Kärlich

Germany

E-mail: info@beviclean.com
Telephone: +49 (0) 2630 / 966 30-0
Telefax: +49 (0) 2630 / 966 30-20

Department responsible for information:

Dirk Bersch, Telephone: +49 (0) 2630 / 966 30-0, info@beviclean.com

Emergency phone number

Dirk Bersch, Telephone: +49 (0) 2630 / 966 30-0

2. Hazards identification

Emergency overview

Appearance: Form: solid, powder

Color: sallow blue chlorine odor

Classification: Eye Irritation - Category 2A. Aquatic toxicity - chronic - Category 2.

Hazard symbols:

Odor:





Signal word: Warning

Hazard statements: Causes serious eye irritation.

Toxic to aquatic life with long lasting effects.

Precautionary statements: Keep out of reach of children.

Do not breathe dusts or mists. Avoid release to the environment.

IF SWALLOWED: Immediately call a POISON CENTER/doctor.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

Regulatory status

This material is considered hazardous by the U.S. OSHA Hazard Communication Standard (29 CFR 1910.1200).

Hazards not otherwise classified

May be harmful if swallowed. see section 11: Toxicological information



according to 29 CFR 1910.1200 and ANSI standard Z400.1-2010

Bevi Power alkalisch

Material number 88.304.001

Revision date: 4/14/2023 Version: 18.0 Replaces version: 17.0 Language: en-US Date of print: 4/27/2023

Page: 2 of 8

3. Composition / Information on ingredients

Relevant ingredients

CAS No.	Designation	Concentration	Classification
CAS 497-19-8	Sodium carbonate	< 20 %	Eye Irritation - Category 2A.
CAS 51580-86-0	Troclosene sodium, dihydrate	< 10 %	Acute Toxicity - oral - Category 4. Eye Irritation - Category 2A. Specific Target Organ Toxicity (Single Exposure) - Category 3. Aquatic toxicity - acute - Category 1. Aquatic toxicity - chronic - Category 1.
CAS 3794-83-0	Phosphonates	< 10 %	Acute Toxicity - oral - Category 4. Eye Irritation - Category 2A.

4. First aid measures

In case of inhalation: Provide fresh air. If breathing becomes irregular or ceases, apply rescue breathing or artificial

respiration immediately, where required supply oxygen.

Following skin contact: After contact with skin, wash immediately with plenty of water.

In case of skin irritation, consult a physician.

After eye contact: Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids apart.

Subsequently consult an ophthalmologist.

After swallowing: Rinse mouth with water. Repeatedly drink water. Never give anything by mouth to an

unconscious person.

Consult doctor afterwards. Do not induce vomiting.

Most important symptoms/effects, acute and delayed

In case of inhalation: irritant

In case of ingestion: May be harmful if swallowed.

After contact with skin: irritant

Information to physician

Treat symptomatically. Product reacts alkaline.

5. Fire fighting measures

Flash point/flash point range: No data available

Auto-ignition temperature: No data available

Suitable extinguishing media: Product is non-combustible. Extinguishing materials should therefore be selected according to

surroundings.

Specific hazards arising from the chemical

In an aqueous solution products shows alkaline reactions and develops chlorine gas.

Additional information: Do not allow water used to extinguish fire to enter drains, ground or waterways.

6. Accidental release measures

Personal precautions: Provide adequate ventilation. Wear personal protection equipment.

Avoid generation of dust. Do not breathe dust. Avoid contact with the substance.

Environmental precautions: Do not allow to penetrate into soil, waterbodies or drains.

Methods for clean-up: Collect dry and place in appropriate containers for disposal. Subsequent cleaning.

To clean the floor and all object contaminated by this material, use water.



according to 29 CFR 1910.1200 and ANSI standard Z400.1-2010

Bevi Power alkalisch

Material number 88.304.001

 Revision date:
 4/14/2023

 Version:
 18.0

 Replaces version:
 17.0

 Language:
 en-US

 Date of print:
 4/27/2023

Page:

3 of 8

7. Handling and storage

Handling

Advices on safe handling: Provide adequate ventilation.

Whenever possible use closed equipment with this product.

Keep your workplace clean.

Use suitable personal protective equipment to protect skin and eyes.

Avoid generation of dust.

In the case of the formation of dust: Use local exhaust.

Storage

Requirements for storerooms and containers:

Keep container tightly closed and dry. Keep in a cool place.

Further details: In an aqueous solution products shows alkaline reactions and develops chlorine gas.

Product is hygroscopic.

8. Exposure controls / personal protection

Exposure guidelines

Additional information: Please observe generally defined limit for dust:

OSHA-TWA: 15 mg/m³ (total dust)

OSHA-TWA: 5 mg/m3 (respirable fraction)

Engineering controls

Dust should be exhausted directly at the point of origin.

See also information in chapter 7, section storage

Personal protection equipment (PPE)

Eye/face protection: Tightly sealed goggles according to OSHA Standard - 29 CFR: 1910.133 or ANSI Z87.1-2010.

Skin protection: Protective gloves according to OSHA Standard - 29 CFR: 1910.138

Glove material: Nitrile rubber.

Observe glove manufacturer's instructions concerning penetrability and breakthrough time.

Respiratory protection: When dust and vapors form: Use combination filter type A/P3 according to OSHA Standard - 29

CFR: 1910.134 or ANSI Z88.2.

General hygiene considerations Wash hands before breaks and after work.

When using do not eat or drink. Avoid contact with skin and eyes.

Do not breathe dust.

Have eye wash bottle or eye rinse ready at work place.

Environmental exposure controls

Refer to 6.: Section "Environmental precautions".

9. Physical and chemical properties

Information on basic physical and chemical properties

Appearance: Form: solid, powder

Color: sallow blue

Odor: chlorine odor
Odor threshold: No data available

pH: at 68 °F, 10 g/L: 10.6

Melting point/freezing point: > 122 °F

Initial boiling point and boiling range: No data available



according to 29 CFR 1910.1200 and ANSI standard Z400.1-2010

Bevi Power alkalisch

Material number 88.304.001

 Revision date:
 4/14/2023

 Version:
 18.0

 Replaces version:
 17.0

 Language:
 en-US

 Date of print:
 4/27/2023

Page:

Flash point/flash point range:

Evaporation rate:

No data available

No data available

Flammability:

No data available

Explosion limits:

No data available

Vapor pressure:

at 68 °F: < 0.1 hPa

Vapor density:

No data available

Density:

No data available

Water solubility: at 122 °F: 200 - 220 g/L
Partition coefficient: n-octanol/water: No data available

Auto-ignition temperature:

No data available
Thermal decomposition:

No data available

Bulk density: 1000 - 1100 kg/m³

10. Stability and reactivity

Reactivity: In an aqueous solution products shows alkaline reactions and develops chlorine gas.

Product is hygroscopic.

Chemical stability: Product is stable under normal storage conditions.

Possibility of hazardous reactions:

Contact with acids liberates chlorine.

Conditions to avoid: No data available

Incompatible materials: Acids

Hazardous decomposition products:

In case of fire may be liberated: nitrogen oxides (NOx), hydrogen chloride, Carbon monoxide

and carbon dioxide.

Thermal decomposition: No data available

11. Toxicological information

Toxicological tests

Toxicological effects: Acute toxicity (oral): Lack of data.

Acute toxicity (dermal): Lack of data. Acute toxicity (inhalative): Lack of data. Skin corrosion/irritation: Lack of data.

Serious eye damage/irritation: Eye Irritation - Category 2A = Causes serious eye irritation.

Sensitisation to the respiratory tract: Lack of data.

Skin sensitisation: Lack of data.

Germ cell mutagenicity/Genotoxicity: Lack of data.

Carcinogenicity: Lack of data.

Reproductive toxicity: Lack of data.

Effects on or via lactation: Lack of data.

Specific target organ toxicity (single exposure): Lack of data. Specific target organ toxicity (repeated exposure): Lack of data.

Aspiration hazard: Lack of data.



according to 29 CFR 1910.1200 and ANSI standard Z400.1-2010

Bevi Power alkalisch

Material number 88.304.001

Revision date: 4/14/2023 Version: 18.0 Replaces version: 17.0 Language: en-US Date of print: 4/27/2023

Page: 5 of 8

Symptoms

In case of inhalation: irritant

In case of ingestion: May be harmful if swallowed.

After contact with skin: irritant

General remarks

Contact with acids liberates toxic gas.

In an aqueous solution products shows alkaline reactions and develops chlorine gas.

12. Ecological information

Ecotoxicity

Aquatic toxicity: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Information about Troclosene sodium:

Daphnia toxicity:

EC50 Daphnia magna: 0,18 - 0,21 mg/L/48h. LC50 Daphnia magna: 0,28 mg/L/48h.

Fish toxicity:

LC50 Lepomis macrochirus (bluegill): 0,28 - 0,46 mg/L/96h.

LC50 Salmo gairdneri: 0,13 - 0,22 mg/L/96h.

Source: IUCLID.

Mobility in soil

No data available

Persistence and degradability

Further details: No data available

Additional ecological information

Volatile organic compounds (VOC):

0 % by weight

General information: Do not allow to enter into ground-water, surface water or drains.

13. Disposal considerations

Product

Recommendation: Evidence for disposal must be provided. Dispose of waste according to applicable legislation.

Smaller amounts: Dilute with plenty of water.

Package

Recommendation: Rinse with water. Wrap waste as is appropriate for the type of material.

Single packs can be disposed of together with household waste.

14. Transport information

UN number

ADR/RID, IMDG, IATA-DGR: UN 3077

UN proper shipping name

ADR/RID, IMDG, IATA-DGR: UN 3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

(Troclosene sodium, dihydrate)



according to 29 CFR 1910.1200 and ANSI standard Z400.1-2010

Bevi Power alkalisch

Material number 88.304.001 Page:

Material number 88

ADR/RID: Class 9, Code: M7
IMDG: Class 9, Subrisk -

IATA-DGR: Class 9

Transport hazard class(es)

Packing group

ADR/RID:

Environmental hazards

Marine pollutant: Ves

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No data available

USA: Department of Transportation (DOT)

Identification number: UN3077
Proper shipping name: UN 3077,

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

(Troclosene sodium, dihydrate)

Hazard class or Division: 9
Labels: 9
Symbols: G

Special Provisions: 8, 146, 335, 384, 441, A112, B54, B120, IB8, IP3, N20, N91, T1,

TP33

Packaging – Exceptions: 155
Packaging – Non-bulk: 213
Packaging – Bulk: 240
Quantity limitations – Passenger aircraft / rail: No limit
Quantity limitations – Cargo only: No limit
Vessel stowage – Location: A

Sea transport (IMDG)

UN number: UN 3077

Proper shipping name: UN 3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

(Troclosene sodium, dihydrate)

Class or division, Subsidary risk: Class 9, Subrisk -

EmS: F-A, S-F

Special Provisions: 274 335 966 967 969

Limited quantities: 5 kg
Excepted quantities: E1

 Package - Instructions:
 P002, LP02

 Package - Provisions:
 PP12

 IBC - Instructions:
 IBC08

 IBC - Provisions:
 B3

 Tank instructions - IMO:

Tank instructions - UN: T1, BK2, BK2, BK3

Tank instructions - Provisions: TP33

Stowage and handling: Category A. SW23

Properties and observations:

Marine pollutant: yes
Segregation group: none



Revision date: 4/14/2023

Date of print: 4/27/2023

Replaces version:

18.0

17.0

en-US

6 of 8

Version:

Language:







according to 29 CFR 1910.1200 and ANSI standard Z400.1-2010

Bevi Power alkalisch

Material number 88.304.001

 Revision date:
 4/14/2023

 Version:
 18.0

 Replaces version:
 17.0

 Language:
 en-US

 Date of print:
 4/27/2023

Page: 7 of 8

Air transport (IATA)

UN/ID number: UN 3077

Proper shipping name: UN 3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

(Troclosene sodium, dihydrate)

Class or division, Subsidary risk: Class 9

Hazard label: Miscellaneous & Environmentally hazardous

Excepted Quantity Code:

Passenger and Cargo Aircraft: Ltd.Qty.: Pack.Instr. Y956 - Max. Net Qty/Pkg. 30 kg G
Passenger and Cargo Aircraft: Pack.Instr. 956 - Max. Net Qty/Pkg. 400 kg
Cargo Aircraft only: Pack.Instr. 956 - Max. Net Qty/Pkg. 400 kg

Special Provisions: A97 A158 A179 A197 A215

Emergency Response Guide-Code (ERG): 9

15. Regulatory information

National regulations - U.S. Federal Regulations

Product: OSHA: None of the ingredients are considered Extremely Hazardous by

OSHA.

Sara Title III:

- Section 302/304 Extremely Hazardous Substances: None

Sodium carbonate: TSCA Inventory: listed

TSCA HPVC: not listed

Phosphonates: TSCA Inventory: listed

TSCA HPVC: not listed

National regulations - Great Britain

Hazchem-Code: 2Z

16. Other information

Text for labeling: Contains < 20 % Sodium carbonate, < 10 % Troclosene sodium, dihydrate, < 10 %

Phosphonates. Safety data sheet available on request.

Labeling for contents according to regulation (EC) No 648/2004, annex VII:

5% or over but less than 15%: phosphonates; chlorine-based bleaching agents (Troclosene

sodium, dihydrate)

Hazard rating systems:

NFPA Hazard Rating: Health: 2 (Moderate) Fire: 0 (Minimal) Reactivity: 1 (Slight) HMIS Version III Rating:

Health: 2 (Moderate) Flammability: 0 (Minimal) Physical Hazard: 1 (Slight)

Personal Protection: X = Consult your supervisor





according to 29 CFR 1910.1200 and ANSI standard Z400.1-2010

Bevi Power alkalisch

Material number 88.304.001

Replaces version: 17.0 Language: en-US Date of print: 4/27/2023

Revision date: 4/14/2023

Version:

Page:

18.0

8 of 8

Abbreviations and acronyms: Acute Toxicity: Acute toxicity

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

Aquatic toxicity - acute: Hazardous to the aquatic environment - acute
Aquatic toxicity - chronic: Hazardous to the aquatic environment - chronic

AS/NZS: Australian Standards/New Zealand Standards

CAS: Chemical Abstracts Service

CFR: Code of Federal Regulations

CLP: Classification, Labelling and Packaging

DMEL: Derived minimal effect level DNEL: Derived no-effect level EC: European Community

EC50: Effective Concentration 50% EN: European Standard

EQ: Excepted quantities Eye Irritation: Eye irritation

IATA: International Air Transport Association

IATA-DGR: International Air Transport Association – Dangerous Goods Regulations

IBC Code: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk

IMDG Code: International Maritime Dangerous Goods Code

LC50: Median lethal concentration

MARPOL: Maritime Pollution: The International Convention for the Prevention of Pollution from Ships

MFSU: Manufacture, formulation, supply and use OSHA: Occupational Safety and Health Administration PBT: Persistent, bioaccumulative and toxic

PNEC: Predicted no-effect concentration RID: Regulations Concerning the International Carriage of Dangerous Goods by Rail

STOT SE: Specific target organ toxicity - single exposure TRGS: Technical Rules for Hazardous Substances UN: United Nations

Reason of change: Changes in section 2: Labeling

General revision

Date of first version: 8/17/2003

Department issuing data sheet

Contact person: see section 1: Department responsible for information

vPvB: Very persistent and very bioaccumulative

The information in this data sheet has been established to our best knowledge and was up-to-date at time of revision. It does not represent a guarantee for the properties of the product described in terms of the legal warranty regulations.

> Most recent product information is available http://sumdat.net/st6ftgr

with Qualisys SUMDAT printed by BeviClean