



RDV3-488-L

Dual Fuel Range, 48", 8 Burners, LPG

Professional

This range leverages specialized cooking functions and clever technology to give you perfect results. An intuitive, high resolution touch screen makes it easy to use, and beautiful design details ensure that this range is the jewel of the kitchen.

Stainless Steel



A PEACE OF MIND SALE
24 Hours 7 Days a Week Customer Support
T 1.888.936.7872 W www.fisherpaykel.com

Dimensions

Depth	29 1/8"
Height	35 3/4 - 36 3/4"
Width	47 7/8"

Features & Benefits

Cook with confidence

Our touchscreen interface provides an intuitive guided cooking experience that helps deliver perfect results, whether you've been cooking all your life or just starting out. Cook with a favorite method, a hero ingredient, or a go-to cooking function or recipe. The screen tilts for improved ergonomics and optimal visibility while cooking.

Generous capacity

Two independently operating cavities provide a generous total capacity of 4.8 cu. ft. in the main cavity and 2.1 cu. ft. in the secondary. Designed to spread heat evenly so you can easily create several dishes at once. The main cavity is big enough to fit full size baking sheets.

Cooking flexibility

No matter what you're cooking, you've got the right heat to get perfect results. Each of the 15 oven functions in the main cavity and 11 in the secondary have been extensively researched and carefully designed to cater to a broad range of dishes and cooking styles. The handy food probe helps you monitor your progress.

Cooktop power

Sealed dual flow burners deliver cooktop power up to 19,000 BTU for seriously fast boiling, and precise 140°F full surface, low temperature cooking with the gentlest of flames.

Design quality

This range has craftsmanship in every detail, with real stainless steel, cast-iron trivets, and beautifully weighted, halo illuminated dials. Each cavity features incandescent lights and full extension telescopic racks. From the robust legs to the powerful cooktop, this range is built to last.

Easy to clean

The oven features a self-cleaning function and self-clean proof side racks, which don't need to be removed when using this function.

Specifications

Accessories

Adjustable feet covers	
Branded coin end cap	
Combustible situation (Sold seperately)	BGRV3-3048H
Food probe	
Minimum CFM	1200
Non combustible situation (Sold seperately)	BGRV2-3048 / BGRV2-1248
Recommended hood (Sold seperately)	HCB48-12_N
Square handle option (Sold seperately)	AH-R48

Cleaning

Dishwasher proof trivets	
Main oven- Self cleaning	
Secondary Oven- Self cleaning	
Self-clean proof side racks	

Controls		Gas requirements		Oven functions	
Dual control oven dials	•	Fitting and pipe	½ NPT, min. #\" # flex line	Main oven functions	15
High resolution touch display	•	Supply Pressure (LPG)	11\" to 14\" W.C	Main oven- Air Fry	•
Metal illuminated dials	•	Oven features		Main oven- Bake	•
Multi-language interface	•	Concealed element	•	Main oven- Classic Bake	•
Precise cooking with food probe	•	Electronic oven control	•	Main oven- Clean	•
Recipe & food based functions	•	Full extension telescopic sliding shelves	2	Main oven- Convection Bake	•
Sabbath mode	•	Internal light	•	Main oven- Convection Broil	•
Tilting touch screen interface	•	Main oven- Large broil pan	•	Main oven- Dehydrate	•
Wifi connectivity	•	Secondary Oven- 3/4 extension racks	2	Main oven- Maxi Broil	•
Cooktop features				Main oven- Pastry Bake	•
Black enamelled pan	•			Main oven- Pizza Bake	•
Gas Cooktop- Sealed range top	•			Main oven- Rapid Proof	•
Vent trim included	Flat vent trim			Main oven- Roast	•
Cooktop performance				Main oven- Slow Cook	•
Max burner power	19000 BTU			Main oven- True Convection	•
Power back centre	13000 BTU			Main oven- Warm	•
Power back centre (2)	13000 BTU			Secondary Oven- Bake	•
Power back left	13000 BTU			Secondary Oven- Convection Bake	•
Power back right	13000 BTU			Secondary Oven- Convection Broil	•
Power front centre	15000 BTU			Secondary oven functions	11
Power front centre (2)	15000 BTU			Secondary oven- Air Fry	•
Power front left	19000 BTU			Secondary oven- Classic Bake	•
Power front right	19000 BTU			Secondary oven- Maxi Broil	•
Sealed Dual Flow Burners™	8			Secondary oven- Pastry Bake	•
Simmer on all burners	140 °F			Secondary oven- Pizza Bake	•
Total cooktop power	120000 BTU			Secondary oven- Rapid Proof	•
				Secondary oven- Roast	•

Secondary oven- Warm

Oven performance

Main oven- Bake	4600 W
Main oven- Broil	4000 W
Main oven- Shelf positions	5
Main oven- Total Capacity (AHAM)	4.8 cu ft
Main oven- True Convection	2500 W
Main oven- Usable Capacity (AHAM)	3.8 cu ft
Secondary Oven- Bake	2450 W
Secondary Oven- Broil	3600 W
Secondary Oven- Capacity total (AHAM)	2.1 cu ft
Secondary Oven- Capacity usable (AHAM)	1.8 cu ft
Secondary Oven- Shelf positions	5
Total oven capacity	6.9 cu ft

Power requirements

Electric circuit	4 wire
Rated current	50 A
Supply frequency	60 Hz
Supply voltage	120 - 240 V

Product Type

Cooktop Technology	Gas
Oven Technology	Electric

Product dimensions

Depth (excluding handle and dials)	29 1/8 "
Height (excluding vent trim)	35 3/4 - 36 3/4 "
Width	47 7/8 "

Style And Series

Product Style	Professional
---------------	--------------

Warranty

Warranty	Limited 2 Years Parts & Labor
----------	-------------------------------

SKU	81897
-----	-------

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2019

Other product downloads available at fisherpaykel.com www.fisherpaykel.com