



FLASH TEST REPORT

Execution

State of charge Date

Executed by

Vehicle

99 % 20/10/2023 12:47:27 Carla AB Brand Model VIN Mileage Kia EV6 - 77,4 kWh KNAC381CPP5081254 17,253 km

Analysis Result

AVILOO SCORE



70 / 70

30 / 30

High voltage battery usage and history Analysis of charging & driving behavior

, 3 3

High voltage battery performanceAnalysis of cell voltages and module temperatures.

High voltage battery control unit

Check of signals and calculations of the battery management control unit.

Vehicle communication interface

Check of communication via the diagnostic interface.

DI Nikolaus Mayerhofer Managing director

Dr. Marcus Berger COO/CFO and Partner



DI Wolfgang Berger MBA

Managing director



EXPLANATION OF THE BATTERY FLASH TEST

ANALYSIS METHOD

The analysis performed is a combined result of: The communication quality between the diagnostic hardware AVILOO Box and the on-board diagnostic interface of the vehicle. The live battery data and data that indicates the previous use of the high voltage battery, which is made available to the AVILOO Box by the battery management system during the measurement. The plausibility check and classification of the battery condition using the collected values and a comparison with the AVILOO Battery Cloud using Big Data algorithms.

FLASH TEST EXECUTION PROTOCOL

12:47:24 AVILOO Box connected.

- Flash Test started.
- ✓ Vehicle detected.
- Starting data acquisition.
- Finished data acquisition.
- Analyzing data.
- Analysis completed.

DETAILED RESULTS OF PERFORMED CHECKS

Vehicle Information

VIN KNAC381CPP5081254
Date 20/10/2023 12:47:27
Mileage 17,253 km

Measurements High Voltage System

Battery temperature 6 °C

Maximum cell temperature deviation 3 °C

Pack voltage 789.67 V

Maximum cell voltage deviation 0 mV

Peak current during check -2.75 A

State of Health (SoH - read from car manufacturer)* 100 %

*The SoH shown here was not calculated by AVILOO but corresponds to the SoH read out from the battery management system and calculated by the manufacturer. AVILOO therefore does not guarantee the correctness of this SoH.



UID Nr.: ATU 737 81605 FN: 502117 h

