FabGennix International, Inc.
9191 Kyser Way Bldg. 4 Suite 400
Frisco, TX 75033
Tel: (214)-387-8105, 1-800-786-1236 Fax: (214)-387-0870 Email: info@fabgennix.com Web: www.fabgennix.com

CXCR4 Antibody

Catalog Number: PC-CXCR4

General Product Information

Product	CXCR4
Description	Affinity Purified C-X-C chemokine receptor type 4 antibody, CD184 antibody, CD184 antigen antibody, Chemokine (C X C motif) receptor 4 antibody, Chemokine CXC Motif Receptor 4 antibody, CXC-R4 antibody, CXCR-4 antibody, CXCR4 antibody, CXCR4_HUMAN antibody, D2S201E antibody, FB22 antibody, FB22 antibody, Fusin antibody, HM89 antibody, HSY3RR antibody, LAP 3 antibody, LAP3 antibody, LCR1 antibody, LESTR antibody, Leukocyte derived seven transmembrane domain receptor antibody, Leukocyte-derived seven transmembrane domain receptor antibody, Lipopolysaccharide associated protein 3 antibody, Neuropeptide Y receptor Y3 antibody, NPY3R antibody, NPYR antibody, NPYRL antibody, NPYY3 antibody, NPYY3R antibody, Probable G protein coupled receptor lcr1 homolog antibody, SDF 1 receptor antibody, SDF-1 receptor antibody, SEVEN-TRANSMEMBRANE-SEGMENT RECEPTOR antibody, Stromal cell derived factor 1 receptor antibody, Stromal cell-derived factor 1 receptor antibody, WHIM antibody, Antibody
Verified Applications	WB

Physical Properties

Quantity	100 µg
Volume	Inquire
Form	Western Blot Positive Control
Immunoglobulin	IgG
Concentration	The concentration is set so that 20 µl per lane in Western and blotted with corresponding affinity purified antibody will give a clean band with a high signal to noise ration on the gel.
Purification Method	Affinity Purified
Clonality	Polyclonal
Storage	-20°C for long term storage.

Application Protocol

Western Blot	1:500–1:2,000

This product is for research use only. For more information about this product please visit our website at fabgennix.com or contact us today.