

FabGennix International, Inc.  
9191 Kyser Way Bldg. 4 Suite 400  
Frisco, TX 75033  
Tel: (214)-387-8105, 1-800-786-1236 Fax: (214)-387-0870 Email: [info@fabgennix.com](mailto:info@fabgennix.com) Web: [www.fabgennix.com](http://www.fabgennix.com)

## Indoleamine 2, 3-dioxygenase 2 Antibody

Catalog Number: PC-IDO2

### General Product Information

|                              |                                                                                                                             |
|------------------------------|-----------------------------------------------------------------------------------------------------------------------------|
| <b>Product</b>               | Indoleamine 2, 3-dioxygenase 2                                                                                              |
| <b>Description</b>           | Affinity Purified Indole 2 3 dioxygenase antibodyindoleamine 2 3 dioxygenase 1 antibodyindoleamine 2 3 dioxygenase Antibody |
| <b>Verified Applications</b> | WB                                                                                                                          |
| <b>Immunogen</b>             | Purified Protein                                                                                                            |

### Physical Properties

|                            |                                                                                                                                                                                            |
|----------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Quantity</b>            | 100 µg                                                                                                                                                                                     |
| <b>Volume</b>              | Inquire                                                                                                                                                                                    |
| <b>Form</b>                | Western Blot Positive Control                                                                                                                                                              |
| <b>Immunoglobulin</b>      | IgG                                                                                                                                                                                        |
| <b>Concentration</b>       | The concentration is set so that 20 µl per lane in Western and blotted with corresponding affinity purified antibody will give a clean band with a high signal to noise ration on the gel. |
| <b>Purification Method</b> | Affinity Purified                                                                                                                                                                          |
| <b>Clonality</b>           | Polyclonal                                                                                                                                                                                 |
| <b>Storage</b>             | -20°C for long term storage.                                                                                                                                                               |

### Application Protocol

|                     |               |
|---------------------|---------------|
| <b>Western Blot</b> | 1:500–1:2,000 |
|---------------------|---------------|

This product is for research use only. For more information about this product please visit our website at [fabgennix.com](http://fabgennix.com) or contact us today.