

FabGennix International, Inc.
9191 Kyser Way Bldg. 4 Suite 400
Frisco, TX 75033
Tel: (214)-387-8105, 1-800-786-1236 Fax: (214)-387-0870 Email: info@fabgennix.com Web: www.fabgennix.com

PDE1A7 Antibody

Catalog Number: PC-PD1A7

General Product Information

Product	PDE1A7
Description	Affinity Purified 3' 5' cyclic nucleotide phosphodiesterase antibody,3'5' cyclic nucleotide phosphodiesterase antibody,5"-cyclic nucleotide phosphodiesterase 1A antibody,61 kDa Cam PDE antibody,61 kDa Cam-PDE antibody,Calcium/calmodulin dependent 3' 5' cyclic nucleotide phosphodiesterase 1A antibody,Calcium/calmodulin dependent 3'5' cyclic nucleotide phosphodiesterase 1A antibody,Calcium/Calmodulin stimulated cyclic nucleotide phosphodiesterase antibody,Calcium/calmodulin-dependent 3" antibody,Calmodulin-dependent Phosphodiesterase antibody,Cam PDE 1A antibody,Cam-PDE 1A antibody,CAM-PDE-1A antibody,HCAM 1 antibody,hCam-1 antibody,HCAM1 antibody,HSPDE1A antibody,MGC26303 antibody,PDE 1A antibody,PDE1A antibody,PDE1A_HUMAN antibody,Phosphodiesterase 1A antibody,Phosphodiesterase 1A calmodulin dependent antibody, Antibody
Verified Applications	WB

Physical Properties

Quantity	100 µg
Volume	Inquire
Form	Western Blot Positive Control
Immunoglobulin	IgG
Concentration	The concentration is set so that 20 µl per lane in Western and blotted with corresponding affinity purified antibody will give a clean band with a high signal to noise ration on the gel.
Purification Method	Affinity Purified
Clonality	Polyclonal
Storage	-20°C for long term storage.

Application Protocol

Western Blot	1:500–1:2,000
---------------------	---------------

This product is for research use only. For more information about this product please visit our website at fabgennix.com or contact us today.