## WATER SUPPLIES









CMO designs, manufactures and sales standard and specialized valves. Its wide range of manufacturing allows to cover many industrial applications and the capacity to control all kind of fluids.

Founded in February 1993, with a staff having more than 40 years ex-perience in the design and manufacture of valves. This experience, satisfaction and quality of work is what has assisted the company in evolving into what it is today, continually developing new products to meet the demands of industry and our customer's needs. Today, CMO is one of the largest manufacturers of valves in both domestic and international markets.



#### **FACILITIES**

Offices:	540 m <sup>2</sup>
Production:	1000 m² (Tolosa) + 8000 m² (Altzo)
Testing:	400 m <sup>2</sup>
Deliveries:	525 m <sup>2</sup>
Quality control:	300 m <sup>2</sup>



## VALVES butterfly



SERIES 21A
BUTTERFLY VALVES
WAFER TYPE.

Made of Ductile Iron GJS400.

Disc made of Ductile Iron GJS400 & St. Steel AISI 316.

PN 10/16 ANSI#150 from DN 40 to DN 600.

Construction EN 558-1 series 20.



SERIES 22A
BUTTERFLY VALVES
LUG TYPE.

Made of Ductile Iron GJS400.

Disc made of Ductile Iron GJS400 & St. Steel AISI 316.

PN 10/16 ANSI#150 from DN 50 to DN 600.

Construction EN 558-1 series 20.



SERIES 23A
CONCENTRIC
BUTTERFLY VALVES.

Made of Ductile Iron GJS400.

Disc made of Ductile Iron GJS400 & St. Steel AISI 316.

PN 10/16 from DN 50 to DN2200.

Flanged Ends DIN PN 10/16.



SERIES 24A

DOUBLE ECCENTRIC

BUTTERFLY VALVES.

Made of Ductile Iron GJS400 & GJS500. **Construction DIN 3202 F-4/BS5155.**PN 10/16/25/40 from DN 200 to DN 2000. **Flanged Ends DIN PN 10/16/25/40.** 

# VALVES fire protection



SERIES 11A

RESILIENT SEAT

GATE VALVES.

Made of Ductile Iron GJS400. **Rising Stem. UL-FM Certificate.** PN 10/16 from DN 50 to DN 300. **Construction EN 558-1 series 3.** 



SERIES 11A

RESILIENT SEAT

GATE VALVES.

Made of Ductile Iron GJS400.

Non-Rising Stem. UL-FM Certificate.
PN 10/16 from DN 50 to DN 300.

Construction EN 558-1 series 3.



## SERIES 21A BUTTERFLY VALVES WAFER TYPE.

Made of Ductile Iron GJS400. **UL-FM Certificate.**Limit switches included. **Face to face distance ASME B16.1.** 



## SERIES 25A BUTTERFLY VALVES GROOVED TYPE.

Made of Ductile Iron GJS400.

UL-FM Certificate.

Limit switches included.

Construction ANSI/AWWA C606.





BALL CHECK VALVES.

Made of Ductile Iron GJS500.

Construction DIN 3202 F-6.
PN 10 from DN 32 to DN 500.

Threaded & Flanged Ends DIN PN 10/16.



SERIES 32A
SWING CHECK
VALVES.

Made of Ductile Iron GJS500.

Resilient seat.
PN 10/16/25 from DN 50 to DN 600.
Flanged Ends DIN PN 10/16.



SERIES 33A

DUAL PLATE

CHECK VALVES.

Made of Grey Iron GJL250.

Discs made of Ductile Iron GJS400 & St. Steel AISI 316.

PN 10/16 from DN 40 to DN 600.

Face to face distance EN 558-1 series 16.



SERIES 35A

AXIAL CHECK

VALVES.

Made of Ductile Iron GJS500. **Construction EN 558-1 serie 14.** PN 10/16 from DN 50 to DN 600. **Flanged Ends DIN PN 10/16.** 

# VALVES resilient seat gate valve



## SERIES 11A RESILIENT SEAT GATE VALVES.

Made of Ductile Iron GJS500. Non Rising Stem. PN 16/25 from DN 40 to DN 1000. Flanged Ends DIN PN 10/16/25.



## SERIES 11A RESILIENT SEAT GATE VALVES.

Made of Ductile Iron GJS500. **Rising Stem.**PN 10/16 from DN 50 to DN 600. **Flanged Ends DIN PN 10/16.** 



## SERIES 12A RESILIENT SEAT GATE VALVES.

Made of Ductile Iron GJS500. **Horizontal Port.** PN 16 from DN 3/4" to DN 2". **Threaded Ends DIN 259.** 



## SERIES 13A RESILIENT SEAT GATE VALVES.

Made of Ductile Iron GJS500. **Non Rising Stem.** PN 16 from DN 63 to DN 315. **Ends for PVC pipes.** 





## SERIES 51A TRIPLE FUNCTION AIR VALVES.

Made of Ductile IronGJS500.

Internals made of St. Steel AISI 304.
PN 10/16/25 from DN20 to DN300.

Threaded & Flanged Ends DIN PN-10/16.



FLOAT VALVES.

Made of Ductile Iron GJS500.

Internals made of St. Steel AISI 304.
PN 10/16 from DN50 to DN150.

Flanged Ends DIN PN-10/16.



SERIES 53A
CONTROL
VALVES.

Made of Ductile Iron GJS500. Construction UNE EN-1074-5. PN 10/16/25 from DN 50 to DN 400. Multiple applications.



#### SERIES 41A RUBBER EXPANSION JOINTS.

Simple / Twin sphere reinforcement ring.

Joint made of EPDM/NBR. Flanges of cadmium steel.

PN 10/16 from DN 15 to DN 2000.

Threaded & Flanged Ends DIN PN 10/16 ANSI#150.



#### SERIES 42A COMPENSATORS.

Made of St. Steel / Carbon Steel. **PN 10/16 from DN 15 to DN 600.** Flanged & Welding Ends PN 10/16.



#### SERIES 43A "Y" STRAINERS.

Made of Ductile Iron GJS450. Screen St. Steel AISI 304. PN 10/16 from DN 40 to DN 600. Flanged Ends DIN PN 10/16.



#### SERIES 44A **DISMANTLING JOINTS.**

Collar mado of St. Steel AISI 304 or Ductile Iron GJS500.

Steel Flanges & Ductile Iron GJS500.

PN 10/16 from DN 40 to DN 1600.

Flanged Ends DIN PN 10/16.





#### MORE THAN 300 PROJECTS EVERY YEAR

#### Bonomi (UK) Ltd

The Fluid Power Centre, Watling Street, Nuneaton, Warwickshire CV11 6BQ

Web: bonomi.co.uk Tel: 024 7635 4535

Email: sales@bonomi.co.uk

















