neoair

Product Catalogue




Oil Free Air Solutions

Bringing oil free centrifugal compressor technology into everyday use...

Neo Air offers a range of electrically driven compressors for use in construction, industrial processes or any other application where oil free, reduced size and efficiency are required.

Our range of cost effective compressor solutions are available today and include the latest in air bearing and motor drive technology.





Construction

Neo Air offers a range of products suited for the utility maintenance world. Whether its digging up fragile cables, repairing pipework, removing debris or water, we have the tools to help.

Our novel patented solution uses the latest in centrifugal compressor technology to reduce the equipment size, to be able to be manoeuvre through doorways and confined spaces.

All our compressors use the latest in air bearing technology allowing for oil free operation, preventing contamination to ground materials.

All of our products are battery powered for a fully mobile operation.





nForce 15 MOBILE AIRLANCING



- Battery powered air lance for material movement
- Ideal for low level excavation or material movement around utilities.
- Oil free compressor in mobile frame
- Fit through door ways and tight spaces
- No trailing pipes
- Powerful lance action
- Force control in handle

Rated Power	15 kW				
Peak Power	23 kW				
Power source	Battery				
Battery Life	1 hour 30 mins (full power)				
Air Flow	<280 CFM				
Mass	30 kg Compressor 120kg Batteries				
Width	680mm				





nFlate15


MOBILE PIPE LINER INFLATION





- Battery powered air compressor for pipe liner inflation
- Ideal for installation for cured in place pipe lining (CIPP)
- Oil free compressor in mobile frame
- Fit through door ways and tight spaces
- No trailing pipes
- Fully controllable pressure
- Low pressure, high mass flow

Rated Power	15 kW				
Peak Power	23 kW				
Power source	Battery				
Battery Life	1 hour 30 mins (full power)				
Air Flow	<280 CFM				
Mass	30 kg Compressor 120kg Batteries				
Width	680mm				





Industrial Compressors

Our Industrial series compressors come with variable frequency drives for accurate speed control to allow your process to be carried out efficiently.

All our compressors use the latest in air bearing technology allowing for oil free operation, preventing contamination to processes.

Our current range consists of low pressure blowers, with a larger range that can be manufactured on demand. See tables below for more details. If you require a robust oil free solution for your application, please get in touch.






B10 INDUSTRIAL BLOWER



- Oil free industrial blower
- Supplied with variable frequency drive
- Air cooled.
- Robust tested design
- 3-phase connection
- CAN communication



CUSTOM COMPRESSOR MAPS AVAILABLE ON REQUEST


Rated Power	7.5 kW				
Voltage	380-440 VAC				
Pressure rise	22 kPa				
Max Air Flow	23.5 m3/min				
Noise level	<80 dB(A)				
Mass	30 kg				



B15 INDUSTRIAL BLOWER



- Oil free industrial blower
- Supplied with variable frequency drive
- Air cooled.
- Robust tested design
- 3-phase connection
- CAN communication



CUSTOM COMPRESSOR MAPS AVAILABLE ON REQUEST

Rated Power	11.25 kW				
Voltage	380-440 VAC				
Pressure rise	22 kPa				
Max Air Flow	27 m3/min				
Noise level	<80 dB(A)				
Mass	32 kg				



CUSTOM INDUSTRIAL BLOWERS UNDER DEVELOPMENT



- Supplied with variable frequency drive
- Various frames sizes available
- 3-phase
- Enquire for more details

Product Power [kW]	Power		Outlet Pressure [kPa]											
	[kW]		10	20	30	40	50	60	70	80	90	100	110	120
B10	7.5		10	8	6									
B15	11	Air Flow [m3/min]	22	19	12									
B20	15		30	26	19									
B50	37				55	45	35	31	26	25	22			
B75	55				80	65	50	45	40	37	32			
B100	75				110	90	70	65	55	50	45			
B120	90				135	110	85	75	65	60	55	50	47	45
B150	110					130	115	95	85	75	70	62	60	55
B200	150					180	155	130	115	100	95	85	80	75
B240	180						170	155	140	120	110	100	95	90
B300	220						230	190	170	145	140	125	120	110
B400	300							260	235	200	190	170	165	150

Product	Power		Outlet Pressure [kPa]						
	[kW]		10	15	20	25	30		
BB7	5.5		10	9	8	7	6		
BB10	7.5		22	21	19	14	12		
BB15	11	Air Flow [m3/min]	30	28	26	22	19		
BB20	15		42	38	36	29	26		
BB30	22		56	53	49	41	38		
BB40	30		79	75	71	58	52		
BB50	37		97	90	80	65	60		
BB60	45		120	110	91	82	78		
BB75	55		130	122	118	105	86		



Test and Manufacturing Capabilities

Products are typically tested for the following:

- Start stops: > 500k
- Acclerated life test (Design life: 20000 hours)
- EMC: GB/T 18655-2018 class 3
- Vibration and shock: GB/T 31467.3-2015
- Sealing protection:
 - o IP67 (Fuel cell compressor)
 - IP53 (industrial compressors)
- Salt spray
- Humidity
- Voltage withstand
- insulation
- NVH

Products are manufactured with our partners in accordance with IATF16949 and ISO 9001 where applicable. Capability to scale manufacture to 50,000 per year.

Custom compressor designs are possible with a lead time of 10 weeks.





Contact...





