

#### CORPORATE OFFICE

11/H, East Topsia Road, Kolkata - 700 046  
West Bengal, India  
Tel.: (+91-33) 2285 3502 | 2285 3503  
4068 6084 | 4601 4260 | 4604 9602  
Fax: (+91-33) 2285 3396  
E-mail: [info@labbaikint.com](mailto:info@labbaikint.com)  
Website: [www.labbaikint.com](http://www.labbaikint.com)

#### MANUFACTURING UNITS

- 11/H, East Topsia Road, Kolkata - 700 046  
West Bengal, India
- 11/1A/2, East Topsia Road, Kolkata - 700 046  
West Bengal, India
- Zone - 1, Plot No – 034 Bantala, P. O. Bhojherhat  
Dist: 24 Parganas (South) Pin - 743 502  
West Bengal, India

#### TANNERY

Zone - 6, Plot No – 542 Bantala  
P. O. Bhojherhat, Dist: 24 Parganas  
(South) Pin - 743 502, West Bengal  
India



# Our Guiding Light



Late S. M. ABDULLAH  
1935 - 2013

## A legacy of excellence

Four decades of continuous strive to provide the best customer experience is what makes LABBAIK INTERNATIONAL not only the largest group of leather tanneries in Eastern India, but also an enterprise that out-performs its own set milestones time and again. The mission to produce International Standard Leather Products began with the vision of the founder, S M Abdullah, a diligent man who started at a very young age and gave a lot of years in perfecting the art of making quality leather. His dreams were propelled further as his able son Parvez Ahmed established LABBAIK INTERNATIONAL in the year 1988.







**Parvez Ahmed**  
(CEO & Founder)

Mr. Parvez Ahmed, following in his father's footsteps took the group forward. He foresaw the international trends of the global market and gave crucial directions to the organization. Modernized state-of-the-art plant and machineries effectively made LABBAIK INTERNATIONAL the largest producer of gloving leather in eastern India. Today, we are a government recognized, Star Export House and are awarded with ISO 9001:2015, ISO 14001:2015, OHSAS 18001:2007 and other certifications.



### Competent and professionally run management



We are a family owned business since our inception and now the third generation has inherited the knowledge and management skills. Hence the values, ethics and fair business practices which are so often missed in the industry today has been preserved for over four decades.





## Maintaining long lasting client relations

LABBAIK puts client satisfaction to utmost priority. This helps in long standing business relations.



## Zero time wastage in understanding customer requirement

Understanding the requirement and the deliverables in totality ensures that there are no surprises along the way. We take our communication with the clients very seriously to ensure that such a situation can be avoided at all costs.

## Leather Glove facts

The production of industrial gloves in India is estimated at around 150 million pairs annually and the industry employs a huge number of economically challenged, yet skillful people who constitute the bulk of the industry's workforce. The Indian Leather Industry has been set a target of achieving a turnover of USD 27 billion by 2020, and experts opine that the Industrial Leather Gloves manufacturing segment (and other safety products) can contribute in a significant way in achieving the target.

The manufacturing unit is equipped with 300+ states of the art machines that are capable of producing upward of 12 – 15 million pairs of industrial leather gloves annually. Skin of animals that has been preserved by a chemical process called tanning. (The leather glove is the oldest type of glove known. But only certain types of leather are adaptable for gloves).



### Grain Leather:


Grain is the outer surface of leather that had the hair. Full grain has the original surface whereas corrected grain has been abraded to make it smooth and uniform. It has soft, grainy texture and appearance. It is very high quality and strong.

The underside of the leather is thick and the thickness varies from 0.8 mm to 3 mm or more.



### Split Leather:

When a thick skin is split into two thinner pieces then it is called split leather. The top part has grain in one side & the bottom piece is suede on both sides. The bottom piece is referred as split. Split leather is rough & usually 1.2 mm thick.



### Cow Hide:

It is one of the top grades of raw materials available in the entire world. Almost 65% of leather products are made from cow leather. Cow hide is known for its strength and durability and is the most abundant leather. It maintains its integrity & takes the shape of wearer. It's comfortable and easy to care. But cowhides are thick, so it will be pretty stiff.



### Goat Skin Leather:

Goatskin leather has also durability like cowhide. This leather is easy to clean as it is water resistant. It is softer and suppler because of the presence of lanolin in the leather. The goatskin gloves are very comfortable to wear, as well as flexible and have high abrasion & tensile strength.



### Buffalo Leather:

Buffalo leather is different from cowhides. It is tougher and stronger than cow leather and it is easy to clean. Also it has a special grain pattern. But the durability of buffalo leather is more than cow's. Its strength and elasticity give it high resistance to ripping. It's also flame resistant and will not easily burn or melt. Generally, buffalo is not commonly available outside India.



### Sheep Skin Leather:

Unlike other leather, sheepskin is tanned with the fleece. Sheepskin is characterised by its fleece on one side and leather on opposite side. Sheepskin provides soft comfort and insulation. It has good abrasion resistance and is inexpensive. (Different types are side, shoulder or belly splits).







## State-of-the-art manufacturing

"Change is the only constant"

These wise words are part of our core belief. As a company, we have constantly evolved in all our years of existence. The technology, the manpower, the process, everything and everyone has been upgraded and updated to keep pace with the changing times. The latest machinery along with environment-friendly processes have helped us in creating world class products which are virtually chemical free.

## Best Infrastructure for quality products

Our manufacturing facility is equipped to protect the leather even during peak Indian monsoon. Thus, helping us to maintain our products and our commitments all year round.



## High mechanical abrasion

Our products have very high mechanical abrasion.



## Global procurement of raw materials

To maintain smooth supply to the tannery and manufacturing unit, we procure cell sources raw materials from China, Pakistan, East African countries, South America, UAE and also other parts of India.



## Strict quality control

The manufacturing process has specialized quality controllers in each department to ensure zero defect products going out of the factory door.

## Global Reputation for quality and time

We take pride in our market reputation that has been earned over the years. Our association with our esteemed customers has stood the test of time and bears testimony to our commitment towards the best production quality and strict adherence to delivery deadlines.




## Competitive pricing

The scale of our operations and complete ownership on the manufacturing process along with a professional procurement team helps us in offering our customers the best value for their money.



## Worldwide presence

We operate in the international market and have a world-wide network that makes it possible to cater to clients in most parts of the world.



## Global exports

Over the years we have built global connections. We have experience in exports to many reputed customers in Europe, Australia, USA and many other imports globally.












## Among the oldest tanneries in eastern India

We are one of the oldest functioning tanneries in Kolkata and have earned a reputation of making quality leather for over four decades.



## Largest gloving leather for gloves

We take pride in being the largest manufacturer of industrial leather gloves in Eastern India. The company maintains highest production capacity with quality raw material procured from its own tannery as well as other sister concerns.







## Advantages

- Good mechanical abrasion • Rough surface • Good grip in wet and oily parts
- Good insulation in the lower and medium temperature range • High resistance to flying sparks and weld spatter
- Of all the many tanning processes, chrome tanning is the most common as it makes the leather more durable and stronger while maintaining flexibility through a chemical process that reinforces the natural cross fibers of the leather.

## Production line at LABBAIK INTERNATIONAL

LABBAIK INTERNATIONAL has its own tannery in the Leather Complex at Bantala, Kolkata where fine quality cow, buffalo, goat, sheep leathers are processed from a raw to finished stage. The factories have infrastructural facilities as per global standards comprising of modern manufacturing machines and tools to carry out a cost effective fabrication of the goods.

The infrastructural stability at LABBAIK INTERNATIONAL has made it one of the largest Personal Protective Equipment (PPE) Gloving Leather manufacturer in Eastern India. The Company is the leading manufacturer, supplier and exporter of safety gloves, leather hand glove, leather driving glove, cotton coverall, protective cover all, welding gloves, Canadian leather gloves etc.



## Plant Capacity

LABBAIK INTERNATIONAL plant is spread across 1,50,000 sq. ft. and has the capacity to produce 120 million square feet of leather per annum with a production capacity of 12 to 15 million pairs per annum. The Company employs 650 trained and skilled workers who proudly cut and stitch the Labbaik name on the gloves that are sought after by connoisseurs around the world.

## Product range

LABBAIK INTERNATIONAL is one of the India's biggest gloves manufacturer specializing in leather safety gloves. Each product is meant to meet specific industrial needs such as cuts, blows, chemical attacks or temperature changes. Customized range of more than 200 varieties and styles of safety gloves are crafted by keeping in mind the safety as well as durability. The wide range of products of Personal Protective Equipment (PPE) consist of safety gloves, driver gloves, Indian gloves, leather products, industrial work wear, safety apparels, leather garments and industrial gloves. The product line is further enhanced with industrial and protective products like cable cover, pillow, blankets, tool kits etc. that can meet varied industrial needs.







### CE Certified Gloves

The CE certified gloves manufactured by LABBAIK are the pre-powdered gloves that are used in host of applications. These gloves are made from high quality materials in different sizes. The gloves are chemical resistant and are lined from inside for comfort. Tested on various quality parameters, these gloves provide protection against solvents, fuels, acids and many other things that could harm our hands during industrial applications.

### GLOVE PATTERNS

#### Reversible or Ambidextrous :

This pattern of glove can fit on either hand and is most often used on disposable, textile or knit gloves.



#### Wing Thumb

An angled thumb that provides increased flexibility and it does not contain a seam between palm and thumb. This creates durability and prolongs the ability to wear the glove.

#### Straight Thumb

A design that points vertically from the wrist and is useful in those areas where gripping is important but isn't as ergonomically comfortable as other designs.

#### Key Stone Thumb

Highly flexible, the keystone thumb is the most ergonomic thumb design which is stitched separately into the palm area.

#### Round Thumb

Gives a natural gripping stance to your hand and offers moderate protection and support for your grip. It also helps save wear and tear between your thumb and index finger



#### Leather Pieced Hem Piping

A stripe of leather is cut and sewn to the bottom edge of the glove and folded in, and sewn again to give a strong and smooth leather feeling.



#### Fabric Hem


Colour coded fabric hem ensures proper sizing, comfort and compliance. Colours can be changed as per the requirement.



#### Self hem

The bottom edge of this leather or fabric is folded and stitched to give a strong and smooth leather feeling.


**CE Mark :** All products covered will need to be CE marked, following one of these procedures:




### Gloves Standards

Table 1 : Levels of performance					
TEST	Level 1	Level 2	Level 3	Level 4	Level 5
Abrasion resistance (number of cycles)	100	500	2,000	8,000	-
Circular blade cut resistance (index)	1.2	2.5	5.0	10.0	20.0
tear resistance (N)	10	25	50	75	-
Puncture resistance (N)	20	60	100	150	-

Help our customer to get their own CE Mark  
EN 388:2016



**EN 388 Mechanical risks**

C Resistance to abrasion

B Cut resistance (slicing)

C Tear resistance

C Perforation resistance

X Not tested


O: result obtained interior to that of the minimum required for level 1

in number of cycles

index

in newtons

in newtons

**EN 511 Protection against the cold**


A Resistance to convective cold

B Resistance to (cold) contact


C Permeability to water - Level 1

Impermeable to a minimum of 30mm


X Not tested for this danger

**EN 374 Chemical risk**

**Standard EN 374-2** characterises impermeable properties without involving resistance. This includes gloves in all risk categories. The current standard specifies a method for testing the protective gloves' resistance to penetration of chemical products and/or micro-organisms.

**EN 388 Risks of impact cut**

Impact cut test by metallic blade weighing 1050g dropped from a height of 150mm.

**EN 407 Heat and/or fire**

A Behavior and/or fire

B Resistance to heat contact


C Resistance to convective heat

D Resistance to radiant heat

E Resistance to small splashes of liquid metal


F Resistance to large splashes of molten metal

X Not tested for this danger

**EN 374-3**

A	Methanol	67-56-1	Primary alcohol
B	Acetone	67-64-1	Cetone
C	Acetonitrile	75-05-8	Nitrile
D	Dichloromethane	75-09-2	Chlorinated hydrocarbon
E	Carbon disulphate	75-15-0	Sulphar-containing





### Clute / Gunn Cut Pattern:




### TYPES OF CUFF & MATERIALS

Leather : Provides durability and long wear


Rubberized : Rubber laminated between 2 fabric layers

Plasticized : Waterproof polythene laminated between 2 fabric layers


Canvas/Duck : Single ply of heavy cotton material




2 1/2" Safety




4 1/2" Gauntlet



Slip-On or Open



Band Top



Knit Wrist

### DIFFERENT TYPES OF BACK CLOSURE



Elasticised Back



Nylon Strap with Plastic Buckle



Cotton Tape with Metal/Plastic Ball



Leather Strap with Velcro



Leather Strap with Metal / Plastic Buckle



Leather Strap with Snap Button

### WAYS OF LINING GLOVE



FLANNEL LINING



THERMAL LINING



KEVLAR | PARA ARAMID  
with CUT SCORE-A2 to A7



3M THINSULATE



FUR LINING



FLEECE LINING

### FORE FINGER CONSTRUCTION



One piece forefinger




Two piece forefinger






## Tanning Process

### STAGE - I (RAW TO WET BLUE)



### STAGE - II (WET BLUE TO CRUST)




## Manufacturing Process



## Awards & Accolades

The Export Excellence Award 2003  
*Mr. Parvez Ahmed*



The Export Excellence Award 2010  
*Mr. Parvez Ahmed*



The Export Excellence Award 2014  
*Mr. Mohammed Shakir Parvez*



The Export Excellence Award 2015  
*Mr. Parvez Ahmed*



The Export Excellence Award 2017  
*Mr. Shahzan Parvez*





# CANADIAN GLOVES



**LI/001**

White Grain Leather Canadian Gloves, Palm & Thumb in white grain, back in red drill cloth & 7.5 cm or 10 cm Rubberized Cuff Size: 8, 9 & 10 Leather Thickness: 1.0 to 1.2 mm.



**LI/002/DP**

White Grain Leather Canadian Gloves, Palm & Thumb in white grain, DP at Palm till index finger, back in Yellow Blue drill & 7.5 cm or 10 cm Rubberized Cuff with different color binding tape Size: 8, 9 & 10 Leather Thickness: 1.0 to 1.2 mm.



**LI/002**

White Grain Leather Canadian Gloves, Palm & Thumb in white grain, back in Yellow Blue drill & 7.5 cm or 10 cm Rubberized Cuff with different color binding tape Size: 8, 9 & 10 Leather Thickness: 1.0 to 1.2 mm.



**LI/003**

White Grain Leather Canadian Gloves, Palm & Thumb in white grain, back in Grey with Red Strips & 7.5 cm or 10 cm Rubberized Cuff with different color binding tape Size: 8, 9 & 10 Leather Thickness: 1.0 to 1.2 mm.



**LI/002/SDP**

White Grain Leather Canadian Gloves, Palm & Thumb in white grain, Square DP at Palm, back in Yellow Blue drill and 7.5 cm or 10 cm Rubberized Cuff with different color binding tape Size: 8, 9 & 10 Leather Thickness: 1.0 to 1.2 mm.





**LI/004**

White Grain Leather Canadian Gloves, Palm & Thumb in white grain, back in Blue Denim & 7.5 cm or 10 cm Canvas Cuff, Self Hem  
Size: 8, 9 & 10 Leather Thickness: 1.0 to 1.2 mm.



**LI/010**

White split Leather Canadian Gloves, Palm & Thumb in split leather back in Grey with Red Strips and 7.5 cm or 10 cm Rubberized Cuff with different color binding tape, Beige Chrome DP at Palm  
Size: 8, 9 & 10 Leather Thickness: 1.0 to 1.2 mm.



**LI/006**

White Grain Leather Canadian Gloves, Palm & Thumb in white grain leather, back in Grey drill, Cuff in Canvas Cuff with different color binding tape  
Size: 8, 9 & 10 Leather Thickness: 1.0 to 1.2 mm.



**LI/005**

White Grain Leather Canadian Gloves, Palm & thumb in White grain Leather, back in Grey drill, Cuff in 7.5 cm or 10 cm Canvas Cuff Hem  
Size: 8, 9 & 10 Leather Thickness: 1.0 to 1.2 mm.



**LI/012/Thinsulate**

White Grain Canadian Gloves, Palm & Thumb in white grain, back in blue drill cloth with Black & Red Strips, 7.5 cm or 10 cm Rubberized Cuff with different color binding tape with 3M Thinsulate C40 / C70 / C100 lining till cuff  
Size: 8, 9 & 10 Leather Thickness: 1.0 to 1.2 mm.



**LI/011**

White Grain Leather Canadian Gloves, Palm & Thumb in white grain, back in Claret color drill cloth, 7.5 cm or 10 cm Rubberized Cuff with different color binding tape with normal lining till cuff.  
Size: 8, 9 & 10 Leather Thickness: 1.0 to 1.2 mm.



**LI/008**

White Grain Leather Canadian gloves, Palm & thumb in White grain, back in Blue Denim drill cloth, 15 cm Rubberized Cuff with different Color Binding Tape  
Size: 8, 9 & 10 Leather Thickness: 1.0 to 1.2 mm.



**LI/007**

White Grain Leather Canadian gloves, Palm & thumb in White grain, back in Yellow drill & 7.5 cm or 10 cm Rubberized Cuff with different Color Binding Tape  
Size: 8, 9 & 10 Leather Thickness: 1.0 to 1.2 mm.



**LI/014**

White Split Leather Canadian Gloves, Palm & Thumb in Split Leather, back in Yellow drill & 7.5 cm or 10 cm Rubberized Cuff with different color binding tape.  
Size: 8, 9 & 10 Leather Thickness: 1.0 to 1.2 mm.



**LI/012/R/Thinsulate**

White Cow / Goat Grain Canadian Gloves, Palm & Thumb in white grain, back in Red drill cloth, 7.5 cm or 10 cm Rubberized Cuff with different color binding tape with 3M Thinsulate C40 / C70 / C100 lining till cuff  
Size: 8, 9 & 10 Leather Thickness: 1.0 to 1.2 mm.





#### LI/014/BRB

White Split Leather Canadian Gloves, Palm & Thumb in Split Leather, back in blue drill with Red and Black line & 7.5 cm or 10 cm Rubberized Cuff with different color binding tape  
Size: 8, 9 & 10 Leather Thickness: 1.0 to 1.2 mm.



#### LI/021/G

Yellow grain Canadian Gloves, Palm & Thumb in yellow grain leather, back in Green drill and 7.5 cm or 10 cm Rubberized Cuff with different color binding tape  
Size: 8, 9 & 10 Leather Thickness: 1.0 to 1.2 mm.



#### LI/016/O

Split Leather Canadian Gloves, Palm & Thumb in Split Leather, back in Orange Drill cloth & 7.5 cm or 10 cm Rubberized Cuff with different color binding tape  
Size: 8, 9 & 10 Leather Thickness: 1.0 to 1.2 mm.



#### LI/015/G

White Split Leather Canadian Gloves, Palm & Thumb in Split Leather, back in Grey cotton drill and Rubberized Cuff stitched in Kevlar thread  
Size: 8, 9 & 10 Leather Thickness: 1.0 to 1.2 mm.



#### LI/024/DP/Canvas

Split Canadian Gloves, palm & Thumb in white Split Leather, back in white drill cloth, Canvas Cuff and Reinforcement in Blue Split Leather on Palm Thumb till index finger with different color binding tape  
Size: 8, 9 & 10 Leather Thickness: 1.0 to 1.2 mm.



#### LI/023

Yellow Grain Canadian Gloves, palm & Thumb in yellow grain leather, back in Grey drill, 7.5 cm or 10 cm Rubberized Cuff with different color binding tape Reinforcement DP at Palm and Thumb  
Size: 8, 9 & 10 Leather Thickness: 1.0 to 1.2 mm.



#### LI/019/IDP

Split Canadian Gloves, Palm & Thumb in Split Leather, back in half Split Leather back upto fingers & half in white drill cloth, 7.5 cm or 10 cm Rubberized Cuff with different color binding tape & Reinforcement inside Split Leather on Palm & Thumb till index finger. Stitched in Kevlar thread  
Size: 8, 9 & 10 Leather Thickness: 1.0 to 1.2 mm.



#### LI/017/SDP

White Split Canadian Gloves, Palm & Thumb in Split Leather, back in Red drill Square DP at Palm and 7.5 cm or 10 cm Rubberized Cuff with different color binding tape  
Size: 8, 9 & 10 Leather Thickness: 1.0 to 1.2 mm.



#### LI/025/DP

Split Canadian Gloves, Palm & Thumb in Split Leather, back in White/Grey drill, White Rubberized Cuff 7.5 cm & Reinforcement in Green Split Leather on Palm Thumb till index finger  
Size: 8, 9 & 10 Leather Thickness: 1.0 to 1.2 mm.



#### LI/025/R/DP

Split Canadian Gloves, Palm & Thumb in Split Leather, back in White/Grey drill, white Rubberized Cuff 7.5cm & Reinforcement in Red Split Leather on Palm Thumb till index finger  
Size: 8, 9 & 10 Leather Thickness: 1.0 to 1.2 mm.





#### LI/025/DPL

Split Canadian Gloves, Palm & Thumb in Split Leather, back in white drill, white Rubberized Cuff 15 cm & Reinforcement in Green Split Leather on palm Thumb till index finger  
Size: 8, 9 & 10 Leather Thickness: 1.0 to 1.2 mm.



#### LI/030/Water-Repellent

Water Repellant Blue Color Canadian Gloves, Palm & Thumb in Waterproof Chrome Leather back in Orange / Yellow drill & 7.5 cm or 10 cm Rubberized Cuff with different color binding tape  
Size: 8, 9 & 10 Leather Thickness: 1.0 to 1.2 mm.



#### LI/026

Split Canadian Gloves, Palm & Thumb in Split Leather, back in Green with pink stripe drill, Rubberized Cuff with different color binding tape reinforcement in Green Split Leather on Palm Thumb till index finger  
Size: 8, 9 & 10 Leather Thickness: 1.0 to 1.2 mm.



#### LI/031/Y/Water-Repellent

Water Repellant Green Color Canadian Gloves, Palm & Thumb in Waterproof Green color Chrome Leather, back in yellow drill & 7.5 cm or 10 cm Rubberized Cuff with different color binding tape  
Size: 8, 9 & 10 Leather Thickness: 1.0 to 1.2 mm.



#### LI/031/Water-Repellent

Water Repellant Green Canadian Gloves, Palm & Thumb in Waterproof Chrome Leather back in red drill & 7.5 cm or 10 cm Rubberized Cuff with different color binding tape  
Size: 8, 9 & 10 Leather Thickness: 1.0 to 1.2 mm.



#### LI/028

Brown Split Leather Canadian Gloves, Palm & Thumb in Split Leather, back in yellow drill, Rubberized Cuff and Reinforcement in Green Split Leather on Thumb  
Size: 8, 9 & 10 Leather Thickness: 1.0 to 1.2 mm.



#### LI/040

Greenish Beige Color Grain Canadian Gloves, Patch Palm & Thumb in Greenish Beige Grain Leather, back in blue drill with Black & Red Strips, 7.5 cm or 10 cm Rubberized Cuff with different color binding tape  
Size: 8, 9 & 10 Leather Thickness: 1.0 to 1.2 mm.



#### LI/032/Chrome - Free

Chrome Free Canadian Gloves, Palm & Thumb in Aluminum Tanning Chrome free & Metal free Leather, back in yellow drill & 7.5 cm or 10 cm Rubberized Cuff with different color binding tape  
Size: 8, 9 & 10 Leather Thickness: 1.0 to 1.2 mm.



#### LI/029/O

Russet Yellow Split Leather Canadian Gloves, Palm & Thumb in Split Leather, back in orange drill, Rubberized Cuff, full lining till cuff  
Size: 8, 9 & 10 Leather Thickness: 1.0 to 1.2 mm.





# DRIVING & COMBINE DRIVING GLOVES



**LI/201**

White Cow Grain Leather Driving Gloves Wing Thumb with different color Cotton / Nylon tape binding, 3 tips or 4 tips  
Size: S, M, L, XL, 2XL & 3XL (8, 9, 10, 11, 12 & 13)  
Total Length: 24, 25 & 26 cm. Leather Thickness: 0.8 to 1.1 mm.



**LI/201/CUT**

White Cow Grain Leather Driving Gloves Wing Thumb, without binding, straight cut pattern, 3 tips or 4 tips  
Size: S, M, L, XL, 2XL & 3XL (8, 9, 10, 11, 12 & 13)  
Total Length: 24, 25 & 26 cm. Leather Thickness: 0.8 to 1.1 mm.



**LI/201/GB**

White Cow Grain Driving Gloves, 4 tips back like Golf Gloves with Leather Belt & Velcro with different color Cotton / Nylon tape binding  
Size: S, M, L, XL, 2XL & 3XL (8, 9, 10, 11, 12 & 13)  
Leather Thickness: 0.8 to 1.1 mm.



**LI/202**

Combined Driving Gloves, Wing Thumb / Palm in white grain Leather, back & back of Thumb in natural Split Leather with different color Cotton / Nylon tape binding, 3 tips or 4 tips  
Size: S, M, L, XL, 2XL & 3XL (8, 9, 10, 11, 12 & 13)  
Total Length: 24, 25 & 26 cm. Leather Thickness: 0.8 to 1.1 mm.



**LI/202/HEM**

Combined Driving Gloves, Wing Thumb / Palm in white grain Leather, back & back of Thumb in natural Split Leather with edge Hemming (folding), 3 tips or 4 tips  
Size: S, M, L, XL, 2XL & 3XL (8, 9, 10, 11, 12 & 13)  
Total Length: 24, 25 & 26 cm. Leather Thickness: 0.8 to 1.1 mm.





#### LI/202/CUT

Combined driving gloves, Wing Thumb Palm white grain leather, back & back of Thumb in natural Split  
Leather without binding, straight cut pattern, 3 tips or 4 tips  
Size: S, M, L, XL, 2XL & 3XL (8, 9, 10, 11, 12 & 13)  
Total Length: 24, 25 & 26 cm. Leather Thickness: 0.8 to 1.1 mm.



#### LI/213/KT-TNG

White Cow Grain Leather Driving Gloves, Keystone / Joint Thumb with tongue Reinforcement with different color Cotton tape binding  
Size: S, M, L, XL, 2XL & 3XL (8, 9, 10, 11, 12 & 13)  
Total Length: 24, 25 & 26 cm. Leather Thickness: 0.8 to 1.1 mm.



#### LI/203/CUT

Yellow Cow Grain Leather Driving Gloves, Wing Thumb, without binding, straight cut pattern, 3 tips or 4 tips  
Size: S, M, L, XL, 2XL & 3XL (8, 9, 10, 11, 12 & 13)  
Total Length: 24, 25 & 26 cm. Leather Thickness: 0.8 to 1.1 mm.



#### LI/203

Yellow Cow Grain Leather Driving Gloves, Wing Thumb with different color Cotton / Nylon tape binding, 3 tips or 4 tips  
Size: S, M, L, XL, 2XL & 3XL (8, 9, 10, 11, 12 & 13)  
Total Length: 24, 25 & 26 cm. Leather Thickness: 0.8 to 1.1 mm.



#### LI/214/NK

White Cow Grain Leather Driving Gloves, Wing Thumb in Nokia style with different color Cotton tape binding, Nokia Pattern  
Size: S, M, L, XL, 2XL & 3XL (8, 9, 10, 11, 12 & 13)  
Total Length: 24, 25 & 26 cm. Leather Thickness: 0.8 to 1.1 mm.



#### LI/215/FOAM/DP

White Cow / Sheep Grain Leather Driving Gloves, Keystone Thumb with different color Cotton tape binding, Reinforcement on Palm with foam padded  
Size: S, M, L, XL, 2XL & 3XL (8, 9, 10, 11, 12 & 13)  
Total Length: 24, 25 & 26 cm. Leather Thickness: 0.8 to 1.1 mm.



#### LI/212/ST

White Cow Grain Leather Driving Gloves, straight Thumb with different color Cotton / Nylon tape binding  
Size: S, M, L, XL, 2XL & 3XL (8, 9, 10, 11, 12 & 13)  
Total Length: 24, 25 & 26 cm. Leather Thickness: 0.8 to 1.1 mm.



#### LI/211/KT

White Cow Grain Leather Driving Gloves, Keystone Thumb with different color Cotton / Nylon tape binding  
Size: S, M, L, XL, 2XL & 3XL (8, 9, 10, 11, 12 & 13)  
Total Length: 24, 25 & 26 cm. Leather Thickness: 0.8 to 1.1 mm.



#### LI/216

White Cow Grain Leather Driving Gloves Wing Thumb with Cotton Rib Reinforcement with round extra "D"  
Size: S, M, L, XL, 2XL & 3XL (8, 9, 10, 11, 12 & 13)  
Leather Thickness: 0.8 to 1.1 mm.



#### LI/217

White Cow Grain Leather Driving Gloves, Wing Thumb with Cotton Rib, Stitched in Kevlar thread  
Size: S, M, L, XL, 2XL & 3XL (8, 9, 10, 11, 12 & 13)  
Leather Thickness: 0.8 to 1.1 mm.





#### LI/218

White Cow Grain Leather Driving Gloves,  
Wing Thumb with elastic Rib Cuff with  
Reinforcement of Split Leather at back  
Size: S, M, L, XL, 2XL & 3XL (8, 9, 10, 11, 12 & 13)  
Leather Thickness: 0.8 to 1.1 mm.



#### LI/224/HEM

Yellow Cow Grain Driving Gloves, with edge  
Hemming (folding) 3 tips or 4 tips  
Size: S, M, L, XL, 2XL & 3XL (8, 9, 10, 11, 12 & 13)  
Total Length: 24, 25 & 26 cm. Leather Thickness: 0.8 to 1.0 mm.



#### LI/219

White Cow Grain Leather Driving Gloves, wing Thumb with  
elastic Rib Cuff with Reinforcement of Chrome Leather at back  
Size: S, M, L, XL, 2XL & 3XL (8, 9, 10, 11, 12 & 13)  
Leather Thickness: 0.8 to 1.1 mm.



#### LI/220/HEM

White Cow Grain Driving Gloves, with edge  
Hemming (folding) 3 tips or 4 tips  
Size: S, M, L, XL, 2XL & 3XL (8, 9, 10, 11, 12 & 13)  
Total Length: 24, 25 & 26 cm. Leather Thickness: 0.8 to 1.0 mm.



#### LI/225

Yellow Cow Grain Driving Gloves, Keystone Thumb  
with edge Hemming (folding) 3 tips or 4 tips with  
Split Leather DP Reinforcement  
Size: S, M, L, XL, 2XL & 3XL (8, 9, 10, 11, 12 & 13)  
Total Length: 24, 25 & 26 cm. Leather Thickness: 0.8 to 1.0 mm.



#### LI/225/P

Yellow Cow Grain Driving Gloves, Keystone  
Thumb with edge Hemming (Piping) 3 tips or  
4 tips with Split Leather DP Reinforcement  
Size: S, M, L, XL, 2XL & 3XL (8, 9, 10, 11, 12 & 13)  
Total Length: 24, 25 & 26 cm. Leather Thickness: 0.8 to 1.0 mm.



#### LI/221

White Cow Grain Driving Gloves, inside Seam with edge  
Hemming (folding) 3 tips or 4 tips with round Thumb  
Size: S, M, L, XL, 2XL & 3XL (8, 9, 10, 11, 12 & 13)  
Total Length: 24, 25 & 26 cm. Leather Thickness: 0.8 to 1.0 mm.



#### LI/223/FL

White Cow Grain Driving Gloves with full Flannel  
Lining inside, different color Cotton tape binding  
Size: S, M, L, XL, 2XL & 3XL (8, 9, 10, 11, 12 & 13)  
Total Length: 24, 25 & 26 cm. Leather Thickness: 0.8 to 1.0 mm.

FLANNEL Lining



#### LI/226

Yellow Cow Grain Driving Gloves, inside Seam with edge  
Hemming (folding) 3 tips with round Thumb  
Size: S, M, L, XL, 2XL & 3XL (8, 9, 10, 11, 12 & 13)  
Total Length: 24, 25 & 26 cm. Leather Thickness: 0.8 to 1.0 mm.



#### LI/227

Yellow Cow Grain Leather Driving Gloves,  
straight Thumb with edge Hemming (folding),  
double Palm till index Finger  
Size: S, M, L, XL, 2XL & 3XL (8, 9, 10, 11, 12 & 13)  
Total Length: 24, 25 & 26 cm. Leather Thickness: 0.8 to 1.1 mm.





**LI/228**

Yellow Cow Grain Leather Driving Gloves,  
Keystone Thumb with edge Hemming (folding)  
Size: S, M, L, XL, 2XL & 3XL (8, 9, 10, 11, 12 & 13)  
Total Length: 24, 25 & 26 cm. Leather Thickness: 0.8 to 1.1 mm.



**LI/232**

Biscuit Beige Cow Grain Leather Driving Gloves, wing  
Thumb with Cotton Rib Reinforcement with Leather  
Size: S, M, L, XL, 2XL & 3XL (8, 9, 10, 11, 12 & 13)  
Total Length: 24, 25 & 26 cm. Leather Thickness: 0.8 to 1.1 mm.



**LI/228/B**

Yellow Cow Grain Leather Driving Gloves, Keystone thumb  
with edge Hemming (folding), with Nylon belt at wrist  
Size: S, M, L, XL, 2XL & 3XL (8, 9, 10, 11, 12 & 13)  
Total Length: 24, 25 & 26 cm. Leather Thickness: 0.8 to 1.1 mm.



**LI/229**

Natural Split Leather Driving Gloves, wing Thumb with  
different color Cotton tape binding, 3 tips or 4 tips  
Size: S, M, L, XL, 2XL & 3XL (8, 9, 10, 11, 12 & 13)  
Total Length: 24, 25 & 26 cm. Leather Thickness: 0.8 to 1.1 mm.



**LI/233**

Greenish Beige Cow Grain Leather Driving Gloves,  
Keystone Thumb. with full red color normal lining with  
different color binding tape  
Size: S, M, L, XL, 2XL & 3XL (8, 9, 10, 11, 12 & 13)



**LI/234**

Heat Resistant Brown Cow Grain Leather Driving Gloves wing  
Thumb with different color binding, stitched in Kevlar thread  
Size: S, M, L, XL, 2XL & 3XL (8, 9, 10, 11, 12 & 13)  
Total Length: 24, 25 & 26 cm. Leather Thickness: 0.8 to 1.1 mm.



**LI/230**

Biscuit Beige Cow Grain Leather Driving Gloves,  
wing Thumb with different color Cotton tape  
binding, 3 tips or 4 tips  
Size: S, M, L, XL, 2XL & 3XL (8, 9, 10, 11, 12 & 13)  
Total Length: 24, 25 & 26 cm. Leather Thickness: 0.8 to 1.1 mm.



**LI/231**

Biscuit Beige Cow Grain Leather Driving Gloves,  
Keystone Thumb with edge Hemming (folding)  
Size: S, M, L, XL, 2XL & 3XL (8, 9, 10, 11, 12 & 13)  
Total Length: 24, 25 & 26 cm. Leather Thickness: 0.8 to 1.1 mm.



**LI/235**

Water Repellant Brown Split Leather Driving Gloves  
Keystone Thumb with edge Hemming (folding)  
Size: S, M, L, XL, 2XL & 3XL (8, 9, 10, 11, 12 & 13)  
Total Length: 24, 25 & 26 cm. Leather Thickness: 0.8 to 1.1 mm.



**LI/236**

Water Repellant Blue Split Driving Gloves wing  
Thumb with Cotton Rib at Cuff 3 tips or 4 tips  
Size: S, M, L, XL, 2XL & 3XL (8, 9, 10, 11, 12 & 13)  
Total Length: 24, 25 & 26 cm. Leather Thickness: 0.8 to 1.1 mm.





**LI/237**

Water Repellant Green Color Driving Gloves, wing  
Thumb with Cotton Rib at Cuff full Kevlar lining till cuff.  
Size: S, M, L, XL, 2XL & 3XL (8, 9, 10, 11, 12 & 13)  
Total Length: 24, 25 & 26 cm. Leather Thickness: 0.8 to 1.1 mm.



**LI/239/L**

Green Split Leather Driving Gloves, Keystone  
Thumb with edge Hemming (folding)  
Size: S, M, L, XL, 2XL & 3XL (8, 9, 10, 11, 12 & 13)  
Total Length: 24, 25 & 26 cm. Leather Thickness: 0.8 to 1.1 mm.



**LI/238**

Water Repellant Blue Color Chrome Combine Driving  
Gloves, wing Thumb back in Split Leather in Grey color with  
Hem Piping FUR lining inside. Stitched in Kevlar thread  
Size: S, M, L, XL, 2XL & 3XL (8, 9, 10, 11, 12 & 13)  
Total Length: 24, 25 & 26 cm. Leather Thickness: 0.8 to 1.1 mm.



**LI/239**

Green Split Leather Driving Gloves, wing  
Thumb with edge Hemming (folding)  
Size: S, M, L, XL, 2XL & 3XL (8, 9, 10, 11, 12 & 13)  
Total Length: 24, 25 & 26 cm. Leather Thickness: 0.8 to 1.1 mm.



**LI/240/HEM**

Grey Split Leather Driving Gloves Keystone Thumb  
with edge hemming (folding), with FUR lining  
Size: S, M, L, XL, 2XL & 3XL (8, 9, 10, 11, 12 & 13)  
Total Length: 24, 25 & 26 cm. Leather Thickness: 0.8 to 1.1 mm.



**LI/241**

White Cow / Sheep Grain Leather Driving Gloves,  
back in Red Ganjee, Keystone Thumb with black  
color rib elastic with Velcro lock at wrist  
Size: S, M, L, XL, 2XL & 3XL (8, 9, 10, 11, 12 & 13)



**LI/239/KT**

Light Brown Split Leather Driving Gloves,  
Keystone Thumb with different color binding  
Size: S, M, L, XL, 2XL & 3XL (8, 9, 10, 11, 12 & 13)  
Total Length: 24, 25 & 26 cm. Leather Thickness: 0.8 to 1.1 mm.



**LI/239/KT/HEM**

Green Split Leather Driving Gloves, Keystone  
Thumb with edge Hemming (folding)  
Size: S, M, L, XL, 2XL & 3XL (8, 9, 10, 11, 12 & 13)  
Total Length: 24, 25 & 26 cm. Leather Thickness: 0.8 to 1.1 mm.



**LI/242**

White Cow Grain Leather Driving Gloves, back in Grey/White  
Ganjee, Wing thumb with edge Hemming (folding)  
Size: S, M, L, XL, 2XL & 3XL (8, 9, 10, 11, 12 & 13)



**LI/243**

White Cow Grain Leather Driving Gloves, 4 tips,  
back in Grey / White Ganjee, round Thumb with Cotton Rib  
Size: S, M, L, XL, 2XL & 3XL (8, 9, 10, 11, 12 & 13)





**LI/244**

White Cow / Sheep / Goat Grain Leather Driving Gloves, back in Blue Ganjee, 3 tips, wing Thumb with edge Hemming (folding)  
Size: S, M, L, XL, 2XL & 3XL (8, 9, 10, 11, 12 & 13)



**LI/249**

Russet Yellow Color full Cow Split Leather Driving Gloves, Keystone Thumb, with DP of Split Leather on Palm with edge hemming (folding)  
Size: S, M, L, XL, 2XL & 3XL (8, 9, 10, 11, 12 & 13)



**LI/245**

White Cow / Sheep / Goat Grain Leather Driving Gloves, back in Blue Ganjee, 3 tips, wing Thumb with edge Leather cut  
Size: S, M, L, XL, 2XL & 3XL (8, 9, 10, 11, 12 & 13)



**LI/246**

White Cow / Sheep / Goat Grain-Combine Driving Gloves, back in Blue Jeans, 3 tips, wing Thumb with different color binding  
Size: S, M, L, XL, 2XL & 3XL (8, 9, 10, 11, 12 & 13)



**LI/251**

Greenish Beige Cow Grain Driving Gloves, Straight / Keystone Thumb.  
Size: S, M, L, XL, 2XL & 3XL (8, 9, 10, 11, 12 & 13)



**LI/251 HEM**

Greenish Beige Cow Grain Driving Gloves, Keystone Thumb with edge Hemming (folding)  
Size: S, M, L, XL, 2XL & 3XL (8, 9, 10, 11, 12 & 13)



**LI/247**

White Cow Grain-Combine Driving Gloves, inside seam, back in Yellow Ganjee, wing Thumb with different color half binding at back without binding at palm edge  
Size: S, M, L, XL, 2XL & 3XL (8, 9, 10, 11, 12 & 13)



**LI/248**

Grey Color Split Heat Resistance Leather, Combine Driving Gloves, back in Orange Ganjee, round Thumb with edge leather cut  
Size: S, M, L, XL, 2XL & 3XL (8, 9, 10, 11, 12 & 13)



**LI/252**

Greenish Beige Cow Grain Driving Gloves, Keystone Thumb with Hem Piping  
Size: S, M, L, XL, 2XL & 3XL (8, 9, 10, 11, 12 & 13)



**LI/253**

Greenish Beige Cow grain Driving Gloves, straight Thumb.  
Size: S, M, L, XL, 2XL & 3XL (8, 9, 10, 11, 12 & 13)





**LI/254**  
Greenish Beige Cow Grain Driving  
Gloves, wing Thumb.  
Size: S, M, L, XL, 2XL & 3XL (8, 9, 10, 11, 12 & 13)



**LI/257**  
Greenish Beige Cow Grain Combine Driving  
Gloves, Keystone Thumb, grain leather at Palm  
& white Split Leather back  
Size: S, M, L, XL, 2XL & 3XL (8, 9, 10, 11, 12 & 13)



**LI/254/L**  
Greenish Beige Cow Grain Driving Gloves, wing Thumb,  
with full normal lining & different color binding tape  
Size: S, M, L, XL, 2XL & 3XL (8, 9, 10, 11, 12 & 13)



**LI/255**  
Greenish Beige Cow Grain Driving Gloves,  
wing Thumb, inside Seam.  
Size: S, M, L, XL, 2XL & 3XL (8, 9, 10, 11, 12 & 13)



**LI/258**  
Greenish Beige Cow Grain Combine Driving Gloves, straight  
Thumb, grain leather at Palm and white Split Leather back  
Size: S, M, L, XL, 2XL & 3XL (8, 9, 10, 11, 12 & 13)



**LI/259**  
Greenish Beige Cow Grain Combine Driving Gloves, Keystone  
Thumb, grain leather at Palm and white Split back with DP  
of Split Leather on Palm and index finger  
Size: S, M, L, XL, 2XL & 3XL (8, 9, 10, 11, 12 & 13)



**LI/256**  
Greenish Beige Cow Grain Combine Driving  
Gloves, Keystone Thumb, grain leather at Palm  
& Brown Split Leather back  
Size: S, M, L, XL, 2XL & 3XL (8, 9, 10, 11, 12 & 13)



**LI/256/WL**  
Greenish Beige Cow Grain Combine Driving Gloves,  
wing Thumb, grain leather at Palm and Brown Split Leather back  
Size: S, M, L, XL, 2XL & 3XL (8, 9, 10, 11, 12 & 13)



**LI/260**  
Greenish Beige Cow Grain Combine Driving Gloves,  
Keystone Thumb, grain leather at Palm and white  
Split Leather back with Patch / Joint Palm  
Size: S, M, L, XL, 2XL & 3XL (8, 9, 10, 11, 12 & 13)



**LI/261**  
Greenish Beige full Cow Grain Driving Gloves,  
keystone Thumb with DP of Greenish Beige Split  
Leather on Palm with edge hemming (folding)  
Size: S, M, L, XL, 2XL & 3XL (8, 9, 10, 11, 12 & 13)





**LI/262**  
Greenish Beige Cow Grain Driving Gloves,  
straight Thumb with leather belt at wrist  
Size: S, M, L, XL, 2XL & 3XL (8, 9, 10, 11, 12 & 13)



**LI/266/Thinsulate**  
Greenish Beige Cow Grain Driving Gloves, Keystone  
Thumb with Orange/Lime color HV fabric at finger  
tips with watch your hand printed at back, with full  
3M Thinsulate Lining & Hem Piping  
Size: S, M, L, XL, 2XL & 3XL (8, 9, 10, 11, 12 & 13)



**LI/263**  
Greenish Beige Cow Grain Driving Gloves, Keystone  
Thumb with Orange/Lime color HV fabric at finger tips  
Size: S, M, L, XL, 2XL & 3XL (8, 9, 10, 11, 12 & 13)



**LI/264**  
Greenish Beige Cow Grain Driving Gloves, Keystone  
Thumb with Orange/Lime color HV fabric at finger  
tips with watch your hand printed at back  
Size: S, M, L, XL, 2XL & 3XL (8, 9, 10, 11, 12 & 13)



**LI/267/Thinsulate**  
Greenish Beige Cow Grain Driving Gloves, Keystone  
Thumb with full 3M Thinsulate C100 lining &  
different color binding  
Size: S, M, L, XL, 2XL & 3XL (8, 9, 10, 11, 12 & 13)



**LI/268/Thinsulate**  
Greenish Beige Cow Grain Driving Gloves, Keystone  
Thumb with full 3M Thinsulate C100 lining with  
edge hemming (folding)  
Size: S, M, L, XL, 2XL & 3XL (8, 9, 10, 11, 12 & 13)



**LI/265**  
Greenish Beige Cow Grain Driving Gloves, Keystone  
Thumb with Orange color HV painted at finger tips  
Size: S, M, L, XL, 2XL & 3XL (8, 9, 10, 11, 12 & 13)



**LI/265/WYH**  
Greenish Beige Cow Grain Driving Gloves, Keystone  
Thumb with Orange color HV painted at finger tips  
with watch your hand printed at back  
Size: S, M, L, XL, 2XL & 3XL (8, 9, 10, 11, 12 & 13)



**LI/269/Thinsulate**  
Greenish Beige Cow Grain Driving Gloves,  
Keystone Thumb with full 3M Thinsulate  
C100 lining & Hem Piping  
Size: S, M, L, XL, 2XL & 3XL (8, 9, 10, 11, 12 & 13)



**LI/270/Thinsulate**  
Greenish Beige Cow Grain Driving Gloves,  
Keystone Thumb with full 3M Thinsulate C100  
lining & Hem Piping with Cotton Rib at cuff  
Size: S, M, L, XL, 2XL & 3XL (8, 9, 10, 11, 12 & 13)





**LI/272**  
Greenish Beige Cow Grain Driving Gloves, wing  
Thumb with full white color normal lining with  
different color binding tape  
Size: S, M, L, XL, 2XL & 3XL (8, 9, 10, 11, 12 & 13)



**LI/277**  
Water Repellant Green Color Grain Leather Driving  
Gloves wing Thumb with edge Hemming (folding),  
stitched in Kevlar thread  
Size: S, M, L, XL, 2XL & 3XL (8, 9, 10, 11, 12 & 13)  
Total Length: 24, 25 & 26 cm. Leather Thickness: 0.9 to 1.1 mm.



**LI/273**  
White Cow Grain Forest Gloves, straight Thumb  
with half back in Yellow Cloth and half back in  
Yellow elastic & Cut Hemming  
Size: S, M, L, XL, 2XL & 3XL (8, 9, 10, 11, 12 & 13)



**LI/274**  
White Cow Grain Forest Gloves, wing Thumb  
with florescent orange color Cloth with white  
Rib 2.5 inches, with extra "D"  
Size: S, M, L, XL, 2XL & 3XL (8, 9, 10, 11, 12 & 13)



**LI/278**  
Water Repellant Green Color Grain Leather Driving Gloves, wing Thumb  
with Cotton Rib at cuff with wrist guard, stitched in Kevlar thread  
Size: S, M, L, XL, 2XL & 3XL (8, 9, 10, 11, 12 & 13)  
Leather Thickness: 0.9 to 1.1 mm.



**LI/281/Thinsulate**  
YELLOW Cow Grain Driving Gloves, Keystone Thumb  
with full 3M Thinsulate C40 / C70 / C100 lining &  
different color binding tape  
Size: S, M, L, XL, 2XL & 3XL (8, 9, 10, 11, 12 & 13)



**LI/276**  
Fire Resistant Brown Cow Grain Leather Gloves,  
wing Thumb with Cotton Rib at cuff, Fire Resistant  
Leather (Heatproof), stitched in Kevlar thread  
Size: S, M, L, XL, 2XL & 3XL (8, 9, 10, 11, 12 & 13)



**LI/276/D**  
Fire Resistant (Heatproof) Brown Cow Grain Leather  
Gloves, wing Thumb with Cotton Rib at cuff, with  
extra "D" stitched in Kevlar thread  
Size: S, M, L, XL, 2XL & 3XL (8, 9, 10, 11, 12 & 13)



**LI/282 / Thinsulate**  
Biscuit Beige Cow Grain Driving Gloves,  
Keystone Thumb with full 3M Thinsulate C40 / C70 / C100  
lining with edge Hemming (folding)  
Size: S, M, L, XL, 2XL & 3XL (8, 9, 10, 11, 12 & 13)





# WELDING GLOVES



**LI/101**

Full White Grain Welding Gloves, 3 tips or 4 tips, with 7cm / 15cm Split Leather Cuff without "D" (Pulse protection)  
Size: 9 & 10 Leather Thickness: 1.0 to 1.3 mm.



**LI/101/D**

Full White Grain Welding Gloves, 3 tips or 4 tips, with 7cm / 15cm Split Leather Cuff with extra "D" (Pulse protection)  
Size: 9 & 10 Leather Thickness: 1.0 to 1.3 mm.



**LI/102/CK**

White Grain Welding Gloves (Churi Kali), 3 tips or 4 tips, with 15cm Split Leather Cuff  
Size: 9 & 10 Leather Thickness: 1.0 to 1.3 mm.



**LI/103**

Full White Grain Welding Gloves, 3 tips or 4 tips, with 7cm / 15cm Blue color Split Leather Cuff without "D" (Pulse protection), stitched in Kevlar thread  
Size: 9 & 10 Leather Thickness: 1.0 to 1.3 mm.



**LI/103/B**

Full White Grain Welding Gloves, 3 tips or 4 tips, with 7cm / 15cm Brown color Split Leather Cuff without "D" (Pulse protection), stitched in Kevlar thread  
Size: 9 & 10 Leather Thickness: 1.0 to 1.3 mm.







**LI/104**

Full White Grain Welding Gloves, 3 tips or 4 tips with 7cm / 15cm Split Leather Cuff with round extra "D" (Pulse protection) Reinforcement between thumb and index Finger, Stitched in kevlar thread  
Size: 9 & 10 Leather Thickness: 1.0 to 1.3 mm.



**LI/108**

Full Yellow Grain Driving Welding Gloves with 7cm/15cm white Chrome Leather Cuff back in Velcro with leather belt  
Size: 9 & 10 Leather Thickness: 1.0 to 1.3 mm.



**LI/105**

Full White Grain Welding Gloves, 3 tips or 4 tips with 7cm / 15cm Split Leather Cuff, full Thumb Reinforcement, stitched with Kevlar thread with belt and Velcro at wrist.  
Size: 9 & 10 Leather Thickness: 1.0 to 1.3 mm.



**LI/106**

Combined Welding Gloves, 3 tips or 4 tips, Palm & Thumb in white grain Leather, back & cuff in Split Leather 7cm / 15cm Split Leather Cuff with round extra "D" (Pulse protection). Reinforcement between Thumb and index finger  
Size: 9 & 10 Leather Thickness: 1.0 to 1.3 mm.



**LI/109**

Full Biscuit Beige Grain Driving Welding Gloves with 7 cm / 15 cm Brown color Split Leather Cuff with "D" (Pulse protection). different color cotton tape binding in cuff  
Size: 9 & 10 Leather Thickness: 1.0 to 1.3 mm.



**LI/110**

Full White Grain Welding Gloves, 3 tips or 4 tips, with 7cm Split Leather Cuff with "D" (Pulse protection) & Perforated back  
Size: 9 & 10 Leather Thickness: 1.0 to 1.3 mm.



**LI/107**

Full Yellow Grain Welding Gloves with 7cm / 15cm white Split Leather Cuff with round extra "D" (Pulse protection)  
Size: 9 & 10 Leather Thickness: 1.0 to 1.3 mm.



**LI/107/L**

Full Yellow Grain Driving Welding Gloves with 7cm/15cm Split Leather Cuff with "D" (Pulse protection). full lined with fleece Cotton, back in elastic  
Size: 9 & 10 Leather Thickness: 1.0 to 1.3 mm.



**LI/110/DP**

Full White Grain Welding Gloves, Biscuit Beige Color grain leather DP at Palm till index finger with 7cm/15cm white split leather cuff  
Size: 9 & 10 Leather Thickness: 1.0 to 1.3 mm.



**LI/111**

Full Natural Split Welding Gloves, 3 tips or 4 tips with 7cm/15cm Split Leather Cuff with extra "D" (Pulse protection)  
Size: 9 & 10 Leather Thickness: 1.0 to 1.3 mm.





CE EN388 LI/111/R/MI  
Full Natural Split Welding Gloves, Reinforcement between middle finger and index finger with Heat Resistance Black color Split Leather  
Total Length: 35/40 cm. Leather Thickness: 1.0 to 1.3 mm.



CE EN388 LI/113  
Brown Color Split Welding Gloves, 3 tips or 4 tips with 7cm/15cm white Split Leather Cuff with round extra "D" (Pulse protection), stitched in Kevlar thread  
Size: 9 & 10 Leather Thickness: 1.0 to 1.3 mm.



CE EN388 LI/111/R  
Full Natural Split Welding Gloves, 3 tips or 4 tips with 7cm/15cm Split Leather Cuff with round extra "D" (Pulse protection). Reinforcement between thumb & index finger, Stitched in kevlar thread  
Size: 9 & 10 Leather Thickness: 1.0 to 1.3 mm.



CE EN388 LI/112  
Red Color Split Welding Gloves, 3 tips or 4 tips with 7cm/15cm Split Leather Cuff with "D" (Pulse protection), stitched in Kevlar thread  
Size: 9 & 10 Leather Thickness: 1.0 to 1.3 mm.



CE EN388 LI/114  
Full Green Color Split Welding Gloves, white color split leather finger reinforcement stitched with Kevlar thread  
Size: 9 & 10 Leather Thickness: 1.0 to 1.3 mm.



CE EN388 LI/115  
Black Color Split Welding Gloves, with round DP at palm around Thumb in black Split Leather, Yellow color split leather finger reinforcement stitched with Kevlar thread  
Total Length: 40 cm. Leather Thickness: 1.0 to 1.3 mm.



CE EN388 LI/112/ST  
Red Color Split Welding Gloves, straight Thumb with 7cm/15cm white Split Leather Cuff with round extra "D" (Pulse protection), stitched in Kevlar thread  
Size: 9 & 10 Leather Thickness: 1.0 to 1.3 mm.



CE EN388 LI/112/R  
Red Color Split Welding Gloves, 3 tips or 4 tips with 7cm/15cm Split Leather Cuff with round extra "D" (Pulse protection). Reinforcement between Thumb and index finger, stitched in Kevlar thread  
Size: 9 & 10 Leather Thickness: 1.0 to 1.3 mm.



CE EN388 LI/116  
Red Color Split Welding Gloves, 4 tips with Yellow color grain Leather at Palm, full lining with Yellow grain Leather Hem Piping, stitched with Kevlar thread  
Total Length: 40 cm. Leather Thickness: 1.0 to 1.3 mm.



CE EN388 LI/118  
Russet Yellow Color Split Leather Welding Gloves with white Chrome Leather at Palm with Sponge at Palm and split Reinforce on Palm fingers - stitched with Kevlar thread





**LI/119**

Yellow Color Split Leather Welding Gloves with blue split finger reinforcement and round DP at Palm around Thumb, stitched with Kevlar thread



**LI/123**

Black Color Split Welding Gloves, 4 tips with Yellow grain leather palm, full lining with Yellow grain leather Hem Piping, stitched with Kevlar thread  
Total Length: 40 cm. Leather Thickness: 1.0 to 1.3 mm.



**LI/119/DP**

Yellow Color Split Leather Welding Gloves with black split finger Reinforcement and round DP at Palm around Thumb, stitched with Kevlar thread  
Total Length: 35/40 cm.



**LI/120**

Yellow Color Split Leather Welding Gloves with Yellow split finger Reinforcement and round DP at Palm around Thumb, stitched with Kevlar thread  
Total Length: 35cm/40 cm.



**LI/124**

Russet Yellow Color Split Leather Welding Gloves with russet yellow split finger Reinforcement and full round Thumb Reinforcement, stitched with Kevlar thread  
Total Length: 35/40 cm.



**LI/125**

Blue Color Split Leather Welding Gloves with white color split finger reinforcement, stitched with Kevlar thread  
Total Length: 35/40 cm.



**LI/121**

Russet Yellow Color Split Leather Welding Gloves with Blue split finger Reinforcement and round DP at Palm around Thumb, stitched with Kevlar thread  
Total Length: 35/40 cm.



**LI/122**

Yellow Color Split Leather Welding Gloves with black split Finger Reinforcement and DP at Palm till index finger, stitched with Kevlar thread  
Total Length: 35/40 cm.



**LI/125/DP**

Blue Color Split Leather Welding Gloves with white color split finger Reinforcement & round DP at palm around Thumb, stitched with Kevlar thread  
Total Length: 35/40 cm.



**LI/126**

Blue Color Split Leather Welding Gloves with Yellow Split DP at palm and thumb reinforcement, stitched with Kevlar thread  
Total Length: 35/40 cm.






**CE**  **LI/127**  
Green Color Split Leather Welding Gloves with Green split finger Reinforcement between index finger and Thumb, stitched with Kevlar thread 15cm with split leather Cuff Total Length: 35/40 cm.



**CE**  **LI/132**  
Chrome Free & Metal Free Full Aluminum Tanning Welding Gloves with "D", Leather Reinforcement on Palm & Thumb, Canvas Cuff

**CE**  **LI/129**  
Magenta Color Split Leather Welding Gloves with white split finger Reinforcement and round DP at Palm around Thumb, Jeans Lining inside, stitched with Kevlar thread Total Length: 35/40 cm.



**CE**  **LI/134**  
Full White Grain Welding Gloves, 3 tips with 15cm Split Leather Cuff and all round Reinforcement with 5cm extra with white Chrome Leather (Pulse protection). full Reinforcement on Palm and all fingers and Thumb Size: 10 Leather Thickness: 1.2 to 1.5 mm.



**CE**  **LI/135**  
Danta Kali Welding Gloves, 3 fingers in White Split Leather and Palm in Black Split Leather & index finger, Reinforcement around Thumb in Russet color Split Leather and 10 cm Russet color Cuff with Hem Size: 10 Leather Thickness: 1.2 to 1.5 mm.



**CE**  **LI/130/Waterproof**  
Water Repellant / Heat Resistance Brown Cow Grain Leather Welding Gloves, Wing Thumb in Water / Heat Resistant Leather, stitched in Kevlar thread. 15 cm White Split Leather Cuff



**CE**  **LI/136**  
Danta Kali Welding Gloves, 3 fingers in White Split Leather and Palm in Brown Split Leather & index finger, Reinforcement around Thumb in Russet color Split Leather and 10 cm Russet color Cuff with Hem Size: 10 Leather Thickness: 1.2 to 1.5 mm.

**CE**  **LI/131/Waterproof**  
Water Repellant / Heat Resistance Brown Cow Split Leather welding Gloves, Wing Thumb, Water / Heat Resistant Leather stitched in Kevlar thread. 15 cm White Split Leather Cuff







**LI/140**

Red Color Split Leather Welding Gloves with Black Split finger Reinforcement, stitched with Kevlar thread  
Total Length: 35cm/40 cm.



**LI/144**

Red Color Split Leather Welding Gloves with White Split finger Reinforcement 3 fingers glove, stitched with Kevlar thread  
Total Length: 35 / 40 cm.



**LI/141**

Red Color Split Leather Welding Gloves with Red split finger reinforcement and round DP at Palm around Thumb, stitched with Kevlar thread  
Total Length: 35/40 cm.



**LI/145**

Red Color Split Leather Welding Gloves with Brown Heat Resistance Split Leather Reinforcement between index & middle finger, stitched with Kevlar thread  
Total Length: 35/40 cm.



**LI/146**

Red Color Split Leather Welding Gloves with Black Split finger Reinforcement with Kevlar Rib at cuff, Stitched with Kevlar thread  
Total Length: 35 cm.



**LI/142**

Red Color Split Leather Welding Gloves with Black Split finger reinforcement Green color DP at Palm till index finger, stitched with Kevlar thread  
Total Length: 35/40 cm.



**LI/147**

4 Fingers in White Combine Welding Gloves, Keystone Thumb with fingers in Chrome Leather at Palm side, Stitched with Kevlar thread  
Total Length: 25 / 35 cm.



**LI/143**

Red Color Split Leather Welding Gloves with White split finger Reinforcement Special side Thumb gloves, stitched with Kevlar thread  
Total Length: 35/40 cm.





# SUEDE & GRAIN LEATHER



# LEATHER Garments





# LEATHER Jacket & Trouser



CE **LI/301**  
White Chrome Leather Jacket  
Feature: 6 Push buttons covered  
by Leather flap, stitched with Kevlar thread



CE **LI/307**  
White Chrome Leather Trouser  
Feature: Push buttons at waist,  
stitched with Kevlar thread



CE **LI/302**  
White Split Leather Jacket  
Feature: Velcro Covered by flap,  
elastic at Wrist



CE **LI/302/J**  
White Split Leather Jacket  
Feature: Joined Split with Velcro  
Covered by flap, elastic at Wrist



CE **LI/302/B**  
Brown Split Leather Jacket  
Feature: 6 Push buttons covered by  
Leather flap with Beige Leather Collar,  
closed by Velcro at Collar & Wrist



# LEATHER Apron



CE **LI/305**  
White Split Leather Apron  
with inside & outside pockets  
Feature: Adjustable Ties



CE **LI/306**  
White Split Leather Apron with Inside  
& outside pockets  
Feature: Adjustable Ties with  
Rope & Rivets at Joints



CE **LI/305/Y**  
Yellow Split Leather Apron  
with inside & outside pockets  
Feature: Adjustable Ties



CE **LI/304**  
White Split Leather Apron  
Feature: Adjustable Ties

CE **LI/303**  
White Chrome Leather Apron with  
Split Leather Belts and Buckles  
Feature: Adjustable Ties



CE **LI/306/Y**  
Yellow Split Leather Apron  
with Inside & outside pockets  
Feature: Adjustable Ties with  
Rope & Rivets at Joints





# LEATHER Leg & Arm Guard



CE **LI/308**  
White Split Leather Leg Guard,  
close with Velcro & fixed strap  
Feature: Adjustable Belt



CE **LI/310**  
White Chrome Leather Arm Guard  
Feature: Adjustable elastic in both ends



CE **LI/311**  
White Split Leather Arm Guard  
Feature: Adjustable elastic in both ends



CE **LI/312**  
White Split Leather Long Arm Guard  
Feature: Adjustable elastic joining both hands



CE **LI/311/S**  
White Split Leather Arm Guard - Small  
Feature: Adjustable elastic in both ends

CE **LI/308/B**  
White Split Leather Leg Guard, close  
with Velcro & grain leather strap with Buckles  
Feature: Adjustable Belt



CE **LI/309**  
White Split Leather Leg Guard with  
Grain / Split Leather Belt & Buckles  
Feature: Adjustable Belt





# LEATHER Apron & Hood



CE **L1/321**  
White Chrome Leather Apron with  
Cotton / Nylon Belts & Buckles (70 x 90)  
Feature: Adjustable Ties



CE **L1/320**  
White Chrome Leather Apron with  
Cotton / Nylon Belts & plastic  
Buckles (80 x 120)  
Feature: Adjustable Ties



CE **L1/315**  
White Chrome Leather Hood (Head Guard)  
Feature: Adjustable Cotton Lace



CE **L1/322**  
White Chrome Leather Belly Apron  
with Cotton / Nylon Belts & plastic  
Buckles (60 x 40)  
Feature: Adjustable Ties



CE **L1/401**  
Blue Cotton Arm Guard  
Feature: Adjustable elastic  
closure & rib at one end



Other Garment



