


INTRODUCTION

1200x2400mm

Simero brings a grand collection of tiles that are available in various sizes. These tiles are designed to create grand urban spaces with their incredible designs and exceptional styles. The 1200x2400mm slabs by Simero

create the best experience when it comes to the decor of a space. Its mighty size and various design options let you customize every surface of a place and create an interior that you have always dreamed about!

ONE LOCATION, VARIED SIZE OPTIONS.





FINISHES + SIZE



HIGH GLOSS



CARVING MATT



LARGE FORMAT

The grand size of Simero slabs creates luxurious and spacious decor for all kinds of residential and commercial places. With these big-sized tiles, the grout lines decrease in the space giving it a clean and seamless look.




CUSTOMIZATION

The slabs by Simero are easy to customise making them perfectly fit for different applications and



EASY INSTALLATION

Simero breaks the myth of large-sized tiles being difficult to install with its mega-sized slabs that are super easy to handle and install.





SLABS THAT CREATE ELEGANT AND COMFORTABLE SPACES

- Scratch Resistant
- Resistant to Stains
- **Maximum Resistance to Fire and Heat**
- Resistant to Abrasion
- Resistance to Freezing and Thawing
- Superior Mechanical Resistance
- ♦ Low Water Absorption
- <>> Dimensional Stability
- Fireproof Material

NATURE'S CREATION

Born for the crest of creation, the tiles by Simero reflect the exceptional beauty of nature through their excellent designs that create a glorious ambience for a space.

LOW-MAINTENANCE TILES

Simero offers tiles that provide a chance to create a fully functional and low maintenance space with its various features that create a comfortable lifestyle.

APPLICATION AREAS

SLABS WITH DIVERSE APPLICATIONS AND EXCELLENT STYLE

The 1200x2400mm slabs by Simero create a grand and luxurious view for a space with an incredible appeal. With their grand size, they can be applied in many places like kitchen tops, tabletops, furniture, floors, walls,

bathtubs and much more. Their grand size also provides a clean and spacious look to the place as the number of grout lines decreases. Simero offers the ultimate tiling solutions with its tiles.



LIVING ROOM



BATHROOM





SHOP & MALL



CORPORATE OFFICE



SALON & SPA



HOTEL & RESTAURANT

NEVV ARRIVAL



1200x2400mm



SPIDER WHITE



ANTICO CREMA



SAHARA BEIGE



OTOMANE BEIGE



BEIGE SPIDER




SILVER TRAVERTINE



BRECCIA SUPREME



OLMPIYA




BRONNZ ARMANI



GOLDEN GREY



LUISH GREY



CORAL GREY


CALACATTA














ICE ONYX













ARMANI GREY














ARMANI PLATINUM













ARMANI BROWN





Finish - **HIGH GLOSS** Random - **4**







ASPEN NATURAL







Finish - **HIGH GLOSS** Random - **3**







BRECCIA BLUE






Finish - **HIGH GLOSS** Book Match - **2**



FLOOR — BRECCIA BLUE, 1200x2400mm



CALACATTA ELITE





Finish - **HIGH GLOSS** Book Match - **2**







EGEO BEIGE













EXPLOSION BLACK





Finish - **HIGH GLOSS** Random - **3**



FLOOR — EXPLOSION BLACK, 1200x2400mm



FUSION GREY














RIO WHITE





Finish - **HIGH GLOSS** Random - **2**








ROYAL BEIGE





Finish - **HIGH GLOSS** Random - **3**







SARAN COLLINS CREMA













SARAN COLLINS





Finish - **HIGH GLOSS** Book Match - **2**



WALL & FLOOR — SARAN COLLINS, 1200x2400mm



SEA BLUE ST






Finish - **HIGH GLOSS** Book Match - **2**




WALL — SEA BLUE ST, 1200x2400mm



STATUARIO NATURAL






Finish - **HIGH GLOSS** Random - **4**




WALL — STATUARIO NATURAL, 1200x2400mm



STATURIO SEM









FLOOR — STATURIO SEM, 1200x2400mm



TAJ MAHAL





Finish - **HIGH GLOSS** Book Match - **2**







CALACATTA



KANKI GREY





Finish - CARVING MATT Finish - CARVING MATT Random - 4 Random - 2









ELEGANCE GREY



MYSTIQUE GREY





Finish - CARVING MATT Random - 3



Finish - **CARVING MATT** Random - **2**




WALL & FLOOR — MYSTIQUE GREY, 1200x2400mm



PIETRA LIGHT GREY







Finish - **CARVING MATT** Random - **2**





PIETRA BEIGE















TOBACCO WHITE













TOBACCO GREY










SPIDER WHITE













ANTICO CREMA





Finish - **HIGH GLOSS** Random - **2**





SAHARA BEIGE














OTOMANE BEIGE














BEIGE SPIDER









WALL — BEIGE SPIDER, 1200x2400mm



SILVER TRAVERTINE





Finish - **HIGH GLOSS** Random - **2**







BRECCIA SUPREME





Finish - **HIGH GLOSS** Random - **2**







OLMPIYA





Finish - **HIGH GLOSS** Random - **2**







BRONNZ ARMANI













GOLDEN GREY






Finish - **HIGH GLOSS** Random - **2**





LUISH GREY





Finish - **HIGH GLOSS** Random - **2**



WALL & FLOOR — LUISH GREY, 1200x2400mm



CORAL GREY





Finish - **HIGH GLOSS** Random - **2**



WALL & FURNITURE — CORAL GREY, 1200x2400mm



Technical Specification

ALLA D. A. A. E. E. D. C. E. E. C. E. C. E. E. C. E. C. E. C. E. E. C. E. E. C. E. E. E. C. E. E. E. C. E. E. E. E. C. E.	TERNATIONAL STANDARD ISO13006:2012/EN14411 Group BIa	MEAN VALUE OF SIMERO	TEST METHOD
Dimension & Surface Quality —			
length	± 0.60 %	± 0.10 %	ISO 10545-2
Thickness	± 5.00 %	± 3.00 %	ISO 10545-2
Straightness in side	± 0.50 %	± 0.10 %	ISO 10545-2
Rectangularity	± 0.50 %	± 0.10 %	ISO 10545-2
Surface flatness	± 0.50 %	± 0.510 %	ISO 10545-2
Surface quality	Declared by Manu.	95~105 %	ISO 2813(Gloss Meter)
Glossiness (only Polished Products)	Min. 95% Tile Should Be Free From Defects	Min. 98% Tile Should Be Free From Defects	ISO 10545-2
Physical Characteristics —			
Water absorption	E ≤ 0.5 %	E ≤ 0.5 %	ISO 10545-3
MOH'S hardness	≤ 6	≤ 6	ISO 10545-3
Moisture expansion	Nil	Nil	ISO 10545-10
Abrasion resistance	Declared by Manu.	Pei 3~5 (Declared on product)	ISO 10545-7
Mechanical Characteristics —			
Flexural strength(MOR)	\geq 35N/mm ² (350kg/cm ²)	≥ 37N/mm² (370kg/cm²)	ISO 10545-4
Breaking strength	1300 Newton	2000 Newton	ISO 10545-4
Impact resistance	Declared by Manu.	No indentation or cracking	ISO 10545-5
Safety Characteristics —			
Skid resistance(Dynamic Friction Coefficie	ent) ≥ 0.4	≥ 0.4	ISO 10545-17
Density	≥ 2.0 gm/cc	≥ 2.3 gm/cc	DIN 51082
Thermo Photo Characteristics ————			
Thermal shock resistance	Resistant to 10 cycles	Pass Min. 10 cycles	ISO 10545-9
Frost resistance	Frost Proof	Need to comply with the standard	ISO 10545-12
Coefficient of Linear thermal Expansion	9x10 ⁻⁶ K-1	<5.86x10 ⁻⁶ K-1	ISO 10545-8
Color resistance to UV light	Resistant	Resistant	ISO 10545-16
Chemical Characteristics —			
Chemical resistance: House Hold Chemicals & Swimming Pool Salts	Min. Class - GB	Confirm to Classes - GA	ISO 10545-13
Chemical resistance: Low Concentrations Acids & Alkalis	Min. Class - GIB	Confirm to Classes - GIA	ISO 10545-13
Chemical resistance: High Concentrations Acids & Alkalis	Min. Class - GHB	Confirm to Classes - GHA	ISO 10545-13
Stain resistance	Min. Class - 3	Min. Confirm to Class - 4	ISO 10545-14

Packing Details

DIMENSION(MM)	1200x2400mm
SLAB / BOX	1 pc
COVERAGE AREA / BOX	2.88 sq. mtr.
WEIGHT / BOX (APPROX)	60 kg

Note:	

Note:	





Behind Indian Oil Petrol Pump, Morbi-Halwad Road, State Highway No. 22, Nichi-Mandal, Morbi.

Customer Care No.: +91 814 12 12 000

www.simero.in