





Kajaria **INFINITY**

Glazed Vitrified Tiles

800X1600 MM

LUSH POLISH
PREMIUM POLISH
POLISH
CARVING
MATT




INTRODUCING
KAJARIA INFINITY
800 x 1600 mm

MAGNIFYING THE BEAUTY OF OUR WORLD
Kajaria Infinity 800X1600 mm tiles combine elegance and engineering into a truly smooth and expansive feeling surface. The spectrum of these designs create an elevated aura of sophistication in every space. Their timeless beauty is designed for durability with features that make maintenance a hassle-free experience.

800 x 1600 mm

Kajaria
INFINITY

Glazed Vitrified Tiles





800x1600 mm

Kajaria
INFINITY

Glazed Vitrified Tiles

AZALEA NERO

LUSH POLISH





AZALEA NERO | LUSH POLISH

800x1600 mm

GRANITO NERO

LUSH POLISH




GRANITO NERO | LUSH POLISH

800x1600 mm

ADNON GREY

PREMIUM POLISH



ADNON GREY | PREMIUM POLISH


800x1600 mm

Kajaria
INFINITY

Glazed Vitrified Tiles

AZUMA BROWN

PREMIUM POLISH








AZUMA BROWN | PREMIUM POLISH

800x1600 mm

GREEK AZUL

PREMIUM POLISH






GREEK AZUL | PREMIUM POLISH

800x1600 mm

MARCOPOLO

PREMIUM POLISH






MARCOPOLO | PREMIUM POLISH

800x1600 mm

ONYX AQUA

PREMIUM POLISH





ONYX AQUA | PREMIUM POLISH

800x1600 mm

ALBASTROS BEIGE

POLISH



ALBASTROS BEIGE | POLISH

800x1600 mm

Kajaria
INFINITY

Glazed Vitrified Tiles

ALBESTER WHITE

POLISH



CONTINUOUS GRAPHIC



ALBESTER WHITE | POLISH (CONTINUOUS GRAPHIC)

800x1600 mm

Kajaria
INFINITY

Glazed Vitrified Tiles

AMPRO GREY

POLISH



AMPRO GREY | POLISH

800x1600 mm

Kajaria
INFINITY

Glazed Vitrified Tiles

ARMANI GREY

POLISH






ARMANI GREY | POLISH

800x1600 mm

BOTTICINO

POLISH







BOTTICINO | POLISH

800x1600 mm

BOTTICINO ROYAL

POLISH





BOTTICINO ROYAL | POLISH

800x1600 mm

BRECCIA NATURAL

POLISH



BRECCIA NATURAL | POLISH


800x1600 mm

Kajaria
INFINITY

Glazed Vitrified Tiles

COSINO BEIGE

POLISH




COSINO BEIGE | POLISH


800x1600 mm

CREMA MARBLE

POLISH



CONTINUOUS GRAPHIC




CREMA MARBLE | POLISH (CONTINUOUS GRAPHIC)



800x1600 mm

ESPERADA BEIGE

POLISH



CONTINUOUS GRAPHIC



ESPERADA BEIGE | POLISH (CONTINUOUS GRAPHIC)

800x1600 mm

Kajaria
INFINITY

Glazed Vitrified Tiles

FIESTA GRIS

POLISH



CONTINUOUS GRAPHIC



FIESTA GRIS | POLISH (CONTINUOUS GRAPHIC)

800x1600 mm

FRENCH GREY

POLISH



FRENCH GREY | POLISH

800x1600 mm

HILEX BEIGE

POLISH






HILEX BEIGE | POLISH

800x1600 mm

KARAMEL BEIGE

POLISH






KARAMEL BEIGE | POLISH

800x1600 mm

LAPIS MARFIL

POLISH

CONTINUOUS GRAPHIC



LAPIS MARFIL | POLISH (CONTINUOUS GRAPHIC)

800x1600 mm

LAPIS TAUPE

POLISH



CONTINUOUS GRAPHIC




LAPIS TAUPE | POLISH (CONTINUOUS GRAPHIC)

800x1600 mm

LATINO TAUPE

POLISH






LATINO TAUPE | POLISH

800x1600 mm

LENORA BEIGE

POLISH



LENORA BEIGE | POLISH


800x1600 mm

Kajaria
INFINITY

Glazed Vitrified Tiles

LYKRA SILVER

POLISH







LYKRA SILVER | POLISH

800x1600 mm

NEPPO GREY

POLISH



NEPPO GREY | POLISH




800x1600 mm

Kajaria
INFINITY

Glazed Vitrified Tiles

ONYX ALFA

POLISH



ONYX ALFA | POLISH

800x1600 mm


Kajaria
INFINITY

Glazed Vitrified Tiles

ONYX CARMO

POLISH

CONTINUOUS GRAPHIC






ONYX CARMO | POLISH (CONTINUOUS GRAPHIC)

800x1600 mm

ONYX PEARL

POLISH



ONYX PEARL | POLISH




800x1600 mm

Kajaria
INFINITY

Glazed Vitrified Tiles

OPERA GREY

POLISH



OPERA GREY | POLISH


800x1600 mm

Kajaria
INFINITY


Glazed Vitrified Tiles

OYSTER WHITE

POLISH



CONTINUOUS GRAPHIC



OYSTER WHITE | POLISH (CONTINUOUS GRAPHIC)

800x1600 mm

PIETRA BRONZE

POLISH



CONTINUOUS GRAPHIC



PIETRA BRONZE | POLISH (CONTINUOUS GRAPHIC)

800x1600 mm

PULPIS GRIS

POLISH



CONTINUOUS GRAPHIC






PULPIS GRIS | POLISH (CONTINUOUS GRAPHIC)

800x1600 mm

PULPIS MARFIL

POLISH



PULPIS MARFIL | POLISH

800x1600 mm

REGAL BOTTICINO

POLISH



CONTINUOUS GRAPHIC



REGAL BOTTICINO | POLISH (CONTINUOUS GRAPHIC)

800x1600 mm

ROYAL BEIGE

POLISH



ROYAL BEIGE | POLISH

800x1600 mm

ROYAL PERLATO

POLISH



ROYAL PERLATO | POLISH



800x1600 mm

Kajaria
INFINITY

Glazed Vitrified Tiles

SATUARIO ALFA

POLISH



SATUARIO ALFA | POLISH




800x1600 mm

Kajaria
INFINITY

Glazed Vitrified Tiles

SATUARIO NOVA

POLISH



SATUARIO NOVA | POLISH


800x1600 mm

Kajaria
INFINITY

Glazed Vitrified Tiles

SWATCH SILVER

POLISH



CONTINUOUS GRAPHIC



SWATCH SILVER | POLISH (CONTINUOUS GRAPHIC)



800x1600 mm

Kajaria
INFINITY


Glazed Vitrified Tiles

SWISS WHITE

POLISH



CONTINUOUS GRAPHIC



SWISS WHITE | POLISH (CONTINUOUS GRAPHIC)


800x1600 mm

Kajaria
INFINITY

Glazed Vitrified Tiles

TUNISIYA GREY

POLISH





TUNISIYA GREY | POLISH

800x1600 mm

VENCHY GREY

POLISH





VENCHY GREY | POLISH

800x1600 mm

VIVANTA AZUL

POLISH



VIVANTA AZUL | POLISH

800x1600 mm

Kajaria
INFINITY

Glazed Vitrified Tiles

BOTTICINO ELEGANTE

CARVING



CONTINUOUS GRAPHIC




BOTTICINO ELEGANTE | CARVING (CONTINUOUS GRAPHIC)

800x1600 mm

BRECCIA BEIGE

CARVING



BRECCIA BEIGE | CARVING

800x1600 mm

BRISTOL BEIGE

CARVING





BRISTOL BEIGE | CARVING


800x1600 mm

LAPIS MARFITO

CARVING



CONTINUOUS GRAPHIC



LAPIS MARFITO | CARVING (CONTINUOUS GRAPHIC)

800x1600 mm

LAPIS TAUPILO

CARVING



CONTINUOUS GRAPHIC




LAPIS TAUPILO | CARVING (CONTINUOUS GRAPHIC)

800x1600 mm

LUPIN GREY

CARVING



LUPIN GREY | CARVING


800x1600 mm

Kajaria
INFINITY


Glazed Vitrified Tiles

NOVA WHITE

CARVING



CONTINUOUS GRAPHIC



NOVA WHITE | CARVING (CONTINUOUS GRAPHIC)

800x1600 mm

PERLATO BEIGE

CARVING



PERLATO BEIGE | CARVING

800x1600 mm

UNIKA BEIGE

CARVING



CONTINUOUS GRAPHIC



UNIKA BEIGE | CARVING (CONTINUOUS GRAPHIC)

800x1600 mm

AROMA GREY

MATT



AROMA GREY | MATT

800x1600 mm

Kajaria
INFINITY

Glazed Vitrified Tiles

KRAFT GREY

MATT



KRAFT GREY | MATT

800x1600 mm

LUSH GREY

MATT






LUSH GREY | MATT

800x1600 mm

LUSH MARFIL

MATT



LUSH MARFIL | MATT

800x1600 mm

MAJESTIC GRIS

MATT



CONTINUOUS GRAPHIC



MAJESTIC GRIS | MATT (CONTINUOUS GRAPHIC)




800x1600 mm

Kajaria
INFINITY

Glazed Vitrified Tiles

STONITO CREMA

MATT




STONITO CREMA | MATT

800x1600 mm

STONITO GREY

MATT



STONITO GREY | MATT

800x1600 mm

Kajaria
INFINITY

Glazed Vitrified Tiles

STONITO GRIS

MATT



STONITO GRIS | MATT

PACKING DETAILS

DIMENSIONS (MM)	NO. OF SLABS/BOX	COVERAGE AREA
800X1600	02	2.56 m ²

TECHNICAL SPECIFICATIONS

S.No	Technical Characteristics	* IS 15622:2017, *EN 14411:2016 & ISO 13006:2018 Group Bla (Annex G) Standard's Requirement	Kajaria Infinity Tile's Specifications	Test method
1.	Deviation in length & width	± 0.1 % ± 0.6 %/ ± 0.3 %	± 0.10 %	IS 13630-1 EN ISO 10545-2
2.	Deviation in thickness	± 4.0 %	± 4.00 %	IS 13630-1 EN ISO 10545-2
3.	Deviation in Straightness of sides	± 0.1 % ± 0.5 %/± 0.3 %	± 0.10 %	IS 13630-1 EN ISO 10545-2
4.	Deviation in Rectangularity	± 0.1 % ± 0.5 %/± 0.3 %	± 0.10 %	IS 13630-1 EN ISO 10545-2
5.	Deviation in Surface Flatness	± 0.5 % ± 0.5 %/± 0.4 %	± 0.15 %	IS 13630-1 EN ISO 10545-2
6.	Surface quality	95% of the tiles shall be free from visible defects	95% of the tiles shall be free from visible defects	IS 13630-1 EN ISO 10545-2
7.	Modulus of rupture	Avg. 35 N/mm ² , individual Min 32 N/mm ²	≥ 40 N/mm ²	IS 13630-6 / EN ISO 10545-4
8.	Breaking strength	Minimum 1300 N	≥ 2000 N ≥ 7000 N (Only for 60x60x1.5 cm) ≥ 1800 N (Only for 40x80 & 13x80 cm)	IS 13630-6 / EN ISO 10545-4
9.	Bulk Density	Minimum 2.20 g/cc	≥ 2.25 g/cc	IS 13630-2
10.	Glossiness	Manufacture to state the class	Min 5 for Rustic/Matt/Satin Finish Min 90 for Polish Finish	Glossimeter 60 degrees
11.	Water Absorption	≤ 0.08 %, Individual Max 0.1% ≤ 0.5 %, Individual Max. 0.6 %	≤ 0.08 %, Individual Max 0.1% ≤ 0.3 % (Only for 40x80 & 13x80 cm)	IS 13630-2 / EN ISO 10545-3
12.	Resistance to surface abrasion of Glazed tiles	Minimum Class II Report abrasion class and cycles passed	PEI-Class III to Class IV	IS 13630-11 EN ISO 10545-7
13.	Thermal expansion from ambient temperature to 100 °C	Test method available	6x10 ⁻⁴ K ⁻¹ Maximum	IS 13630-4 EN ISO 10545-8
14.	Thermal shock resistance	10 cycles Minimum Test method available	10 cycles Minimum	IS 13630-5 EN ISO 10545-9
15.	Moisture expansion	Maximum 0.02 Millimeter/Metre Test method available	Nil	IS 13630-3 EN ISO 10545-10
16.	Crazing resistance (Glazed Tiles)	Passes 4 cycles at 7.5 kg/cm ² Required	Passes 4 cycles at 7.5 kg/cm ²	IS 13630-9 EN ISO 10545-11
17.	Frost resistance	Required	100 cycles Minimum	IS 13630-10 EN ISO 10545-12
18.	Resistance to Household Chemicals & Swimming Pool Salts #	Minimum Class AA Minimum GB	Minimum Class AA Minimum GB	IS 13630-8 EN ISO 10545-13
19.	Resistance to low & high concentration of acids & alkalis #	Manufacturer to state classification	Minimum Class AA Minimum GLB,GHB	IS 13630-8 EN ISO 10545-13
20.	Stain resistance**	Minimum Class 1 Minimum Class 3	Minimum Class 1 Minimum Class 3	IS 13630-8 EN ISO 10545-14
21.	Slipperiness	Test method available	≥ R-10 for Rustic/Matt/Satin Finish ≥ R-9 for Polish Finish	DIN 51130:2014
22.	Co-efficient of friction	Manufacture to state the class	≥ 0.32 for Rustic/Matt/Satin Finish > 0.20 for Polish Finish	ISO 10545-17
23.	Scratch hardness of surface(Moh's scale)	Minimum 5 Test method available	Min 6 for Rustic/Matt/Satin Finish Min 5 for Polish/Marbletech Finish	IS 13630-13 EN 101
24.	Impact Resistance	Minimum 0.55 Test method available	Min 0.55 & No identification of cracking	IS 13630-14 EN ISO 10545-5

Resistance to acids & alkalis (Exception of Hydrofluoric acid & its compounds)

** Vitrified tiles have resistance to most of the stains / chemicals but, it is recommended to take due care while laying and for day-to-day maintenance.

* Applicable in Gailpur plant only.

- Colours in the catalogue are as accurate as printing process allows. Please check actual tile sample before making the final selection.
- Sizes mentioned in the catalogue are nominal sizes only.
- No claim will be entertained once the tiles are fixed.
- For better laying, please follow the instructions on the packaging box.
- In case it is required to lay the tiles on wall or floor in STAGGERED PATTERN, then always lay them in Overlap 20:80 ratio, as shown in VISUAL 1 instead of Brick pattern (overlap 50:50 ratio), as shown in VISUAL 2.

- Please make sure to check the shade/finish with the sales agent/dealer before making the final purchase because there might be variation in actual finish and that shown in the catalogue. The company will not bear any loss in such case.



VISUAL 1



VISUAL 2

Kajaria INFINITY

Glazed Vitrified Tiles

Kajaria
INFINITY

Glazed Vitrified Tiles

Toll Free No. : 1800 309 309