

TECHNICAL DATA SHEET

A412 ADAPTOR



PRODUCT SPECIFICATIONS	
Physical and Chemical Properties	
STEEL GRADE	Conform to CAN/CSA G40.21-350W and/or ASTM A500 class C
WELDING	Conform to CSA W59
HOT DIP GALVANIZATION	Conform to ASTM-A123M
Models	Standard Dimensional Specifications
A412 ADAPTOR	4"Ø x 4" lg. tube welded to 4 5/8" Ø x 3/8" tk.plate

The usage and structural capacities of this part must be determined by an engineer, taking into account the applicable conditions and the nature of the structure it supports.

CONDITIONS OF USE

- A type adaptors connect the adjustable head to the piles.
- They are designed to support compressive loads only. The adaptors are simply deposited on the pile which does not allow any resistance to tension efforts.
- In cases where piles are subjected to tensile or lateral loads, the use of another more appropriate adaptor will be required.


NORMATIVE INFORMATION

This Postech pile accessory has undergone rigorous evaluation and testing to verify compliance with the applicable production standards specified above, and in accordance with the ISO-9001 quality management system.

MANUFACTURER:

Pieux Vistech - Postech Screw Piles
10260, Bourque boulevard
Sherbrooke QC J1N 0G2
Tel.: 819.843.3003
Toll free: 1.866.277.4389
Fax. : 819.868.0793
postechpiles.com

ADVANTAGES

- Product and installation are supplied.
- Can be installed in all climates, weather or ground conditions.
- Allows the adjustment of pile heads.
- The most reliable & economical solution available.
- Reusable and recyclable, environmentally friendly. 
- Can be installed under an existing structure.
- No waiting time, you can build as soon as the installation is completed.