

TECHNICAL DATA SHEET

CLT MULTI-FUNCTIONAL POLE KIT



PRODUCT SPECIFICATIONS	
Physical and Chemical Properties	
STEEL GRADE	Conform to CAN/CSA G40.21-350W and/or ASTM A500 class C
WELDING	Conform to CSA W59
HOT DIP GALVANIZATION	Conform to ASTM-A123M
COMPATIBILITY	Compatible with P238 pile
Models	Standard Dimensional Specifications
CLT MULTI-FUNCTIONAL POLE KIT	Round HSS 2 7/8" O.D. x 0.203" tk. with pile stabilizer and pole cap; available in standard lengths of 12', 16' and 21'

Multi-functional pole kits (CLT) are intended for architectural and/or decorative uses such as supporting clotheslines, flags, sports nets or other similar uses, and are not intended for structural uses.


The structural capabilities of this part must be determined by an engineer, taking into account the applicable conditions and the nature of the structure it supports.

CONDITIONS OF USE

CLT tubes are used in conjunction with P238 piles, SP4L6-278 stabilizers & metal post caps.

INSTALLATION METHOD

- Dig a 24" hole to facilitate installation of the SP4L6-278 stabilizer.
- Install the P238 pile until the top of the tube is level with the existing ground.
- Secure the stabilizer (SP4L6-278) to the CLT tube with a tie-wrap or similar fastener so that it is aligned just below the bolt hole.
- Slide the tube with stabilizer onto the pile and bolt.
- Fill the hole and compact the backfilled soil.



Recommended assembly


NORMATIVE INFORMATION

This Postech pile accessory has undergone rigorous evaluation and testing to verify compliance with the applicable production standards specified above, and in accordance with the ISO-9001 quality management system.

MANUFACTURER:

Pieux Vistech - Postech Screw Piles
 10260, Bourque boulevard
 Sherbrooke QC J1N 0G2
 Tel.: 819.843.3003
 Toll free: 1.866.277.4389
 Fax. : 819.868.0793
postechpiles.com

ADVANTAGES

- Product and installation are supplied.
- Can be installed in all climates, weather or ground conditions.
- Allows the adjustment of pile heads.
- The most reliable & economical solution available.
- Reusable and recyclable, environmentally friendly. 
- Can be installed under an existing structure.
- No waiting time, you can build as soon as the installation is completed.