10TH CBSE SCIENCE

CHEMICAL REACTIONS AND EQUATIONS

- Most of the substance around us undergoes various changes. Some of these changes are temporary with no new substance being formed. They are called physical changes.
 - **Example:** Water changes to steam on boiling but no new substance is formed(Even though steam and water look different when they are made to react with a piece of Na, they react the same way and give the exact same products). This involves only a change in state (liquid to vapour).
- A substance is said to undergo a chemical change when the chemical properties of a substance alter. As a result, there is either formation or breaking of atomic bonds at the molecular level. Some characteristics of a chemical change are:
 - o New substances are produced during a chemical reaction.
 - o Changes in energy are involved.
 - During the reaction, there occurs a change in mass.
 - o There is a permanent alteration.

Examples:

- Cooking of food
- Rusting of iron
- Heating of Lead nitrate
- Souring of milk
- Ripening of fruit.

Chemical Equation

Writing Chemical Equations

- In a chemical reaction, the reactants are written on the left hand side and the products on the right hand side of theequation.
- An arrow (\rightarrow) pointing towards the products is inserted between the reactants and the products. It also represents the direction of thereaction.
- A single arrow (\rightarrow) indicates the direction in which the reaction proceeds.
- A double arrow () indicates a reversible reaction, i.e. the products recombine to form the reactants.

RAVI TEST PAPERS & NOTES, WHATSAPP - 8056206308

- A plus sign (+) is inserted between two or more reactants or productsformed.
- If reactions are carried out under specific conditions of temperature, pressure, catalyst etc., then these conditions are mentioned on thearrow.
- The chemical equation can be made more informative by mentioning the physical states of the reactants and products.
- If gas is liberated as a product, then it is represented by an arrow pointing upwards
 (↑). If the product formed is in the form of a precipitate, it is represented by an arrow
 pointing downwards(↓).

Balancing the Chemical Equations

- In a balanced chemical equation, the total number of atoms of each element of the reactants on the left hand side of the equation is equal to the number of atoms of the products formed on the right hand side of theequation.
- The total mass of the reactants is equal to the total mass of the products or the number of atoms of each element before the reaction and after the reaction isequal.

Steps Involved in Balancing a Chemical Equation

Consider the chemical reaction between magnesium and oxygen to understand the steps involved in balancing a chemical equation.

Step1

Let us first write the word equation for this reaction.

Magnesium + Oxygen → Magnesium oxide

Step2

Write the chemical equation for the reaction between magnesium and oxygen.

$$Mg + O_2 \rightarrow MgO$$

Step 3

Count the number atoms of an element occurring on both L.H.S. and R.H.S. in this equation.

$Mg + O2 \rightarrow MgO$

Component	Reactant	Product
Magnesium	1	1
Oxygen	2	1

This is an unbalanced equation.

Step 4

• To balance a chemical equation, first draw boxes around each formula. Do not change anything inside the boxes while balancing theequation.

- Choose a reactant or a product which has the maximum number of atoms in it. In that compound, select the element which has the maximum number of atoms. In this equation we shall select MgO i.e. magnesium oxide and the element oxygen init.
- To balance the oxygen atoms, let us multiply magnesium oxide molecule by 2 on the right hand side. The equation can now be expressed as,

Mg	+ 0	D ₂	→ 2	MgO	
Comp	onent	;	Reacta	nt	Product
Magn	esium		1		1 × 2 = 2
Oxyge	en		2		1 × 2 = 2

Step 5

There are two oxygen atoms on either side of the equation but one magnesium atom on the reactant's side and two on the product's side. Therefore, multiply the magnesium atom by 2 on the left handside.

Component	Reactant	Product
Magnesium	1 × 2 = 2	2
Oxygen	2	2

Balanced equation is,

$$2 \boxed{\text{Mg}} + \boxed{\text{O}_2} \longrightarrow 2 \boxed{\text{MgO}}$$

∴ The number of atoms of each element of reactants = The number of atoms of each element of products

Step 6

Writing Specific Conditions on the Arrow

The reaction is carried out in the presence of 'Heat'. On heating, magnesium combines with oxygen present in air to form magnesium oxide.

$$2 \text{ Mg} + O_2 \xrightarrow{\text{Heat}} 2 \text{ MgO}$$

Step 7

Writing Symbols of Physical States

Using these steps, you can balance any chemical equation.

1 10TH MATHS JEE FOUNDATION	RS.350		
2 10TH SCIENCE JEE FOUNDATION	RS.350	ALL 9	
3 10TH SST JEE FOUNDATION	RS.350	MATERIALS	
4 10TH MATHS NOTES	RS.350		
5 10TH SCIENCE NOTES	RS.350	TOGETHER	
6 10TH SST NOTES	RS.350	COST	
7 10TH MATHS QB FILES MCQ 235	RS.350		
8 10TH SCIENCE QB FILES	RS.350 RS.350	<i>RS.2500</i>	
9 10TH SST QB FILES			

Types of Chemical Reactions


1. Combination Reaction

When two or more substances combine to form a single product, the reaction is known as a combination reaction.

For example:

In the laboratory, iron sulphide is prepared by mixing iron and sulphur.

$$Fe_{(s)} + S_{(s)} \longrightarrow FeS(s)$$




Formation of slaked lime by the reaction of calcium oxide with water

- **Endothermic Reaction**: The reactions accompanied by the absorption of heat are called endothermicreactions.
- **ExothermicReaction**: The reactions accompanied by the evolution of heat are called end ot hermic reactions.

2. Decomposition Reaction

A chemical reaction in which a single compound splits into two or more simple substances is called a decomposition reaction.



Correct way of heating the boiling tube containing crystals of ferrous sulphate and of smelling the odour


For example:

When mercuric oxide is heated in a crucible, the orange-red powder begins to darken and a silver mirror begins to deposit on the cooler parts of the crucible.

- Thermal Decomposition Reaction: The decomposition reactions carried out by heating are known as thermal decompositionreactions.
- Photochemical reaction: The chemical reactions whichproceed with the absorption of light energyare called photochemical reactions.

3. DisplacementReaction

Reactions in which the more reactive element displaces the less reactive element from its compound are called displacement reactions.



Iron nails dipped in copper sulphate solution

RAVI TEST PAPERS & NOTES, WHATSAPP - 8056206308

For example:

Zinc displaces copper in copper sulphate to form zinc sulphate.

$$Zn_{(s)}$$
 + $CuSO_4$ (aq) \rightarrow $ZnSO_4$ (aq) + $Cu_{(s)}$ Zinc Copper sulphate Zinc sulphate Copper

4. Double Displacement Reaction

Reactions in which ions of the reactants exchange places to form two new compounds, are called double displacement reactions.

For example: Sodium hydroxide reacts with hydrochloric acid to form sodium chloride and water.

$$NaOH_{(aq)}$$
 + $HCI_{(aq)} \rightarrow NaCI_{(aq)}$ + $H2O_{(I)}$

Types of Double Displacement Reactions:

A. Precipitation

In all of the following processes, a white material is generated that is insoluble in water. A precipitate is the insoluble substance that forms. A precipitation reaction is a reaction that results in the formation of a precipitate.

B. Neutralization

The reactants are a base and an acid, and the products are salt and water. Neutralization is a form of double displacement reaction in which the reactants are a base and an acid, and the products are salt and water. The positive charge of the acid's hydrogen ion and the negative charge of the base's hydroxyl ions or oxide ions lose their electrical charge and form covalent water molecules.

$$Na^{+}OH^{-} + H^{+}CI^{-} \rightarrow Na^{+}CI^{-} + H_{2}O$$

Base Acid Salt Water
 $Zn_{2}+O_{2}- + 2H+NO_{3}^{-} \rightarrow Zn_{2}^{+}(NO_{3})_{2}^{-} + H_{2}O$

A neutralization reaction is basically a reaction between H+ and OHions i.e.,

$$H^{+}_{(aq)} + OH^{-}_{(aq)} \rightarrow H_2O_{(I)}$$

5. Oxidation - Reduction Reactions/Redox Reactions

Oxidation and reduction take place simultaneously.

Reactions which involve the addition of oxygen, or the removal of hydrogen are called **oxidation reactions**. For example:

$$C_{(s)} + 2H_{2(g)} \rightarrow CH_{4(g)}$$

Chemical reactions in which the reactants gain hydrogen are reduction reactions. For

RAVI TEST PAPERS & NOTES, WHATSAPP - 8056206308


example:

Fe
$$_2O_3$$
 + 3CO \longrightarrow 2Fe + 3CO $_2$ ↑
Ferric oxide Carbon monoxide Iron Carbon dioxide

- Oxidation: Substance loses electrons or gains oxygen or loses hydrogen.
- Reduction: Substance gains electrons or loses oxygen or gains hydrogen.
- Oxidising agent: a substance that oxidises another substance and self-gets reduced.
- Reducing agent: a substance that reduces another substance and self-gets oxidised.

Redox Reaction

The chemical reaction in which oxidation and reduction takes place simultaneously is known as



a redox reaction.



Corrosion

The slow process of decay and destruction of metals due to the action of air, moisture or acids is called corrosion.

For example:

Iron combines with oxygen present in the air, in the presence of water, to form a red-brown flaky substance called **rust**. This process is commonly called the **rusting ofiron**.

The chemical formula of rust is Fe_2O_3 . × H_2O .

Prevention of Corrosion

- Corrosion damages buildings, bridges, ships, automobiles and other articles made of iron. Hence, prevention of corrosion is necessary. This will not only save money but can also prevent the occurrence ofaccidents.
- It can be prevented by processes like galvanising and electroplating with othermetals.

Rancidity

- Oils and fats react with oxygen and get oxidised or turn rancid. This process is calledrancidity.
- Rancidity can be prevented by keeping food in air tight containers or by usingantioxidants.
- Antioxidants are used to prevent oxidation of food containing fats andoils.
- Storage of food in air tight containers also deceleratesoxidation.

