MATHEMATICS STANDARD 2019

SECTION - A

6 Marks

(This section consists of 6 questions of 1 mark each.)


- **1.** Write the discriminant of the quadratic equation $(x + 5)^2 = 2(5x 3)$.
- 2. Find after how many places of decimal the decimal form of the number $\frac{27}{2^35^43^2}$ will terminate.**

ΩP

Express 429 as a product of its prime factors.

- **3.** Find the sum of first 10 multiples of 6. 1
- **4.** Find the value(s) of x, if the distance between the points A(0, 0) and B(x, -4) is 5 units. 1

- 5. Two concentric circles of radii a and b (a > b) are given. Find the length of the chord of the larger circle which touches the smaller circle.
- **6.** In figure, PS = 3 cm, QS = 4 cm, \angle PRQ = θ , \angle PSQ = 90°, PQ \perp RQ and RQ = 9 cm. Evaluate tan θ .



If $\tan \alpha = \frac{5}{12}$, find the value of $\sec \alpha$.

SECTION - B

12 Marks

1

(This section consists of 6 questions of 2 marks each.)

7. Points A(3, 1), B(5, 1), C(a, b) and D(4, 3) are vertices of a parallelogram ABCD. Find the values of a and b.

OR

Points P and Q trisect the line segment joining the points A(-2, 0) and B(0, 8) such that, P is near to A. Find the coordinates of points P and Q.

8. Solve the following pair of linear equations:

$$3x - 5y = 4$$

 $2y + 7 = 9x$ 2

 If HCF of 65 and 117 is expressible in the form 65n – 117, then find the value of n.

OR

On a morning walk, three persons step out together and their steps measure 30 cm,

36 cm and 40 cm respectively. What is the minimum distance each should walk so that each can cover the same distance in complete steps?

- 10. A die is thrown once. Find the probability of getting (A) a composite number, (B) a prime number.
- **11.** Using completing the square method, show that the equation $x^2 8x + 18 = 0$ has no solution.**
- 12. Cards numbered 7 to 40 were put in a box.

 Poonam selects a card at random. What is
 the probability that Poonam selects a card
 which is a multiple of 7?

SECTION - C

30 Marks

(This section consists of 10 questions of 3 marks each.)

13. The perpendicular from A on side BC of a ΔABC meets BC at D such that DB = 3CD.

Prove that
$$2AB^2 = 2AC^2 + BC^{2**}$$

OR

AD and PM are medians of triangles ABC and PQR respectively where \triangle ABC \sim \triangle PQR.

Prove that:
$$\frac{AB}{PQ} = \frac{AD}{PM}$$

14. Check whether g(x) is a factor of p(x) by dividing polynomial p(x) by polynomial g(x), where $p(x) = x^5 - 4x^3 + 3x + 1$,

$$g(x) = x^3 - 3x + 1.$$

- 15. Find the area of the triangle formed by joining the mid-points of the sides of the triangle ABC, whose vertices are A (0, -1), B (2, 1) and C (0, 3).**
- **16.** Draw the graph of the equations x y + 1 = 0and 3x + 2y - 12 = 0. Using this graph, find the values of x and y which satisfy both the 3 equations.
- **17.** Prove that $\sqrt{3}$ is an irrational number.

OR

Find the greatest number which on dividing 1251, 9377 and 15628 leaves remainders 1, 2 and 3 respectively.

- 18. (A) A, B and C are interior angles a triangle ABC. Show $\sin\left(\frac{\mathsf{B}+\mathsf{C}}{2}\right)=\cos\left(\frac{\mathsf{A}}{2}\right).$
 - (B) If $\angle A = 90^\circ$, then find the value of
- $\tan\left(\frac{B+C}{2}\right)$.
- 21. A class teacher has the following absentee record of 40 students of a class for the whole term. Find the mean number of days a student was absent.

Number of days	0-6	6-12	12-18	18-24	24-30	30-36	36-42
Number of students	10	11	7	4	4	3	1

22. A car has two wipers which do not overlap. Each wiper has a blade of length 21 cm sweeping through an angle 120°. Find the

total area cleaned at each sweep of the

OR

In Figure, PQ is a chord of length 8 cm of a

circle of radius 5 cm. The tangents at P and

Prove that opposite sides of a quadrilateral

supplementary angles at the centre of the

much area will it irrigate in 30 minutes if

circle

subtend

a

20. Water in a canal, 6 m wide and 1.5 m deep. is flowing with a speed of 10 km/h. How

8 cm of standing water is needed?

Q intersect at a point T. Find the length TP.

values of A and B.

5 cm

circumscribing

circle.

If tan (A + B) = 1 and tan (A - B) = $\frac{1}{\sqrt{3}}$,

 0° < A + B < 90° , A > B, then find the

blades.
$$\left(\text{take } \pi = \frac{22}{7} \right)$$

SECTION - D

32 Marks

3

(This section consists of 8 questions of 4 marks each.)

- 23. A pole has to be erected at a point on the boundary of a circular park of diameter 13 m in such a way that the difference of its distances from two diametrically opposite fixed gates A and B on the boundary is 7 m. Is it possible to do so? If yes, at what distances from the two gates should the pole be erected?
- **24.** If m times the m^{th} term of an Arithmetic Progression is equal to n times its n^{th} term and $m \neq n$, show that the $(m + n)^{th}$ term of the AP is zero.

OR


The sum of the first three numbers in an Arithmetic Progression is 18. If the product of the first and the third term is 5 times the common difference, find the three numbers.

4 25. Construct a triangle ABC with side BC = 6 cm, AB = 5 cm and $\angle ABC = 60^{\circ}$. Then construct

another triangle whose sides are $\frac{3}{4}$ of the

corresponding sides of the triangle ABC. ** 4

26. In figure, a decorative block is shown which is made of two solids, a cube and a hemisphere. The base of the block is a cube with edge 6 cm and the hemisphere fixed on the top has a diameter of 4.2 cm. Find:



- (A) the total surface area of the block.
- (B) the volume of the block formed $\left(\tan \pi = \frac{22}{7}\right)$.

A bucket open at the top is in the form of a frustum of a cone with a capacity of 12308.8 cm³. The radius of the top and

bottom circular ends are 20 cm and 12 cm respectively. Find the height of the bucket and the area of metal sheet used in making the bucket. (Use $\pi = 3.14$).**

27. If a line is drawn parallel to one side of a triangle to intersect the other two sides in distinct points, prove that the other two sides are divided in the same ratio.

OR

Prove that in a right triangle, the square of the hypotenuse is equal to the sum of the squares of the other two sides.**

- **28.** If $1 + \sin^2 \theta = 3 \sin \theta \cos \theta$, then prove that $\tan \theta = 1 \arctan \theta = \frac{1}{2}$.
- **29.** Change the following distribution to a 'more than type' distribution.

Hence, draw the 'more than type' ogive for this distribution.**

•	٥.	_					
Number of days	0-6	6-12	12-18	18-24	24-30	30-36	36-42
Number of students	10	11	7	4	4	3	1

30. The shadow of a tower standing on a level ground is found to be 40 m longer when the Sun's altitude is 30° than when it was 60°.

Find the height of the tower.

(Given
$$\sqrt{3} = 1.732$$
)

4