



- GENERAL NOTES:**
- 1- WINDOWS ARE TO BE MANUFACTURED BY ELLISON.
 - 2- ALL DOORS TO BE SUPPLIED AND INSTALLED ON SITE BY OTHERS. DELTEC TO SUPPLY ROUGH OPENINGS ONLY.
 - 3- PANEL "AA1" TO SIT ON 16-5/8" KNEEWALL "AA2". KNEEWALL TO BE 6"-6" WIDE.
 - 4- PANEL "BB1" TO SIT ON 16-5/8" KNEEWALL "BB2". KNEEWALL TO BE 7"-6" WIDE.
 - 5- PANEL "DD" TO SIT ON 16-5/8" KNEEWALL "DD2". KNEEWALL "DD2" TO BE 7"-9" WIDE.

REVISION HISTORY (FOR DELTEC USE ONLY)

1	ALT MASTER BATH, ALT CENTRAL CLOSETS, ADDED CLOSET @ PANEL GG. ALT WINDOW @ PANEL DD/MM/NN/OO FROM 7/0X5/2 TO 6/0X5/6. ALT WINDOW @ PANEL EE FROM 7/0X5/2 TO 6/0X4/2. ALT STAIRS TO ACCOMMODATE STAIR WIDTH OF 4'. ALT WING BATH TO SUIT. ADDED (4) 5/0X3/2 WINDOWS IN WING. ADDED PANEL IND. ALL AS PER CUSTOMERS MARKED PRINT. 3/23/00
2	CHANGED WING FR 36" TO 24". PANELS & INDICATORS ALT TO SUIT; ADDED WINDOWS AT PANELS "AA1" & "EE1"; ADDED 2 RISERS TO STAIRS; ADDED DOUBLE FRENCH DOORS IN MASTER BEDROOM; ROTATED SPIRAL STAIRS TO SUIT; ADDED 2 RISERS AT TOP OF STAIRS. ALL AS PER CUSTOMERS MARKED PRINT. 4/4/00
3	DELETED WINDOW @ PANEL EE1. ADDED 3/0X3/2 SH. WINDOW @ PANEL KK1. ALL AS PER CUSTOMERS SIGNED PRINT. PANEL EE: ALT FROM SLIDER TO D.H. IND. PANELS EE/MM/NN/OO: DEL TEMPERED DES AND ADDED MOUNTING HEIGHT. AS A PLAN CORRECTION. 6-13-00
4	MOVED WINDOW FROM PANEL MM TO PANEL AA. INCORPORATED PRODUCTION SPECIFICATIONS. 7-28-00.

PRODUCTION SPECIFICATIONS (1200 UNIT)

WALL PANEL HEIGHT	7'-11"
WALL PANEL THICKNESS	2X6
SILL PLATE MATERIAL	S.P.F.
FOAM (YES/NO)	YES
5/8" CDX (YES/NO)	YES
SIDING	PINE LAP
SKIRT LENGTH	19 INCHES
ORDER OF COVERING	STUD-CDX-FOAM-SIDING
HIGH WIND REQUIREMENTS (YES/NO)	NO

NOTES:

WALL PANEL SCHEDULE (FOR DELTEC USE ONLY)

PANEL	R.O. OR SOLID	LOC. (L,R,C OR DIS.)	MOUNTING HEIGHT (TOP OF W.N. TO SU)	WINDOW/DOOR SPECIFICATION
AA	R.O. 71" X 61-7/8"	C	82"	ELLISON VINYL TWIN DBL HUNG (2) 3/0X5/2
BB	SOLID			
CC	SOLID			
DD	R.O. 71" X 61-7/8"	C	82"	ELLISON VINYL TWIN DBL HUNG (2) 3/0X5/2
DD2	16-5/8" KNEEWALL X 7'-9" WIDE			
EE	R.O. 71" X 61-7/8"	C	82"	ELLISON VINYL TWIN DBL HUNG (2) 3/0X5/2
FF	SOLID			
GG	R.O. 50-1/2" X 83"	12" R	83"	
HH	R.O. 38-1/2" X 83"	L	83"	
II	R.O. 26-1/2" X 83"	26" L	83"	
JJ	SOLID			
KK	R.O. 35-1/2" X 37-7/8"	C	83"	ELLISON VINYL DBL HUNG (TEMPERED)
LL	R.O. 35-1/2" X 37-7/8"	C	83"	ELLISON VINYL DBL HUNG
MM	SOLID			
NN	R.O. 71" X 61-7/8"	C	82"	ELLISON VINYL TWIN DBL HUNG (2) 3/0X5/2
OO	R.O. 71" X 61-7/8"	C	82"	ELLISON VINYL TWIN DBL HUNG (2) 3/0X5/2

PRODUCTION SPECIFICATIONS (24' X 24' WING)

WALL PANEL HEIGHT	7'-11"
WALL PANEL THICKNESS	2X6
SILL PLATE MATERIAL	S.P.F.
FOAM (YES/NO)	YES (SHIPPED LOOSE)
5/8" CDX (YES/NO)	YES
SIDING	PINE LAP (SHIPPED LOOSE)
SKIRT LENGTH	19 INCHES
ORDER OF COVERING	STUD-CDX
HIGH WIND REQUIREMENTS (YES/NO)	NO

NOTES:

1. PANEL DD1: CDX TO HANG OVER LEFT SIDE 5-1/2".
2. PANEL EE1: CORNER NAILER INSIDE LEFT.
3. PANEL GG1: CORNER NAILER INSIDE RIGHT.
4. PANEL HH1: CDX TO HANG OVER RIGHT SIDE 5-1/2".

WALL PANEL SCHEDULE (FOR DELTEC USE ONLY)

PANEL	R.O. OR SOLID	LOC. (L,R,C OR DIS.)	MOUNTING HEIGHT (TOP OF W.N. TO SU)	WINDOW/DOOR SPECIFICATION
AA1	6'-6" PANEL			
AA2	R.O. 35-1/2" X 37-7/8"	12" L	83"	ELLISON VINYL DBL HUNG
BB1	16-5/8" KNEEWALL X 6'-6" WIDE			
BB2	16-5/8" KNEEWALL X 7'-6" WIDE			
CC1	R.O. 59" X 37-7/8"	9" L	83"	ELLISON VINYL DBL HUNG (2) 2/6X3/2
DD1	3'-0 1/2" SOLID (SEE NOTE #1)			
EE1	SOLID (SEE NOTE #2)			
FF1	SOLID			
GG1	SOLID (SEE NOTE #3)			
HH1	3'-0 1/2" SOLID (SEE NOTE #4)			
II	R.O. 59" X 37-7/8"	9" R	83"	ELLISON VINYL DBL HUNG (2) 2/6X3/2
JJ1	SOLID			
KK1	6'-6" PANEL			
KK1	R.O. 35-1/2" X 37-7/8"	18" L	83"	ELLISON VINYL DBL HUNG

UPPER LEVEL FLOOR PLAN

Checked By: **Deltec Homes**
Asheville, NC

PANEL HEIGHT: 8' SCALE: 1/4"=1'-0" DATE: 3/8/00
 PANEL THICKNESS: 2X6 1200/0012-562 DWN:

JOB #: 00008 VELVET MOTSINGER 3 OF 3
 QUOTE #: 2-ST 1200 WING ON BSM/UPPER LEVEL PLAN 0012-562