



## TEX-109-XX

### SPECIFICATION

- Thermostatic valve
- Volume control (On/Off) valve
- Flow rate : 25L/min [6.0 gpm] @60psi
- Connection 1/2" X 3/4"
- Temperature cartridge : CAR-GUO-T12-01
- Diverter cartridge : CAR-CT-SO-8C-01
- Limited lifetime warranty

### AVAILABLE FINISHES

- Refer to the catalog for available finishes

### CERTIFICATION

- ASME 112.18.1 / CSA B125.1



For more information about the product or before proceeding to any installation please consult the guide.  
Products covered by a limited lifetime warranty against all manufacturing defects.

### SPÉCIFICATION

- Valve thermostatique
- Valve de contrôle de débit
- Débit: 25L/min. [6.0 gpm] @60psi
- Connexion 1/2" femelle x 3/4" femelle
- Cartouche température: CAR-GUO-T12-01
- Cartouche de débit: CAR-CT-SO-8C-01
- Garantie à vie limitée

### FINIS DISPONIBLE


- Se référer au catalogue pour les finis disponible

### CERTIFICATION

- ASME 112.18.1 / CSA B125.1



Pour plus d'information sur le produit ou avant de procéder à toute installation veuillez consulter le guide.  
Produits couverts par une garantie à vie limitée contre tout défaut de fabrication.



# TENZO

FINE PLOMBERIE



## RD-08-XX

### SPECIFICATION

- Rail made of solid brass and PVC
- Adjustable height for upper support
- Suggested distance 58cm [25in]
- Limited lifetime warranty

### FINISHES AVAILABLE

- Refer to the catalog for available finishes

### CERTIFICATION

- ASME 112.118.1 / CSA B125.1



For more information about the product or before proceeding to any installation please consult the guide.  
Products covered by a limited lifetime warranty against all manufacturing defects.

### SPÉCIFICATION

- Rail et curseur en laiton massif et PVC
- Fixation supérieur ajustable en hauteur
- Distance suggéré : 58cm [25po]
- Garantie à vie limitée

### FINIS DISPONIBLE



Se référer au catalogue pour les finis disponible

### CERTIFICATION

ASME 112.118.1 / CSA B125.1



Pour plus d'information sur le produit ou avant de procéder à toute installation veuillez consulter le guide.  
Produits couverts par une garantie à vie limitée contre tout défaut de fabrication.



The product may vary slightly from its dimension and appearance.

Les dimensions et l'aspect du produit peuvent varier légèrement de l'illustration

# TENZO

FINE PLOMBERIE



## HS-222-XX

### SPECIFICATION

- Hand shower 3 functions
- Made of PVC
- Anti-limestone silicone nozzles
- Flow rate: 7.6/min [2.0 gpm] @60psi
- Limited lifetime warranty

### FINISHES AVAILABLE

- Refer to the catalog for available finishes

### CERTIFICATION

- ASME 112.118.1 / CSA B125.1



For more information about the product or before proceeding to any installation please consult the guide.  
Products covered by a limited lifetime warranty against all manufacturing defects.

### SPÉCIFICATION

- Douchette 3 fonctions
- Fabriqué en PVC
- Buses en silicone anti-calcaire
- Débit: 7.6L/min [2.0 gpm] @60psi
- Garantie à vie limitée

### FINIS DISPONIBLE


Se référer au catalogue pour les finis disponible

### CERTIFICATION

ASME 112.118.1 / CSA B125.1



Pour plus d'information sur le produit ou avant de procéder à toute installation veuillez consulter le guide.  
Produits couverts par une garantie à vie limitée contre tout défaut de fabrication.



The product may vary slightly from its dimension and appearance.

Les dimensions et l'aspect du produit peuvent varier légèrement de l'illustration