



Government of India
Ministry of Environment, Forest and Climate Change
(Issued by the State Environment Impact Assessment
Authority(SEIAA), Maharashtra)

To,

The DIRECTOR
 M/S NILANJAN IRON PVT LTD
 B-7 KAGAL, FIVE STAR MIDC KAGAL, HALSAVADE, KOLHAPUR -
 416216

Subject: Grant of Environmental Clearance (EC) to the proposed Project Activity under the provision of EIA Notification 2006-regarding

Sir/Madam,

This is in reference to your application for Environmental Clearance (EC) in respect of project submitted to the SEIAA vide proposal number SIA/MH/IND/70019/2018 dated 14 Dec 2021. The particulars of the environmental clearance granted to the project are as below.

1. EC Identification No.	EC22B008MH163326
2. File No.	SIA/MH/IND/70019/2018
3. Project Type	Expansion
4. Category	B1
5. Project/Activity including Schedule No.	3(a) Metallurgical industries (ferrous & non ferrous)
6. Name of Project	M/s.Nilanjan Iron Pvt. Ltd., Plot no. B-07, Five Star MIDC-Kagal, Dist: Kolhapur.
7. Name of Company/Organization	M/S NILANJAN IRON PVT LTD
8. Location of Project	Maharashtra
9. TOR Date	02 Nov 2018

The project details along with terms and conditions are appended herewith from page no 2 onwards.

Date: 21/04/2022

(e-signed)
Manisha Patankar Mhaikar
 Member Secretary
 SEIAA - (Maharashtra)

Note: A valid environmental clearance shall be one that has EC identification number & E-Sign generated from PARIVESH. Please quote identification number in all future correspondence.

This is a computer generated cover page.



STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY

No. SIA/MH/IND/70019/2018
Environment & Climate Change
Department
Room No. 217, 2nd Floor,
Mantralaya, Mumbai- 400032.

To
M/s.Nilanjan Iron Pvt. Ltd.,
B-07, Five Star MIDC-Kagal,
Dist: Kolhapur.

Subject : Environment Clearance for Expansion of MS Billets Production from
100 MTD to 500MTD, at Plot no. B-07, Five Star MIDC-Kagal, Dist:
Kolhapur by M/s.Nilanjan Iron Pvt. Ltd.

Reference : Application no. SIA/MH/IND/70019/2018

This has reference to your communication on the above mentioned subject. The proposal was considered by the SEAC-1 in its 178th & 216th meeting under screening category 3(a) B1 as per EIA Notification, 2006 and recommend to SEIAA. Proposal then considered in 239th (Day-2) meeting of State Level Environment Impact Assessment Authority (SEIAA).

2. Brief Information of the project submitted by you is as below:-

1.Name of Project	NILANJAN IRON PVT. LTD.
2.Type of institution	Private
3.Name of Project Proponent	MR. ANKUSH SINGLA
4.Name of Consultant	--
5.Type of project	FIVE STAR MIDC KAGAL, DIST :KOLHAPUR
6.New project/expansion in existing project/modernization/diversification in existing project	EXPANSION OF EXISTING M.S BILLETS MANUFACTURING PLANT 100 MTD TO 500 MTD (EXPANSION BY 400 MTD)
7.If expansion/diversification, whether environmental clearance has been obtained for existing project	YES, EC -2009/CR134/TC2. dated- 09/10/2009 from Environment department GoM.
8.Location of the project	PLOT NO:B-07, FIVE STAR MIDC KAGAL
9.Taluka	KARVEER

10.Village	HALSAWADE		
Correspondence Name:	MR. ANKUSH SINGLA		
Room Number:	N.A.		
Floor:	N.A.		
Building Name:	N.A.		
Road/Street Name:	N.A.		
Locality:	PLOT NO:B-07, FIVE STAR MIDC KAGAL		
City:	KOLHAPUR		
11.Whether in Corporation /Municipal / other area	FIVE STAR MIDC AREA-KAGAL		
12.IOD/IOA/Concession/ Plan Approval Number	NA		
	IOD/IOA/Concession/Plan Approval Number: NA		
	Approved Built-up Area: 00		
13.Note on the initiated work (If applicable)	PROPOSED EXPANSION ACTIVITY WILL BE START AFTER ENVIRONMENTAL CLEARANCE AND MPCB CONSENT.		
14.LOI / NOC / IOD from MHADA/ Other approvals (If applicable)	APPROVED MIDC AREA		
15.Total Plot Area (sq. m.)	10174.00 SQM		
16.Deductions	Not applicable		
17.Net Plot area	Not applicable		
18 (a).Proposed Built-up Area (FSI & Non-FSI)	a) FSI area (sq. m.): Not applicable		
	b) Non FSI area (sq. m.): Not applicable		
	c) Total BUA area (sq. m.): 00		
18 (b).Approved Built up area as per DCR	Approved FSI area (sq. m.): Not applicable		
	Approved Non FSI area (sq. m.): Not applicable		
	Date of Approval: 21-06-2018		
19.Total ground coverage (m2)	Not applicable		
20.Ground-coverage Percentage (%) (Note: Percentage of plot not open to sky)	Not applicable.		
21.Estimated cost of the project	190000000		
22.Number of buildings & its configuration			
Serial numbe	Building Name & number	Number of floors	Height of the building (Mtrs)

r			
1	Not applicable	Not applicable	Not applicable
23.Number of tenants and shops	NA		
24.Number of expected residents /users	Not applicable		
25.Tenant density per hectare	Not applicable		
26.Height of the building(s)			
27.Right of way (Width of the road from the nearest fire station to the proposed building(s))	NA		
28.Turning radius for easy access of fire tender movement from all around the building excluding the width for the plantation	TURNING RADIUS 09 METERS.		
29.Existing structure (s) if any	Existing induction furnace shed is available with industry. The induction furnace capacity is 12 MT X 9 heat = 108 MTD. Expansion will be carried out in existing premises of the industry by installing two new induction furnaces will be installed. For expansion project two nos furnaces will be installed. 1) New 20 MT X 13 Heats= 260 MTD (Existing furnace 12 MT replaced with 20 MT) 2) New 20 MT X 12 Heats(1Heat+)=240 MTD, Total: 500 MTD (3-4% will be slag generation in total melting process)		
30.Details of the demolition with disposal (If applicable)	Not applicable		
31.Production Details			

Serial Number	Product	Existing (MT/M)	Proposed (MT/M)	Total (MT/M)
1	MS BILLETS	3000	12000	15000
32.Total Water Requirement				
Dry season:	Source of water	MIDC KAGAL		
	Fresh water (CMD):	60 CMD FOR EXISTING PROJECT. 90 WATER FOR PROPOSED PROJECT , THE TOTAL REQUIREMENT OF WATER WILL BE AFTER EXPANSION IS 150 CMD. THE WATER IS MAINLY REQUIRED FOR COOLING PURPOSE IN THE PROCESS, THE EVAPORATION LOSSES WILL BE 60 CMD. THE 60 CMD WATER IS REQUIRED FOR DAILY TOP-UP, THE 90 CMD WATER IS REUSE AFTER COOLING PROCESS.		
	Recycled water - Flushing (CMD):	Not applicable		
	Recycled water - Gardening (CMD):	05 CMD		
	Swimming pool make up (Cum):	Not applicable		
	Total Water Requirement (CMD) :	60 CMD		
	Fire fighting - Underground water tank(CMD):	50 CMD UG TANK WILL BE CONSTRUCTED		
	Fire fighting - Overhead water tank(CMD):	Not applicable		
	Excess treated water	Not applicable		
	Source of water	MIDC KAGAL		

Wet season:	Fresh water (CMD):	60 CMD WATER FOR EXISTING PROJECT. 90 CMD WATER FOR PROPOSED PROJECT , THE TOTAL REQUIREMENT OF WATER WILL BE AFTER EXPANSION IS 150 CMD. THE WATER IS MAINLY REQUIRED FOR COOLING PURPOSE IN THE PROCESS, THE EVAPORATION LOSSES WILL BE 60 CMD. THE 60 CMD WATER IS REQUIRED FOR DAILY TOP-UP, THE 90 CMD WATER IS REUSE AFTER COOLING PROCESS.								
	Recycled water - Flushing (CMD):	Not applicable								
	Recycled water - Gardening (CMD):	05 CMD								
	Swimming pool make up (Cum):	Not applicable								
	Total Water Requirement (CMD) :	60 CMD								
	Fire fighting - Underground water tank(CMD):	50 CMD UG TANK WILL BE CONSTRUCTED								
	Fire fighting - Overhead water tank(CMD):	Not applicable								
	Excess treated water	Not applicable								
Details of Swimmingpool (If any)	Not applicable									
33.Details of Total water consumed										
Particulars	Consumption (CMD)			Loss (CMD)			Effluent (CMD)			
Water Requirement	Existing	Proposed	Total	Existing	Proposed	Total	Existing	Proposed	Total	
Domestic	05	03	08	02	01	03	03	02	05	
Industrial Process	60	90	150	24	36	60	00	00	00	

Fresh water requirement	24	36	60	00	00	00	00	00	00
Gardening	03	02	05	03	02	05	00	00	00
34.Rain Water Harvesting (RWH)	Level of the Groundwater table:	10-15 M BELOW GROUND LEVEL. POST MONSOON 5-10 M BELOW GROUND LEVEL.							
	Size and no of RWH tank(s) and Quantity:	TWO NOS OF RAINWATER HARVESTING TANK, NUMBERS OF TANK WILL BE INCREASED IF REQUIRED.							
	Location of the RWH tank(s):	WITHIN INDUSTRIAL PREMISES.							
	Quantity of recharge pits:	05 NOS RAIN WATER HARVESTING PITS , NUMBERS OF PITS WILL BE INCREASED IF REQUIRED.							
	Size of recharge pits :	DETAILS RAIN WATER HARVESTING PLAN WILL BE INCORPORATE IN FINAL EIA REPORT.							
	Budgetary allocation (Capital cost) :	RS.600000/-							
	Budgetary allocation (O & M cost) :	RS.350000/-							
	Details of UGT tanks if any :	1 no : 10 m X 8 M X 3 m							
35.Storm water drainage	Natural water drainage pattern:	STORM WATER DRAIN SYSTEM WILL BE CONSTRUCTED AROUND THE PLANT							
	Quantity of storm water:	1017 m3 based on 100 mm rainfall in an hour							
	Size of SWD:	300 mm X 400 mm X 3000 mm							
Sewage and Waste water	Sewage generation in KLD:	05 KLD							
	STP technology:	MBBR TECHNOLOGY							
	Capacity of STP (CMD):	10 CMD							
	Location & area of the STP:	IN THE PREMISES OF INDUSTRY.							

	Budgetary allocation (Capital cost):	Rs.450000/-
	Budgetary allocation (O & M cost):	Rs.150000/-
36.Solid waste Management		
Waste generation in the Pre Construction and Construction phase:	Waste generation:	NA
	Disposal of the construction waste/debris:	NA
Waste generation in the operation Phase:	Dry waste:	EXISTING SLAG: 3.00 MTD, PROPOSED SLAG GENERATION:12.00 MTD, PROCESS DUST Existing 100 KG/DAY, Proposed 400 KG/DAY.
	Wet waste:	NA
	Hazardous waste:	NA
	Biomedical waste (If applicable):	NA
	STP Sludge (Dry sludge):	0.1MTA
	Others if any:	NA
Mode of Disposal of waste:	Dry waste:	SLAG WILL BE CRUSHED IN SLAG CRUSHER AND IRON WILL BE RECOVERED BY MAGNETIC SEPARATOR. REMAINING CRUSHED SLAG USED FOR BRICK MAKING AND OTHER CONSTRUCTION USES.
	Wet waste:	NA
	Hazardous waste:	NA
	Biomedical waste (If applicable):	NA
	STP Sludge (Dry sludge):	IT WILL USED AS MANURE FOR GARDENING.
	Others if any:	NA
	Location(s):	WITHIN INDUSTRIAL PREMISES.

Area requirement:	Area for the storage of waste & other material:	70 SQ. MTR					
	Area for machinery:	50 SQ. MTR					
Budgetary allocation (Capital cost and O&M cost):	Capital cost:	Rs.1500000/-					
	O & M cost:	Rs.400000/-					
37.Effluent Charecterestics							
Serial Number	Parameters	Unit	Inlet Effluent Charecterestics	Outlet Effluent Charecterestics	Effluent discharge standards (MPCB)		
1	NA	NA	NA	NA	NA		
Amount of effluent generation (CMD):		NA					
Capacity of the ETP:		NA					
Amount of treated effluent recycled :		NA					
Amount of water send to the CETP:		NA					
Membership of CETP (if require):		NA					
Note on ETP technology to be used		WATER WILL BE SETTLED AND COOLED AND WILL BE REUSED FOR COOLING PURPOSE.					
Disposal of the ETP sludge		NA					
38.Hazardous Waste Details							
Serial Number	Description	Cat	UOM	Existin g	Propose d	Total	Method of Disposal
1	NA	NA	NA	NA	NA	NA	NA
39.Stacks emission Details							
Serial Number	Section & units	Fuel Used with Quantity	Stack No.	Height from ground level (m)	Intern al diameter (m)	Temp. of Exha ust Gase s	
1	EXISTING FUME EXTRACTION	ELECTRICITY	1	30	1.6	50-60	

2	PROPOSED FUMES EXTRACTION	ELECTRICITY	1	35	1.6	50-60
40.Details of Fuel to be used						
Serial Number	Type of Fuel	Existing	Proposed	Total		
1	ELECTRICITY	5.00 MW	5.00 MW	10.00 MW		
41.Source of Fuel		MSEDCL				
42.Mode of Transportation of fuel to site		TRANSMISSION LINE OF MSEDCL				
43.Green Belt Development	Total RG area :	NA				
	No of trees to be cut :	00				
	Number of trees to be planted :	700				
	List of proposed native trees :	NEEM, BABUL, BAKUL, MANGO, AAPTA, BER				
	Timeline for completion of plantation :	FOUR YEARS				
44.Number and list of trees species to be planted in the ground						
Serial Number	Name of the plant	Common Name	Quantity	Characteristics & ecological importance		
1	AZATIRECTA INDICA	NEEM	170	SHADY TREE, MEDICINAL USE		
2	ACACIA NILOTICA	BABUL	120	SHADY TREE WITH YELLOW FLOWERS		
3	MIMUSO PSELENGI	BAKUL	40	SHADY TREE WITH SMALL WHITE FRAGRANT FLOWERS		
4	MANGIFERA INDICA	MANGO	150	SHADY TREE		
5	BAUHINIA RACEMOSA	AAPTA	70	SMALL TREE WITH SMALL WHITE FLOWERS, BUTTERFLY HOST PLANT		

6	ZIZIPHUS MAURITIANA	BER	150	FAST GROWING & HARDY PLANT
45.Total quantity of plants on ground				
46.Number and list of shrubs and bushes species to be planted in the podium RG:				
Serial Number	Name	C/C Distance	Area m2	
1	AMERICAN ALEO	2*2	4	
2	BLACK PHYSICNUT	3*3	9	
3	GARDEN CROTON	1*1	1	
4	CHINA ROSE	2*2	4	
47.Energy				
Power requirement:	Source of power supply :	MSEDCL		
	During Construction Phase: (Demand Load)	MSEB 1MW		
	DG set as Power back-up during construction phase	500 KVA		
	During Operation phase (Connected load):	10.00 MW		
	During Operation phase (Demand load):	10.00 MW		
	Transformer:	YES		
	DG set as Power back-up during operation phase:	500 KVA 2 NOS.		

	Fuel used:	HSD/LDO	
	Details of high tension line passing through the plot if any:	NA	
48. Energy saving by non-conventional method:			
Nil			
49. Detail calculations & % of saving:			
Serial Number	Energy Conservation Measures	Saving %	
1	LED LIGHT USED FOR STREET LIGHT AND IN OFFICE.	AS PER REQUIREMENT.	
50. Details of pollution control Systems			
Source	Existing pollution control system	Proposed to be installed	
FURNACE (AIR POLLUTION)	FUMES EXTRACTION SYSTEM HOOD FOLLOWED BY VENTURY SCRUBBER TO STACK	FUMES EXTRACTION SYSTEM HOOD FOLLOWED BY VENTURY SCRUBBER TO STACK.	
DG SETS (NOISE POLLUTION)	ACOUSTIC ENCLOSURE PROVIDED.	ACOUSTIC ENCLOSURE WILL BE PROVIDED.	
DOMESTIC WASTE WATER	SEPTIC TANK WITH SOAK PIT	USED FOR DOMESTIC WASTE WATER TREATMENT.	
SOLID WASTE (SLAG)	COLLECTION ,SEGREGATION	COLLECTION ,SEGREGATION & CRUSHING	
Budgetary allocation (Capital cost and O&M cost):	Capital cost:	Rs. 2.00 LACS IS ALOCATED FOR LED LIGHTS	
	O & M cost:	APP. Rs. 0.25 IS REQUIRED FOR O & M.	
51. Environmental Management plan Budgetary Allocation			
a) Construction phase (with Break-up):			
Serial Number	Attributes	Parameter	Total Cost per annum (Rs. In Lacs)
1	NA	NA	0

b) Operation Phase (with Break-up):				
Serial Number	Component	Description	Capital cost Rs. In Lacs	Operational and Maintenance cost (Rs. in Lacs/yr)
1	AIR POLLUTION CONTROL EQUIPMENT	POLLUTION CONTROL EQUIPMENT FOR AIR POLLUTION CONTROL MEASURES	80.00	15.00
2	WATER POLLUTION CONTROL TREATMENT	WATER TREATMENT PLANTS STP WILL BE PROVIDED	03.50	00.80
3	SOLID WASTE MANAGEMENT	SOLID WASTE DISPOSAL & MANAGEMENT IN THE FORM OF MANURE & BRICK MANUFACTURING	15.00	04.00
4	OCCUPATIONAL HEALTH SAFETY MANAGEMENT	SAFETY MEASURES IN RESPECT TO HEALTH FACILITIES WILL BE PROVIDED TO WORKERS	03.00	01.00
5	ENVIRONMENTAL CELL & MONITORING	MANAGEMENT OF ENVIRONMENT BY ENVIRONMENTAL CELL	06.00	03.50
6	GREEN BELT DEVELOPMENT	PLANTATION OF VARIOUS NATIVE & OTHER SPECIES DEVELOPING	03.00	01.00

		THE GREEN BELT					
7	NA	TOTAL	110.5 0	25.30			
51.Storage of chemicals (inflamable/explosive/hazardous/toxic substances)							
Description	Status	Location	Storage Capacity in MT	Maximum Quantity of Storage at any point of time in MT	Consumption / Month in MT	Source of Supply	Means of transportation
NA	NA	NA	00	NA	NA	NA	NA
52.Any Other Information							
No Information Available							
53.Traffic Management							
	Nos. of the junction to the main road & design of confluence:	NA					
Parking details:	Number and area of basement:	NA					
	Number and area of podia:	NA					
	Total Parking area:	THE AREA EARMARKED FOR THE PARKING IS 1220.00 SQM (ITS 12%OF THE TOTAL PLOT AREA)					
	Area per car:	NA					
	Area per car:	NA					
	Number of 2- Wheelers as approved by competent authority:	NA					
	Number of 4- Wheelers as approved by competent	NA					

	authority:	
	Public Transport:	50-60 TRUCKS
	Width of all Internal roads (m):	THE INTERNAL ROADS WIDTH IS 06.00 METERS.
	CRZ/ RRZ clearance obtain, if any:	NA
	Distance from Protected Areas / Critically Polluted areas / Eco-sensitive areas/ inter-State boundaries	NA
	Category as per schedule of EIA Notification sheet	3(a)B1
	Court cases pending if any	NA
	Other Relevant Informations	NA
	Have you previously submitted Application online on MOEF Website.	No
	Date of online submission	-

3. The proposal has been considered by SEIAA in its 239th (Day-2) meeting and decided to accord Environment Clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implantation of following terms and conditions-

Specific Conditions:

SEAC Conditions-

1. PP to ensure that, no waste water is discharged out side the premises.
2. PP to ensure that, slag management system is in place before starting manufacturing of proposed product.
3. PP to provide sanitary facilities in the Z.P.School in the vicinity of proposed project from their CER funds in consultation with the CEO Zilla Parishad Kolhapur.
4. PP to provide new and renewable energy for illumination of office buildings , street lights, parking areas and maintain the same regularly.
5. PP to include water and carbon foot print monitoring in the Environment Management

Plan.

6. PP to provide sewage treatment plant for the treatment of domestic sewage.

SEIAA Conditions

1. PP submitted MIDC plan dated 07.01.2021. As per the said plan total plot area of the project is 10,174 sqm. PP has provided 3459.16 sqm as green belt (34%).
2. PP to undertake Miyawaki plantation of native and indigenous trees such as Banyan, Peepal, Neem, Jamun and other suitable trees as per the Forest Department, Govt. of Maharashtra circular no SaVaVi-2019/C.R.3/F-11, dated 25th June, 2019. The said plantation to be completed in the first year of operation of Environmental Clearance under expert guidance of Miyawaki experts / arborist.
3. PP to ensure that, proposed project is a ZLD unit.
4. PP to strictly observe the Solid Waste Management Rules, 2016 as amended time to time.
5. PP to strictly observe the Hazardous and Other Wastes (Management & Trans boundary Movement) Rules, 2016 as amended time to time.
6. PP to identify all sources of fugitive air pollution on site and provide pollution control measures to mitigate pollution and meet the standard parameters stipulated in the Environment (Protection) Rules, 1986 amended time to time & Air (Prevention and Control of Pollution) Act, 1981 amended time to time.
7. PP to ensure storage of chemicals as per the Manufacture, Storage and Import of Hazardous Chemicals Rules, 1989 amended time to time to ensure no release of any chemical to the atmosphere and leakage to the soil.
8. PP to ensure transport, storage, handling and use of the flammable/toxic chemicals as per conditions stipulated in license/approval of the Petroleum & Explosive Safety Organization (PESO).
9. PP to obtain approval and License from the Directorate of Industrial Health & Safety (DIHS) for proposed project and implement all condition stipulated therein. PP to carry out Safety Audit as stipulated in the Maharashtra Factories Rules, 1963 and ensure compliance of recommendation of the Audit.
10. PP to provide solar energy for illumination of Administrative Building, Street Lights and parking Area.
11. PP to ensure use of briquette /bio coal/ pellets/ or any such suitable product derived from scientific processing of appropriate stream of dry waste/agricultural waste , not less than 50 % of the total fuel requirement to the boiler.
12. PP to provide roof top Rain Water Harvesting facility.

General Conditions:

- I. The project proponent shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded Environmental Clearance and copies of Environmental Clearance letter are available with the Maharashtra Pollution Control Board, website of the company and may also be seen at Website at <http://parivesh.nic.in>
- II. The project Proponent shall upload the status of compliance (soft copies) of the conditions stipulated Environmental Clearance letter including monitoring data of air, water, soil, noise etc. on their website and shall update the same periodically. The half yearly compliance report shall simultaneously be submitted to the Maharashtra Pollution Controls Board, SEIAA and the Regional Office off MoEF&CC at Nagpur, on 1st June & 1st December of each calendar year.

- III. Separate fund shall be allocated for the implementation of Environmental Management Plan along with item wise break up and specific time line for its completion. The cost shall be included as part of the project cost. The funds earmarked for the environmental protection measures shall not be diverted for other purpose and year-wise expenditure should be reported to the MPCB and the SEIAA.
- IV. A separate Environmental Management Cell with qualified personnel shall be set up for implementation of the stipulated environmental safeguards.
- V. In the event of failure of any pollution control equipment, the manufacturing activity shall be immediately stopped safely till the effective functioning of pollution control equipment's is regained.
- VI. PP to strictly follow conditions stipulated in the Consent to Establish/Operate issued by the Maharashtra Pollution Control Board.
- VII. PP to provide separate drains for storm water and effluent, and ensure that, the storm water drains are dry all the time and in no case the effluent shall mix with the storm water drain.
- VIII. Periodic Monitoring of ground water in the study area as marked in the Environmental Impact Assessment Report shall be undertaken and results analysed to ascertain any change in the quality of water. Results shall be regularly submitted to the Maharashtra Pollution Control Board.
- IX. The overall noise levels in and around the factory premises shall be kept within the prescribed standard under the Environment (Protection) Act, 1986 and Rule, 1989 as amended from time to time by providing adequate noise control measures and protective equipment's like ear muff and ear plug etc.
- X. Adequate safety measures shall be ensured to limit the risk zone within the factory premises. Leak detection system shall be installed for early detection and mitigation purpose.
- XI. PP to scrupulously follow the requirements of Maharashtra Factories Act, 1948 & Rules 1963 as amended from time to time.
- XII. The Environmental Statement for each financial year ending on 31st March in Form-V as is mandated to be submitted by the Project Proponent to the concerned Pollution Control Board as prescribed under the Environment (Protection) Rule, 1989 as amended from time to time, it shall also be put on the website of the company along with the status of the compliance of the conditions stipulated in the Environmental Clearance letter.

4. The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.

5. In case of submission of false document and non-compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environment clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.

6. The Environment department reserves the right to add any stringent condition or to revoke the clearance if conditions stipulated are not implemented to the satisfaction of the department or for that matter, for any other administrative reason.


7. Validity of Environment Clearance: The environmental clearance accorded shall be valid as

per EIA Notification, 2006, amended time to time.

8. In case of any deviation or alteration in the project proposed from those submitted to this department for clearance, a fresh reference should be made to the department to assess the adequacy of the condition(s) imposed and to incorporate additional environmental protection measures required, if any.

9. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.

10. Any appeal against this Environment clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1st Floor, D-Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.


Manisha Patankar-Mhaikar
(Member Secretary, SEIAA)
20/4/2022

Copy to:

1. Chairman, SEIAA (Maharashtra), Mumbai.
2. Secretary, MoEF & CC
3. IA- Division MOEF & CC
4. Member Secretary, Maharashtra Pollution Control Board, Mumbai.
5. Regional Office MoEF & CC, Nagpur
6. District Collector, Kolhapur.
7. Regional Officer, Maharashtra Pollution Control Board, Kolhapur.

