


COMMERCIAL RECESSED LIGHTS


FEATURES



➤ **BAFFLE TRIMS**



➤ **POWER & CCT ADJUSTABLE**



➤ **COLORED TRIM OPTIONS**



➤ **ROUND/SQUARE TRIMS**

CRLC4-D SERIES



4" LED Round & Open Recessed Lights

Haze, White, & Rose Gold Trim

► **WATTAGE & CCT ADJUSTABLE –**

EASILY CUSTOMIZE WATTAGE AND COLOR TEMPERATURE FOR THE IDEAL LIGHTING AMBIANCE.

► **0-10V DIMMING –**

SMOOTH, PRECISE DIMMING FROM 100% TO 10% FOR OPTIMAL CONTROL AND EFFICIENCY.

THE ENGINES WORK WITH COMPATIBLE CRLC TRIMS TO CREATE A COMPLETE RECESSED LIGHTING SOLUTION.



1. HAZE

CRLC4-20W-MCTP-D
4" LED COMMERCIAL RECESSED LIGHT
10W/15W/20W | 1720LM |
3000K/3500K/4000K
HAZE HOUSING
7"(L) X 5 1/2" (D)

2. WHITE

CRLC4-20W-MCTP-D-WH
4" LED COMMERCIAL RECESSED LIGHT
10W/15W/20W | 1720LM |
3000K/3500K/4000K
WHITE HOUSING
7"(L) X 5 1/2" (D)

3. HAZE

CRLC4-40W-MCTP-D
4" LED COMMERCIAL RECESSED LIGHT
27W/34W/40W | 3200LM |
3000K/3500K/4000K
WHITE HOUSING
7"(L) X 5 1/2" (D)

4. HAZE

CRLC4-40W-MCTP-D-WH
4" LED COMMERCIAL RECESSED LIGHT
27W/34W/40W | 3200LM |
3000K/3500K/4000K
HAZE HOUSING
7"(L) X 5 1/2" (D)

5. WHITE

CRLC4-40W-MCTP-D-WH
4" LED COMMERCIAL RECESSED LIGHT
27W/34W/40W | 3200LM |
3000K/3500K/4000K
WHITE HOUSING
7"(L) X 5 1/2" (D)

6. HAZE

CRLC4-60W-MCTP-D
4" LED COMMERCIAL RECESSED LIGHT
40W/50W/60W | 4800LM |
3000K/3500K/4000K
HAZE HOUSING
7"(L) X 5 1/2" (D)

7. WHITE

CRLC4-60W-MCTP-D-WH
4" LED COMMERCIAL RECESSED LIGHT
40W/50W/60W | 4800LM |
3000K/3500K/4000K
WHITE HOUSING
7"(L) X 5 1/2" (D)

8. ROSE GOLD

CRLC4-60W-MCTP-D-RG
4" LED COMMERCIAL RECESSED LIGHT
40W/50W/60W | 4800LM |
3000K/3500K/4000K
WHITE HOUSING
7"(L) X 5 1/2" (D)

CRLC4-A-D SERIES



4" LED Round & Wall Wash Recessed Lights

Haze & White Finish Trim

► **WATTAGE & CCT ADJUSTABLE –**

EASILY CUSTOMIZE WATTAGE AND COLOR TEMPERATURE FOR THE IDEAL LIGHTING AMBIANCE.

► **0-10V DIMMING –**

SMOOTH, PRECISE DIMMING FROM 100% TO 10% FOR OPTIMAL CONTROL AND EFFICIENCY.



THE ENGINES WORK WITH COMPATIBLE CRLC TRIMS TO CREATE A COMPLETE RECESSED LIGHTING SOLUTION.

3. HAZE

CRLC4-40W-MCTP-A-D
4" LED COMMERCIAL RECESSED LIGHT
40W | 1720LM | 3000K/3500K/4000K
HAZE HOUSING
7 3/4"(H) X 4 1/7"(W) X 6 1/3" (D)

4. WHITE

CRLC4-40W-MCTP-A-D-WH
4" LED COMMERCIAL RECESSED LIGHT
40W | 1720LM | 3000K/3500K/4000K
WHITE HOUSING
7 3/4"(H) X 4 1/7"(W) X 6 1/3" (D)

1. HAZE

CRLC4-20W-MCTP-A-D
4" LED COMMERCIAL RECESSED LIGHT
10W/15W/20W | 1720LM | 3000K/3500K/4000K
HAZE HOUSING
2 3/4"(H) X 4 1/4"(W) X 6 1/3" (D)

2. WHITE

CRLC4-20W-MCTP-A-D-WH
4" LED COMMERCIAL RECESSED LIGHT
10W/15W/20W | 1720LM | 3000K/3500K/4000K
WHITE HOUSING
2 3/4"(H) X 4 1/4"(W) X 6 1/3" (D)

5. HAZE

CRLC4-60W-MCTP-A-D
4" LED COMMERCIAL RECESSED LIGHT
40W/50W/60W | 4800LM | 3000K/4000K/5000K
HAZE HOUSING
7 3/4"(H) X 4 1/7"(W) X 6 1/3" (D)

6. WHITE

CRLC4-60W-MCTP-A-D-WH
4" LED COMMERCIAL RECESSED LIGHT
240W/50W/60W | 3200LM | 3000K/4000K/5000K
WHITE HOUSING
7 3/4"(H) X 4 1/7"(W) X 6 1/3" (D)

CRLC6-D SERIES



6" Round & Open Recessed Lights

Haze, White, & Rose Gold Trim

► **WATTAGE & CCT ADJUSTABLE –**

EASILY CUSTOMIZE WATTAGE AND COLOR TEMPERATURE FOR THE IDEAL LIGHTING AMBIANCE.

► **0-10V DIMMING –**

SMOOTH, PRECISE DIMMING FROM 100% TO 10% FOR OPTIMAL CONTROL AND EFFICIENCY.



THE ENGINES WORK WITH COMPATIBLE CRLC TRIMS TO CREATE A COMPLETE RECESSED LIGHTING SOLUTION.

1. HAZE

CRLC6-20W-MCTP-D
4" LED ROUND & OPEN RECESSED LIGHT
10W/15W/20W | 1720LM | 3000K/3500K/4000K
HAZE HOUSING
7 2/3" (L) X 5 1/2" (D)

2. WHITE

CRLC6-20W-MCTP-D-WH
4" LED ROUND & OPEN RECESSED LIGHT
10W/15W/20W | 1720LM | 3000K/3500K/4000K
WHITE HOUSING
7 2/3" (L) X 5 1/2" (D)

3. HAZE

CRLC6-40W-MCTP-D
4" LED ROUND & OPEN RECESSED LIGHT
27W/34W/40W | 3200LM | 3000K/3500K/4000K
HAZE HOUSING
10 1/2" (L) X 7 2/3" (D)

4. WHITE

CRLC6-40W-MCTP-D-WH
4" LED ROUND & OPEN RECESSED LIGHT
27W/34W/40W | 3200LM | 3000K/3500K/4000K
WHITE HOUSING
10 1/2" (L) X 7 2/3" (D)

5. HAZE

CRLC6-60W-MCTP-D
4" LED ROUND & OPEN RECESSED LIGHT
40W/50W/60W | 4800LM | 3000K/4000K/5000K
HAZE HOUSING
10 1/2" (L) X 7 2/3" (D)

6. WHITE

CRLC6-60W-MCTP-D-WH
4" LED ROUND & OPEN RECESSED LIGHT
40W/50W/60W | 4800LM | 3000K/4000K/5000K
WHITE HOUSING
10 1/2" (L) X 7 2/3" (D)

7. HAZE

CRLC6-60W-MCTP-D-RG
4" LED ROUND & OPEN RECESSED LIGHT
40W/50W/60W | 4800LM | 3000K/4000K/5000K
HAZE HOUSING
10 1/2" (L) X 7 2/3" (D)

CRLC6-A-D SERIES



6" LED Round & Wall Wash Recessed Lights

Haze & White Finish Trim

► **WATTAGE & CCT ADJUSTABLE –**

EASILY CUSTOMIZE WATTAGE AND COLOR TEMPERATURE FOR THE IDEAL LIGHTING AMBIANCE.

► **0-10V DIMMING –**

SMOOTH, PRECISE DIMMING FROM 100% TO 10% FOR OPTIMAL CONTROL AND EFFICIENCY.

THE ENGINES
WORK WITH
COMPATIBLE CRLC
TRIMS TO CREATE
A COMPLETE
RECESSED
LIGHTING
SOLUTION.



1. HAZE

CRLC6-20W-MCTP-A-D
6" LED COMMERCIAL
RECESSED LIGHT
10W/15W/20W | 1720LM |
3000K/3500K/4000K
HAZE HOUSING
2 3/4"(H) X 4 1/4"(W) X 6 1/3" (D)

2. WHITE

CRLC6-20W-MCTP-A-D-WH
6" LED COMMERCIAL
RECESSED LIGHT
10W/15W/20W | 1720LM |
3000K/3500K/4000K
WHITE HOUSING
2 3/4"(H) X 4 1/4"(W) X 6 1/3" (D)

3. HAZE

CRLC6-40W-MCTP-A-D
6" LED COMMERCIAL
RECESSED LIGHT
27W/34W/40W | 3200LM |
3000K/3500K/4000K
HAZE HOUSING
8"(H) X 4 1/4"(W) X 7 3/5" (D)

4. WHITE

CRLC6-40W-MCTP-A-D-WH
6" LED COMMERCIAL
RECESSED LIGHT
27W/34W/40W | 3200LM |
3000K/3500K/4000K
WHITE HOUSING
8"(H) X 4 1/4"(W) X 7 3/5" (D)

5. HAZE

CRLC6-60W-MCTP-A-D
6" LED COMMERCIAL
RECESSED LIGHT
40W/50W/60W | 4800LM |
3000K/4000K/5000K
HAZE HOUSING
8"(H) X 4 1/4"(W) X 7 3/5" (D)

6. WHITE

CRLC6-60W-MCTP-A-D-WH
6" LED COMMERCIAL
RECESSED LIGHT
27W/34W/40W | 3200LM |
3000K/4000K/5000K
WHITE HOUSING
7 2/3"(L) X 5 1/2" (D)

7. HAZE

CRLC6-60W-MCTP-A-D
6" LED COMMERCIAL
RECESSED LIGHT
40W/50W/60W | 4800LM |
3000K/4000K/5000K
HAZE HOUSING
7 2/3"(L) X 5 1/2" (D)

8. WHITE

CRLC6-60W-MCTP-A-D-WH
4" LED COMMERCIAL
RECESSED LIGHT
40W/50W/60W | 4800LM |
3000K/4000K/5000K
WHITE HOUSING
7 2/3"(L) X 5 1/2" (D)

CRLC8-D SERIES



8" LED Round & Open Recessed Lights

Haze, White, & Rose Gold Trim

► **WATTAGE & CCT ADJUSTABLE –**

EASILY CUSTOMIZE WATTAGE AND COLOR TEMPERATURE FOR THE IDEAL LIGHTING AMBIANCE.

► **0-10V DIMMING –**

SMOOTH, PRECISE DIMMING FROM 100% TO 10% FOR OPTIMAL CONTROL AND EFFICIENCY.

THE ENGINES WORK
WITH COMPATIBLE
CRLC TRIMS TO CREATE
A COMPLETE
RECESSED LIGHTING
SOLUTION.



1. HAZE

CRLC8-20W-MCTP-D
8" LED COMMERCIAL
RECESSED LIGHT
10W/15W/20W | 1275LM |
3000K/3500K/4000K
HAZE HOUSING
9 1/4"(L) X 6" (H)

2. WHITE

CRLC8-20W-MCTP-D-WH
8" LED COMMERCIAL
RECESSED LIGHT
10W/15W/20W | 1275LM |
3000K/3500K/4000K
WHITE HOUSING
9 1/4"(L) X 6" (H)

3. HAZE

CRLC8-40W-MCTP-D
8" LED COMMERCIAL
RECESSED LIGHT
27W/34W/40W | 3200LM |
3000K/3500K/4000K
HAZE HOUSING
9 1/4"(L) X 6" (H)

4. WHITE

CRLC8-40W-MCTP-D-WH
8" LED COMMERCIAL
RECESSED LIGHT
27W/34W/40W | 3200LM |
3000K/3500K/4000K
WHITE HOUSING
9 1/4"(L) X 6" (H)

5. HAZE

CRLC8-60W-MCTP-D
8" LED COMMERCIAL
RECESSED LIGHT
40W/50W/60W | 4800LM |
3000K/4000K/5000K
HAZE HOUSING
9 1/4"(L) X 6" (H)

6. WHITE

CRLC8-60W-MCTP-D-WH
8" LED COMMERCIAL
RECESSED LIGHT
40W/50W/60W | 4800LM |
3000K/4000K/5000K
WHITE HOUSING
9 1/4"(L) X 6" (H)

7. ROSE GOLD

CRLC8-60W-MCTP-D-RG
8" LED COMMERCIAL
RECESSED LIGHT
40W/50W/60W | 4800LM |
3000K/4000K/5000K
HAZE HOUSING
9 1/4"(L) X 6" (H)

CRLC4-S-D SERIES



4" LED Square & Open Recessed Lights

Haze & White Finish Trim

► **WATTAGE & CCT ADJUSTABLE –**

EASILY CUSTOMIZE WATTAGE AND COLOR TEMPERATURE FOR THE IDEAL LIGHTING AMBIANCE.

► **0-10V DIMMING –**

SMOOTH, PRECISE DIMMING FROM 100% TO 10% FOR OPTIMAL CONTROL AND EFFICIENCY.

THE ENGINES WORK WITH COMPATIBLE CRLC TRIMS TO CREATE A COMPLETE RECESSED LIGHTING SOLUTION.



1. HAZE

CRLC4-20W-MCTP-S-D
4" LED COMMERCIAL SQUARE & OPEN RECESSED LIGHT

10W/15W/20W | 1720LM |
3000K/3500K/4000K
HAZE HOUSING

4"(H) X 6 1/3" (W)

2. WHITE

CRLC4-20W-MCTP-S-D-WH
4" LED COMMERCIAL SQUARE & OPEN RECESSED LIGHT

10W/15W/20W | 1275LM |
3000K/3500K/4000K
WHITE HOUSING

4"(H) X 6 1/3" (W)

3. HAZE

CRLC4-40W-MCTP-D
4" LED COMMERCIAL SQUARE & OPEN RECESSED LIGHT

27W/34W/40W | 3200LM |
3000K/3500K/4000K
HAZE HOUSING

10 1/2"(L) X 4 1/7"(W) X 5 1/2" (D)

4. WHITE

CRLC4-40W-MCTP-D-WH
4" LED COMMERCIAL SQUARE & OPEN RECESSED LIGHT

27W/34W/40W | 3200LM |
3000K/3500K/4000K
WHITE HOUSING

10 1/2"(L) X 4 1/7"(W) X 5 1/2" (D)

5. HAZE

CRLC4-60W-MCTP-S-D
4" LED COMMERCIAL SQUARE & OPEN RECESSED LIGHT

40W/50W/60W | 4800LM |
3000K/4000K/5000K
HAZE HOUSING

7 1/2"(H) X 6 1/3" (W) 6 1/3"


6. WHITE

CRLC4-60W-MCTP-S-D-WH
4" LED COMMERCIAL SQUARE & OPEN RECESSED LIGHT

40W/50W/60W | 4800LM |
3000K/4000K/5000K
WHITE HOUSING

7 1/2"(H) X 6 1/3" (W) 6 1/3"

CRLC4-SA-D SERIES



4" LED Square & Wall Wash Recessed Lights

Haze & White Finish Trim

► **WATTAGE & CCT ADJUSTABLE –**

EASILY CUSTOMIZE WATTAGE AND COLOR TEMPERATURE FOR THE IDEAL LIGHTING AMBIANCE.

► **0-10V DIMMING –**

SMOOTH, PRECISE DIMMING FROM 100% TO 10% FOR OPTIMAL CONTROL AND EFFICIENCY.

THE ENGINES WORK WITH COMPATIBLE CRLC TRIMS TO CREATE A COMPLETE RECESSED LIGHTING SOLUTION.



1. HAZE

CRLC4-20W-MCTP-SA-D
4" LED COMMERCIAL SQUARE WALL WASH RECESSED LIGHT
10W/15W/20W | 1720LM | 3000K/3500K/4000K
HAZE HOUSING
4"(H) X 6 1/3" (W)

2. WHITE

CRLC4-20W-MCTP-SA-D-WH
4" LED COMMERCIAL SQUARE WALL WASH RECESSED LIGHT
10W/15W/20W | 1275LM | 3000K/3500K/4000K
WHITE HOUSING
4"(H) X 6 1/3" (W)

3. HAZE

CRLC4-40W-MCTP-SA-D
4" LED COMMERCIAL SQUARE WALL WASH RECESSED LIGHT
27W/34W/40W | 3200LM | 3000K/3500K/4000K
HAZE HOUSING
7 1/2"(H) X 6 1/3" (W)

4. WHITE

CRLC4-40W-MCTP-SA-D-WH
4" LED COMMERCIAL SQUARE WALL WASH RECESSED LIGHT
27W/34W/40W | 3200LM | 3000K/3500K/4000K
WHITE HOUSING
7 1/2"(H) X 6 1/3" (W)


5. HAZE

CRLC4-60W-MCTP-SA-D
4" LED COMMERCIAL SQUARE WALL WASH RECESSED LIGHT
40W/50W/60W | 4800LM | 3000K/4000K/5000K
HAZE HOUSING
7 1/2"(H) X 6 1/3" (W) 6 1/3"

6. WHITE

CRLC4-60W-MCT-SA-D-WH
4" LED COMMERCIAL SQUARE WALL WASH RECESSED LIGHT
40W/50W/60W | 4800LM | 3000K/4000K/5000K
WHITE HOUSING
7 1/2"(H) X 6 1/3" (W) 6 1/3"

CRLC6-S-D SERIES



6" LED Square & Open Recessed Lights

Haze & White Finish Trim

► **WATTAGE & CCT ADJUSTABLE –**

EASILY CUSTOMIZE WATTAGE AND COLOR TEMPERATURE FOR THE IDEAL LIGHTING AMBIANCE.

► **0-10V DIMMING –**

SMOOTH, PRECISE DIMMING FROM 100% TO 10% FOR OPTIMAL CONTROL AND EFFICIENCY.

THE ENGINES WORK WITH COMPATIBLE CRLC TRIMS TO CREATE A COMPLETE RECESSED LIGHTING SOLUTION.



1. HAZE

CRLC6-20W-MCTP-S-D
6" LED COMMERCIAL SQUARE & OPEN RECESSED LIGHT
10W/15W/20W | 1720LM | 3000K/3500K/4000K
HAZE HOUSING
6"(H) X 4 1/7" (W)

2. WHITE

CRLC6-20W-MCTP-S-D-WH
6" LED COMMERCIAL SQUARE & OPEN RECESSED LIGHT
10W/15W/20W | 1720LM | 3000K/3500K/4000K
WHITE HOUSING
6"(H) X 4 1/7" (W)

3. HAZE

CRLC6-40W-MCTP-S-D
6" LED COMMERCIAL SQUARE & OPEN RECESSED LIGHT
27W/34W/40W | 3200LM | 3000K/3500K/4000K
HAZE HOUSING
7 1/2"(H) X 4 1/7" (W) X 7 3/5"(D) 2 1/2" 2"

4. WHITE

CRLC6-40W-MCTP-S-D-WH
6" LED COMMERCIAL SQUARE & OPEN RECESSED LIGHT
27W/34W/40W | 3200LM | 3000K/3500K/4000K
WHITE HOUSING
7 1/2"(H) X 4 1/7" (W) X 7 3/5"(D) 2 1/2" 2"



5. HAZE

CRLC6-60W-MCTP-S-D
6" LED COMMERCIAL SQUARE & OPEN RECESSED LIGHT
40W/50W/60W | 4800LM | 3000K/4000K/5000K
HAZE HOUSING
7 1/2"(H) X 4 1/7" (W) X 7 3/5"(D) 2 1/2" 2"

6. WHITE

CRLC6-60W-MCTP-S-D-WH
6" LED COMMERCIAL SQUARE & OPEN RECESSED LIGHT
40W/50W/60W | 4800LM | 3000K/4000K/5000K
WHITE HOUSING
7 1/2"(H) X 4 1/7" (W) X 7 3/5"(D) 2 1/2" 2"

CRLC6-SA-D SERIES



6" LED Square & Wall Wash Recessed Lights

Haze & White Finish Trim

► **WATTAGE & CCT ADJUSTABLE –**

EASILY CUSTOMIZE WATTAGE AND COLOR TEMPERATURE FOR THE IDEAL LIGHTING AMBIANCE.

► **0-10V DIMMING –**

SMOOTH, PRECISE DIMMING FROM 100% TO 10% FOR OPTIMAL CONTROL AND EFFICIENCY.

THE ENGINES WORK WITH COMPATIBLE CRLC TRIMS TO CREATE A COMPLETE RECESSED LIGHTING SOLUTION.



1. HAZE

CRLC6-20W-MCTP-SA-D
6" LED COMMERCIAL SQUARE
WALL WASH RECESSED LIGHT
10W/15W/20W | 1720LM |
3000K/3500K/4000K
HAZE HOUSING
6"(H) X 4 1/7" (W)

2. WHITE

CRLC6-20W-MCTP-SA-D-WH
6" LED COMMERCIAL SQUARE
WALL WASH RECESSED LIGHT
10W/15W/20W | 1720LM |
3000K/3500K/4000K
WHITE HOUSING
6"(H) X 4 1/7" (W)

3. HAZE

CRLC6-40W-MCTP-SA-D
6" LED COMMERCIAL SQUARE
WALL WASH RECESSED LIGHT
27W/34W/40W | 3200LM |
3000K/3500K/4000K
HAZE HOUSING
8"(H) X 4 1/7"(W) X 7 1/2"(D)

4. WHITE

CRLC6-40W-MCTP-SA-D-WH
6" LED COMMERCIAL SQUARE
WALL WASH RECESSED LIGHT
27W/34W/40W | 3200LM |
3000K/3500K/4000K
WHITE HOUSING
8"(H) X 4 1/7"(W) X 7 1/2"(D)

5. HAZE

CRLC6-60W-MCTP-SA-D
6" LED COMMERCIAL SQUARE
WALL WASH RECESSED LIGHT
40W/50W/60W | 4800LM |
3000K/4000K/5000K
HAZE HOUSING
8"(H) X 4 1/7"(W) X 7 1/2"(D)

6. WHITE

CRLC6-60W-MCTP-SA-D-WH
6" LED COMMERCIAL SQUARE
WALL WASH RECESSED LIGHT
40W/50W/60W | 4800LM |
3000K/4000K/5000K
WHITE HOUSING
8"(H) X 4 1/7"(W) X 7 1/2"(D)

CRLC8-S-D SERIES



8" LED Square & Open Recessed Lights

Haze & White Finish Trim

► **WATTAGE & CCT ADJUSTABLE –**

EASILY CUSTOMIZE WATTAGE AND COLOR TEMPERATURE FOR THE IDEAL LIGHTING AMBIANCE.

► **0-10V DIMMING –**

SMOOTH, PRECISE DIMMING FROM 100% TO 10% FOR OPTIMAL CONTROL AND EFFICIENCY.

THE ENGINES WORK WITH COMPATIBLE CRLC TRIMS TO CREATE A COMPLETE RECESSED LIGHTING SOLUTION.



1. HAZE

CRLC8-20W-MCTP-D
8" LED COMMERCIAL SQUARE & OPEN RECESSED LIGHT
10W/15W/20W | 1720LM | 3000K/3500K/4000K
HAZE HOUSING
9 1/4"(L) X 6" (H)

2. WHITE

CRLC8-20W-MCTP-D-WH
8" LED COMMERCIAL SQUARE & OPEN RECESSED LIGHT
10W/15W/20W | 1275LM | 3000K/3500K/4000K
WHITE HOUSING
9 1/4"(L) X 6" (H)

3. HAZE

CRLC8-40W-MCTP-D
8" LED COMMERCIAL SQUARE & OPEN RECESSED LIGHT
27W/34W/40W | 3200LM | 3000K/3500K/4000K
HAZE HOUSING
9 1/4"(L) X 6" (H)

4. WHITE

CRLC8-40W-MCTP-D-WH
8" LED COMMERCIAL SQUARE & OPEN RECESSED LIGHT
27W/34W/40W | 3200LM | 3000K/3500K/4000K
WHITE HOUSING
9 1/4"(L) X 6" (H)

5. HAZE

CRLC8-60W-MCTP-D
8" LED COMMERCIAL SQUARE & OPEN RECESSED LIGHT
40W/50W/60W | 4800LM | 3000K/4000K/5000K
HAZE HOUSING
9 1/4"(L) X 6" (H)

6. WHITE

CRLC8-60W-MCTP-D-WH
8" LED COMMERCIAL SQUARE & OPEN RECESSED LIGHT
40W/50W/60W | 4800LM | 3000K/4000K/5000K
WHITE HOUSING
9 1/4"(L) X 6" (H)

7. HAZE

CRLC8-60W-MCTP-D-RG
8" LED COMMERCIAL SQUARE & OPEN RECESSED LIGHT
40W/50W/60W | 4800LM | 3000K/4000K/5000K
HAZE HOUSING
9 1/4"(L) X 6" (H)

CRLX SERIES



X Gen. Recessed Lights

Commercial Indoor Lighting

► **WATTAGE & CCT ADJUSTABLE –**


EASILY CUSTOMIZE WATTAGE AND COLOR TEMPERATURE FOR THE IDEAL LIGHTING AMBIANCE.

► **0-10V DIMMING –**

SMOOTH, PRECISE DIMMING FROM 100% TO 10% FOR OPTIMAL CONTROL AND EFFICIENCY.

4", 6", 8", AND 10"
HOUSING/BAR HANGER -

► PROVIDES A SECURE,
HASSLE-FREE
INSTALLATION FOR
SUPERIOR LIGHTING
PERFORMANCE.



1. HAZE

CRLX4-14-27W-MCTP
X GEN. LED COMMERCIAL
RECESSED LIGHT
14W/20W/27W | 2160LM |
3000K/3500K/4000K
HAZE HOUSING
7 1/6"(H) X 5 2/3" (W)

2. HAZE

CRLX6-18-40W-MCTP
X GEN. LED COMMERCIAL
RECESSED LIGHT
18W/27W/40W | 3400LM |
3000K/3500K/4000K
HAZE HOUSING
7 2/3"(H) X 7 1/2" (W)

3. HAZE

CRLX6-50-80W-MP
X GEN. LED COMMERCIAL
RECESSED LIGHT
50W/65W/80W | 6800LM |
3000K/3500K/4000K
HAZE HOUSING
8 1/2"(H) X 7 1/2" (W)

6. HAZE

CRLX8-18-40W-MCTP
X GEN. LED COMMERCIAL
RECESSED LIGHT
18W/27W/40W | 1275LM |
3000K/3500K/4000K
HAZE HOUSING
8 1/5"(H) X 9 1/4" (W)

7. HAZE

CRLX8-50-80W-MP
X GEN. LED COMMERCIAL
RECESSED LIGHT
50W/65W/80W | 6800LM |
3000K/3500K/4000K
HAZE HOUSING
8 1/5"(H) X 9 1/4" (W)

11. HAZE

CRLX10-18-40W-MCTP
X GEN. LED COMMERCIAL
RECESSED LIGHT
18W/27W/40W | 3400LM |
3000K/4000K/5000K
HAZE HOUSING
8 1/2"(H) X 11" (W)

12. HAZE


CRLX10-50-80W-MP
X GEN. LED COMMERCIAL
RECESSED LIGHT
50W/65W/80W | 6800LM |
3000K/4000K/5000K
HAZE HOUSING
8 8/9"(H) X 11" (W)

CRLE SERIES




Builder Series Recessed Lights

Commercial Indoor Lighting



BRUSHED NICKEL, BRONZE,
& BLACK TRIMS FOR FULL
CUSTOMIZATION.



CRLE T-BAR AND
ROUGH-IN PLATES
ENSURE SECURE,
PRECISE RECESSED
LIGHTING
INSTALLATION IN
GRID CEILINGS
AND NEW
CONSTRUCTION.

➤ WATTAGE & CCT ADJUSTABLE –

EASILY CUSTOMIZE WATTAGE AND COLOR TEMPERATURE FOR THE
IDEAL LIGHTING AMBIANCE.

➤ 0-10V DIMMING –

SMOOTH, PRECISE DIMMING FROM 100% TO 10% FOR OPTIMAL CONTROL
AND EFFICIENCY.

1. 4-INCH

CRLE4-5-12W-MCTP-WH COMMERCIAL RECESS LIGHT

5W/7W/12W | 1200LM |
3000K/3500K/4000K
WHITE HOUSING
6"(W) x 4 1/4"(H)

2. 6-INCH

CRLE6-7-18W-MCTP-WH COMMERCIAL RECESS LIGHT

7W/10W/18W | 1800LM |
3000K/3500K/4000K
WHITE HOUSING
8 1/4"(W) x 5 1/8"(H)

3. 6-INCH

CRLE6-HO-25-40W-MCTP-WH COMMERCIAL RECESS LIGHT

25W/30W/40W | 4000LM |
3000K/3500K/4000K
WHITE HOUSING
8 1/4"(W) x 5 1/8"(H)

6. 8-INCH

CRLE8-10-22W-MCTP-WH COMMERCIAL RECESS LIGHT

10W/15W/22W | 2200LM |
3000K/3500K/4000K
WHITE HOUSING
10 1/4"(W) x 5 7/8"(H)

7. 8-INCH

CRLE8-HO-34-52W-MCTP-WH COMMERCIAL RECESS LIGHT

34W/42W/52W | 5200LM |
3000K/3500K/4000K
WHITE HOUSING
10 1/4"(W) x 5 7/8"(H)

11. 10-INCH

CRLE10-20-32W-MCTP-WH COMMERCIAL RECESS LIGHT

20W/25W/32W | 3200LM |
3000K/4000K/5000K
WHITE HOUSING
11 1/2"(W) x 6 1/3"(H)

12. 10-INCH

CRLE10-HO-26-40W-MCTP-WH COMMERCIAL RECESS LIGHT

26W/32W/40W | 4000LM |
3000K/4000K/5000K
WHITE HOUSING
11 1/2"(W) x 6 1/3"(H)

RSLC-BF SERIES



Slim Canless & Baffle Recessed Lights

Commercial Indoor Lighting


► **SLIM, CANLESS DESIGN -**

NO NEED FOR RECESSED HOUSING, MAKING INSTALLATION SIMPLER.

► **0-10V DIMMING -**

SMOOTH, PRECISE DIMMING FROM 100% TO 10% FOR OPTIMAL CONTROL AND EFFICIENCY.

EXTENSION CORDS (6FT, 10FT, 20FT) FOR FLEXIBILITY IN INSTALLATION.



1. 6-INCH

RSLC6-BF-30K
COMMERCIAL RECESS LIGHT

15W | 1200LM |
3000K/3500K/4000K
WHITE HOUSING
6 3/4"(H) x 7 1/2"(W) x 1 2/5"(L)

2. 6-INCH

RSLC6-BF-40K
COMMERCIAL RECESS LIGHT

15W | 1200LM |
3000K/3500K/4000K
WHITE HOUSING
6 3/4"(H) x 7 1/2"(W) x 1 2/5"(L)

3. 8-INCH

RSLC6-BF-50K
COMMERCIAL RECESS LIGHT

15W | 1200LM |
3000K/3500K/4000K
WHITE HOUSING
6 3/4"(H) x 7 1/2"(W) x 1 2/5"(L)

4. 6-INCH

RSLC6-BF-MCT5
COMMERCIAL RECESS LIGHT

15W | 1200LM |
3000K/3500K/4000K
WHITE HOUSING
6 3/4"(H) x 7 1/2"(W) x 1 2/5"(L)

5. 8-INCH

RSLC8-BF-30K
COMMERCIAL RECESS LIGHT

18W | 1440LM |
3000K/3500K/4000K
WHITE HOUSING
9 3/5"(H) x 5 1/2"(W) x 1 2/5"(L)

6. 8-INCH

RSLC8-BF-40K
COMMERCIAL RECESS LIGHT

18W | 1440LM |
3000K/3500K/4000K
WHITE HOUSING
9 3/5"(H) x 5 1/2"(W) x 1 2/5"(L)

7. 8-INCH

RSLC8-BF-50K
COMMERCIAL RECESS LIGHT

18W | 1440LM |
3000K/3500K/4000K
WHITE HOUSING
9 3/5"(H) x 5 1/2"(W) x 1 2/5"(L)

8. 8-INCH

RSLC8-BF-MCT5
COMMERCIAL RECESS LIGHT

18W | 1440LM |
3000K/3500K/4000K
WHITE HOUSING
9 3/5"(H) x 5 1/2"(W) x 1 2/5"(L)