

# WESTGATE

THE FUTURE IS HERE... AND IT'S QUITE BRIGHT!

Commercial  
Industrial  
Residential

Architectural

Landscape

Solar

Decorative

Lamps

Recessed

Task

Controls

Smart

RGBW

Emergency

Season 1 - 2026

# PRODUCTSHEET

VALID 01/01/2026 UNTIL FURTHER NOTICE

@WESTGATEMFG

# WESTGATE

THE FUTURE IS HERE... AND IT'S QUITE BRIGHT!

Westgatemfg.com | @westgatemfg



## CATEGORIES:

### OUTDOOR:



PAGE. 4

Wall Packs | Floods & Area Lights | Garage & Canopy Lights | Sign & Street Lights | Solar Lights | Security Lights | Bollards

### INDUSTRIAL:



PAGE. 107

UFO & Linear High Bays | Vapor Lights | Hazardous Lights | Loading Docks | Corn Lamps

### COMMERCIAL:



PAGE. 123

Panels | Troffers | Linear & Strip Lights | Suspended Lights | Commercial Recessed Lights | T8 Lamps | Cylinders | Vanities

### LAMPS:



PAGE. 204

Corn Lamps | Retrofit Lamps | T8 | T5 | String | Residential | Landscape

### RESIDENTIAL:



PAGE. 217

Trims | Fans & Lights | Flush Mounts | Disk Lights | Recessed Trims | Pendants | Lamps & String Lights

### RIBBON:



PAGE 260

Tapes | Sheets | 12 Volt | 24 Volt | Accessories

### LANDSCAPE:



PAGE. 270

Directional Lights | Step Lights | Well Lights | Underwater Lights | Path Lights | Flood Lights | Transformers | Accessories

### UNDER CABINET:



PAGE. 287

Liners | Receptacles | USB Ports | Puck Lights | Accessories

### EXIT & EMERGENCY:



PAGE. 295

Combo Signs | Wet Location Signs | Edge-Lit Signs | Thermoplastic Signs | Decorative Signs | Lamp Heads Vandal Shields

### ELECTRICAL:



PAGE. 305

Combo Signs | Wet Location Signs | Edge-Lit Signs | Thermoplastic Signs | Decorative Signs | Lamp Heads Vandal Shields

See Controls On Each Section: Motion Sensors, Photocell, EM, Smart App Control



## POLICIES

All transactions are subject to terms and conditions listed on Westgate website

[WWW.WESTGATEMFG.COM/TERMS-AND-CONDITIONS](http://WWW.WESTGATEMFG.COM/TERMS-AND-CONDITIONS)

VALID 01/01/2026 UNTIL FURTHER NOTICE

# This season's New Arrivals



WMC4-CD SERIES  
PAGE 51



ERSH SERIES  
PAGE 61



HNS SERIES  
PAGE 62



TSR SERIES  
PAGE 67



GPA SERIES  
PAGE 75



SFX-G10 SERIES  
PAGE 82



LCG SERIES  
PAGE 90



SOLB SERIES  
PAGE 91



BOL-G8 SERIES  
PAGE 95



LTRAR SERIES  
PAGE 131



CMC5-MILAN SERIES  
PAGE 178



CMCW SERIES  
PAGE 184



CRLE-FR SERIES  
PAGE 189



CRLB SERIES  
PAGE 189



TRPK SERIES  
PAGE 200



CL-CONST SERIES  
PAGE 209



T10 SERIES  
PAGE 216



ST64 SERIES  
PAGE 216



RDLT SDLT SERIES  
PAGE 232



LCEU SERIES  
PAGE 247



LCFE-26 SERIES  
PAGE 253



LCFG SERIES  
PAGE 253




DPL SERIES  
PAGE 254

# OUTDOOR LIGHTING

SEARCH FOR THE SERIES NAME @WESTGATEMFG.COM



WPMAX SERIES




WPX SERIES



LWAX SERIES



WHCX SERIES



LWPMAX SERIES



LWPX SERIES



WPCX SERIES



LWAX SERIES



LWAX SERIES



WAX SERIES



LWAX SERIES



LWAX SERIES




LWAX SERIES



WMV SERIES



BKH SERIES



BKR SERIES



WPFX SERIES



WMXE SERIES



WMXMAX SERIES



WMX SERIES



LMW SERIES



WMXE SERIES



STP SERIES



DLW SERIES




WMXE SERIES



LSWX SERIES



LFXU SERIES



LFXE SERIES



LFX SERIES



LFXPRO SERIES



LFXMAX SERIES



LF4MAX SERIES



LF4PRO SERIES



LFX-MD SERIES



LFE SERIES



LFE SERIES



FLDX SERIES



FLDXPRO SERIES



FLDF SERIES



GL SERIES



AD120 SERIES



FLD3 SERIES



FLD2 SERIES



FLH SERIES



FLS SERIES



SLX SERIES



SL SERIES



CRE SERIES



WLF SERIES



WSX SERIES



WSO SERIES



GNBA SERIES



GNB SERIES



WMA SERIES



WMC SERIES



WMC4-CD SERIES



WMCS SERIES



WMCQ5 SERIES



LRS-TU SERIES



LRS-R SERIES



LRS-P SERIES



LDS SERIES



LDSW SERIES



LDSW SERIES



LRS-H SERIES



LRS-C SERIES



LRS-L SERIES




LRS-M SERIES



ERSH SERIES



HNS SERIES



LRS-O SERIES



LRS-K SERIES



LRS-SG SERIES



LRS-SH SERIES



LRS-ML SERIES



LRS-MC SERIES



CIGL SERIES




GICL SERIES



TSR SERIES



LOHB SERIES



SOLS SERIES



SOLB SERIES



LRX SERIES



VTA SERIES



TOL SERIES



GPE SERIES



GPX SERIES



GPA SERIES



GPL SERIES



GPC SERIES



GPH SERIES




DAB SERIES




PML SERIES




EXPR SERIES



SFX-G10 SERIES




SFX SERIES



SOLN SERIES



SOLA SERIES



STL4 SERIES



CXE SERIES



CDLX SERIES



CGL SERIES



CAX SERIES



CXU SERIES



CDX SERIES



GSX SERIES



LCG SERIES



BOL-602 SERIES



BOL-G8 SERIES



BOL-700 SERIES



BOL-605 SERIES




BOL-800 SERIES



WEC SERIES



EVC SERIES



PRIVATE HOME



Live inventory. Real-time pricing. No waiting.  
Access the MyWestgate Portal to check  
availability and pricing instantly.  
Scan the QR code to skip the line.



**WPMAX-27-45W-VC**  
Bronze  
Visual Comfort Tech.



**WPMAX-27-45W-VC-BK**  
Black  
Visual Comfort Tech.



**WPMAX-27-45W-VC-SIL**  
Silver  
Visual Comfort Tech.



**WPMAX-25-40W**  
**WPMAX-40-60W**  
Bronze



**WPMAX-25-40W-BK**  
**WPMAX-40-60W-BK**  
Black



**WPMAX-25-40W-SIL**  
**WPMAX-40-60W-SIL**  
Silver



**WPMAX-60-100W**  
**WPMAX-90-150W**  
Bronze



**WPMAX-60-100W-BK**  
**WPMAX-90-150W-BK**  
Black



**WPMAX-60-100W-SIL**  
**WPMAX-90-150W-SIL**  
Silver

**MAX-FEATURE WALL PACK, VISUAL COMFORT OR LENS TYPE SELECTABLE TYPE 2, 3, 4**  
**ADJUSTABLE CCT, WATTS, PHOTOCELL**



CATALOG NO.	DESCRIPTION	PKG. QTY.
<a href="#">WPMAX-27-45W-MCT-VC</a>	27w/36w/45w 135LM/W 30K/40K/50K Bronze, <b>Visual Comfort Tech.</b>	1
<a href="#">WPMAX-27-45W-MCT-VC-BK</a>	27w/36w/45w 135LM/W 30K/40K/50K Black, <b>Visual Comfort Tech.</b>	1
<a href="#">WPMAX-27-45W-MCT-VC-SIL</a>	27w/36w/45w 135LM/W 30K/40K/50K Silver, <b>Visual Comfort Tech.</b>	1
<a href="#">WPMAX-25-40W-MCTP</a>	25w/30w/40w 135LM/W 30K/40K/50K Bronze	1
<a href="#">WPMAX-25-40W-MCTP-BK</a>	25w/30w/40w 135LM/W 30K/40K/50K Black	1
<a href="#">WPMAX-25-40W-MCTP-SIL</a>	25w/30w/40w 135LM/W 30K/40K/50K Silver	1
<a href="#">WPMAX-40-60W-MCTP</a>	40w/50w/60w 135LM/W 30K/40K/50K Bronze	1
<a href="#">WPMAX-40-60W-MCTP-BK</a>	40w/50w/60w 135LM/W 30K/40K/50K Black	1
<a href="#">WPMAX-40-60W-MCTP-SIL</a>	40w/50w/60w 135LM/W 30K/40K/50K Silver	1
<a href="#">WPMAX-60-100W-MCTP</a>	60w/80w/100w 135LM/W 30K/40K/50K Bronze	1
<a href="#">WPMAX-60-100W-MCTP-BK</a>	60w/80w/100w 135LM/W 30K/40K/50K Black	1
<a href="#">WPMAX-60-100W-MCTP-SIL</a>	60w/80w/100w 135LM/W 30K/40K/50K Silver	1
<a href="#">WPMAX-90-150W-MCTP</a>	90w/120w/150w 135LM/W 30K/40K/50K Bronze	1
<a href="#">WPMAX-90-150W-MCTP-BK</a>	90w/120w/150w 135LM/W 30K/40K/50K Black	1
<a href="#">WPMAX-90-150W-MCTP-SIL</a>	90w/120w/150w 135LM/W 30K/40K/50K Silver	1

**FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
60W	<a href="#">OPT-EM-WPMAX-40</a>	INTERNAL	<a href="#">OPT-PC-B</a>	BUTTON	<a href="#">OPT-CLR-85(BK/GR/SR/WH)</a>	<a href="#">OPT-SEN-3MRLV-5</a>	PROGRAMMABLE MICROWAVE (BI-LEVEL FOR 80W)
100W	<a href="#">OPT-EM-WPMAX-60</a>	INTERNAL			<a href="#">OPT-CLR-MC (390 SET UP FEE PER PROJECT)</a>		
	<a href="#">OPT-EM-WPMAX-100</a>	INTERNAL	<a href="#">480 V OPTION</a>	DESCRIPTION		<a href="#">OPT-SEN-NLS-WPMAX</a>	WG NETWORK SENSOR
	<a href="#">VANDAL RES.</a>	DESCRIPTION	<a href="#">OPT-WP-480V</a>	CHANGE VOLTAGE		<a href="#">OPT-SEN-KEILTON</a>	KEILTON NETWORK SENSOR
	<a href="#">OPT-TRS-T20</a>	Tamper Resistant Screw				<a href="#">WEC-8RC</a>	REMOTE CONTROL



**WPX-24W**  
Bronze



**WPX-42W**  
Bronze



**WPX-80W**  
Bronze



**WPX-120W**  
Bronze



**WPX-24W**  
Black



**WPX-42W**  
Black



**WPX-80W**  
Black



**WPX-120W**  
Black



**WPX-24W**  
Silver



**WPX-42W**  
Silver



**WPX-80W**  
Silver



**WPX-120W**  
Silver

OUTDOOR  
WALLPACKS

**SPEC SERIES X-GEN CUT-OFF WALL PACK (POWER & COLOR TEMP. TUNABLE)**



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>WPX-24W-MCTP</b>	12W/18W/24W 135LM/W 30K/40K/50K 8"W Bronze	4
<b>WPX-24W-MCTP-BK</b>	12W/18W/24W 135LM/W 30K/40K/50K 8"W Black	4
<b>WPX-24W-MCTP-SIL</b>	12W/18W/24W 135LM/W 30K/40K/50K 8"W Silver	4
<b>WPX-42W-MCTP</b>	11W/21W/32W/42W 135LM/W 30K/40K/50K 10"W Bronze	4
<b>WPX-42W-MCTP-BK</b>	11W/21W/32W/42W 135LM/W 30K/40K/50K 10"W Black	4
<b>WPX-42W-MCTP-SIL</b>	11W/21W/32W/42W 135LM/W 30K/40K/50K 10"W Silver	4
<b>WPX-80W-MCTP</b>	20W/40W/60W/80W 135LM/W 30K/40K/50K 12"W Bronze	2
<b>WPX-80W-MCTP-BK</b>	20W/40W/60W/80W 135LM/W 30K/40K/50K 12"W Black	2
<b>WPX-80W-MCTP-SIL</b>	20W/40W/60W/80W 135LM/W 30K/40K/50K 12"W Silver	2
<b>WPX-120W-MCTP</b>	80W/100W/120W 135LM/W 30K/40K/50K 16"W Bronze	1
<b>WPX-120W-MCTP-BK</b>	80W/100W/120W 135LM/W 30K/40K/50K 16"W Black	1
<b>WPX-120W-MCTP-SIL</b>	80W/100W/120W 135LM/W 30K/40K/50K 16"W Silver	1

**FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
42W	<b>OPT-EM-WPX-24</b>	INTERNAL	<b>OPT-PC-B</b>	BUTTON	<b>OPT-CLR-85(BK/GR/SR/WH)</b>	<b>OPT-SEN-3MRLV-5</b>	PROGRAMMABLE MICROWAVE (BI-LEVEL FOR 80W)
80W	<b>OPT-EM-WPX-42</b>	INTERNAL			<b>OPT-CLR-MC (390 SET UP FEE PER PROJECT)</b>		
	<b>OPT-EM-WPX-80</b>	INTERNAL	<b>480 V OPTION</b>	DESCRIPTION		<b>OPT-SEN-NLS-WPX</b>	WG NETWORK SENSOR
	<b>OPT-EM-WPX-120</b>	INTERNAL	<b>OPT-WP-480V</b>	CHANGE VOLTAGE		<b>OPT-SEN-KEILTON</b>	KEILTON NETWORK SENSOR
	<b>VANDAL RES.</b>	DESCRIPTION				<b>WEC-8RC</b>	REMOTE CONTROL
	<b>OPT-TRS-T20</b>	Tamper Resistant Screw					

**FOR COLD-WEATHER EM OPTION SEE PAGE 304**



**WPMX**  
Bronze



**WPMX-BK**  
Black



**WPMX-WH**  
White



**WPMX-SIL**  
Silver



**WHCX**  
Bronze



**WHCX**  
Uplight View



**WHCX-BK**  
Black



**WHCX-WH**  
White



**WHCX-SIL**  
Silver

**WALL PACK, POWER AND CCT ADJUSTABLE WITH PHOTOCELL**



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>HALF-MOON WALL PACK-POWER &amp; CCT ADJUSTABLE TYPE 3 LENS</b>		
<b>WPMX-24-40W-MCTP-SR</b>	24W/32W/40W 135LM/W 30K/40K/50K Bronze	1
<b>WPMX-24-40W-MCTP-BK</b>	24W/32W/40W 135LM/W 30K/40K/50K Black	1
<b>WPMX-24-40W-MCTP-WH</b>	24W/32W/40W 135LM/W 30K/40K/50K White	1
<b>WPMX-24-40W-MCTP-SIL</b>	24W/32W/40W 135LM/W 30K/40K/50K Silver	1
<b>WPMX-48-80W-MCTP-SR</b>	48W/64W/80W 135LM/W 30K/40K/50K Bronze	1
<b>WPMX-48-80W-MCTP-BK</b>	48W/64W/80W 135LM/W 30K/40K/50K Black	1
<b>WPMX-48-80W-MCTP-WH</b>	48W/64W/80W 135LM/W 30K/40K/50K White	1
<b>WPMX-48-80W-MCTP-SIL</b>	48W/64W/80W 135LM/W 30K/40K/50K Silver	1
<b>CYLINDER WALL PACK, POWER AND CCT ADJUSTABLE WITH CONTROLLED UP/DOWN LIGHTING</b>		
<b>WHCX-24-40W-MCTP</b>	24W/32W/40W 145LM/W 30K/40K/50K Bronze	1
<b>WHCX-24-40W-MCTP-BK</b>	24W/32W/40W 145LM/W 30K/40K/50K Black	1
<b>WHCX-24-40W-MCTP-WH</b>	24W/32W/40W 145LM/W 30K/40K/50K White	1
<b>WHCX-24-40W-MCTP-SIL</b>	24W/32W/40W 145LM/W 30K/40K/50K Silver	1
<b>WHCX-48-80W-MCTP</b>	48W/64W/80W 145LM/W 30K/40K/50K Bronze	1
<b>WHCX-48-80W-MCTP-BK</b>	48W/64W/80W 145LM/W 30K/40K/50K Black	1
<b>WHCX-48-80W-MCTP-WH</b>	48W/64W/80W 145LM/W 30K/40K/50K White	1
<b>WHCX-48-80W-MCTP-SIL</b>	48W/64W/80W 145LM/W 30K/40K/50K Silver	1

**FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

WATTS	EM OPTION	DESCRIPTION	480 V OPTION	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
WPMX-24W	OPT-EM-WPMX-24	INTERNAL	OPT-WP-480V	CHANGE VOLTAGE	OPT-CLR-85(BK/GR/SR/WH) OPT-CLR-MC (390 SET UP FEE PER PROJECT)	OPT-SEN-3MRLV-5	PROGRAMMABLE MICROWAVE (BI-LEVEL FOR 80W)
WPMX-48W	OPT-EM-WPMX-48	INTERNAL				OPT-SEN-NLS-WPMX	WG NETWORK SENSOR
	VANDAL RES.	DESCRIPTION				OPT-SEN-KEILTON	KEILTON NETWORK SENSOR
	OPT-TRS-T20	Tamper Resistant Screw				WEC-8RC	REMOTE CONTROL

**FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

WATTS	EM OPTION	DESCRIPTION	480 V OPTION	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
WHCX-40W	OPT-EM-WHCX-40W	INTERNAL	OPT-WP-480V	CHANGE VOLTAGE	OPT-CLR-85(BK/GR/SR/WH) OPT-CLR-MC (390 SET UP FEE PER PROJECT)	OPT-SEN-3MRLV-5	PROGRAMMABLE MICROWAVE (BI-LEVEL FOR 80W)
WHCX-80W	OPT-EM-WHCX-80W	INTERNAL				OPT-SEN-NLS-WHCX	WG NETWORK SENSOR
	VANDAL RES.	DESCRIPTION				OPT-SEN-KEILTON	KEILTON NETWORK SENSOR
	OPT-TRS-T20	Tamper Resistant Screw				WEC-8RC	REMOTE CONTROL



**LWPMAX**  
Bronze



**LWPMAX-BK**  
Black



**LWPMAX-SIL**  
Silver

**SPEC SERIES MAX-FEATURE CUT-OFF WALL PACK, LENS TYPE SELECTABLE TYPE 2, 3, 4  
ADJUSTABLE CCT, WATTS, PHOTOCELL**



CATALOG NO.	DESCRIPTION	PKG. QTY.
LWPMAX-SM-20-40W-MCTPB-P	20W/30W/40W 135LM/W 30K/40K/50K Bronze	1
LWPMAX-SM-20-40W-MCTPB-P-BK	20W/30W/40W 135LM/W 30K/40K/50K Black	1
LWPMAX-SM-20-40W-MCTPB-P-SIL	20W/30W/40W 135LM/W 30K/40K/50K Silver	1
LWPMAX-MD-40-80W-MCTPB-P	40W/60W/80W 135LM/W 30K/40K/50K Bronze	1
LWPMAX-MD-40-80W-MCTPB-P-BK	40W/60W/80W 135LM/W 30K/40K/50K Black	1
LWPMAX-MD-40-80W-MCTPB-P-SIL	40W/60W/80W 135LM/W 30K/40K/50K Silver	1
LWPMAX-MD-80-120W-MCTPB-P	80W/100W/120W 135LM/W 30K/40K/50K Bronze	1
LWPMAX-MD-80-120W-MCTPB-P-BK	80W/100W/120W 135LM/W 30K/40K/50K Black	1
LWPMAX-MD-80-120W-MCTPB-P-SIL	80W/100W/120W 135LM/W 30K/40K/50K Silver	1
LWPMAX-LG-100-150W-MCTPB-P	100W/120W/150W 135LM/W 30K/40K/50K Bronze	1
LWPMAX-LG-100-150W-MCTPB-P-BK	100W/120W/150W 135LM/W 30K/40K/50K Black	1
LWPMAX-LG-100-150W-MCTPB-P-SIL	100W/120W/150W 135LM/W 30K/40K/50K Silver	1



**LWPX**  
Bronze



**LWPX-BK**  
Black

**LED CUTOFF WALL PACK, 120-277V, 14" (W) x 9 1/4" (H) x 8 1/4" (D) TYPE 2 LENS**



**120-277V**

CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>POWER &amp; CCT-ADJUSTABLE VERSION</b>		
LWPX-30-80W-MCTP	30W/40W/60W/80W 125LM/W 30K/40K/50K/57K Bronze	1
LWPX-30-80W-MCTP-BK	30W/40W/60W/80W 125LM/W 30K/40K/50K/57K Black	1
<b>LED SINGLE POWER &amp; CCT VERSION</b>		
LWPX-50W-30K	50W 6600LM 3000K	1
LWPX-50W-40K	50W 6600LM 4000K	1
LWPX-50W-50K	50W 6600LM 5000K	1

**FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
50W	OPT-EM-LWPX-50	INTERNAL	OPT-PC-B	BUTTON	OPT-CLR-85(BK/GR/SR/WH)	OPT-SEN-3MRLV-5	PROGRAMMABLE MICROWAVE (BI-LEVEL FOR 80W)
80W	OPT-EM-LWPX-80	INTERNAL	480 V OPTION	DESCRIPTION	OPT-CLR-MC (390 SET UP FEE PER PROJECT)	OPT-SEN-NLS-LWPX	WG NETWORK SENSOR
	VANDAL.RES.	DESCRIPTION	OPT-WP-480V	CHANGE VOLTAGE		OPT-SEN-KEILTON	KEILTON NETWORK SENSOR
	OPT-TRS-T20	Tamper Resistant Screw				WEC-8RC	REMOTE CONTROL

**FOR COLD-WEATHER EM OPTION SEE PAGE 304**

**OUTDOOR WALLPACKS**



**FULL CUT-OFF WALL PACK, POWER AND CCT ADJUSTABLE /w PHOTOCELL**



OUTDOOR WALLPACKS

CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>WPCX-21-35W-MCTP</b>	21W/28W/35W 135LM/W 30K/40K/50K	1
<b>WPCX-36-60W-MCTP</b>	36W/48W/60W 135LM/W 30K/40K/50K	1
<b>WPCX-60-100W-MCTP</b>	60W/80W/100W 135LM/W 30K/40K/50K	1

**FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

WATTS	EM OPTION	DESCRIPTION	480 V OPTION	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
60W	<b>OPT-EM-WPCX-60</b>	INTERNAL	<b>OPT-WP-480V</b>	CHANGE VOLTAGE	<b>OPT-CLR-85(BK/GR/SR/WH)</b>	<b>OPT-SEN-3MRLV-5</b>	PROGRAMMABLE MICROWAVE (BI-LEVEL FOR 80W)
100W	<b>OPT-EM-WPCX-100</b>	INTERNAL			<b>OPT-CLR-MC (390 SET UP FEE PER PROJECT)</b>	<b>OPT-SEN-NLS-WPCX</b>	WG NETWORK SENSOR
	<b>VANDAL RES.</b>	<b>DESCRIPTION</b>	<b>VANDAL RES.</b>	<b>DESCRIPTION</b>		<b>OPT-SEN-KEILTON</b>	KEILTON NETWORK SENSOR
	<b>OPT-TRS-T20</b>	Tamper Resistant Screw	<b>OPT-WPCX-TYPEII</b>	TYPE II		<b>WEC-8RC</b>	REMOTE CONTROL
			<b>OPT-WPCX-TYPEIV</b>	TYPE IV			



**LWAX-BK**  
Black




**LWAX-WH**  
White



**LWAX**  
Dark Bronze



Shown with Shroud



Mounting Options  
Shown with LWAX-12W (See page 100)

**GEN. 2 ADJUSTABLE WALL PACK, WATTAGE & CCT SELECT, WITH PHOTOCELL**



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>LWAX-SM-12W-30K-P</b>	12W 1500LM 30K	12
<b>LWAX-SM-12W-30K-P-WH</b>	12W 1500LM 30K	12
<b>LWAX-SM-12W-40K-P</b>	12W 1500LM 40K	12
<b>LWAX-SM-12W-50K-P</b>	12W 1500LM 50K	12
<b>LWAX-SM-12W-50K-P-WH</b>	12W 1500LM 50K	12
<b>LWAX-MD-30W-30K-P</b>	30W 3900LM 30K	4
<b>LWAX-MD-30W-40K-P</b>	30W 3900LM 40K	4
<b>LWAX-MD-30W-50K-P</b>	30W 3900LM 50K	4
<b>LWAX-MD-15-50W-MCTP-P</b>	15W/20W/30W/50W 125LM/W 30K/40K/50K/57K	4
<b>LWAX-MD-15-50W-MCTP-P-BK</b>	15W/20W/30W/50W 125LM/W 30K/40K/50K/57K	4
<b>LWAX-MD-15-50W-MCTP-P-WH</b>	15W/20W/30W/50W 125LM/W 30K/40K/50K/57K	4
<b>LWAX-LG-50-120W-MCTP-P</b>	50W/80W/120W 130LM/W 30K/40K/50K/57K	2
<b>LWAX-LG-50-120W-MCTP-P-BK</b>	50W/80W/120W 130LM/W 30K/40K/50K/57K	2
<b>LWAX-LG-50-120W-MCTP-P-WH</b>	50W/80W/120W 130LM/W 30K/40K/50K/57K	2
<b>LWA-SH1</b>	Shroud For LWAX SM, Bronze	
<b>LWA-SH2</b>	Shroud For LWAX MD Bronze	
<b>LWA-SH3</b>	Shroud For LWAX LG, Bronze	

**FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

SIZE	EM OPTION	DESCRIPTION	VANDAL RES.	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
SM	<b>OPT-EM-LWAX-SM</b>	EXTERNAL BACK BOX	<b>OPT-TRS-T20</b>	Tamper Resistant Screw	<b>OPT-CLR-85(BK/GR/SR/WH)</b>	<b>OPT-SEN-3MRLV-5</b>	PROGRAMMABLE MICROWAVE (BI-LEVEL)
MD	<b>OPT-EM-LWAX-MD</b>	INTERNAL			<b>OPT-CLR-MC (390 SET UP FEE PER PROJECT)</b>	<b>OPT-SEN-NLS-LWAX</b>	WG NETWORK SENSOR
LG	<b>OPT-EM-LWAX-LG</b>	INTERNAL				<b>OPT-SEN-KEILTON</b>	KEILTON NETWORK SENSOR
						<b>WEC-8RC</b>	OPTIONAL REMOTE

FOR COLD-WEATHER EM OPTION SEE PAGE 304



**LWAX-SM**  
White



**LWAX-SM**  
Dark Bronze




Shown with  
Shroud



**LWAX-MD**  
Dark Bronze



**LWAX-LG**  
Dark Bronze



Mounting Options  
Shown with LWAX-12W  
(See page 100)

OUTDOOR  
WALLPACKS

**POWER & CCT-ADJUSTABLE CUTOFF WALL PACK, 120-277V TYPE 2 LENS**

Dark Bronze & White



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>LWAX-SM-12W-50K</b>	12W 1500LM 5000K	12
<b>LWAX-MD-30W-30K</b>	30W 3900LM 3000K	4
<b>LWAX-MD-30W-50K</b>	30W 3900LM 5000K	4
<b>LWAX-SM-12W-30K-WH</b>	12W 1500LM 3000K	12
<b>LWA-SH1</b>	Shroud For LWAX SM, Bronze	
<b>LWA-SH2</b>	Shroud For LWAX MD, Bronze	
<b>LWA-SH3</b>	Shroud For LWAX LG, Bronze	

WHILE SUPPLIES LAST

**FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

SIZE	EM OPTION	DESCRIPTION	VANDAL RES.	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
SM	<b>OPT-EM-LWAX-SM</b>	EXTERNAL BACK BOX	<b>OPT-TRS-T20</b>	Tamper Resistant Screw	<b>OPT-CLR-85(BK/GR/SR/WH)</b>	<b>OPT-SEN-3MRLV-5</b>	PROGRAMMABLE MICROWAVE (BI-LEVEL)
MD	<b>OPT-EM-LWAX-MD</b>	INTERNAL			<b>OPT-CLR-MC (390 SET UP FEE PER PROJECT)</b>	<b>OPT-SEN-NLS-LWAX</b>	WG NETWORK SENSOR
LG	<b>OPT-EM-LWAX-LG</b>	INTERNAL				<b>OPT-SEN-KEILTON WEC-8RC</b>	KEILTON NETWORK SENSOR OPTIONAL REMOTE

FOR COLD-WEATHER EM OPTION SEE PAGE 304



LW360-25W  
Bronze

LW360-40W  
LW360-60W  
LW360-80W  
LW360-120W  
Bronze

LW360-60W-BK-G2  
Black

LW360-25W-WH-G2  
White

LW360-60W-WH-G2  
White

Shown with  
Extended EM Box  
& Shroud

OUTDOOR  
WALLPACKS

**LED 360° ROTATABLE WALL PACK, 120-277V**  
G2 SERIES OFFERS A LARGE, HINGED BACK BOX



CATALOG NO.	DESCRIPTION	PKG. QTY.
LW360-25W-30K-G2	25W 3250LM 3000K Bronze	4
LW360-25W-40K-G2	25W 3250LM 4000K Bronze	4
LW360-25W-50K-G2	25W 3250LM 5000K Bronze	4
LW360-40W-30K-G2	40W 5200LM 3000K Bronze	4
LW360-40W-40K-G2	40W 5200LM 4000K Bronze	4
LW360-40W-50K-G2	40W 5200LM 5000K Bronze	4
LW360-60W-30K-G2	60W 7800LM 3000K Bronze	2
LW360-60W-40K-G2	60W 7800LM 4000K Bronze	2
LW360-60W-50K-G2	60W 7800LM 5000K Bronze	2
LW360-80W-30K-G2	80W 10400LM 3000K Bronze	2
LW360-80W-40K-G2	80W 10400LM 4000K Bronze	2
LW360-80W-50K-G2	80W 10400LM 5000K Bronze	2
LW360-120W-30K-G2	120W 15600LM 3000K Bronze	2
LW360-120W-40K-G2	120W 15600LM 4000K Bronze	2
LW360-120W-50K-G2	120W 15600LM 5000K Bronze	2
<b>CCT-ADJUSTABLE LED 360° ROTATABLE WALL PACK, 120-277V MCT<sub>3</sub></b>		
LW360-25W-MCT-G2	25W 3250LM 30K/40K/50K Bronze	4
LW360-60W-MCT-G2	60W 7800LM 30K/40K/50K Bronze	2
<b>POWER &amp; CCT-ADJUSTABLE LED 360° ROTATABLE WALL PACK, 120-277V MCTP</b>		
LW360-60W-MCTP-G2	25W/40W/60W 130LM/W 30K/40K/50K Bronze	2
LW360-60W-MCTP-WH-G2	25W/40W/60W 130LM/W 30K/40K/50K White	2
LW360-60W-MCTP-BK-G2	25W/40W/60W 130LM/W 30K/40K/50K Black	2
LW360-SH1	Shroud For LW360 Series, Bronze Finish	-

FOR FACTORY OPTION SEE LW360 BELOW  
FOR COLD-WEATHER EM OPTION SEE PAGE 304

**LED ROTATABLE WALL PACKS, 120-277V**



CATALOG NO.	DESCRIPTION	REPLACEMENT RANGE	PKG. QTY.
LW360-60W-30K	60W 8100LM 3000K Bronze	200-300MH	2
LW360-80W-30K	80W 10800LM 3000K Bronze	250-400 MH	2
LW360-80W-40K	80W 10800LM 4000K Bronze	250-400 MH	2
LW360-25W-30K-WH	25W 3375LM 3000K White	100-150 MH	4
LW360-SH1	Shroud For LW360 Series, Bronze Finish	-	-

WHILE SUPPLIES LAST

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
25W, 40W, 60W	OPT-EM-LW360	INTERNAL			OPT-CLR-85(BK/GR/SR/WH)	OPT-SEN-LW360-3MRLV-5	PROGRAMMABLE MICRO-WAVE
80W	OPT-EM-LW360-LG	INTERNAL	OPT-LW360-PC-B	BUTTON	OPT-CLR-95(BK/GR/SR/WH)	OPT-SEN-NLS-LW360	WG NETWORK SENSOR
					OPT-CLR-35-SHR (BK/GR/SR/WH)	OPT-SEN-KEILTON	KEILTON NETWORK SENSOR
					OPT-CLR-MC (390 SET UP FEE PER PROJECT)	WEC-8RC	REMOTE CONTROL

FOR COLD-WEATHER EM OPTION SEE PAGE 304



**WAX-MCTP**  
Bronze



**WAX-MCTP-BK**  
Black



Shown Installed  
as Indirect Light



**WAX-MCTP-WH**  
White



**WAX-MCTP-SIL**  
Silver

**SPEC SERIES MODERN ADJUSTABLE WALL PACK FOR DOWN OR UP LIGHTING INSTALLATIONS WITH PHOTOCELL**



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>WAX-20-40W-MCTP</b>	20W/30W/40W 140LM/W 30K/40K/50K Bronze	1
<b>WAX-20-40W-MCTP-WH</b>	20W/30W/40W 140LM/W 30K/40K/50K White	1
<b>WAX-20-40W-MCTP-BK</b>	20W/30W/40W 140LM/W 30K/40K/50K Black	1
<b>WAX-20-40W-MCTP-SIL</b>	20W/30W/40W 140LM/W 30K/40K/50K Silver	1
<b>WAX-50-80W-MCTP</b>	50W/65W/80W 140LM/W 30K/40K/50K Bronze	1
<b>WAX-50-80W-MCTP-WH</b>	50W/65W/80W 140LM/W 30K/40K/50K White	1
<b>WAX-50-80W-MCTP-BK</b>	50W/65W/80W 140LM/W 30K/40K/50K Black	1
<b>WAX-50-80W-MCTP-SIL</b>	50W/65W/80W 140LM/W 30K/40K/50K Silver	1
<b>WAX-90-120W-MCTP</b>	90W/105W/120W 140LM/W 30K/40K/50K Bronze	1
<b>WAX-90-120W-MCTP-WH</b>	90W/105W/120W 140LM/W 30K/40K/50K White	1
<b>WAX-90-120W-MCTP-BK</b>	90W/105W/120W 140LM/W 30K/40K/50K Black	1
<b>WAX-90-120W-MCTP-SIL</b>	90W/105W/120W 140LM/W 30K/40K/50K Silver	1



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	480 V OPTION	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
40W	<b>OPT-EM-WAX-40</b>	INTERNAL	<b>OPT-WP-480V</b>	CHANGE VOLTAGE	<b>OPT-CLR-85(BK/GR/SR/WH)</b>	<b>OPT-SEN-3MRLV-5</b>	PROGRAMMABLE MICRO-WAVE (BI-LEVEL FOR 80W)
80W	<b>OPT-EM-WAX-80</b>	INTERNAL			<b>OPT-CLR-MC (390 SET UP FEE PER PROJECT)</b>	<b>OPT-SEN-NLS-WAX</b>	WG NETWORK SENSOR
120W	<b>OPT-EM-WAX-120</b>	INTERNAL				<b>OPT-SEN-KEILTON</b>	KEILTON NETWORK SENSOR
	<b>VANDAL RES.</b>	DESCRIPTION				<b>WEC-8RC</b>	REMOTE CONTROL
	<b>OPT-TRS-T20</b>	Tamper Resistant Screw					

**FOR COLD-WEATHER EM OPTION SEE PAGE 304**



20% Non-Cutoff Ambient Light

80% Full-Cutoff Light

**SPEC SERIES MODERN POWER & CCT ADJUSTABLE CUT-OFF WALL PACK WITH 20% FRONT LIGHT & PHOTOCELL**



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>WPAX-100W-MCTP</b>	60W/80W/100W 130LM/W 30K/40K/50K	2



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
All	<b>OPT-EM-WPAX</b>	INTERNAL	<b>OPT-PC-B</b>	BUTTON	<b>N/A</b>	<b>OPT-SEN-3MRLV-5</b>	EXTERNAL MICROWAVE (BI-LEVEL FOR 80W)
	<b>VANDAL RES.</b>	DESCRIPTION	<b>480 V OPTION</b>	DESCRIPTION		<b>OPT-SEN-NLS-WPAX</b>	WG NETWORK SENSOR
	<b>OPT-TRS-T20</b>	Tamper Resistant Screw	<b>OPT-WP-480V</b>	CHANGE VOLTAGE		<b>OPT-SEN-KEILTON</b>	KEILTON NETWORK SENSOR
						<b>WEC-8RC</b>	REMOTE CONTROL

**FOR COLD-WEATHER EM OPTION SEE PAGE 304**

**LED SEMI-CUTOFF VANDAL-PROOF WALL PACK, 120-277V**

Dark Bronze



OUTDOOR WALLPACKS

CATALOG NO.	DESCRIPTION	REPLACEMENT RANGE	PKG. QTY.
<b>LTW-50NW</b>	50W <b>4400LM</b> 4000K	150-250 MH	1

**FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL	<b>OPT-EM-LTW</b>	INTERNAL	<b>OPT-PC-B</b>	BUTTON	<b>N/A</b>	<b>OPT-SEN-3MRLV-5</b>	PROGRAMMABLE MICROWAVE BI-LEVEL
	480 V OPTION	DESCRIPTION	<b>VANDAL RES.</b>	DESCRIPTION		<b>OPT-SEN-NLS-LTW</b>	WG NETWORK SENSOR
	<b>OPT-WP-480V</b>	CHANGE VOLTAGE	<b>OPT-TRS-T20</b>	Tamper Resistant Screw		<b>OPT-SEN-KEILTON</b>	KEILTON NETWORK SENSOR
						<b>WEC-8RC</b>	REMOTE CONTROL

**VANDAL-PROOF OUTDOOR WALL LIGHT, 3CCT**



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>WPV-12W-MCT-DT</b>	12W <b>80LM/W</b> 30K/40K/50K	6

**LED VERSATILE WALL OR CEILING LIGHT, 120-277V**



CATALOG NO.	DESCRIPTION	REPLACEMENT RANGE	PKG. QTY.
<b>WMV-20W-50K</b>	20W <b>2000LM</b> 5000K 11.4"(L) X 4.5"(W) X 3.5"(H)	50-100 MH	6
<b>WMV-20W-40K</b>	20W <b>1900LM</b> 4000K 11.4"(L) X 4.5"(W) X 3.5"(H)	50-100 MH	6
<b>WMV-20W-30K</b>	20W <b>1800LM</b> 3000K 11.4"(L) X 4.5"(W) X 3.5"(H)	50-100 MH	6

**FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL	<b>OPT-EM-WMV</b>	INTERNAL	<b>OPT-PC-B</b>	BUTTON	<b>OPT-CLR-70(BK/GR/SR/WH)</b>	<b>OPT-SEN-3MRLV-5</b>	PROGRAMMABLE MICROWAVE BI-LEVEL
	VANDAL RES.	DESCRIPTION			<b>OPT-CLR-MC (390 SET UP FEE PER PROJECT)</b>	<b>OPT-SEN-NLS-WMV</b>	WG NETWORK SENSOR
	<b>OPT-TRS-T20</b>	Tamper Resistant Screw				<b>OPT-SEN-KEILTON</b>	KEILTON NETWORK SENSOR
						<b>WEC-8RC</b>	REMOTE CONTROL



**BKH-BK**  
Black



**BKH-BR**  
Bronze



**BKH-WH**  
White



Shown with  
EM

**TRADITIONAL BULKHEADS, POWER & CCT SELECTABLE, WITH PHOTOCELL**



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>BKH-10W-MCTP-BK-P</b>	6W/8W/10W <b>85LM/W</b> 30K/40K/50K Black, 2.45" X 8.29" X 4.80"	8
<b>BKH-10W-MCTP-BR-P</b>	6W/8W/10W <b>85LM/W</b> 30K/40K/50K Bronze, 2.45" X 8.29" X 4.80"	8
<b>BKH-10W-MCTP-WH-P</b>	6W/8W/10W <b>85LM/W</b> 30K/40K/50K White, 2.45" X 8.29" X 4.80"	8
<b>BKH-20W-MCTP-BK-P</b>	12W/18W/20W <b>85LM/W</b> 30K/40K/50K Black, 3.24" X 9.64" X 5.83"	6
<b>BKH-20W-MCTP-BR-P</b>	12W/18W/20W <b>85LM/W</b> 30K/40K/50K Bronze, 3.24" X 9.64" X 5.83"	6
<b>BKH-20W-MCTP-WH-P</b>	14W/19W/24W <b>85LM/W</b> 30K/40K/50K White, 3.24" X 9.64" X 5.83"	6

**FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

WATTS	EM OPTION	DESCRIPTION	VANDAL RES.	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
20W	<b>OPT-EM-BKH</b>	INTERNAL	<b>N/A</b>	N/A	<b>N/A</b>	<b>N/A</b>	N/A



**BKRD-15W-MCTP-BK-P**  
Black



**BKRD-15W-MCTP-BR-P**  
Bronze



**BKRD-15W-MCTP-WH-P**  
Bronze



**BKRF-15W-MCTP-BK-P**  
Black



**BKRF-15W-MCTP-BR-P**  
Bronze



**BKRF-15W-MCTP-WH-P**  
Bronze



**BKRN-15W-MCTP-BK-P**  
Black



**BKRN-15W-MCTP-BR-P**  
Bronze



**BKRN-15W-MCTP-WH-P**  
Bronze

**ROUND BULKHEADS, POWER & CCT SELECTABLE, WITH PHOTOCELL**



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>BKRD-15W-MCTP-BK-P</b>	9W/12W/15W <b>85LM/W</b> 30K/40K/50K Black	8
<b>BKRD-15W-MCTP-BR-P</b>	9W/12W/15W <b>85LM/W</b> 30K/40K/50K Bronze	8
<b>BKRD-15W-MCTP-WH-P</b>	9W/12W/15W <b>85LM/W</b> 30K/40K/50K White	8
<b>BKRF-15W-MCTP-BK-P</b>	9W/12W/15W <b>85LM/W</b> 30K/40K/50K Black	8
<b>BKRF-15W-MCTP-BR-P</b>	9W/12W/15W <b>85LM/W</b> 30K/40K/50K Bronze	8
<b>BKRF-15W-MCTP-WH-P</b>	9W/12W/15W <b>85LM/W</b> 30K/40K/50K White	8
<b>BKRN-15W-MCTP-BK-P</b>	9W/12W/15W <b>85LM/W</b> 30K/40K/50K Black	8
<b>BKRN-15W-MCTP-BR-P</b>	9W/12W/15W <b>85LM/W</b> 30K/40K/50K Bronze	8
<b>BKRN-15W-MCTP-WH-P</b>	9W/12W/15W <b>85LM/W</b> 30K/40K/50K White	8



**WPFX-SM**



**WPFX-MD**



**WPFX-LG**

**BUILDER SERIES FLAT WALL PACK WITH PHOTOCELL, GLASS LENS AND VANDAL SCREWS**



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>WPFX-SM-15-40W-MCTP-P</b>	15W/25W/40W <b>130LM/W</b> 30K/40K/50K	1
<b>WPFX-MD-20-40W-MCTP-P</b>	20W/30W/40W <b>135LM/W</b> 30K/40K/50K	1
<b>WPFX-MD-40-80W-MCTP-P</b>	40W/60W/80W <b>130LM/W</b> 30K/40K/50K	1
<b>WPFX-LG-80-120W-MCTP-P</b>	80W/100W/120W <b>130LM/W</b> 30K/40K/50K	1

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

SIZE	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
SM	OPT-EM-WPFX-SM	INTERNAL	OPT-PC-B	BUTTON	OPT-CLR-85(BK/GR/SR/WH)	OPT-SEN-3MRLV-5	PROGRAMMABLE MICROWAVE (BI-LEVEL FOR 80W)
MD	OPT-EM-WPFX-MD	INTERNAL			OPT-CLR-MC (390 SET UP FEE PER PROJECT)	OPT-SEN-NLS-WPFX	WG NETWORK SENSOR
LG	OPT-EM-WPFX-LG	INTERNAL	480 V OPTION	DESCRIPTION		OPT-SEN-KEILTON	KEILTON NETWORK SENSOR
	VANDAL RES.	DESCRIPTION	OPT-WP-480V	CHANGE VOLTAGE		WEC-8RC	REMOTE CONTROL
	OPT-TRS-T20	Tamper Resistant Screw					

FOR COLD-WEATHER EM OPTION SEE PAGE 304



**WMXE-MD**  
Dark Bronze



**WMXE-LG**  
Dark Bronze



**WMXE-MD**  
Black



**WMXE-LG**  
Black

**BUILDER SERIES TRADITIONAL GLASS LENS WALL PACK WITH PHOTOCELL (PHOTOCELL DISCONNECT SWITCH) 480V OPTION**



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>POWER ADJUSTABLE BUILDER SERIES TRADITIONAL WALL PACK MP</b>		
WMXE-MD-25-65W-50K-P	25W/45W/65W 140LM/W 5000K	2
WMXE-MD-45-85W-50K-P	45W/65W/85W 140LM/W 5000K	2
WMXE-MD-80-120W-50K-P	80W/100W/120W 140LM/W 5000K	2
<b>POWER &amp; 3CCT ADJUSTABLE BUILDER SERIES TRADITIONAL WALL PACK MCTP</b>		
WMXE-MD-25-65W-MCTP-P	25W/45W/65W 140LM/W 3000K/4000K/5000K	2
WMXE-MD-45-85W-MCTP-P	45W/65W/85W 140LM/W 3000K/4000K/5000K	2
WMXE-MD-80-120W-MCTP-P	80W/100W/120W 140LM/W 3000K/4000K/5000K	2
WMXE-LG-100-150W-MCTP-P	100W/120W/150W 140LM/W 3000K/4000K/5000K	1
WMXE-MD-45-85W-MCTP-P-BK	45W/65W/85W 140LM/W 3000K/4000K/5000K	2
WMXE-LG-100-150W-MCTP-P-BK	100W/120W/150W 140LM/W 3000K/4000K/5000K	1
<b>POWER &amp; 3CCT ADJUSTABLE BUILDER SERIES TRADITIONAL WALL PACK WITH EMERGENCY BACKUP MCTP</b>		
WMXE-MD-25-65W-MCTP-P-EM	25W/45W/65W 140LM/W 30K/40K/50K	2
WMXE-MD-45-85W-MCTP-P-EM	45W/65W/85W 140LM/W 30K/40K/50K	2
WMXE-MD-80-120W-MCTP-P-EM	80W/100W/120W 140LM/W 30K/40K/50K	2
WMXE-LG-100-150W-MCTP-P-EM	100W/120W/150W 140LM/W 30K/40K/50K	1



FOR COLD-WEATHER EM OPTION SEE PAGE 304



**WMXMAX FULL CONTROL OF BEAM ANGLE, CCT, WATTS, PHOTOCELL**



CATALOG NO.	DESCRIPTION
WMXMAX-40-60W-MCTPB	40W/50W/60W 135LM/W 30K/40K/50K
WMXMAX-50-80W-MCTPB	50W/60W/80W 135LM/W 30K/40K/50K
WMXMAX-80-120W-MCTPB	80W/100W/120W 135LM/W 30K/40K/50K



**WMX-SM**  
Dark Bronze



**WMX-MD**  
Dark Bronze



**WMX-LG**  
Dark Bronze



Shield  
For WMX Series

**SPEC SERIES TRADITIONAL WALL PACK, GLASS LENS 480V OPTION**



SPEC SERIES NO.	DESCRIPTION				PKG. QTY.
<b>SPEC SERIES TRADITIONAL WALL PACK, POWER ADJUSTABLE</b>					
<b>WMX-SM-15-30W-30K</b>	15W/20W/25W/30W	130LM/W	3000K	Replaces WML-HL-30W	4
<b>WMX-SM-15-30W-40K</b>	15W/20W/25W/30W	130LM/W	4000K	Replaces WML-HL-30W	4
<b>WMX-SM-15-30W-50K</b>	15W/20W/25W/30W	130LM/W	5000K	Replaces WML-HL-30W	4
<b>WMX-MD-20-50W-30K</b>	20W/30W/40W/50W	130LM/W	3000K	Replaces WML-HL-50W	2
<b>WMX-MD-20-50W-40K</b>	20W/30W/40W/50W	130LM/W	4000K	Replaces WML-HL-50W	2
<b>WMX-MD-20-50W-50K</b>	20W/30W/40W/50W	130LM/W	5000K	Replaces WML-HL-50W	2
<b>WMX-MD-20-80W-30K</b>	20W/40W/60W/80W	130LM/W	3000K	Replaces WML-HL-60W TO 80W	2
<b>WMX-MD-20-80W-40K</b>	20W/40W/60W/80W	130LM/W	4000K	Replaces WML-HL-60W TO 80W	2
<b>WMX-MD-20-80W-50K</b>	20W/40W/60W/80W	130LM/W	5000K	Replaces WML-HL-60W TO 80W	2
<b>WMX-LG-50-120W-30K</b>	50W/80W/100W/120W	130LM/W	3000K	Replaces WML-HL-100W TO 120W	1
<b>WMX-LG-50-120W-40K</b>	50W/80W/100W/120W	130LM/W	4000K	Replaces WML-HL-100W TO 120W	1
<b>WMX-LG-50-120W-50K</b>	50W/80W/100W/120W	130LM/W	5000K	Replaces WML-HL-100W TO 120W	1
<b>SPEC SERIES TRADITIONAL WALL PACK, POWER &amp; CCT ADJUSTABLE</b>					
<b>WMXPRO-SM-15-30W-MCTP</b>	15W/20W/25W/30W	130LM/W	30K/40K/50K/57K		4
<b>WMXPRO-MD-20-60W-MCTP</b>	20W/30W/50W/60W	130LM/W	30K/40K/50K/57K		2
<b>WMXPRO-MD-20-80W-MCTP</b>	20W/40W/60W/80W	130LM/W	30K/40K/50K/57K		2
<b>WMXPRO-LG-50-120W-MCTP</b>	50W/80W/100W/120W	130LM/W	30K/40K/50K/57K		1
<b>WMX-MCTP-D</b>	80W Max	9000LM Max	3000K-5700K		2
<b>WMX-MCTP-D-WH</b>	80W Max	9000LM Max	3000K-5700K		2
<b>MCTP-RC1</b>	Remote Control for Multi-Color Temp. & Power Outdoor Fixture (One per projects)				

**WML-SH2** Shield For WML 50W, 60W, 80W, 100W, WMX  
**WML-SH3** Shield For FOR WML 120W

FOR COLD-WEATHER EM OPTION SEE PAGE 304

**FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

SIZE	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
SM	<b>OPT-EM-WMX-SM</b>	EXTERNAL BOX			<b>OPT-CLR-85(BK/GR/SR/WH)</b>	<b>OPT-SEN-3MRLV-5</b>	PROGRAMMABLE MICRO-WAVE BI-LEVEL
MD	<b>OPT-EM-WMX-MD</b>	INTERNAL	<b>OPT-PC-B</b>	BUTTON	<b>OPT-CLR-95(BK/GR/SR/WH)</b>	<b>OPT-SEN-NLS-WMXPRO</b>	WG NETWORK SENSOR
LG	<b>OPT-EM-WMX-LG</b>	INTERNAL			<b>OPT-CLR-MC (390 SET UP FEE PER PROJECT)</b>	<b>OPT-SEN-KEILTON</b>	KEILTON NETWORK SENSOR
	<b>VANDAL RES.</b>	DESCRIPTION	<b>480 V OPTION</b>	DESCRIPTION		<b>WEC-8RC</b>	REMOTE CONTROL
	<b>OPT-TRS-T20</b>	Tamper Resistant Screw	<b>OPT-WP-480V</b>	CHANGE VOLTAGE			

**LED NON-CUTOFF WALL PACKS, 120-277V**

Dark Bronze



CATALOG NO.	DESCRIPTION	REPLACEMENT RANGE	PKG. QTY.
<b>WML-HL-30W-30K</b>	30W 4200LM 3000K	100-150 MH	4
<b>WML-HL-60W-30K</b>	60W 8700LM 3000K	175-250 MH	2
<b>WML-HL-80W-30K</b>	80W 11600LM 3000K	250-400 MH	2
<b>WML-HL-100W-30K</b>	100W 14800LM 3000K	250-400 MH	1

FOR COLD-WEATHER EM OPTION SEE PAGE 304 FOR SHIELD SEE WMX BELOW

**LED NON-CUTOFF WALL PACKS WITH DIRECTIONAL OPTIC LENS, 120-277V**

TYPE 3 LENS



CATALOG NO.	DESCRIPTION	REPLACEMENT RANGE	PKG. QTY.
<b>WML2-28W-50K-HL-SM</b>	28W 3780LM 5000K W:10"	100-150 MH	4
<b>WML2-50W-50K-SM-D</b>	50W 6000LM 5000K W:10"	100-200 MH	4
<b>WML2-50W-30K-SM</b>	50W 5500LM 3000K W:10"	100-200 MH	4
<b>WML2-50W-30K-HL</b>	48W 6000LM 3000K W:14-1/4"	175-250 MH	1

WHILE SUPPLIES LAST



LMW  
Bronze

LMW-WH  
White

LMW-BK  
Black

Shown with EM

Shown with EM

Shown with Sensor

Shown with Sensor

**LED MINI CUTOFF WALLPACK, 120-277V, 5"X 5"**

See Below for bollard customization

Dark Bronze & White



OUTDOOR WALLPACKS

CATALOG NO.	DESCRIPTION					PKG. QTY.
LMW-12W-30K	12W	1300LM	3000K	Bronze		12
LMW-12W-40K	12W	1300LM	4000K	Bronze		12
LMW-12W-50K	12W	1300LM	5000K	Bronze		12
LMW-12W-30K-WH	12W	1300LM	3000K	White		12
LMW-12W-40K-WH	12W	1300LM	4000K	White		12
LMW-12W-50K-WH	12W	1300LM	5000K	White		12
LMW-12W-30K-BK	12W	1320LM	3000K	Black		12
LMW-12W-40K-BK	12W	1320LM	4000K	Black		12
LMW-12W-50K-BK	12W	1320LM	5000K	Black		12

**POWER & CTT - ADJUSTABLE LED MINI CUTOFF WALLPACK, 120-277V, 5" X 5"**

LMW-10-24W-MCTP-P	10W/15W/24W	110LM/W	30K/40K/50K	Bronze		12
LMW-10-24W-MCTP-P-BK	10W/15W/24W	110LM/W	30K/40K/50K	White		12
LMW-10-24W-MCTP-P-WH	10W/15W/24W	110LM/W	30K/40K/50K	Black		12

FOR BOLLARD SETTINGS SEE PAGE 100

**FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL	OPT-EM-LMW	EXTERNAL BACK BOX				OPT-SEN-LMW	PROGRAMMABLE MICROWAVE BI-LEVEL (ONLY 2" & 3")
	OPT-EM-LMW-WH	EXTERNAL BACK BOX	OPT-PC-BI	BUTTON	N/A	OPT-SEN-NLS-LMW	WG NETWORK SENSOR
	0-10V DIM OPTION	DESCRIPTION				OPT-SEN-KEILTON	KEILTON NETWORK SENSOR
	OPT-010DIM	0-10V Dimming				OPT-SEN-LMW-WH	PROGRAMMABLE MICROWAVE BI-LEVEL, WHITE (ONLY 2" & 3")



WMS-S-50K-BR  
WMS-S-30K-BR  
Bronze

WMS-R-50K-BR  
WMS-R-50K-BR  
Bronze

WMS-S-50K-WH  
WMS-S-30K-WH  
White

WMS-R-50K-WH  
WMS-R-50K-WH  
White

Shown with EM

Shown with EM

**LED WALL/STEP LIGHTS, 120-277V, 5"X5"**

Dark Bronze & White



CATALOG NO.	DESCRIPTION					PKG. QTY.
WMS-S-50K-BR	6W	660LM	5000K			24
WMS-S-30K-BR	6W	630LM	3000K			24
WMS-R-50K-BR	6W	660LM	5000K			24
WMS-R-30K-BR	6W	630LM	3000K			24
WMS-S-50K-WH	6W	660LM	5000K			24
WMS-S-30K-WH	6W	630LM	3000K			24
WMS-R-50K-WH	6W	660LM	5000K			24
WMS-R-30K-WH	6W	630LM	3000K			24

FOR BOLLARD SETTINGS SEE PAGE 100

**FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
6W	OPT-EM-WMS	EXTERNAL BACK BOX				OPT-SEN-LMW	PROGRAMMABLE MICROWAVE BI-LEVEL (ONLY 2" & 3")
6W	OPT-EM-WMS-WH	EXTERNAL BACK BOX	N/A	N/A	OPT-CLR-65(BK/GR/SR/WH)	OPT-SEN-NLS-LMW	WG NETWORK SENSOR
POST ALL MODELS	OPT-EM-WMS-POST	POST MOUNT				OPT-SEN-KEILTON	KEILTON NETWORK SENSOR
						OPT-SEN-LMW-WH	PROGRAMMABLE MICROWAVE BI-LEVEL, WHITE (ONLY 2" & 3")



STP-10X10



STP-10X3



STP-8X3

COMMERCIAL LARGE RECESSED WALL/STEP LIGHTS, 120-277V



CATALOG NO.	DESCRIPTION	PKG. QTY.
STP-10X10-MCTP-BR	10W/15W/20W 37LM/W 30K/40K/50K Bronze	4
STP-10X10-MCTP-BK	10W/18W/25W 37LM/W 30K/40K/50K Black	4
STP-10X10-MCTP-GY	10W/18W/25W 37LM/W 30K/40K/50K Graphite RAL 7016	4
STP-10X3-MCT-BR	10W 47LM/W 30K/40K/50K Bronze	6
STP-10X3-MCT-BK	10W 47LM/W 30K/40K/50K Black	6
STP-10X3-MCT-GY	10W 47LM/W 30K/40K/50K Graphite RAL 7016	6
STP-8X3-MCTP-BR	10W 31LM/W 30K/40K/50K Bronze	18
STP-8X3-MCTP-BK	10W 31LM/W 30K/40K/50K Black	18
STP-8X3-MCTP-GY	10W 31LM/W 30K/40K/50K Graphite RAL 7016	18



MODERN WALL PACK, 3CCT WITH PHOTOCELL



CATALOG NO.	DESCRIPTION	PKG. QTY.
DLW-15W-MCT-BK	15W 120LM/W 35K/40K/50K Black	10
DLW-15W-MCT-BR	15W 120LM/W 35K/40K/50K Bronze	10
DLW-15W-MCT-WH	15W 120LM/W 35K/40K/50K White	10

FOR EM OPTION SEE PAGE 303

MODERN LED SMALL (8.5") WALL PACK WITH PHOTOCELL, 120-277V

Dark Bronze & White



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>SINGLE POWER &amp; CCT LED SMALL NON-CUTOFF WALL PACK WITH PHOTOCELL</b>		
LESW-15W-30K-P	15W 1675LM 3000K Bronze	10
LESW-15W-50K-P	15W 1875LM 5000K Bronze	10
LESW-20W-30K-P	20W 2300LM 3000K Bronze	10
LESW-20W-50K-P	20W 2500LM 5000K Bronze	10
LESW-15W-30K-P-WH	15W 1675LM 3000K White	10
LESW-15W-50K-P-WH	15W 1875LM 5000K White	10
LESW-20W-30K-P-WH	20W 2300LM 3000K White	10
LESW-20W-50K-P-WH	20W 2500LM 5000K White	10
<b>POWER &amp; CTT - ADJUSTABLE LED SMALL NON-CUTOFF WALL PACK WITH PHOTOCELL</b>		
LESW-8-15W-MCTP-P	8W/12W/15W 135LM/W 30K/40K/50K Bronze	10
LESW-8-15W-MCTP-P-WH	8W/12W/15W 135LM/W 30K/40K/50K White	10
LESW-15-30W-MCTP-P	15W/20W/30W 135LM/W 3000K/4000K/5000K Bronze	10
LESW-15-30W-MCTP-P-WH	15W/20W/30W 135LM/W 3000K/4000K/5000K White	10

120-277V



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	VANDAL RES.	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL	OPT-EM-LESW	INTERNAL	OPT-TRS-T20	Tamper Resistant Screw	N/A	OPT-SEN-3MRLV-6	PROGRAMMABLE MICROWAVE BI-LEVEL
						OPT-SEN-NLS-LESW	WG NETWORK SENSOR
						OPT-SEN-KEILTON	KEILTON NETWORK SENSOR
						WEC-3RC	REMOTE CONTROL



**LSWX**  
Bronze



**LSWX-BK**  
Black



**LSWX-WH**  
White

**LED SMALL (11") WALL PACK WITH PHOTOCELL 120-277V TYPE 2 LENS**



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>POWER &amp; CCT-ADJUSTABLE SMALL WALL PACK WITH PHOTOCELL MCTP</b>		
<b>LSWX-13-26W-MCTP-PC</b>	13W/20W/26W 4231LM 30K/40K/50K Bronze	4
<b>LSWX-13-26W-MCTP-PC-BK</b>	13W/20W/26W 4231LM 30K/40K/50K Black	4
<b>LSWX-13-26W-MCTP-PC-WH</b>	13W/20W/26W 4231LM 30K/40K/50K White	4
<b>SINGLE POWER AND CCT SMALL WALL PACK WITH PHOTOCELL</b>		
<b>LSWX-20W-30K-PC</b>	20W 2450LM 3000K Bronze	6

120-277V

**FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL	<b>OPT-EM-LSWX</b>	INTERNAL	<b>OPT-NOPC</b>	REMOVE PHOTOCELL	N/A	<b>OPT-SEN-SLPIR</b>	EXTERNAL SECURITY LIGHT TYPE
	<b>VANDAL.RES.</b>	DESCRIPTION				<b>OPT-SEN-NLS-LSWX</b>	WG NETWORK SENSOR
	<b>OPT-TRS-T20</b>	Tamper Resistant Screw				<b>OPT-SEN-KEILTON</b>	KEILTON NETWORK SENSOR



**LFXU-25-75W**  
Bronze



**LFXU-90-150W**  
Bronze



**LFXU-25-75W-BK**  
Black



**LFXU-90-150W-BK**  
Black



Sensor-Ready  
Plug & Play



"Pole is not Incl"



Shown with LFXU-UPG  
"Pole is not Incl"

**URBAN AREA AND ROADWAY LIGHT FOR 4in POLES - PHOTOCELL READY MCTP WET DALI PLC UL LISTED**

CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>LFXU-25-75W-MCTP-PSR</b>	25W/50W/75W 150LM/W 30K/40K/50K Bronze <b>SENSOR READY</b>	2
<b>LFXU-25-75W-MCTP-PSR-BK</b>	25W/50W/75W 150LM/W 30K/40K/50K Black <b>SENSOR READY</b>	2
<b>LFXU-90-150W-MCTP-PSR</b>	90W/100W/150W 150LM/W 30K/40K/50K Bronze <b>SENSOR READY</b>	2
<b>LFXU-90-150W-MCTP-PSR-BK</b>	90W/100W/150W 150LM/W 30K/40K/50K Black <b>SENSOR READY</b>	2
<b>LFXU-LENS-TYPE2</b>	LFXU Type 2 Replacement Lens	
<b>LFXU-LENS-TYPE4</b>	LFXU Type 4 Replacement Lens	
<b>LFXU-UPG</b>	Universal Pole Grabber Mounting For 4" Square And Round Poles	
<b>LFXU-UPG-BK</b>	Universal Pole Grabber Mounting For 4" Square And Round Poles, Black	
<b>WEC-3PR-78-AJ-WH</b>	PIR Sensor 1-Pin Audio Jack Contact 600W 40Ft 120-277V 0-10V Bi-Level & RC <b>(Optional RC WEC-3RC)</b>	
<b>WEC-3PBT-78-AJ-WH</b>	PIR Sensor 1-Pin Audio Jack Contact 600W 40Ft 120-277V 0-10V Bi-Level <b>Bluetooth App Ready</b>	



**LFXE-MD-KN** Dark Bronze    **LFXE-MD-KN-BK** BLACK    **LFXE-MD-KN-WH** WHITE    **LFXE-MD-TR** Dark Bronze



Can be used as **BILBOARD/SIGN LIGHT**  
Shown with ACC-WMA-30-BR (See page 34)



**LFXE-LG**  
Dark Bronze



**LFXE-XL**  
Dark Bronze

**BUILDER SERIES FLOOD/AREA LIGHTS WITH PHOTOCELL**  
TYPE 3 LENS (PHOTOCELL DISCONNECT SWITCH)



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>POWER &amp; CCT ADJUSTABLE BUILDER SERIES FLOOD/AREA LIGHTS WITH PHOTOCELL MCTP</b>		
<b>LFXE-MD-50-100W-MCTP-KN-P</b>	50W/80W/100W 135LM/W 30K/40K/50K	4
<b>LFXE-MD-50-100W-MCTP-KN-P-BK</b>	50W/80W/100W 135LM/W 30K/40K/50K	4
<b>LFXE-MD-50-100W-MCTP-KN-P-WH</b>	50W/80W/100W 135LM/W 30K/40K/50K	4
<b>LFXE-MD-50-100W-MCTP-TR-P</b>	50W/80W/100W 135LM/W 30K/40K/50K	4
<b>POWER &amp; 3CCT ADJUSTABLE BUILDER SERIES FLOOD/AREA LIGHTS WITH PHOTOCELL (COMPATIBLE WITH LFX MOUNTING OPTIONS)</b>		
<b>LFXE-LG-80-150W-50K-P</b>	80W/100W/150W 135LM/W 5000K	1
<b>LFXE-LG-80-150W-MCTP-P</b>	80W/100W/150W 135LM/W 30K/40K/50K	1
<b>POWER &amp; 3CCT ADJUSTABLE BUILDER SERIES FLOOD/AREA LIGHTS WITH PHOTOCELL (COMPATIBLE WITH LFX MOUNTING OPTIONS)</b>		
<b>LFXE-XL-200-300W-50K-P</b>	200W/240W/300W 135LM/W 5000K	1
<b>LFXE-XL-200-300W-MCTP-P</b>	200W/240W/300W 135LM/W 30K/40K/50K	1

FOR OPT OPTION SEE PAGE 24.

FOR MOUNTING OPTIONS SEE PAGE 28. (LFX MOUNTING OPTIONS COMPATIBLE WITH LFXE-LG & LFXE-XL, LFXPRO, LFX, LF4PRO, LFXMAX, LF4MAX)

FOR COLD-WEATHER EM OPTION SEE PAGE 304



**LFX-LG**  
Dark Bronze

**LFX-XL**  
Dark Bronze

**LFX-XXL**  
Dark Bronze

**SPEC SERIES POWER-ADJUSTABLE AREA LIGHT, TYPE 3 LENS**



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>SPEC SERIES POWER-ADJUSTABLE FLOOD/AREA LIGHT, 120-277V</b>		
<b>LFX-LG-50-150W-30K</b>	50W/80W/100W/150W 140LM/W 3000K	1
<b>LFX-LG-50-150W-40K</b>	50W/80W/100W/150W 140LM/W 4000K	1
<b>LFX-XL-150-300W-30K</b>	150W/200W/240W/300W 145LM/W 3000K	1
<b>LFX-XL-150-300W-40K</b>	150W/200W/240W/300W 145LM/W 4000K	1
<b>LFX-XXL-300-600W-50K</b>	300W/400W/500W/600W 140LM/W 5000K	1
<b>SPEC SERIES POWER-ADJUSTABLE FLOOD/AREA LIGHT, 480V</b>		
<b>LFX-XXL-300-600W-50K-480V</b>	300W/400W/500W/600W 140LM/W 5000K	1

FOR OPT OPTION SEE PAGE 24.

FOR MOUNTING OPTIONS SEE PAGE 28. (LFX MOUNTING OPTIONS COMPATIBLE WITH LFXE-LG & LFXE-XL, LFXPRO, LFX, LF4PRO, LFXMAX, LF4MAX)

FOR COLD-WEATHER EM OPTION SEE PAGE 304

OUTDOOR  
AREA  
LIGHTS

WHILE SUPPLIES LAST



**LFX-LG**  
Dark Bronze

**LFX-XL**  
Dark Bronze

**LFX-XXL**  
Dark Bronze


**SPEC SERIES POWER-ADJUSTABLE AREA LIGHT, PHOTOCELL READY, TYPE 3 LENS**



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>SPEC SERIES POWER-ADJUSTABLE FLOOD/AREA LIGHT, PHOTOCELL READY, 120-277V</b>		
<b>LFX-LG-50-150W-30K-SC</b>	50W/80W/100W/150W 140LM/W 3000K	1
<b>LFX-LG-50-150W-40K-SC</b>	50W/80W/100W/150W 140LM/W 4000K	1
<b>LFX-LG-50-150W-50K-SC</b>	50W/80W/100W/150W 140LM/W 5000K	1
<b>LFX-XL-150-300W-30K-SC</b>	150W/200W/240W/300W 145LM/W 3000K	1
<b>LFX-XL-150-300W-40K-SC</b>	150W/200W/240W/300W 145LM/W 4000K	1
<b>LFX-XL-150-300W-50K-SC</b>	150W/200W/240W/300W 145LM/W 5000K	1
<b>LFX-XXL-300-600W-50K-SC</b>	300W/400W/500W/600W 140LM/W 5000K	1
<b>SPEC SERIES POWER-ADJUSTABLE FLOOD/AREA LIGHT, PHOTOCELL READY, 480V</b>		
<b>LFX-LG-80-150W-MCTP-480V-SC</b>	80W/100W/150W 145LM/W 30K/40K/50K	1
<b>LFX-XL-200-300W-MCTP-480V-SC</b>	200W/240W/300W 145LM/W 30K/40K/50K	1
<b>LFX-XXL-300-600W-50K-480V-SC</b>	300W/400W/500W/600W 140LM/W 5000K	1

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
LFX-LG	<b>OPT-EM-LFX-LG</b>	EXTERNAL	<b>OPT-3MPC</b>	ELECTRONIC	<b>OPT-CLR-95(BK/GR/SR/WH)</b>	<b>OPT-SEN-3MR-3</b>	PROGRAMMABLE MICROWAVE BI-LEVEL
LFX-XL	<b>OPT-EM-LFX-XL</b>	EXTERNAL BOX	<b>OPT-LF3-PCK</b>	TWIST-LOCK	<b>OPT-CLR-MC (390 SET UP FEE PER PROJECT)</b>	<b>OPT-SEN-NLS-LFX</b> <b>OPT-SEN-KEILTON</b> <b>WEC-8RC</b>	WG NETWORK SENSOR KEILTON NETWORK SENSOR REMOTE CONTROL
	<b>LENS OPTION</b>	<b>DESCRIPTION</b>	<b>OPT-LF3-PCK-480V</b>	TWIST-LOCK			
	<b>OPT-LFX-LG-TYPEIV</b>	TYPE IV	<b>WIRES PULLED OUT</b>	<b>DESCRIPTION</b>			
	<b>OPT-LFX-XL-TYPEIV</b>	TYPE IV	<b>OPT-010WPO</b>	0-10V Dim. Wires Pulled Out			
	<b>OPT-LFX-LG-TYPEV</b>	TYPE V					
	<b>OPT-LFX-XL-TYPEV</b>	TYPE V					



**LFXPRO-LG**  
Dark Bronze

**LFXPRO-LG**  
White

**LFXPRO-LG**  
Black

**LFXPRO-XL**  
Dark Bronze

**LFXPRO-XL**  
White

**LFXPRO-XL**  
Black

**SPEC PLUS POWER & CCT ADJUSTABLE AREA LIGHT, 120-277V TYPE 3 LENS**



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>LFXPRO-LG-50-150W-MCTP</b>	50W/80W/100W/150W 125LM/W 30K/40K/50K/57K	1
<b>LFXPRO-LG-50-150W-MCTP-WH</b>	50W/80W/100W/150W 125LM/W 30K/40K/50K/57K	1
<b>LFXPRO-LG-50-150W-MCTP-BK</b>	50W/80W/100W/150W 125LM/W 30K/40K/50K/57K	1
<b>LFXPRO-XL-150-300W-MCTP</b>	150W/200W/240W/300W 125LM/W 30K/40K/50K/57K	1
<b>LFXPRO-XL-150-300W-MCTP-WH</b>	150W/200W/240W/300W 125LM/W 30K/40K/50K/57K	1
<b>LFXPRO-XL-150-300W-MCTP-BK</b>	150W/200W/240W/300W 125LM/W 30K/40K/50K/57K	1

FOR OPT OPTION SEE PAGE 24.

FOR MOUNTING OPTIONS SEE PAGE 28. (LFX MOUNTING OPTIONS COMPATIBLE WITH LFXE-LG & LFXE-XL, LFXPRO, LFX, LF4PRO, LFXMAX, LF4MAX)

FOR COLD-WEATHER L EM OPTION SEE PAGE 304





Field changeable Lens



Shown with Half Shroud



Photocell & Sensor-Ready Plug & Play

**LFXMAX SPEC SIGNATURE MAXIMUM-FEATURE AREA LIGHT, SENSOR & PHOTOCELL READY, ROTATABLE LENS - TYPE 3 STANDARD**



OUTDOOR  
AREA LIGHTS

CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>LFXMAX SPEC SIGNATURE MAXIMUM-FEATURE AREA LIGHT, WATTAGE &amp; CCT SELECTABLE</b>		
LFXMAX-LG-70-150W-MCTP-PSR	70W/100W/150W 145LM/W 30K/40K/50K	1
LFXMAX-XL-200-300W-MCTP-PSR	200W/250W/300W 145LM/W 30K/40K/50K	1
LFXMAX-XXL-250-450W-MCTP-PSR	250W/350W/450W 145LM/W 30K/40K/50K	1
LFXMAX-LG-70-150W-MCTP-PSR-480V	70W/100W/150W 145LM/W 30K/40K/50K	1
LFXMAX-XL-200-300W-MCTP-PSR-480V	200W/250W/300W 145LM/W 30K/40K/50K	1
LFXMAX-XXL-250-450W-MCTP-480V	250W/350W/450W 145LM/W 30K/40K/50K	1
<b>LFXMAX SPEC SIGNATURE MAXIMUM-FEATURE AREA LIGHT, WATTAGE &amp; CCT &amp; BEAM ANGLE SELECTABLE</b>		
LFXMAX-LG-70-150W-MCTPB-PSR	70W/100W/150W 145LM/W 30K/40K/50K	1
LFXMAX-XL-200-300W-MCTPB-PSR	200W/250W/300W 145LM/W 30K/40K/50K	1
LFXMAX-TR-A	LFMAX-LG TR U-Shaped Mounting Bracket	
LFXMAX-LG-SHROUD-H	LFMAX-LG Half Shroud	
LFXMAX-XL-SHROUD-H	LFMAX-XL Half Shroud	
LFXMAX-LG-LENS-T1S	LFMAX-LG Type T1S Lens	
LFXMAX-LG-LENS-T2M	LFMAX-LG Type T2M Lens	
LFXMAX-LG-LENS-T4M	LFMAX-LG Type T4M Lens	
LFXMAX-LG-LENS-T5M	LFMAX-LG Type T5M Lens	
LFXMAX-LG-LENS-TFTM	LFMAX-LG Type TFTM Lens	
LFXMAX-LG-LENS-AFR	LFMAX-LG Type AFR Lens	
LFXMAX-LG-LENS-T5W	LFMAX-LG Type T5W Lens	
LFXMAX-XL-LENS-T1S	LFMAX-XL Type T1S Lens	
LFXMAX-XL-LENS-T2M	LFMAX-XL Type T2M Lens	
LFXMAX-XL-LENS-T4M	LFMAX-XL Type T4M Lens	
LFXMAX-XL-LENS-T5M	LFMAX-XL Type T5M Lens	
LFXMAX-XL-LENS-TFTM	LFMAX-XL Type TFTM Lens	
LFXMAX-XL-LENS-AFR	LFMAX-XL Type AFR Lens	
LFXMAX-XL-LENS-T5W	LFMAX-XL Type T5W Lens	
LFXMAX-XXL-LENS-T4	LFMAX-XXL Type T4 Lens	
LFXMAX-XXL-LENS-T5	LFMAX-XXL Type T5 Lens	
PC-TWIST	Twist Lock Photocell 1800W Tungston 120-277V Ac /1800W	
PC-TWIST-480V	Twist Lock Photocell 1800W Tungston 490V	
WEC-3PR-78-AJ-WH	PIR Sensor 1-Pin Audio Jack Contact 600W 40Ft 120-277V 0-10V Bi-Level & RC (Optional RC WEC-3RC)	
WEC-3PBT-78-AJ-WH	PIR Sensor 1-Pin Audio Jack Contact 600W 40Ft 120-277V 0-10V Bi-Level Bluetooth App Ready	



FOR COLD-WEATHER EM OPTION SEE PAGE 304

FOR OPT OPTION SEE PAGE 24.

FOR MOUNTING OPTIONS SEE PAGE 28. (LFX MOUNTING OPTIONS COMPATIBLE WITH LFXE-LG & LFXE-XL, LFXPRO, LFX, LF4PRO, LFXMAX, LF4MAX)



GPX-18-60W-MCTP-PWM  
Pole/Wall Mount



GPX-18-60W-MCTP-SF  
Slip fitter for 2-3/8" Pole  
"POLE IS NOT INCL."

**SPEC SERIES POWER & CCT- ADJUSTABLE AREA/FLOOD LIGHT MTO made to order**

W/ PRE-INSTALLED MOUNTINGS, 120-277V, TYPE 3 LENS



DESCRIPTION	MOUNTING	PKG. QTY.
<b>GPX-18-60W-MCTP-PWM</b> 18W/30W/45W/60W 150LM/W 30K/40K/50K Pole/Wall Mount		1
<b>GPX-18-60W-MCTP-SF</b> 18W/30W/45W/60W 150LM/W 30K/40K/50K Slip fitter for 2-3/8" Poles/Piles		1
<b>GPX-22-75W-MCTP-PWM</b> 22W/37W/56W/75W 150LM/W 40K/50K Pole/Wall Mount		1
<b>GPX-22-75W-MCTP-SF</b> 22W/37W/56W/75W 150LM/W 40K/50K Slip fitter for 2-3/8" Poles/Piles		1
<b>GPX-90-150W-MCTP-PWM</b> 90W/120W/150W 150LM/W 30K/40K/50K Pole/Wall Mount		1
<b>GPX-90-150W-MCTP-SF</b> 90W/120W/150W 150LM/W 30K/40K/50K Slip fitter for 2-3/8" Poles/Piles		1

FOR GPX OPTIONS & ACCESSORIES SEE PAGE 73.



LF4MAX-KN  
Bronze



LF4MAX-KN-BK  
Black



LF4MAX-KN-WH  
White



Architectural Round-Back  
Design

**LF4MAX SPEC SIGNATURE MAXIMUM-FEATURE ROUND-BACK FLOOD LIGHT WITH KNUCKLE FULL CONTROL OF BEAM ANGLE, CCT, WATTS, PHOTOCCELL**



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>LF4MAX-SM-15-35W-MCTPB-KN-P</b>	15W/25W/35W 140LM/W 30K/40K/50K Bronze	1
<b>LF4MAX-SM-15-35W-MCTPB-KN-P-BK</b>	15W/25W/35W 140LM/W 30K/40K/50K Black	1
<b>LF4MAX-SM-15-35W-MCTPB-KN-P-WH</b>	15W/25W/35W 140LM/W 30K/40K/50K White	1
<b>LF4MAX-MD-20-50W-MCTPB-KN-P</b>	20W/30W/50W 140LM/W 30K/40K/50K Bronze	1
<b>LF4MAX-MD-20-50W-MCTPB-KN-P-BK</b>	20W/30W/50W 140LM/W 30K/40K/50K Black	1
<b>LF4MAX-MD-20-50W-MCTPB-KN-P-WH</b>	20W/30W/50W 140LM/W 30K/40K/50K White	1
<b>LF4MAX-MD-45-80W-MCTPB-KN-P</b>	45W/60W/80W 140LM/W 30K/40K/50K Bronze	1
<b>LF4MAX-MD-45-80W-MCTPB-KN-P-BK</b>	45W/60W/80W 140LM/W 30K/40K/50K Black	1
<b>LF4MAX-MD-45-80W-MCTPB-KN-P-WH</b>	45W/60W/80W 140LM/W 30K/40K/50K White	1

**LF4MAX SPEC SIGNATURE MAXIMUM-FEATURE ROUND-BACK FLOOD LIGHT WITH U BRACKET FULL CONTROL OF BEAM ANGLE, CCT, WATTS, PHOTOCCELL**



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>SPEC SIGNATURE MAXIMUM-FEATURE ROUND-BACK FLOOD LIGHT WITH U BRACKET 120-277V</b>		
<b>LF4MAX-SM-15-35W-MCTPB-TR-P</b>	15W/25W/35W 140LM/W 30K/40K/50K Bronze	1
<b>LF4MAX-MD-20-50W-MCTPB-TR-P</b>	20W/30W/50W 140LM/W 30K/40K/50K Bronze	1
<b>LF4MAX-MD-45-80W-MCTPB-TR-P</b>	45W/60W/80W 140LM/W 30K/40K/50K Bronze	1
<b>LF4MAX-LG-75-150W-MCTPB-TR-P</b>	75W/100W/150W 140LM/W 30K/40K/50K Bronze	1
<b>LF4MAX-XL-200-300W-MCTPB-TR-P</b>	200W/240W/300W 140LM/W 30K/40K/50K Bronze	1
<b>SPEC SIGNATURE MAXIMUM-FEATURE ROUND-BACK FLOOD LIGHT WITH U BRACKET 480V</b>		
<b>LF4MAX-LG-150W-MCTPB-TR-P-480V</b>	75W/100W/150W 140LM/W 30K/40K/50K Bronze	1
<b>LF4MAX-XL-300W-MCTPB-TR-P-480V</b>	200W/240W/300W 140LM/W 30K/40K/50K Bronze	1



**LF4MAX-LG**  
Bronze



**LF4MAX-LG-BK**  
Black



**LF4MAX-LG-WH**  
White



Shown with  
Slip Fitter



**LF4MAX-XL**  
Bronze



**LF4MAX-XL-BK**  
Black



**LF4MAX-XL-WH**  
White



Shown with  
Slip Fitter

OUTDOOR  
AREA  
LIGHTS

**LF4MAX SPEC SIGNATURE MAXIMUM-FEATURE ROUND-BACK FLOOD LIGHT  
FULL CONTROL OF BEAM ANGLE, CCT, WATTS, PHOTOCELL**



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>SPEC SIGNATURE MAXIMUM-FEATURE ROUND-BACK FLOOD LIGHT 120-277V</b>		
<b>LF4MAX-LG-75-150W-MCTPB-P</b>	75W/100W/150W 140LM/W 30K/40K/50K Bronze	1
<b>LF4MAX-LG-75-150W-MCTPB-P-BK</b>	75W/100W/150W 140LM/W 30K/40K/50K Black	1
<b>LF4MAX-LG-75-150W-MCTPB-P-WH</b>	75W/100W/150W 140LM/W 30K/40K/50K White	1
<b>LF4MAX-XL-200-300W-MCTPB-P</b>	200W/240W/300W 140LM/W 30K/40K/50K Bronze	1
<b>LF4MAX-XL-200-300W-MCTPB-P-BK</b>	200W/240W/300W 140LM/W 30K/40K/50K Black	1
<b>LF4MAX-XL-200-300W-MCTPB-P-WH</b>	200W/240W/300W 140LM/W 30K/40K/50K White	1
<b>SPEC SIGNATURE MAXIMUM-FEATURE ROUND-BACK FLOOD LIGHT 480V</b>		
<b>LF4MAX-LG-150W-MCTPB-P-480V</b>	75W/100W/150W 140LM/W 30K/40K/50K White	1
<b>LF4MAX-XL-300W-MCTPB-P-480V</b>	200W/240W/300W 140LM/W 30K/40K/50K White	1



FOR COLD-WEATHER EM OPTION SEE PAGE 304  
 FOR OPT OPTION SEE PAGE 24.  
 FOR MOUNTING OPTIONS SEE PAGE 28 (LFX MOUNTING OPTIONS COMPATIBLE WITH LFXE-LG & LFXE-XL, LFXPRO, LFX, LF4PRO, LFXMAX, LF4MAX)



**LF4PRO**  
Dark Bronze



Shown with  
LFX-SF Slip Fitter

**SPEC SERIES POWER & CCT ADJUSTABLE  
ARCHITECTURAL ROUND-BACK FLOOD LIGHT, 120-277V**



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>LF4PRO-50-150W-MCTP</b>	50W/80W/100W/150W 125LM/W 30K/40K/50K/57K	1



FOR COLD-WEATHER EM OPTION SEE PAGE 304  
 FOR OPT OPTION SEE PAGE 24.  
 FOR MOUNTING OPTIONS SEE PAGE 28 (LFX MOUNTING OPTIONS COMPATIBLE WITH LFXE-LG & LFXE-XL, LFXPRO, LFX, LF4PRO, LFXMAX, LF4MAX)

**MOUNTING OPTIONS FOR LFX, LFXPRO, LF4PRO, LFXE, LFXMAX SERIES**

OUTDOOR  
AREA  
LIGHTS



**LFX-SF (Bronze)**

**LFX-SF-WH (White)**

**LFX-SF-BK (Black)**

Slip Fitter for LFX & LFX-XXL & LFXPRO & LFXMAX & LF4PRO & LFXE Series



**LFX-EXT (Bronze)**

**LFX-EXT-WH (White)**

**LFX-EXT-BK (Black)**

Straight Arm for LFX & LFX-XXL & LFXPRO & LFXMAX & LF4PRO & LFXE Series



**LFX-ASA (Bronze)**

**LFX-ASA-WH (White)**

**LFX-ASA-BK (Black)**

Adjustable Straight Arm for LFX & LFX-XXL & LFXPRO & LFXMAX & LF4PRO & LFXE Series



**LFX-AWB (Bronze)**

**LFX-AWB-WH (White)**

**LFX-AWB-BK (Black)**

Adjustable Wall Junction Box for LFX & LFX-XXL & LFXMAX & LFXPRO & LF4PRO & LFXE Series



**LFX-YK (Bronze)**

**LFX-YK-WH (White)**

**LFX-YK-BK (Black)**

Yoke for LFX & LFX-XXL & LFXPRO & LFXMAX & LF4PRO & LFXE Series



**LFX-TR-A (Bronze)**

**LFX-TR-A-WH (White)**

**LFX-TR-A-BK (Black)**

U Bracket for LFX & LFXPRO "LG" & LF4PRO & LFXE Series



**LFX-TR-B (Bronze)**

**LFX-TR-B-WH (White)**

**LFX-TR-B-BK (Black)**

U Bracket for LFX "XL" & LFX-XXL & LFXPRO "XL" & LFXE Series



**LFX-PASF (Bronze)**

**LFX-PASF-WH (White)**

**LFX-PASF-BK (Black)**

Pole Adapter for Slip Fitter for LFX & LFX-XXL & LFXMAX & LFXPRO & LF4PRO & LFXE Series

**PHOTOCELL FOR LFX SERIES**

**Microwave Photocell**



**OPT-3MPC**


**Twist-Lock Photocell Kit**



**OPT-LF3-PCK**

**OPT-LF3-PCK-480V**

**PHOTOCELL FOR LFXE SERIES**



**OPT-3MPC**

COMPATIBLE WITH  
EXT, ASA, SF MOUNTING

**7-PIN SOCKET FOR  
SMART CONTROL RECEIVERS**

RECEIVER NOT  
INCL.



**SMART CONTROL  
RECEIVER SOCKET**

**OPT-TLS0C7P**



**LF-SHROUD-A**  
Dark Bronze  
Reversible



**LF-SHROUD-D**  
Dark Bronze



**LF-SHROUD-B**  
Dark Bronze  
Reversible



**LF-SHROUD-E**  
Dark Bronze



**LF-SHROUD-F**  
Dark Bronze



**LF-SHROUD-G**  
Dark Bronze



**LFX-WG-A**  
**LFX-WG-B**  
**LFXPRO-WG-A**  
**LFXPRO-WG-B**

**SHROUD & WIRE GUARD FOR LFX, LFX PRO, LF4 PRO SERIES**

CATALOG NO.	DESCRIPTION
<b>LF-SHROUD-A</b>	Half Shroud for LFX & LFXPRO "LG" & LF4PRO Series, Reversible (Back or Front)
<b>LF-SHROUD-B</b>	Half Shroud for LFX & LFXPRO "XL" Series, Reversible (Back or Front)
<b>LF-SHROUD-F</b>	Half Shroud for LFX "XXL" Series
<b>LF-SHROUD-D</b>	Full Shroud for LFX & LFXPRO "LG" & LF4PRO Series
<b>LF-SHROUD-E</b>	Full Shroud for LFX & LFXPRO "XL" Series
<b>LF-SHROUD-G</b>	Full Shroud for LFX "XXL" Series
<b>LFX-WG-A</b>	Wire Guard for LFX "LG" Series
<b>LFX-WG-B</b>	Wire Guard for LFX "XL" Series
<b>LFXPRO-WG-A</b>	Wire Guard for LFXPRO "LG" Series
<b>LFXPRO-WG-B</b>	Wire Guard for LFXPRO "XL" Series

Now available  
With A Built-in  
Photocell  
Switch



**LFX-XS**  
Dark Bronze



**LFX-SM**  
Dark Bronze



**LFX-SM**  
White



**LFX-SM**  
Black



**LFX-SM**  
Silver



**LFX-MD**  
Dark Bronze



**LFX-MD**  
White



**LFX-MD**  
Black



**LFX-MD**  
Silver

OUTDOOR  
FLOOD  
LIGHTS

## SPEC SERIES X-GEN. SMALL FLOOD LIGHTS

0-10V DIM., INCL. MULTI POWER & MULTI POWER + 3CCT (WITH KNUCKLE) 120-277V



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>EXTRA SMALL FLOOD LIGHT</b>		
LFX-XS-15W-30K-KN	15W 1950LM 3000K	18
LFX-XS-15W-40K-KN	15W 1950LM 4000K	18
LFX-XS-15W-50K-KN	15W 1950LM 5000K	18
<b>POWER-ADJUSTABLE SMALL FLOOD LIGHT <b>MP</b></b>		
LFX-SM-10-30W-30K-KN	10W/15W/20W/30W 130LM/W 3000K	10
LFX-SM-10-30W-40K-KN	10W/15W/20W/30W 130LM/W 4000K	10
LFX-SM-10-30W-50K-KN	10W/15W/20W/30W 130LM/W 5000K	10
LFX-MD-15-50W-30K-KN	15W/20W/30W/50W 130LM/W 3000K	6
LFX-MD-15-50W-40K-KN	15W/20W/30W/50W 130LM/W 4000K	6
LFX-MD-15-50W-50K-KN	15W/20W/30W/50W 130LM/W 5000K	6
<b>POWER &amp; CCT-ADJUSTABLE SMALL FLOOD LIGHT <b>MCTP</b></b>		
LFX-SM-10-30W-MCTP-KN	10W/15W/20W/30W 130LM/W 30K/40K/50K/57K	6
LFX-SM-10-30W-MCTP-KN-WH	10W/15W/20W/30W 130LM/W 30K/40K/50K/57K	6
LFX-SM-10-30W-MCTP-KN-BK	10W/15W/20W/30W 130LM/W 30K/40K/50K/57K	6
LFX-SM-10-30W-MCTP-KN-SV	10W/15W/20W/30W 130LM/W 30K/40K/50K/57K	6
LFX-MD-15-50W-MCTP-KN	15W/20W/30W/50W 130LM/W 30K/40K/50K/57K	6
LFX-MD-15-50W-MCTP-KN-WH	15W/20W/30W/50W 130LM/W 30K/40K/50K/57K	6
LFX-MD-15-50W-MCTP-KN-BK	15W/20W/30W/50W 130LM/W 30K/40K/50K/57K	6
LFX-MD-15-50W-MCTP-KN-SV	15W/20W/30W/50W 130LM/W 30K/40K/50K/57K	6
<b>POWER &amp; CCT-ADJUSTABLE SMALL FLOOD LIGHT WITH PHOTOCELL <b>MCTP</b></b>		
LFX-SM-10-30W-MCTP-KN-P	10W/20W/30W 130LM/W 30K/40K/50K/57K	6
LFX-SM-10-30W-MCTP-KN-WH-P	10W/20W/30W 130LM/W 30K/40K/50K/57K	6
LFX-SM-10-30W-MCTP-KN-BK-P	10W/20W/30W 130LM/W 30K/40K/50K/57K	6
LFX-SM-10-30W-MCTP-KN-SV-P	10W/20W/30W 130LM/W 30K/40K/50K/57K	6
LFX-MD-30-50W-MCTP-KN-P	30W/40W/50W 130LM/W 30K/40K/50K/57K	6
LFX-MD-30-50W-MCTP-KN-WH-P	30W/40W/50W 130LM/W 30K/40K/50K/57K	6
LFX-MD-30-50W-MCTP-KN-BK-P	30W/40W/50W 130LM/W 30K/40K/50K/57K	6
LFX-MD-30-50W-MCTP-KN-SV-P	30W/40W/50W 130LM/W 30K/40K/50K/57K	6



**LFE-15W**  
Dark Bronze



**LFE-30W**  
Dark Bronze



**LFE-50W**  
Dark Bronze

Now available  
With A Built-in  
Photocell  
Switch

**BUILDER SERIES COMPACT FLOOD LIGHTS, INCL. 3CCT VERSIONS WITH 1/2" KNUCKLE, 120V**



CATALOG NO.	DESCRIPTION	PKG. QTY.
LFE-15W-30K-KN	15W 1600LM 3000K	48
LFE-15W-40K-KN	15W 1600LM 4000K	48
LFE-15W-50K-KN	15W 1600LM 5000K	48
<b>3CCT VERSION COMPACT FLOOD LIGHTS MCT<sub>3</sub></b>		
LFE-30W-MCT-KN	30W 3250LM 30K/40K/50K	24
<b>3CCT VERSION COMPACT FLOOD LIGHTS WITH MCT<sub>3</sub></b>		
LFE-15W-MCT-KN-P	15W 1600LM 30K/40K/50K	48
LFE-30W-MCT-KN-P	30W 3250LM 30K/40K/50K	24
LFE-50W-MCT-KN-P	50W 5250LM 30K/40K/50K	16



**LF4-15W-50K-KN**  
**LF4-15W-30K-KN**  
Dark Bronze



**LF4-30W-50K-D-KN**  
**LF4-30W-30K-D-KN**  
Dark Bronze



**LF4-50W-50K-D-KN**  
**LF4-50W-30K-D-KN**  
Dark Bronze

**SPEC SERIES LED ARCHITECTURAL ROUND-BACK FLOOD LIGHTS, 0-10V DIMMING 120-277V**



CATALOG NO.	DESCRIPTION	PKG. QTY.
LF4-15W-50K-KN	15W 1900LM 5000K	12
LF4-15W-30K-KN	15W 1900LM 3000K	12
LF4-30W-50K-D-KN	30W 4050LM 5000K	6
LF4-30W-30K-D-KN	30W 4050LM 3000K	6
LF4-50W-50K-D-KN	50W 6750LM 5000K	6
LF4-50W-30K-D-KN	50W 6750LM 3000K	6



LED ARCHITECTURAL ROUND-BACK FLOOD LIGHTS, 120V-277V



CATALOG NO.	DESCRIPTION	REPLACEMENT RANGE	PKG. QTY.
<b>LF4-12CW-KN</b>	12W <b>1300LM</b> 5000K	50-70 MH	12

WHILE SUPPLIES LAST



LF4 with Half Shroud



LF3-HL with Half Shroud



LF4 with Full-Glare Shroud



LF3-HL with Full-Glare Shroud

SHROUD FOR LFX, LF3 & LF4 SMALL SERIES

CATALOG NO.	DESCRIPTION
<b>LF4-SH1</b>	Fits LF4-12W & 15W, LF4-12V-6W & 12W (Polycarbonate)
<b>LF4-SH2</b>	Fits LF4-30W, LF4-12V-24W & 30W (Polycarbonate)
<b>LF4-SH3</b>	Fits LF4-50W, LF4-12V-50W (Polycarbonate)
<b>LF4-SH4</b>	Fits LF4-80W & 100W, (Aluminum)
<b>LF4-SH5</b>	Fits LF4-150W (Aluminum)
<b>LF3-SH1</b>	Shroud for LFX-SM* & LF3-30W & LF3-HL-30W, Reversible, Aluminum
<b>LF3-SH2</b>	Shroud for LFX-SM-MCTP & LFX-MD & LF3-50W & LF3-HL-50W, Reversible, Aluminum
<b>LF3-SH1FG</b>	Full-Glare Shroud for LF3-30W & LF3-HL-30W & LF4-12W & LF4-30W, Aluminum
<b>LF3-SH2FG</b>	Full-Glare Shroud for LF3-50W & LF3-HL-50W & LF4-50W, Aluminum



LED FLOOD LIGHTS LF3 SERIES WITH U BRACKET, 120-277V (NOT DIMMABLE)



CATALOG NO.	DESCRIPTION	WHILE SUPPLIES LAST
<b>LF3-WH-30W-TR</b>	30W <b>3600LM</b> 3000K TRUNNION	
<b>LF3-30W-TR</b>	30W <b>3600LM</b> 3000K TRUNNION	
<b>LF3-30W-TR</b>	30W <b>3600LM</b> 4000K TRUNNION	
<b>LF3-50W-TR</b>	50W <b>6100LM</b> 4000K TRUNNION	
<b>LF3-50CW-TR</b>	50W <b>6100LM</b> 5000K TRUNNION	
<b>LF3-100W-TR</b>	100W <b>10000LM</b> 3000K TRUNNION	

WHILE SUPPLIES LAST

**FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**


WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
LFX-MD-KN & LFX-MD-TR	N/A	N/A	OPT-PC-BUM	BUTTON	N/A	N/A	N/A



LFE-15W-30K-TR  
LFE-15W-40K-TR  
LFE-15W-50K-TR  
Dark Bronze



LFE-15W-MCT-TR  
LFE-30W-MCT-TR  
Dark Bronze



LFE-50W-MCT-TR  
Dark Bronze

OUTDOOR  
FLOOD  
LIGHTS

**BUILDER SERIES COMPACT FLOOD LIGHTS, INCL. 3CCT VERSIONS WITH U BRACKET, 120V**



CATALOG NO.	DESCRIPTION	PKG. QTY.
LFE-15W-30K-TR	15W 1600LM 3000K	48
LFE-15W-40K-TR	15W 1600LM 4000K	48
LFE-15W-50K-TR	15W 1600LM 5000K	48
<b>3CCT VERSION COMPACT FLOOD LIGHTS</b>		
LFE-15W-MCT-TR	15W 1600LM 3000K/4000K/5000K	48
LFE-30W-MCT-TR	30W 3250LM 3000K/4000K/5000K	24
LFE-50W-MCT-TR	50W 5250LM 3000K/4000K/5000K	16
<b>3CCT VERSION COMPACT FLOOD LIGHTS WITH</b>		
LFE-15W-MCT-TR-P	15W 1600LM 3000K/4000K/5000K	48
LFE-30W-MCT-TR-P	30W 3250LM 3000K/4000K/5000K	24
LFE-50W-MCT-TR-P	50W 5250LM 3000K/4000K/5000K	16



LFX-XS  
Dark Bronze



LFX-SM  
Dark Bronze



LFX-MD  
Dark Bronze

Now  
With A Built-in  
Photocell  
Switch

**SPEC SERIES X-GEN. SMALL FLOOD LIGHTS**

0-10V DIM., INCL. MULTI POWER & MULTI POWER + 3CCT (WITH U BRACKET) 120-277V



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>EXTRA SMALL FLOOD LIGHT</b>		
LFX-XS-15W-30K-TR	15W 1950LM 3000K	18
LFX-XS-15W-40K-TR	15W 1950LM 4000K	18
LFX-XS-15W-50K-TR	15W 1950LM 5000K	18
<b>POWER-ADJUSTABLE SMALL FLOOD LIGHT</b>		
LFX-SM-10-30W-30K-TR	10W/15W/20W/30W 130LM/W 3000K	10
LFX-SM-10-30W-50K-TR	10W/15W/20W/30W 130LM/W 5000K	10
LFX-MD-15-50W-30K-TR	15W/20W/30W/50W 130LM/W 3000K	10
LFX-MD-15-50W-50K-TR	15W/20W/30W/50W 130LM/W 5000K	10
<b>POWER &amp; CCT-ADJUSTABLE SMALL FLOOD LIGHT</b>		
LFX-SM-10-30W-MCTP-TR	10W/15W/20W/30W 130LM/W 30K/40K/50K/57K	6
LFX-MD-15-50W-MCTP-TR	15W/20W/30W/50W 130LM/W 30K/40K/50K/57K	6
<b>POWER &amp; CCT-ADJUSTABLE SMALL FLOOD LIGHT WITH PHOTOCELL</b>		
LFX-SM-10-30W-MCTP-TR-P	10W/20W/30W 130LM/W 30K/40K/50K/57K	6
LFX-MD-30-50W-MCTP-TR-P	30W/40W/50W 130LM/W 30K/40K/50K/57K	6



**LFE-80W-MCT-D**  
**LFE-100W-MCT-D**  
Dark Bronze



Shown with  
1/2in knuckle mounting option,  
fits 80w and larger



Shown with  
bottom bracket mounting  
option, fits 80w and larger



Shown with  
Slip fitter mounting option,  
fits 80w and larger

**COMPACT FLOOD LIGHTS**  
3CCT VERSIONS, 120~277V, MOUNTING OPT. SOLD SEPARATELY



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>LFE-80W-MCT-D</b>	80W <b>10500LM</b> 3000K/4000K/5000K	1
<b>LFE-100W-MCT-D</b>	100W <b>13000LM</b> 3000K/4000K/5000K	1
<b>LFE-KN</b>	LFE 1/2in knuckle mounting option, fits 80w and larger	
<b>LFE-SF</b>	LFE slip fitter mounting option, fits 80w and larger	
<b>LFE-YK</b>	LFE bottom bracket mounting option, fits 80w and larger	



**LF4PRO**  
Dark Bronze



Shown with  
LFX-SF Slip Fitter

**SPEC SERIES POWER & CCT ADJUSTABLE**  
ARCHITECTURAL ROUND-BACK FLOOD LIGHT, 120-277V



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>LF4PRO-50-150W-MCTP</b>	50W/80W/100W/150W <b>125LM/W</b> 30K/40K/50K/57K FOR MOUNTING OPTIONS SEE PAGE 28. (LFX MOUNTING OPTIONS COMPATIBLE WITH LFXE-LG & LFXE-XL, LFXPRO, LFX, LF4PRO, LFXMAX)	1



**LFCO-50W-50K**  
Dark Bronze



**LFCO-SA**  
Straight Arm



**LFCO-SF**  
Slip Fitter



**LFCO-TRI**  
(For 50W, 80W, 100W, 150W)  
"U" Bracket

**ECONOMY FLOOD/AREA LIGHT SERIES TYPE 3 LENSES**

Dark Bronze



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>LFCO-50W-40K</b>	50W <b>6900LM</b> 4000K	1

**FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
UP TO 230W 300W	<b>OPT-EM-002HEXT</b>	EXTERNAL BOX	<b>OPT-3MPC</b>	ELECTRONIC	<b>OPT-CLR-95(BK/GR/SR/WH)</b> (300W Only)	<b>OPT-SEN-3MR-3</b>	PROGRAMMABLE MICROWAVE BI-LEVEL
	<b>OPT-EM-002EXT</b>	EXTERNAL		WIRES PULLED OUT DESCRIPTION		<b>OPT-SEN-NLS-LFCO</b>	WG NETWORK SENSOR
			<b>OPT-010WPO</b>	0-10V Dim. Wires Pulled Out			<b>OPT-SEN-KEILTON</b>
						<b>WEC-8RC</b>	REMOTE CONTROL



**PSS3SVTZ**  
**PSS4SVTZ**  
**PSS5SVTZ**  
Dark Bronze

**PRPT3**  
**PRPT4**  
**PRPT5**  
**PRPT6**  
Dark Bronze

**PSR4**  
Dark Bronze

**LF-AD-SF**  
Dark Bronze

**LF-AD-KNU**  
Dark Bronze

**PSS4C**  
Dark Bronze

**PSS3R**  
Dark Bronze

**POLE/ADAPTER ACCESSORIES, BRONZE FINISH**

CATALOG NO.	DESCRIPTION
<b>PSS3SVTZ</b>	3" square pole vertical tenon, 3", bronze. Goes inside 3" pole to accept 2" slip fitter.
<b>PSS4SVTZ</b>	4" square pole vertical tenon, 4", bronze. Goes inside 4" pole to accept 2" slip fitter.
<b>PSS5SVTZ</b>	5" square pole vertical tenon, 5", bronze. Goes inside 5" pole to accept 2" slip fitter.
<b>PRPT3</b>	Tenon adaptor, 3" round pole, to standard tenon, bronze
<b>PRPT4</b>	Tenon adaptor, 4" round pole, to standard tenon, bronze
<b>PRPT5</b>	Tenon adaptor, 5" round pole, to standard tenon, bronze
<b>PRPT6</b>	Tenon adaptor, 6" round pole, to standard tenon, bronze
<b>PSR4</b>	Round to Square Adapter kit for 3", 4" and 5" round poles Separate gasket provided for each size pole.
<b>LF-AD-SF</b>	Slip onto pole top 2" Dim. fixture mounts directly on the side or top of the fixture
<b>LF-AD-KNU</b>	Fits over a standard tenon or bullhorn to adapt it to a 1/2" NPT threaded hub for knuckle fixtures
<b>PSS4C</b>	Pole cap polycarbonate
<b>PSS3R</b>	3" CenterBullhorn replacement cap



**LF3-WMA**  
Dark Bronze

**LFX-PASF**  
Dark Bronze

**ACC-WM2**  
Dark Bronze

**ACC-WM3**  
Dark Bronze

**ACC-WM4**  
Dark Bronze

**ACC-ACM**  
Dark Bronze

**ACC-WMA**

**ACC-AWMA-GR**  
Grey

**ACC-AWMA-BK**  
Black

**ACC-AWMA-BR**  
Dark Bronze


**ACC-WPM20**  
Dark Bronze

**WALL MOUNT ACCESSORIES**

CATALOG NO.	DESCRIPTION
<b>LF3-WMA</b>	Wall mount plate bronze
<b>LFX-PASF</b>	Pole Adapter for Slip Fitter for LFX & LFX-XXL & LFXMAX & LFXPRO & LF4PRO Series, bronze
<b>LFX-PASF-WH</b>	Pole Adapter for Slip Fitter for LFX & LFX-XXL & LFXMAX & LFXPRO & LF4PRO Series, white
<b>LFX-PASF-BK</b>	Pole Adapter for Slip Fitter for LFX & LFX-XXL & LFXMAX & LFXPRO & LF4PRO Series, black
<b>ACC-WM2</b>	Wall mount bracket 90° curve bronze with 2" tenon to be used with Westgate slip fitter fixtures(-SF)
<b>ACC-WM3</b>	Wall mount bracket 90° bronze with 2" tenon to be used with Westgate slip fitter fixtures(-SF)
<b>ACC-WM4</b>	Wall mount bracket bronze with 2" tenon to be used with Westgate slip fitter fixtures (-SF)
<b>ACC-ACM</b>	Angled Wall Mount Arm, 2-3/8In Dia., Bronze
<b>ACC-WMA-30-WH</b>	Flood Light Wall-Mount- ing Arm 30", White
<b>ACC-WMA-24-WH</b>	Flood Light Wall-Mount- ing Arm 24", White
<b>ACC-WMA-18-WH</b>	Flood Light Wall-Mount- ing Arm 18", White
<b>ACC-WMA-30-BR</b>	Flood Light Wall-Mount- ing Arm 30", Bronze
<b>ACC-WMA-24-BR</b>	Flood Light Wall-Mount- ing Arm 24", Bronze
<b>ACC-WMA-18-BR</b>	Flood Light Wall-Mount- ing Arm 18", Bronze
<b>ACC-WMA-30-BK</b>	Flood Light Wall-Mount- ing Arm 30", Black
<b>ACC-WMA-24-BK</b>	Flood Light Wall-Mount- ing Arm 24", Black
<b>ACC-WMA-18-BK</b>	Flood Light Wall-Mount- ing Arm 18", Black
<b>ACC-AWMA-BR</b>	Architectural Wall Mount Arm For Post Top Lights, 2-3/8In Dia., Bronze
<b>ACC-AWMA-BK</b>	Architectural Wall Mount Arm For Post Top Lights, 2-3/8In Dia., Black
<b>ACC-AWMA-GR</b>	Architectural Wall Mount Arm For Post Top Lights, 2-3/8In Dia., Grey
<b>ACC-WPM20</b>	20In Wall And Pole Mounting Arm For Flood Lights With A Slip Fitter




**PT2-180-R**  
Dark Bronze




**PT3-120**  
Dark Bronze




**PT2-180-S**  
Dark Bronze



**PT4-090**  
Dark Bronze



**PT3-180**  
Dark Bronze



**PT4-180**  
Dark Bronze

## BULLHORNS ACCESSORIES, BRONZE FINISH

CATALOG NO. DESCRIPTION


- PT2-180-R** Double in-line at 180°, 1'(H), 3' between centers
- PT2-180-S** Square Pole Base Double in-line at 180°, 1'(H), 3' between centers, slips into 4" pole
- PT3-120** Triple at 120°, 1' (H), 3'-5" between centers, slips on 2-3/8" tenon
- PT3-180** Double in-line at 180°, 1'(H), 2'-7" between centers, slips on 2-3/8" pole
- PT4-090** Quad at 90° 1'(H), 2'-10" between centers, slips on 2-3/8" tenon
- PT4-180** Quad in-line at 180° 1(H), 2'-7", between centers, slips on 2-3/8" pole



**PTA-190**  
Dark Bronze



**PTA-290**  
Dark Bronze



**PTA-2180**  
Dark Bronze



**PTA-390**  
Dark Bronze



**PTA-3120**  
Dark Bronze



**PTA-490**  
Dark Bronze

## BULLHORNS ACCESSORIES, BRONZE FINISH

CATALOG NO. DESCRIPTION

- PTA-190** 90 degree round pole tenon adapter for 1 fixture, slips into 2-3/8" pole
- PTA-290** 90 degree round pole tenon adapter for 2 fixture, slips into 2-3/8" pole
- PTA-2180** 180 degree round pole tenon adapter for 2 fixture, slips into 2-3/8" pole
- PTA-390** 90 degree round pole tenon adapter for 3 fixture, slips into 2-3/8" pole
- PTA-3120** 120 degree round pole tenon adapter for 3 fixture, slips into 2-3/8" pole
- PTA-490** 90 degree round pole tenon adapter for 4 fixture, slips into 2-3/8" pole



**PSS4LIHTZ**  
Dark Bronze



**PSS4T180HTZ**  
Dark Bronze



**PSS4T90HTZ**  
Dark Bronze




**PSS4TR90HTZ**  
Dark Bronze




**PSS4Q90HTZ**  
Dark Bronze



**PSS4Q90VTZ**  
Dark Bronze



**PSS4TVTZ**  
Dark Bronze



**PSS4TRVTZ**  
Dark Bronze

## TENONS ACCESSORIES, BRONZE FINISH

CATALOG NO. DESCRIPTION

- PSS4LIHTZ** Square (single) horizontal tenon, bronze. goes inside 4" pole. No adaptor needed
- PSS4T180HTZ** Square (twin) horizontal tenon, 180°, bronze. goes inside 4" pole. No adaptor needed
- PSS4TR90HTZ** Square (triple) horizontal tenon, 90°, bronze. goes inside 4" pole. No adaptor needed
- PSS4T90HTZ** Square (twin) horizontal tenon, 90°, bronze. goes inside 4" pole. No adaptor needed
- PSS4Q90HTZ** Square (quad) horizontal tenon, 90°, bronze. Slips on 4" pole. (fits inside pole top)
- PSS4Q90VTZ** 4" 90° quad square vertical tenon. (fits inside pole top)
- PSS4TVTZ** Twin square vertical tenon for 4" square pole. Two 2-3/8" vertical tenons. (fits inside pole top)
- PSS4TRVTZ** Triple square vertical tenon for 4" square pole. Three 2-3/8" vertical tenons. (fits inside pole top)



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

TYPE	CATALOG NO.	PAINT
WALL MOUNT/POLE/ADAPTER	LF3-WMA, ACC-WM2, ACC-WM3, ACC-WM4, PSS3SVTZ, PSS4SVTZ, PSS5SVTZ, PRPT3, PRPT4, PRPT5, PSR4, LF-AD-KNU, PSS4C	OPT-CLR-35(BK/GR/SR/WH)
BULLHORNS	PTA-190, PTA-290, PTA-2180, PTA-390, PTA-3120, PTA-490	OPT-CLR-35(BK/GR/SR/WH)
BULLHORNS	PT2-180-R, PT2-180-S, PT2-180, PT3-120, PT4-090, PT4-180	OPT-CLR-60(BK/GR/SR/WH)
TENONS	PSS4T180HTZ, PSS4T90HTZ, PSS4TR90HTZ, PSS4Q90HTZ	OPT-CLR-40(BK/GR/SR/WH)
TENONS	PSS4Q90VTZ, PSS4TVTZ, PSS4TRVTZ	OPT-CLR-75(BK/GR/SR/WH)



WPB-HM-ST



WPB-HM-DT



WPB-DB



WPB-SB



WPB-WA-SB-710



WPB-WA-SB-1013



WPB-WA-DB-710



WPB-WA-DB-1013



WPB-WA-TB-710



WPB-WA-TB-1013



WPB-WA-QB-710



WPB-WA-QB-1013



WPB-FM-U



WPB-FM-H



WPB-FM-V



WPB-HM-DF



WPB-MA-2.5



WPB-MA-3



WPB-MA-4

## WOOD POLES ACCESSORIES

CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER
<a href="#">WPB-HM-ST</a>	Wood Pole Horizontal Single Tenon For Use With Slipfitter	
<a href="#">WPB-HM-DT</a>	Wood Pole Horizontal Double Tenon For Use With Slipfitter	
<a href="#">WPB-DB</a>	Wood Pole Single Bullhorn For Use With Slipfitter	
<a href="#">WPB-SB</a>	Wood Pole Double Bullhorn For Use With Slipfitter	
<a href="#">WPB-WA-SB-710</a>	7-10In Dia. Wood Pole Wraparound Bracket Single Bullhorn For Use With Slipfitter	
<a href="#">WPB-WA-SB-1013</a>	10-13In Dia. Wood Pole Wraparound Bracket Single Bullhorn For Use With Slipfitter	
<a href="#">WPB-WA-DB-710</a>	7-10In Dia. Wood Pole Wraparound Bracket Double Bullhorn For Use With Slipfitter	
<a href="#">WPB-WA-DB-1013</a>	10-13In Dia. Wood Pole Wraparound Bracket Double Bullhorn For Use With Slipfitter	
<a href="#">WPB-WA-TB-710</a>	7-10In Dia. Wood Pole Wraparound Bracket Triple Bullhorn For Use With Slipfitter	
<a href="#">WPB-WA-TB-1013</a>	10-13In Dia. Wood Pole Wraparound Bracket Triple Bullhorn For Use With Slipfitter	
<a href="#">WPB-WA-QB-710</a>	7-10In Dia. Wood Pole Wraparound Bracket Quad Bullhorn For Use With Slipfitter	
<a href="#">WPB-WA-QB-1013</a>	10-13In Dia. Wood Pole Wraparound Bracket Quad Bullhorn For Use With Slipfitter	
<a href="#">WPB-FM-U</a>	Wood Pole Universal Flood Mount	
<a href="#">WPB-FM-H</a>	Wood Pole Horizontal Flood Mount	
<a href="#">WPB-FM-V</a>	Wood Pole Vertical Flood Mount	
<a href="#">WPB-HM-DF</a>	Wood Pole Horizontal Mount Double Flood	
<a href="#">WPB-MA-2.5</a>	Wood Pole Mast Arm 2.5 Ft	
<a href="#">WPB-MA-3</a>	Wood Pole Mast Arm 3 Ft	
<a href="#">WPB-MA-4</a>	Wood Pole Mast Arm 4 Ft	



Can be used as **SIGN LIGHT**  
Shown with ACC-WMA-30-BR  
(See page 34)

Shown with optional  
FLDVX-FS Flat Shroud



**SPEC SERIES LED X-GEN BULLET FLOOD LIGHTS WITH LONG SHROUDS, 120-277V**

CATALOG NO.	DESCRIPTION	PKG. QTY.
-------------	-------------	-----------

**SPEC SERIES LED X-GEN BULLET FLOOD LIGHTS WITH LONG SHROUDS**

FLDX-SM-15W-30K-BR	15w 1800LM 3000K 60°, Bronze	12
FLDX-SM-15W-30K-BK	15w 1800LM 3000K 60°, Black	12
FLDX-SM-15W-40K-BR	15w 1800LM 4000K 60°, Bronze	12
FLDX-SM-15W-40K-BK	15w 1800LM 4000K 60°, Black	12
FLDX-SM-15W-50K-BR	15w 1800LM 5000K 60°, Bronze	12
FLDX-SM-15W-50K-BK	15w 1800LM 5000K 60°, Black	12

**POWER ADJUSTABLE SPEC SERIES LED X-GEN BULLET FLOOD LIGHTS WITH LONG SHROUDS**

FLDX-MD-10-30W-30K-BR	10w/20w/30w 120LM/W 3000K 60°, Bronze	8
FLDX-MD-10-30W-30K-BK	10w/20w/30w 120LM/W 3000K 60°, Black	8
FLDX-MD-10-30W-40K-BR	10w/20w/30w 120LM/W 4000K 60°, Bronze	8
FLDX-MD-10-30W-40K-BK	10w/20w/30w 120LM/W 4000K 60°, Black	8
FLDX-MD-10-30W-50K-BR	10w/20w/30w 120LM/W 5000K 60°, Bronze	8
FLDX-MD-10-30W-50K-BK	10w/20w/30w 120LM/W 5000K 60°, Black	8

**POWER & CCT ADJUSTABLE SPEC SERIES LED X-GEN BULLET FLOOD LIGHTS WITH LONG SHROUDS**

FLDX-LG-10-30W-MCTP-BR	10w/20w/30w 120LM/W 3000K/4000K/5000K 60°, Bronze	4
FLDX-LG-10-30W-MCTP-BK	10w/20w/30w 120LM/W 3000K/4000K/5000K 60°, Black	4
FLDX-LG-30-50W-MCTP-BR	30w/40w/50w 120LM/W 3000K/4000K/5000K 35°, Bronze	4
FLDX-LG-30-50W-MCTP-BK	30w/40w/50w 120LM/W 3000K/4000K/5000K 35°, Black	4

FLDVX-FS-SM-BR	Flat Shroud For Sm Size Housing, Bronze	
FLDVX-FS-SM-BK	Flat Shroud For Sm Size Housing, Black	
FLDVX-FS-MD-BR	Flat Shroud For Md Size Housing, Bronze	
FLDVX-FS-MD-BK	Flat Shroud For Md Size Housing, Black	
FLDVX-FS-LG-BR	Flat Shroud For Lg Size Housing, Bronze	
FLDVX-FS-LG-BK	Flat Shroud For Lg Size Housing, Black	
FLDVX-SM-RL35	35-Degree Repl. Lens For Sm Size Housing	
FLDVX-MD-RL35	35-Degree Repl. Lens For Md Size Housing	
FLDVX-LG-RL35	35-Degree Repl. Lens For Lg Size Housing	
FLDVX-LG-RL60	60-Degree Repl. Lens For Lg Size Housing	



FLDXPRO-SM-BR Bronze    FLDXPRO-SM-BK Black    FLDXPRO-SM-WH White    FLDXPRO-MD-BR Bronze    FLDXPRO-MD-BK Black    FLDXPRO-MD-WH White

**SPEC SERIES POWER, CCT & BEAM ANGLE- ADJUSTABLE LED X-GEN BULLET FLOOD LIGHTS WITH INTEGRATED PHOTOCELL, 120-277V**



CATALOG NO.	DESCRIPTION	PKG. QTY.
-------------	-------------	-----------

FLDXPRO-SM-5-15W-MCTPB-BR	5w/10w/15w 95LM/W 30K/40K/50K Bronze	4
FLDXPRO-SM-5-15W-MCTPB-BK	5w/10w/15w 95LM/W 30K/40K/50K Black	4
FLDXPRO-SM-5-15W-MCTPB-WH-P	5w/10w/15w 95LM/W 30K/40K/50K White	4
FLDXPRO-MD-10-30W-MCTPB-BR	10w/20w/30w 95LM/W 30K/40K/50K Bronze	4
FLDXPRO-MD-10-30W-MCTPB-BK	10w/20w/30w 95LM/W 30K/40K/50K Black	4
FLDXPRO-MD-10-30W-MCTPB-WH-P	10w/20w/30w 95LM/W 30K/40K/50K White	4

120-277V

120-277V

OUTDOOR GARDEN LIGHTS



**FLAG-POLE 25° NARROW-BEAM FLOOD**

OUTDOOR  
GARDEN LIGHTS

CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>FLDF-84W-30K-BR</b>	84W <b>9000LM</b> 3000K Bronze	6
<b>FLDF-84W-50K-BR</b>	84W <b>9000LM</b> 5000K Bronze	6
<b>FLDF-84W-30K-BK</b>	84W <b>9000LM</b> 3000K Black	6
<b>FLDF-84W-50K-BK</b>	84W <b>9000LM</b> 5000K Black	6



**SPEC SERIES RGBW BLUETOOTH WESTGATE APP BULLET, 120-277V**



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>FLDX-MD-15W-RGBW-BT-BR</b> FOR REMOTE CONTROL SEE PAGE 104	15W <b>720LM</b> RGBW Bronze	4



**BLUETOOTH WG APP COMPATIBLE RGBW FLOOD LIGHT, 60D LENS, 120-277V**



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>TC-FL-36W-RGBW-BT-BR</b> FOR REMOTE CONTROL SEE PAGE 104	36W <b>824LM</b> RGBW	4

**LED GARDEN FLOOD LIGHTS, 120-277V**



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>GL-12W-30K-BR</b>	12W <b>960LM</b> 3000K Bronze	6
<b>GL-12W-40K-BR</b>	12W <b>960LM</b> 4000K Bronze	6
<b>GL-12W-50K-BR</b>	12W <b>960LM</b> 5000K Bronze	6
<b>GL-24W-30K-BR</b>	24W <b>1920LM</b> 3000K Bronze	6
<b>GL-24W-40K-BR</b>	24W <b>1920LM</b> 4000K Bronze	6
<b>GL-24W-50K-BR</b>	24W <b>1920LM</b> 5000K Bronze	6



**GL-MCTP-BR**  
Bronze



**GL-MCTP-BK**  
Black



**GL-MCTP-WH**  
White



**MCTP-RC1**  
Required & One per projects

**LED WHITE TUNABLE GARDEN FLOOD REMOTE SOLD SEPARATELY, 120-277V**



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>GL-MCTP-BK</b>	20W MAX. <b>1400LM MAX.</b> 3000K-5700K Black	6
<b>GL-MCTP-BR</b>	20W MAX. <b>1400LM MAX.</b> 3000K-5700K Bronze	6
<b>GL-MCTP-WH</b>	20W MAX. <b>1400LM MAX.</b> 3000K-5700K White	6
<b>MCTP-RC1</b>	Remote Control for Multi-Color Temp. & Power Outdoor Fixture (Required & One per projects)	-

120-277V

120-277V

120-277V

120-277V



Flat

**AD120-017-MCT-ORB**  
Oil-Rubbed Bronze



Flat

**AD120-017-MCT-BK**  
Black



Flat

**AD120-017-MCT-WH**  
White



Shroud

**AD120-018-MCT-ORB**  
Oil-Rubbed Bronze



Shroud

**AD120-018-MCT-BK**  
Black

**120V GARDEN BULLET WITHOUT OR WITH SHROUD, INTEGRATED 3CCT**

120V

CATALOG NO.	DESCRIPTION
<b>AD120-017-MCT-ORB</b>	8W <b>700LM</b> 30K/40K/50K 17"
<b>AD120-017-MCT-BK</b>	8W <b>700LM</b> 30K/40K/50K 17"
<b>AD120-017-MCT-WH</b>	8W <b>700LM</b> 30K/40K/50K 17"
<b>AD120-018-MCT-ORB</b>	8W <b>700LM</b> 30K/40K/50K 18"
<b>AD120-018-MCT-BK</b>	8W <b>700LM</b> 30K/40K/50K 18"



**3RD GENERATION 3CCT FLOOD HEAD, 120-277V**



120-277V

CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>FLD3-13W-MCT-D-KN</b>	13W <b>1820LM</b> 3000K/4000K/5000K	12
<b>FLD3-25W-MCT-D-KN</b>	25W <b>3500LM</b> 3000K/4000K/5000K	12



**FLD2-15W**  
Bronze



**FLD2-28W**  
Bronze



**FLD2-42W**  
Bronze



SHOWN WITH SHROUD

**GARDEN AND FLAG BULLET LIGHT, 120-277V**



120-277V

CATALOG NO.	DESCRIPTION	REPLACEMENT RANGE	PKG. QTY.
<b>FLD2-15W-30K-D-KN</b>	15W <b>1900LM</b> 3000K	50-70 MH	12
<b>FLD2-15W-50K-D-KN</b>	15W <b>1900LM</b> 5000K	50-70 MH	12
<b>FLD2-28W-30K-D-KN</b>	28W <b>3500LM</b> 3000K	70-100 MH	8
<b>FLD2-28W-50K-D-KN</b>	28W <b>3500LM</b> 5000K	70-100 MH	8
<b>FLD2-42W-30K-D-KN</b>	42W <b>5200LM</b> 3000K	100-175 MH	6
<b>FLD2-42W-50K-D-KN</b>	42W <b>5200LM</b> 5000K	100-175 MH	6

FOR SHROUDS SEE PAGE 100.

**FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

WATTS	WIRES PULLED OUT	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL MODELS	<b>OPT-010WP0</b>	0-10V Dim. Wires Pulled Out	<b>N/A</b>	N/A	<b>N/A</b>	<b>N/A</b>	N/A



**FLVX-SM**  
Bronze

**FLVX-SM**  
Black

**FLVX-MD**  
Bronze

**FLVX-MD**  
Black

**FLVX-LG**  
Bronze

**FLVX-LG**  
Black

Shown with optional  
FLDVX-FS Flat Shroud

**12V SPEC SERIES LED X-GEN BULLET FLOOD LIGHTS WITH LONG SHROUDS**



CATALOG NO.	DESCRIPTION				PKG. QTY.
<b>12V SPEC SERIES LED X-GEN BULLET FLOOD LIGHTS WITH LONG SHROUDS</b>					
<b>FLVX-SM-6W-30K-BR</b>	6W	700LM	3000K	60°, Bronze	12
<b>FLVX-SM-6W-30K-BK</b>	6W	700LM	3000K	60°, Black	12
<b>FLVX-SM-6W-40K-BR</b>	6W	700LM	4000K	60°, Bronze	12
<b>FLVX-SM-6W-40K-BK</b>	6W	700LM	4000K	60°, Black	12
<b>FLVX-SM-12W-30K-BR</b>	12W	1400LM	3000K	60°, Bronze	12
<b>FLVX-SM-12W-30K-BK</b>	12W	1400LM	3000K	60°, Black	12
<b>FLVX-SM-12W-40K-BR</b>	12W	1400LM	4000K	60°, Bronze	12
<b>FLVX-SM-12W-40K-BK</b>	12W	1400LM	4000K	60°, Black	12
<b>FLVX-MD-24W-30K-BR</b>	24W	2900LM	3000K	60°, Bronze	8
<b>FLVX-MD-24W-30K-BK</b>	24W	2900LM	3000K	60°, Black	8
<b>FLVX-MD-24W-40K-BR</b>	24W	2900LM	4000K	60°, Bronze	8
<b>FLVX-MD-24W-40K-BK</b>	24W	2900LM	4000K	60°, Black	8
<b>12V SPEC SERIES LED X-GEN BULLET FLOOD LIGHTS WITH LONG SHROUDS-POWER &amp; CCT ADJUSTABLE</b>					
<b>FLVX-LG-30-50W-MCTP-BR</b>	30W/40W/50W	95LM/W	30K/40K/50K	35°, Bronze	4
<b>FLVX-LG-30-50W-MCTP-BK</b>	30W/40W/50W	95LM/W	30K/40K/50K	35°, Black	4
<b>FLDVX-FS-SM-BR</b>	Flat Shroud For Sm Size Housing, Bronze				
<b>FLDVX-FS-SM-BK</b>	Flat Shroud For Sm Size Housing, Black				
<b>FLDVX-FS-MD-BR</b>	Flat Shroud For Md Size Housing, Bronze				
<b>FLDVX-FS-MD-BK</b>	Flat Shroud For Md Size Housing, Black				
<b>FLDVX-SM-RL35</b>	35-Degree Repl. Lens For Sm Size Housing				
<b>FLDVX-MD-RL35</b>	35-Degree Repl. Lens For Md Size Housing				
<b>FLDVX-LG-RL60</b>	60-Degree Repl. Lens For LG Size Housing				

12V



**FLVXPRO-SM**  
Bronze

**FLVXPRO-SM**  
Black

**FLVXPRO-MD**  
Bronze

**FLVXPRO-MD**  
Black

**12V SPEC SERIES POWER, CCT & BEAM ANGLE- ADJUSTABLE LED X-GEN BULLET FLOOD LIGHTS WITH INTEGRATED PHOTOCELL**



CATALOG NO.	DESCRIPTION				PKG. QTY.
<b>FLVXPRO-SM-6-12W-MCTPB-BR</b>	3W/6W/12W	90LM/W	30K/40K/50K		4
<b>FLVXPRO-SM-6-12W-MCTPB-BK</b>	3W/6W/12W	90LM/W	30K/40K/50K		4
<b>FLVXPRO-MD-10-30W-MCTPB-BR</b>	10W/20W/30W	90LM/W	30K/40K/50K		4
<b>FLVXPRO-MD-10-30W-MCTPB-BK</b>	10W/20W/30W	90LM/W	30K/40K/50K		4

12V

## 12-VOLT AC/DC LED GARDEN FLOOD LIGHTS

12V



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>GL-12V-12W-30K-BR</b>	12W <b>960LM</b> 3000K bronze Spike Incl.	6
<b>GL-12V-12W-40K-BR</b>	12W <b>960LM</b> 4000K bronze Spike Incl.	6
<b>GL-12V-12W-50K-BR</b>	12W <b>960LM</b> 5000K bronze Spike Incl.	6
<b>GL-12V-24W-30K-BR</b>	24W <b>1920LM</b> 3000K bronze Spike Incl.	6
<b>GL-12V-24W-40K-BR</b>	24W <b>1920LM</b> 4000K bronze Spike Incl.	6
<b>GL-12V-24W-50K-BR</b>	24W <b>1920LM</b> 5000K bronze Spike Incl.	6



OUTDOOR  
GARDEN LIGHTS

## SPEC SERIES **RGBW** BLUETOOTH WESTGATE APP BULLET, 12V



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>FLVX-MD-15W-RGBW-BT-BR</b>	15W <b>720LM</b> RGBW Bronze	4

FOR REMOTE CONTROL SEE PAGE 104

## BLUETOOTH WG APP COMPATIBLE RGBW FLOOD LIGHT, 40D LENS, 12V



12V



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>TC-GL-12V-15W-RGBW-BT-BR</b>	15W <b>405LM</b> RGBW	6

FOR REMOTE CONTROL SEE PAGE 104

## BLUETOOTH WG APP COMPATIBLE RGBW FLOOD LIGHT, 60D LENS, 12V



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>TC-FL-12V-36W-RGBW-BT-BR</b>	36W <b>824LM</b> RGBW	4

FOR REMOTE CONTROL SEE PAGE 104



## 12-VOLT AC (AC/DC ON 6W&12W) LED BULLET LANDSCAPE FLOOD LIGHT

12V

CATALOG NO.	DESCRIPTION	REPLACEMENT RANGE	PKG. QTY.
<b>FLV12-6W-30K</b>	6W <b>500LM</b> 3000K SPIKE Incl. 35°	35-50 MR16	12
<b>FLV12-6W-50K</b>	6W <b>550LM</b> 5000K SPIKE Incl. 35°	35-50 MR16	12
<b>FLV12-12W-30K</b>	12W <b>1200LM</b> 3000K SPIKE Incl. 35°		12
<b>FLV12-12W-50K</b>	12W <b>1300LM</b> 5000K SPIKE Incl. 35°		12
<b>FLV12-24W-30K</b>	24W <b>2200LM</b> 3000K SPIKE Incl. 35°		12
<b>FLV12-24W-50K</b>	24W <b>2500LM</b> 5000K SPIKE Incl. 35°		12
<b>FLV12-32W-30K</b>	32W <b>3200LM</b> 3000K SPIKE Incl. 35°		12
<b>FLV12-32W-50K</b>	32W <b>3500LM</b> 5000K SPIKE Incl. 35°		12

FOR SHROUDS SEE PAGE 100.

## 12-VOLT AC (AC/DC ON 6W&12W) INTEGRATED LED WALL WASH LIGHTS

OUTDOOR  
GARDEN LIGHTS

CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>LF4-12V-6W-30K</b>	6W <b>440LM</b> 3000K BRONZE SPIKE Incl.	12
<b>LF4-12V-6W-50K</b>	6W <b>500LM</b> 5000K BRONZE SPIKE Incl.	12
<b>LF4-12V-12W-30K</b>	12W <b>1080LM</b> 3000K BRONZE SPIKE Incl.	12
<b>LF4-12V-12W-50K</b>	12W <b>1260LM</b> 5000K BRONZE SPIKE Incl.	12
<b>LF4-12V-24W-30K</b>	24W <b>2155LM</b> 3000K BRONZE SPIKE Incl.	6
<b>LF4-12V-24W-50K</b>	24W <b>2500LM</b> 5000K BRONZE SPIKE Incl.	6
<b>LF4-12V-30W-30K</b>	30W <b>2700LM</b> 3000K BRONZE SPIKE Incl.	6
<b>LF4-12V-30W-50K</b>	30W <b>3150LM</b> 5000K BRONZE SPIKE Incl.	6
<b>LF4-12V-50W-30K</b>	50W <b>4500LM</b> 3000K BRONZE SPIKE Incl.	6
<b>LF4-12V-50W-50K</b>	50W <b>5250LM</b> 5000K BRONZE SPIKE Incl.	6

FOR SHROUDS SEE PAGE 100.



SHOWN WITH SHROUD

12V



**LF12-KN**  
Bronze



**LF12-G2-BK**  
Black



**LF12-G2-ORB**  
Oil-rubbed bronze

## 12-VOLT AC/DC LED GARDEN LIGHT



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>LF12-6W-27K-KN</b>	6W <b>400LM</b> 2700K <b>KNUCKLE, SPIKE INCL. 45° COB WITH ALUM REFL.</b>	40
<b>LF12-6W-30K-KN</b>	6W <b>400LM</b> 3000K <b>KNUCKLE, SPIKE INCL. 45° COB WITH ALUM REFL.</b>	40
<b>LF12-6W-40K-KN</b>	6W <b>450LM</b> 4000K <b>KNUCKLE, SPIKE INCL. 45° COB WITH ALUM REFL.</b>	40
<b>LF12-6W-50K-KN</b>	6W <b>450LM</b> 5000K <b>KNUCKLE, SPIKE INCL. 45° COB WITH ALUM REFL.</b>	40
<b>LF12-6W-RGBW-KN</b>	6W <b>450LM</b> RGB + 3000K <b>KNUCKLE, SPIKE INCL. 45° COB WITH ALUM REFL.</b>	40

12V

### 2ND GEN. 12-VOLT AC/DC LED GARDEN LIGHT

<b>LF12-G2-7W-MCT5-BK</b>	7W <b>500-550LM</b> 27K/30K/35K/40K/50K
<b>LF12-G2-7W-MCT5-ORB</b>	7W <b>500-550LM</b> 27K/30K/35K/40K/50K

NEEDS RGBW CONTROLLER SEE PAGE 279.

## WEATHERPROOF LED SQUARE FLOOD HEADS, 120V

Dark Bronze & White



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>FLH-10W-30K-BR</b>	10W <b>1000LM</b> 3000K BRONZE	12
<b>FLH-10W-50K-BR</b>	10W <b>1000LM</b> 5000K BRONZE	12
<b>FLH-10W-30K-WH</b>	10W <b>1000LM</b> 3000K WHITE	12
<b>FLH-10W-50K-WH</b>	10W <b>1000LM</b> 5000K WHITE	12

See page 307-310 for weather-proof boxes & covers

120V

## WEATHERPROOF LED ROUND FLOOD HEADS, 120V

Dark Bronze & White



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>FLS-10W-30K-BR</b>	10W <b>950LM</b> 3000K BRONZE 100°	12
<b>FLS-10W-50K-BR</b>	10W <b>950LM</b> 5000K BRONZE 100°	12
<b>FLS-10W-30K-WH</b>	10W <b>950LM</b> 3000K WHITE 100°	12
<b>FLS-10W-50K-WH</b>	10W <b>950LM</b> 5000K WHITE 100°	12
<b>FLS-10W-30K-BK</b>	10W <b>950LM</b> 3000K BLACK 100°	12
<b>FLS-10W-50K-BK</b>	10W <b>950LM</b> 5000K BLACK 100°	12

See page 307-310 for weather-proof boxes & covers

120V

## SMART CAMERA ACCESSORY WITH 1/2" KNUCKLE



CATALOG NO.	DESCRIPTION
<b>SL-CAM-WH</b>	Security Camera Wg App Enabled White
<b>SL-CAM-BK</b>	Security Camera Wg App Enabled Black
<b>SL-CAM-BR</b>	Security Camera Wg App Enabled Bronze





**X-GEN ADVANCE SECURITY LIGHTS, WITH AND WITHOUT MOTION SENSOR**  
POWER AND CCT ADJUSTABLE, 120V



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>X-GEN ADVANCE SECURITY LIGHTS WITH PIR SENSOR</b>		
SLX-2H-MCTP-BR-P	16W-25W 130LM/W 30K/40K/50K Bronze	6
SLX-2H-MCTP-WH-P	16W-25W 130LM/W 30K/40K/50K White	6
SLX-2H-MCTP-BK-P	16W-25W 130LM/W 30K/40K/50K Black	6
<b>NO-SENSOR DIMMABLE X-GEN ADVANCE SECURITY LIGHTS</b>		
SLX-2H-MCTP-BR-D	16W-25W 130LM/W 30K/40K/50K Bronze	6
SLX-2H-MCTP-WH-D	16W-25W 130LM/W 30K/40K/50K White	6
SLX-2H-MCTP-BK-D	16W-25W 130LM/W 30K/40K/50K Black	6



**LED SECURITY LIGHTS WITH PIR SENSOR, 120VAC, 180° SENSOR, 100° BEAM ANGLE (120° 28W)**  
80% DIM (OR OFF) WHEN NO MOTION DETECTED, 120-277V



CATALOG NO.	DESCRIPTION	PKG. QTY.
SL-10W-MCT-BZ-P	10W 950LM 30K/40K/50K Bronze	8
SL-10W-MCT-WH-P	10W 950LM 30K/40K/50K White	8
SL-20W-50K-BZ-P	20W 1900LM 5000K Bronze	8
SL-20W-30K-BZ-P	20W 1900LM 3000K Bronze	8
SL-20W-MCT-BZ-P	20W 1900LM 3000K/4000K/5000K Bronze	8
SL-20W-30K-WH-P	20W 1900LM 3000K White	8
SL-20W-MCT-WH-P	20W 1900LM 3000K/4000K/5000K White	8
SL-30W-30K-BZ-P	30W 2800LM 3000K Bronze	8
SL-30W-MCT-BZ-P	30W 2800LM 3000K/4000K/5000K Bronze	8
SL-30W-50K-WH-P	30W 2800LM 5000K White	8
SL-30W-30K-WH-P	30W 2800LM 3000K White	8
SL-30W-MCT-WH-P	30W 2800LM 3000K/4000K/5000K White	8



**3CCT SECURITY LIGHT WITH CAMERA - Wg APP**



CATALOG NO.	DESCRIPTION	PKG. QTY.
SL-20W-MCT-WH-CAM	20W 1900LM 30K/40K/50K White	1
SL-20W-MCT-BK-CAM	20W 1900LM 30K/40K/50K Black	1
SL-20W-MCT-BR-CAM	20W 1900LM 30K/40K/50K Bronze	1
SL-30W-MCT-WH-CAM	30W 2800LM 30K/40K/50K White	1
SL-30W-MCT-BK-CAM	30W 2800LM 30K/40K/50K Black	1
SL-30W-MCT-BR-CAM	30W 2800LM 30K/40K/50K Bronze	1
SL-CAM-WH	Security Camera Wg App Enabled White	
SL-CAM-BK	Security Camera Wg App Enabled Black	
SL-CAM-BR	Security Camera Wg App Enabled Bronze	

# SECURITY LIGHTS



SL-10W-BZ-D  
Dark Bronze



SL-10W-WH-D  
White



SL-20W-BZ-D  
Dark Bronze



SL-20W-WH-D  
White



SL-30W-BZ-D  
Dark Bronze



SL-30W-WH-D  
White

## NO-SENSOR DIMMABLE LED FLOOD LIGHTS, 120V (SEE BELOW FOR OPTIONAL MOTION SENSOR OR PHOTOCELL)



CATALOG NO.	DESCRIPTION	PKG. QTY.
SL-10W-50K-BZ-D	10W 950LM 5000K Bronze	8
SL-10W-30K-BZ-D	10W 950LM 3000K Bronze	8
SL-10W-MCT-BZ-D	10W 950LM 30K/40K/50K Bronze <b>MCT</b>	8
SL-10W-50K-WH-D	10W 950LM 5000K White	8
SL-10W-30K-WH-D	10W 950LM 3000K White	8
SL-10W-MCT-WH-D	10W 950LM 30K/40K/50K White <b>MCT</b>	8
SL-20W-50K-BZ-D	20W 1900LM 5000K Bronze	8
SL-20W-30K-BZ-D	20W 1900LM 3000K Bronze	8
SL-20W-MCT-BZ-D	20W 1900LM 3000K/4000K/5000K White <b>MCT</b>	8
SL-20W-MCT-WH-D	20W 1900LM 3000K/4000K/5000K White <b>MCT</b>	8
SL-30W-30K-BZ-D	30W 2800LM 3000K Bronze	8
SL-30W-MCT-BZ-D	30W 2800LM 3000K/4000K/5000K Bronze <b>MCT</b>	8
SL-30W-50K-WH-D	30W 2800LM 5000K White	8
SL-30W-30K-WH-D	30W 2800LM 3000K White	8
SL-30W-MCT-WH-D	30W 2800LM 3000K/4000K/5000K White <b>MCT</b>	8



SL-20W-BZ  
SL-20W-WH  
Bronze/White



SL-28W-BZ-P  
SL-28W-WH-P  
Bronze/White



SL-28W-BZ-D  
SL-28W-WH-D  
Bronze/White



SL-40W-BZ-D  
SL-40W-WH-D  
Bronze/White

## LED SQUARE HEAD SECURITY LIGHTS



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>NON-DIMMABLE LED SECURITY LIGHTS WITHOUT SENSOR, BASE COMPATIBLE WITH 4" ROUND W/P BOXES, 120V</b>		
SL-20W-30K-BZ	20W 2000LM 3000K Bronze	8
SL-20W-50K-BZ	20W 2000LM 5000K Bronze	8
SL-20W-30K-WH	20W 2000LM 3000K White	8
SL-20W-50K-WH	20W 2000LM 5000K White	8
<b>LED SECURITY LIGHTS WITH PIR SENSOR, 180° SENSOR 80%, DIM (OR OFF) WHEN NO MOTION DETECTED, 120-277V</b>		
SL-28W-30K-BZ-P	28W 3400LM 3000K Bronze	4
SL-28W-50K-WH-P	28W 3400LM 5000K White	4
SL-28W-30K-WH-P	28W 3400LM 3000K White	4
<b>DIMMABLE LED FLOOD LIGHTS WITH OPTIONAL MOTION SENSOR OR PHOTOCELL, 120V</b>		
SL-28W-50K-BZ-D	28W 3400LM 5000K Bronze	4
SL-28W-30K-BZ-D	28W 3400LM 3000K Bronze	4
SL-28W-MCT-BZ-D	28W 3400LM 3000K/4000K/5000K Bronze <b>MCT</b>	4
SL-28W-50K-WH-D	28W 3400LM 5000K White	4
SL-28W-MCT-WH-D	28W 3400LM 3000K/4000K/5000K White <b>MCT</b>	4
SL-40W-50K-BZ-D	40W 4800LM 5000K Bronze	4
SL-40W-30K-BZ-D	40W 4800LM 3000K Bronze	4
SL-40W-MCT-BZ-D	40W 4800LM 3000K/4000K/5000K Bronze <b>MCT</b>	4
SL-40W-MCT-WH-D	40W 4800LM 3000K/4000K/5000K White <b>MCT</b>	4

FOR PHOTOCELL & SENSOR SEE PAGES 101, 103 & 104.



# Crest & Westgate

## LED WALL SCONCES

OUTDOOR  
DECORATIVE  
WALL MOUNT

**ALL MODELS PROVIDE UP/DOWN LIGHT**



10W  
MP



10W  
MP


CRES

CATALOG NO.	TRIM		COLOR TEMPERATURE		FINISH	
	CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
<b>CRE</b> 10W (900LM)	01	Lunette	30K	3000K	BR	Bronze
<b>CRE-MP MP</b> 5W/10W/15W/20W	02	Aperture	40K	4000K	SIL	Silver
	03	Grasp	50K	5000K		
	04	Curve				
	05	Pen				
	06	Still				
	07	Passage				
	08	Crush				
	10	Burrow				
	51	Tunnel				
	52	Grille				



100-277V AC

Sample Ordering:



Alternatively, you may purchase Light Engines and Trims separately for your stock to offer various combinations.

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR
ALL	OPT-EM-CRE (Not Compatible With CRES)	INTERNAL	OPT-PC-B	120-277V	OPT-CLR-85(BK/GR/SR/WH)	DEPENDS ON MODEL-CALL



**WLF-24-40W-MCTP-BK-HA**  
15" Horizontal Arm  
Black



**WLF-24-40W-MCTP-BR-HA**  
15" Horizontal Arm  
Bronze



**WLF-24-40W-MCTP-WH-HA**  
15" Horizontal Arm  
White



**WLF-24-40W-MCTP-BK-WB**  
21" Wall-Mount Bell Arm  
Black



**WLF-24-40W-MCTP-BR-WB**  
21" Wall-Mount Bell Arm  
Bronze



**WLF-24-40W-MCTP-WH-WB**  
21" Wall-Mount Bell Arm  
White



**WLF-24-40W-MCTP-BK-BA**  
Top-Of-Pole Mount Bell Arm  
Black



**WLF-24-40W-MCTP-BR-BA**  
Top-Of-Pole Mount Bell Arm  
Bronze



**DAB-BA-CCK**  
Black



**DAB-PA2-2**  
**DAB-PA3-2**  
**DAB-PA4-2**  
Black



**DAB-PA2-1**  
**DAB-PA3-1**  
**DAB-PA4-1**  
Black



**WLF-24-40W-MCTP-BK-SRK-218**  
18" or 36" Swivel Rod Kit  
**WLF-24-40W-MCTP-BK-SRK-224**  
24" or 48" Swivel Rod Kit  
Black



**WLF-24-40W-MCTP-BK-SCH**  
45" Suspended Chain, Canopy, Cord  
Black

**12" DOME LIGHT WITH FLAT LENS - 120-277V - DUAL DIMMING**



CATALOG NO.	DESCRIPTION
<b>WLF-24-40W-MCTP-WH-HA</b>	24W/32W/40W 100LM/W 30K/40K/50K 15" Horizontal Arm
<b>WLF-24-40W-MCTP-BK-HA</b>	24W/32W/40W 100LM/W 30K/40K/50K 15" Horizontal Arm
<b>WLF-24-40W-MCTP-BR-HA</b>	24W/32W/40W 100LM/W 30K/40K/50K 15" Horizontal Arm
<b>WLF-24-40W-MCTP-WH-WB</b>	24W/32W/40W 100LM/W 30K/40K/50K 21" Wall-Mount Bell Arm
<b>WLF-24-40W-MCTP-BK-WB</b>	24W/32W/40W 100LM/W 30K/40K/50K 21" Wall-Mount Bell Arm
<b>WLF-24-40W-MCTP-BR-WB</b>	24W/32W/40W 100LM/W 30K/40K/50K 21" Wall-Mount Bell Arm
<b>WLF-24-40W-MCTP-BK-BA</b>	24W/32W/40W 100LM/W 30K/40K/50K Top-Of-Pole Mount Bell Arm
<b>WLF-24-40W-MCTP-BR-BA</b>	24W/32W/40W 100LM/W 30K/40K/50K Top-Of-Pole Mount Bell Arm
<b>WLF-24-40W-MCTP-WH-SCH</b>	24W/32W/40W 100LM/W 30K/40K/50K 45" Suspended Chain, Canopy, Cord
<b>WLF-24-40W-MCTP-BK-SCH</b>	24W/32W/40W 100LM/W 30K/40K/50K 45" Suspended Chain, Canopy, Cord
<b>WLF-24-40W-MCTP-BR-SCH</b>	24W/32W/40W 100LM/W 30K/40K/50K 45" Suspended Chain, Canopy, Cord
<b>WLF-24-40W-MCTP-WH-SRK-218</b>	24W/32W/40W 100LM/W 30K/40K/50K 18" or 36" Swivel Rod Kit
<b>WLF-24-40W-MCTP-BK-SRK-218</b>	24W/32W/40W 100LM/W 30K/40K/50K 18" or 36" Swivel Rod Kit
<b>WLF-24-40W-MCTP-BR-SRK-218</b>	24W/32W/40W 100LM/W 30K/40K/50K 18" or 36" Swivel Rod Kit
<b>WLF-24-40W-MCTP-WH-SRK-224</b>	24W/32W/40W 100LM/W 30K/40K/50K 24" or 48" Swivel Rod Kit
<b>WLF-24-40W-MCTP-BK-SRK-224</b>	24W/32W/40W 100LM/W 30K/40K/50K 24" or 48" Swivel Rod Kit
<b>WLF-24-40W-MCTP-BR-SRK-224</b>	24W/32W/40W 100LM/W 30K/40K/50K 24" or 48" Swivel Rod Kit
<b>DAB-BA-CCK</b>	Decorative Clip Kit For Two Dab-Ba Bell Arms, Two Clips
<b>DAB-PA2-1</b>	2 Inches Pole Adapter For 1 Bell Arm, Black
<b>DAB-PA2-2</b>	2 Inches Pole Adapter For 2 Bell Arms, Black
<b>DAB-PA3-1</b>	3 Inches Pole Adapter For 1 Bell Arm, Black
<b>DAB-PA3-2</b>	3 Inches Pole Adapter For 2 Bell Arms, Black
<b>DAB-PA4-1</b>	4 Inches Pole Adapter For 1 Bell Arm, Black
<b>DAB-PA4-2</b>	4 Inches Pole Adapter For 2 Bell Arms, Black

**FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL	<b>OPT-EM-WLF</b>	INTERNAL	<b>OPT-PC-BUM</b>	BUTTON	N/A	<b>OPT-SEN-WLF</b>	Be-LEVEL
						<b>OPT-SEN-NLS-WLF</b>	WG NETWORK SENSOR
						<b>OPT-SEN-KEILTON-WLF</b>	KEILTON NETWORK SENSOR



**WSX-20-40W-MCTP-HA**  
Horizontal Arm



**WSX-20-40W-MCTP-HAD**  
Decorative Horizontal Arm



**WSX-20-40W-MCTP-HAD**  
Decorative Horizontal Arm  
Antique Brass



**WSX-20-40W-MCTP-45DA**  
45-Degree Arm



**WSX-20-40W-MCTP-SCH**  
45" Suspended Chain  
Canopy, Cord



**WSX-20-40W-MCTP-HLA**  
15" Long Horizontal Arm



Factory-Installed  
Wire Guard Option  
**OPT-WSX-WG**



**WSX-20-40W-MCTP-HA**  
Shown with Optional White/  
Alabaster Lenses - Standard is  
Frosted - See Options Below



**WSX-20-40W-MCTP-SRK-218**  
**WSX-20-40W-MCTP-SRK-224**

**SPEC SERIES POWER & CCT- ADJUSTABLE**

X-GEN SEASIDE LIGHT, 120-277V, (DIA: 10-3/4") **MTO made to order**



DESCRIPTION	PKG. QTY.
<b>WSX-20-40W-MCTP-HA</b> 20W/30W/40W 100LM/W 30K/40K/50K Horizontal Arm	4
<b>WSX-20-40W-MCTP-45DA</b> 20W/30W/40W 100LM/W 30K/40K/50K 45-Degree Arm	1
<b>WSX-20-40W-MCTP-HAD</b> 20W/30W/40W 100LM/W 30K/40K/50K Decorative Horizontal Arm	1
<b>WSX-20-40W-MCTP-HAD-AZ</b> 20W/30W/40W 100LM/W 30K/40K/50K Decorative Horizontal Arm	1
<b>WSX-20-40W-MCTP-HLA</b> 20W/30W/40W 100LM/W 30K/40K/50K 15" Long Horizontal Arm	1
<b>WSX-20-40W-MCTP-SCH</b> 20W/30W/40W 100LM/W 30K/40K/50K 45" Suspended Chain, Canopy, Cord	1
<b>WSX-20-40W-MCTP-SRK-218</b> 20W/30W/40W 100LM/W 30K/40K/50K 18" or 36" Swivel Rod Kit	1
<b>WSX-20-40W-MCTP-SRK-224</b> 20W/30W/40W 100LM/W 30K/40K/50K 24" or 48" Swivel Rod Kit	1
<b>WSX-RL-WH</b> WSX Original White Lens Replacement (Default Lens)	
<b>WSX-RL-FR</b> WSX Optional Frosted Lens	
<b>WSX-RL-AB</b> WSX Optional Alabaster Lens	

**FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL MODELS	<b>OPT-EM-WSX</b>	BACK BOX	<b>OPT-PC-B</b>	BUTTON	N/A	<b>OPT-SEN-WSX</b>	back box
	<b>WIREGUARD</b>	DESCRIPTION				<b>OPT-SEN-NLS-WSX</b>	WG NETWORK SENSOR
	<b>OPT-WSX-WG</b>	WIREGUARD				<b>OPT-SEN-KEILTON</b>	KEILTON NETWORK SENSOR



**WSO-20-40W-MCTP-HA**  
Horizontal Arm



**WSO-20-40W-MCTP-HAD**  
Decorative Horizontal Arm



**WSO-20-40W-MCTP-HAD-AZ**  
Decorative Horizontal Arm  
Antique Brass

**POWER & CCT- ADJUSTABLE OCEANSIDE LIGHT, 120-277V**



CATALOG NO.	DESCRIPTION
<b>WSO-20-40W-MCTP-HA</b>	20W/30W/40W 100LM/W 30K/40K/50K Horizontal Arm
<b>WSO-20-40W-MCTP-HAD</b>	20W/30W/40W 100LM/W 30K/40K/50K Decorative Horizontal Arm
<b>WSO-20-40W-MCTP-HAD-AZ</b>	20W/30W/40W 100LM/W 30K/40K/50K Decorative Horizontal Arm



**GNBA-18-35W-MCTP-BK-P**  
Black



**GNBA-18-35W-MCTP-WH-P**  
White



**GNBA-18-35W-MCTP-BR-P**  
Bronze



**GNBA-18-35W-MCTP-SIL-P**  
Silver

**11" 3CCT ANGLED GOOSENECK BARN LIGHT WITH INTEGRATED PHOTOCELL**



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>GNBA-18-35W-MCTP-BK-P</b>	18W/26W/35W 150LM/W 30K/40K/50K Black	1
<b>GNBA-18-35W-MCTP-WH-P</b>	18W/26W/35W 150LM/W 30K/40K/50K White	1
<b>GNBA-18-35W-MCTP-BR-P</b>	18W/26W/35W 150LM/W 30K/40K/50K Bronze	1
<b>GNBA-18-35W-MCTP-SIL-P</b>	18W/26W/35W 150LM/W 30K/40K/50K Silver	1



**GNB-25W-MCT-BR-P**  
Bronze



**GNB-40W-MCT-BR-P**  
Bronze



**GNB-25W-MCT-WH-P**  
White



**GNB-40W-MCT-WH-P**  
White



**GNB-ARMKIT-ST18-BR**  
Bronze



**GNB-ARMKIT-ST18-BK**  
Black



**GNB-ARMKIT-ST18-WH**  
White



**GNB-ARMKIT-HGN-BR**  
Bronze



**GNB-ARMKIT-HGN-BK**  
Black



**GNB-ARMKIT-HGN-WH**  
White

**3CCT GOOSENECK BARN LIGHT WITH INTEGRATED PHOTOCELL**



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>GNB-25W-MCT-BR-P</b>	25W 3000LM 3000K/4000K/5000K Bronze	2
<b>GNB-25W-MCT-WH-P</b>	25W 3000LM 3000K/4000K/5000K White	2
<b>GNB-25W-MCT-BK-P</b>	25W 3000LM 3000K/4000K/5000K Black	2
<b>GNB-40W-MCT-BR-P</b>	40W 4800LM 3000K/4000K/5000K Bronze	2
<b>GNB-40W-MCT-WH-P</b>	40W 4800LM 3000K/4000K/5000K White	2
<b>GNB-40W-MCT-BK-P</b>	40W 4800LM 3000K/4000K/5000K Black	2
<b>GNB-ARMKIT-ST18-BR</b>	GNB Field-Installed 18" Straight Arm - Bronze	
<b>GNB-ARMKIT-ST18-BK</b>	GNB Field-Installed 18" Straight Arm - Black	
<b>GNB-ARMKIT-ST18-WH</b>	GNB Field-Installed 18" Straight Arm - White	
<b>GNB-ARMKIT-HGN-BR</b>	GNB Field-Installed Horizontal Gooseneck Arm - Bronze	
<b>GNB-ARMKIT-HGN-BK</b>	GNB Field-Installed Horizontal Gooseneck Arm - Black	
<b>GNB-ARMKIT-HGN-WH</b>	GNB Field-Installed Horizontal Gooseneck Arm - White	

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL MODELS	OPT-EM-GNB	BACK BOX	N/A	N/A	OPT-CLR-75(BK/GR/SR/WH)	N/A	N/A



**WMA-UDL-MCTP-BK-D**  
Black



**WMA-UDL-MCTP-BR-D**  
Bronze



**WMA-UDL-MCTP-WH-D**  
White



**WMA-UDL-MCTP-SIL-D**  
Silver

**7" ARCHITECTURAL COMMERCIAL DESIGNER OUTDOOR CYLINDER, UP/DOWN CONTROLS, 14" H**



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>WMA-UDL-MCTP-BK-D</b>	18W/30W/45W/60W <b>110LM/W</b> 27K/30K/35K/40K/50K Black	1
<b>WMA-UDL-MCTP-BR-D</b>	18W/30W/45W/60W <b>110LM/W</b> 27K/30K/35K/40K/50K Bronze	1
<b>WMA-UDL-MCTP-WH-D</b>	18W/30W/45W/60W <b>110LM/W</b> 27K/30K/35K/40K/50K White	1
<b>WMA-UDL-MCTP-SIL-D</b>	18W/30W/45W/60W <b>110LM/W</b> 27K/30K/35K/40K/50K Silver	1

OUTDOOR  
DECORATIVE  
WALL MOUNT



**WMC2-DL-BR**  
Bronze



**WMC2-DL-BN**  
Brushed Nickel



**WMC2-DL-WH**  
White



**WMC2-DL-BK**  
Black



**WMC2-UDL-BR**  
Bronze



**WMC2-UDL-BN**  
Brushed Nickel



**WMC2-UDL-WH**  
White



**WMC2-UDL-BK**  
Black



**WMC3-DL-BR**  
Bronze



**WMC3-DL-BN**  
Brushed Nickel



**WMC3-DL-WH**  
White



**WMC3-DL-BK**  
Black



**WMC3-UDL-BR**  
Bronze



**WMC3-UDL-BN**  
Brushed Nickel



**WMC3-UDL-WH**  
White



**WMC3-UDL-BK**  
Black

**2" & 3" CCT-ADJUSTABLE LED OUTDOOR CYLINDER LIGHTS, IP65**



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>2" LED CYLINDER LIGHTS, 120V (DOWN LIGHT) H: 8"</b>		
<b>WMC2-DL-MCT-BR-DT</b>	6W <b>400LM</b> 3000K/4000K/5000K 25° Bronze	12
<b>WMC2-DL-MCT-BN-DT</b>	6W <b>400LM</b> 3000K/4000K/5000K 25° Brushed Nickel	12
<b>WMC2-DL-MCT-WH-DT</b>	6W <b>400LM</b> 3000K/4000K/5000K 25° White	12
<b>WMC2-DL-MCT-BK-DT</b>	6W <b>400LM</b> 3000K/4000K/5000K 25° Black	12
<b>WMC2-DL-MCT-AZ-DT</b>	6W <b>400LM</b> 3000K/4000K/5000K 25° Antique Bronze	12
<b>2" LED CYLINDER LIGHTS, 120V (UP/DOWN LIGHT) H: 10"</b>		
<b>WMC2-UDL-MCT-BR-DT</b>	12W <b>800LM</b> 3000K/4000K/5000K 25° Bronze	12
<b>WMC2-UDL-MCT-BN-DT</b>	12W <b>800LM</b> 3000K/4000K/5000K 25° Brushed Nickel	12
<b>WMC2-UDL-MCT-WH-DT</b>	12W <b>800LM</b> 3000K/4000K/5000K 25° White	12
<b>WMC2-UDL-MCT-BK-DT</b>	12W <b>800LM</b> 3000K/4000K/5000K 25° Black	12
<b>WMC2-UDL-MCT-AZ-DT</b>	12W <b>800LM</b> 3000K/4000K/5000K 25° Antique Bronze	12
<b>3" LED CYLINDER LIGHTS, 120V (DOWN LIGHT) H: 6"</b>		
<b>WMC3-DL-MCT-BR-DT</b>	9W <b>650LM</b> 3000K/4000K/5000K 30° Bronze	12
<b>WMC3-DL-MCT-BN-DT</b>	9W <b>650LM</b> 3000K/4000K/5000K 30° Brushed Nickel	12
<b>WMC3-DL-MCT-WH-DT</b>	9W <b>650LM</b> 3000K/4000K/5000K 30° White	12
<b>WMC3-DL-MCT-BK-DT</b>	9W <b>650LM</b> 3000K/4000K/5000K 30° Black	12
<b>WMC3-DL-MCT-AZ-DT</b>	9W <b>650LM</b> 3000K/4000K/5000K 30° Antique Bronze	12
<b>3" LED CYLINDER LIGHTS, 120V (UP/DOWN LIGHT) H: 10"</b>		
<b>WMC3-UDL-MCT-BR-DT</b>	18W <b>1300LM</b> 3000K/4000K/5000K 30° Bronze	12
<b>WMC3-UDL-MCT-BN-DT</b>	18W <b>1300LM</b> 3000K/4000K/5000K 30° Brushed Nickel	12
<b>WMC3-UDL-MCT-WH-DT</b>	18W <b>1300LM</b> 3000K/4000K/5000K 30° White	12
<b>WMC3-UDL-MCT-BK-DT</b>	18W <b>1300LM</b> 3000K/4000K/5000K 30° Black	12
<b>WMC3-UDL-MCT-AZ-DT</b>	18W <b>1300LM</b> 3000K/4000K/5000K 30° Antique Bronze	12

**ACRYLIC DROP LENS FOR WMC**

<b>CWMC2-DL32</b>	CMC2 And WMC2 32mm Acrylic Drop Lens
<b>CWMC3-DL32</b>	CMC3 And WMC3 32mm Acrylic Drop Lens

FOR OPT OPTION SEE PAGE NEXT

OUTDOOR  
DECORATIVE  
WALL MOUNT



**WMC-DL-BR**  
Bronze



**WMC-DL-BN**  
Brushed Nickel



**WMC-DL-WH**  
White



**WMC-DL-BK**  
Black



**WMC-DL-AZ**  
Antique Bronze



**WMC-UDL-BR**  
Bronze



**WMC-UDL-BN**  
Brushed Nickel



**WMC-UDL-WH**  
White



**WMC-UDL-BK**  
Black



**WMC-UDL-AZ**  
Antique Bronze

**4" CCT-ADJUSTABLE LED OUTDOOR CYLINDER LIGHTS, IP65**



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>4" LED CYLINDER LIGHTS, 120V (DOWN LIGHT) H: 8"</b>		
<b>WMC-DL-MCT-BR-DT</b>	15W <b>1200LM</b> 3000K/4000K/5000K 40° Bronze	6
<b>WMC-DL-MCT-BN-DT</b>	15W <b>1200LM</b> 3000K/4000K/5000K 40° Brushed Nickel	6
<b>WMC-DL-MCT-WH-DT</b>	15W <b>1200LM</b> 3000K/4000K/5000K 40° White	6
<b>WMC-DL-MCT-BK-DT</b>	15W <b>1200LM</b> 3000K/4000K/5000K 40° Black	6
<b>WMC-DL-MCT-AZ-DT</b>	15W <b>1200LM</b> 3000K/4000K/5000K 40° Antique Bronze	6
<b>4" LED CYLINDER LIGHTS, 120V (UP/DOWN LIGHT) H: 12"</b>		
<b>WMC-UDL-MCT-BR-DT</b>	30W <b>2400LM</b> 3000K/4000K/5000K 40° Bronze	6
<b>WMC-UDL-MCT-BN-DT</b>	30W <b>2400LM</b> 3000K/4000K/5000K 40° Brushed Nickel	6
<b>WMC-UDL-MCT-WH-DT</b>	30W <b>2400LM</b> 3000K/4000K/5000K 40° White	6
<b>WMC-UDL-MCT-BK-DT</b>	30W <b>2400LM</b> 3000K/4000K/5000K 40° Black	6
<b>4" LED CYLINDER LIGHTS, 120-277V WITH PHOTOCELL (UP/DOWN LIGHT) H: 12"</b>		
<b>WMC4-UDL-MCTP-BR-DD-P</b>	2x9W/2x12W /2x15W <b>80LM/W</b> 30K/40K/50K 45° Bronze	6
<b>WMC4-UDL-MCTP-BN-DD-P</b>	2x9W/2x12W /2x15W <b>80LM/W</b> 30K/40K/50K 45° Brushed Nickel	6
<b>WMC4-UDL-MCTP-WH-DD-P</b>	2x9W/2x12W /2x15W <b>80LM/W</b> 30K/40K/50K 45° White	6
<b>WMC4-UDL-MCTP-BK-DD-P</b>	2x9W/2x12W /2x15W <b>80LM/W</b> 30K/40K/50K 45° Black	6
<b>WMC4-UDL-MCTP-AZ-DD-P</b>	2x9W/2x12W /2x15W <b>2400LM</b> 3000K/4000K/5000K 45° Antique Bronze	6

**ACRYLIC DROP LENS FOR WMC**  
**WMC4-DL32** WMC4 32mm Acrylic Drop Lens

**FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

SIZE	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
2" & 3"	<b>OPT-EM-WMC-EXT-BR</b>	EXTERNAL BACK BOX	<b>OPT-PC-BUM</b>	BUTTON	N/A	<b>OPT-SEN-WMC</b>	ONLY FOR 4" & UP
2" & 3"	<b>OPT-EM-WMC-EXT-BN</b>	EXTERNAL BACK BOX	<b>277V OPTION</b>	DESCRIPTION		<b>OPT-SEN-NLS-WMC</b>	WG NETWORK SENSOR
2" & 3"	<b>OPT-EM-WMC-EXT-WH</b>	EXTERNAL BACK BOX	<b>OPT-277V</b>	INTERNAL (ONLY FOR WMC DL UDL)		<b>OPT-SEN-KEILTON</b>	KEILTON NETWORK SENSOR
2" & 3"	<b>OPT-EM-WMC-EXT-BK</b>	EXTERNAL BACK BOX				<b>WEC-8RC</b>	REMOTE CONTROL
4" & UP	<b>OPT-EM-WMC</b>	INTERNAL					



OUTDOOR  
ALTERNATIVE  
WALL MOUNT

## WALL CYLINDER LIGHTS



**WMC4-UDL-CD-MCT-BK-DD-P**  
Black



**WMCS4-UDL-CD-MCT-BK-DD-P**  
Black

### 4in UP/DOWN CYL. COMBINED DISTRIBUTION - 120-277V DUAL DIM



CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER	PKG. QTY.
<b>WMC4-UDL-CD-MCT-BK-DD-P</b>	12W 840LM 30K/40K/50K Round Black		6
<b>WMCS4-UDL-CD-MCT-BK-DD-P</b>	12W 840LM 30K/40K/50K Square Black		6



**WMC4-UDL-CD-RGBW-BK**  
Black



**WMCS4-UDL-CD-RGBW-BK**  
Black

### 4in ROUND UP/DOWN CYL. COMBINED DISTRIBUTION - 120-277V DUAL DIM WG SMART APP OR REMOTE COMPATIBLE RGBW



CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER	PKG. QTY.
<b>WMC4-UDL-CD-RGBW-BK</b>	12W 840LM RGBW Round Black		6
<b>WMCS4-UDL-CD-RGBW-BK</b>	12W 840LM RGBW Square Black		6

OUTDOOR  
DECORATIVE  
WALL MOUNT



**6" & 8" CCT-ADJUSTABLE LED OUTDOOR CYLINDER LIGHTS, IP65**



CATALOG NO.	DESCRIPTION				PKG. QTY.
<b>6" LED CYLINDER LIGHTS, 120-277V (DOWN LIGHT) H: 8" MCT3</b>					
WMCL-DL-MCT-BR	20W	1600LM	3000K/4000K/5000K	45° Bronze	4
WMCL-DL-MCT-BN	20W	1600LM	3000K/4000K/5000K	45° Brushed Nickel	4
WMCL-DL-MCT-WH	20W	1600LM	3000K/4000K/5000K	45° White	4
WMCL-DL-MCT-BK	20W	1600LM	3000K/4000K/5000K	45° Black	4
WMCL-DL-MCT-AZ	20W	1600LM	3000K/4000K/5000K	45° Antique Bronze	4
<b>6" LED CYLINDER LIGHTS, 120-277V (UP/DOWN LIGHT) H: 18" MCT3</b>					
WMCL-UDL-MCT-BN	40W	3200LM	3000K/4000K/5000K	45° Brushed Nickel	4
WMCL-UDL-MCT-WH	40W	3200LM	3000K/4000K/5000K	45° White	4
WMCL-UDL-MCT-BK	40W	3200LM	3000K/4000K/5000K	45° Black	4
<b>6" LED CYLINDER LIGHTS, 120-277V WITH PHOTOCELL (UP/DOWN LIGHT) H: 18" MCTP</b>					
WMC6-UDL-MCTP-BK-DD-P	2x12W/2x16W/2x20W	80LM/W	30K/40K/50K	45° Black	4
WMC6-UDL-MCTP-BR-DD-P	2x12W/2x16W/2x20W	80LM/W	30K/40K/50K	45° Bronze	4
WMC6-UDL-MCTP-BN-DD-P	2x12W/2x16W/2x20W	80LM/W	30K/40K/50K	45° Brushed Nickel	4
WMC6-UDL-MCTP-WH-DD-P	2x12W/2x16W/2x20W	80LM/W	30K/40K/50K	45° White	4
WMC6-UDL-MCTP-AZ-DD-P	2x12W/2x16W/2x20W	80LM/W	30K/40K/50K	45° Antique Bronze	4
<b>6" LED CYLINDER LIGHTS, 120-277V (UP/DOWN LIGHT SEPARATE CONTROLS) H: 24" MCTP</b>					
WMC6-24-UDL-MCTP-DD-BK	2X18W/2X24W/2X30W	80LM/W	30K/40K/50K	Black	2
WMC6-24-UDL-MCTP-DD-BR	2X18W/2X24W/2X30W	80LM/W	30K/40K/50K	Bronze	2
WMC6-24-UDL-MCTP-DD-WH	2X18W/2X24W/2X30W	80LM/W	30K/40K/50K	White	2
WMC6-24-UDL-MCTP-DD-SIL	2X18W/2X24W/2X30W	80LM/W	30K/40K/50K	Silver	2
<b>8" LED CYLINDER LIGHTS, 120-277V (DOWN LIGHT) H: 10.1" MCT3</b>					
WMC8-DL-MCT-BR-D	40W	3200LM	3000K/4000K/5000K	50° Bronze	4
WMC8-DL-MCT-BN-D	40W	3200LM	3000K/4000K/5000K	50° Brushed Nickel	4
WMC8-DL-MCT-WH-D	40W	3200LM	3000K/4000K/5000K	50° White	4
WMC8-DL-MCT-BK-D	40W	3200LM	3000K/4000K/5000K	50° Black	4
<b>8" LED CYLINDER LIGHTS, 120-277V (UP/DOWN LIGHT) H: 10.1" MCT3</b>					
WMC8-UDL-MCT-BR-D	40W	3200LM	3000K/4000K/5000K	50° Bronze	4
WMC8-UDL-MCT-BN-D	40W	3200LM	3000K/4000K/5000K	50° Brushed Nickel	4
WMC8-UDL-MCT-WH-D	40W	3200LM	3000K/4000K/5000K	50° White	4
WMC8-UDL-MCT-BK-D	40W	3200LM	3000K/4000K/5000K	50° Black	4
CWMC6-DL32	CMC6 And WMC6 32mm Acrylic Drop Lens				

**FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

SIZE	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
2" & 3"	OPT-EM-WMC-EXT-BR	EXTERNAL BACK BOX	OPT-PC-BUM	BUTTON	N/A	OPT-SEN-WMC	ONLY FOR 4" & UP
2" & 3"	OPT-EM-WMC-EXT-BN	EXTERNAL BACK BOX	277V OPTION	DESCRIPTION		OPT-SEN-NLS-WMC	WG NETWORK SENSOR
2" & 3"	OPT-EM-WMC-EXT-WH	EXTERNAL BACK BOX	OPT-277V	INTERNAL (ONLY FOR WMC DL UDL)		OPT-SEN-KEILTON	KEILTON NETWORK SENSOR
2" & 3"	OPT-EM-WMC-EXT-BK	EXTERNAL BACK BOX				WEC-BRC	REMOTE CONTROL
4" & UP	OPT-EM-WMC	INTERNAL					



**RGBW LED OUTDOOR CYLINDER LIGHTS, IP65**

CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>4" LED ROUND CYLINDER LIGHTS, 120V (UP/DOWN LIGHT) H: 12"</b>		
<b>WMC-UDL-RGBW-BK</b>	24W 1920LM RGBW 25° Black	6
<b>WMC-UDL-RGBW-WH</b>	24W 1920LM RGBW 25° White	6
<b>4" LED SQUARE CYLINDER LIGHTS, 120V (UP/DOWN LIGHT) H: 10-1/4"</b>		
<b>WMCS-UDL-RGBW-BK</b>	24W 1920LM RGBW 30° Black	6
<b>WMCS-UDL-RGBW-WH</b>	24W 1920LM RGBW 30° White	6

FOR REMOTE CONTROL SEE PAGE 104

OUTDOOR  
DECORATIVE  
WALL MOUNT



**WMCSR-DL-BK**  
8.5" Black



**WMCSR-DL-BR**  
8.5" Bronze



**WMCSR-DL-SIL**  
8.5" Silver



**WMCSR-DL-WH**  
8.5" White



**WMCSR-UD-BK**  
11.8" Black



**WMCSR-UD-BR**  
11.8" Bronze



**WMCSR-UD-SIL**  
11.8" Silver



**WMCSR-UD-WH**  
11.8" White

**4" LED ROUND-CORNER SQUARE OUTDOOR CYLINDER LIGHTS**



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>WMCSR-UD-MCTP-D-BK</b>	2 X 10W/15W/20W 100LM/W 30K/40K/50K 11.8"H, Black	6
<b>WMCSR-UD-MCTP-D-BR</b>	2 X 10W/15W/20W 100LM/W 30K/40K/50K 11.8"H, Bronze	6
<b>WMCSR-UD-MCTP-D-SIL</b>	2 X 10W/15W/20W 100LM/W 30K/40K/50K 11.8"H, Silver	6
<b>WMCSR-UD-MCTP-D-WH</b>	2 X 10W/15W/20W 100LM/W 30K/40K/50K 11.8"H, White	6
<b>WMCSR-DL-MCTP-D-BK</b>	10W/15W/20W 100LM/W 30K/40K/50K 8.5"H, Black	6
<b>WMCSR-DL-MCTP-D-BR</b>	10W/15W/20W 100LM/W 30K/40K/50K 8.5"H, Bronze	6
<b>WMCSR-DL-MCTP-D-SIL</b>	10W/15W/20W 100LM/W 30K/40K/50K 8.5"H, Silver	6
<b>WMCSR-DL-MCTP-D-WH</b>	10W/15W/20W 100LM/W 30K/40K/50K 8.5"H, White	6

OUTDOOR  
DECORATIVE  
WALL MOUNT



**WMCS-DL-BR**  
Bronze

**WMCS-DL-BN**  
Brushed Nickel

**WMCS-UDL-BR**  
Bronze

**WMCS-UDL-BN**  
Brushed Nickel

**WMCS5-DL-BR**  
Bronze

**WMCS5-DL-BN**  
Brushed Nickel

**WMCS5-UDL-BR**  
Bronze

**WMCS5-UDL-BN**  
Brushed Nickel

**WMCS8-UDL-BK**  
Black


**ALL MODELS ARE AVAILABLE IN BRONZE, BRUSHED NICKEL, BLACK, & WHITE**

**4" & 5" & 8" CCT-ADJUSTABLE LED SQUARE OUTDOOR CYLINDER LIGHTS, IP65**


CATALOG NO.	DESCRIPTION				PKG. QTY.
<b>4" LED SQUARE CYLINDER LIGHTS, 120V (DOWN LIGHT) H: 8"</b>					
<b>WMCS-DL-MCT-BR-DT</b>	12W	960LM	3000K/4000K/5000K	30° Bronze	6
<b>WMCS-DL-MCT-BN-DT</b>	12W	960LM	3000K/4000K/5000K	30° Brushed Nickel	6
<b>WMCS-DL-MCT-WH-DT</b>	12W	960LM	3000K/4000K/5000K	30° White	6
<b>WMCS-DL-MCT-BK-DT</b>	12W	960LM	3000K/4000K/5000K	30° Black	6
<b>4" LED SQUARE CYLINDER LIGHTS, 120V (UP/DOWN LIGHT) H: 10-1/4"</b>					
<b>WMCS-UDL-MCT-BR-DT</b>	24W	1920LM	3000K/4000K/5000K	30° Bronze	6
<b>WMCS-UDL-MCT-BN-DT</b>	24W	1920LM	3000K/4000K/5000K	30° Brushed Nickel	6
<b>WMCS-UDL-MCT-WH-DT</b>	24W	1920LM	3000K/4000K/5000K	30° White	6
<b>WMCS-UDL-MCT-BK-DT</b>	24W	1920LM	3000K/4000K/5000K	30° Black	6
<b>5" LED SQUARE CYLINDER LIGHTS, 120-277V (DOWN LIGHT) H: 8"</b>					
<b>WMCS5-DL-MCT-BR-DD</b>	20W	1600LM	30K/40K/50K	30° Bronze	6
<b>WMCS5-DL-MCT-BN-DD</b>	20W	1600LM	30K/40K/50K	30° Brushed Nickel	6
<b>WMCS5-DL-MCT-WH-DD</b>	20W	1600LM	30K/40K/50K	30° White	6
<b>WMCS5-DL-MCT-BK-DD</b>	20W	1600LM	30K/40K/50K	30° Black	6
<b>5" LED SQUARE CYLINDER LIGHTS, 120-277V (UP/DOWN LIGHT) H: 12"</b>					
<b>WMCS5-UDL-MCT-BR-DD</b>	40W	3200LM	30K/40K/50K	30° Bronze	6
<b>WMCS5-UDL-MCT-BN-DD</b>	40W	3200LM	30K/40K/50K	30° Brushed Nickel	6
<b>WMCS5-UDL-MCT-WH-DD</b>	40W	3200LM	30K/40K/50K	30° White	6
<b>WMCS5-UDL-MCT-BK-DD</b>	40W	3200LM	30K/40K/50K	30° Black	6
<b>8" LED SQUARE CYLINDER LIGHTS, 120-277V (UP/DOWN LIGHT) H: 10.5"</b>					
<b>WMCS8-UDL-MCTD-BK-D</b>	40W	80LM/W	30K/40K/50K	Black	1
<b>WMCS8-UDL-MCTD-BR-D</b>	40W	80LM/W	30K/40K/50K	Bronze	1
<b>WMCS8-UDL-MCTD-WH-D</b>	40W	80LM/W	30K/40K/50K	White	1
<b>WMCS8-UDL-MCTD-SIL-D</b>	40W	80LM/W	30K/40K/50K	Silver	1

**FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

SIZE	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
4" & UP	OPT-EM-WMCS	INTERNAL	OPT-PC-B	BUTTON	N/A	OPT-SEN-WMC OPT-SEN-NLS-WMCS OPT-SEN-KEILTON WEC-8RC	ONLY FOR 4" & UP WG NETWORK SENSOR KEILTON NETWORK SENSOR REMOTE CONTROL



Up light - Bronze



Down light - White



Up-Down lights - Brushed Nickel

OUTDOOR  
DECORATIVE  
WALL MOUNT



**WMQ5-UDL-MCTP-BK-P**  
Black



**WMQ5-UDL-MCTP-BR-P**  
Bronze



**WMQ5-UDL-MCTP-WH-P**  
White



**WMQ5-UDL-MCTP-BN-P**  
Brushed Nickel

**UP-DOWN SELECTABLE CUBE WALL LIGHT,  
POWER AND CCT ADJUSTABLE, 4.87"(L) X 4.87"(H) X 4.87"(W)**



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>WMQ5-UDL-MCTP-BK-P</b>	6W/12W/15W/18W 104LM/W 30K/40K/50K Black	6
<b>WMQ5-UDL-MCTP-BR-P</b>	6W/12W/15W/18W 104LM/W 30K/40K/50K Bronze	6
<b>WMQ5-UDL-MCTP-WH-P</b>	6W/12W/15W/18W 104LM/W 30K/40K/50K White	6
<b>WMQ5-UDL-MCTP-BN-P</b>	6W/12W/15W/18W 104LM/W 30K/40K/50K Brushed Nickel	6

**FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

WATTS	EM OPTION	DESCRIPTION	VANDAL RES.	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL	<b>OPT-EM-WMQ5-BK</b>	BACK BOX	N/A	N/A	N/A	N/A	N/A
	<b>OPT-EM-WMQ5-BR</b>	BACK BOX					
	<b>OPT-EM-WMQ5-WH</b>	BACK BOX					
	<b>OPT-EM-WMQ5-BN</b>	BACK BOX					



Up-Down lights - Brushed Nickel



**LRS-TU-MCT5-DD-BK**  
Black



**LRS-TU-MCT5-DD-BN**  
Brushed Nickel



**LRS-TU-MCT5-DD-BR**  
Bronze



**LRS-TU-MCT5-DD-WH**  
White

**UP/DOWN TUNNEL WALL SCNCE  
RESIDENTIAL/COMMERCIAL DUAL DIMMING, 12"H X 5.5"W X 2-1/8" D**



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>LRS-TU-MCT5-DD-BK</b>	2X12W 1920LM 27K/30K/35K/40K/50K Black	6
<b>LRS-TU-MCT5-DD-BN</b>	2X12W 1920LM 27K/30K/35K/40K/50K Brushed Nickel	6
<b>LRS-TU-MCT5-DD-BR</b>	2X12W 1920LM 27K/30K/35K/40K/50K Bronze	6
<b>LRS-TU-MCT5-DD-WH</b>	2X12W 1920LM 27K/30K/35K/40K/50K White	6





**LDSW-MCT5-ORB**  
Oil-Rubbed Bronze



**LDSW-MCT5-SIL**  
Silver



**LDSS-MCT5-ORB**  
Oil-Rubbed Bronze

OUTDOOR  
DECORATIVE  
WALL MOUNT

**OUTDOOR/INDOOR LED DECORATIVE WALL SCONCE**




CATALOG NO.	DESCRIPTION				PKG. QTY.
<b>10" OUTDOOR/INDOOR LED DECORATIVE WALL SCONCE, 120V (10" WIDE)</b>					
<b>LDSW-MCT5-ORB</b>	12W	1200LM	27K/30K/35K/40K/50K	Oil-Rubbed Bronze	6
<b>LDSW-MCT5-SIL</b>	12W	1200LM	27K/30K/35K/40K/50K	Silver	6
<b>10" OUTDOOR/INDOOR LED DECORATIVE WALL SCONCE, 120V (8.7" WIDE)</b>					
<b>LDSS-MCT5-ORB</b>	12W	1200LM	27K/30K/35K/40K/50K	Oil-Rubbed Bronze	6

**FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

WATTS	277V OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
LDSW, LDSS	N/A	N/A	<b>OPT-PC-BI</b>	BUTTON	N/A	<b>OPT-SEN-LDS</b>	INTERNAL MICROWAVE BI-LEVEL
						<b>OPT-SEN-NLS-LDSW</b>	WG NETWORK SENSOR
						<b>OPT-SEN-KEILTON</b>	KEILTON NETWORK SENSOR



**LDSB-40-MCTP-DD-BK**  
Black



**LDSB-40-MCTP-DD-ORB**  
Oil-Rubbed Bronze




**LDSB-40-MCTP-DD-SIL**  
Silver

**40" OUTDOOR/INDOOR LED DECORATIVE WALL SCONCE, 120-277V (14" WIDE)**



CATALOG NO.	DESCRIPTION				PKG. QTY.
<b>LDSB-40-MCTP-DD-BK</b>	40W/60W/80W	80LM/W	30K/40K/50K	Black	1
<b>LDSB-40-MCTP-DD-ORB</b>	40W/60W/80W	80LM/W	30K/40K/50K	Oil-Rubbed Bronze	1
<b>LDSB-40-MCTP-DD-SIL</b>	40W/60W/80W	80LM/W	30K/40K/50K	Silver	1



**OUTDOOR/INDOOR LED DECORATIVE WALL SCONCE**



CATALOG NO.	DESCRIPTION				PKG. QTY.
<b>10" OUTDOOR/INDOOR LED DECORATIVE WALL SCONCE, 120V (7" WIDE)</b>					
LDS-MCT5-DT-ORB	15W	980LM	27K/30K/35K/40K/50K	Oil-Rubbed Bronze	4
LDS-MCT5-DT-SIL	15W	980LM	27K/30K/35K/40K/50K	Silver	4
LDS-MCT5-DT-BK	15W	980LM	27K/30K/35K/40K/50K	Black	4
<b>RGB WG APP OR REMOTE CONTROL 7" OUTDOOR/INDOOR LED DECORATIVE WALL SCONCE, 120V (7" WIDE)</b>					
LDS-RGBW-BK	15W	980LM	5CCT AND RGB	Black	4
<b>10" OUTDOOR/INDOOR LED DECORATIVE WALL SCONCE WITH PIR SENSOR, 120V (7" WIDE)</b>					
LDS-MCT5-DT-PIR-ORB	15W	980LM	27K/30K/35K/40K/50K	Oil-Rubbed Bronze	4
LDS-MCT5-DT-PIR-SIL	15W	980LM	27K/30K/35K/40K/50K	Silver	4
LDS-MCT5-DT-PIR-BK	15W	980LM	27K/30K/35K/40K/50K	Black	4
<b>18" OUTDOOR/INDOOR LED DECORATIVE WALL SCONCE, 120-277V (6" WIDE)</b>					
LDSL-MCT-D-BZ	20W	1500LM	3000K/4000K/5000K	Bronze	6
LDSL-MCT-D-SIL	20W	1500LM	3000K/4000K/5000K	Silver	6
LDSL-MCT-D-BK	20W	1500LM	3000K/4000K/5000K	Black	6
<b>24" OUTDOOR/INDOOR LED DECORATIVE WALL SCONCE, 120-277V (6" WIDE)</b>					
LDSXL-MCT-DD-ORB	25W	1800LM	30K/40K/50K	Oil-Rubbed Bronze	4
LDSXL-MCT-DD-SIL	25W	1800LM	30K/40K/50K	Silver	4
LDSXL-MCT-DD-BK	25W	1800LM	30K/40K/50K	Black	4
<b>46" OUTDOOR/INDOOR LED DECORATIVE WALL SCONCE, 120-277V (6" WIDE)</b>					
LDSXL-46-MCT-DD-ORB	50W	3600LM	30K/40K/50K	Oil-Rubbed Bronze	2
LDSXL-46-MCT-DD-SIL	50W	3600LM	30K/40K/50K	Silver	2
LDSXL-46-MCT-DD-BK	50W	3600LM	30K/40K/50K	Black	2
<b>18" OUTDOOR/INDOOR LED DECORATIVE WALL SCONCE, 120-277V (9" WIDE)</b>					
LDSC-18-MCTP-DD-ORB	15W/20W/25W	80LM/W	30K/40K/50K	Oil-Rubbed Bronze	4
LDSC-18-MCTP-DD-SIL	15W/20W/25W	80LM/W	30K/40K/50K	Silver	4
LDSC-18-MCTP-DD-BK	15W/20W/25W	80LM/W	30K/40K/50K	Black	4
<b>24" OUTDOOR/INDOOR LED DECORATIVE WALL SCONCE, 120-277V (9" WIDE)</b>					
LDSC-24-MCTP-DD-ORB	20W/25W/30W	80LM/W	30K/40K/50K	Oil-Rubbed Bronze	4
LDSC-24-MCTP-DD-SIL	20W/25W/30W	80LM/W	30K/40K/50K	Silver	4
LDSC-24-MCTP-DD-BK	20W/25W/30W	80LM/W	30K/40K/50K	Black	4

LDSXL DIMMING: (DUAL FUNCTION) TRIAC DIMMABLE AT 120V & 0-10V DIMMING AT 120-277V

**FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
LDS	OPT-EM-LDS		OPT-PC-BI	BUTTON	N/A	OPT-SEN-LDS	INTERNAL MICROWAVE BI-LEVEL
LDSX-S	OPT-EM-LDSX-S		277V OPTION	DESCRIPTION		OPT-SEN-NLS-LDS	WG NETWORK SENSOR
LDSX-L	OPT-EM-LDSX-L		OPT-277V-LDS	EXTERNAL BOX		OPT-SEN-KEILTON	KEILTON NETWORK SENSOR

**FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
LDSL	OPT-EM-LDSL	INTERNAL	OPT-PC-B	BUTTON	N/A	N/A	N/A
LDSXL	OPT-EM-LDSXL	INTERNAL					
LDSXL	OPT-EM-LDSXL-277V	INTERNAL					



LRS-J1S-MCT-C90-BK  
Black



LRS-J1S-MCT-C90-BN  
Brushed-Nickel



LRS-J1S-MCT-C90-BR  
Bronze



LRS-J-MCT-C90-BK  
Black



LRS-J-MCT-C90-BN  
Brushed-Nickel



LRS-J-MCT-C90-BR  
Bronze

**MODEL J ARCHITECTURAL OUTDOOR/INDOOR LED WALL LIGHTS**  
120V, SOLID ACRYLIC LENS



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>1-SIDE DECORATIVE OUTDOOR WALL LIGHT</b>		
LRS-J1S-MCT-C90-BK	10W 700LM 3000K/4000K/5000K Black	10
LRS-J1S-MCT-C90-BR	10W 700LM 3000K/4000K/5000K Bronze	10
LRS-J1S-MCT-C90-BN	10W 700LM 3000K/4000K/5000K Brushed-Nickel	10
<b>2-SIDES DECORATIVE OUTDOOR WALL LIGHT</b>		
LRS-J-MCT-C90-BK	20W 1400LM 3000K/4000K/5000K Black	10
LRS-J-MCT-C90-BR	20W 1400LM 3000K/4000K/5000K Bronze	10
LRS-J-MCT-C90-BN	20W 1400LM 3000K/4000K/5000K Brushed-Nickel	10



LRS-E-MCT-C90-BK  
Black



LRS-E-MCT-C90-MGBR  
Marine Grade Bronze



LRS-E-MCT-C90-WH  
White



LRS-F-MCT-C90-BK  
Black



LRS-F-MCT-C90-MGBR  
Marine Grade Bronze



LRS-F-MCT-C90-WH  
White



LRS-F-RGBW-BK  
Black



LRS-G-MCT-C90-BK  
Black



LRS-G-MCT-C90-MGBR  
Marine Grade Bronze



LRS-G-MCT-C90-WH  
White




LRS-H-MCT-C90-BK  
Black



LRS-H-MCT-C90-MGBR  
Marine Grade Bronze



LRS-H-MCT-C90-WH  
White



LRS-H-RGBW-BK  
Black

**ARCHITECTURAL OUTDOOR/INDOOR LED WALL LIGHTS, 120V**



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>ROUND MODEL E ARCHITECTURAL OUTDOOR/INDOOR LED WALL LIGHTS, 120V</b>		
LRS-E-MCT-C90-BK	12W 650LM 3000K/4000K/5000K Black	12
LRS-E-MCT-C90-WH	12W 650LM 3000K/4000K/5000K White	12
LRS-E-MCT-C90-MGBR	12W 650LM 3000K/4000K/5000K Marine Grade Bronze	12
<b>ROUND MODEL F ARCHITECTURAL OUTDOOR/INDOOR LED WALL LIGHTS, 120V</b>		
LRS-F-MCT-C90-BK	12W 650LM 3000K/4000K/5000K Black	12
LRS-F-MCT-C90-WH	12W 650LM 3000K/4000K/5000K White	12
LRS-F-MCT-C90-MGBR	12W 650LM 3000K/4000K/5000K Marine Grade Bronze	12
<b>RGB WG APP OR REMOTE CONTROL 7" ROUND MODEL F ARCHITECTURAL OUTDOOR/INDOOR LED WALL LIGHTS, 120V</b>		
LRS-F-RGBW-BK	12W 650LM 5CCT AND RGB Black	12
<b>SQUARE MODEL G ARCHITECTURAL OUTDOOR/INDOOR LED WALL LIGHTS, 120V</b>		
LRS-G-MCT-C90-BK	12W 650LM 3000K/4000K/5000K Black	12
LRS-G-MCT-C90-WH	12W 650LM 3000K/4000K/5000K White	12
LRS-G-MCT-C90-MGBR	12W 650LM 3000K/4000K/5000K Marine Grade Bronze	12
<b>SQUARE MODEL H ARCHITECTURAL OUTDOOR/INDOOR LED WALL LIGHTS, 120V</b>		
LRS-H-MCT-C90-BK	12W 650LM 3000K/4000K/5000K Black	12
LRS-H-MCT-C90-WH	12W 650LM 3000K/4000K/5000K White	12
LRS-H-MCT-C90-MGBR	12W 650LM 3000K/4000K/5000K Marine Grade Bronze	12
<b>RGB WG APP OR REMOTE CONTROL 6" SQUARE MODEL H ARCHITECTURAL OUTDOOR/INDOOR LED WALL LIGHTS, 120V</b>		
LRS-H-RGBW-BK	12W 650LM 5CCT AND RGB Black	12

**FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	277V OPTION	DESCRIPTION
LRS-E, LRS-F	OPT-EM-LRS-R-BK	BACK BOX	OPT-PC-LRS-RBK	EXTERNAL BOX	N/A	OPT-277V-LRS-R	EXTERNAL BOX
LRS-G, LRS-H, LRS-J, LRS-JIS	OPT-EM-LRS-S-BK	BACK BOX	OPT-PC-LRS-RMGBR	EXTERNAL BOX	N/A	OPT-277V-LRS-S	EXTERNAL BOX
LRS-E, LRS-F	OPT-EM-LRS-R-WH	BACK BOX	OPT-PC-LRS-RWH	EXTERNAL BOX			
LRS-G, LRS-H	OPT-EM-LRS-S-WH	BACK BOX	OPT-PC-LRS-SBK	EXTERNAL BOX			
LRS-E, LRS-F	OPT-EM-LRS-R-MGBR	BACK BOX	OPT-PC-LRS-SMGBR	EXTERNAL BOX			
LRS-G, LRS-H	OPT-EM-LRS-S-MGBR	BACK BOX	OPT-PC-LRS-SWH	EXTERNAL BOX			
LRS-J, LRS-JIS	OPT-EM-LRS-S-BR	BACK BOX					
LRS-J, LRS-JIS	OPT-EM-LRS-S-BN	BACK BOX					



**LVW-100-MCT-ORB**  
5.25"(D) x 2.66"(H)



**LVW-110-MCT-ORB**  
3.12"(W) x 3.40"(H) x 3.71"(D)



**LVW-110-UD-MCT-ORB**  
3.71"(W) x 4.12"(H) x 5.20"(D)



**LVW-115-MCT-ORB**  
5.25"(D) x 3.75"(H)



**LVW-200-MCT-ORB**  
5.20"(SQ) x 2.66"(H)



**LVW-210-MCT-ORB**  
3.75"(W) x 4.12"(H) x 3.4"(D)



**LVW-210-UD-MCT-ORB**  
3.75"(W) x 4.12"(H) x 5.20"(D)



**LVW-215-MCT-ORB**  
5.25"(SQ) x 4.33"(H)



**LVW-250-MCT-ORB**  
5.75"(W) x 5.75"(H) x 2.25"(D)



**LVW-300-MCT-ORB**  
**LVW-300-MCT-WH**  
7"(W) x 5"(H) x 2.25"(D)



**LVW-310-MCT-ORB**  
**LVW-310-MCT-WH**  
7.50"(W) x 4.20"(H) x 2"(D)

**12V SELECTABLE CCT LED MINI WALL SCONCES**



CATALOG NO.	DESCRIPTION
<b>LVW-100-MCT-ORB</b>	3W <b>200LM</b> 30K/40K/50K Oil-Rubbed Bronze
<b>LVW-110-MCT-ORB</b>	3W <b>200LM</b> 30K/40K/50K Oil-Rubbed Bronze
<b>LVW-110-UD-MCT-ORB</b>	6W <b>400LM</b> 30K/40K/50K Oil-Rubbed Bronze
<b>LVW-115-MCT-ORB</b>	3W <b>200LM</b> 30K/40K/50K Oil-Rubbed Bronze
<b>LVW-200-MCT-ORB</b>	3W <b>200LM</b> 30K/40K/50K Oil-Rubbed Bronze
<b>LVW-210-MCT-ORB</b>	3W <b>200LM</b> 30K/40K/50K Oil-Rubbed Bronze
<b>LVW-210-UD-MCT-ORB</b>	6W <b>400LM</b> 30K/40K/50K Oil-Rubbed Bronze
<b>LVW-215-MCT-ORB</b>	3W <b>200LM</b> 30K/40K/50K Oil-Rubbed Bronze
<b>LVW-250-MCT-ORB</b>	6W <b>400LM</b> 30K/40K/50K Oil-Rubbed Bronze
<b>LVW-300-MCT-ORB</b>	6W <b>400LM</b> 30K/40K/50K Oil-Rubbed Bronze
<b>LVW-300-MCT-WH</b>	6W <b>400LM</b> 30K/40K/50K White
<b>LVW-310-MCT-ORB</b>	6W <b>400LM</b> 30K/40K/50K Oil-Rubbed Bronze
<b>LVW-310-MCT-WH</b>	6W <b>400LM</b> 30K/40K/50K White

12V



**LRS-A-MCT-PC**  
Dark Bronze




**LRS-B-40K-PC**  
**LRS-B-MCT-PC**  
Dark Bronze



**LRS-C-MCT-D**  
Dark Bronze



**LRS-PV-MCT-DD**  
Oil-Rubbed Bronze



**LRS-PV-RGBW**  
Oil-Rubbed Bronze



**LRS-D-30K-D**  
**LRS-D-40K-D**  
Dark Bronze



**LRS-L-MCT5-BK**  
Black



**LRS-S-MCT5-ORB**  
Oil-Rubbed Bronze



**LRS-SWG-MCT5-ORB**  
Oil-Rubbed Bronze

**LED RESIDENTIAL LANTERNS, 120V**



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>12" OUTDOOR/INDOOR CEILING LIGHT, 120-277V</b>	<b>LRS-PV-MCT-DD</b> 25W <b>1920LM</b> 30K/40K/50K	4
<b>RGB WG APP OR REMOTE CONTROL 13" OUTDOOR/INDOOR CEILING LIGHT, 120-277V</b>	<b>LRS-PV-RGBW</b> 25W <b>1920LM</b> 5CCT AND RGB	4
<b>LED RESIDENTIAL LANTERNS WITH PHOTOCELL, 120V</b>	<b>LRS-A-MCT-PC</b> 12W <b>1150LM</b> 3000K/4000K/5000K	6
	<b>LRS-B-40K-PC</b> 6W <b>550LM</b> 4000K	12
	<b>LRS-B-MCT-PC</b> 6W <b>550LM</b> 3000K/4000K/5000K	12
<b>LED DIMMABLE RESIDENTIAL LIGHTS, 120V</b>	<b>LRS-C-MCT-D</b> 12W <b>1100LM</b> 3000K/4000K/5000K	6
	<b>LRS-D-30K-D</b> 12W <b>1100LM</b> 3000K	6
	<b>LRS-D-40K-D</b> 12W <b>1100LM</b> 4000K	6
<b>LED OUTDOOR LARGE WALL LANTERN, 120V 5CCT (12.40 X 8.80 X 8.80)</b>	<b>LRS-L-MCT5-BK</b> 12W <b>1200LM</b> 27K/30K/35K/40K/50K	6
<b>LED SEASIDE OUTDOOR WALL LANTERN, 120V 5CCT (10.50 X 8.70 X 8.70)</b>	<b>LRS-S-MCT5-ORB</b> 12W <b>1200LM</b> 27K/30K/35K/40K/50K	4
<b>LED SEASIDE OUTDOOR WALL LANTERN WITH WIREGUARD., 120V 5CCT (11.00 X 8.75 X 10.35)</b>	<b>LRS-SWG-MCT5-ORB</b> 12W <b>1200LM</b> 27K/30K/35K/40K/50K	4

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
LRS-L, LRS-S, LRS-SWG	N/A	N/A	<b>OPT-PC-B</b>	BUTTON	N/A	<b>OPT-SEN-LDS</b>	INTERNAL MICROWAVE BI-LEVEL FOR LRS-PV, LRS-C, LRS-D
LRS-PV	<b>OPT-EM-LRS-PV</b>	N/A				<b>OPT-SEN-NLS-LRS</b>	WG NETWORK SENSOR
						<b>OPT-SEN-KEILTON</b>	KEILTON NETWORK SENSOR



**LRS-NI-MCT-P-ORB**  
13" Oil-Rubbed Bronze



**LRS-MI-MCT-P-ORB**  
10" Oil-Rubbed Bronze



**LRS-M2-MCT-P-ORB**  
10" Oil-Rubbed Bronze



Shown with  
Optional  
Bubble Glass



Shown with  
Optional  
Crackled Glass



**LRS-V**  
Oil-rubbed bronze

OUTDOOR  
DECORATIVE  
WALL MOUNT

**RESIDENTIAL LANTERNS WITH PHOTOCELL, CCT SELECTABLE**



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>10" MODEL M RESIDENTIAL LANTERNS WITH PHOTOCELL, CCT SELECTABLE</b>		
<b>LRS-MI-MCT-P-ORB</b>	12W 500LM 30K/40K/50K With Frosted Lens & Ornament guard	6
<b>LRS-M2-MCT-P-ORB</b>	12W 500LM 30K/40K/50K With Frosted Lens & Outer Clear Glass	6
<b>LRS-M-RL-FG</b>	Replacement Default Frosted Lens For LRS-M Series	
<b>LRS-M-RL-BG</b>	Replacement Bubble Glass Lens For LRS-M Series	
<b>LRS-M-RL-CG</b>	Replacement Crackled Glass Lens For LRS-M Series	
<b>13" MODEL N RESIDENTIAL LANTERNS WITH PHOTOCELL, CCT SELECTABLE</b>		
<b>LRS-NI-MCT-P-ORB</b>	20W 850LM 30K/40K/50K With Frosted Lens & Outer Clear Glass	4
<b>LRS-N-RL-FG</b>	Replacement Default Frosted Lens For LRS-N Series	
<b>LRS-N-RL-BG</b>	Replacement Bubble Glass Lens For LRS-N Series	
<b>LRS-N-RL-CG</b>	Replacement Crackled Glass Lens For LRS-N Series	
<b>8" ROUND MODEL V DIE-CAST MODERN WALL SCONCES WITH PHOTOCELL, CCT SELECTABLE</b>		
<b>LRS-V-MCT-P-ORB</b>	12W 500LM 30K/40K/50K	



**ERSH-1325-BK**  
13.25" Black



**ERSH-185-BK**  
18.5" Black



**ERSH-25-BK**  
25" Black




**ERSH-PT185-BK**  
18.5" Black

**E26 GLASS WALL SCONCE INCLUDES LED T LAMP**

CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER	PKG. QTY.
<b>ERSH-1325-BK</b>	6W 520LM 3000K 13.25" Black		1
<b>ERSH-185-BK</b>	6W 520LM 3000K 18.5" Black		1
<b>ERSH-25-BK</b>	6W 780LM 3000K 25" Black		1
<b>ERSH-PT185-BK</b>	6W 520LM 3000K 18.5" Black		1





**HNS-58DL-CUSTOM-BK**  
Black



**HNS-58DL-CUSTOM-ORB**  
Oil-Rubbed Bronze



**HNS-59NL-DT-CUSTOM**  
Bronze

**HOUSE NUMBER SIGNAGE** MTO made to order

**ARRIVES THIS SEASON  
CHECK & PRE-ORDER**

CATALOG NO.	DESCRIPTION
<b>HNS-58DL-CUSTOM-BK</b>	ADA House Number Signage 5in W x 8in H Downlight 120V 10W CR80 Custom CCT Digits Finish, Black
<b>HNS-58DL-CUSTOM-ORB</b>	ADA House Number Signage 5in W x 8in H Downlight 120V 10W CR80 Custom CCT Digits Finish, Oil-rubbed bronze
<b>HNS-56UDL-CUSTOM</b>	House Number Signage 10in W x 6in H Up/Downlight 120V 16W CR80 Custom CCT Digits Finish, Bronze
<b>HNS-59NL-DT-CUSTOM</b>	ADA House Number Signage Num-Lit 4in W x 24in H 120V 16W TRIAC CR90 Custom CCT Digits Finish, Bronze
<b>HNS-BRAILLE</b>	HNS Braille Numbers Option Added



**LRS-O**  
Bronze



Can be Installed  
as Uplight



**LRS-CR2-MCT-BR**  
Bronze



**LRS-WS-12**  
Bronze



**LRS-WS-18**  
Bronze



**LRS-K-24-MCT5-BR**  
Bronze

**DIE-CAST MODERN WALL SCONCES, SELECTABLE 3CCT**



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>IP65 MODEL O DIE-CAST MODERN WALL SCONCES - UP LIGHT OR DOWN LIGHT INSTALLATION</b>		
<b>LRS-01-MCT-BR</b>	6W 420LM 30K/40K/50K Bronze, 5" H	10
<b>LRS-02-MCT-BR</b>	9W 630LM 30K/40K/50K Bronze, 6" H	10
<b>LRS-03-MCT-BR</b>	12W 840LM 30K/40K/50K Bronze, 8" H	10
<b>8" MODEL CR UP/DOWN WALL SCONCES</b>		
<b>LRS-CR2-MCT-BR</b>	2x6W 840LM 30K/40K/50K Bronze, 8" H	8
<b>MODEL WS OUTDOOR INDIRECT WALL SCONCES</b>		
<b>LRS-WS-12-MCT5-BR</b>	20W 1000LM 27K/30K/35K/40K/50K Bronze, 12" H	10
<b>LRS-WS-18-MCT5-BR</b>	30W 1500LM 27K/30K/35K/40K/50K Bronze, 18" H	10
<b>24" MODEL K DIE-CAST MODERN WALL SCONCES</b>		
<b>LRS-K-24-MCT5-BR</b>	24W 700LM 27K/30K/35K/40K/50K Bronze, 24" H	8

OUTDOOR  
DECORATIVE  
WALL MOUNT



**LRS-SH12**  
12" Oil-Rubbed Bronze



**LRS-SH24**  
24" Oil-Rubbed Bronze



**LRS-SH40**  
40" Oil-Rubbed Bronze



Shown with Honey lens

**SHOJI WINDOW WALL SCONCE**

POWER AND CCT ADJUSTABLE - **DUAL DIMMING, 120-277V**



OUTDOOR  
DECORATIVE  
WALL MOUNT

CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>LRS-SH-12-MCTP-DT-ORB</b>	9W/13W/17W <b>70LM/W</b> 30K/40K/50K Oil-rubbed bronze, 7"X12"	6
<b>LRS-SH-12-MCTP-DD-ORB</b>	9W/13W/17W <b>70LM/W</b> 30K/40K/50K Oil-rubbed bronze, 7"X12"	6
<b>LRS-SH-24-MCTP-DD-ORB</b>	18W/24W/30W <b>70LM/W</b> 30K/40K/50K Oil-rubbed bronze, 7"X24"	4
<b>LRS-SH-40-MCTP-DD-ORB</b>	40W/60W/80W <b>70LM/W</b> 30K/40K/50K Oil-rubbed bronze, 13"X40"	1
<b>LRS-SH-12-HLK</b>	Honey-Color Replacement Lens for LRS-SH-12	
<b>LRS-SH-24-HLK</b>	Honey-Color Replacement Lens for LRS-SH-24	



**LRS-SG2** Oil-Rubbed Bronze    **LRS-SG3** Oil-Rubbed Bronze    **LRS-SG1** Oil-Rubbed Bronze    **LRS-SG4-MCT-BK** Black

**SEEDED GLASS WALL SCONCES, 120V - 3CCT**



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>LRS-SG1-MCT-ORB</b>	12W <b>1200LM</b> 30K/40K/50K Oil-Rubbed Bronze, 6"X14", 120V	4
<b>LRS-SG2-MCT-ORB</b>	12W <b>1200LM</b> 30K/40K/50K Oil-Rubbed Bronze, 7"X18", 120V	4
<b>LRS-SG3-MCT-ORB</b>	12W <b>1200LM</b> 30K/40K/50K Oil-Rubbed Bronze, 6"X14", 120V	4
<b>LRS-SG4-MCT-BK</b>	12W <b>1200LM</b> 30K/40K/50K 1lin Black	5
<b>SEEDED GLASS WALL SCONCES, 120V - 3CCT DUAL DIMMING</b>		
<b>LRS-SG1-MCT-DD-ORB</b>	15W <b>1500LM</b> 30K/40K/50K Oil-Rubbed Bronze, 6"X14", 120V	4
<b>LRS-SG2-MCT-DD-ORB</b>	15W <b>1500LM</b> 30K/40K/50K Oil-Rubbed Bronze, 7"X18", 120V	4
<b>LRS-SG3-MCT-DD-ORB</b>	15W <b>1500LM</b> 30K/40K/50K Oil-Rubbed Bronze, 6"X14", 120V	4



**LRS-ML-MCT-P-BK**



**LRS-ML-SG-MCT-P-BK**

**8" MINI SQUARE LANTERN W/ PHOTOCELL - 3CCT**



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>LRS-ML-MCT-P-BK</b>	12W <b>650LM</b> 30K/40K/50K 8" Black	6
<b>LRS-ML-SG-MCT-P-BK</b>	12W <b>650LM</b> 30K/40K/50K 8" Black, <b>Seeded Glass</b>	6



**CREA-56-MCTP-BR**  
Bronze



**CREA-56-MCTP-WH**  
White



**CREA-57-MCTP-BR**  
Bronze




**CREA-57-MCTP-WH**  
White



Beam  
Adjustable

**ADJUSTABLE BEAM ANGLE OUTDOOR/INDOOR DESIGNER WALL SCNCE, 120-277V**

CATALOG NO.	DESCRIPTION	
<b>CREA-56-MCTP-BR</b>	14W/18W/24W <b>80LM/W</b> 30K/40K/50K Square	Bronze
<b>CREA-57-MCTP-BR</b>	14W/18W/24W <b>80LM/W</b> 30K/40K/50K Round	Bronze
<b>CREA-56-MCTP-WH</b>	14W/18W/24W <b>80LM/W</b> 30K/40K/50K Square	White
<b>CREA-57-MCTP-WH</b>	14W/18W/24W <b>80LM/W</b> 30K/40K/50K Round	White



**WALL CUBE WITH ADJ. BEAM ANGLE UP/DOWN LIGHTS, OUTDOOR, 5CCT**

CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>LRS-Q-MCT5-BR</b>	15W <b>800LM</b> 27K/30K/35K/40K/50K Bronze	10
<b>LRS-Q-MCT5-BK</b>	15W <b>800LM</b> 27K/30K/35K/40K/50K Black	10
<b>LRS-Q-MCT5-WH</b>	15W <b>800LM</b> 27K/30K/35K/40K/50K White	10



**LRS-MC-MCT5-P-BK**  
Black



**LRS-MC-MCT5-P-WH**  
Bronze



**LRS-MC-MCT5-P-BN**  
Brushed Nickel



**LRS-MC-MCT5-P-BR**  
Bronze

**MINI-CONE OUTDOOR WALL SCNCE WITH PHOTOCELL, 5" HEIGHT, 5CCT**

CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>LRS-MC-MCT5-P-BK</b>	10W <b>700LM</b> 27K/30K/35K/40K/50K Black	10
<b>LRS-MC-MCT5-P-WH</b>	10W <b>700LM</b> 27K/30K/35K/40K/50K White	10
<b>LRS-MC-MCT5-P-BN</b>	10W <b>700LM</b> 27K/30K/35K/40K/50K Brushed nickel	10
<b>LRS-MC-MCT5-P-BR</b>	10W <b>700LM</b> 27K/30K/35K/40K/50K Bronze	10

**FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

WATTS	EM OPTION	DESCRIPTION	VANDAL RES.	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL	<b>OPT-EM-LRS-MC</b>	EXTERNAL BACK BOX	N/A	N/A	N/A	N/A	N/A



# WESTGATE SMART APP COMPATIBLE RGBW SERIES



TC-FL-36W-RGBW-BT-BR  
Round Flood Light



TC-FL-72W-RGBW-BT-BK  
Round Flood Light



TC-FLS-96W-RGBW-BT-BK  
Square Flood Light



TC-WW-36W-RGBW-BT-BK  
TC-WW-72W-RGBW-BT-BK  
4' Wall Wash



DMX-FL-SH1  
Shield only



DMX-FLS-SH1  
Shield only



DMX-FLS-SHFG1  
Shield only



DMX-WW-SH2  
Shield only



WEC-2UGW-WIFI



## WESTGATE SMART APP COMPATIBLE RGBW SERIES

CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>TC-FL-36W-RGBW-BT-BR</b>	36W RGBW Bronze Round Flood Light	1
<b>TC-FL-72W-RGBW-BT-BK</b>	72W RGBW Black Round Flood Light	1
<b>TC-WW-36W-RGBW-BT-BK</b>	36W RGBW Black Linear Light	1
<b>TC-WW-72W-RGBW-BT-BK</b>	72W RGBW Black Linear Light	1
<b>TC-FLS-96W-RGBW-BT-BK</b>	96W RGBW Black Square Flood Light	1
<b>DMX-FL-SH1</b>	Half Glare Shield for TC-FL-72W & DMX-FL-72W	
<b>DMX-WW-SH2</b>	Half Glare Shield for TC-WW-36W/72W & DMX-WW-36W	
<b>DMX-FLS-SH1</b>	Half Glare Shield for TC-FLS-96W & DMX-FLS-36W/72W/96W	
<b>DMX-FLS-SHFG1</b>	Full Glare Shield for TC-FL-96W & DMX-FL-36W/72W/96W	
<b>WEC-2UGW-WIFI</b>	Bluetooth to WiFi Gateway for full remote access and programming, also needed for scheduling	



FOR REMOTE CONTROL SEE PAGE 104



WMC-UDL-RGBW-BK  
Black



WMC-UDL-RGBW-WH  
White



WMCS-UDL-RGBW-BK  
Black



WMCS-UDL-RGBW-WH  
White

## RGBW LED OUTDOOR CYLINDER LIGHTS, IP65



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>4" LED ROUND CYLINDER LIGHTS, 120V (UP/DOWN LIGHT) H: 12"</b>		
<b>WMC-UDL-RGBW-BK</b>	24w 1920LM RGBW 25° Black	6
<b>WMC-UDL-RGBW-WH</b>	24w 1920LM RGBW 25° White	6
<b>4" LED SQUARE CYLINDER LIGHTS, 120V (UP/DOWN LIGHT) H: 10-1/4"</b>		
<b>WMCS-UDL-RGBW-BK</b>	24w 1920LM RGBW 30° Black	6
<b>WMCS-UDL-RGBW-WH</b>	24w 1920LM RGBW 30° White	6



FOR REMOTE CONTROL SEE PAGE 104



# DMX 512 COMPATIBLE RGBW SERIES

SPECIAL ORDER FOR PROJECTS - MINIMUM 3 MONTHS LEAD TIME

DMX Controller & Cables Needed.

In a DMX lighting setup, Lights need to be connected with cables. The cables can be "daisy chained" so that each light can plug into the one before it instead of all lights plugging into the DMX board itself.



DMX-FL-36W-RGBW-BT-BK  
Round Flood Light



DMX-FL-72W-RGBW-BT-BK  
Round Flood Light



DMX-FLS-96W-RGBW-BT-BK  
DMX-FLS-192W-RGBW-BT-BK  
Square Flood Light



DMX-WW-36W-RGBW-BT-BK  
DMX-WW-72W-RGBW-BT-BK  
Wall Wash



DMX-FL-SH1  
Shield only



DMX-FLS-SHFG1  
Shield only



DMX-WW-SH2  
Shield only



DMX-FLS-SH2  
Shield only



DMX-3PIN-EXT

## DMX 512 COMPATIBLE RGBW SERIES



CATALOG NO.	DESCRIPTION	PKG. QTY.
DMX-FL-36W-RGBW-BT-BK	36W <b>RGBW</b> Black Round Flood Light	1
DMX-FL-72W-RGBW-BT-BK	72W <b>RGBW</b> Black Round Flood Light	1
DMX-FLS-96W-RGBW-BT-BK	96W <b>RGBW</b> Black Square Flood Light	1
DMX-FLS-192W-RGBW-BT-BK	192W <b>RGBW</b> Black Square Flood Light	1
DMX-WW-36W-RGBW-BT-BK	36W <b>RGBW</b> Black Linear Light	1
DMX-WW-72W-RGBW-BT-BK	72W <b>RGBW</b> Black Linear Light	1
DMX-FL-SH1	Half Glare Shield for TC-FL-72W & DMX-FL-72W	
DMX-WW-SH2	Half Glare Shield for TC-WW-36W/72W & DMX-WW-36W	
DMX-FLS-SH1	Half Glare Shield for TC-FLS-96W & DMX-FLS-36W/72W/96W	
DMX-FLS-SHFG1	Full Glare Shield for TC-FL-96W & DMX-FL-36W/72W/96W	
DMX-3PIN-5FT-EXT	Dmx512 3-Pin Outdoor Extension Cord 5 Feet	
DMX-3PIN-10FT-EXT	Dmx512 3-Pin Outdoor Extension Cord 10 Feet	

**FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

WATTS	GROUP OPTION	DESCRIPTION	VANDAL RES.	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL	OPT-DMX-GROUP	Change fixture address to create light groups	N/A	N/A	N/A	N/A	N/A



## SPEC SERIES X GEN. RGB STADIUM LIGHTS, DMX512 CONTROLLED - SPECIAL ORDER



CATALOG NO.	DESCRIPTION	PKG. QTY.
SFX-G9-500W-45D-RGB	500W RGB	1
SFX-G9-800W-45D-RGB	800W RGB	1

**FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

WATTS	GROUP OPTION	DESCRIPTION	VANDAL RES.	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL	OPT-DMX-GROUP	Change fixture address to create light groups	N/A	N/A	N/A	N/A	N/A



**DMX 512 COMPATIBLE RGBW LINEAR ARCHITECTURAL INGROUND LIGHTS**

CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER
<b>DMX-CIGL-9-RGBW</b>	11W <b>935LM</b> RGB+40K	
<b>DMX-CIGL-20-RGBW</b>	22W <b>1870LM</b> RGB+40K	
<b>DMX-CIGL-40-RGBW</b>	44W <b>3740LM</b> RGB+40K	



**IGLC-D5-10W-MCT-24D**  
5" Dia Bronze



**IGLC-D6-15W-MCT-24D-D**  
6" Dia Bronze



**IGLC-D8-30W-MCTP-30D-D**  
8" Dia Bronze



**IGLC-D9-30W-MCTP-120D-D**  
9" Dia Bronze



**IGLC-D11-50W-MCTP-60D-D**  
11" Dia Bronze

**DMX 512 COMPATIBLE RGBW STAINLESS STEEL COMMERCIAL INGROUND LIGHTS**



CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER
<b>DMX-IGLC-D5-RGBW</b>	12W <b>1020LM</b> RGB+40K	
<b>DMX-IGLC-D6-RGBW</b>	18W <b>1530LM</b> RGB+40K	
<b>DMX-IGLC-D8-RGBW</b>	24W <b>2040LM</b> RGB+40K	
<b>DMX-IGLC-D9-RGBW</b>	42W <b>3570LM</b> RGB+40K	
<b>DMX-IGLC-D11-RGBW</b>	54W <b>4590LM</b> RGB+40K	



**TUBULAR ROTATABLE IP66 SIGN LIGHTS WITH MOUNT CANOPY**



CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER	PKG. QTY.
<b>TSR-IP66-80D-2FT-MCT5-D-WH</b>	15W <b>1395LM</b> 27K/30K/35K/40K/50K 2FT, 80° Beam Angle, White		6
<b>TSR-IP66-80D-3FT-MCT5-D-WH</b>	20W <b>1860LM</b> 27K/30K/35K/40K/50K 3FT, 80° Beam Angle, White		6
<b>TSR-IP66-80D-4FT-MCT5-D-WH</b>	30W <b>2790LM</b> 27K/30K/35K/40K/50K 4FT, 80° Beam Angle, White		6
<b>TSR-IP66-80D-6FT-MCT5-D-WH</b>	40W <b>3720LM</b> 27K/30K/35K/40K/50K 6FT, 80° Beam Angle, White		6
<b>TSR-IP66-80D-2FT-MCT5-D-BK</b>	15W <b>1395LM</b> 27K/30K/35K/40K/50K 2FT, 80° Beam Angle, Black		6
<b>TSR-IP66-80D-3FT-MCT5-D-BK</b>	20W <b>1860LM</b> 27K/30K/35K/40K/50K 3FT, 80° Beam Angle, Black		6
<b>TSR-IP66-80D-4FT-MCT5-D-BK</b>	30W <b>2790LM</b> 27K/30K/35K/40K/50K 4FT, 80° Beam Angle, Black		6
<b>TSR-IP66-80D-6FT-MCT5-D-BK</b>	40W <b>3720LM</b> 27K/30K/35K/40K/50K 6FT, 80° Beam Angle, Black		6
<b>TSR-IP66-133D-2FT-MCT5-D-WH</b>	15W <b>1395LM</b> 27K/30K/35K/40K/50K 2FT, 133° Beam Angle, White		6
<b>TSR-IP66-133D-3FT-MCT5-D-WH</b>	20W <b>1860LM</b> 27K/30K/35K/40K/50K 3FT, 133° Beam Angle, White		6
<b>TSR-IP66-133D-4FT-MCT5-D-WH</b>	30W <b>2790LM</b> 27K/30K/35K/40K/50K 4FT, 133° Beam Angle, White		6
<b>TSR-IP66-133D-6FT-MCT5-D-WH</b>	40W <b>3720LM</b> 27K/30K/35K/40K/50K 6FT, 133° Beam Angle, White		6
<b>TSR-IP66-133D-2FT-MCT5-D-BK</b>	15W <b>1395LM</b> 27K/30K/35K/40K/50K 2FT, 133° Beam Angle, Black		6
<b>TSR-IP66-133D-3FT-MCT5-D-BK</b>	20W <b>1860LM</b> 27K/30K/35K/40K/50K 3FT, 133° Beam Angle, Black		6
<b>TSR-IP66-133D-4FT-MCT5-D-BK</b>	30W <b>2790LM</b> 27K/30K/35K/40K/50K 4FT, 133° Beam Angle, Black		6
<b>TSR-IP66-133D-6FT-MCT5-D-BK</b>	40W <b>3720LM</b> 27K/30K/35K/40K/50K 6FT, 133° Beam Angle, Black		6
<b>TSR-IP66-ERK-WH</b>	TSR Sign Light 12in Extension Rod Kit Wht		
<b>TSR-IP66-ERK-BK</b>	TSR Sign Light 12in Extension Rod Kit Blk		
<b>TSR-IP66-COUP-WH</b>	TSR Sign Light Inline Coupling With Incl. Rod Kit Wht		
<b>TSR-IP66-COUP-BK</b>	TSR Sign Light Inline Coupling With Incl. Rod Kit Blk		



Flood Light Wall-Mounting Arm  
30In/24in/18in, Black/White  
See page 34



**LOHB-C**  
Surface/Ceiling Mounting conversion  
Bracket w/screw holes in base. (Set  
of 2)



**LOHB-H-2FT**  
2Ft. Surface Mounting  
conversion yoke. Steel  
**(Also need LOHB-G)**



**LOHB-G**  
Side by side fixture coupling  
Also used with LOHB-G  
Surf. Mt. Bracket (set of 2)



**LED OUTDOOR SIGN LIGHTS WITH 1/2" ADJUSTABLE KNUCKLES, 120-277V**



CATALOG NO.	DESCRIPTION	REPLACEMENT RANGE	PKG. QTY.	
<b>LOHB-2FT-50W-30K</b>	50W <b>6500LM</b> 3000K	150-250MH	4	
<b>LOHB-2FT-50W-40K</b>	50W <b>6600LM</b> 4000K	150-250MH	4	
<b>LOHB-2FT-50W-50K</b>	50W <b>6700LM</b> 5000K	150-250MH	4	
<b>LOHB-4FT-120W-30K</b>	120W <b>15300LM</b> 3000K	200-400MH	1	
<b>LOHB-4FT-120W-40K</b>	120W <b>15500LM</b> 4000K	200-400MH	1	
<b>LOHB-4FT-120W-50K</b>	120W <b>15600LM</b> 5000K	200-400MH	1	
<b>LOHB-4FT-120W-30K-WH</b>	120W <b>15300LM</b> 3000K	200-400MH	White	1
<b>LOHB-4FT-120W-40K-WH</b>	120W <b>15500LM</b> 4000K	200-400MH	White	1
<b>LOHB-4FT-120W-50K-WH</b>	120W <b>15600LM</b> 5000K	200-400MH	White	1



**PRO SOLAR SIGN LIGHT WITH UNIV MOUNTING AND RC**



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>SOLS-PRO-2FT-50K</b>	5W <b>850LM</b> 5000K 2FT	1
<b>SOLS-PRO-4FT-50K</b>	10W <b>1700LM</b> 5000K 4FT	1



**SPEC SERIES SOLAR SIGN AND BILLBOARD LIGHTS**



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>SOLS-1FT-MCT</b>	5W <b>500LM</b> 3000K/6000K 1FT	18



**WallRay SOLAR LUMINAIRE PROG. REMOTE INCL. MOTION SENSOR**



OUTDOOR SOLAR & WORK LIGHTS

CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>SOLW-TSP-MS-40K</b>	3W <b>380LM</b> 4000K	8



**LedgeRay SOLAR LUMINAIRE PROG. REMOTE INCL. MOTION SENSOR**



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>SOLW-FSP-MS-40K</b>	3W <b>345LM</b> 4000K	10



**EdgeRay SOLAR LUMINAIRE PROG. REMOTE INCL. MOTION SENSOR**



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>SOLW-BSP-MS-40K</b>	2W <b>385LM</b> 4000K	5

**LED WORK LIGHT S-HOOK, USB CABLE & ADAPTOR INCL.**



CATALOG NO.	DESCRIPTION
<b>WL-EZCG-10W-50K</b> <b>WL-EZCG-SOLP</b>	10W <b>300-600LM</b> 5000K Solar panel 10 ft. cord & magnetic base



**3IN1 LED WORK LIGHT(WORK LIGHT/SOS LIGHT/POWER BANK) USB CABLE INCL.**

CATALOG NO.	DESCRIPTION
<b>WL-3IN1-10W</b>	10W <b>400LM</b> 6000K



Retail Packaging - MOQ 1 Master Carton of 10



LRX-36-60W-MCTP-P



LRX-72-120W-MCTP-TL



Shown with Arm Included

**BUILDER SERIES POWER & COLOR-TEMP. SELECTABLE DUSK-TO-DAWN BARN/AREA LIGHT, 120-277V (Photocell & Arm Incl.)**



CATALOG NO.	DESCRIPTION	PKG. QTY.
LRX-36-60W-MCTP-P	36W/42W/60W 130LM/W 3000K/4000K/5000K	4
LRX-72-120W-MCTP-TL	72W/96W/120W 130LM/W 3000K/4000K/5000K	4

**SPEC SERIES POWER & CCT DUSK-TO-DAWN BARN/AREA LIGHT 120-277V (NEMA Photocell & Arm Incl.)**



CATALOG NO.	DESCRIPTION	PKG. QTY.
LRX-20-50W-MCTP	20W/30W/40W/50W 130LM/W 30K/40K/50K/57K	2
LRX-50-120W-MCTP	50W/80W/100W/120W 130LM/W 30K/40K/50K/57K	1



**HIGH-OUTPUT DUAL-SELECTABLE VAPOR-TIGHT WITH ADJ. ANGLE**



CATALOG NO.	DESCRIPTION	PKG. QTY.
VTA-15-30W-MCTP	15W/20W/30W 110LM/W 30K/40K/50K	6

**RGBW SWITCH SELECT VAPOR-TIGHT WITH ADJ. ANGLE W/ PHOTOCELL**



CATALOG NO.	DESCRIPTION
VTA-12-20W-RGBWW-P	12W/16W/20W 100LM/W RGBW



**LED UNIVERSAL VAPOR LIGHTS, (ALL MOUNTING OPTIONS IN ONE BOX) 120-277V, IP65 NEMA 3R**



CATALOG NO.	DESCRIPTION	PKG. QTY.
VTU-12W-30K	12W 840LM 3000K	2
VTU-12W-50K	12W 900LM 5000K	2
VTU-20W-30K	20W 1685LM 3000K	2
VTU-20W-50K	20W 1785LM 5000K	2



**FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL	OPT-EM-VTU	INTERNAL	OPT-PC-B	BUTTON	OPT-CLR-85(BK/GR/SR/WH)	OPT-SEN-3MRLV-5 OPT-SEN-NLS-VTU OPT-SEN-KEILTON WEC-8RC	PROGRAMMABLE MICROWAVE BI-LEVEL WG NETWORK SENSOR KEILTON NETWORK SENSOR REMOTE CONTROL



**TOL-YOSEMITE**

Tree of Lite - Yosemite  
Black/Bronze  
(Shown with pole-POL series) see next page

**TOL SEQUOIA**

Tree of Lite - Sequoia  
Black/Bronze  
(Shown with pole-POL series) see next page

**TOL-KINGS**

Tree of Lite - Kings  
Black/Bronze  
(Shown with pole-POL series) see next page

**TOL-JOSHUA**

Tree of Lite - Joshua  
Black/Bronze  
(Shown with pole-POL series) see next page

**TOL-REDWOOD**

Tree of Lite - Redwood  
Black/Bronze  
(Shown with pole-POL series) see next page

**TREE OF LIGHT, A NATURAL DESIGNER LIGHT STRUCTURE FOR OPEN AREAS**



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>TOL-YOSEMITE-BR</b>	75W 125LM/W 30K/40K/50K Bronze	1
<b>TOL-SEQUOIA-BR</b>	100W 125LM/W 30K/40K/50K Bronze	1
<b>TOL-KINGS-BR</b>	150W 125LM/W 30K/40K/50K Bronze	1
<b>TOL-JOSHUA-BR</b>	225W 125LM/W 30K/40K/50K Bronze	1
<b>TOL-REDWOOD-BR</b>	275W 125LM/W 30K/40K/50K Bronze	1
<b>TOL-YOSEMITE-BK</b>	75W 125LM/W 30K/40K/50K Black	1
<b>TOL-SEQUOIA-BK</b>	100W 125LM/W 30K/40K/50K Black	1
<b>TOL-KINGS-BK</b>	150W 125LM/W 30K/40K/50K Black	1
<b>TOL-JOSHUA-BK</b>	225W 125LM/W 30K/40K/50K Black	1
<b>TOL-REDWOOD-BK</b>	275W 125LM/W 30K/40K/50K Black	1



**TOL-A1-1L**  
Black/Bronze



**TOL-A2-1L**  
Black/Bronze



**TOL-A2-3L**  
Black/Bronze



**TOL-A3-3L**  
Black/Bronze



**TOL-A4-4L**  
Black/Bronze

**TREE OF LIGHT POST TOP LIGHT BAR**



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>TOL-A1-1L-BR</b>	25W 125LM/W 30K/40K/50K Bronze	1
<b>TOL-A2-1L-BR</b>	25W 125LM/W 30K/40K/50K Bronze	1
<b>TOL-A2-3L-BR</b>	75W 125LM/W 30K/40K/50K Bronze	1
<b>TOL-A3-3L-BR</b>	75W 125LM/W 30K/40K/50K Bronze	1
<b>TOL-A4-4L-BR</b>	100W 125LM/W 30K/40K/50K Bronze	1
<b>TOL-A1-1L-BK</b>	25W 125LM/W 30K/40K/50K Black	1
<b>TOL-A2-1L-BK</b>	25W 125LM/W 30K/40K/50K Black	1
<b>TOL-A2-3L-BK</b>	75W 125LM/W 30K/40K/50K Black	1
<b>TOL-A3-3L-BK</b>	75W 125LM/W 30K/40K/50K Black	1
<b>TOL-A4-4L-BK</b>	100W 125LM/W 30K/40K/50K Black	1



POL-D1-ABK



POL-D1-BASECVR

### DECORATIVE 3-PIECE LIGHT POLE

CATALOG NO.	DESCRIPTION
<b>POL-D1-120-3PC-BK</b>	120In Decorative Pole D1 Series, 3Pc, 2.36In Tenon, Black
<b>POL-D1-120-3PC-BR</b>	120In Decorative Pole D1 Series, 3Pc, 2.36In Tenon, Bronze
<b>POL-D1-144-3PC-BK</b>	144In Decorative Pole D1 Series, 3Pc, 2.36In Tenon, Black
<b>POL-D1-144-3PC-BR</b>	144In Decorative Pole D1 Series, 3Pc, 2.36In Tenon, Bronze
<b>POL-D1-ABK</b>	D1 Series Pole Anchor Bolt Kit 9/16 (M14)
<b>POL-D1-BASECVR-BR</b>	D1 Series Pole 2-Pc Cube Base Cover, Bronze
<b>POL-D1-BASECVR-BK</b>	D1 Series Pole 2-Pc Cube Base Cover, Black



**GPE-60-100W-MCTP-BK**  
Black



**GPE-40-60W-MCTP**  
**GPE-60-100W-MCTP**  
Bronze



GPE  
Folds For Shipment



**GPET-40-60W-MCTP**  
**GPET-60-100W-MCTP**  
Pole is not Incl.  
Bronze Finish



**GPE-30-25-REDUCER**

### POWER & CCT- ADJUSTABLE GARDEN POST-TOP LIGHTS, 120-277V

Bronze Finish



CATALOG NO.	DESCRIPTION
<b>POWER &amp; CCT- ADJUSTABLE GARDEN POST-TOP LIGHTS, 120-277V (FITS ON 3" OD PIPES/POLES)</b>	
<b>GPE-40-60W-MCTP</b>	40W/50W/60W 130LM/W 30K/40K/50K Bronze
<b>GPE-60-100W-MCTP</b>	60W/80W/100W 130LM/W 30K/40K/50K Bronze
<b>GPE-60-100W-MCTP-BK</b>	60W/80W/100W 130LM/W 30K/40K/50K Black
<b>GPE-30-25-REDUCER</b>	GPE Neck Reducer from 3" Inner Diameter to 2.5"
<b>POWER &amp; CCT- ADJUSTABLE GARDEN POST-TOP LIGHTS, 120-277V, (FITS ON 2-3/8" OD PIPES/POLES) MTO made to order</b>	
<b>GPET-40-60W-MCTP</b>	40W/50W/60W 130LM/W 30K/40K/50K Bronze
<b>GPET-60-100W-MCTP</b>	60W/80W/100W 130LM/W 30K/40K/50K Bronze

**FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
GPE	<b>OPT-EM-GPE</b>	INTERNAL	<b>OPT-3MPC</b>	ELECTRONIC	<b>OPT-CLR-95(BK/GR/SR/WH)</b>	<b>OPT-SEN-3MR-3</b>	BI-LEVEL MICROWAVE
GPET	<b>OPT-EM-GPET</b>	INTERNAL				<b>OPT-SEN-NLS-GPE</b>	WG NETWORK SENSOR
						<b>OPT-SEN-KEILTON</b>	KEILTON NETWORK SENSOR
						<b>WEC-8RC</b>	REMOTE CONTROL



OUTDOOR  
PEDESTRIAN  
LIGHTS

**SPEC SERIES POWER & CCT- ADJUSTABLE AREA/FLOOD LIGHT** Bronze Finish

120-277V, TYPE 5 LENS (TYPE 2 & TYPE 3 LENS ALSO AVAILABLE) MTO made to order



DESCRIPTION	MOUNTING	PKG. QTY.
<b>GPX-18-60W-MCTP-A1</b> 18W/30W/45W/60W 150LM/W 30K/40K/50K Single Arm for 2-3/8" Poles		1
<b>GPX-18-60W-MCTP-A2</b> 18W/30W/45W/60W 150LM/W 30K/40K/50K Twin Arm for 2-3/8" Poles		1
<b>GPX-18-60W-MCTP-PWM</b> 18W/30W/45W/60W 150LM/W 30K/40K/50K Pole/Wall Mount		1
<b>GPX-18-60W-MCTP-SF</b> 18W/30W/45W/60W 150LM/W 30K/40K/50K Slip fitter for 2-3/8" Poles		1
<b>GPX-18-60W-MCTP-BM</b> 18W/30W/45W/60W 150LM/W 30K/40K/50K Bell Mount for 2-3/8" Poles		1
<b>GPX-18-60W-MCTP-CM</b> 18W/30W/45W/60W 150LM/W 30K/40K/50K Ceiling Mount		1
<b>GPX-18-60W-MCTP-PM75</b> 18W/30W/45W/60W 150LM/W 30K/40K/50K Pipe Mount with 3/4" Hub		1
<b>GPX-22-75W-MCTP-A1</b> 22W/37W/56W/75W 150LM/W 40K/50K Single Arm for 2-3/8" Poles		1
<b>GPX-22-75W-MCTP-A2</b> 22W/37W/56W/75W 150LM/W 40K/50K Twin Arm for 2-3/8" Poles		1
<b>GPX-22-75W-MCTP-PWM</b> 22W/37W/56W/75W 150LM/W 40K/50K Pole/Wall Mount		1
<b>GPX-22-75W-MCTP-SF</b> 22W/37W/56W/75W 150LM/W 40K/50K Slip fitter for 2-3/8" Poles		1
<b>GPX-22-75W-MCTP-BM</b> 22W/37W/56W/75W 150LM/W 40K/50K Bell Mount for 2-3/8" Poles		1
<b>GPX-22-75W-MCTP-CM</b> 22W/37W/56W/75W 150LM/W 40K/50K Ceiling Mount		1
<b>GPX-22-75W-MCTP-PM75</b> 22W/37W/56W/75W 150LM/W 40K/50K Pipe Mount with 3/4" Hub		1
<b>GPX-90-150W-MCTP-A1</b> 90W/120W/150W 150LM/W 30K/40K/50K Single Arm for 2-3/8" Poles		1
<b>GPX-90-150W-MCTP-A2</b> 90W/120W/150W 150LM/W 30K/40K/50K Twin Arm for 2-3/8" Poles		1
<b>GPX-90-150W-MCTP-PWM</b> 90W/120W/150W 150LM/W 30K/40K/50K Pole/Wall Mount		1
<b>GPX-90-150W-MCTP-SF</b> 90W/120W/150W 150LM/W 30K/40K/50K Slip fitter for 2-3/8" Poles		1
<b>GPX-90-150W-MCTP-BM</b> 90W/120W/150W 150LM/W 30K/40K/50K Bell Mount for 2-3/8" Poles		1
<b>GPX-90-150W-MCTP-CM</b> 90W/120W/150W 150LM/W 30K/40K/50K Ceiling Mount		1
<b>GPX-90-150W-MCTP-PM75</b> 90W/120W/150W 150LM/W 30K/40K/50K Pipe Mount with 3/4" Hub		1
<b>SPEC SERIES POWER &amp; CCT- ADJUSTABLE SOLAR AREA/FLOOD LIGHT</b>		
<b>GPX-10W-SOLAR-A1</b> 10W 1700LM 30K/40K/50K Single Arm for 2-3/8" Poles		1
<b>GPX-10W-SOLAR-PWM</b> 10W 1700LM 30K/40K/50K Pole/Wall Mount		1
<b>GPX-10W-SOLAR-SF</b> 10W 1700LM 30K/40K/50K Slip fitter for 2-3/8" Poles		1

**FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL	OPT-EM-GPX	INTERNAL	OPT-3MPC	ELECTRONIC	OPT-CLR-95(BK/GR/SR/WH)	OPT-SEN-3MR-3	BI-LEVEL MICROWAVE
	LENS OPTION	DESCRIPTION	480V OPTION	DESCRIPTION		OPT-SEN-NLS-GPX	WG NETWORK SENSOR
	OPT-GPX-LENS-TYPE2S	TYPE 2S	OPT-WP-480V	CHANGE VOLTAGE		OPT-SEN-KEILTON	KEILTON NETWORK SENSOR
	OPT-GPX-LENS-TYPE3S	TYPE3S				WEC-8RC	REMOTE CONTROL
	OPT-GPX-150W-LENS-TYPE3S	TYPE3S					
	OPT-GPX-LENS-FL	FROSTED GLASS LENS					
	OPT-GPX-LENS-TYPE4	TYPE4					



GPX-CAT  
Catenary  
Suspension Mount  
"SUSP. CABLE IS NOT INCL."



SCL-WRCL-14



SCL-TBJJ-14-4



SCL-WRCL-DUPLEX



SCL-PEP-M8



SCL-ASC-4MM-250FT



SCL-WRTH-14

**SPEC SERIES POWER & CCT- ADJUSTABLE AREA/FLOOD LIGHT**  
120-277V, TYPE 3 LENS (TYPE 2 & TYPE 5 LENS ALSO AVAILABLE)



CATALOG NO.	DESCRIPTION	MOUNTING	PKG. QTY.
<b>GPX-18-60W-MCTP-CAT</b>	18W/30W/45W/60W 150LM/W 30K/40K/50K	Catenary Suspension Mount	1
<b>GPX-22-75W-MCTP-CAT</b>	22W/37W/56W/75W 150LM/W 40K/50K	Catenary Suspension Mount	1
<b>GPX-90-150W-MCTP-CAT</b>	90W/120W/150W 150LM/W 30K/40K/50K	Catenary Suspension Mount	1
<b>SCL-WRCL-14</b>	1/4In Galvanized Malleable Iron Wire Rope Clip		
<b>SCL-TBJJ-14-4</b>	1/4 X 4 Inch Jaw To Jaw Turnbuckle Galvanized Steel		
<b>SCL-WRCL-DUPLEX</b>	5/32In 4Mm Duplex 2-Post Wire Rope Clip Cable Clamp		
<b>SCL-PEP-M8</b>	Pad Eye Plate Staple Hook, Size M8, 2In X 1.5In Stainless		
<b>SCL-ASC-4MM-250FT</b>	5/32In 4Mm Dia. Extra Duty Galvanized Aircraft Cable / Wire Rope 250Ft Roll		
<b>SCL-WRTH-14</b>	1/4In Galvanized Wire Rope Thimble		



**GPA-A37-80-150W-MCTP-BK**  
Black



**GPA-B32-80-150W-MCTP-BK**  
Black



GPA-A37 Shown With  
DAB-WB-D & GPAB-WM-REDUCER-BK



"POLE IS NOT INCL."  
Fixture Shown  
With Pole



"POLE IS NOT INCL."  
Fixture Shown  
With Pole



GPA-A37 Shown With  
GPA-A37-DC-BK



GPA-A37 Shown With  
GPA-A37-DC-GD



GPA-B32 Shown With  
GPA-B32-DC-BK



GPA-B32 Shown With  
GPA-B32-DC-GD

**LED ACORN AREA LIGHT - WATTAGE & CCT SELECTABLE  
(FITS ON 3" OD PIPES/POLES)**



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>GPA-A37-80-150W-MCTP-BK</b>	80W/100W/150W <b>135LM/W</b> 30K/40K/50K 37" H X 17" D	1
<b>GPA-B32-80-150W-MCTP-BK</b>	80W/100W/150W <b>135LM/W</b> 30K/40K/50K 32.5" H X 16" D	1
<b>GPA-A37-DC-BK</b>	GPA-A37 Decorative Cage Accessory Kit - Black	
<b>GPA-A37-DC-GD</b>	GPA-A37 Decorative Cage Accessory Kit - Black And Gold	
<b>GPA-B32-DC-BK</b>	GPA-B32 Decorative Cage Accessory Kit - Black	
<b>GPA-B32-DC-GD</b>	GPA-B32 Decorative Cage Accessory Kit - Black And Gold	
<b>GPA-B32-RTC-GD</b>	GPA-A37 And GPA-B32 Replacement Top Cap - Gold	
<b>GPAB-WM-REDUCER-BK</b>	GPA-A37 And GPA-B32 Reducer Sleeve From 3In To 2.5In For Installatoin On 2In Poles	



Shown with  
ACC-AWMA-BK

**SPEC SERIES 17" MODERN LUCITE POST TOP, POWER & CCT- ADJUSTABLE  
FITS ON 2-3/8" POLES**



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>GPL-18-60W-MCTP</b>	18W/30W/45W/60W <b>140LM/W</b> 30K/40K/50K	1

**FACTORY-INSTALLED OPTIONS. ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL	<b>OPT-EM-GPL</b>	INTERNAL	<b>OPT-LF3-PCK</b>	BUTTON	N/A	<b>OPT-SEN-3MRLV-5</b> <b>OPT-SEN-NLS-GPL</b> <b>OPT-SEN-KEILTON</b> <b>WEC-8RC</b>	PROGRAMMABLE MICROWAVE BI-LEVEL WG NETWORK SENSOR KEILTON NETWORK SENSOR REMOTE CONTROL

OUTDOOR  
PEDESTRIAN LIGHTS



**SPEC SERIES 24" X 14" SQ COACH POST TOP, POWER & CCT- ADJUSTABLE**  
(FITS ON 3" OD PIPES/POLES) Black Finish



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>GPC-60-100W-MCTP</b>	60W/80W/100W 90LM/W 3000K/4000K/5000K (Open Design)	1
<b>GPC-SH</b>	GPC House-Side Glare Shield	
<b>GPE-30-25-REDUCER</b>	Neck Reducer from 3" Inner Diameter to 2.5"	

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	FROSTED GLASS	DESCRIPTION	PHOTOCELL	DESCRIPTION	WALL MOUNT	SENSOR	DESCRIPTION
ALL	<b>OPT-GPC-6SF</b> <b>OPT-GPC-6BF</b>	4 SIDE BOTTOM ONLY	<b>OPT-LF3-PCK</b> <b>PC LENS</b> <b>OPT-GPC-PCLF</b> <b>OPT-GPC-PCLC</b>	BUTTON DESCRIPTION FROSTED CLEAR	<b>OPT-GPC-AWM</b> <b>OPT-GPC-APM</b>	<b>OPT-SEN-3MRLV-5</b> <b>OPT-SEN-NLS-GPC</b> <b>OPT-SEN-KEILTON</b> <b>WEC-8RC</b>	PROGRAMMABLE MICROWAVE BI-LEVEL WG NETWORK SENSOR KEILTON NETWORK SENSOR REMOTE CONTROL



**GPH-12-40W-MCTP-BK**  
Black



**GPH-12-40W-MCTP-BR**  
Bronze



**GPH-12-40W-MCTP-GY**  
Gray



Shown with  
**ACC-AWMA-BK**

**MODERN TOP-HAT POST-TOP AREA LIGHT WITH INDIRECT LIGHT SOURCE, CCT & WATTAGE SELECT**  
**FITS ON 2-3/8" POLES, SEE OPTION FOR 3" POLES BELOW**



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>GPH-12-40W-MCTP-BK</b>	12W/20W/30W/40W 100LM/W 30K/40K/50K 22" Dia X 20" H	1
<b>GPH-12-40W-MCTP-BR</b>	12W/20W/30W/40W 100LM/W 30K/40K/50K 22" Dia X 20" H	1
<b>GPH-12-40W-MCTP-GY</b>	12W/20W/30W/40W 100LM/W 30K/40K/50K 22" Dia X 20" H	1

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	3IN POLE ENTRY OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL MODELS	<b>OPT-GPH-3IN-BK</b> <b>OPT-GPH-3IN-BR</b> <b>OPT-GPH-3IN-GY</b>	3IN POLE ENTRY Black 3IN POLE ENTRY Bronze 3IN POLE ENTRY Gray	N/A	N/A	N/A	N/A	N/A



OUTDOOR  
PEDESTRIAN  
LIGHTS

**DESIGNER AREA BELL LIGHT SYSTEM (PHOTOCELL DISCONNECT SWITCH), SENSOR READY MCTP WET LOCATION DIMMING 0-10V LISTED US**

CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>DAB-A16-50-100W-MCTP-SR</b>	50W/80W/100W 130LM/W 30K/40K/50K 16" TYPE III, Black	1
<b>DAB-B20-50-100W-MCTP-SR</b>	50W/80W/100W 130LM/W 30K/40K/50K 20" TYPE III, Black	1
<b>DAB-B23-80-150W-MCTP-SR</b>	80W/100W/150W 130LM/W 30K/40K/50K 23" TYPE III, Black	1
<b>DAB-C25-50-100W-MCTP-BK</b>	50W/80W/100W 140LM/W 30K/40K/50K 25" TYPE V, Black	1
<b>DAB-C25-100-200W-MCTP-BK</b>	100W/150W/200W 140LM/W 30K/40K/50K 25" TYPE V, Black	1
<b>DAB-BA</b>	DAB Bell Arm For Mounting On Single Or Double Pole Adapters, Black	
<b>DAB-BA-CCK</b>	DAB Decorative Clip Kit For Two Dab-Ba Bell Arms, Two Clips	
<b>DAB-PB-B</b>	DAB Decorative Straight Pole Bracket Model B, For Flat Or Round Poles, Black	
<b>DAB-PB-C</b>	Dab Bent Decorative Pole-Mounting Bracket Model C, Black	
<b>DAB-PB-D</b>	DAB Decorative Pole-Mounting Bracket Model D, Black	
<b>DAB-WB-A</b>	DAB Straight Wall Bracket Model A, Black	
<b>DAB-PA2-1</b>	DAB 2 Inches Pole Adapter For 1 Bell Arm, Black	
<b>DAB-PA2-2</b>	DAB 2 Inches Pole Adapter For 2 Bell Arms, Black	
<b>DAB-PA3-1</b>	DAB 3 Inches Pole Adapter For 1 Bell Arm, Black	
<b>DAB-PA3-2</b>	DAB 3 Inches Pole Adapter For 2 Bell Arms, Black	
<b>DAB-PA4-1</b>	DAB 4 Inches Pole Adapter For 1 Bell Arm, Black	
<b>DAB-PA4-2</b>	DAB 4 Inches Pole Adapter For 2 Bell Arms, Black	
<b>DAB-WB-C</b>	DAB Bent Decorative Wall Bracket Model C, Black	
<b>DAB-WB-D</b>	DAB Decorative Wall Bracket Model D, Black	
<b>DAB-PGB</b>	Bell Fixture 24" Pole-Grabber Arm For 3" & 4" Round Poles	
<b>DAB-A16-SH</b>	8" House Side Shield For DAB-A16	
<b>DAB-B20-SH</b>	8" House Side Shield For DAB-B20	
<b>DAB-B23-SH</b>	8" House Side Shield For DAB-B23	
<b>WEC-3MR-72-TLB-BK</b>	600W Max, Zhaga 12-24VDC Microwave Sensor, Black, With Base (Optional Remote Control WEC-3RC)	
<b>WEC-3MBT-72-TLB-BK</b>	600W Max, Zhaga 12-24VDC Microwave Sensor, Bluetooth App Ready, Black, With Base (Optional Remote Control WEC-3RC)	
<b>WEC-3PR-72-TLB-WH</b>	600W Max, Zhaga 12-24VDC PIR Sensor, White, With Base (Optional Remote Control WEC-3RC)	



DAB-SOL-A16 16"



DAB-SOL-B20 20"



DAB-SOL-B23 23"



DAB-BA



DAB-SOL-PA3-1



DAB-SOL-PA3-2



DAB-SOL-PA4-1



DAB-SOL-PA4-2



DAB-SOL-PA5-1



DAB-SOL-PA5-2



DAB-SOL-MOD-50W



DAB-SOL-A16 + DAB-SOL-MOD-50W +  
DAB-SOL-PA3-1 + DAB-BA



DAB-SOL-B20 + DAB-SOL-MOD-50W +  
DAB-SOL-PA5-2 + DAB-BA (2)

**SOLAR DESIGNER AREA BELL LIGHT SYSTEM**

CATALOG NO.	DESCRIPTION	PKG. QTY.
DAB-SOL-A16-50W-MCT	50W 160LM/W 30K/40K/50K 16" Black	1
DAB-SOL-B20-50W-MCT	50W 160LM/W 30K/40K/50K 20" Black	1
DAB-SOL-B23-50W-MCT	50W 160LM/W 30K/40K/50K 23" Black	1
DAB-SOL-MOD-50W	Solar Power Engine And Panel, 50W Maximum Fixture Power, With 32In Mast	
DAB-BA	DAB Bell Arm For Mounting On Single Or Double Pole Adapters, Black	
DAB-SOL-PA3-1	3 Inches Pole-Top Adapter For 1 Solar Bell-Light Arm + Solar Engine Mast	
DAB-SOL-PA4-1	4 Inches Pole-Top Adapter For 1 Solar Bell-Light Arm + Solar Engine Mast	
DAB-SOL-PA5-1	5 Inches Pole-Top Adapter For 1 Solar Bell-Light Arm + Solar Engine Mast	
DAB-SOL-PA3-2	3 Inches Pole-Top Adapter For 2 Solar Bell-Light Arms + Solar Engine Mast	
DAB-SOL-PA4-2	4 Inches Pole-Top Adapter For 2 Solar Bell-Light Arms + Solar Engine Mast	
DAB-SOL-PA5-2	5 Inches Pole-Top Adapter For 2 Solar Bell-Light Arms + Solar Engine Mast	

**FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL ARM	OPT-EM-DAB	INTERNAL	OPT-LF3-PCK	BUTTON	OPT-CLR-95(BK/GR/SR/WH) OPT-CLR-35(BK/GR/SR/WH)	FIELD-INSTALLED SENSOR OPTION	SEE ABOVE



**PML-S-MCT-ORB**  
Oil-Rubbed Bronze



**PML-M-MCT-ORB**  
Oil-Rubbed Bronze



**PML-L-MCT-ORB**  
Oil-Rubbed Bronze



Shown with optional Honey Color  
Glass Lens (Field-installed)



**PML-R-MCT-BR**  
Bronze



**PML-BASE-R-BK**  
Black



**PML-BASE-R-ORB**  
Black



**PML-V-MCT-ORB**  
Oil-Rubbed Bronze



**PML-MCT-BK**  
Black



**PML-BASE-BK**  
Black

**SELECTABLE CCT PIER-MOUNT LIGHTS, 120-277V**



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>SELECTABLE CCT PIER-MOUNT LIGHTS, 120-277V</b>		
<b>PML-S-MCT-ORB</b>	12W <b>345LM</b> 30K/40K/50K Oil-Rubbed Bronze, 8"W	6
<b>PML-M-MCT-ORB</b>	15W <b>430LM</b> 30K/40K/50K Oil-Rubbed Bronze, 12"W	4
<b>PML-L-MCT-ORB</b>	18W <b>460LM</b> 30K/40K/50K Oil-Rubbed Bronze, 16"W	4
<b>PML-S-HGLK</b>	PML-S Honey Color Glass Replacement Lens Kit	
<b>PML-M-HGLK</b>	PML-M Honey Color Glass Replacement Lens Kit	
<b>PML-L-HGLK</b>	PML-L Honey Color Glass Replacement Lens Kit	
<b>9" DIA. SELECTABLE CCT PIER-MOUNT LIGHTS, 120-277V</b>		
<b>PML-R-MCT-BR</b>	12W <b>840LM</b> 30K/40K/50K Bronze, 9"Dia	4
<b>PML-BASE-R-BK</b>	Decorative Round Post And Pier Mounting Base, Black	
<b>PML-BASE-R-ORB</b>	Decorative Round Post And Pier Mounting Base, Oil-Rubbed Bronze	
<b>8" ROUND SELECTABLE CCT PIER-MOUNT LIGHTS, 120V</b>		
<b>PML-V-MCT-ORB</b>	12W <b>1500LM</b> 30K/40K/50K Oil-Rubbed Bronze	
<b>SELECTABLE CCT PIER-MOUNT LIGHTS, 120V</b>		
<b>PML-MCT-BK</b>	12W <b>1200LM</b> 3000K/4000K/5000K Black	
<b>PML-BASE-BK</b>	Decorative Pier Mount Base For Post Top Lights - Black	



EXP-30W-50K  
EXP-60W-50K  
EXP-100W-50K  
EXP-240W-50K



EXP-180W-60K  
Shown with Pole (Not Included)



EXPR



EXPL

Standard(s) for Safety:  
ANSI/UL 844, "Luminaires  
For Use in Hazardous  
(Classified) Locations."



LF-AD-SF-GY



Shown with Flat Wire Guard



Shown with Dome Glass & Dome Wire Guard



Shown with U Shape Lens & Wireguard

**HAZARDOUS LOCATION FLOOD/HIGHBAY LIGHTS, CLASS 1, DIV. 2**



	CATALOG NO.	DESCRIPTION	PKG. QTY.
120-277V	<b>HAZARDOUS LOCATION FLOOD/HIGHBAY LIGHTS, 120-277V CLASS 1, DIV. 2</b>		
	EXP-30W-50K	30W 4200LM 5000K	1
	EXP-60W-50K	60W 8400LM 5000K	1
	EXP-100W-50K	100W 14000LM 5000K	1
	EXP-180W-60K	180W 20700LM 6000K	1
	EXP-240W-50K	240W 21000LM 5000K	1
	LF-AD-SF-GY	Slips Onto Pole Top 2" Dim. Fixture Mounts Directly On The Side Or Top Of This Device	
120-277V	<b>ROUND HAZARDOUS LOCATION FLOOD/HIGHBAY LIGHTS, 120-277V CLASS 1, DIV. 2</b>		
	EXPR-30W-50K	30W 146 LM/W 5000K	2
	EXPR-60W-50K	60W 143 LM/W 5000K	2
	EXPR-100W-50K	100W 153 LM/W 5000K	1
	EXPR-150W-50K	150W 155 LM/W 5000K	1
	EXPR-30-60W-WGF	Flat Wire Guard For EXPR 30W To 60W	
	EXPR-100-150W-WGF	Flat Wire Guard For EXPR 100W To 150W	
	EXPR-30-60W-LD	Dome Lens For EXPR 30W To 60W	
	EXPR-100-150W-LD	Dome Lens For EXPR 100W To 150W	
	EXPR-30-60W-WGD	Dome Wire Guard For EXPR 30W To 60W	
	EXPR-100-150W-WGD	Dome Wire Guard For EXPR 100W To 150W	
120-277V	<b>HAZARDOUS LOCATION LINEAR LIGHTS, 120-277V CLASS 1, DIV. 2</b>		
	EXPL-40W-50K	40W 135 LM/W 5000K	1
	EXPL-80W-50K	80W 135 LM/W 5000K	1
	EXPL-120W-50K	120W 130 LM/W 5000K	1
480V	<b>HAZARDOUS LOCATION ROUND FLOOD/HIGHBAY LIGHTS, 480V CLASS 1, DIV. 2</b>		
	EXPR-150W-50K-480V	150W 150 LM/W 5000K	1
	<b>HAZARDOUS LOCATION LINEAR FLOOD/HIGHBAY LIGHTS, 480V CLASS 1, DIV. 2</b>		
	EXPL-80W-50K-480V	80W 135 LM/W 5000K	1



SHOWN WITH  
OPTIONAL  
SLIP FITTER



**GENERATION 7 STADIUM LIGHTS, 120-277V OR 277-480V**



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>GENERATION 7 STADIUM LIGHTS, 120-277V</b>		
SFX-G7-200-500W-45D-50K	200W/300W/400W/500W 150LM/W 5000K	1
SFX-G7-700-1000W-45D-50K	700W/800W/900W/1000W 150LM/W 5000K	1
<b>GENERATION 7 STADIUM LIGHTS, 277-480V</b>		
SFX-G7-200-500W-45D-50K-480V	200W/300W/400W/500W 150LM/W 5000K	1
SFX-G7-700-1000W-45D-50K-480V	700W/800W/900W/1000W 150LM/W 5000K	1
SFX-G7-1400-1700W-45D-50K-480V	1400W/1500W/1600W/1700W 150LM/W 5000K	1
SFX-G7-2100-2400W-45D-50K-480V	2100/2200/2300/2400W 140LM/W 5000K	1
SFX-G7-SF	Slip Fitter/Pole Adapter For SFX-G7	




SHOWN WITH  
OPTIONAL  
SHROUD

**SPEC SERIES X GEN. RGB STADIUM LIGHTS, DMX512 CONTROLLED - SPECIAL ORDER**



CATALOG NO.	DESCRIPTION	PKG. QTY.
SFX-G9-500W-45D-RGB	500W RGB	1
SFX-G9-800W-45D-RGB	800W RGB	1

SHOWN WITH  
OPTIONAL  
SHROUD



SFX-G10-SF



SFX-G10-QC



SFX-G10-VISOR

**SPEC SERIES X GEN. RGB STADIUM LIGHTS, DMX512 CONTROLLED**



CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER	PKG. QTY.
SFX-G10-600W-45D-RGB	600W 170LM/W RGB 45° Beam Angle		1
SFX-G10-800W-45D-RGB	800W 170LM/W RGB 45° Beam Angle		1
SFX-G10-1200W-45D-RGB	1200W 170LM/W RGB 45° Beam Angle		1
SFX-G10-SF	SFX-G10 Series Slip-Fitter Adapter		
SFX-G10-QC	SFX-G10 Series Quick Clamp Adapter For Horizontal Bars		
SFX-G10-VISOR-600W	SFX-G10 Visor Accessory For 600W		
SFX-G10-VISOR-800W	SFX-G10 Visor Accessory For 800W		
SFX-G10-VISOR-1200W	SFX-G10 Visor Accessory For 1200W		



**HIGH-LUMEN HIGH-MAST ROADWAY LIGHT 90DAYS LEAD TIME**



CATALOG NO.	DESCRIPTION
HML-60-200W-XXK-CLR	High-Mast 60W To 200W, 120-277V, Specify 3 Watt Stops, Specify CCT, Specify Bk Or Gy
HML-90-300W-XXK-CLR	High-Mast 90W To 300W, 120-277V, Specify 3 Watt Stops, Specify CCT, Specify Bk Or Gy
HML-135-450W-XXK-CLR	High-Mast 135W To 450W, 120-277V, Specify 3 Watt Stops, Specify CCT, Specify Bk Or Gy
HML-150-500W-XXK-CLR	High-Mast 150W To 500W, 120-277V, Specify 3 Watt Stops, Specify CCT, Specify Bk Or Gy
HML-180-600W-XXK-CLR	High-Mast 180W To 600W, 120-277V, Specify 3 Watt Stops, Specify CCT, Specify Bk Or Gy
HML-225-750W-XXK-CLR	High-Mast 225W To 750W, 120-277V, Specify 3 Watt Stops, Specify CCT, Specify Bk Or Gy
HML-60-200W-XXK-CLR-480V	High-Mast 60W To 200W, 277-480V, Specify 3 Watt Stops, Specify CCT, Specify Bk Or Gy
HML-90-300W-XXK-CLR-480V	High-Mast 90W To 300W, 277-480V, Specify 3 Watt Stops, Specify CCT, Specify Bk Or Gy
HML-135-450W-XXK-CLR-480V	High-Mast 135W To 450W, 277-480V, Specify 3 Watt Stops, Specify CCT, Specify Bk Or Gy
HML-150-500W-XXK-CLR-480V	High-Mast 150W To 500W, 277-480V, Specify 3 Watt Stops, Specify CCT, Specify Bk Or Gy
HML-180-600W-XXK-CLR-480V	High-Mast 180W To 600W, 277-480V, Specify 3 Watt Stops, Specify CCT, Specify Bk Or Gy
HML-225-750W-XXK-CLR-480V	High-Mast 225W To 750W, 277-480V, Specify 3 Watt Stops, Specify CCT, Specify Bk Or Gy
HML-SHI-CLR	HML High-Mast Glare Shield For Up To 750W Version, Specify Bk Or Gy
HML-SCK	HML High-Mast NEMA Socket And Shorting Cap Pre-Installed



# STREET/AREA LIGHTING



SOLF-RC

SOLF Shown with Adjustable Slip Filter for Poles up to 2-3/4" O.D.

SOLF Shown with Square Pole Mount

SOLF Shown with Round Pole Mount

SOLF Shown with Wall Mount

**LED SOLAR ROADWAY/FLOOD LIGHTS** **PROGRAMMABLE- Default Settings**  
 15 second after the zone is cleared the light goes down to 40%  
 NO WIRING, INCL. INTELLIGENT CONTROLS, 1 DAY CHARGE 3 DAY OPR., LiFePo4 5YR. BATTERY




CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>SOLF-17W-50K</b>	8W LED 200LM/W LED 17W 1600LM 5000K	1
<b>SOLF-36W-50K</b>	20W LED 200LM/W LED 36W 4000LM 5000K	1
<b>SOLF-SFA</b>	Adjustable Slip Filter for Poles up to 2-3/4" O.D.	-
<b>SOLF-WM-17W</b>	Wall Mount for SOLF-17W	-
<b>SOLF-WM-36W/54W</b>	Wall Mount for SOLF-36W & 54W	-
<b>SOLF-PMR-17W</b>	Round Pole Mount for SOLF-17W	-
<b>SOLF-PMR-36W/54W</b>	Round Pole Mount for SOLF-36W & 54W	-
<b>SOLF-PMS-17W</b>	Square Pole Mount for SOLF-17W	-
<b>SOLF-RC:</b>	Remote Control for SOLF Series	-



Shown with Pole/Wall Mount Arm, Sold Separately



Shown with Pole-Top Mount (2" Poles), Sold Separately



SOLA-RC

**ROADWAY AND AREA SPLIT SOLAR LIGHTS**, WITH ADVANCED CONTROLLER  
 REMOTE SOLAR PANEL INCL. WITH FIXTURE (WALL & POLE MOUNTING OPTIONS AVAIL. SOLD SEPARATELY)




CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>SOLA-SPLT-15W-50K</b>	15W 2250LM 5000K	1
<b>SOLA-SPLT-30W-50K</b>	30W 4500LM 5000K	1
<b>SOLA-SPLT-PM</b>	Pole Mounting Arm For Split Solar Lights	-
<b>SOLA-SPLT-WM</b>	Wall Mounting Arm For Split Solar Lights	-
<b>SOLA-RC</b>	Sola Solar Light Remote Control Unit - One Per Project	-



SOLA-5W-50K-WA  
20" Pole/Wall Mount Arm Included

Shown Back Side



SOLA-RC

**ROADWAY AND AREA SOLAR LIGHTS, WITH ADVANCED CONTROLLER**  
INTEGRATED SOLAR PANEL, 20" WALL/POLE MOUNT ARM INCL.



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>SOLA-5W-50K-WA</b> <b>SOLA-RC</b>	5W <b>750LM</b> 5000K Sola Solar Light Remote Control Unit - One Per Project	1



SOLN-10W-WA  
Wall & Pole Mounting Included



SOLF-RC



SOLN Shown with **SOLN-PMRS** Round & Square Pole Mounting Accessory



SOLN Shown with **SOLN-SFA** Slip Fitter Mounting Arm



SOLN-25W



SOLN Shown with **SOLN-WM** Wall Mounting Arm

**POWERFUL HIGH-LUMEN SMART INTEGRATED SOLAR STREET AND FLOOD LIGHT**



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>SOLN-10W-50K-WA</b>	10W <b>1500LM</b> 5000K	1
<b>SOLN-10W-30K-WA</b>	10W <b>1500LM</b> 3000K	1
<b>SOLN-25W-50K</b>	25W <b>3750LM</b> 5000K	1
<b>SOLN-25W-30K</b>	25W <b>3750LM</b> 3000K	1
<b>SOLN-50W-50K</b>	50W <b>10000LM</b> 5000K	1
<b>SOLN-50W-30K</b>	50W <b>10000LM</b> 3000K	1
<b>SOLN-70W-50K</b>	70W <b>14000LM</b> 5000K	1
<b>SOLN-70W-30K</b>	70W <b>14000LM</b> 3000K	1
<b>SOLN-WM</b>	SOLN Wall Mounting Accessory	
<b>SOLN-SFA</b>	SOLN Slip Fitter Mounting Accessory	
<b>SOLN-PMRS</b>	SOLN Round And Square Pole Mounting Accessory	
<b>SOLF-RC</b>	Remote Control for SOLN Series (One Per Project)	



Shown with Slip Fitter

Shown with Wall Mounting Arm - 12-3/4" Length for 50W & above

Shown with Half Shroud (Reversible), See Factory-Installed option below

Shown with Full Shroud, See Factory-Installed option below

ACC-AWM-GR

## LED STREET/ROADWAY LIGHTS

w/NEMA TWIST-LOCK PHOTOCELL SOCKET, (SHORTING CAP INCL.) FOR PHOTOCELL SEE PAGE 101



CATALOG NO.	DESCRIPTION	PKG. QTY.
STL4-15-50W-30K	15W/20W/30W/50W 145LM/W 3000K	1
STL4-15-50W-40K	15W/20W/30W/50W 145LM/W 4000K	1
STL4-15-50W-50K	15W/20W/30W/50W 145LM/W 5000K	1
STL4-30-100W-30K	30W/50W/80W/100W 145LM/W 3000K	1
STL4-30-100W-40K	30W/50W/80W/100W 145LM/W 4000K	1
STL4-30-100W-50K	30W/50W/80W/100W 145LM/W 5000K	1
STL4-50-150W-30K	50W/80W/100W/150W 140LM/W 3000K	1
STL4-50-150W-40K	50W/80W/100W/150W 145LM/W 4000K	1
STL4-50-150W-50K	50W/80W/100W/150W 140LM/W 5000K	1
STL4-80-200W-30K	80W/100W/150W/200W 140LM/W 3000K	1
STL4-80-200W-40K	80W/100W/150W/200W 145LM/W 4000K	1
STL4-80-200W-50K	80W/100W/150W/200W 140LM/W 5000K	1
STL4-30-100W-30K-480V	30W/50W/80W/100W 140LM/W 3000K	1
STL4-30-100W-40K-480V	30W/50W/80W/100W 145LM/W 4000K	1
STL4-30-100W-50K-480V	30W/50W/80W/100W 140LM/W 5000K	1
STL4-50-150W-30K-480V	50W/80W/100W/150W 140LM/W 3000K	1
STL4-50-150W-40K-480V	50W/80W/100W/150W 145LM/W 4000K	1
STL4-50-150W-50K-480V	50W/80W/100W/150W 140LM/W 5000K	1
STL4-80-200W-30K-480V	80W/100W/150W/200W 140LM/W 3000K	1
STL4-80-200W-40K-480V	80W/100W/150W/200W 145LM/W 4000K	1
STL4-80-200W-50K-480V	80W/100W/150W/200W 140LM/W 5000K	1
STL4-SF	STL4 Series Street Light Slip Fitter	
STL2-WMA	Wall Mounting Arm - 12-3/4" Length for 50W & above	
ACC-AWM-GR	Angled Corner Wall Mount Arm, 2-3/8In Dia, Grey	



Shown with Wall Mounting Arm - 12-3/4" Length for 50W & above



Shown with Half Shroud (Reversible), See Factory-Installed option below



Shown with Full Shroud, See Factory-Installed option below

## LED STREET/ROADWAY LIGHTS

w/NEMA TWIST-LOCK PHOTOCELL SOCKET, (SHORTING CAP INCL.) FOR PHOTOCELL SEE PAGE 101



CATALOG NO.	DESCRIPTION	REPLACEMENT RANGE	PKG. QTY.
STL3-50W-50K	50W 6750LM 5000K	100-277V	1
STL2-80W-30K	80W 10800LM 3000K	100-277V	1
STL2-WMA	Wall Mounting Arm - 12-3/4" Length for 50W & above		-

**WHILE SUPPLIES LAST**

**WHILE SUPPLIES LAST**

**FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

WATTS	SHROUD	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL MODEL	OPT-STL-SH-CW OPT-STL-SH-FG	HALF SHROUD FULL SHROUD	N/A	N/A	OPT-CLR-95(BK/GR/SR/WH)	N/A	N/A



**CXES-10-30W**  
Bronze



**CXES-30-60W**  
Bronze



**CXES-40-80W**  
Bronze



**CXES--WH**  
White



**CXER-40-80W**  
Bronze



**CXER-30-50W**  
Bronze



**CXER-40-80W-WH**  
White



**CXER-30-50W-WH**  
White



Sensor-Ready  
Plug & Play For CXER Only

## BUILDER SERIES NEW CONCEPT GARAGE AND CEILING LIGHTS



CATALOG NO.

DESCRIPTION

PKG.  
QTY.

**SQUARE NEW CONCEPT GARAGE AND CEILING LIGHTS, POWER & CCT ADJUSTABLE, DAMP LOCATION**

<b>CXES-10-30W-MCTP</b>	10W/20W/30W 130LM/W 30K/40K/50K	4
<b>CXES-30-60W-MCTP</b>	30W/45W/60W 130LM/W 30K/40K/50K	2
<b>CXES-40-80W-MCTP</b>	40W/60W/80W 130LM/W 30K/40K/50K	2
<b>CXES-10-30W-MCTP-WH</b>	10W/20W/30W 130LM/W 30K/40K/50K	4
<b>CXES-30-60W-MCTP-WH</b>	30W/45W/60W 130LM/W 30K/40K/50K	2
<b>CXES-40-80W-MCTP-WH</b>	40W/60W/80W 130LM/W 30K/40K/50K	2
withEM <b>CXES-10-30W-MCTP-EM</b>	10W/20W/30W 130LM/W 30K/40K/50K	4
withEM <b>CXES-30-60W-MCTP-EM</b>	30W/45W/60W 130LM/W 30K/40K/50K	2
withEM <b>CXES-40-80W-MCTP-EM</b>	40W/60W/80W 130LM/W 30K/40K/50K	2

**ROUND NEW CONCEPT GARAGE AND CEILING LIGHTS, POWER & CCT ADJUSTABLE, DAMP LOCATION**

<b>CXER-30-50W-MCTP-SR</b>	30W/40W/50W 135LM/W 30K/40K/50K (SENSOR-READY)	4
<b>CXER-40-80W-MCTP-SR</b>	40W/60W/80W 135LM/W 30K/40K/50K (SENSOR-READY)	2
<b>CXER-30-50W-MCTP-SR-WH</b>	30W/40W/50W 135LM/W 30K/40K/50K (SENSOR-READY)	4
<b>CXER-40-80W-MCTP-SR-WH</b>	40W/60W/80W 135LM/W 30K/40K/50K (SENSOR-READY)	2
withEM <b>CXER-30-50W-MCTP-SR-EM</b>	30W/40W/50W 135LM/W 30K/40K/50K (SENSOR-READY)	4
withEM <b>CXER-40-80W-MCTP-SR-EM</b>	40W/60W/80W 135LM/W 30K/40K/50K (SENSOR-READY)	2
withEM <b>CXER-30-50W-MCTP-SR-EM-WH</b>	30W/40W/50W 135LM/W 30K/40K/50K (SENSOR-READY)	4
withEM <b>CXER-40-80W-MCTP-SR-EM-WH</b>	40W/60W/80W 135LM/W 30K/40K/50K (SENSOR-READY)	2

**WEC-3MR-72-TLB-BK** 600W Max, Zhaga 12-24VDC Microwave Sensor, Black, With Base (Optional Remote Control WEC-3RC)

**WEC-3MBT-72-TLB-BK** 600W Max, Zhaga 12-24VDC Microwave Sensor, Bluetooth App Ready, Black, With Base (Optional Remote Control WEC-3RC)

**WEC-3PR-72-TLB-WH** 600W Max, Zhaga 12-24VDC PIR Sensor, White, With Base (Optional Remote Control WEC-3RC)



**POWER-ADJUSTABLE CANOPY LIGHT, 120-277V (WET LOCATION)**



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>CDLX-SM-5-25W-30K</b>	5W/10W/15W/25W <b>120LM/W</b> 3000K 8"X8"X3"	6
<b>CDLX-SM-5-25W-40K</b>	5W/10W/15W/25W <b>120LM/W</b> 4000K 8"X8"X3"	6
<b>CDLX-SM-5-25W-50K</b>	5W/10W/15W/25W <b>120LM/W</b> 5000K 8"X8"X3"	6
<b>CDLX-MD-15-45W-30K</b>	15W/25W/35W/45W <b>120LM/W</b> 3000K 10"X10"X3.63"	4
<b>CDLX-MD-15-45W-40K</b>	15W/25W/35W/45W <b>120LM/W</b> 4000K 10"X10"X3.63"	4
<b>CDLX-MD-15-45W-50K</b>	15W/25W/35W/45W <b>120LM/W</b> 5000K 10"X10"X3.63"	4
<b>CDLX-LG-30-80W-30K</b>	30W/40W/60W/80W <b>120LM/W</b> 3000K 14"X14"X4"	2
<b>CDLX-LG-30-80W-40K</b>	30W/40W/60W/80W <b>120LM/W</b> 4000K 14"X14"X4"	2
<b>CDLX-LG-30-80W-50K</b>	30W/40W/60W/80W <b>120LM/W</b> 5000K 14"X14"X4"	2

**FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

SIZE	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
SM	<b>OPT-EM-CDLX-SM</b>	INTERNAL	<b>OPT-PC-B</b>	BUTTON	<b>OPT-CLR-95(BK/GR/SR/WH)</b>	<b>OPT-SEN-2MD-35</b>	PROGRAMMABLE MICROWAVE BI-LEVEL
MD	<b>OPT-EM-CDLX-MD</b>	INTERNAL				<b>OPT-SEN-NLS-CDXL</b>	WG NETWORK SENSOR
LG	<b>OPT-EM-CDLX-LG</b>	INTERNAL				<b>OPT-SEN-KEILTON</b>	KEILTON NETWORK SENSOR
	<b>VANDAL RES.</b>	DESCRIPTION	<b>480V OPTIONS</b>	DESCRIPTION		<b>WEC-3RC</b>	OPTIONAL REMOTE CONTROL
	<b>OPT-TRS-T20</b>	Tamper Resistant Screw	<b>OPT-480V-CDLX-80</b>	480V			



OPTIONAL FROSTED LENS, FIELD REPLACE

**LED GARAGE/CANOPY LIGHTS, 120-277V (WET LOCATION)**



CATALOG NO.	DESCRIPTION	REPLACEMENT RANGE	PKG. QTY.
<b>CGL-40W-50K-D</b>	40W <b>5200LM</b> 5000K 9" (L) x 9" (W) x 4-1/2" (H)	100-150 MH	4
<b>CGL-40W-40K-D</b>	40W <b>5200LM</b> 4000K 9" (L) x 9" (W) x 4-1/2" (H)	100-150 MH	4
<b>CGL-55W-50K-D</b>	55W <b>7100LM</b> 5000K 9" (L) x 9" (W) x 4-1/2" (H)	150-200 MH	4
<b>CGL-55W-40K-D</b>	55W <b>7100LM</b> 4000K 9" (L) x 9" (W) x 4-1/2" (H)	150-200 MH	4
<b>CGL-75W-50K-D</b>	75W <b>9700LM</b> 5000K 10" (L) x 10" (W) x 5" (H)	250-320 MH	2
<b>CGL-75W-40K-D</b>	75W <b>9700LM</b> 4000K 10" (L) x 10" (W) x 5" (H)	250-320 MH	2
<b>CGL-100W-50K-D</b>	100W <b>13000LM</b> 5000K 10" (L) x 10" (W) x 5" (H)	350-400 MH	2
<b>CGL-100W-40K-D</b>	100W <b>13000LM</b> 4000K 10" (L) x 10" (W) x 5" (H)	350-400 MH	2
<b>CGL-FL1</b>	Frosted Replacement Lens for CGL-40W & 55W		
<b>CGL-FL2</b>	Frosted Replacement Lens for CGL-75W & 100W		

**FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
40W & 55W	<b>OPT-EM-CGL-40-55</b>	INTERNAL	<b>OPT-PC-B</b>	BUTTON	<b>OPT-CLR-95(BK/GR/SR/WH)</b>	<b>OPT-SEN-2MDR-36</b>	PROGRAMMABLE MICROWAVE BI-LEVEL
75W & 100W	<b>OPT-EM-CGL-75-100</b>	INTERNAL				<b>OPT-SEN-NLS-CGL</b>	WG NETWORK SENSOR
	<b>VANDAL RES.</b>	DESCRIPTION				<b>OPT-SEN-KEILTON</b>	KEILTON NETWORK SENSOR
	<b>OPT-TRS-T20</b>	Tamper Resistant Screw				<b>WEC-3RC</b>	OPTIONAL REMOTE CONTROL



Sensor-Ready  
Plug & Play For CAX

**ANGLED-BEAM GARAGE CANOPY, CCT AND WATTAGE SELECTABLE, SENSOR READY**    

CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>CAX-20-45W-MCTP-SR</b>	20W/30W/45W 140LM/W 30K/40K/50K	8
<b>CAX-30-60W-MCTP-SR</b>	30W/45W/60W 140LM/W 30K/40K/50K	8
<b>CAX-40-75W-MCTP-SR</b>	40W/60W/75W 140LM/W 30K/40K/50K	8
<b>CAX-60-90W-MCTP-SR</b>	60W/75W/90W 140LM/W 30K/40K/50K	8
<b>WEC-3MR-72-TLB-BK-3PIN</b>	600W Max, Zhaga 12-24VDC Microwave Sensor, Black, With Base (Optional Remote Control WEC-3RC)	
<b>WEC-3MBT-72-TLB-BK-3PIN</b>	600W Max, Zhaga 12-24VDC Microwave Sensor, Bluetooth App Ready, Black, With Base (Optional Remote Control WEC-3RC)	
<b>WEC-3PR-72-TLB-WH-3PIN</b>	600W Max, Zhaga 12-24VDC PIR Sensor, White, With Base (Optional Remote Control WEC-3RC)	

 **FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
45W & 60W	<b>OPT-EM-CAX-40-60</b>	INTERNAL					
75W & 90W	<b>OPT-EM-CAX-75-90</b>	INTERNAL	<b>OPT-PC-B</b>	BUTTON	<b>OPT-CLR-95(BK/GR/SR/WH)</b>		FIELD-INSTALLED SENSOR OPTION SEE ABOVE
	<b>VANDAL RES.</b>	DESCRIPTION					
	<b>OPT-TRS-T20</b>	Tamper Resistant Screw					



**GPX-18-60W-MCTP-GCP-BR** Bronze  
**GPX-18-60W-MCTP-GCP-SIL** Silver  
**GPX-18-60W-MCTP-GCP-WH** White

Shown with Stem-Mount

**SPEC SERIES POWER & CCT- ADJUSTABLE GARAGE LIGHT, CEILING OR STEM MOUNT**

120-277V, **TYPE 3 LENS** (TYPE 2 & TYPE 5 LENS ALSO AVAILABLE)



CATALOG NO.	DESCRIPTION	MOUNTING	PKG. QTY.
<b>GPX-18-60W-MCTP-GCP-BR</b>	18W/30W/45W/60W 150LM/W 30K/40K/50K	Ceiling Or Stem Mount	1
<b>GPX-18-60W-MCTP-GCP-SIL</b>	18W/30W/45W/60W 150LM/W 30K/40K/50K	Ceiling Or Stem Mount	1
<b>GPX-18-60W-MCTP-GCP-WH</b>	18W/30W/45W/60W 150LM/W 30K/40K/50K	Ceiling Or Stem Mount	1



White



Up Light View



Silver



Sensor-Ready Plug & Play

**X-GEN GARAGE LIGHT WITH UPLIGHT, POWER AND CCT ADJUSTABLE, SENSOR READY**    

CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>CXU-18-60W-MCTP-SR</b>	18W/30W/45W/60W 9900LM 30K/40K/50K White	1
<b>CXU-30-100W-MCTP-SR</b>	30W/50W/75W/100W 16500LM 30K/40K/50K White	1
<b>CXU-18-60W-MCTP-SR-SIL</b>	18W/30W/45W/60W 9900LM 30K/40K/50K Silver	1
<b>CXU-30-100W-MCTP-SR-SIL</b>	30W/50W/75W/100W 16500LM 30K/40K/50K Silver	1

 **FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

WATTS	EM OPTION	DESCRIPTION	VANDAL RES.	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL	<b>OPT-EM-CXU-60</b>	External Box	N/A	N/A	N/A	N/A	N/A
	<b>OPT-EM-CXU-100</b>	External Box					



**SPEC SERIES LED ADJUSTABLE CANOPY/PARKING LIGHTS, 120-277V**



NO.	DESCRIPTION	PKG. QTY.
<b>SPEC SERIES LED ADJUSTABLE CANOPY/PARKING LIGHTS, 120-277V</b>		
CDX-35W-35K-BR	35W 4600LM 3500K Bronze 10.6" (L) x 10.6" (W) x 4-1/2" (H)	2
CDX-35W-35K-WH	35W 4600LM 3500K White 10.6" (L) x 10.6" (W) x 4-1/2" (H)	2
CDX-35W-40K-BR	35W 4600LM 4000K Bronze 10.6" (L) x 10.6" (W) x 4-1/2" (H)	2
CDX-35W-40K-WH	35W 4600LM 4000K White 10.6" (L) x 10.6" (W) x 4-1/2" (H)	2
CDX-35W-50K-BR	35W 4600LM 5000K Bronze 10.6" (L) x 10.6" (W) x 4-1/2" (H)	2
CDX-35W-50K-WH	35W 4600LM 5000K White 10.6" (L) x 10.6" (W) x 4-1/2" (H)	2
CDX-55W-35K-BR	55W 7250LM 3500K Bronze 10.6" (L) x 10.6" (W) x 4-1/2" (H)	2
CDX-55W-35K-WH	55W 7250LM 3500K White 10.6" (L) x 10.6" (W) x 4-1/2" (H)	2
CDX-55W-50K-BR	55W 7250LM 5000K Bronze 10.6" (L) x 10.6" (W) x 4-1/2" (H)	2
CDX-55W-50K-WH	55W 7250LM 5000K White 10.6" (L) x 10.6" (W) x 4-1/2" (H)	2

OUTDOOR CANOPY & GARAGE WHILE SUPPLIES LAST

**SPEC SERIES POWER & CCT- ADJUSTABLE LED ADJUSTABLE CANOPY/PARKING LIGHTS, 120-277V**



CDX-35-55W-MCTP-BR	35W/45W/55W 120LM/W 30K/40K/50K
CDX-35-55W-MCTP-WH	35W/45W/55W 120LM/W 30K/40K/50K

**FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
35W	OPT-EM-CDX-35	INTERNAL					
55W	OPT-EM-CDX-55	INTERNAL	OPT-PC-B	BUTTON	OPT-CLR-95(BK/GR/SR/WH)	OPT-SEN-2MDR-36	PROGRAMMABLE MICROWAVE BI-LEVEL
	VANDAL RES.	DESCRIPTION				OPT-SEN-NLS-CDX	WG NETWORK SENSOR
	OPT-TRS-T20	Tamper Resistant Screw				OPT-SEN-KEILTON	KEILTON NETWORK SENSOR
						WEC-3RC	OPTIONAL REMOTE CONTROL



**POWER-ADJUSTABLE SURFACE-MOUNT CANOPY LIGHT, 120-277V**



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>GSX-SRFC-80-150W-50K</b>	80W/100W/120W/150W 140LM/W 5000K	1



**POWER-ADJUSTABLE RECESSED GAS STATION CANOPY LIGHT, 120-277V**



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>GSX-RECS-80-150W-50K</b>	80W/100W/120W/150W 140LM/W 5000K	1

**FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**


WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL MODELS	OPT-EM-6SX	MUST MOUNT ABOVE	N/A	N/A	N/A	OPT-3PDR-52	BI-LEVEL MICROWAVE
						WEC-3RC	REMOTE CONTROL



**ARCHITECTURAL MODULAR LIGHT COLUMN**



CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER	PKG. QTY.
<b>LCG4-6FT-24-MCTP-BK</b>	21W/28W/35W 110LM/W 30K/40K/50K Black, 4.73in X 6FT		1
<b>LCG4-8FT-48-MCTP-BK</b>	45W/60W/75W 110LM/W 30K/40K/50K Black, 4.73in X 8FT		1
<b>LCG6-4FT-24-MCTP-BK</b>	21W/28W/35W 110LM/W 30K/40K/50K Black, 6.3in X 4FT		1
<b>LCG6-10FT-48-MCTP-BK</b>	45W/60W/75W 110LM/W 30K/40K/50K Black, 6.3in X 10FT		1
<b>LCG4-ABK</b>	LCG4 Anchor Bolt Kit		
<b>LCG6-ABK</b>	LCG6 Anchor Bolt Kit For 4Ft And 5Ft		
<b>LCG6H-ABK</b>	LCG6 6Ft And Taller Anchor Bolt Kit		



**LIGHTED COLUMN SYSTEM - 10FT MAX.**

CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>BPS-BASE-2FT</b>	Bollard Pole System 2Ft Base	2
<b>BPS-BASE-3FT</b>	Bollard Pole System 3Ft Base	2
<b>BPS-BASE-5FT</b>	Bollard Pole System 5Ft Base	2
<b>BPS-LH1</b>	Bollard Pole System Single Lamp Holder Section 1Ft With 1/2" Hub	4
<b>BPS-LH2</b>	Bollard Pole System Double Lamp Holder Section 1Ft With 1/2" Hubs	4
<b>BPS-EP-1FT</b>	Bollard Pole System 1Ft Extension Pole	4
<b>BPS-EP-2FT</b>	Bollard Pole System 2Ft Extension Pole	4
<b>BPS-LHT</b>	Bollard Pole System Top Cap Lamp Holder With 1/2" Hub	50



SOLB-BSP-MS-40K

SOLB-BSPD-MS-40K

OUTDOOR  
BOLLARD

**SOLAR BOLLARD - REMOTE INCL. - MOTION SENSOR - GRAPHITE FINISH**



CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER	PKG. QTY.
SOLB-BSP-MS-40K	2W 380LM 4000K		4
SOLB-BSPD-MS-40K	4W 730LM 4000K		4



**HEAD**  
SOLD SEPARATELY

**SHAFT**  
Avail.in:  
14" / 30"  
SOLD SEPARATELY

BOL-G4-301-SOLAR + BOL-G4-SHAFT

BOL-G4-ABK-R  
Anchor Bolts  
& Mounting Plate

**HEAD, SHAFT, &  
ANCHOR BOLTS SET**  
SOLD SEPARATELY

BOL-G4-SOLAR-RC  
Remote Control

**SOLAR G4 MODULAR BOLLARD SYSTEM**



CATALOG NO.	DESCRIPTION	PKG. QTY.
BOL-G4-301-SOLAR-30K-BK	3W 130LM/W 3000K Black Head	1
BOL-G4-301-SOLAR-40K-BK	3W 130LM/W 4000K Black Head	1
BOL-G4-301-SOLAR-30K-BR	3W 130LM/W 3000K Bronze Head	1
BOL-G4-301-SOLAR-40K-BR	3W 130LM/W 4000K Bronze Head	1
BOL-G4-SHAFT-14-BK	G4 Bollard Shaft 14 Inch, Black	
BOL-G4-SHAFT-14-BR	G4 Bollard Shaft 14 Inch, Bronze	
BOL-G4-SHAFT-30-BK	G4 Bollard Shaft 30 Inch, Black	
BOL-G4-SHAFT-30-BR	G4 Bollard Shaft 30 Inch, Bronze	
BOL-G4-ABK-R	G4 Bollard Round Anchor Bolts & Mounting Plate	
BOL-G4-GSH-01-BK	G4 Bollard Round Anchor Bolts & Mounting Plate, Black	
BOL-G4-GSH-01-BR	G4 Bollard Round Anchor Bolts & Mounting Plate, Bronze	
BOL-G4-SOLAR-RC	Remote Control, Required 1 Per Projects	

FOR OPT OPTION SEE PAGE 99.



**G4 ROUND MODULAR BOLLARD SYSTEM**

CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>BOL-G4-201-MCTP-BK</b>	7W/14W/22W <b>110LM/W</b> 30K/40K/50K Black Head	1
<b>BOL-G4-201-MCTP-BR</b>	7W/14W/22W <b>110LM/W</b> 30K/40K/50K Bronze Head	1
<b>BOL-G4-SHAFT-14-BK</b>	G5 Bollard Shaft 14 Inch, Black	
<b>BOL-G4-SHAFT-14-BR</b>	G5 Bollard Shaft 14 Inch, Bronze	
<b>BOL-G4-SHAFT-30-BK</b>	G5 Bollard Shaft 33 Inch, Black	
<b>BOL-G4-SHAFT-30-BR</b>	G5 Bollard Shaft 33 Inch, Bronze	
<b>BOL-G4-SHAFT-23-GFCI-BK</b>	G4 Bollard Shaft 23 Inch With GFCI Outlet Compartment, Black	
<b>BOL-G4-SHAFT-23-GFCI-BR</b>	G4 Bollard Shaft 23 Inch With GFCI Outlet Compartment, Bronze	
<b>BOL-G4-SHAFT-30-GFCI-BK</b>	G4 Bollard Shaft 30 Inch With GFCI Outlet Compartment, Black	
<b>BOL-G4-SHAFT-30-GFCI-BR</b>	G4 Bollard Shaft 30 Inch With GFCI Outlet Compartment, Bronze	
<b>BOL-G4-ABK-R</b>	G4 Bollard Round Anchor Bolts & Mounting Plate	
<b>BOL-G4-GSH-01-BK</b>	Glare Shield Accessory - Black	
<b>BOL-G4-GSH-01-BR</b>	Glare Shield Accessory - Bronze	

FOR OPT OPTION SEE PAGE 99.



**ROUND WESTGATE MODERN MODULAR BOLLARD SYSTEM G5**

CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>BOL-G5-101-MCTP-BK</b>	8W/13W/18W/25W <b>130LM/W</b> 30K/40K/50K Head	1
<b>BOL-G5-101-MCTP-BR</b>	8W/13W/18W/25W <b>130LM/W</b> 30K/40K/50K Head	1
<b>BOL-G5-401-MCTP-BK</b>	5W/8W/12W/15W <b>130LM/W</b> 30K/40K/50K Head	1
<b>BOL-G5-401-MCTP-BR</b>	5W/8W/12W/15W <b>130LM/W</b> 30K/40K/50K Head	1
<b>BOL-G5-SHAFT-14-BK</b>	G5 Bollard Shaft 14 Inch, Black	
<b>BOL-G5-SHAFT-14-BR</b>	G5 Bollard Shaft 14 Inch, Bronze	
<b>BOL-G5-SHAFT-33-BK</b>	G5 Bollard Shaft 33 Inch, Black	
<b>BOL-G5-SHAFT-33-BR</b>	G5 Bollard Shaft 33 Inch, Bronze	
<b>BOL-G5-ABK-R</b>	G5 Bollard Round Anchor Bolts & Mounting Plate	
<b>BOL-G5-GSH-01</b>	G5 Bollard 180-Degree Glare Shield	

FOR OPT OPTION SEE PAGE 99.

**HEAD**  
SOLD SEPARATELY

**SHAFT**  
Avail.in:  
14" / 33"  
SOLD SEPARATELY



**BOL-G5-ABK-R**  
Anchor Bolts  
& Mounting Plate



**HEAD, SHAFT, & ANCHOR BOLTS SET**  
SOLD SEPARATELY  
MCT3 DIMMING 0-10V WEST LOCATION ETL

OUTDOOR  
BOLLARD

**SOLAR WESTGATE MODERN MODULAR BOLLARD SYSTEM G5**

CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>BOL-G5-SOLAR-MCT-BK</b>	4W 600LM 30K/40K/50K Head	1
<b>BOL-G5-SOLAR-MCT-BR</b>	4W 600LM 30K/40K/50K Head	1
<b>BOL-G5-SHAFT-14-BK</b>	G5 Bollard Shaft 14 Inch, Black	
<b>BOL-G5-SHAFT-14-BR</b>	G5 Bollard Shaft 14 Inch, Bronze	
<b>BOL-G5-SHAFT-33-BK</b>	G5 Bollard Shaft 33 Inch, Black	
<b>BOL-G5-SHAFT-33-BR</b>	G5 Bollard Shaft 33 Inch, Bronze	
<b>BOL-G5-ABK-R</b>	G5 Bollard Round Anchor Bolts & Mounting Plate	
<b>BOL-G5-GSH-01</b>	G5 Bollard 180-Degree Glare Shield	

FOR OPT OPTION SEE PAGE 99.

**HEAD**  
SOLD SEPARATELY

**SHAFT**  
Avail.in:  
9" / 14"  
19" / 31"  
SOLD SEPARATELY



**ANCHOR BOLTS & MOUNTING PLATE**  
SOLD SEPARATELY

**G7 EXTERNAL-LOUVER MODULAR BOLLARD SYSTEM**

CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>BOL-G7-100D-MCTP-BK</b>	10W/18W/25W 100LM/W 30K/40K/50K	1
<b>BOL-G7-100D-MCTP-BR</b>	10W/18W/25W 100LM/W 30K/40K/50K	1
<b>BOL-G7-100D-MCTP-SIL</b>	10W/18W/25W 100LM/W 30K/40K/50K	1
<b>BOL-G7-SHAFT-31-BK</b>	BOL-G7 Shaft 31in, Black	
<b>BOL-G7-SHAFT-31-BR</b>	BOL-G7 Shaft 31in, Bronze Ral8019	
<b>BOL-G7-SHAFT-31-SIL</b>	BOL-G7 Shaft 31in, Silver Ral9006	
<b>BOL-G7-SHAFT-19-BK</b>	BOL-G7 Shaft 19in, Black	
<b>BOL-G7-SHAFT-19-BR</b>	BOL-G7 Shaft 19in, Bronze Ral8019	
<b>BOL-G7-SHAFT-19-SIL</b>	BOL-G7 Shaft 19in, Silver Ral9006	
<b>BOL-G7-SHAFT-14-BK</b>	BOL-G7 Shaft 14in, Black	
<b>BOL-G7-SHAFT-14-BR</b>	BOL-G7 Shaft 14in, Bronze Ral8014	
<b>BOL-G7-SHAFT-14-SIL</b>	BOL-G7 Shaft 14in, Silver Ral9006	
<b>BOL-G7-SHAFT-9-BK</b>	BOL-G7 Shaft 9in, Black	
<b>BOL-G7-SHAFT-9-BR</b>	BOL-G7 Shaft 9in, Bronze Ral8019	
<b>BOL-G7-SHAFT-9-SIL</b>	BOL-G7 Shaft 9in, Silver Ral9006	
<b>BOL-G7-ABK</b>	BOL-G7 Anchor Bolt Kit	

FOR OPT OPTION SEE PAGE 99.



**HEAD**  
SOLD SEPARATELY

**SHAFT**  
Avail.in:  
9" / 14"  
19" / 31"  
SOLD SEPARATELY

**ANCHOR BOLTS & MOUNTING PLATE**  
SOLD SEPARATELY



**ROUND WESTGATE MODULAR BOLLARD SYSTEM G2**



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>BOL-G2-102F-MCTP-BK</b>	14W/19W/24W 125LM/W 30K/40K/50K Head	4
<b>BOL-G2-102F-MCTP-BR</b>	14W/19W/24W 125LM/W 30K/40K/50K Head	4
<b>BOL-G2-103F-MCTP-BK</b>	14W/19W/24W 125LM/W 30K/40K/50K Head	4
<b>BOL-G2-103F-MCTP-BR</b>	14W/19W/24W 125LM/W 30K/40K/50K Head	4
<b>BOL-G2-107F-MCTP-BK</b>	14W/19W/24W 125LM/W 30K/40K/50K Head	4
<b>BOL-G2-107F-MCTP-BR</b>	14W/19W/24W 125LM/W 30K/40K/50K Head	4
<b>BOL-G2-103D-MCTP-BK</b>	14W/19W/24W 125LM/W 30K/40K/50K Head	4
<b>BOL-G2-103D-MCTP-BR</b>	14W/19W/24W 125LM/W 30K/40K/50K Head	4
<b>BOL-G2-107D-MCTP-BK</b>	14W/19W/24W 125LM/W 30K/40K/50K Head	4
<b>BOL-G2-107D-MCTP-BR</b>	14W/19W/24W 125LM/W 30K/40K/50K Head	4
<b>BOL-G2-118-MCTP-BK</b>	14W/19W/24W 125LM/W 30K/40K/50K Head	4
<b>BOL-G2-118-MCTP-BR</b>	14W/19W/24W 125LM/W 30K/40K/50K Head	4
<b>BOL-G2-135-MCTP-BK</b>	12W/18W/20W 125LM/W 30K/40K/50K Head	4
<b>BOL-G2-135-MCTP-BR</b>	14W/19W/24W 125LM/W 30K/40K/50K Head	4
<b>BOL-G2-140-MCTP-BK</b>	14W/19W/24W 125LM/W 30K/40K/50K Head	4
<b>BOL-G2-140-MCTP-BR</b>	14W/19W/24W 125LM/W 30K/40K/50K Head	4
<b>BOL-G2-SHAFT-31-BK</b>	G2 Bollard Shaft 31 Inch, Black	
<b>BOL-G2-SHAFT-31-BR</b>	G2 Bollard Shaft 31 Inch, Bronze	
<b>BOL-G2-SHAFT-19-BK</b>	G2 Bollard Shaft 19 Inch, Black	
<b>BOL-G2-SHAFT-19-BR</b>	G2 Bollard Shaft 19 Inch, Bronze	
<b>BOL-G2-SHAFT-14-BK</b>	G2 Bollard Shaft 14 Inch, Black	
<b>BOL-G2-SHAFT-14-BR</b>	G2 Bollard Shaft 14 Inch, Bronze	
<b>BOL-G2-SHAFT-9-BK</b>	G2 Bollard Shaft 9 Inch, Black	
<b>BOL-G2-SHAFT-9-BR</b>	G2 Bollard Shaft 9 Inch, Bronze	
<b>BOL-G2-ABK-R</b>	G2 Bollard Round Replacement Anchor Bolts & Mounting Plate	
<b>BOL-G2-102F-CR-WH</b>	G2 Bollard Head 102F Replacement Cone Reflector, White	
<b>BOL-G2-103-LAK-BK</b>	G2 Bollard Louver Kit For Model 103, Black	
<b>BOL-G2-103-LAK-BR</b>	G2 Bollard Louver Kit For Model 103, Bronze	
<b>BOL-R-ACC-FL</b>	Field-installed replacement frosted lens	

BOL-100Q-BK BOL-100Q-BK-WH BOL-100Q-BR BOL-100Q-BR-WH BOL-200-BK-CH BOL-200-BK-WH BOL-200-BR-WH



**G8 ROUND 4-ZONE QUADRANT MODULAR BOLLARD SYSTEM**  
POWER AND CCT ADJUSTABLE



CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER	PKG. QTY.
<a href="#">BOL-G8-100Q-MCTP-BK-WH</a>	10W/18W/25W 80LM/W 30K/40K/50K Head 4-Zone Quadrant, White Reflector, Black		1
<a href="#">BOL-G8-100Q-MCTP-BR-WH</a>	10W/18W/25W 80LM/W 30K/40K/50K Head 4-Zone Quadrant, White Reflector, Bronze		1
<a href="#">BOL-G8-100Q-MCTP-BK</a>	10W/18W/25W 80LM/W 30K/40K/50K Head 4-Zone Quadrant, Chrome Reflector, Black		1
<a href="#">BOL-G8-100Q-MCTP-BR</a>	10W/18W/25W 80LM/W 30K/40K/50K Head 4-Zone Quadrant, Chrome Reflector, Bronze		1
<a href="#">BOL-G8-200-MCTP-BK-WH</a>	10W/18W/25W 80LM/W 30K/40K/50K Head Square, White Reflector, Black		1
<a href="#">BOL-G8-200-MCTP-BR-WH</a>	10W/18W/25W 80LM/W 30K/40K/50K Head Square, White Reflector, Bronze		1
<a href="#">BOL-G8-200-MCTP-BK-CH</a>	10W/18W/25W 80LM/W 30K/40K/50K Head Square, Chrome Reflector, Black		1
<a href="#">BOL-G8-200-MCTP-BR-CH</a>	10W/18W/25W 80LM/W 30K/40K/50K Head Square, Chrome Reflector, Bronze		1
<a href="#">BOL-G8-SHAFT-10-BK</a>	G8 Bollard 10in Shaft Black		
<a href="#">BOL-G8-SHAFT-10-BR</a>	G8 Bollard 10in Shaft Bronze		
<a href="#">BOL-G8-SHAFT-20-BK</a>	G8 Bollard 20in Shaft Black		
<a href="#">BOL-G8-SHAFT-20-BR</a>	G8 Bollard 20in Shaft Bronze		
<a href="#">BOL-G8-SHAFT-26-BK</a>	G8 Bollard 26in Shaft Black		
<a href="#">BOL-G8-SHAFT-26-BR</a>	G8 Bollard 26in Shaft Bronze		
<a href="#">BOL-G8-SHAFT-34-BK</a>	G8 Bollard 34in Shaft Black		
<a href="#">BOL-G8-SHAFT-34-BR</a>	G8 Bollard 34in Shaft Bronze		
<a href="#">BOL-G8-ABK</a>	G8 Bollard Anchor Bolt Kit		
<a href="#">BOL-G8-200-REFL-CH</a>	Bol-G8-200 Chrome Reflector Accessory		



**BOL-502-9-MCT**  
9" Black/Bronze



**BOL-502-32-MCT**  
32" Black/Bronze



**BOL-502-ABK**  
Anchor Bolts  
& Mounting Plate

**RECTANGULAR PATH-LIGHT BOLLARD, 3CCT, 4-3/4"X3-3/8"**



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>BOL-502-9-MCT-BK</b>	10w 100LM/W 30K/40K/50K 9in Black	1
<b>BOL-502-9-MCT-BR</b>	10w 100LM/W 30K/40K/50K 9in Bronze	1
<b>BOL-502-32-MCT-BK</b>	10w 100LM/W 30K/40K/50K 32in Black	1
<b>BOL-502-32-MCT-BR</b>	10w 100LM/W 30K/40K/50K 32in Bronze	1
<b>BOL-502-ABK</b>	BOL-502 Series Anchor Bolt Kit	
<b>FOR OPT OPTION SEE BELOW.</b>		



**BOL-505-26-MCT**  
26" Black/Bronze



**BOL-505-40-MCT**  
40" Black/Bronze



**BOL-505-ABK**  
Anchor Bolts  
& Mounting Plate

**ROUND PATH-LIGHT BOLLARD, 4-3/4" DIA.**



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>BOL-505-26-MCT-BK</b>	15w 100LM/W 30K/40K/50K 26in Black	1
<b>BOL-505-26-MCT-BR</b>	15w 100LM/W 30K/40K/50K 26in Bronze	1
<b>BOL-505-40-MCT-BK</b>	15w 100LM/W 30K/40K/50K 40in Black	1
<b>BOL-505-40-MCT-BR</b>	15w 100LM/W 30K/40K/50K 40in Bronze	1
<b>BOL-505-ABK</b>	BOL-505 Series Anchor Bolt Kit	

**FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

WATTS	GFCI OPTION	DESCRIPTION	VANDAL RES.	DESCRIPTION	PAINT	LOCK OPTION	DESCRIPTION
ALL MODELS	<b>OPT-BOL-GFCI</b>	GFCI	<b>OPT-TRS-T20</b>	Tamper Resistant Screw	<b>OPT-CLR-95(BK/GR/SR/WH)</b>	<b>OPT-BOL-LOCK</b>	LOCK



**BOL-700-BK**  
Black



**BOL-700-BR**  
Bronze



**BOL-700-SIL**  
Silver



**BOL-700-ABK**  
Anchor Bolts  
& Mounting Plate

**GLARE-FREE PATH BOLLARD - POWER AND CCT ADJUSTABLE**



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>BOL-700-20-MCTP-BK</b>	6W/12W 100LM/W 30K/40K/50K 20" Black	1
<b>BOL-700-20-MCTP-BR</b>	6W/12W 100LM/W 30K/40K/50K 20" Bronze	1
<b>BOL-700-20-MCTP-SIL</b>	6W/12W 100LM/W 30K/40K/50K 20" Silver	1
<b>BOL-700-37-MCTP-BK</b>	10W/15W/20W 100LM/W 30K/40K/50K 37" Black	1
<b>BOL-700-37-MCTP-BR</b>	10W/15W/20W 100LM/W 30K/40K/50K 37" Bronze	1
<b>BOL-700-37-MCTP-SIL</b>	10W/15W/20W 100LM/W 30K/40K/50K 37" Silver	1
<b>BOL-700-ABK</b>	BOL-700 Series Anchor Bolt Kit	1



**BOL-602-40-S-MCTP**  
40" Black/Bronze



**BOL-602-26-S-MCTP**  
26" Black/Bronze



**BOL-602-40-S-RGBW**  
40" Black/Bronze



**BOL-602-ABK**  
Anchor Bolts  
& Mounting Plate

**SQUARE BOLLARD LONG LENS, POWER AND CCT ADJUSTABLE**



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>SQUARE BOLLARD LONG LENS, POWER AND CCT ADJUSTABLE</b>		
<b>BOL-602-40-S-MCTP-BK</b>	10W/18W/25W 100LM/W 35K/40K/50K 40in Black	1
<b>BOL-602-40-S-MCTP-BR</b>	10W/18W/25W 100LM/W 35K/40K/50K 40in Bronze	1
<b>BOL-602-26-S-MCTP-BK</b>	10W/18W/25W 100LM/W 35K/40K/50K 26in Black	1
<b>BOL-602-26-S-MCTP-BR</b>	10W/18W/25W 100LM/W 35K/40K/50K 26in Bronze	1
<b>WG SMART APP COMPATIBLE RGBW SQUARE BOLLARD LONG LENS, POWER AND CCT ADJUSTABLE</b>		
<b>BOL-602-40-S-RGBW-BK</b>	34W RGBW 40in Black	1
<b>BOL-602-40-S-RGBW-BR</b>	34W RGBW 40in Bronze	1
<b>BOL-602-ABK</b>	BOL-602 Anchor Bolts And Mounting Plate	1

FOR REMOTE CONTROL SEE PAGE 104 FOR OPT OPTION SEE PAGE 99.



**BOL-605-33-S-RP-MCT-BK**  
33" Black



**BOL-605-33-S-RP-MCT-BR**  
33" Bronze



**BOL-605-ABK**  
Anchor Bolts  
& Mounting Plate

DECORATIVE SQUARE BOLLARDS WITH RAIN PATTERN - 3CCT



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>BOL-605-33-S-RP-MCT-BK</b>	25W 100LM/W 30K/40K/50K 33" Black	1
<b>BOL-605-33-S-RP-MCT-BR</b>	25W 100LM/W 30K/40K/50K 33" Bronze	1
<b>BOL-605-ABK</b>	BOL-605 Series Anchor Bolt Kit	



**BOL-608-32-S-MCTP**  
32" Black/Bronze



**BOL-608-26-S-MCTP**  
26" Black/Bronze



**BOL-608-ABK**  
Anchor Bolts  
& Mounting Plate



**BOL-608RD-41-MCTP**  
41" Black/Bronze



**BOL-608RD-16-MCTP**  
16" Black/Bronze



**BOL-608R-ABK**  
Anchor Bolts  
& Mounting Plate

SQUARE OR ROUND BOLLARD OPEN DESIGN, POWER AND CCT ADJUSTABLE



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>SQUARE BOLLARD OPEN DESIGN, POWER AND CCT ADJUSTABLE, 6-3/4" X 6-3/4"</b>		
<b>BOL-608-32-S-MCTP-BK</b>	10W/18W/25W 100LM/W 30K/40K/50K 32in Black	1
<b>BOL-608-32-S-MCTP-BR</b>	10W/18W/25W 100LM/W 30K/40K/50K 32in Bronze	1
<b>BOL-608-26-S-MCTP-BK</b>	10W/18W/25W 100LM/W 30K/40K/50K 26in Black	1
<b>BOL-608-26-S-MCTP-BR</b>	10W/18W/25W 100LM/W 30K/40K/50K 26in Bronze	1
<b>BOL-608-ABK</b>	BOL-608-S Anchor Bolts And Mounting Plate	
<b>ROUND BOLLARD OPEN DESIGN, POWER AND CCT ADJUSTABLE, 4-1/3"</b>		
<b>BOL-608RD-41-MCTP-BK</b>	10W/18W/25W 100LM/W 30K/40K/50K 41in Black	1
<b>BOL-608RD-41-MCTP-BR</b>	10W/18W/25W 100LM/W 30K/40K/50K 41in Bronze	1
<b>BOL-608RD-16-MCTP-BK</b>	10W/18W/25W 100LM/W 30K/40K/50K 16in Black	1
<b>BOL-608RD-16-MCTP-BR</b>	10W/18W/25W 100LM/W 30K/40K/50K 16in Bronze	1
<b>BOL-608R-ABK</b>	BOL-608R Anchor Bolts And Mounting Plate	

FOR OPT OPTION SEE PAGE 99.



Anchor Bolts & Mounting Plate Included

**SYMMETRICAL PATH BOLLARD, 3CCT**



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>BOL-800-24-MCTP-BK</b>	10W/15W/20W 80LM/W 30K/40K/50K 24" Black	1
<b>BOL-800-24-MCTP-BR</b>	10W/15W/20W 80LM/W 30K/40K/50K 24" Bronze	1
<b>BOL-800-24-MCTP-SIL</b>	10W/15W/20W 80LM/W 30K/40K/50K 24" Silver	1
<b>BOL-800-42-MCTP-BK</b>	10W/15W/20W 80LM/W 30K/40K/50K 42" Black	1
<b>BOL-800-42-MCTP-BR</b>	10W/15W/20W 80LM/W 30K/40K/50K 42" Bronze	1
<b>BOL-800-42-MCTP-SIL</b>	10W/15W/20W 80LM/W 30K/40K/50K 42" Silver	1
<b>BOL-800-ABK</b>	BOL-800 Series Anchor Bolt Kit	



**BOL-42-R-L-C-MCTP-BK**  
Black



**BOL-42-S-C-C-MCTP-BK**  
Black



Anchor Bolts & Mounting Plate Included

**MTO made to order**

**ROUND AND SQUARE BOLLARD, 120-277VAC, (ADJUSTABLE POWER 14-24W & CCT 30K/40K/50K)**



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>BOL-42-S-C-C-MCTP-BK</b>	Bollard 42In Square Flat Top Cone Clear Lens, Black,, 6" SQ	1
<b>BOL-42-S-C-C-MCTP-BR</b>	Bollard 42In Square Flat Top Cone Clear Lens, Bronz,, 6" SQ	1

WHILE SUPPLIES LAST

**11.5IN UNIVERSAL BOLLARD RETROFIT PLATE KIT**

CATALOG NO.	DESCRIPTION
<b>BOL-RP-BR</b>	11.5In Universal Bollard Retrofit Plate Kit Bronze
<b>BOL-RP-BK</b>	11.5In Universal Bollard Retrofit Plate Kit Black

**FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL MODELS	<b>OPT-EM-BOL</b>	INTERNAL	<b>OPT-PC-B</b>	BUTTON	<b>OPT-CLR-95(BK/GR/SR/WH)</b>	<b>OPT-SEN-WMC</b>	MICROWAVE BI-LEVEL
	<b>SHIELD OPTION</b>	DESCRIPTION				<b>OPT-SEN-NLS-BOL</b>	WG NETWORK SENSOR
	<b>OPT-BOL-SHI</b>	Shield				<b>OPT-SEN-KEILTON</b>	KEILTON NETWORK SENSOR

## POST FOR WMS, LMW, LWA-12W, LWAX-12W SERIES

CATALOG NO. DESCRIPTION

- WMS-POST1-18** 18" One side optional Post, Bronze Finish
- WMS-POST2-18** 18" Two side optional Post, Bronze Finish
- WMS-POST1-36** 36" One side optional Post, Bronze Finish
- WMS-POST2-36** 36" Two side optional Post, Bronze Finish

### BOLLARD CUSTOMIZATION

CATALOG NO.	POST SIZE		FIXTURES PER POLE		COLOR TEMPERATURE		FINISH	
	CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
<b>WMS-S</b>	18	18 Inch	1	1 Sided	30K	3000K	BR	Bronze
<b>WMS-R</b>	36	36 Inch	2	2 Sided	40K	4000K	WH	White
<b>LMW</b>					50K	5000K		

For more information on each fixture model, refer to: LWA-12 page 12-13, LMW page 20, WMS page 20.



## LINEAR ARCHITECTURAL INGROUND LIGHTS, 3CCT



CATALOG NO. DESCRIPTION

- CIGL-9-MCT** 5W **420LM** 30K/40K/50K
- CIGL-20-MCT** 10W **860LM** 30K/40K/50K
- CIGL-40-MCT** 24W **2256LM** 30K/40K/50K



**IGLC-D5-10W-MCT-24D** 5" Dia Bronze    **IGLC-D6-15W-MCT-24D-D** 6" Dia Bronze    **IGLC-D8-30W-MCTP-30D-D** 8" Dia Bronze    **IGLC-D9-30W-MCTP-120D-D** 9" Dia Bronze    **IGLC-D11-50W-MCTP-60D-D** 11" Dia Bronze    **IGLC-D11-50W-MCTP-15D-D** 11" Dia Bronze

## STAINLESS STEEL COMMERCIAL INGROUND LIGHTS



CATALOG NO. DESCRIPTION

- IGLC-D5-10W-MCT-24D** 10W **85LM/W** 30K/40K/50K 5 Dia., 24° Beam Angle
- IGLC-D6-15W-MCT-24D-D** 15W **85LM/W** 30K/40K/50K 6 Dia., 24° Beam Angle
- IGLC-D8-30W-MCTP-30D-D** 12W/20W/30W **85LM/W** 30K/40K/50K 8 Dia., 30° Beam Angle
- IGLC-D9-30W-MCTP-120D-D** 12W/20W/30W **85LM/W** 30K/40K/50K 9 Dia., 120° Beam Angle
- IGLC-D11-50W-MCTP-60D-D** 22W/34W/50W **85LM/W** 30K/40K/50K 11 Dia., 60° Beam Angle
- IGLC-D11-50W-MCTP-15D-D** 22W/34W/50W **85LM/W** 30K/40K/50K 11 Dia., 15° Beam Angle

PKG.  
QTY.

4  
4  
2  
2

## OUTDOOR SHROUDS

CATALOG NO. DESCRIPTION

- LF4-SH1** Fits LF4-12W & 15W, LF4-12V-6W & 12W (Polycarbonate)
- LF4-SH2** Fits LF4-30W, LF4-12V-24W & 30W (Polycarbonate)
- LF4-SH3** Fits LF4-50W, LF4-12V-50W (Polycarbonate)
- LF4-SH4** Fits LF4-80W & 100W, (Aluminum)
- LF4-SH5** Fits LF4-150W (Aluminum)
- LF3-SH1FG** Full-Glare Shrouds for LF4 12W, 30W
- LF3-SH2FG** Full-Glare Shrouds for LF4 50W
- FL-SH1** Fits FLD2-15W, FLV12-6W
- FL-SH2** Fits FLD2-28W, FLV12-12W & 24W
- FL-SH3** Fits FLD2-42W, FLV12-32W
- FL-SH4** Fits FLD2-50W

OUTDOOR  
INGROUND  
LIGHTS



LF-THREAD



WRC-3-BRZ



SPS-75



HB-HOOK

## OUTDOOR ACCESSORIES

CATALOG NO.	DESCRIPTION
<b>LF-THREAD</b>	1/2" hub adaptor for fixtures with trunnion bracket (on fixtures up to 50W)
<b>WRC-3-BRZ</b>	Weatherproof cover with three (3) 1/2" hubs
<b>SPS-75</b>	4" SQ. Swivel-type cover & 3/4" hub with 1/2" reducer
<b>HB-HOOK</b>	High Bay 2-1/2" heavy-duty Zinc Alloy hook with 1/2" steel locknut, set screw, cable bushing

## PHOTOCONTROLS



PC-1  
PC-1H



PC-1S



PC-2S



PC-B  
PC-BU



PC-BP



PC-BUM



PC-TLSC



PC-TLSOC-3PIN



PC-TLSOC-7PIN



PC-TWIST  
PC-TWIST-480V



LF3-PCK  
LF3-PCK-480V



SL-PC



WEC-3MPC-GY



WEC-3MPCN

## PHOTOCONTROLS FOR OUTDOOR

CATALOG NO.	DESCRIPTION
<b>PC-1</b>	120V Stem Mount 1800W Photocell
<b>PC-1H</b>	277V Stem Mount 1800W Photocell
<b>PC-1S</b>	Photocell Swivel Arm 120V , 1000W
<b>PC-2S</b>	Swivel Photocell , 120Vac , 1800W
<b>PC-B</b>	Button Photocell , 120Vac , 500W
<b>PC-BU</b>	Button Photocell, 120-277Vac , 500W
<b>PC-BP</b>	Photocell With 1-Gauge Stainless Steel Plate And Gasket , 120Vac , 500W
<b>PC-BUM</b>	Mini Button Photocell, 120-277Vac , 500W
<b>PC-TLSC</b>	Twist Lock Shorting Cap For Photocell Socket
<b>PC-TLSOC-3PIN</b>	3-Pin Socket Twist Lock For Smart Control Systems
<b>PC-TLSOC-7PIN</b>	7-Pin Socket Twist Lock For Smart Control Systems
<b>PC-TWIST</b>	Twist Lock Photocell 1800W Tungeston 120-277V Ac /1800W
<b>PC-TWIST-480V</b>	Twist Lock Photocell 1800W Tungeston 490V
<b>LF3-PCK</b>	Twist-Lock Photocell Kit, 120-277V
<b>LF3-PCK-480V</b>	Twist-Lock Photocell Kit, 480V
<b>SL-PC</b>	Micro Button Photocell, 120/277V, 40W
<b>WEC-3MPC-GY</b>	Microwave IP67 Photocell With 1/2" Thread, Gray
<b>WEC-3MPCN</b>	Ultra-Violet Photocell, 120-277V 1/2in NPT Size

## SURGE PROTECTOR



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

TYPE	CATALOG NO.	DESCRIPTION
OUTDOOR FIXTURES	<b>OPT-SP-10KV</b>	Factory Installed, 10KV surge protector

# Keilton + autani

OUTDOOR

MOTION  
SENSORS



KEA-IFS108.B1



KEA-EFS106-AUX-W.D1



KEA-EFS106-AUX.C1



KEA-IFS108-AUX.B1



KEA-IFS105SE.B1



KEA-FA102.C2



KEA-MWS105E.B1



KEA-WP1018A.A0



KEA-PPA102S.C2



KEA-CS107D.B1

## KEILTON+AUTANI SMART MOTION SENSOR LIGHTING CONTROL SYSTEM

CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER
<a href="#">KEA-EFS106-AUX.C1</a>	High Bay Sensor, 0-10V Bi-level PIR M, 12V, IP40, 40ft, 3.5mm AUX, Smart Bluetooth	
<a href="#">KEA-IFS108-AUX.B1</a>	Low Bay Fixture Sensor, PIR, 12V DC up to 20ft, 2.5mm AUX, Smart Bluetooth	
<a href="#">KEA-IFS108.B1</a>	Low Bay Fixture Sensor, PIR, 12V DC up to 20ft, PH2.0-4pin, Smart Bluetooth	
<a href="#">KEA-EFS106-AUX-W.D1</a>	High Bay Sensor, 0-10V Bi-level PIR M, 12V, IP66, 40ft, 3.5mm AUX, Smart Bluetooth	
<a href="#">KEA-IFS105SE.B1</a>	Low Bay Fixture Sensor, PIR, 12V DC up to 20ft, Integrated Wiring, Smart Bluetooth	
<a href="#">KEA-DC30</a>	PH2.0-4A cable sensor cable for KEA-IFS108, the other end fly leads, 12"	
<a href="#">KEA-FA102.C2</a>	Integrated 12V BT Fixture Adapter, 0-10V, 12V DC, 200ft Transmission, Smart Bluetooth	
<a href="#">KEA-MWS105E.B1</a>	Integrated 12V Eco Microwave Sensor, 12V DC up to 20ft, Smart Bluetooth	
<a href="#">KEA-FC30</a>	Power cable for KEA-FA102, 12"	
<a href="#">KEA-CC30</a>	Connecting cable for KEA-FA102, 12"	
<a href="#">KEA-WP1018A.A0</a>	Wall Switch, 8-Key AAA Battery-Powered, 100ft Transmission, Smart Bluetooth	
<a href="#">KEA-PPA102S.C2</a>	Line Voltage 6A BT Fixture Controller, 0-10V, 120-277VAC, 200mA, 200ft Transmission, Smart Bluetooth	
<a href="#">KEA-CS107D.B1</a>	Ceiling Occupancy Sensor, 0-10V, 120-277VAC up to 20ft, 200mA, 200ft Transmission, Smart Bluetooth	

# Keilton Basic<sup>32</sup>



KEB-IFS06R-AUX



KEB-IFS06R



KEB-EFS07-AUX



KEB-EFS07-AUX-W



KEB-EFS07-Z10-W



KEB-EFS01RE



KEB-IFS05SE



KEB-RM51

## KEILTON BASIC MOTION SENSOR LIGHTING CONTROL SYSTEM

CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER
<a href="#">KEB-IFS06R-AUX</a>	Low Bay Fixture Sensor, PIR, 12V DC up to 20ft, 2.5mm AUX, Remote Control Option	
<a href="#">KEB-IFS06R</a>	Low Bay Fixture Sensor, PIR, 12V DC up to 20ft, PH2.0-4pin, Remote Control Option	
<a href="#">KEB-EFS07-AUX</a>	High Bay Sensor, 0-10V Bi-level PIR M, 12V, IP40, 40ft, 3.5mm AUX, Remote Control Option	
<a href="#">KEB-EFS07-AUX-W</a>	Outdoor High Bay Sensor, 0-10V Bi-level PIR, 12V, IP66, 40ft, 3.5mm AUX, Remote Control Option	
<a href="#">KEB-EFS07-Z10-W</a>	High Bay Sensor, 0-10V Bi-level PIR, 12V, IP40, 40ft, Z10 Zhaga, Remote Control Option	
<a href="#">KEB-EFS01RE</a>	High Bay External Sensor, 0-10V Bi-level PIR, 120-277V AC, 40ft, 10A relay, IP40, Remote Control Option	
<a href="#">KEB-IFS05SE</a>	Low Bay Internal Fixture Sensor, 0-10V Bi-level, 12V, IP66, 40ft,	
<a href="#">KEB-RM51</a>	Optional IR Remote Controller for Basic Sensor Series	



OUTDOOR  
MOTION  
SENSORS

**MOTION SENSORS FOR OUTDOOR** See Compatible Sensor list in Description



CATALOG NO.	DESCRIPTION
<b>LLHB-SENB</b>	Galvanized Steel Sensor Mounting Bracket
<b>LLHB-SMB</b>	Motion Sensor Mounting Box For Linear High Bay Fixtures
<b>SL-HPIR-BZ</b>	Bronze 240°, 350W Max Load
<b>SL-HPIR-WH</b>	White 240°, 350W Max Load
<b>SL-PIR-BZ</b>	Bronze 180°, 350W Max Load
<b>SL-PIR-WH</b>	White 180°, 350W Max Load
<b>WEC-2ADP</b>	Ac To Dc Adapter Module For Ant-4
<b>WEC-2CPDR-3</b>	600W Max, 0-10V PIR 120-277V Ceiling Sensor Dip & Rc (Optional Remote Control <b>WEC-3RC</b> )
<b>WEC-2DLH-22</b>	600W Max, 0-10V Daylight Harvesting Module, White
<b>WEC-2MD-33</b>	600W Max, 0-10V Mw 120-277V Low-Ceiling Sensor Dip
<b>WEC-2MDRH-35</b>	120-277 Vac Microwave Sensor, Bi-Level, Daylight Harvest, Dip And Rc
<b>WEC-2MDR-27</b>	12-24Vdc Internal Microwave Sensor For Strip Lights (Optional Remote Control <b>WEC-3RC</b> )
<b>WEC-2MDR-33</b>	600W Max, Microwave Sensor For Linear Strip Lights With Dip (Optional Remote Control <b>WEC-2RC-33</b> )
<b>WEC-2MD-TRIAC</b>	Triac Bi-Level Microwave Sensor 120V, Clear
<b>WEC-2MRHB2</b>	600W Max, 0-10V Microwave Highbays Sensor Kit (Optional Remote Control <b>WEC-7RC</b> )
<b>WEC-2P-44</b>	600W Max, 0-10V PIR 6-24Vdc Troffer Sensor Dip
<b>WEC-2P-58</b>	600W Max, On/Off PIR 120-277V Highbay Sensor
<b>WEC-2PR-28-AJ-SOCKET</b>	12-24Vdc 1-Pin 2.5Mm Socket For Audio-Jack Panel And Troffer Sensor
<b>WEC-2PR-28-AJ-WH</b>	PIR Sensor 1-Pin Audio Jack Contact 600W 40Ft 120-277V 0-10V Bi-Level & RC (Optional RC <b>WEC-3RC</b> )
<b>WEC-3MDR-42</b>	600W Max, 0-10V Mw 120-277V Sensor Dip & Rc (Optional Remote Control <b>WEC-3RC</b> )
<b>WEC-3MR-3-BR</b>	600W Max, Microwave IP67 Sensor, 1/2" Thread, Bronze (Optional Remote Control <b>WEC-8RC</b> )
<b>WEC-3MR-3-WH</b>	600W Max, Microwave IP67 Sensor, 1/2" Thread, White (Optional Remote Control <b>WEC-8RC</b> )
<b>WEC-3MR-45</b>	600W Max, 0-10V Mw 120-277V IP66 Highbay Sensor & Rc (Optional Remote Control <b>WEC-3RC</b> )
<b>WEC-3MR-4-BR</b>	600W Max, 90-Degree IP67 Microwave Sensor, Bronze (Optional Remote Control <b>WEC-8RC</b> )
<b>WEC-3MR-4-WH</b>	600W Max, 90-Degree IP67 Microwave Sensor, White (Optional Remote Control <b>WEC-8RC</b> )
<b>WEC-3MRLV-5-BR</b>	600W Max, Zhaga 12-24VDC Microwave Sensor, Rc Ready, Black, With Base (Optional Remote Control <b>WEC-3RC</b> )
<b>WEC-3MRLV-5-CLR</b>	600W Max, 0-10V Microwave, 120-277V - Bronze (Optional Remote Control <b>WEC-8RC</b> )
<b>WEC-3MRLV-5-GY</b>	600W Max, 0-10V Microwave, 120-277V - Clear (Optional Remote Control <b>WEC-8RC</b> )
<b>WEC-3MRLV-5-WH</b>	600W Max, 0-10V Microwave, 120-277V - Gray (Optional Remote Control <b>WEC-8RC</b> )
<b>WEC-3MRLV-6</b>	600W Max, 0-10V Microwave, 120-277V - White (Optional Remote Control <b>WEC-8RC</b> )
<b>WEC-3MRLV-6-BR</b>	IP65 120-277 Vac Split Microwave Sensor, Bi-Level, Dip And Rc (Optional RC <b>WEC-3RC</b> )
<b>WEC-3MRLV-6-GY</b>	IP65 120-277 Vac Split Microwave Sensor, Bi-Level, Dip And Rc, Bronze (Optional RC <b>WEC-3RC</b> )
<b>WEC-3MRLV-6-WH</b>	IP65 120-277 Vac Split Microwave Sensor, Bi-Level, Dip And Rc, Gray (Optional RC <b>WEC-3RC</b> )
<b>WEC-3PDR-48-480V</b>	120V-480V Pir Ip65 Bi-Level Motion Sensor, Remote Capable (Optional Remote Control <b>WEC-3RC</b> )
<b>WEC-3PDR-52</b>	600W Max, 0-10V PIR 120-277V Sensor Dip & Rc (Optional Remote Control <b>WEC-3RC</b> )
<b>WEC-3PDR-58-BR</b>	600W Max, 0-10V PIR IP65 120-277V Sensor Dip And Rc , Bronze (Optional Remote Control <b>WEC-3RC</b> )
<b>WEC-3PDR-58-WH</b>	600W Max, 0-10V PIR IP65 120-277V Sensor Dip And Rc , Bronze (Optional Remote Control <b>WEC-3RC</b> )
<b>WEC-3PR-60</b>	600W Max, 0-10V PIR 120-277V Ip66 Knuckle Sensor Dip & Rc (Optional Remote Control <b>WEC-3RC</b> )
<b>WEC-3PR-72-TLB-WH</b>	600W Max, Zhaga 12-24VDC PIR Sensor, Rc Ready, White, With Base (Optional Remote Control <b>WEC-3RC</b> )
<b>WEC-3PR-78-AJ-WH</b>	PIR Sensor 1-Pin Audio Jack Contact 600W 40Ft 120-277V 0-10V Bi-Level & RC (Optional RC <b>WEC-3RC</b> )
<b>WEC-AJ-SA</b>	12-24Vdc Swivel Arm For 3.5Mm Plug-In 1-Pin Audio-Jack Sensors
<b>WEC-AJ-SOCKET</b>	12-24Vdc 1-Pin Audio Jack Sensor Receptacle Socket 1/2In Npt
<b>WEC-ON50-BR</b>	Sensor Mounting Offset Nipple, 1/2 Inch Size , Bronze
<b>WEC-ON50-WH</b>	Sensor Mounting Offset Nipple, 1/2 Inch Size , White
<b>YM183-W</b>	Occupancy Pir Sensor, 180°, 30Ft (720Ft), 120V 800/1200W Max, Single Pole, Neutral Req.
<b>YM2108-T-W</b>	Vacancy & Occupancy Pir Sensor, 180°, 25Ft (600Ft), 120V 600/1000W Max, 3-Way, Neutral Req.
<b>YM2108-W</b>	Vacancy & Occupancy Pir Sensor, 180°, 30Ft (720Ft), 120V 800/1200W Max, Single Pole, Neutral Req.



WEC-2BT-28-AJ-WH



WEC-3PBT-78-AJ-WH



WEC-3MDBTH-36



WEC-2MDBTH-36



WEC-3MBT-72-TLB-BK  
WEC-3MBT-72-WH



WEC-3PBT-72-WH



WEC-2UGW-WIFI

OUTDOOR  
MOTION  
SENSORS



**BLUETOOTH APP READY - MOTION SENSORS FOR OUTDOOR**

CATALOG NO.	DESCRIPTION
WEC-2BT-28-AJ-WH	PIR Sensor 1-Pin Audio Jack Contact 600W 40Ft 120-277V 0-10V Bi-Level <b>Bluetooth App Ready</b>
WEC-3PBT-78-AJ-WH	PIR Sensor 1-Pin Audio Jack Contact 600W 40Ft 120-277V 0-10V Bi-Level <b>Bluetooth App Ready</b>
WEC-3MDBTH-36	Split Microwave Sensor For Outdoor Bluetooth Mesh, , <b>Bluetooth App Ready</b>
WEC-2MDBTH-36	Split Microwave Sensor For Indoor Bluetooth Mesh, , <b>Bluetooth App Ready</b>
WEC-3MBT-72-TLB-BK	600W Max, Zhaga 12-24VDC Microwave Sensor, <b>Bluetooth App Ready</b> , Black, With Base
WEC-3MBT-72-WH	Microwave Sensor Zhaga Base Bluetooth Mesh, <b>Bluetooth App Ready</b>
WEC-3PBT-72-WH	Pir Sensor Zhaga Base Bluetooth Mesh, , <b>Bluetooth App Ready</b>
WEC-2UGW-WIFI	Industrial Gateway With Multi-Signal Input - Wifi Output



WEC-2RC



WEC-3RC



WEC-8RC




WEC-2RC-33



TC-RGBW-RC

**REMOTE CONTROL FOR MOTION SENSORS (FOR COMPATIBILITY, SEE PREVIOUS PAGE)**

CATALOG NO.	DESCRIPTION
WEC-8RC	Remote Control For WEC-3MR-4 & WEC-3MR-3
WEC-2RC	Remote Control For WEC-2MD-36, Silver
WEC-3RC	Remote Control For Motion Sensors
WEC-2RC-33	Remote Control For WEC-2MDR-33 Motion Sensor
TC-RGBW-RC	Westgate App Compatible Remote Control



**WEC-MOD-010V-BT**  
**WEC-MOD-010V-WIFI**  
**WEC-MOD-TR-WIFI**

The WEC-MOD installed on a 0~10V or Triac fixture to control the luminaries via WIFI, BT or a remote control.



## WESTGATE SMART LIGHTING CONTROL MODULES - 1/2" KNUCKLE

CATALOG NO.	DESCRIPTION
<b>WEC-MOD-010V-BT</b>	WG Smart Lighting Control Module 1000W 0-10V Bluetooth IP65
<b>WEC-MOD-010V-WIFI</b>	WG Smart Lighting Control Module 1000W 0-10V Wifi IP65
<b>WEC-MOD-TR-WIFI</b>	WG Smart Lighting Control Module 300W Triac Wifi IP65
<b>WEC-MOD-WIFI-RC</b>	WG Smart Remote Control Compatible With Wifi Lighting Modules



**WEC-SW-PB1-010V-BT**  
**WEC-SW-PB1-TR-WIFI**

This stand-alone "wall dimmer" functions similarly to traditional wall switches by directly wiring to the fixture.



## WESTGATE SMART LIGHTING CONTROL SWITCHES SWITCHES WORK AS STAND ALONE OR WITH WESTGATE APP.

CATALOG NO.	DESCRIPTION
<b>WEC-SW-PB1-010V-BT</b>	WG Smart Push Button Wall Switch 1000W 0-10V Bluetooth + Wall Plate
<b>WEC-SW-PB1-TR-WIFI</b>	WG Smart Push Button Wall Switch 300W Triac Wifi + Wall Plate



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

CATALOG NO.	DESCRIPTION
<b>OPT-EM-CW2EXT</b>	COLD-WEATHER EXTERNAL EMERGENCY POWER SUPPLY 27W FACTORY OPTION
<b>OPT-EM-CW2INT</b>	COLD-WEATHER INTERNAL EMERGENCY POWER SUPPLY 27W FACTORY OPTION
<b>OPT-EM-CW1INT</b>	COLD-WEATHER INTERNAL EMERGENCY POWER SUPPLY 18W FACTORY OPTION

## 10KV SURGE PROTECTION MODULE UL1449

CATALOG NO.	DESCRIPTION
<b>SPI0KV</b>	100-300V 10Kv 8A Surge Protection Module UL1449
<b>SPI0KV-480V</b>	480V 10Kv Surge Protection Device UL1449





EVC-A-48A-MP-BT



EVC-C-40A-AC-9.6KW-J1772  
EVC-C-48A-AC-11.5KW-J1772



EVC-PEDESTAL-4.5FT



SAE-J1772  
Connector



EVC-FM-48A-AC-11.5KW X2-J1772

**EV CHARGER, AC POWER 120-240V, SAE J1772 CONNECTOR**



CATALOG NO.	DESCRIPTION
<b>EVC-A-48A-MP-BT</b>	Level 2 48A, 11.5KW, Selectable Power, Westgate App Enabled
<b>EVC-A-40A-AC-9.6KW-J1772</b>	Level 2, 40A, 9.6KW, Wall Mount
<b>EVC-A-48A-AC-11.5KW-J1772</b>	Level 2, 48A, 11.5KW, Wall Mount
<b>EVC-C-40A-AC-9.6KW-J1772</b>	Level 2, 40A, 9.6KW, Wall Mount
<b>EVC-C-48A-AC-11.5KW-J1772</b>	Level 2, 48A, 11.5KW, Wall Mount
<b>EVC-FM-48A-AC-11.5KW X2-J1772</b>	Level 2, 48AX2, 11.5KW X2, WiFi+LAN+4G POS integ. (CC payments)
<b>EVC-PEDESTAL-4.5FT</b>	4.5FT Pedestal Accessory

**FACTORY-INSTALLED OPTIONS. ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

WATTS	APP OPTION	DESCRIPTION	4G OPTION	DESCRIPTION	PAINT	POS OPTION	DESCRIPTION
ALL	<b>OPT-EVC-APP</b>	Single-User Smart Bluetooth App-Enabled	<b>OPT-EVC-FM-4G</b>	Integrated 4G, Built-in cellular for remote access	N/A	<b>OPT-EVC-FM-POS</b>	Integrated POS, Built-in payment system for easy, secure transactions on-site

# INDUSTRIAL LIGHTING

SEARCH FOR THE SERIES NAME @WESTGATEMFG.COM



UHXMAX SERIES



UHX SERIES




UHXE SERIES



UHXF SERIES



UHL SERIES



RMS SERIES



SLRP SERIES




LLHC SERIES



LHCMAX SERIES



LHCX SERIES



LLHB SERIES



LLHB4 SERIES



LLBF SERIES



LTPV SERIES



LVTE SERIES



LVTF SERIES



LLVT SERIES



LDL SERIES



Live inventory. Real-time pricing. No waiting.  
Access the MyWestgate Portal to check  
availability and pricing instantly.  
Scan the QR code to skip the line.



**UHXMAX-WH**  
White



**UHXMAX-BK**  
Black



**UHXMAX-SMB**




**UHXMAX-PCR**



**UHXMAX-PCC**



**UHXMAX-ALR**



**UHXMAX-WG**



Sensor-Ready  
Plug & Play

**MAX-FEATURE UFO - POWER & CCT & DIGITAL BEAM ADJUSTABLE**  
**SENSOR-READY**



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>UHXMAX-70-150W-MCTPB-SR</b>	70W/110W/150W 140LM/W 30K/40K/50K Black	1
<b>UHXMAX-70-150W-MCTPB-SR-WH</b>	70W/110W/150W 140LM/W 30K/40K/50K White	1
<b>UHXMAX-120-200W-MCTPB-SR</b>	120W/160W/200W 140LM/W 30K/40K/50K Black	1
<b>UHXMAX-120-200W-MCTPB-SR-WH</b>	120W/160W/200W 140LM/W 30K/40K/50K White	1
<b>UHXMAX-180-240W-MCTPB-SR</b>	180W/200W/240W 140LM/W 30K/40K/50K Black	1
<b>UHXMAX-180-240W-MCTPB-SR-WH</b>	180W/200W/240W 140LM/W 30K/40K/50K White	1
<b>UHXMAX-200-300W-MCTP-SR</b>	200W/240W/300W 140LM/W 30K/40K/50K Black, 90° Fixed Beam	1
<b>UHXMAX-SMB-A</b>	UHXMAX 70-150W & 200-300W Surface-Mounting Bracket Black	
<b>UHXMAX-SMB-A-WH</b>	UHXMAX 70-150W & 200-300W Surface-Mounting Bracket White	
<b>UHXMAX-SMB-B</b>	UHXMAX 120-200W & 180-240W Surface-Mounting Bracket Black	
<b>UHXMAX-SMB-B-WH</b>	UHXMAX 120-200W & 180-240W Surface-Mounting Bracket White	
<b>UHXMAX-PCR-A-90D</b>	UHXMAX 70-150W 90D Pc Reflector	
<b>UHXMAX-PCC-A</b>	UHXMAX 70-150W Reflector Bottom Pc Cover	
<b>UHXMAX-PCR-B-90D</b>	UHXMAX 120-200W & 180-240W 90D Pc Reflector	
<b>UHXMAX-PCC-B</b>	UHXMAX 120-200W & 180-240W Reflector Bottom Pc Cover	
<b>UHXMAX-ALR-A-90D</b>	UHXMAX 70-150W 90D Aluminum Reflector	
<b>UHXMAX-ALR-B-90D</b>	UHXMAX 120-200W & 180-240W 90D Aluminum Reflector	
<b>UHXMAX-WG-A</b>	UHXMAX 70-150W Wireguard	
<b>UHXMAX-WG-B</b>	UHXMAX 120-200W & 180-240W Wireguard	
<b>WEC-3PR-78-AJ-WH</b>	PIR Sensor 1-Pin Audio Jack Contact 600W 40Ft 120-277V 0-10V Bi-Level & RC <b>(Optional RC WEC-3RC)</b>	
<b>WEC-3PBT-78-AJ-WH</b>	PIR Sensor 1-Pin Audio Jack Contact 600W 40Ft 120-277V 0-10V Bi-Level <b>Bluetooth App Ready</b>	



UHX-SR  
Black



UHX-SR  
White



Sensor-Ready  
Plug & Play



## SPEC SERIES UFO HIGHBAY - SENSOR READY SERIES

DESCRIPTION	DESCRIPTION	DESCRIPTION	DESCRIPTION	DESCRIPTION	DESCRIPTION	PKG. QTY.
UHX-150W-MP-40K-SR	50W/80W/100W/150W	140LM/W	4000K	Black		1
UHX-150W-MP-50K-SR	50W/80W/100W/150W	140LM/W	5000K	Black		1
UHX-G2-150W-MP-40K-SR	80W/100W/150W	180LM/W	4000K	Black		1
UHX-G2-150W-MP-50K-SR	80W/100W/150W	180LM/W	5000K	Black		1
UHX-230W-MP-40K-SR	100W/150W/200W/230W	140LM/W	4000K	Black		1
UHX-230W-MP-50K-SR	100W/150W/200W/230W	140LM/W	5000K	Black		1
UHX-G2-240W-MP-40K-SR	150W/200W/240W	175LM/W	4000K	Black		1
UHX-G2-240W-MP-50K-SR	150W/200W/240W	175LM/W	5000K	Black		1
UHX-300W-MP-50K-SR	150W/200W/230W/300W	140LM/W	5000K	Black		1
UHX-G2-320W-MP-50K-SR	200W/240W/320W	165LM/W	5000K	Black		1
UHX-G2-400W-MP-50K-SR	300W/350W/400W	165LM/W	5000K	Black		1
UHX-150W-MCTP-SR	50W/80W/100W/150W	125LM/W	30K/40K/50K/57K	Black		1
UHX-150W-MCTP-WH-SR	50W/80W/100W/150W	125LM/W	30K/40K/50K/57K	White		1
UHX-G2-150W-MCTPB-SR	80W/100W/150W	180LM/W	30K/40K/50K	Black		1
UHX-G2-150W-MCTPB-WH-SR	80W/100W/150W	180LM/W	30K/40K/50K	White		1
UHX-230W-MCTP-SR	100W/150W/200W/230W	130LM/W	30K/40K/50K/57K	Black		1
UHX-230W-MCTP-WH-SR	100W/150W/200W/230W	130LM/W	30K/40K/50K/57K	White		1
UHX-G2-240W-MCTPB-SR	150W/200W/240W	175LM/W	30K/40K/50K	Black		1
UHX-G2-240W-MCTPB-WH-SR	150W/200W/240W	175LM/W	30K/40K/50K	White		1
UHX-G2-320W-MCTPB-SR	200W/240W/320W	165LM/W	30K/40K/50K	Black		1
UHX-G2-320W-MCTPB-WH-SR	200W/240W/320W	165LM/W	30K/40K/50K	White		1
WEC-3MR-72-TLB-BK	600W Max, Zhaga 12-24VDC Microwave Sensor, Black, With Base (Optional Remote Control WEC-3RC)					
WEC-3MBT-72-TLB-BK	600W Max, Zhaga 12-24VDC Microwave Sensor, Bluetooth App Ready, Black, With Base (Optional Remote Control WEC-3RC)					
WEC-3PR-72-TLB-WH	600W Max, Zhaga 12-24VDC PIR Sensor, White, With Base (Optional Remote Control WEC-3RC)					

FOR FACTORY-INSTALLED OPTIONS AND ACCESSORIES SEE UHX BELOW PAGE 110



## SPEC SERIES NEW GENERATION - UFO HIGHBAY, 480V MTO made to order

CATALOG NO.	DESCRIPTION	DESCRIPTION	DESCRIPTION	DESCRIPTION	DESCRIPTION	PKG. QTY.
UHX-150W-MP-50K-480V	50W/80W/100W/150W	160LM/W	5000K	Black		1
UHX-230W-MP-50K-480V	100W/150W/200W/230W	160LM/W	5000K	Black		1
UHX-300W-MP-50K-480V	150W/200W/240W/300W	160LM/W	5000K	Black		1
UHX-150W-MCTP-480V	50W/80W/100W/150W	125LM/W	30K/40K/50K/57K	Black		1
UHX-150W-MCTP-WH-480V	50W/80W/100W/150W	125LM/W	30K/40K/50K/57K	White		1
UHX-230W-MCTP-WH-480V	100W/150W/200W/230W	125LM/W	30K/40K/50K/57K	White		1

FOR FACTORY-INSTALLED OPTIONS AND ACCESSORIES SEE UHX BELOW PAGE 110

480V

INDUSTRIAL HIGHBAY

WHILE SUPPLIES LAST



**UHX**  
Black



**UHX**  
White




**HB-RING**



**HB-EB-50/75**



**UHX-SMB**



**UHX-WG**



**UHX-SA-5075**



**UHX-SC**



**UHX-ALR**  
**UHX-ALRW**



**UHX-PCR**



**UHX-PCDC**



**UHX-PCC**



**UHX-FL**



**UHX-G2-REFL-AR**



**SCL-GS210**  
**SCL-GS220**

INDUSTRIAL  
HIGHBAY

**SPEC SERIES NEW GENERATION - UFO HIGHBAY, 120-277V**



	DESCRIPTION	PKG. QTY.
<b>UHX-150W-MP-50K</b>	50W/80W/100W/150W 140LM/W 5000K Black <b>MP</b>	1
<b>UHX-150W-MP-40K</b>	50W/80W/100W/150W 140LM/W 4000K Black <b>MP</b>	1
<b>UHX-230W-MP-50K</b>	100W/150W/200W/230W 140LM/W 5000K Black <b>MP</b>	1
<b>UHX-150W-MCTP</b>	50W/80W/100W/150W 125LM/W 30K/40K/50K/57K Black <b>MCTP</b>	1
<b>UHX-150W-MCTP-WH</b>	50W/80W/100W/150W 125LM/W 30K/40K/50K/57K White <b>MCTP</b>	1
<b>UHX-230W-MCTP-WH</b>	100W/150W/200W/230W 125LM/W 30K/40K/50K/57K White <b>MCTP</b>	1
<b>HB-RING</b>	Highbay top ring adapter, 1/2in	
<b>HB-EB-50/75</b>	UFO top threaded hub expansion bushing from 1/2" to 3/4"	
<b>UHX-SMB</b>	Surface Mounting Yoke Bracket For 100W To 300W	
<b>UHX-WG-A</b>	Wire Guard, Fits On Fixtures 150W (MP & MCTP) & 230W (MP Only) & All G2-150W	
<b>UHX-WG-B</b>	Wire Guard, Fits On Fixtures 230W (MCTP Only) & 300W MP & All G2-240W	
<b>UHX-ALR-A</b>	60° Alum. Reflector For 150W (MP & MCTP) & 230W (MP Only)	
<b>UHX-ALR-B</b>	60° Alum. Reflector For 230W (MCTP Only) & 300W MP	
<b>UHX-G2-ALR-A</b>	60° Alum. Reflector For G2-150W	
<b>UHX-G2-ALR-B</b>	60° Alum. Reflector For G2-240W	
<b>UHX-ALRW-A</b>	90° Alum. Reflector For 150W (MP & MCTP) & 230W (MP Only)	
<b>UHX-ALRW-B</b>	90° Alum. Reflector For 230W (MCTP Only) & 300W MP	
<b>UHX-G2-ALRW-A</b>	90° Alum. Reflector For G2-150W	
<b>UHX-G2-ALRW-B</b>	Prismatic PC Reflector For G2-240W	
<b>UHX-PCR-A</b>	Prismatic PC Reflector For 150W (MP & MCTP) & 230W (MP Only)	
<b>UHX-PCR-B</b>	Prismatic PC Reflector For 230W (MCTP Only) & 300W MP	
<b>UHX-G2-PCR-A</b>	Prismatic PC Reflector For G2-150W	
<b>UHX-G2-PCR-B</b>	Prismatic PC Reflector For G2-240W	
<b>UHX-G2-PCR-C</b>	Prismatic PC Reflector For G2-320W & 400W (NOT MCTPB)	
<b>UHX-G2-150W-REFL-AR</b>	UHX-G2 150W Reflector Adapter For UHX-PCR-B	
<b>UHX-G2-240W-REFL-AR</b>	UHX-G2 240W Reflector Adapter For UHX-PCR-B	
<b>UHX-PCDC</b>	PC Drop Lens Cover For PC Reflectors (Not for Alum. Reflectors), Fits All Sizes	
<b>UHX-PCC</b>	PC Bottom Cover For PC Reflectors (Not for Alum. Reflectors), Fits All Sizes	
<b>UHX-SC</b>	Safety Cable	
<b>SCL-GS210</b>	Heavy-Duty Adjustable 5/64" 10 Ft. Suspension Kit With Loop Gripper & Hook(1)	
<b>SCL-GS220</b>	Heavy-Duty Adjustable 5/64" 20 Ft. Suspension Kit With Loop Gripper & Hook(1)	
<b>UHX-FL-A</b>	Replacement <b>Frosted PC Lens</b> For UHX-150W-MP only	
<b>UHX-FL-B</b>	Replacement <b>Frosted PC Lens</b> For UHX-150W-MCTP & UHX-230W-MP only	
<b>UHX-FL-C</b>	Replacement <b>Frosted PC Lens</b> For 230W-MCTP & 300W	
<b>UHX-CL-A</b>	Replacement Clear Lens For Up To 150W	
<b>UHX-CL-B</b>	Replacement Clear Lens For 230W-MP (NOT FOR 230W-MCTP)	
<b>UHX-CL-C</b>	Replacement Clear Lens For 230W-MCTP & 300W	
<b>UHX-SA-5075</b>	1/2in Stem-mounting adapter with cable passage with 3/4in bushing	

WHILE SUPPLIES LAST

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PLUG IN CORD	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL	<b>OPT-EM-UHX</b>	ON TOP	<b>OPT-HBC-125TL-BK</b>	8FT, 15A, 125V.16/3TL.BLK	N/A	<b>OPT-SEN-UHX</b>	MICROWAVE
	<b>WIRE CABLE OPTION</b>	<b>DESCRIPTION</b>	<b>OPT-HBC-125TL-WH</b>	8FT, 15A, 125V.16/3TL.WHT		<b>OPT-SEN-NLS-UHX</b>	WG NETWORK SENSOR
	<b>OPT-HBC-5WR-20FT-BK</b>	5-WIRE CABLE	<b>OPT-HBC-277TL-BK</b>	8FT, 15A, 277V.16/3TL.BLK		<b>OPT-SEN-KEILTON</b>	KEILTON NETWORK SENSOR
			<b>OPT-HBC-277TL-WH</b>	8FT, 15A, 277V.16/3TL.WHT			
			<b>OPT-HBC-125SB-BK</b>	10FT, 15A, 125V.18/3STR.BLK			
			<b>OPT-HBC-125SB-WH</b>	10FT, 15A, 125V.18/3STR.WHT			



**UHXE-80-150W-MCTP4-SR**  
**UHXE-165-220W-MCTP4-SR**  
Black



SHOWN WITH  
UHXE-RPMB



**UHXE-165-220W-MCTP4-SR-WH**  
Bronze



SHOWN WITH  
UHXE-PCR-A-90D  
UHXE-PCR-B-90D



SHOWN WITH  
UHXE-SMB



SHOWN WITH  
UHXE-PCR-A-60D  
UHXE-PCR-B-60D



**HB-RING**



**HB-EB-50/75**



**UHX-SA-5075**



**UHX-SC**



Sensor-Ready  
Plug & Play



**UHXE-PCC-A**  
**UHXE-PCC-B**

**BUILDER SERIES POWER AND CCT- ADJUSTABLE  
UFO HIGHBAY, 120-277V (SENSOR-READY)**



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>UHXE-80-150W-MCTP4-SR</b>	80W/110W/150W 140LM/W 30K/35K/40K/50K Black	1
<b>UHXE-165-220W-MCTP4-SR</b>	165W/190W/220W 140LM/W 30K/35K/40K/50K Black	1
<b>UHXE-165-220W-MCTP4-SR-WH</b>	165W/190W/220W 140LM/W 30K/35K/40K/50K White	1
<b>UHXE-SMB</b>	UHXE Surface Mounting U Bracket, Black	
<b>UHXE-RPMB</b>	UHXE 1-FT Rigid Pipe Stand with Canopy for Hard Surface (not Swivel)	
<b>UHXE-PCR-A-90D</b>	UHXE-80-150W 90-Degree PC Reflector	
<b>UHXE-PCR-A-60D</b>	UHXE-80-150W 60-Degree PC Reflector	
<b>UHXE-PCR-B-90D</b>	UHXE-165-220W 90-Degree PC Reflector	
<b>UHXE-PCR-B-60D</b>	UHXE-165-220W 60-Degree PC Reflector	
<b>UHXE-PCC-A</b>	UHXE-80-150W Bottom Cover For Pc Reflector, Fits Both 60D 90D	
<b>UHXE-PCC-B</b>	UHXE-165-220W Bottom Cover For Pc Reflector, Fits Both 60D 90D	
<b>HB-RING</b>	Highbay top ring adapter, 1/2in	
<b>HB-EB-50/75</b>	UFO top threaded hub expansion bushing from 1/2" to 3/4"	
<b>UHX-SC</b>	Safety Cable	
<b>UHX-SA-5075</b>	1/2in Stem-mounting adapter with cable passage with 3/4in bushing	
<b>WEC-3MR-72-TLB-BK</b>	600W Max, Zhaga 12-24VDC Microwave Sensor, Black, With Base (Optional Remote Control WEC-3RC)	
<b>WEC-3MBT-72-TLB-BK</b>	600W Max, Zhaga 12-24VDC Microwave Sensor, Bluetooth App Ready, Black, With Base (Optional Remote Control WEC-3RC)	
<b>WEC-3PR-72-TLB-WH</b>	600W Max, Zhaga 12-24VDC PIR Sensor, White, With Base (Optional Remote Control WEC-3RC)	

**FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

WATTS	EM OPTION	DESCRIPTION	PLUG IN CORD	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL 120-277V	<b>OPT-EM-UHXE</b>	ON TOP	<b>OPT-HBC-125TL-BK</b>	8FT, 15A, 125V/16/3TL,BLK	N/A	<b>SENSOR READY</b>	SEE ABOVE TABLE
			<b>OPT-HBC-125TL-WH</b>	8FT, 15A, 125V/16/3TL,WHT			
			<b>OPT-HBC-277TL-BK</b>	8FT, 15A, 277V/16/3TL,BLK			
			<b>OPT-HBC-277TL-WH</b>	8FT, 15A, 277V/16/3TL,WHT			
			<b>OPT-HBC-125SB-BK</b>	10FT, 15A, 125V/18/3STR,BLK			
			<b>OPT-HBC-125SB-WH</b>	10FT, 15A, 125V/18/3STR,WHT			



Sensor-Ready Plug & Play see page 103-104

INDUSTRIAL

HIGHBAY

## IP69 UFO HIGH BAY FOR FOOD AND CHEMICAL FACILITIES - SENSOR-READY



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>UHXF-100-150W-MCTP-SR</b>	100W/120W/150W 145LM/W 30K/40K/50K	1
<b>UHXF-150-240W-MCTP-SR</b>	150W/200W/240W 145LM/W 30K/40K/50K	1



## ECONOMY HIGH BAY LAMP & SOCKET, ADJUSTABLE ANGLE (UFO ALTERNATIVE)



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>UHL-100W-50K</b>	100W 12000LM 5000K Black	18
<b>UHL-150W-50K</b>	150W 18000LM 5000K Black	8
<b>ELB-23120-HH-AC-FLEX</b>	20W MAX, 175VDC, LI-ION 4000MAH BATTERY	



## HIGH LUMEN LED MINI HIGH BAY, 120-277 VAC, PC REFLECTOR INCLUDED



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>LHB2-50W-50K</b>	50W 6750LM 5000K 8-1/4" Dia X 5-1/2"(H), Black	1
<b>LHB2-50W-50K-WH</b>	50W 6750LM 5000K 8-1/4" Dia X 5-1/2"(H), White	1
<b>LHB2-50W-40K-WH</b>	50W 6750LM 4000K 8-1/4" Dia X 5-1/2"(H), White	1
<b>LHB2-50W-30K-WH</b>	50W 6750LM 3000K 8-1/4" Dia X 5-1/2"(H), White	1

WHILE SUPPLIES LAST

**FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

WATTS	EM OPTION	DESCRIPTION	PLUG IN CORD	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL 120-277V	<b>OPT-EM-LHB2</b>	ULHB-HBMK	<b>OPT-HBC-125TL-BK</b>	8FT, 15A, 125V,16/3TL,BLK	N/A	<b>OPT-SEN-ULHB</b>	ULHB-SK
			<b>OPT-HBC-125TL-WH</b>	8FT, 15A, 125V,16/3TL,WHT		<b>OPT-SEN-NLS-LHB2</b>	WG NETWORK SENSOR
			<b>OPT-HBC-277TL-BK</b>	8FT, 15A, 277V,16/3TL,BLK		<b>OPT-SEN-KEILTON</b>	KEILTON NETWORK SENSOR
			<b>OPT-HBC-277TL-WH</b>	8FT, 15A, 277V,16/3TL,WHT			
			<b>OPT-HBC-125SB-BK</b>	10FT, 15A, 125V,18/3STR,BLK			
			<b>OPT-HBC-125SB-WH</b>	10FT, 15A, 125V,18/3STR,WHT			



## MAGNETIC RETROFIT STRIP KIT WITH EXT. DRIVER- POWER & CCT ADJUSTABLE



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>RMS-2FT-25W-MCTP</b>	15W/20W/25W 140LM/W 27K/30K/35K/40K/50K 2FT X 2	10
<b>RMS-3FT-35W-MCTP</b>	20W/28W/35W 140LM/W 27K/30K/35K/40K/50K 3FT X 2	10
<b>RMS-4FT-35W-MCTP</b>	20W/28W/35W 140LM/W 27K/30K/35K/40K/50K 4FT X 2	10
<b>RMS-4FT3-40W-MCTP</b>	20W/30W/40W 140LM/W 27K/30K/35K/40K/50K 4FT X 3	10
<b>RMS-4FT-46W-MCTP</b>	30W/38W/46W 140LM/W 27K/30K/35K/40K/50K 4FT X 2	10
<b>RMS-4FT4-46W-MCTP</b>	30W/38W/46W 140LM/W 27K/30K/35K/40K/50K 4FT X 4	10
<b>RMS-2FT-LENS</b>	2FT X 2 Frosted Lens Kit For 2FT RMS Magnetic Retrofit Kit	
<b>RMS-3FT-LENS</b>	3FT X 2 Frosted Lens Kit For 3FT RMS Magnetic Retrofit Kit	
<b>RMS-4FT-LENS</b>	4FT X 2 Frosted Lens Kit For 4FT RMS Magnetic Retrofit Kit	

**FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

WATTS	EM OPTION	DESCRIPTION	VANDAL RES.	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL	<b>OPT-EM-RMS</b>	EXTERNAL BACK BOX	<b>N/A</b>	N/A	<b>N/A</b>	<b>N/A</b>	N/A



## PREMIUM STRIP-LIGHT LED RETROFIT KIT WITH LENS



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>SLRP-4FT-20-40W-MCTP</b>	20W/30W/40W 127LM/W 35K/40K/50K	4
<b>SLRP-8FT-40-80W-MCTP</b>	40W/60W/80W 127LM/W 35K/40K/50K	4

**FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

WATTS	EM OPTION	DESCRIPTION	VANDAL RES.	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL	<b>OPT-EM-SLRP-4</b>	EXTERNAL BACK BOX	<b>N/A</b>	N/A	<b>N/A</b>	<b>N/A</b>	N/A
	<b>OPT-EM-SLRP-8</b>	EXTERNAL BACK BOX					



## LED 4FT. 2-LAMP STRIP RETROFIT KIT



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>SLR-4FT-40W-50K-D</b>	40W 4400LM 5000K 4FT.	12

**FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL MODELS	<b>OPT-EM-SLR</b>	INTERNAL	<b>N/A</b>	N/A	<b>N/A</b>	<b>OPT-SEN-2MDR-36</b>	PROGRAMMABLE MICROWAVE BI-LEVEL
						<b>OPT-SEN-NLS-SLR</b>	WG NETWORK SENSOR
						<b>OPT-SEN-KEILTON</b>	KEILTON NETWORK SENSOR
						<b>WEC-3RC</b>	REMOTE CONTROL



**LLHC-80-150W-MCTP**  
White

ADJUSTABLE LENSES

Wireguard



Sensor-Ready Plug & Play  
(one Sensor per Fixture)

**BUILDER SERIES POWER & CCT- ADJUSTABLE COMPACT LINEAR HIGHBAY** **MCTP**

	DESCRIPTION	PKG. QTY.
<b>LLHC-80-150W-MCTP</b>	80W/110W/150W 150LM/W 30K/35K/40K/50K 10"(H) X 14 2/3"(W) X 1 8/9"(D)	1
<b>LLHC-80-150W-MCTP-SR</b>	80W/110W/150W 150LM/W 30K/35K/40K/50K <b>SENSOR READY</b>	1
<b>LLHC-165-220W-MCTP-SR</b>	165W/190W/220W 150LM/W 30K/35K/40K/50K <b>SENSOR READY</b>	1
<b>LLHC-220-340W-MCTP-SR</b>	220W/280W/340W 140LM/W 40K/50K <b>SENSOR READY</b>	1
<b>LLHC-340-430W-MCTP-SR</b>	340W/390W/430W 140LM/W 40K/50K <b>SENSOR READY</b>	1
<b>LLHC-WG1</b>	LLHC Wireguard for 150W	
<b>LLHC-WG2</b>	LLHC Wireguard for 220W	
<b>WEC-3MR-72-TLB-BK</b>	600W Max, Zhaga 12-24VDC Microwave Sensor, Black, With Base (Optional Remote Control WEC-3RC)	

**WEC-3MBT-72-TLB-BK** 600W Max, Zhaga 12-24VDC Microwave Sensor, Bluetooth App Ready, Black, With Base (Optional Remote Control WEC-3RC)

**WEC-3PR-72-TLB-WH** 600W Max, Zhaga 12-24VDC PIR Sensor, White, With Base (Optional Remote Control WEC-3RC)

**FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

WATTS	EM OPTION	DESCRIPTION	PLUG IN CORD	DESCRIPTION	PAINT	480 OPTION	DESCRIPTION
ALL	<b>OPT-EM-LLHC</b>	EXTERNAL	<b>OPT-HBC-125TL-WH</b>	8FT, 15A, 125V,WHITE	N/A	<b>OPT-LLHC-480V</b>	480V
			<b>OPT-HBC-277TL-WH</b>	8FT, 15A, 277V,WHITE			
			<b>OPT-HBC-125SB-WH</b>	10FT, 15A, 125V,18/3STR,WHT			



Sensor-Ready  
Plug & Play

**X-GENERATION DIGITAL BEAM ANGLE LINEAR HIGHBAY, SENSOR READY**  
**POWER & CCT & BEAM ANGLE SELECTABLE**



CATALOG NO.	DESCRIPTION
<b>LHCMAX-60-105W-MCTPB-SR-BK</b>	60W/85W/105W 140LM/W 35K/40K/50K
<b>LHCMAX-105-160W-MCTPB-SR-BK</b>	105W/130W/160W 140LM/W 35K/40K/50K
<b>LHCMAX-165-240W-MCTPB-SR-BK</b>	165W/215W/240W 140LM/W 35K/40K/50K
<b>LHCMAX-255-320W-MCTPB-SR-BK</b>	255W/295W/320W 140LM/W 35K/40K/50K
<b>WEC-3MR-72-TLB-BK</b>	600W Max, Zhaga 12-24VDC Microwave Sensor, Black, With Base (Optional Remote Control WEC-3RC)
<b>WEC-3MBT-72-TLB-BK</b>	600W Max, Zhaga 12-24VDC Microwave Sensor, Bluetooth App Ready, Black, With Base (Optional Remote Control WEC-3RC)
<b>WEC-3PR-72-TLB-WH</b>	600W Max, Zhaga 12-24VDC PIR Sensor, White, With Base (Optional Remote Control WEC-3RC)



LHCX lens change



Shown with Wireguard & Surface-mounting kit



Sensor-Ready Plug & Play

INDUSTRIAL  
LINEAR  
HIGHBAY

## X-GENERATION COMPACT LINEAR HIGHBAY, **SENSOR READY**



CATALOG NO.	DESCRIPTION
<b>X-GENERATION COMPACT LINEAR HIGHBAY, SENSOR READY, POWER &amp; CCT &amp; BEAM ANGLE SELECTABLE, 90DX90D LENS</b> <b>MCTP</b>	
LHCX-80-155W-MCTPB-D-SR	80W/105W/155W 140LM/W 35K/40K/50K
LHCX-200-300W-MCTPB-D-SR	200W/240W/300W 140LM/W 35K/40K/50K
<b>LINEAR HIGHBAY, SENSOR READY, POWER &amp; CCT SELECTABLE, 90DX90D LENS (LENS ACCESSORIES ARE NOT COMPATIBLE)</b> <b>MCTP</b>	
LHCX-110-150W-MCTP-SR	110W/130W/150W 140LM/W 35K/40K/50K 14.17" X 11.00" X 1.77"
LHCX-165-215W-MCTP-SR	165W/180W/215W 140LM/W 35K/40K/50K 18.11" X 11.81" X 1.77"
LHCX-255-320W-MCTP-SR	255W/290W/320W 140LM/W 35K/40K/50K 23.03" X 11.81" X 1.77"
<b>LINEAR HIGHBAY, SENSOR READY, POWER SELECTABLE, 90DX90D LENS (LENS ACCESSORIES ARE NOT COMPATIBLE)</b> <b>MP</b>	
LHCX-350-480W-MP-50K-D-SR	350W/400W/480W 160LM/W 5000K
LHCX-350-480W-MP-40K-D-SR	350W/400W/480W 160LM/W 4000K
LHCX-400-640W-MP-50K-D-SR	400W/500W/640W 160LM/W 5000K
LHCX-400-640W-MP-40K-D-SR	400W/500W/640W 160LM/W 4000K
LHCX-SMK	Surface-mounting Kit
LHCX-WG1	Wireguard For 150W Max Model
LHCX-WG2	Wireguard For 215W Max Model
LHCX-WG3	Wireguard For 320W Max Model
LHCX-PM75	LHCX Pendant Mounting Accessory, 3/4in Hole On Top And Two 1/2in K0
LHCX-LENS-150W-45X90	LHCX 110-150W Size Special Narrow-Aisle Lens Kit 45Dx90D
LHCX-LENS-215W-45X90	LHCX 165-215W Size Special Narrow-Aisle Lens Kit 45Dx90D
LHCX-LENS-320W-45X90	LHCX 255-320W Size Special Narrow-Aisle Lens Kit 45Dx90D
LHCX-LENS-150W-110X110	LHCX 110-150W Size Special Wide-Angle Lens Kit 110Dx110D
LHCX-LENS-215W-110X110	LHCX 165-215W Size Special Wide-Angle Lens Kit 110Dx110D
LHCX-LENS-320W-110X110	LHCX 255-320W Size Special Wide-Angle Lens Kit 110Dx110D
LHCX-LENS-150W-65X65	LHCX 110-150W Size Special Medium-Angle Lens Kit 65Dx65D
LHCX-LENS-215W-65X65	LHCX 165-215W Size Special Medium-Angle Lens Kit 65Dx65D
LHCX-LENS-320W-65X65	LHCX 255-320W Size Special Medium-Angle Lens Kit 65Dx65D
<b>WEC-3MR-72-TLB-BK</b>	600W Max, Zhaga 12-24VDC Microwave Sensor, Black, With Base (Optional Remote Control WEC-3RC)
<b>WEC-3MBT-72-TLB-BK</b>	600W Max, Zhaga 12-24VDC Microwave Sensor, Bluetooth App Ready, Black, With Base (Optional Remote Control WEC-3RC)
<b>WEC-3PR-72-TLB-WH</b>	600W Max, Zhaga 12-24VDC PIR Sensor, White, With Base (Optional Remote Control WEC-3RC)

**FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

WATTS	EM OPTION	DESCRIPTION	VANDAL RES.	DESCRIPTION	PAINT	480V OPTION	DESCRIPTION
ALL	OPT-EM-LHCX-150	EM	N/A	N/A	N/A	OPT-LHCX-480V	480V
	OPT-EM-LHCX-215	EM					
	OPT-EM-LHCX-320	EM					

4Ft



LLHB4-MCTP  
LLHB4-MP ( 200W TO 500W)  
White

2Ft



LLHB4-50W  
LLHB4-MP ( 100W TO 150W)  
White



Sensor-Ready  
Plug & Play See page 103-104

4Ft




LLHB4-MCTP-BK  
Black



LLHB4-100W-WG  
LLHB4-150W-WG



OPT-LLHB4-SMK



LLHB4-RODKIT

**SPEC SERIES 4TH GENERATION OF LINEAR HIGH BAYS - SENSOR READY**



480V 480V 120-277V 120-277V

CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>4TH GENERATION OF LINEAR HIGH BAYS, 120-277V SENSOR READY</b>		
LLHB4-50W-40K-D-SR	50W 125LM/W 4000K	1
LLHB4-50W-50K-D-SR	50W 125LM/W 5000K	1
<b>POWER ADJUSTABLE 4TH GENERATION OF LINEAR HIGH BAYS, 120-277V SENSOR READY MP</b>		
LLHB4-100W-MP-40K-D-SR	50W/80W/100W 125LM/W 4000K	1
LLHB4-100W-MP-50K-D-SR	50W/80W/100W 125LM/W 5000K	1
LLHB4-150W-MP-40K-D-SR	80W/110W/150W 125LM/W 4000K	1
LLHB4-150W-MP-50K-D-SR	80W/110W/150W 125LM/W 5000K	1
LLHB4-200W-MP-40K-D-SR	100W/150W/200W 125LM/W 4000K	1
LLHB4-200W-MP-50K-D-SR	100W/150W/200W 125LM/W 5000K	1
LLHB4-300W-MP-40K-D-SR	150W/225W/300W 125LM/W 4000K	1
LLHB4-300W-MP-50K-D-SR	150W/225W/300W 125LM/W 5000K	1
LLHB4-410W-MP-50K-D-SR	200W/300W/410W 125LM/W 5000K	1
LLHB4-500W-MP-50K-D-SR	250W/400W/500W 125LM/W 5000K	1
<b>POWER &amp; CCT ADJUSTABLE 4TH GENERATION OF LINEAR HIGH BAYS, 120-277V SENSOR READY MCTP</b>		
LLHB4-80-150W-MCTP-SR	80W/110W/150W 125LM/W 35K/40K/50K	1
LLHB4-80-150W-MCTP-SR-BK	80W/110W/150W 125LM/W 35K/40K/50K	1
<b>4TH GENERATION OF LINEAR HIGH BAYS, 480V SENSOR READY</b>		
LLHB4-50W-40K-D-SR-480V	50W 125LM/W 4000K	1
LLHB4-50W-50K-D-SR-480V	50W 125LM/W 5000K	1
<b>POWER ADJUSTABLE 4TH GENERATION OF LINEAR HIGH BAYS, 480V SENSOR READY MP</b>		
LLHB4-100W-MP-40K-D-SR-480V	50W/80W/100W 125LM/W 4000K	1
LLHB4-100W-MP-50K-D-SR-480V	50W/80W/100W 125LM/W 5000K	1
LLHB4-150W-MP-40K-D-SR-480V	80W/110W/150W 125LM/W 4000K	1
LLHB4-150W-MP-50K-D-SR-480V	80W/110W/150W 125LM/W 5000K	1
LLHB4-200W-MP-40K-D-SR-480V	100W/150W/200W 125LM/W 4000K	1
LLHB4-200W-MP-50K-D-SR-480V	100W/150W/200W 125LM/W 5000K	1
LLHB4-300W-MP-40K-D-SR-480V	150W/225W/300W 125LM/W 4000K	1
LLHB4-300W-MP-50K-D-SR-480V	150W/225W/300W 125LM/W 5000K	1
LLHB4-410W-MP-50K-D-SR-480V	200W/300W/410W 125LM/W 5000K	1
LLHB4-500W-MP-50K-D-SR-480V	250W/400W/500W 125LM/W 5000K	1
<b>POWER &amp; CCT ADJUSTABLE 4TH GENERATION OF LINEAR HIGH BAYS, 480V SENSOR READY MCTP</b>		
LLHB4-80-150W-MCTP-SR-480V	80W/110W/150W 125LM/W 35K/40K/50K	1
LLHB4-80-150W-MCTP-SR-BK-480V	80W/110W/150W 125LM/W 35K/40K/50K	1
LLHB4-100W-WG	Wire Guard for 100W	
LLHB4-150W-WG	Wire Guard for 150W	
LLHB4-RODKIT	Rod kit 3-1/4" Dia X 40" H and 1/2" Thread	

FOR FACTORY-INSTALLED OPTIONS SEE NEXT PAGE , FOR SUSPENSION ACCESSORIES SEE PAGES 170 TO 174



INDUSTRIAL  
LINEAR  
HIGH BAY

**SPEC SERIES 4TH GENERATION OF LINEAR HIGH BAYS**



WATTAGE	W	DESCRIPTION	PKG. QTY.
120-277V	<b>POWER &amp; CCT ADJUSTABLE 4TH GENERATION OF LINEAR HIGH BAYS, 120-277V</b>		
	LLHB4-80-150W-MCTP	80W/110W/150W 125LM/W 35K/40K/50K	1
	<b>POWER ADJUSTABLE 4TH GENERATION OF LINEAR HIGH BAYS, 120-277V</b>		
	LLHB4-100W-MP-40K-D	50W/80W/100W 125LM/W 4000K 2FT. X 13.77	1
	LLHB4-100W-MP-50K-D	50W/80W/100W 125LM/W 5000K 2FT. X 13.77	1
	LLHB4-150W-MP-40K-D	80W/110W/150W 125LM/W 4000K 2FT. X 17.75	1
	LLHB4-150W-MP-50K-D	80W/110W/150W 125LM/W 5000K 2FT. X 17.75	1
	LLHB4-300W-MP-40K-D	150W/225W/300W 125LM/W 4000K 4FT. X 17.75	1
	LLHB4-300W-MP-50K-D	150W/225W/300W 125LM/W 5000K 4FT. X 17.75	1
	LLHB4-410W-MP-50K-D	200W/300W/410W 125LM/W 5000K 4FT. X 23.20	1
LLHB4-500W-MP-50K-D	250W/400W/500W 125LM/W 5000K 4FT. X 23.20	1	
480V	<b>POWER &amp; CCT ADJUSTABLE 4TH GENERATION OF LINEAR HIGH BAYS, 480V (7DAYS LEAD TIME)</b>		
	LLHB4-80-150W-MCTP-480V	80W/110W/150W 125LM/W 35K/40K/50K	1
	<b>POWER ADJUSTABLE 4TH GENERATION OF LINEAR HIGH BAYS, 480V (7DAYS LEAD TIME)</b>		
	LLHB4-100W-MP-40K-D-480V	50W/80W/100W 125LM/W 4000K 2FT. X 13.77	1
	LLHB4-100W-MP-50K-D-480V	50W/80W/100W 125LM/W 5000K 2FT. X 13.77	1
	LLHB4-150W-MP-40K-D-480V	80W/110W/150W 125LM/W 4000K 2FT. X 17.75	1
	LLHB4-150W-MP-50K-D-480V	80W/110W/150W 125LM/W 5000K 2FT. X 17.75	1
	LLHB4-300W-MP-40K-D-480V	150W/225W/300W 125LM/W 4000K 4FT. X 17.75	1
	LLHB4-300W-MP-50K-D-480V	150W/225W/300W 125LM/W 5000K 4FT. X 17.75	1
	LLHB4-410W-MP-50K-D-480V	200W/300W/410W 125LM/W 5000K 4FT. X 23.20	1
LLHB4-500W-MP-50K-D-480V	250W/400W/500W 125LM/W 5000K 4FT. X 23.20	1	
LLHB4-100W-WG	Wire Guard for 100W		
LLHB4-150W-WG	Wire Guard for 150W		
LLHB4-RODKIT	Rod kit 3-1/4" Dia X 40" H and 1/2" Thread		

FOR SUSPENSION ACCESSORIES SEE PAGES 170 TO 174  
Per industry standards, Lumens are reported without frosted lens (Removable).

**FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

WATTS	EM OPTION	DESCRIPTION	UP LIGHT	DESCRIPTION	SURF. OPTION	SENSOR	DESCRIPTION
50W TO 150W	OPT-EM-LLHB4-50-150	EXTERNAL	OPT-LLHB-ULM-2FT-20W	150W & ABOVE	OPT-LLHB4-SMK	OPT-SEN-LLHB4	MICROWAVE BI-LEVEL SENSOR
200W TO 500W	OPT-EM-LLHB4-200-500	INTERNAL	OPT-LLHB-ULM-2FT-40W	150W & ABOVE	FLEX WHIP	OPT-SEN-NLS-LLHB4	WG NETWORK SENSOR
	SURGE PROTECTOR	DESCRIPTION	OPT-LLHB-ULM-4FT-40W	500W & ABOVE	OPT-FWH-63	OPT-SEN-KEILTON	KEILTON NETWORK SENSOR
	OPT-SP-10KV	120-277V	OPT-LLHB-ULM-4FT-60W	500W & ABOVE	OPT-FWH-65	PLUG IN CORD	DESCRIPTION
	OPT-SP-10KV-480V	480V			OPT-FWH-66	OPT-HBC-125TL-WH	8FT, 15A, 125V, WHITE
						OPT-HBC-277TL-WH	8FT, 15A, 277V, WHITE
						OPT-HBC-125SB-WH	10FT, 15A, 125V, 18/3STR, WHT

WHILE SUPPLIES LAST

**LED LINEAR HIGH BAY, FIXTURE HANGERS INCL., SUSPENSION CABLE NOT INCL. – SENSOR READY**



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>LED LINEAR HIGH BAY, 120-277V SENSOR READY</b>		
LLHB-60-120W-MP-40K-D-SR	60W/90W/120W 135LM/W 4000K	1
LLHB-60-120W-MP-50K-D-SR	60W/90W/120W 135LM/W 5000K	1
LLHB-90-180W-MP-40K-D-SR	90W/135W/180W 135LM/W 4000K	1
LLHB-90-180W-MP-50K-D-SR	90W/135W/180W 135LM/W 5000K	1
LLHB-120-240W-MP-40K-D-SR	120W/180W/240W 135LM/W 4000K	1
LLHB-120-240W-MP-50K-D-SR	120W/180W/240W 135LM/W 5000K	1
<b>LED LINEAR HIGH BAY, 480V SENSOR READY</b>		
LLHB-60-120W-MP-40K-D-SR-480V	60W/90W/120W 135LM/W 4000K	1
LLHB-60-120W-MP-50K-D-SR-480V	60W/90W/120W 135LM/W 5000K	1
LLHB-90-180W-MP-40K-D-SR-480V	90W/135W/180W 135LM/W 4000K	1
LLHB-90-180W-MP-50K-D-SR-480V	90W/135W/180W 135LM/W 5000K	1
LLHB-120-240W-MP-40K-D-SR-480V	120W/180W/240W 135LM/W 4000K	1
LLHB-120-240W-MP-50K-D-SR-480V	120W/180W/240W 135LM/W 5000K	1



INDUSTRIAL LINEAR HIGHBAY



**LED LINEAR HIGH BAY, FIXTURE HANGERS INCL., SUSPENSION CABLE NOT INCL.**

CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>LED LINEAR HIGH BAY, 120-277V</b>		
LLHB-120W-40K-D	100W 1550LM 4000K Frosted lens, 4FTx11-1/4"	1
LLHB-180W-40K-D	150W 23250LM 4000K Frosted lens, 4FTx15-7/8"	1
LLHB-240W-MP-50K-D	240W Max. 150LM/W 5000K Frosted lens, 4FTx20-1/2"	1
LLHB-240W-MP-40K-D	240W Max. 150LM/W 4000K Frosted lens, 4FTx20-1/2"	1
<b>LED LINEAR HIGH BAY, 480V (7DAYS LEAD TIME)</b>		
LLHB-120W-50K-D-480V	100W 1550LM 5000K Frosted lens, 4FTx11-1/4"	1
LLHB-120W-40K-D-480V	100W 1550LM 4000K Frosted lens, 4FTx11-1/4"	1
LLHB-180W-50K-D-480V	150W 23250LM 5000K Frosted lens, 4FTx15-7/8"	1
LLHB-180W-40K-D-480V	150W 23250LM 4000K Frosted lens, 4FTx15-7/8"	1



Updated higher lumens at lower wattages. Per industry standards, Lumens are reported without frosted lens (Removable).  
FOR SUSPENSION ACCESSORIES SEE PAGES 170 TO 174

**FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

WATTS	EM OPTION	DESCRIPTION	CLEAR LENS	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL	OPT-EM-LLHB	MOUNTED ON TOP	OPT-LLHB-CL-120/180	120W & 180W	OPT-CLR-95(BK/GR/SR/WH)	OPT-2P-58	PIR SENSOR (Not remote capable)
	FLEX WHIP	DESCRIPTION	OPT-LLHB-CL-240	240W		OPT-SEN-3MR-4-WH	SENSOR
	OPT-FWH-63	6FT 3-Wire Whip	UP LIGHT	DESCRIPTION		OPT-SEN-NLS-LLHB	WG NETWORK SENSOR
	OPT-FWH-65	6FT 5-Wire Whip	OPT-LLHB-ULM-4FT-40W	500W & ABOVE	SURF. OPTION	OPT-SEN-KEILTON	KEILTON NETWORK SENSOR
	OPT-FWH-66	6FT 6-Wire Whip	OPT-LLHB-ULM-4FT-60W	500W & ABOVE	OPT-LLHB-SMK	WEC-8RC	OPTIONAL REMOTE
			PLUG IN CORD	DESCRIPTION	SURGE PROTECTOR		
			OPT-HBC-125TL-WH	8FT, 15A, 125V, WHITE	OPT-SP-10KV		
			OPT-HBC-277TL-WH	8FT, 15A, 277V, WHITE			
			OPT-HBC-125SB-WH	10FT, 15A, 125V/18/3STR, WHT			

**SPEC SERIES 4TH GENERATION OF LINEAR HIGH BAYS, 120-277V**

CATALOG NO.	DESCRIPTION	PKG. QTY.
LLHB4-50W-40K-D	50W 7750LM 4000K 1FT. X 13.75	1



FOR SUSPENSION ACCESSORIES SEE PAGES 170 TO 174

**FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

WATTS	EM OPTION	DESCRIPTION	UP LIGHT	DESCRIPTION	SURF. OPTION	SENSOR	DESCRIPTION
50W TO 150W	OPT-EM-LLHB4-50-150	EXTERNAL	OPT-LLHB-ULM-2FT-20W	150W & ABOVE	OPT-LLHB4-SMK	OPT-SEN-LLHB4	MICROWAVE BI-LEVEL SENSOR
200W TO 500W	OPT-EM-LLHB4-200-500	INTERNAL	OPT-LLHB-ULM-2FT-40W	150W & ABOVE	FLEX WHIP	OPT-SEN-NLS-LLHB4	WG NETWORK SENSOR
	SURGE PROTECTOR	DESCRIPTION	OPT-LLHB-ULM-4FT-40W	500W & ABOVE	OPT-FWH-63	OPT-SEN-KEILTON	KEILTON NETWORK SENSOR
	OPT-SP-10KV	120-277V	OPT-LLHB-ULM-4FT-60W	500W & ABOVE	OPT-FWH-65	PLUG IN CORD	DESCRIPTION
	OPT-SP-10KV-480V	480V			OPT-FWH-66	OPT-HBC-125TL-WH	8FT, 15A, 125V, WHITE

**LED LINEAR HIGH BAY ACCESSORIES**

CATALOG NO.	DESCRIPTION
ELB-2048-EXTR	Field-installed emergency driver, Input voltage: 100-277AC, Output voltage: 12V-48VDC, Output power: 20W (Max), Emergency operation: >90 mins., Recharge: 24 Hrs.
CH-1212	Steel jack chain, 100ft., 12GA, (Meets weight requirements for Linear High Bays)
CH-1010	Steel jack chain, 100ft., 10GA
SCL-GSY10	Adjustable 10 Ft. 1/16", 1.5mm SusPension Kit With Y-Connector & Loop Grip & Hooks(2)
SCL-GSY20	Adjustable 20 Ft. 1/16", 1.5mm SusPension Kit With Y-Connector & Loop Grip & Hooks(2)
H-SCREW	Steel flat hanger screw with single hole, 1/4" x 3"



WWW.WESTGATE.COM



LLHBF-80-160W  
LLHBF-120-200W



LLHBF-60-105W  
LLHBF-105-150W  
LLHBF-130-200W  
LLHBF-255-300W

**IP69 2-FOOT LINEAR HIGH BAY**  
**FOR FOOD AND CHEMICAL FACILITIES, SENSOR READY**



Sensor-Ready Plug & Play  
(one Sensor per Fixture)



CATALOG NO.	DESCRIPTION	PKG. QTY.
LLHBF-60-105W-MCTP-SR	60W/85W/105W 150LM/W 40K/45K/50K	1
LLHBF-80-160W-MCTP-SR	80W/120W/160W 150LM/W 40K/45K/50K	1
LLHBF-105-150W-MCTP-SR	105W/130W/150W 150LM/W 40K/45K/50K	1
LLHBF-120-200W-MCTP-SR	120W/160W/200W 150LM/W 40K/45K/50K	1
LLHBF-130-200W-MCTP-SR	130W/165W/200W 150LM/W 40K/45K/50K	1
LLHBF-255-300W-MCTP-SR	255W/280W/300W 150LM/W 40K/45K/50K	1
WEC-3MR-72-TLB-BK	600W Max, Zhaga 12-24VDC Microwave Sensor, Black, With Base (Optional Remote Control WEC-3RC)	
WEC-3MBT-72-TLB-BK	600W Max, Zhaga 12-24VDC Microwave Sensor, Bluetooth App Ready, Black, With Base (Optional Remote Control WEC-3RC)	
WEC-3PR-72-TLB-WH	600W Max, Zhaga 12-24VDC PIR Sensor, White, With Base (Optional Remote Control WEC-3RC)	

INDUSTRIAL  
VAPOR &  
HIGHBAY



LTPV-SLC

LTPV-EC-SR

LTPV-SLC-SR



Sensor-Ready Plug & Play  
(one Sensor per Fixture)

**BUILDER SERIES MODULAR LINEAR VAPOR TIGHT,**  
QUICK CONNECT, TRI-PROOF: WATER, DUST & IMPACT RESISTANCE



CATALOG NO.	DESCRIPTION	PKG. QTY.
LTPV-2FT-18W-MCTP-D	10W/15W/18W 130LM/W 30K/40K/50K <b>SENSOR READY</b>	9
LTPV-4FT-36W-MCTP-D	20W/28W/36W 130LM/W 30K/40K/50K <b>SENSOR READY</b>	9
LTPV-8FT-70W-MCTP-D	55W/60W/70W 140LM/W 30K/40K/50K <b>SENSOR READY</b>	9
LTPV-SLC	LTPV Seamless Coupling Channel With Connection Cable	10
LTPV-SLC-SR	LTPV Seamless Coupling Channel Sensor-Ready	10
LTPV-EC-SR	LTPV Sensor-Ready Endcap	10
WEC-3MR-72-TLB-BK	600W Max, Zhaga 12-24VDC Microwave Sensor, Black, With Base (Optional Remote Control WEC-3RC)	
WEC-3MBT-72-TLB-BK	600W Max, Zhaga 12-24VDC Microwave Sensor, Bluetooth App Ready, Black, With Base (Optional Remote Control WEC-3RC)	
WEC-3PR-72-TLB-WH	600W Max, Zhaga 12-24VDC PIR Sensor, White, With Base (Optional Remote Control WEC-3RC)	



**NEMA 4X BUILDER SERIES LINEAR VAPOR-TIGHT FIXTURES**  
CCT & WATTAGE SELECTABLE



CATALOG NO.	DESCRIPTION	PKG. QTY.
LVTE-2FT-15-25W-MCTP	15W/17W/20W/25W 140LM/W 35K/40K/50K 4.25"	4
LVTE-4FT-20-35W-MCTP	20W/28W/35W 140LM/W 35K/40K/50K 4.25"	4
LVTE-4FT-30-46W-MCTP	30W/38W/46W 140LM/W 35K/40K/50K 4.25"	4
LVTE-4FT-30-60W-MCTP	30W/45W/60W 140LM/W 35K/40K/50K 4.25"	4
LVTE-8FT-45-65W-MCTP	45W/55W/65W 140LM/W 35K/40K/50K 4.25"	1
LVTE-8FT-65-110W-MCTP	65W/75W/90W/110W 140LM/W 35K/40K/50K 4.25"	1
LVTE-4FT-100-135W-MCTP	100W/120W/135W 150LM/W 35K/40K/50K 10.25	1
LVTE-4FT-150-200W-MCTP	150W/175W/200W 150LM/W 35K/40K/50K 10.25	1
LVTE-4FT-200-245W-MCTP	200W/230W/245W 150LM/W 35K/40K/50K 14.25	1
<b>BUILDER SERIES LINEAR VAPOR-TIGHT FIXTURES WITH SENSOR &amp; EMERGENCY BACKUP , CCT &amp; WATTAGE SELECTABLE</b>		
LVTE-2FT-15-25W-MCTP-EM-SEN	15W/17W/20W/25W 140LM/W 35K/40K/50K	4
LVTE-4FT-20-35W-MCTP-EM-SEN	20W/28W/35W 140LM/W 35K/40K/50K	4
LVTE-4FT-30-46W-MCTP-EM-SEN	30W/38W/46W 140LM/W 35K/40K/50K	4
LVTE-4FT-30-60W-MCTP-EM-SEN	30W/45W/60W 140LM/W 35K/40K/50K	4
LVTE-8FT-45-65W-MCTP-EM-SEN	45W/55W/65W 140LM/W 35K/40K/50K	1
LVTE-8FT-65-110W-MCTP-EM-SEN	65W/75W/90W/110W 140LM/W 35K/40K/50K	1
LVTE-4FT-100-135W-MCTP-EM-SEN	100W/120W/135W 150LM/W 35K/40K/50K	1
LVTE-4FT-150-200W-MCTP-EM-SEN	150W/175W/200W 150LM/W 35K/40K/50K	1
LVTE-4FT-200-245W-MCTP-EM-SEN	200W/230W/245W 150LM/W 35K/40K/50K	1
<b>LVTE ACCESSORIES</b>		
LVTE-4FT-45D-MBK	LVTE Corner Mounting Bracket Kit - Set Of Two - Use 2 Sets For 8Ft	
LVTE-4FT-JBOX-MB	LVTE Mounting Bracket For Junction Box Connection - Use 2 For 8Ft	
LVTE-4FT-JBOX-MB-IP65	LVTE Waterproof Mounting Bracket For Junction Box - Use 2 For 8Ft	
LVTE-4FT-TP-MBK	LVTE Tamper-Proof Mounting Bracket Kit - Set Of Two - Use 2 Sets For 8Ft	
LVTE-4FT-PVMBK	LVTE Adjustable Pivot Mounting Bracket Kit - Set Of Two - Use 2 Sets For 8Ft	
<b>4.75" WIDE LED LINEAR VAPOR LIGHT</b>		
LLVT-8FT-65W-50K-D	65W 8450LM 5000K	1
LLVT-8FT-100W-40K-D	100W 13000LM 4000K	1

4.75" WIDE



**4FT FIBERGLASS VAPOR TIGHT - IP67 NSF - DLC FOR STAIRWAY PASSAGEWAY**



CATALOG NO.	DESCRIPTION
-------------	-------------

**LLVT-4FT-30-60W-MCTP** 30W/45W/60W 140LM/W 35K/40K/50K

2Ft



LLVT-2FT



6-1/4" WIDE  
POLYCARBONATE IP65

4Ft



LLVT-4FT

**LED TRADITIONAL LINEAR VAPOR LIGHT, 120-277V** OPAL PC LENS, SS CLAMPS



CATALOG NO.	DESCRIPTION	PKG. QTY.
-------------	-------------	-----------

**6-1/4" WIDE POLYCARBONATE LED LINEAR VAPOR LIGHT**

**LLVT-2FT-25W-MCTP-D** 15W/20W/25W 130LM/W 35K/40K/50K



6

**LLVT-2FT-RL** 2FT REPLACEMENT LENS

-

**6-3/4" WIDE POLYCARBONATE LED LINEAR VAPOR LIGHT**

**LLVT-4FT-40W-MCTP-D** 20W/30W/40W 130LM/W 3500K/4000K/5000K



6

**LLVT-4FT-75W-MCTP-D** 40W/60W/75W 130LM/W 3500K/4000K/5000K



6

FOR FACTORY-INSTALLED OPTIONS SEE LLVT OPTIONS, FOR SUSPENSION ACCESSORIES SEE PAGES 170 TO 174

120-277V



4Ft



14-1/2" WIDE  
POLYCARBONATE IP65

LLVT-4FT

**\*LED LINEAR VAPOR LIGHT (100-150W)** CLEAR PC LENS, SS CLAMPS \*SHOWN WITH CLEAR LENS (INCLUDED)



CATALOG NO.	DESCRIPTION	PKG. QTY.
-------------	-------------	-----------

**LLVT-4FT-100W-MCTP-D** 50W/80W/100W 130LM/W 35K/40K/50K 52" X 14.5"

1

**LLVT-4FT-150W-MCTP-D** 80/110/150W 130LM/W 35K/40K/50K 52" X 14.5"

1

**LLVT-4FT-200W-MCTP-D** 100W/150W/200W 130LM/W 35K/40K/50K 52" X 14.5"

1

**LLVT-4FT-RL2T** OPTIONAL REPLACEMENT FROSTED LENS FOR LLVT

-

FOR SUSPENSION ACCESSORIES SEE PAGES 170 TO 174

120-277V

**FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

WATTS	EM OPTION	DES	PLUG IN CORD	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
25W to 46W	<b>OPT-EM-LLVT-25-46</b>	INTERNAL	<b>OPT-HBC-125TL-WH</b>	8FT, 15A, 125V, WHITE	N/A	<b>OPT-SEN-2MDR-36</b>	PROGRAMMABLE MICROWAVE BI-LEVEL
65W to 155W	<b>OPT-EM-LLVT-65-155</b>	INTERNAL	<b>OPT-HBC-277TL-WH</b>	8FT, 15A, 277V, WHITE	N/A	<b>OPT-SEN-NLS-LLVT</b>	WG NETWORK SENSOR
	<b>SURGE PROTECTOR</b>	DES	<b>OPT-HBC-125SB-WH</b>	10FT, 15A, 125V/18/3STR, WHT		<b>OPT-SEN-KEILTON</b>	KEILTON NETWORK SENSOR
	<b>OPT-SP-10KV</b>	120-277V	<b>PHOTOCELL</b>	DESCRIPTION		<b>WEC-3RC</b>	OPTIONAL RC
	<b>OPT-SP-10KV-480V</b>	480V	<b>OPT-PC-B</b>	BUTTON			

INDUSTRIAL  
VAPOR  
LIGHTS



4Ft

LLVT-4FT-100W-MCT-D-480V  
LLVT-4FT-150W-MCT-D-480V

4Ft



LLVT-4FT-40W-MCT-D-480V

8Ft



LLVT-8FT-65W-50K-D-480V  
LLVT-8FT-100W-40K-D-480V

**LED LINEAR VAPOR LIGHT, 480V MTO made to order**



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>4Ft</b>	<b>6-3/4" WIDE POLYCARBONATE LED LINEAR VAPOR LIGHT, 480V</b> LLVT-4FT-40W-MCT-D-480V 40W 5000LM 35K/40K/50K <b>MCT</b>	6
<b>4Ft</b>	<b>14-1/2" WIDE POLYCARBONATE LED LINEAR VAPOR LIGHT, 480V</b> LLVT-4FT-100W-MCT-D-480V 100W 13500LM 35K/40K/50K <b>MCT</b>	1
<b>4Ft</b>	LLVT-4FT-150W-MCT-D-480V 150W 20250LM 35K/40K/50K <b>MCT</b>	1
<b>8Ft</b>	<b>3" WIDE LED LINEAR VAPOR LIGHT, 480V</b> LLVT-8FT-65W-50K-D-480V 65W 8450LM 5000K	1
<b>8Ft</b>	LLVT-8FT-100W-40K-D-480V 100W 13000LM 4000K	1

FOR SUSPENSION ACCESSORIES SEE PAGES 170 TO 174

**FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

WATTS	EM OPTION	DES	PLUG IN CORD	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
25W to 46W	OPT-EM-LLVT-25-46	INTERNAL	OPT-HBC-125TL-WH	8FT, 15A, 125V, WHITE	N/A	OPT-SEN-2MDR-36	PROGRAMMABLE MICROWAVE BI-LEVEL
65W to 155W	OPT-EM-LLVT-65-155	INTERNAL	OPT-HBC-277TL-WH	8FT, 15A, 277V, WHITE	N/A	OPT-SEN-NLS-LLVT	WG NETWORK SENSOR
	SURGE PROTECTOR	DES	OPT-HBC-125SB-WH	10FT, 15A, 125V/18/3STR, WHT		OPT-SEN-KEILTON	KEILTON NETWORK SENSOR
	OPT-SP-10KV	120-277V	PHOTOCELL	DESCRIPTION		WEC-3RC	OPTIONAL RC
	OPT-SP-10KV-480V	480V	OPT-PC-B	BUTTON			

**LAMP-READY LINEAR VAPOR TIGHT**



CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER
LRLVT-4FT-2L	Lamp-Ready 4Ft 2-Lamp Linear Vapor Tight 4In Wide	
LRLVT-4FT-4L	Lamp-Ready 4Ft 4-Lamp Linear Vapor Tight 10In Wide	
LRLVT-8FT-4L	Lamp-Ready 8Ft 4-Lamp Linear Vapor Tight 7In Wide	



LDL-R-36W-57K-A40  
LDL-R-30W-60K-A40



LDL-R-63W-57K-A40  
LDL-R-60W-60K-A40



LDL-S-63W-57K-B40R  
LDL-S-50W-60K-B40R




LDL-R-E26-A40

**LOADING DOCK LIGHTS**

CATALOG NO.	DESCRIPTION	PKG. QTY.
LDL-R-36W-57K-A40	36W 3960LM 5700K	2
LDL-R-30W-60K-A40	30W 3300LM 6000K	2
LDL-R-63W-57K-A40	63W 6930LM 5700K	2
LDL-R-60W-60K-A40	60W 6600LM 6000K	2
LDL-S-63W-57K-B40R	63W 6930LM 5700K	2
LDL-S-50W-60K-B40R	50W 7000LM 6000K	2
LDL-R-E26-A40	Loading Dock For Par Lamps With 1Ft Wp Connector And 40In Bracket	2

# COMMERCIAL LIGHTING


SEARCH FOR THE SERIES NAME @WESTGATEMFG.COM



LPNG SERIES



SRL4 SERIES



TGLK SERIES



LTRE SERIES



LTRAR SERIES



LTRB SERIES



LTRB SERIES



LTRL SERIES



LTRI SERIES



LTRC SERIES




LTRW SERIES



LTRM SERIES



LTRR SERIES



LTRG SERIES



LTRA SERIES




LPCR SERIES




LRP-HL SERIES



LRT-HL SERIES



HEX SERIES




SCE SERIES



SCX4-IP66 SERIES




SCXA SERIES



SCX SERIES



SCX1.5 SERIES



SCX-RGB SERIES




SCXCF SERIES




SCSL SERIES




SCP SERIES



SPL SERIES



SDTL SERIES



ST360 SERIES



SFL SERIES



SCLP SERIES



SCLL SERIES



SCPP SERIES



SCPL SERIES



SCR SERIES



SCRH SERIES



POB SERIES



WCLP SERIES



LSS SERIES



LSN SERIES



LSL SERIES



LCL SERIES



LRSL SERIES



WAS SERIES



CCL SERIES



WA SERIES



WAE SERIES



WAEW SERIES



LPF SERIES



CMC SERIES



CMC-MILAN SERIES



CMC12 SERIES



CMCS SERIES



CMCS8 SERIES



CMCW SERIES



CRLC SERIES




CRLE SERIES




CRLX SERIES




CRLE-FR SERIES



CRLB SERIES



RSLC SERIES




FDLH SERIES



LSC SERIES




LVL SERIES




LVC SERIES



LVA SERIES




LVJ SERIES



LVS SERIES



CWS SERIES



LMIR SERIES



WFL SERIES



TRPK SERIES



TRE SERIES



TRP SERIES



TRD SERIES



TRS SERIES



*BEST TICKET OFFICE - SCX SERIES*





Live inventory. Real-time pricing. No waiting.  
Access the MyWestgate Portal to check  
availability and pricing instantly.  
Scan the QR code to skip the line.

## LED BACKLIT PANEL LIGHT, 100-277VAC

MCTP: MULTI COLOR TEMPERATURE & MULTI POWER




CATALOG NO.	DESCRIPTION	PKG. QTY.
 LPNG-2X2-MCTP4	20/30/40W 30K/35K/40K/50K <b>MCTP</b>	4
 LPNG-2X2-MCTP4-BK	20W/30W/40W 30K/35K/40K/50K <b>MCTP</b>	4
 LPNG-2X4-4KLM-50K-D	40W <b>4200LM</b> 5000K <b>WHILE SUPPLIES LAST</b>	4
 LPNG-2X4-5KLM-35K-D	50W <b>5140LM</b> 3500K <b>WHILE SUPPLIES LAST</b>	4
 LPNG-2X4-MCTP4	30/40/50W 30K/35K/40K/50K <b>MCTP</b>	4
 LPNG-2X4-MCTP4-BK	30W/40W/50W 30K/35K/40K/50K <b>MCTP</b>	4
 LPNG-2X4-6KLM-50K-D	60W <b>6600LM</b> 5000K	4
 LPNG-2X4-6KLM-40K-D	60W <b>6600LM</b> 4000K	4
 LPNG-2X4-6KLM-35K-D	60W <b>6300LM</b> 3500K	4
 LPNG-2X4-7KLM-40K-D	60W <b>7920LM</b> 4000K	4
 LPNG-2X4-7KLM-35K-D	60W <b>7560LM</b> 3500K	4
 LPNG-2X4-8KLM-MCTP4	58W/68W/80W 30K/35K/40K/50K <b>MCTP</b>	4
 LPNG-1X4-MCTP	20/30/40W 35K/40K/50K <b>MCTP</b>	4
 LPNG-1X4-MCTP4	20/30/40W 30K/35K/40K/50K <b>MCTP</b>	4
 LPNG-1X4-MCTP4-BK	20W/30W/40W 30K/35K/40K/50K <b>MCTP</b>	4

COMMERCIAL PANELS

## RGBW LED PANEL LIGHTS, WESTGATE APP OR REMOTE CONTROL



CATALOG NO.	DESCRIPTION	PKG. QTY.
 LPNG-2X2-RGBW	35W <b>4375LM</b> RGBW	4
 LPNG-2X4-RGBW	40W <b>5000LM</b> RGBW	2
 TC-RGBW-RC	Westgate App Compatible Remote Control For LPNG-RGBW	

 **FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

WATTS	EM OPTION	DESCRIPTION	FLEX WHIP	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL MODELS	<b>OPT-EM-LPNG</b>	EXTERNAL	<b>OPT-FWH-63</b>	6FT 3-Wire Whip	<b>OPT-CLR-LPNG</b>	<b>OPT-SEN-2MDR-36</b>	PROGRAMMABLE MICROWAVE BI-LEVEL
	<b>PLUG IN CORD</b>	DESCRIPTION	<b>OPT-FWH-65</b>	6FT 5-Wire Whip		<b>OPT-SEN-NLS-LPNG</b>	WG NETWORK SENSOR
	<b>OPT-HBC-12STL-BK</b>	8FT, 15A, 125V, BLACK	<b>OPT-FWH-66</b>	6FT 6-Wire Whip		<b>OPT-SEN-KEILTON</b>	KEILTON NETWORK SENSOR
	<b>OPT-HBC-277TL-BK</b>	8FT, 15A, 277V, BLACK				<b>WEC-3RC</b>	OPTIONAL RC
	<b>OPT-HBC-125SB-BK</b>	10FT, 15A, 125V, 18/35STR, BLCK					

## ACCESSORIES FOR PANEL LIGHTS

CATALOG NO.	DESCRIPTION
 LPNG-SRFC-2X2	Surface mounting kit for 2X2 panel <b>EXCLUSIVE SCREWLESS DESIGN</b>
 LPNG-SRFC-2X4	Surface mounting kit for 2X4 panel <b>EXCLUSIVE SCREWLESS DESIGN</b>
 LPNG-SRFC-1X4	Surface mounting kit for 1X4 panel <b>EXCLUSIVE SCREWLESS DESIGN</b>
 LTRE-2X2-SMK	Designer Surface mounting kit for 2X2 panel
 LTRE-2X4-SMK	Designer Surface mounting kit for 2X4 panel
 LTRE-1X4-SMK	Designer Surface mounting kit for 1X4 panel
 SCL-GSY10	Adj. 10FT 1/16" double suspension kit with Y end and heavy-duty locking hook, loop gripper on top
 SCL-GSY20	Adj. 20FT 1/16" double suspension kit with Y end and heavy-duty locking hook, loop gripper on top
 LPNG-RMK-1X4	1x4' Recessed Mounting Flange Kit for installation in hard ceilings and surfaces
 LPNG-RMK-2X2	2x2' Recessed Mounting Flange Kit for installation in hard ceilings and surfaces
 LPNG-RMK-2X4	2x4' Recessed Mounting Flange Kit for installation in hard ceilings and surfaces
<b>UL LISTED</b> ELB-2048-EXTR	Field-installed emergency ballast; Input voltage: 100-277VAC, 50-60Hz; Input power: 4.8W (max); Output voltage: 12V-48VDC; Output power: 20W (max) Emergency operation: ≥90 mins.; Use w/ up to 60W LED fixtures; 20% lumens required by UL in power failure for FACTORY-INSTALLED OPTION see above.
LPNG-EMMB	Emergency Battery Mounting Bracket for 2x2 & 2x4 Panels-Allows backup unit installation on top of panel(Recommended for EM Installations on 2X2 & 2X4)
LPNG-EMMB-1X4	Emergency Battery Mounting Bracket for 1X4 Panels-Allows backup unit installation on top of panel



FLAT PANELS



SKY LIGHT RECESSED FRAME FOR PANEL LIGHTS 2-3/4" DEEP

CATALOG NO.	DESCRIPTION
LP-SLF-2X2	2X2 Sky Light Recessed Frame For Panel Lights 2-3/4 in Deep
LP-SLF-2X4	2X4 Sky Light Recessed Frame For Panel Lights 2-3/4 in Deep
LP-SLF-1X4	1X4 Sky Light Recessed Frame For Panel Lights 2-3/4 in Deep




Sensor-Ready Plug & Play  
See page 103-104

PREMIUM FLAT PANELS, 125 LM/W, POWER AND WATTAGE SELECTABLE



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>PREMIUM FLAT PANELS, 125 LM/W, POWER AND WATTAGE SELECTABLE</b>		
LPNP-2X2-4KLM-MCTP	20W/30W/35W 125LM/W 35K/40K/50K <b>WHILE SUPPLIES LAST</b>	4
<b>PREMIUM FLAT PANELS, 125 LM/W, POWER AND WATTAGE SELECTABLE</b>		
LPNP-2X2-MCTP	19W/25W/32W 125LM/W 35K/40K/50K	4
LPNP-1X4-MCTP	19W/25W/32W 125LM/W 35K/40K/50K	4
LPNP-2X4-MCTP	24W/32W/40W 125LM/W 35K/40K/50K	4
<b>PREMIUM FLAT PANELS, 125 LM/W, POWER AND WATTAGE SELECTABLE, SENSOR READY</b>		
LPNP-2X2-MCTP-SR	19W/25W/32W 125LM/W 35K/40K/50K	4
LPNP-1X4-MCTP-SR	19W/25W/32W 125LM/W 35K/40K/50K	4
LPNP-2X4-MCTP-SR	24W/32W/40W 125LM/W 35K/40K/50K	4
<b>PREMIUM FLAT PANELS, 125 LM/W, POWER AND WATTAGE SELECTABLE, EMERGENCY BACKUP</b>		
LPNP-2X2-MCTP-EM	19W/25W/32W 125LM/W 35K/40K/50K	4
LPNP-1X4-MCTP-EM	19W/25W/32W 125LM/W 35K/40K/50K	4
LPNP-2X4-MCTP-EM	24W/32W/40W 125LM/W 35K/40K/50K	4
<b>QUICK SHIP</b> WEC-2PR-28-AJ-WH	PIR Sensor 1-Pin Audio Jack Contact 600W 40Ft 120-277V 0-10V Bi-Level & RC (Optional RC WEC-3RC)	
WEC-2BT-28-AJ-WH	PIR Sensor 1-Pin Audio Jack Contact 600W 40Ft 120-277V 0-10V Bi-Level Bluetooth App Ready	



Ships disassembled for easy on-site handling

## GEN 2 FRAME LIGHT KIT 4-PIECE VER. FOR EASY HANDLING, WATTAGE & CCT WITH GRID-MOUNT DRIVER BOX



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>TGLK-1X4-MCTP</b>	17W/26W/36W 110LM/W 35K/40K/50K	8
<b>TGLK-2X2-MCTP</b>	17W/26W/36W 110LM/W 35K/40K/50K	8
<b>TGLK-2X4-MCTP</b>	25W/35W/45W 110LM/W 35K/40K/50K	8

COMMERCIAL T-BAR




## WG SMART APP COMPATIBLE RGBW T-BAR GRID LIGHT (FRAME LIGHT) REMOTE DRIVER



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>TGL-2X2-RGB-RC-BT</b>	40W 100LM/W RGB	5
<b>TGL-2X4-RGB-RC-BT</b>	60W 100LM/W RGB	1

FOR REMOTE CONTROL SEE PAGE 104



## T-BAR GRID LIGHT (FRAME LIGHT) REMOTE DRIVER

MCTP: MULTI COLOR TEMPERATURE & MULTI POWER



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>TGL-2X2-MCTP</b>	27W/35W/40W 150LM/W 3500K/4000K/5000K	10
<b>TGL-2X4-MCTP</b>	35W/45W/54W 150LM/W 3500K/4000K/5000K	10
<b>ELB-TBAR1</b>	T-BAR BRACKET FOR MOUNTING THE REMOTE DRIVER	-

**FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

WATTS	FLEX WHIP	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL MODELS	<b>OPT-EM-TGL</b> EXTERNAL	<b>OPT-FWH-63</b> 6FT 3-Wire Whip <b>OPT-FWH-65</b> 6FT 5-Wire Whip <b>OPT-FWH-66</b> 6FT 6-Wire Whip	N/A	N/A	N/A

## SINGLE CCT T-BAR GRID LIGHTS



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>TGL-2X4-30K</b>	60W 6000LM 3000K	10

**FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

WATTS	FLEX WHIP	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL MODELS	<b>OPT-EM-TGL</b> EXTERNAL	<b>OPT-FWH-63</b> 6FT 3-Wire Whip <b>OPT-FWH-65</b> 6FT 5-Wire Whip <b>OPT-FWH-66</b> 6FT 6-Wire Whip	N/A	N/A	N/A

## 5CCT EDGE-LESS ARCHITECTURAL FLUSH MOUNT



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>FEL-1X2-MCT5</b>	30W <b>2100LM</b> 27K/30K/35K/40K/50K	3
<b>FEL-1X4-MCT5</b>	60W <b>4200LM</b> 27K/30K/35K/40K/50K	3

**FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

WATTS	EM OPTION	DESCRIPTION	VANDAL RES.	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL	<b>OPT-EM-FEL-1X2</b> <b>OPT-EM-FEL-1X4</b>	INTERNAL INTERNAL	N/A	N/A	N/A	N/A	N/A

## POWER & CCT ADJUSTABLE LED SURFACE MOUNT PANELS



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>LPSB-1X4-26-40W-MCTP5-D</b>	26W/32W/40W <b>110LM/W</b> 30K/35K/40K/50K/65K	1
<b>LPSB-2X2-26-40W-MCTP5-D</b>	26W/32W/40W <b>110LM/W</b> 30K/35K/40K/50K/65K	1
<b>LPSB-2X4-32-50W-MCTP5-D</b>	32W/40W/50W <b>110LM/W</b> 30K/35K/40K/50K/65K	1

## POWER & CCT ADJUSTABLE INTERNAL-DRIVER LED SURFACE/RECESSED MOUNT PANELS



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>LPS-2X2-20-40W-MCTP-D</b>	20W/33W/40W <b>100LM/W</b> 30K/40K/50K	1
<b>LPS-2X4-30-50W-MCTP-D</b>	30W/40W/50W <b>100LM/W</b> 30K/40K/50K	1
<b>LPS-1X4-20-40W-MCTP-D</b>	20W/33W/40W <b>100LM/W</b> 30K/40K/50K	1

## INTERNAL-DRIVER LED SURFACE MOUNT PANELS, (1X4 & LARGER CAN BE RECESS MOUNTED)



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>LPS-S4-50K-D</b>	10W <b>700LM</b> 5000K 4" Square 120VAC	20
<b>LPS-S4-40K-D</b>	10W <b>700LM</b> 4000K 4" Square 120VAC	20
<b>LPS-S4-30K-D</b>	10W <b>700LM</b> 3000K 4" Square 120VAC	20
<b>LPS-S6-50K-D</b>	12W <b>900LM</b> 5000K 6" Square 120VAC	20
<b>LPS-S6-40K-D</b>	12W <b>900LM</b> 4000K 6" Square 120VAC	20
<b>LPS-S6-30K-D</b>	12W <b>900LM</b> 3000K 6" Square 120VAC	20
<b>LPS-S8-50K-D</b>	16W <b>1280LM</b> 5000K 8" Square 120VAC	20
<b>LPS-S8-40K-D</b>	16W <b>1280LM</b> 4000K 8" Square 120VAC	20
<b>LPS-S8-30K-D</b>	16W <b>1280LM</b> 3000K 8" Square 120VAC	20
<b>LPS-1X1-50K-D</b>	18W <b>1700LM</b> 5000K 1' X 1' 120-277VAC	16
<b>LPS-1X1-40K-D</b>	18W <b>1700LM</b> 4000K 1' X 1' 120-277VAC	16
<b>LPS-1X1-30K-D</b>	18W <b>1700LM</b> 3000K 1' X 1' 120-277VAC	16
<b>LPS-1X2-50K-D</b>	25W <b>2500LM</b> 5000K 1' X 2' 120-277VAC	8
<b>LPS-1X2-40K-D</b>	25W <b>2500LM</b> 4000K 1' X 2' 120-277VAC	8
<b>LPS-1X2-30K-D</b>	25W <b>2500LM</b> 3000K 1' X 2' 120-277VAC	8
<b>LPS-1X4-40K-D</b>	40W <b>4000LM</b> 4000K 1' X 4' 120-277VAC <b>WHILE SUPPLIES LAST</b>	1
<b>LPS-2X2-50K-D</b>	40W <b>4400LM</b> 5000K 2' X 2' 120-277VAC <b>WHILE SUPPLIES LAST</b>	1
<b>LPS-2X2-30K-D</b>	40W <b>4400LM</b> 3000K 2' X 2' 120-277VAC	1
<b>LPS-2X4-50K-D</b>	50W <b>5500LM</b> 5000K 2' X 4' 120-277VAC <b>WHILE SUPPLIES LAST</b>	1
<b>LPS-JBOX</b>	Junction Box for 1 X 4, 2 X 2, 2 X 4 LPS T-Bar installation	

2X4  
2X2  
1X4  
1X2  
1X1

**FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

WATTS	FLEX WHIP	DESCRIPTION	EM OPTION	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL MODELS	<b>OPT-FWH-63</b> <b>OPT-FWH-65</b> <b>OPT-FWH-66</b>	6FT 3-Wire Whip 6FT 5-Wire Whip 6FT 6-Wire Whip	<b>OPT-EM-LPS</b>	EXTERNAL	N/A	N/A	N/A



Sensor-ReadyPlug & Play  
See page 103-104



## G2 PREMIUM CENTER-LENS TROFFER POWER AND CCT ADJUSTABLE

COMMERCIAL  
TROFFERS

CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>LTRE-G2-2X2-MCTP</b>	15W/20W/25W/30W/40W <b>125LM/W</b> 27K/30K/35K/40K/50K	4
<b>LTRE-G2-2X4-MCTP</b>	23W/30W/35W/40W/50W <b>125LM/W</b> 27K/30K/35K/40K/50K	4
<b>G2 PREMIUM CENTER-LENS TROFFER POWER AND CCT ADJUSTABLE SENSOR READY</b>		
<b>LTRE-G2-2X2-MCTP-SR</b>	15W/20W/25W/30W/40W <b>125LM/W</b> 27K/30K/35K/40K/50K	4
<b>LTRE-G2-2X4-MCTP-SR</b>	23W/30W/35W/40W/50W <b>125LM/W</b> 27K/30K/35K/40K/50K	4
<b>WEC-2PR-28-AJ-WH</b>	PIR Sensor 1-Pin Audio Jack Contact 600W 40Ft 120-277V 0-10V Bi-Level & RC (Optional RC WEC-3RC)	
<b>WEC-2BT-28-AJ-WH</b>	PIR Sensor 1-Pin Audio Jack Contact 600W 40Ft 120-277V 0-10V Bi-Level Bluetooth App Ready	

**FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

WATTS	EM OPTION	DESCRIPTION	FLEX WHIP	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL MODELS	<b>OPT-EM-LTRE</b>	MOUNTED ON TOP	<b>OPT-FWH-63</b>	6FT 3-Wire Whip	<b>N/A</b>	<b>OPT-SEN-2MDR-36</b>	PROGRAMMABLE MICROWAVE BI-LEVEL
	<b>Ribbed LENS OPTION</b>	<b>DESCRIPTION</b>	<b>OPT-FWH-65</b>	6FT 5-Wire Whip		<b>OPT-SEN-NLS-LTRE</b>	WG NETWORK SENSOR
	<b>OPT-2X2-RL</b>	Ribbed LENS FOR 2X2	<b>OPT-FWH-66</b>	6FT 6-Wire Whip		<b>OPT-SEN-KEILTON</b>	KEILTON NETWORK SENSOR
	<b>OPT-2X4-RL</b>	Ribbed LENS FOR 2X4				<b>WEC-3RC</b>	OPTIONAL RC



SHOWN WITH  
SURFACE MOUNTING  
KIT (SMK)

## SPEC SERIES LED SELECTABLE COLOR TEMP. & WATTAGE TROFFERS, AC 100-277V



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>LTRE-2X2-MCTP</b>	26W, 32W, 40W <b>125LM/W</b> 3500K, 4000K, 5000K	2
<b>LTRE-2X4-MCTP</b>	32W, 40W, 50W <b>125LM/W</b> 3500K, 4000K, 5000K	2
<b>LTRE-1X4-MCTP</b>	26W, 32W, 40W <b>125LM/W</b> 3500K, 4000K, 5000K	2

## ACCESSORIES FOR LTRE & LTRE-G2 SERIES

CATALOG NO.	DESCRIPTION
<b>LPNG-SRFC-2X2</b>	Surface mounting kit for <b>LTRE-G2 Series Only</b>
<b>LPNG-SRFC-2X4</b>	Surface mounting kit for <b>LTRE-G2 Series Only</b>
<b>LPNG-SRFC-1X4</b>	Surface mounting kit for <b>LTRE-G2 Series Only</b>
<b>LTRE-2X2-SMK</b>	Designer Surface mounting kit for <b>LTRE &amp; LTRE-G2 Series</b>
<b>LTRE-2X4-SMK</b>	Designer Surface mounting kit for <b>LTRE &amp; LTRE-G2 Series</b>
<b>LTRE-1X4-SMK</b>	Designer Surface mounting kit for <b>LTRE &amp; LTRE-G2 Series</b>

**FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

WATTS	EM OPTION	DESCRIPTION	FLEX WHIP	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL MODELS	<b>OPT-EM-LTRE</b>	MOUNTED ON TOP	<b>OPT-FWH-63</b>	6FT 3-Wire Whip	<b>N/A</b>	<b>OPT-SEN-2MDR-36</b>	PROGRAMMABLE MICROWAVE BI-LEVEL
	<b>Ribbed LENS OPTION</b>	<b>DESCRIPTION</b>	<b>OPT-FWH-65</b>	6FT 5-Wire Whip		<b>OPT-SEN-NLS-LTRE</b>	WG NETWORK SENSOR
	<b>OPT-2X2-RL</b>	Ribbed LENS FOR 2X2	<b>OPT-FWH-66</b>	6FT 6-Wire Whip		<b>OPT-SEN-KEILTON</b>	KEILTON NETWORK SENSOR
	<b>OPT-2X4-RL</b>	Ribbed LENS FOR 2X4				<b>WEC-3RC</b>	OPTIONAL RC



Sensor-Ready Plug & Play  
See page 103-104

**PASSIVE AIR RETURN CENTER LENS TROFFER**  
**WATTAGE & CCT SELECTABLE** **SENSOR-READY**



CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER	PKG. QTY.
<b>LTRAR-2X2-MCTP-SR</b>	20W/25W/30W/35W <b>135LM/W</b> 30K/35K/40K/50K		1
<b>LTRAR-2X4-MCTP-SR</b>	35W/40W/45W/50W <b>135LM/W</b> 30K/35K/40K/50K		1
<b>WEC-2PR-28-AJ-WH</b>	PIR Sensor 1-Pin Audio Jack Contact 600W 40Ft 120-277V 0-10V Bi-Level & RC (Optional RC WEC-3RC)		
<b>WEC-2BT-28-AJ-WH</b>	PIR Sensor 1-Pin Audio Jack Contact 600W 40Ft 120-277V 0-10V Bi-Level Bluetooth App Ready		



**BUILDER SERIES POWER & CCT- ADJUSTABLE STACK TROFFER**  
**REQUIRES 1 MINUTE ASSEMBLY**



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>LTRS-1X4-MCTP</b>	25W/35W/36W/40W <b>125LM/W</b> 3500K/4000K/5000K	4
<b>ELB-23120-HH-AC-FLEX</b>	Field-Installed Battery Back Up: 20W MAX, 175VDC, Li-ion 4000mAh	

**FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

WATTS	EM OPTION	DESCRIPTION	FLEX WHIP	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL MODELS	<b>OPT-EM-LTRS</b>	EXTERNAL	<b>OPT-FWH-63</b>	6FT 3-Wire Whip	<b>OPT-CLR-LPNG</b>	<b>OPT-SEN-2MDR-36</b>	PROGRAMMABLE MICROWAVE BI-LEVEL
	<b>PLUG IN CORD</b>	DESCRIPTION	<b>OPT-FWH-65</b>	6FT 5-Wire Whip		<b>OPT-SEN-NLS-LTRS</b>	WG NETWORK SENSOR
	<b>OPT-HBC-125TL-BK</b>	8FT, 15A, 125V, BLACK	<b>OPT-FWH-66</b>	6FT 6-Wire Whip		<b>OPT-SEN-KEILTON</b>	KEILTON NETWORK SENSOR
	<b>OPT-HBC-277TL-BK</b>	8FT, 15A, 277V, BLACK				<b>WEC-3RC</b>	OPTIONAL RC
	<b>OPT-HBC-125SB-BK</b>	10FT, 15A, 125V, 18/3STR, BLACK					

**SPEC SERIES ARCHITECTURAL TROFFER, BACK-LIT LED DESIGN**  
**POWER & CCT SELECTABLE**



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>LTRB-2X2-MCTP</b>	25W/30W/35W <b>110LM/W</b> 35K/40K/50K	4
<b>LTRB-2X4-MCTP</b>	30W/40W/50W <b>110LM/W</b> 35K/40K/50K	4
<b>LTRB-1X4-MCTP</b>	25W/30W/35W <b>110LM/W</b> 35K/40K/50K	4

**FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

WATTS	EM OPTION	DESCRIPTION	FLEX WHIP	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL MODELS	<b>OPT-EM-LTRB</b>	EXTERNAL	<b>OPT-FWH-63</b>	6FT 3-Wire Whip	<b>OPT-CLR-LPNG</b>	<b>OPT-SEN-2MDR-36</b>	PROGRAMMABLE MICROWAVE BI-LEVEL
	<b>PLUG IN CORD</b>	DESCRIPTION	<b>OPT-FWH-65</b>	6FT 5-Wire Whip		<b>OPT-SEN-NLS-LTRB</b>	WG NETWORK SENSOR
	<b>OPT-HBC-125TL-BK</b>	8FT, 15A, 125V, BLACK	<b>OPT-FWH-66</b>	6FT 6-Wire Whip		<b>OPT-SEN-KEILTON</b>	KEILTON NETWORK SENSOR
	<b>OPT-HBC-277TL-BK</b>	8FT, 15A, 277V, BLACK				<b>WEC-3RC</b>	OPTIONAL RC
	<b>OPT-HBC-125SB-BK</b>	10FT, 15A, 125V, 18/3STR, BLACK					

## SPEC SERIES LED SELECTABLE COLOR TEMP. & WATTAGE DUAL LENS TROFFER LIGHTS



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>LTRD-2X2-MCTP</b>	25W/30W/35W <b>125LM/W</b> 3500K/4000K/5000K	1
<b>LTRD-2X4-MCTP</b>	30W/40W/50W <b>125LM/W</b> 3500K/4000K/5000K	1

TO SURFACE MOUNT, SELECT LTRD-SMK KITS FROM THE LTRD SERIES ABOVE



**FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

WATTS	EM OPTION	DESCRIPTION	FLEX WHIP	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL MODELS	<b>OPT-EM-LTRD</b>	MOUNTED ON TOP	<b>OPT-FWH-63</b>	6FT 3-Wire Whip	<b>N/A</b>	<b>OPT-SEN-2MDR-36</b>	PROGRAMMABLE MICROWAVE BI-LEVEL
			<b>OPT-FWH-65</b>	6FT 5-Wire Whip		<b>OPT-SEN-NLS-LTRD</b>	WG NETWORK SENSOR
			<b>OPT-FWH-66</b>	6FT 6-Wire Whip		<b>OPT-SEN-KEILTON</b>	KEILTON NETWORK SENSOR
						<b>WEC-3RC</b>	OPTIONAL RC

## SPEC SERIES INDIRECT MESH-BASKET TROFFER WATTAGE AND CCT SELECTABLE



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>LTRI-2X2-MCTP</b>	30W/40W/50W <b>110LM/W</b> 30K/35K/40K/50K	1
<b>LTRI-2X4-MCTP</b>	50W/60W/72W <b>110LM/W</b> 30K/35K/40K/50K	1



## ARCHITECTURAL ADVANCED BLADE DESIGN TROFFER WATTAGE & CCT SELECTABLE



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>LTRL-2X2-MCTP4</b>	30W/40W/50W <b>115LM/W</b> 30K/35K/40K/50K	1
<b>LTRL-2X4-MCTP4</b>	50W/60W/72W <b>115LM/W</b> 30K/35K/40K/50K	1
<b>LTRL-2X2-SMK</b>	4.5" Deep 2X2 Surface Mounting Kit For LTRL And Other Deep Troffers	
<b>LTRL-2X4-SMK</b>	4.5" Deep 2X4 Surface Mounting Kit For LTRL And Other Deep Troffers	

## PREMIUM CURVED INDIRECT TROFFER, POWER AND CCT ADJUSTABLE



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>LTRC-2X2-MCTP</b>	25W/30W/40W <b>125LM/W</b> 35K/40K/50K	4
<b>LTRC-2X4-MCTP</b>	30W/40W/50W <b>125LM/W</b> 35K/40K/50K	2



**FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

WATTS	EM OPTION	DESCRIPTION	FLEX WHIP	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL MODELS	<b>OPT-EM-LTRC</b>	MOUNTED ON TOP	<b>OPT-FWH-63</b>	6FT 3-Wire Whip	<b>N/A</b>	<b>OPT-SEN-2MDR-36</b>	PROGRAMMABLE MICROWAVE BI-LEVEL
			<b>OPT-FWH-65</b>	6FT 5-Wire Whip		<b>OPT-SEN-NLS-LTRC</b>	WG NETWORK SENSOR
			<b>OPT-FWH-66</b>	6FT 6-Wire Whip		<b>OPT-SEN-KEILTON</b>	KEILTON NETWORK SENSOR
						<b>WEC-3RC</b>	OPTIONAL RC

## ARCHITECTURAL ADVANCED EDGE-LIT WING DESIGN TROFFER WATTAGE & CCT SELECTABLE



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>LTRW-2X2-MCTP4</b>	24W/36W <b>115LM/W</b> 30K/35K/40K/50K	1
<b>LTRW-2X4-MCTP4</b>	42W/50W <b>115LM/W</b> 30K/35K/40K/50K	1



**FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

WATTS	EM OPTION	DESCRIPTION	FLEX WHIP	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL MODELS	<b>OPT-EM-LTRW</b>	MOUNTED ON TOP	<b>OPT-FWH-63</b>	6FT 3-Wire Whip	<b>N/A</b>	<b>OPT-SEN-2MDR-36</b>	PROGRAMMABLE MICROWAVE BI-LEVEL
			<b>OPT-FWH-65</b>	6FT 5-Wire Whip		<b>OPT-SEN-NLS-LTRW</b>	WG NETWORK SENSOR
			<b>OPT-FWH-66</b>	6FT 6-Wire Whip		<b>OPT-SEN-KEILTON</b>	KEILTON NETWORK SENSOR
						<b>WEC-3RC</b>	REMOTE CONTROL

## ARCHITECTURAL SLOPED-LENS TROFFER, POWER & CCT SELECTABLE



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>LTRM-2X2-MCTP</b>	25W/30W/36W <b>125LM/W</b> 35K/40K/50K	1
<b>LTRM-2X4-MCTP</b>	40W/45W/50W <b>125LM/W</b> 35K/40K/50K	1
<b>LTRM-1X4-MCTP</b>	25W/30W/36W <b>125LM/W</b> 35K/40K/50K	1



**FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

WATTS	EM OPTION	DESCRIPTION	FLEX WHIP	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL MODELS	<b>OPT-EM-LTRM</b>	MOUNTED ON TOP	<b>OPT-FWH-63</b>	6FT 3-Wire Whip	<b>N/A</b>	<b>OPT-SEN-2MDR-36</b>	PROGRAMMABLE MICROWAVE BI-LEVEL
			<b>OPT-FWH-65</b>	6FT 5-Wire Whip		<b>OPT-SEN-NLS-LTRM</b>	WG NETWORK SENSOR
			<b>OPT-FWH-66</b>	6FT 6-Wire Whip		<b>OPT-SEN-KEILTON</b>	KEILTON NETWORK SENSOR
						<b>WEC-3RC</b>	REMOTE CONTROL



## ARCHITECTURAL RECESSED PANEL LIGHT, WATTAGE & CCT SELECTABLE



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>LTRR-2X2-MCTP4</b>	24W/35W/40W <b>110LM/W</b> 30K/35K/40K/50K	1
<b>LTRR-2X4-MCTP4</b>	30W/40W/50W <b>110LM/W</b> 30K/35K/40K/50K	1
<b>LTRR-2X2-SMK</b>	Deep 2X2 Surface-Mounting Kit For LTRR And Other Deep Troffers	
<b>LTRR-2X4-SMK</b>	Deep 2X4 Surface-Mounting Kit For LTRR And Other Deep Troffers	

**FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

WATTS	EM OPTION	DESCRIPTION	FLEX WHIP	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL MODELS	<b>OPT-EM-LTRR</b>	MOUNTED ON TOP	<b>OPT-FWH-63</b>	6FT 3-Wire Whip	<b>N/A</b>	<b>OPT-SEN-2MDR-36</b>	PROGRAMMABLE MICROWAVE BI-LEVEL
			<b>OPT-FWH-65</b>	6FT 5-Wire Whip		<b>OPT-SEN-NLS-LTRR</b>	WG NETWORK SENSOR
			<b>OPT-FWH-66</b>	6FT 6-Wire Whip		<b>OPT-SEN-KEILTON</b>	KEILTON NETWORK SENSOR
						<b>WEC-3RC</b>	REMOTE CONTROL



## ARCHITECTURAL GRILLE TROFFER, WATTAGE & CCT SELECTABLE



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>LTRG-2X2-MCTP</b>	24W/28W/36W <b>120LM/W</b> 35K/40K/50K	1
<b>LTRG-1X4-MCTP</b>	24W/28W/36W <b>120LM/W</b> 35K/40K/50K	1
<b>LTRG-2X4-MCTP</b>	30W/40W/50W <b>120LM/W</b> 35K/40K/50K	1

**FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

WATTS	EM OPTION	DESCRIPTION	FLEX WHIP	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL MODELS	<b>OPT-EM-LTRG</b>	MOUNTED ON TOP	<b>OPT-FWH-63</b>	6FT 3-Wire Whip	<b>N/A</b>	<b>OPT-SEN-2MDR-36</b>	PROGRAMMABLE MICROWAVE BI-LEVEL
			<b>OPT-FWH-65</b>	6FT 5-Wire Whip		<b>OPT-SEN-NLS-LTRG</b>	WG NETWORK SENSOR
			<b>OPT-FWH-66</b>	6FT 6-Wire Whip		<b>OPT-SEN-KEILTON</b>	KEILTON NETWORK SENSOR
						<b>WEC-3RC</b>	REMOTE CONTROL



## APERTURE GRILLE TROFFER, WATTAGE & CCT SELECTABLE



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>LTRA-1X4-MCTP</b>	20W/25W/30W/40W 125LM/W 35K/40K/50K	1
<b>LTRA-2X2-MCTP</b>	20W/25W/30W/40W 125LM/W 35K/40K/50K	1
<b>LTRA-2X4-MCTP</b>	30W/40W/50W/60W 125LM/W 35K/40K/50K	1

**FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

WATTS	EM OPTION	DESCRIPTION	FLEX WHIP	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL MODELS	<b>OPT-EM-LTRA</b>	MOUNTED ON TOP	<b>OPT-FWH-63</b>	6FT 3-Wire Whip	<b>N/A</b>	<b>OPT-SEN-2MDR-36</b>	PROGRAMMABLE MICROWAVE BI-LEVEL
			<b>OPT-FWH-65</b>	6FT 5-Wire Whip		<b>OPT-SEN-NLS-LTRA</b>	WG NETWORK SENSOR
			<b>OPT-FWH-66</b>	6FT 6-Wire Whip		<b>OPT-SEN-KEILTON</b>	KEILTON NETWORK SENSOR
						<b>WEC-3RC</b>	REMOTE CONTROL

COMMERCIAL  
TROFFERS

## PREMIUM IP65 CLEANROOM TROFFER, POWER AND CCT ADJUSTABLE



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>LPCR-2X2-MCTP</b>	25W/30W/40W 125LM/W 35K/40K/50K	2
<b>LPCR-2X4-MCTP</b>	30W/40W/50W 125LM/W 35K/40K/50K	1
<b>LPCR-1X4-MCTP</b>	25W/30W/40W 125LM/W 35K/40K/50K	2
<b>LPCR-2X2-HL-MCTP</b>	40W/48W/60W 125LM/W 30K/40K/50K	
<b>LPCR-2X4-HL-MCTP</b>	60W/80W/100W 125LM/W 30K/40K/50K	
<b>LPCR-1X4-HL-MCTP</b>	40W/48W/60W 125LM/W 30K/40K/50K	

**FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

WATTS	EM OPTION	DESCRIPTION	FLEX WHIP	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL MODELS	<b>OPT-EM-LPCR</b>	MOUNTED ON TOP	<b>OPT-FWH-63</b>	6FT 3-Wire Whip	<b>N/A</b>	<b>OPT-SEN-2MDR-36</b>	PROGRAMMABLE MICROWAVE BI-LEVEL
			<b>OPT-FWH-65</b>	6FT 5-Wire Whip		<b>OPT-SEN-NLS-LPCR</b>	WG NETWORK SENSOR
			<b>OPT-FWH-66</b>	6FT 6-Wire Whip		<b>OPT-SEN-KEILTON</b>	KEILTON NETWORK SENSOR
						<b>WEC-3RC</b>	OPTIONAL RC

## PREMIUM HIGH-LUMEN RETROFIT FLAT PANEL

**NO PARTIAL MUST BUY IN PKG. QTY.**

CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>LRP-HL-2X2-MCTP</b>	16W/20W/24W 125LM/W 35K/40K/50K	2
<b>LRP-HL-2X4-MCTP</b>	24W/30W/40W 125LM/W 35K/40K/50K	2

## PREMIUM HIGH-LUMEN RETROFIT TROFFER-POWER & CCT ADJUSTABLE

**NO PARTIAL MUST BUY IN PKG. QTY.**

CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>LRT-HL-2X2-MCTP</b>	15W/20W/25W 125LM/W 35K/40K/50K	2
<b>LRT-HL-2X4-MCTP</b>	30W/40W/50W 125LM/W 35K/40K/50K	2

## HEX CAR SHOP DECORATIVE LIGHT KIT WITH FRAME 96in X 190in



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>HEX-96X190-534W-65K-UNIV</b>	534W 130LM/W 6500K	1
<b>HEX-96X190-534W-30K-UNIV</b>	534W 130LM/W 3000K	1





## HEX CAR SHOP DECORATIVE LIGHT KIT WITH FRAME 96" X 190" WESTGATE APP OR REMOTE CONTROL



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>HEX-96X190-RGB-RC-BT</b> FOR REMOTE CONTROL SEE PAGE 104	534W 130LM/W RGB	1





Shown with Drywall (Sheet Rock) kit

## SLOT RECESSED COMMERCIAL LINEAR LIGHTS, 4" OR 6" WIDE, CCT & WATTAGE SELECT **MCTP**

CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>SRL4-2FT-MCTP</b>	10W/15W/20W 110LM/W 30K/40K/50K 2FT & 4" WIDE	
<b>SRL4-4FT-MCTP</b>	20W/30W/40W 110LM/W 30K/40K/50K 4FT & 4" WIDE	
<b>SRL4-8FT-MCTP</b>	40W/60W/80W 110LM/W 30K/40K/50K 8FT & 4" WIDE	
<b>SRL6-2FT-MCTP</b>	10W/15W/20W 110LM/W 35K/40K/50K 2FT & 6" WIDE	6
<b>SRL6-4FT-MCTP</b>	20W/30W/40W 110LM/W 35K/40K/50K 4FT & 6" WIDE	6
<b>SRL6-8FT-MCTP</b>	40W/60W/80W 110LM/W 35K/40K/50K 8FT & 6" WIDE	6
<b>SRL4-2FT-DWK</b>	2Ft 4in Slot Recessed Linear Light Drywall Mounting Kit For SRL4-2FT	
<b>SRL4-4FT-DWK</b>	4Ft 4in Slot Recessed Linear Light Drywall Mounting Kit For SRL4-4FT	
<b>SRL4-8FT-DWK</b>	8Ft 4in Slot Recessed Linear Light Drywall Mounting Kit For SRL4-8FT	
<b>SRL6-2FT-DWK</b>	2Ft 6in Slot Recessed Linear Light Drywall Mounting Kit For SRL6-2FT	
<b>SRL6-4FT-DWK</b>	4Ft 6in Slot Recessed Linear Light Drywall Mounting Kit For SRL6-4FT	
<b>SRL6-8FT-DWK</b>	8Ft 6in Slot Recessed Linear Light Drywall Mounting Kit For SRL6-8FT	

**FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

SIZE	EM OPTION	DESCRIPTION	VANDAL RES.	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
2FT, 4FT	<b>OPT-EM-SRL6</b>	EXTERNAL	<b>N/A</b>	N/A	<b>N/A</b>	<b>N/A</b>	N/A
8FT	<b>OPT-EM-SRL6-8FT</b>	EXTERNAL					



**SCE-XB**  
X CONNECTOR



**SCE-SB-SIL**  
SEAMLESS CONNECTOR  
FOR ALL FINISHES



**SCE-LB**  
L CONNECTOR



**SCE-TB**  
T CONNECTOR



**SCE-WM-KIT-SIL**  
WALL-MOUNT KIT FOR ALL  
FINISHES

COMMERCIAL

LINEAR  
LIGHTS

## BUILDER SERIES POWER & CCT- ADJUSTABLE LINEAR LIGHT




CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>SCE-4FT-40W-MCTP-D</b>	30W/35W/40W <b>110LM/W</b> 3500K/4000K/5000K White	8
<b>SCE-4FT-40W-MCTP-D-BK</b>	30W/35W/40W <b>110LM/W</b> 3500K/4000K/5000K Black	8
<b>SCE-4FT-40W-MCTP-D-SIL</b>	30W/35W/40W <b>110LM/W</b> 3500K/4000K/5000K Silver	8
<b>SCE-6FT-50W-MCTP-D</b>	40W/45W/50W <b>110LM/W</b> 3500K/4000K/5000K White	6
<b>SCE-6FT-50W-MCTP-D-BK</b>	40W/45W/50W <b>110LM/W</b> 3500K/4000K/5000K Black	6
<b>SCE-6FT-50W-MCTP-D-SIL</b>	40W/45W/50W <b>110LM/W</b> 3500K/4000K/5000K Silver	6
<b>SCE-8FT-70W-MCTP-D</b>	50W/60W/72W <b>110LM/W</b> 35K/40K/50K White	
<b>SCE-8FT-70W-MCTP-D-BK</b>	50W/60W/72W <b>110LM/W</b> 35K/40K/50K Black	
<b>SCE-8FT-70W-MCTP-D-SIL</b>	50W/60W/72W <b>110LM/W</b> 35K/40K/50K Silver	
<b>SCE-ULM-4FT-MCTP-D</b>	4Ft SCE Series Uplight Module 35/40/50K Transfers 30% Power To Top	
<b>SCE-ULM-6FT-MCTP-D</b>	6Ft SCE Series Uplight Module 35/40/50K Transfers 30% Power To Top	
<b>SCE-ULM-8FT-MCTP-D</b>	8Ft SCE Series Uplight Module 35/40/50K Transfers 30% Power To Top	
<b>SCE-TB</b>	SCE Series T Linking Bracket	
<b>SCE-LB</b>	SCE Series L Linking Bracket	
<b>SCE-XB</b>	SCE Series X Linking Bracket	
<b>SCE-TB-BK</b>	SCE Series T Linking Bracket, Black	
<b>SCE-LB-BK</b>	SCE Series L Linking Bracket, Black	
<b>SCE-XB-BK</b>	SCE Series X Linking Bracket, Black	
<b>SCE-SB-SIL</b>	SCE Series Straight Linking Bracket -Seamless Connection For All Finishes	
<b>SCE-TB-SIL</b>	SCE Series T Linking Bracket, Silver	
<b>SCE-LB-SIL</b>	SCE Series L Linking Bracket, Silver	
<b>SCE-XB-SIL</b>	SCE Series X Linking Bracket, Silver	
<b>SCE-WM-KIT-SIL</b>	Wall-Mount Brkt, Field-Installed, Use 2 For 4Ft And 6Ft, 3 For 8Ft, Silver	
<b>SCE-FLEXLENS-25FT</b>	SCE Flexible Lens Roll Of 25Ft	
<b>SCE-FLEXLENS-100FT</b>	SCE Flexible Lens Roll Of 100Ft	

FOR SUSPENSION KIT SEE PAGES 170 TO 174

**FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL MODELS	<b>OPT-EM-SCE</b> <b>OPT-EM-SCE-8FT</b>	INTERNAL INTERNAL	<b>N/A</b>	N/A	<b>N/A</b>	<b>N/A</b>	N/A

**Surface Mounted**



**SCX4-IP66-SUR-4FT-40-80W-MCTP**  
**SCX4-IP66-SUR-8FT-80-160W-MCTP**

**Wall Mounted**



**SCX4-IP66-SUS-4FT-40-80W-MCTP**  
**SCX4-IP66-SUS-8FT-80-160W-MCTP**  
Rod Kit Sold Separately

**Suspended**



**SCX4-IP66-SUS-4FT-40-80W-MCTP**  
**SCX4-IP66-SUS-8FT-80-160W-MCTP**  
Rod Kit Sold Separately



**SCX4-IP66-SCBK**



**SCX4-IP66-ACPT-6FT**  
**SCX4-IP66-ACPT-10FT**



**SCX4-IP66-JUMP**

**POWER & CCT- ADJUSTABLE LINEAR LIGHT, 120-277V, IP66 WET LOCATION**



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>SCX4-IP66-SUR-4FT-40-80W-MCTP</b>	40W/60W/80W 105LM/W 35K/40K/50K Surface Mounted	4
<b>SCX4-IP66-SUR-8FT-80-160W-MCTP</b>	80W/120W/160W 105LM/W 35K/40K/50K Surface Mounted	2
<b>SCX4-IP66-SUS-4FT-40-80W-MCTP</b>	40W/60W/80W 105LM/W 35K/40K/50K Suspended	4
<b>SCX4-IP66-SUS-8FT-80-160W-MCTP</b>	80W/120W/160W 105LM/W 35K/40K/50K Suspended	2
<b>SCX4-IP66-ACPT-6FT</b>	SCX4-IP66 6Ft Ac Pigtail With Female Wet Loc. Connector	
<b>SCX4-IP66-ACPT-10FT</b>	SCX4-IP66 10Ft Ac Pigtail With Female Wet Loc. Connector	
<b>SCX4-IP66-JUMP-6IN</b>	SCX4-IP66 6In Ac Jump Cable With Male And Female Wet Loc. Connector	
<b>SCX4-IP66-JUMP-12IN</b>	SCX4-IP66 12In Ac Jump Cable With Male And Female Wet Loc. Connector	
<b>SCX4-IP66-JUMP-2FT-WH</b>	SCX4-IP66 2FT Ac Jump Cable With Male And Female Wet Loc. Connector	
<b>SCX4-IP66-JUMP-4FT-WH</b>	SCX4-IP66 4FT Ac Jump Cable With Male And Female Wet Loc. Connector	
<b>SCX4-IP66-JUMP-6FT-WH</b>	SCX4-IP66 6FT Ac Jump Cable With Male And Female Wet Loc. Connector	
<b>SCX4-IP66-JUMP-8FT-WH</b>	SCX4-IP66 8FT Ac Jump Cable With Male And Female Wet Loc. Connector	
<b>SCX4-IP66-CB</b>	SCX4-IP66 Coupling Bracket	
<b>SCX4-IP66-RODKIT-18IN</b>	SCX4-IP66 18In Suspension Rod Kit	
<b>SCX4-IP66-RODKIT-24IN</b>	SCX4-IP66 24In Suspension Rod Kit	
<b>SCX4-IP66-SCBK</b>	SCX4-IP66 Bracket Set For Suspension With Aircraft Cable	

FOR SUSPENSION KIT (SCL-GS210 & SCL-GS220) SEE PAGES 172



**SCXA2-4FT-40W-MCTP-BB**  
UGR25 50D FULL OPTIC



**SCXA2-4FT-40W-MCTP-CD-BB**  
UGR25 50D COMBINED DISTRIBUTION  
OPTIC + PC LENS



**SCXA2-4FT-40W-MCTP-WW**  
UGR25 50D FULL OPTIC



**SCXA2-4FT-40W-MCTP-CD-WW**  
UGR25 50D COMBINED DISTRIBUTION  
OPTIC + PC LENS



**SCX2-TRACK-H**

## ARCHITECTURAL 2" OPTIC & COMBINED-DISTRIBUTION LINEAR WITH MULTIPLE APERTURE OPTIONS



COMMERCIAL  
LINEAR  
LIGHTS


CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>SCXA2-2FT-20W-MCTP-CD-BB</b>	10W/15W/20W 100LM/W 30K/35K/40K 7.5" Optic Ends	1
<b>SCXA2-2FT-20W-MCTP-CD-WW</b>	10W/15W/20W 100LM/W 30K/35K/40K 7.5" Optic Ends	1
<b>SCXA2-4FT-40W-MCTP-CD-BB</b>	20W/30W/40W 100LM/W 30K/35K/40K 7.5" Optic Ends	6
<b>SCXA2-4FT-40W-MCTP-CD-WW</b>	20W/30W/40W 100LM/W 30K/35K/40K 7.5" Optic Ends	6
<b>SCXA2-6FT-60W-MCTP-CD-BB</b>	40W/50W/60W 100LM/W 30K/35K/40K 15" Optic Ends	4
<b>SCXA2-6FT-60W-MCTP-CD-WW</b>	40W/50W/60W 100LM/W 30K/35K/40K 15" Optic Ends	4
<b>SCXA2-8FT-80W-MCTP-CD-BB</b>	60W/70W/80W 100LM/W 30K/35K/40K 23" Optic Ends	4
<b>SCXA2-8FT-80W-MCTP-CD-WW</b>	60W/70W/80W 100LM/W 30K/35K/40K 23" Optic Ends	4
<b>SCXA2-2FT-20W-MCTP-BB</b>	10W/15W/20W 100LM/W 30K/35K/40K	1
<b>SCXA2-2FT-20W-MCTP-WW</b>	10W/15W/20W 100LM/W 30K/35K/40K	1
<b>SCXA2-4FT-40W-MCTP-BB</b>	20W/30W/40W 100LM/W 30K/35K/40K	6
<b>SCXA2-4FT-40W-MCTP-WW</b>	20W/30W/40W 100LM/W 30K/35K/40K	6
<b>SCXA2-6FT-60W-MCTP-BB</b>	40W/50W/60W 100LM/W 30K/35K/40K	4
<b>SCXA2-6FT-60W-MCTP-WW</b>	40W/50W/60W 100LM/W 30K/35K/40K	4
<b>SCXA2-8FT-80W-MCTP-BB</b>	60W/70W/80W 100LM/W 30K/35K/40K	4
<b>SCXA2-8FT-80W-MCTP-WW</b>	60W/70W/80W 100LM/W 30K/35K/40K	4
<b>SCX2-TRACK-H-BK</b>	Track Light Socket End Extension H-Type Black	
<b>SCX2-TRACK-H-WH</b>	Track Light Socket End Extension H-Type White	
<b>SCXA2-BCP-4FT-BK</b>	Blank Cover For 4Ft to Replace PC Lens, Black	
<b>SCXA2-BCP-6FT-BK</b>	Blank Cover For 6Ft to Replace PC Lens, Black	
<b>SCXA2-BCP-8FT-BK</b>	Blank Cover For 8Ft to Replace PC Lens, Black	
<b>SCXA2-BCP-4FT-WH</b>	Blank Cover For 4Ft to Replace PC Lens, White	
<b>SCXA2-BCP-6FT-WH</b>	Blank Cover For 6Ft to Replace PC Lens, White	
<b>SCXA2-BCP-8FT-WH</b>	Blank Cover For 8Ft to Replace PC Lens, White	
<b>SCXA2-OLS-50D-BK</b>	Replacement Standard Optic Lens 50D 8in Long, Black	
<b>SCXA2-OLS-50D-WH</b>	Replacement Standard Optic Lens 50D 8in Long, White	

## UGR OPTIC LENS




CATALOG NO.


<b>OPT-SCXA2-4FT-WH-50D</b>	UGR Less Than 10, 50D Optic, White
<b>OPT-SCXA2-4FT-WH-70D</b>	UGR Less Than 10, 70D Optic, White
<b>OPT-SCXA2-4FT-BK-50D</b>	UGR Less Than 10, 50D Optic, Black
<b>OPT-SCXA2-4FT-BK-70D</b>	UGR Less Than 10, 70D Optic, Black
<b>OPT-SCXA2-6FT-WH-50D</b>	UGR Less Than 10, 50D Optic, White
<b>OPT-SCXA2-6FT-WH-70D</b>	UGR Less Than 10, 70D Optic, White
<b>OPT-SCXA2-6FT-BK-50D</b>	UGR Less Than 10, 50D Optic, Black
<b>OPT-SCXA2-6FT-BK-70D</b>	UGR Less Than 10, 70D Optic, Black
<b>OPT-SCXA2-8FT-WH-50D</b>	UGR Less Than 10, 50D Optic, White
<b>OPT-SCXA2-8FT-WH-70D</b>	UGR Less Than 10, 70D Optic, White
<b>OPT-SCXA2-8FT-BK-50D</b>	UGR Less Than 10, 50D Optic, Black
<b>OPT-SCXA2-8FT-BK-70D</b>	UGR Less Than 10, 70D Optic, Black



**SCXA-4FT-40W-MCTP-BB**  
UGR25 50D FULL OPTIC



**SCXA-4FT-40W-MCTP-CD-BB**  
UGR25 50D COMBINED DISTRIBUTION  
OPTIC + PC LENS



**SCXA-4FT-40W-MCTP-WW**  
UGR25 50D FULL OPTIC




**SCXA-4FT-40W-MCTP-CD-WW**  
UGR25 50D COMBINED DISTRIBUTION  
OPTIC + PC LENS

## ARCHITECTURAL 2-3/4" OPTIC & COMBINED-DISTRIBUTION LINEAR WITH MULTIPLE APERTURE OPTIONS



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>SCXA-2FT-20W-MCTP-CD-BB</b>	10W/15W/20W 100LM/W 30K/35K/40K 7.5" Optic Ends	1
<b>SCXA-2FT-20W-MCTP-CD-WW</b>	10W/15W/20W 100LM/W 30K/35K/40K 7.5" Optic Ends	1
<b>SCXA-4FT-40W-MCTP-CD-BB</b>	20W/30W/40W 100LM/W 30K/35K/40K 7.5" Optic Ends	6
<b>SCXA-4FT-40W-MCTP-CD-WW</b>	20W/30W/40W 100LM/W 30K/35K/40K 7.5" Optic Ends	6
<b>SCXA-6FT-60W-MCTP-CD-BB</b>	40W/50W/60W 100LM/W 30K/35K/40K 15" Optic Ends	4
<b>SCXA-6FT-60W-MCTP-CD-WW</b>	40W/50W/60W 100LM/W 30K/35K/40K 15" Optic Ends	4
<b>SCXA-8FT-80W-MCTP-CD-BB</b>	60W/70W/80W 100LM/W 30K/35K/40K 23" Optic Ends	4
<b>SCXA-8FT-80W-MCTP-CD-WW</b>	60W/70W/80W 100LM/W 30K/35K/40K 23" Optic Ends	4
<b>SCXA-2FT-20W-MCTP-BB</b>	10W/15W/20W 100LM/W 30K/35K/40K	1
<b>SCXA-2FT-20W-MCTP-WW</b>	10W/15W/20W 100LM/W 30K/35K/40K	1
<b>SCXA-4FT-40W-MCTP-BB</b>	20W/30W/40W 100LM/W 30K/35K/40K	6
<b>SCXA-4FT-40W-MCTP-WW</b>	20W/30W/40W 100LM/W 30K/35K/40K	6
<b>SCXA-6FT-60W-MCTP-BB</b>	40W/50W/60W 100LM/W 30K/35K/40K	4
<b>SCXA-6FT-60W-MCTP-WW</b>	40W/50W/60W 100LM/W 30K/35K/40K	4
<b>SCXA-8FT-80W-MCTP-BB</b>	60W/70W/80W 100LM/W 30K/35K/40K	4
<b>SCXA-8FT-80W-MCTP-WW</b>	60W/70W/80W 100LM/W 30K/35K/40K	4
<b>SCXA-BCP-2FT-BK</b>	2Ft (Also 4Ft) Blank Cover-Plate Accessory To Replace Center Pc Lens, Black	
<b>SCXA-BCP-2FT-WH</b>	2Ft (Also 4Ft) Blank Cover-Plate Accessory To Replace Center Pc Lens, White	
<b>SCXA-BCP-4FT-BK</b>	4Ft (Also 6Ft 8Ft) Blank Cover-Plate Accessory To Replace Center Pc Lens, Black	
<b>SCXA-BCP-4FT-WH</b>	4Ft (Also 6Ft 8Ft) Blank Cover-Plate Accessory To Replace Center Pc Lens, White	
<b>SCXA-OLS-40D-BK</b>	Replacement Optic Lens 40D 6In Long, Black	
<b>SCXA-OLS-40D-WH</b>	Replacement Optic Lens 40D 6In Long, White	
<b>SCX-TRACK-H-BK</b>	Scx Track Light Socket End Extension H-Type, Black	
<b>SCX-TRACK-H-WH</b>	Scx Track Light Socket End Extension H-Type, White	
<b>SCXA-OLS-60D-BK</b>	Replacement Standard Optic Lens 60D 6In Long, Black	
<b>SCXA-OLS-60D-WH</b>	Replacement Standard Optic Lens 60D 6In Long, White	

SCX 2-3/4" (Linkable)	REGRESSED 2-3/4"	LOUVER 2-3/4" (Linkable)	WHITE LOUVER 2-3/4" (Linkable)	DIAM 2-3/4"
	MTO made to order 	MTO made to order 	MTO made to order 	MTO made to order 



SCX-1FT-10W-MCT4-D	SCX-1FT-10W-MCT4-D-REG	SCX-1FT-10W-MCT4-D-LUV	SCX-1FT-10W-MCT4-D-LUV-WH	SCX-1FT-10W-MCT4-D-DIAM
SCX-2FT-20W-MCT4-D	SCX-2FT-20W-MCT4-D-REG	SCX-2FT-20W-MCT4-D-LUV	SCX-2FT-20W-MCT4-D-LUV-WH	SCX-2FT-20W-MCT4-D-DIAM
SCX-3FT-30W-MCT4-D	SCX-3FT-30W-MCT4-D-REG	SCX-3FT-30W-MCT4-D-LUV	SCX-3FT-30W-MCT4-D-LUV-WH	SCX-3FT-30W-MCT4-D-DIAM
SCX-4FT-40W-MCT4-D	SCX-4FT-40W-MCT4-D-REG	SCX-4FT-40W-MCT4-D-LUV	SCX-4FT-40W-MCT4-D-LUV-WH	SCX-4FT-40W-MCT4-D-DIAM
SCX-6FT-60W-MCT4-D	SCX-6FT-60W-MCT4-D-REG	SCX-6FT-60W-MCT4-D-LUV	SCX-6FT-60W-MCT4-D-LUV-WH	SCX-6FT-60W-MCT4-D-DIAM
SCX-8FT-80W-MCT4-D	SCX-8FT-80W-MCT4-D-REG	SCX-8FT-80W-MCT4-D-LUV	SCX-8FT-80W-MCT4-D-LUV-WH	SCX-8FT-80W-MCT4-D-DIAM


UPLIGHT FOR SCX SERIES AND THEIR VARIANTS				
2FT	3FT	4FT	6FT	8FT
OPT-SCX-ULM-2FT-8W-MCT4	OPT-SCX-ULM-3FT-12W-MCT4	OPT-SCX-ULM-4FT-16W-MCT4	OPT-SCX-ULM-6FT-24W-MCT4	OPT-SCX-ULM-8FT-32W-MCT4

MODULES FOR SCX SERIES				
<b>6in Module</b>  SCX-6IN-MCT4	<b>9in Module</b>  SCX-9IN-MCT4	<b>L Module</b>  SCX-L-MCT4	<b>T Module</b>  SCX-T-MCT4	<b>X Module</b>  SCX-X-MCT4
<b>Inside Corner Module</b>  SCX-IC-MCT4	<b>Outside Corner Module</b>  SCX-OC-MCT4	<b>Y Module</b>  SCX-Y-MCT4	<b>120° Corner</b>  SCX-C120-MCT4	<b>C60 Module</b>  SCX-C60-MCT4
<b>Round Corner Module</b>  SCX-RC-MCT4				


COMMERCIAL  
LINEAR  
LIGHTS

DROP LENS 2-3/4"	SOLID PMMA LENS 2-3/4"	INDIRECT 2-3/4"	IDL 2-3/4"	SCXIF & 2F L FIXTURE
MTO made to order 		MTO made to order 	MTO made to order 	


SCX-1FT-10W-MCT4-D-DL	SCX-2FT-20W-MCT4-DLP	SCX-2FT-20W-MCT4-D-IND	SCX-2FT-20W-MCT4-D-IDL	SCX-1LFT-20W-MCT4
SCX-2FT-20W-MCT4-D-DL	N/A	SCX-3FT-30W-MCT4-D-IND	SCX-3FT-30W-MCT4-D-IDL	SCX-L2FT-40W-MCT4
SCX-3FT-30W-MCT4-D-DL	SCX-4FT-40W-MCT4-DLP	SCX-4FT-40W-MCT4-D-IND	SCX-4FT-40W-MCT4-D-IDL	<b>SCX 2F Y FIXTURE</b> 
SCX-4FT-40W-MCT4-D-DL	N/A	SCX-6FT-60W-MCT4-D-IND	SCX-6FT-60W-MCT4-D-IDL	SCX-Y2FT-60W-MCT4-D
SCX-6FT-60W-MCT4-D-DL	N/A	SCX-8FT-80W-MCT4-D-IND	SCX-8FT-80W-MCT4-D-IDL	<b>UPLIGHT</b> OPT-SCX-ULM-L2FT-16W-MCT4
SCX-8FT-80W-MCT4-D-DL		 <b>SHOWN WITH SUSPENSION KIT</b>  SCL-3CS10 ADJ. 10FT 1/16in TRIPLE-CABLE SUSPENSION CANOPY KIT WITH KEYHOLE END CONNECTORS (NO CORD INCL.)		OPT-SCX-ULM-Y2FT-24W-MCT4
<b>UPLIGHT</b> OPT-SCX-ULM-2FT-8W-MCT4	<b>UPLIGHT</b> OPT-SCX-ULM-2FT-8W-MCT4			
OPT-SCX-ULM-3FT-12W-MCT4	N/A			
OPT-SCX-ULM-4FT-16W-MCT4	OPT-SCX-ULM-4FT-16W-MCT4			
OPT-SCX-ULM-6FT-24W-MCT4	N/A			
OPT-SCX-ULM-8FT-32W-MCT4	N/A			



MADE USING SCX + L CORNERS



SCX-L2FT-40W-MCT4 INSTALLED



MADE USING SCX + C120 CORNERS




SCX-Y2FT-60W-MCT4 INSTALLED

\*MCT4: MULTI COLOR TEMPERATURE  
(3000K, 3500K, 4000K, 5000K)



# SCX

**SUPERIOR ARCHITECTURAL**  
SEAMLESS LINKABLE LINEAR LIGHTING SYSTEM




SCX MODELS	SCX 2-3/4" (Linkable)	LOUVER 2-3/4" (Linkable)	DROP LENS 2-3/4"	INDIRECT 2-3/4"
1FT BLACK 10W & 110LM/W	SCX-1FT-10W-MCT4-D-BK	N/A	N/A	N/A
2FT BLACK 20W & 110LM/W	SCX-2FT-20W-MCT4-D-BK	SCX-2FT-20W-MCT4-D-LUV-BK	SCX-2FT-20W-MCT4-D-DL-BK	SCX-2FT-20W-MCT4-D-IND-BK
3FT BLACK 30W & 110LM/W	SCX-3FT-30W-MCT4-D-BK	SCX-3FT-30W-MCT4-D-LUV-BK	SCX-3FT-30W-MCT4-D-DL-BK	SCX-3FT-30W-MCT4-D-IND-BK
4FT BLACK 40W & 110LM/W	SCX-4FT-40W-MCT4-D-BK	SCX-4FT-40W-MCT4-D-LUV-BK	SCX-4FT-40W-MCT4-D-DL-BK	SCX-4FT-40W-MCT4-D-IND-BK
6FT BLACK 60W & 110LM/W	SCX-6FT-60W-MCT4-D-BK	SCX-6FT-60W-MCT4-D-LUV-BK	SCX-6FT-60W-MCT4-D-DL-BK	SCX-6FT-60W-MCT4-D-IND-BK
8FT BLACK 80W & 110LM/W	SCX-8FT-80W-MCT4-D-BK	SCX-8FT-80W-MCT4-D-LUV-BK	SCX-8FT-80W-MCT4-D-DL-BK	SCX-8FT-80W-MCT4-D-IND-BK

COMMERCIAL  
LINEAR  
LIGHTS

UPLIGHT FOR SCX BLACK SERIES AND THEIR VARIANTS				
2FT	3FT	4FT	6FT	8FT
OPT-SCX-ULM-2FT-8W-MCT4	OPT-SCX-ULM-3FT-12W-MCT4	OPT-SCX-ULM-4FT-16W-MCT4	OPT-SCX-ULM-6FT-24W-MCT4	OPT-SCX-ULM-8FT-32W-MCT4

MODULES FOR SCX BLACK SERIES				
<b>6in Module</b>  SCX-6IN-MCT4-BK	<b>9in Module</b>  SCX-9IN-MCT4-BK	<b>L Module</b>  SCX-L-MCT4-BK	<b>T Module</b>  SCX-T-MCT4-BK	<b>X Module</b>  SCX-X-MCT4-BK
<b>Inside Corner Module</b>  SCX-IC-MCT4-BK	<b>Y Module</b>  SCX-Y-MCT4-BK	<b>120° Corner</b>  SCX-C120-MCT4-BK	<b>C60 Module</b>  SCX-C60-MCT4-BK	<b>Round Corner Module</b>  SCX-RC-MCT4-BK



**SCX MODELS**

1FT UP/DOWN 10W & 110LM/W	SCX1.5-1FT-UD-MCT5	SCX1.5-1FT-UD-MCT5-BK	SCX1.5-1FT-UD-MCTP5	SCX1.5-1FT-UD-MCTP5-BK
2FT UP/DOWN 20W & 110LM/W	SCX1.5-2FT-UD-MCTP5-D	SCX1.5-2FT-UD-MCTP5-D-BK	SCX1.5-L2FT-UD-MCTP5	SCX1.5-L2FT-UD-MCTP5-BK
3FT UP/DOWN 30W & 110LM/W	SCX1.5-3FT-UD-MCTP5-D	SCX1.5-3FT-UD-MCTP5-D-BK	SCX1.5-CONKIT	N/A
4FT UP/DOWN 40W & 110LM/W	SCX1.5-4FT-UD-MCTP5-D	SCX1.5-4FT-UD-MCTP5-D-BK	N/A	N/A
6FT UP/DOWN 60W & 110LM/W	SCX1.5-6FT-UD-MCTP5-D	SCX1.5-6FT-UD-MCTP5-D-BK	N/A	N/A
8FT UP/DOWN 80W & 110LM/W	SCX1.5-8FT-UD-MCTP5-D	SCX1.5-8FT-UD-MCTP5-D-BK	N/A	N/A

**MODULES FOR SCX SERIES**

<p>6in Module</p> <p>SCX1.5-6IN-UD-MCT5</p>	<p>9in Module</p> <p>SCX1.5-9IN-UD-MCT5</p>	<p>L Module</p> <p>SCX1.5-L-UD-MCT5</p>	<p>T Module</p> <p>SCX1.5-T-UD-MCT5</p>	<p>X Module</p> <p>SCX1.5-X-UD-MCT5</p>
<p>Inside Corner Module</p> <p>SCX1.5-IC-UD-MCT5</p>	<p>Outside Corner Module</p> <p>SCX1.5-OC-UD-MCT5</p>	<p>Y Module</p> <p>SCX1.5-Y-UD-MCT5</p>	<p>120° Corner</p> <p>SCX1.5-C120-UD-MCT5</p>	<p>C60 Module</p> <p>SCX1.5-C60-UD-MCT5</p>
<p>6in Module</p> <p>SCX1.5-6IN-UD-MCT5-BK</p>	<p>9in Module</p> <p>SCX1.5-9IN-UD-MCT5-BK</p>	<p>L Module</p> <p>SCX1.5-L-UD-MCT5-BK</p>	<p>T Module</p> <p>SCX1.5-T-UD-MCT5-BK</p>	<p>X Module</p> <p>SCX1.5-X-UD-MCT5-BK</p>
<p>Inside Corner Module</p> <p>SCX1.5-IC-UD-MCT5-BK</p>	<p>Outside Corner Module</p> <p>SCX1.5-OC-UD-MCT5-BK</p>	<p>Y Module</p> <p>SCX1.5-Y-UD-MCT5-BK</p>	<p>120° Corner</p> <p>SCX1.5-C120-UD-MCT5-BK</p>	<p>C60 Module</p> <p>SCX1.5-C60-UD-MCT5-BK</p>

COMMERCIAL  
LINEAR  
LIGHTS

\*MCT4: MULTI COLOR TEMPERATURE  
(3000K, 3500K, 4000K, 5000K)



# SCX

**SUPERIOR ARCHITECTURAL**  
SEAMLESS LINKABLE LINEAR LIGHTING SYSTEM



SCX4 4" (Linkable)	WHITE LOUVER 4" (Linkable)	IDL 4"	WALLWASH 4"
	MTO made to order 	MTO made to order 	MTO made to order 

1FT 10W & 110LM/W	SCX4-1FT-10W-MCT4-D	SCX4-1FT-10W-MCT4-D-LUV-WH	N/A	N/A
2FT 20W & 110LM/W	SCX4-2FT-20W-MCT4-D	SCX4-2FT-20W-MCT4-D-LUV-WH	SCX4-2FT-20W-MCT-D-IDL	SCX4-2FT-20W-MCT4-WSH
3FT 30W & 110LM/W	SCX4-3FT-30W-MCT4-D	SCX4-3FT-30W-MCT4-D-LUV-WH	SCX4-3FT-30W-MCT-D-IDL	SCX4-3FT-30W-MCT4-WSH
4FT 40W & 110LM/W	SCX4-4FT-40W-MCT4-D	SCX4-4FT-40W-MCT4-D-LUV-WH	SCX4-4FT-40W-MCT-D-IDL	SCX4-4FT-40W-MCT4-WSH
6FT 60W & 110LM/W	SCX4-6FT-60W-MCT4-D	SCX4-6FT-60W-MCT4-D-LUV-WH	SCX4-6FT-60W-MCT-D-IDL	N/A
8FT 80W & 110LM/W	SCX4-8FT-80W-MCT4-D	SCX4-8FT-80W-MCT4-D-LUV-WH	SCX4-8FT-80W-MCT-D-IDL	N/A

UPLIGHT FOR SCX4 SERIES AND THEIR VARIANTS				
2FT	3FT	4FT	6FT	8FT
OPT-SCX-ULM-2FT-8W-MCT4	OPT-SCX-ULM-3FT-12W-MCT4	OPT-SCX-ULM-4FT-16W-MCT4	OPT-SCX-ULM-6FT-24W-MCT4	OPT-SCX-ULM-8FT-32W-MCT4

MODULES FOR SCX4 SERIES				
L Module  SCX4-L-MCT4	T Module  SCX4-T-MCT4	X Module  SCX4-X-MCT4	Inside Corner  SCX4-IC-MCT4	

COMMERCIAL  
LINEAR  
LIGHTS

# SCX

**SUPERIOR ARCHITECTURAL**  
SEAMLESS LINKABLE LINEAR LIGHTING SYSTEM



1FT 10W & 110LM/W	SCX2-1FT-10W-MCT4-D	SCX2-1FT-10W-MCT4-D-TR	N/A	N/A
2FT 20W & 110LM/W	SCX2-2FT-20W-MCT4-D	SCX2-2FT-20W-MCT4-D-TR	SCX6-2FT-20-30W-MCTP	SCX6-2FT-20-30W-MCTP-LUV-WH
3FT 30W & 110LM/W	SCX2-3FT-30W-MCT4-D	SCX2-3FT-30W-MCT4-D-TR	SCX6-3FT-30-45W-MCTP	SCX6-3FT-30-45W-MCTP-LUV-WH
4FT 40W & 110LM/W	SCX2-4FT-40W-MCT4-D	SCX2-4FT-40W-MCT4-D-TR	SCX6-4FT-40-60W-MCTP	SCX6-4FT-40-60W-MCTP-LUV-WH
6FT 60W & 110LM/W	SCX2-6FT-60W-MCT4-D	SCX2-6FT-60W-MCT4-D-TR	SCX6-6FT-60-90W-MCTP	SCX6-6FT-60-90W-MCTP-LUV-WH
8FT 80W & 110LM/W	SCX2-8FT-80W-MCT4-D	SCX2-8FT-80W-MCT4-D-TR	SCX6-8FT-80-120W-MCTP	SCX6-8FT-80-120W-MCTP-LUV-WH

UPLIGHT FOR SCX2 SERIES AND THEIR VARIANTS				
2FT	3FT	4FT	6FT	8FT
OPT-SCX-ULM-2FT-8W-MCT4	OPT-SCX-ULM-3FT-12W-MCT4	OPT-SCX-ULM-4FT-16W-MCT4	OPT-SCX-ULM-6FT-24W-MCT4	OPT-SCX-ULM-8FT-32W-MCT4


UPLIGHT FOR SCX6 SERIES AND THEIR VARIANTS				
2FT	3FT	4FT	6FT	8FT
OPT-SCX6-ULM-2FT-8W-MCT4	OPT-SCX6-ULM-3FT-12W-MCT4	OPT-SCX6-ULM-4FT-16W-MCT4	OPT-SCX6-ULM-6FT-24W-MCT4	OPT-SCX6-ULM-8FT-32W-MCT4

MODULES FOR SCX2 & SCX6 SERIES				
<b>L Module</b>  SCX2-L-MCT4	<b>T Module</b>  SCX2-T-MCT4	<b>X Module</b>  SCX2-X-MCT4	<b>Inside Corner Module</b>  SCX2-IC-MCT4	<b>Outside Corner Module</b>  SCX2-OC-MCT4
<b>C60 Module</b>  SCX2-C60-MCT4	<b>L Module</b>  SCX6-L-MCTP	<b>T Module</b>  SCX6-T-MCTP	<b>X Module</b>  SCX6-X-MCTP	<b>Inside Corner Module</b>  SCX6-IC-MCTP

COMMERCIAL  
LINEAR  
LIGHTS

# SCX


**SUPERIOR ARCHITECTURAL**  
SEAMLESS LINKABLE LINEAR LIGHTING SYSTEM

SCO SERIES	SCXT-DL 1" DROP LENS	SCXT-FL 1" FLAT LENS	SCXR (Linkable)	SCXR LOUVER (Linkable)
 <p><b>4ft MCT4</b></p> <p>MCT: MULTI COLOR TEMPERATURE (3500K, 4000K, 5000K)</p>	 <p><b>MCT4</b></p> <p>See Page 149 for More Info</p> <p><small>ORDER ONE DRIVER PER FIXTURE (NOT INCLUDED)</small></p>	 <p><b>MCT4</b></p> <p>See Page 149 for More Info</p> <p><small>ORDER ONE DRIVER PER FIXTURE (NOT INCLUDED)</small></p>	 <p><b>MCT4</b></p>	 <p><b>MCT4</b></p>


SCO-4FT-40W-MCT-BB	N/A	SCXT-1FT-5-10W-MCTP-D-FL	SCXR-2FT-20W-MCT4-D	SCXR-2FT-20W-MCT4-D-LUV
 <p><b>4ft</b></p>	SCXT-2FT-10-20W-MCTP-D-DL	SCXT-2FT-10-20W-MCTP-D-FL	SCXR-2FT-20W-MCT4-D	SCXR-2FT-20W-MCT4-D-LUV
SCO-4FT-40W-MCT-WB	SCXT-4FT-20-40W-MCTP-D-DL	SCXT-4FT-20-40W-MCTP-D-FL	SCXR-4FT-40W-MCT4-D	SCXR-4FT-40W-MCT4-D-LUV
 <p><b>MTO made to order</b></p> <p><b>4ft</b></p>	SCXT-8FT-40-80W-MCTP-D-DL	SCXT-8FT-40-80W-MCTP-D-FL	SCXR-8FT-80W-MCT4-D	SCXR-8FT-80W-MCT4-D-LUV
SCO-4FT-40W-MCT-WW	 UPLIGHT FOR SCXT-DL OPT-SCXT-ULM-2FT-MCTP	 UPLIGHT FOR SCXT-FL OPT-SCXT-ULM-2FT-MCTP	 <p><b>MCT4</b></p>	SCXR-BK LOUVER (Linkable)
 <p><b>MTO made to order</b></p> <p><b>4ft</b></p>	OPT-SCXT-ULM-4FT-MCTP	OPT-SCXT-ULM-4FT-MCTP	SCXR-2FT-20W-MCT4-D-BK	N/A
SCO-4FT-40W-MCT-BW	OPT-SCXT-ULM-8FT-MCTP	OPT-SCXT-ULM-8FT-MCTP	SCXR-4FT-40W-MCT4-D-BK	N/A
	 <p><b>MCT4</b></p> <p><small>ORDER ONE DRIVER PER FIXTURE (NOT INCLUDED)</small></p>	 <p><b>MCT4</b></p> <p><small>ORDER ONE DRIVER PER FIXTURE (NOT INCLUDED)</small></p>	SCXR-8FT-80W-MCT4-D-BK	N/A
N/A	N/A	SCXT-L1FT-10-20W-MCTP-D-FL	 UPLIGHT FOR SCXR OPT-SCX-ULM-4FT-16W-MCT4	 UPLIGHT FOR SCXR OPT-SCX-ULM-4FT-16W-MCT4
SCXT-L2FT-20-40W-MCTP-D-DL	SCXT-L2FT-20-40W-MCTP-D-FL	SCXT-L2FT-20-40W-MCTP-D-FL	OPT-SCX-ULM-8FT-32W-MCT4	OPT-SCX-ULM-8FT-32W-MCT4
N/A	SCXT-IC1FT-10-20W-MCTP-D-FL		 <p><b>CORNER OPTION</b></p>	 <p><b>CORNER OPTION</b></p>
			SCXR-LNL	SCXR-LNL

## SCXR ACCESSORIES


CATALOG NO.	DESCRIPTION
SCXR-LK-1FT-GRILL	SCXR 1ft Section PC Louver Kit Without Lens
SCXR-LK-1FT-LENSONROLL	SCXR 1ft Film On Roll Of 853Ft, Must Use With SCXR-LK




**SCX-L**  
White




**SCX-T**  
White




**SCX-X**  
White



**SCX-IC**  
White



**SCX-C120**  
White




**SCX-Y**  
White



**SCX-C60**  
White



**SCX-OC**  
White



**SCX-6IN**  
White



**SCX-9IN**  
White

**WG SMART APP & REMOTE CONTROLLED COMPATIBLE  
SCX LINEAR LIGHTS, RGB OR 4CCT UPLIGHT OPTION**



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>SCX-1FT-RGBWW-BT</b>	10W <b>110LM/W</b> RGB	6
<b>SCX-2FT-RGBWW-BT</b>	20W <b>110LM/W</b> RGB	6
<b>SCX-3FT-RGBWW-BT</b>	30W <b>110LM/W</b> RGB	6
<b>SCX-4FT-RGBWW-BT</b>	40W <b>110LM/W</b> RGB	6
<b>SCX-6FT-RGBWW-BT</b>	60W <b>110LM/W</b> RGB	4
<b>SCX-8FT-RGBWW-BT</b>	80W <b>110LM/W</b> RGB	4
<b>SCX-L-RGBWW</b>	SCX 2.75 in Linear L Section 30K/35K/40K/50K	
<b>SCX-T-RGBWW</b>	SCX 2.75 in Linear T Section 30K/35K/40K/50K	
<b>SCX-X-RGBWW</b>	SCX 2.75 in Linear X Section 30K/35K/40K/50K	
<b>SCX-IC-RGBWW</b>	SCX 2.75 in Linear Inside Corner 30K/35K/40K/50K	
<b>SCX-C120-RGBWW</b>	SCX 2.75 in Linear 120D Section 30K/35K/40K/50K	
<b>SCX-Y-RGBWW</b>	SCX 2.75 in Linear Y Section 30K/35K/40K/50K	
<b>SCX-C60-RGBWW</b>	SCX Mct4 60-Degree Corner 30/35/40/50K	
<b>SCX-OC-RGBWW</b>	SCX 2.75 in Linear Outside Corner 30K/35K/40K/50K	
<b>SCX-6IN-RGBWW</b>	SCX 2.75 in Linear 6In Section 30K/35K/40K/50K	
<b>SCX-9IN-RGBWW</b>	SCX 2.75 in Linear 9In Section 30K/35K/40K/50K	
<b>OPT-SCX-ULM-2FT-RGB</b>	SCX 2Ft Rgb Uplight Option	
<b>OPT-SCX-ULM-3FT-RGB</b>	SCX 3Ft Rgb Uplight Option	
<b>OPT-SCX-ULM-4FT-RGB</b>	SCX 4Ft Rgb Uplight Option	
<b>OPT-SCX-ULM-6FT-RGB</b>	SCX 6Ft Rgb Uplight Option	
<b>OPT-SCX-ULM-8FT-RGB</b>	SCX 8Ft Rgb Uplight Option	

To Install our 4CCT uplight option, see page 153 , With this option, Uplight will be disabled when switched to RGB mode  
FOR REMOTE CONTROL SEE PAGE 104



## SCX1.5 FIELD-INSTALLED FLANGED RECESSED MOUNT DRYWALL KIT


CATALOG NO.	DESCRIPTION
<b>SCX1.5-FMRK-1FT</b>	SCX-1Ft Field-Installed Flanged Recessed Mount Drywall Kit
<b>SCX1.5-FMRK-2FT</b>	SCX-2Ft Field-Installed Flanged Recessed Mount Drywall Kit
<b>SCX1.5-FMRK-3FT</b>	SCX-3Ft Field-Installed Flanged Recessed Mount Drywall Kit
<b>SCX1.5-FMRK-4FT</b>	SCX-4Ft Field-Installed Flanged Recessed Mount Drywall Kit
<b>SCX1.5-FMRK-6FT</b>	SCX-6Ft Field-Installed Flanged Recessed Mount Drywall Kit
<b>SCX1.5-FMRK-8FT</b>	SCX-8Ft Field-Installed Flanged Recessed Mount Drywall Kit

NOT FOR T-BAR CEILINGS. ORDER THE FACTORY INSTALLED OPTION OPT-SCX-TBAR, SEE PAGE 155



## SCX1.5 FIELD-INSTALLED MUD-IN FLANGE-LESS RECESSED MOUNT KIT

CATALOG NO.	DESCRIPTION
<b>SCX1.5-MIFK-1FT</b>	2-4In SCX-1Ft Field-Installed Mud-In Flange-Less Recessed Mount Kit
<b>SCX1.5-MIFK-2FT</b>	2-4In SCX-2Ft Field-Installed Mud-In Flange-Less Recessed Mount Kit
<b>SCX1.5-MIFK-3FT</b>	2-4In SCX-3Ft Field-Installed Mud-In Flange-Less Recessed Mount Kit
<b>SCX1.5-MIFK-4FT</b>	2-4In SCX-4Ft Field-Installed Mud-In Flange-Less Recessed Mount Kit
<b>SCX1.5-MIFK-6FT</b>	2-4In SCX-6Ft Field-Installed Mud-In Flange-Less Recessed Mount Kit
<b>SCX1.5-MIFK-8FT</b>	2-4In SCX-8Ft Field-Installed Mud-In Flange-Less Recessed Mount Kit



## SCX & SCX2 & SCX4 FIELD-INSTALLED FLANGED RECESSED MOUNT DRYWALL KIT

CATALOG NO.	DESCRIPTION
<b>SCX-FMRK-1FT</b>	SCX-1Ft Field-Installed Flanged Recessed Mount Drywall Kit
<b>SCX-FMRK-2FT</b>	SCX-2Ft Field-Installed Flanged Recessed Mount Drywall Kit
<b>SCX-FMRK-3FT</b>	SCX-3Ft Field-Installed Flanged Recessed Mount Drywall Kit
<b>SCX-FMRK-4FT</b>	SCX-4Ft Field-Installed Flanged Recessed Mount Drywall Kit
<b>SCX-FMRK-6FT</b>	SCX-6Ft Field-Installed Flanged Recessed Mount Drywall Kit
<b>SCX-FMRK-8FT</b>	SCX-8Ft Field-Installed Flanged Recessed Mount Drywall Kit
<b>SCX2-FMRK-1FT</b>	SCX2-1Ft Field-Installed Flanged Recessed Mount Drywall Kit
<b>SCX2-FMRK-2FT</b>	SCX2-2Ft Field-Installed Flanged Recessed Mount Drywall Kit
<b>SCX2-FMRK-3FT</b>	SCX2-3Ft Field-Installed Flanged Recessed Mount Drywall Kit
<b>SCX2-FMRK-4FT</b>	SCX2-4Ft Field-Installed Flanged Recessed Mount Drywall Kit
<b>SCX2-FMRK-6FT</b>	SCX2-6Ft Field-Installed Flanged Recessed Mount Drywall Kit
<b>SCX2-FMRK-8FT</b>	SCX2-8Ft Field-Installed Flanged Recessed Mount Drywall Kit
<b>SCX4-FMRK-1FT</b>	SCX4-1Ft Field-Installed Flanged Recessed Mount Drywall Kit
<b>SCX4-FMRK-2FT</b>	SCX4-2Ft Field-Installed Flanged Recessed Mount Drywall Kit
<b>SCX4-FMRK-3FT</b>	SCX4-3Ft Field-Installed Flanged Recessed Mount Drywall Kit
<b>SCX4-FMRK-4FT</b>	SCX4-4Ft Field-Installed Flanged Recessed Mount Drywall Kit
<b>SCX4-FMRK-6FT</b>	SCX4-6Ft Field-Installed Flanged Recessed Mount Drywall Kit
<b>SCX4-FMRK-8FT</b>	SCX4-8Ft Field-Installed Flanged Recessed Mount Drywall Kit




## 2-4in SCX FIELD-INSTALLED MUD-IN FLANGE-LESS RECESSED MOUNT KIT

CATALOG NO.	DESCRIPTION
<b>SCX-MIFK-1FT</b>	2-4In SCX-1Ft Field-Installed Mud-In Flange-Less Recessed Mount Kit
<b>SCX-MIFK-2FT</b>	2-4In SCX-2Ft Field-Installed Mud-In Flange-Less Recessed Mount Kit
<b>SCX-MIFK-3FT</b>	2-4In SCX-3Ft Field-Installed Mud-In Flange-Less Recessed Mount Kit
<b>SCX-MIFK-4FT</b>	2-4In SCX-4Ft Field-Installed Mud-In Flange-Less Recessed Mount Kit
<b>SCX-MIFK-6FT</b>	2-4In SCX-6Ft Field-Installed Mud-In Flange-Less Recessed Mount Kit
<b>SCX-MIFK-8FT</b>	2-4In SCX-8Ft Field-Installed Mud-In Flange-Less Recessed Mount Kit



**T-BAR MOUNTED LINEAR**



SCXT INSTALLED ON T-BAR CEILING  
DRIVER MOUNTED ON TOP



SCXT SUSPENDED



2 SCXT-L2FT INSTALLED  
ON T-BAR CEILING

With T-BAR clips, ready to install on the grid  
Can also be suspended or surface mounted  
Can be linked (with endcaps on, not seamless) coupling bracket incl.  
With remote driver box, avail. 40W & 80W (sold separately) do not exceed max wattage of driver  
Each fixture supplied with 6FT RJ11 cable, which plugs into the driver box  
Driver box has 4 RJ11 Female sockets

**EXTERNAL DRIVER (ORDER SEPARATELY)**



SCXT-DRVK-RJ11  
ORDER ONE DRIVER PER FIXTURE  
(NOT INCLUDED)



SCXT-TGRID-DSP1



SCXT-CMP-RJ11



SCXT-RJ11-COUPPL



SCXT-TB916CK4



SCXT-PK



SCXT-SLC



SCXT-SLT



SCXT-SLX



SCXT-TB-DEEP



SCXT-TB-SLOTTED

SCXT-BK INSTALLED ON T-BAR CEILING  
DRIVER MOUNTED ON TOP

**1" WIDE LINEAR SERIES FOR DIRECT T-GRID MOUNTING OR SUSPENSION, POWER & CCT ADJ.**



CATALOG NO.	DESCRIPTION
SCXT-2FT-10-20W-MCTP-D-DL	10W/15W/20W 110LM/W 30K/35K/40K White, 2FT, Drop Lens, Can Adj. to 75% or 50%
SCXT-4FT-20-40W-MCTP-D-DL	20W/30W/40W 110LM/W 30K/35K/40K White, 4FT, Drop Lens, Can Adj. to 75% or 50%
SCXT-8FT-40-80W-MCTP-D-DL	40W/60W/80W 110LM/W 30K/35K/40K White, 8FT, Drop Lens, Can Adj. to 75% or 50%
SCXT-L2FT-20-40W-MCTP-D-DL	20W/30W/40W 110LM/W 30K/35K/40K White, 2FT, L-Shape, Drop Lens, Can Adj. to 75% or 50%
SCXT-1FT-5-10W-MCTP-D-FL	5W/7.5W/10W 110LM/W 30K/35K/40K White, 1FT, Flat Lens, Can Adj. to 75% or 50%
SCXT-2FT-10-20W-MCTP-D-FL	10W/15W/20W 110LM/W 30K/35K/40K White, 2FT, Flat Lens, Can Adj. to 75% or 50%
SCXT-4FT-20-40W-MCTP-D-FL	20W/30W/40W 110LM/W 30K/35K/40K White, 4FT, Flat Lens, Can Adj. to 75% or 50%
SCXT-8FT-40-80W-MCTP-D-FL	40W/60W/80W 110LM/W 30K/35K/40K White, 8FT, Flat Lens, Can Adj. to 75% or 50%
SCXT-L1FT-10-20W-MCTP-D-FL	10W/15W/20W 110LM/W 30K/35K/40K White, 1FT, L-Shape, Flat Lens, Can Adj. to 75% or 50%
SCXT-L2FT-20-40W-MCTP-D-FL	20W/30W/40W 110LM/W 30K/35K/40K White, 2FT, L-Shape, Flat Lens, Can Adj. to 75% or 50%
SCXT-IC1FT-10-20W-MCTP-D-FL	10W/15W/20W 110LM/W 30K/35K/40K White, Flat Lens, Can Adj. to 75% or 50%
SCXT-2FT-10-20W-MCTP-D-DL-BK	10W/15W/20W 110LM/W 30K/35K/40K Black, 2FT, Drop Lens, Can Adj. to 75% or 50%
SCXT-4FT-20-40W-MCTP-D-DL-BK	20W/30W/40W 110LM/W 30K/35K/40K Black, 4FT, Drop Lens, Can Adj. to 75% or 50%
SCXT-8FT-40-80W-MCTP-D-DL-BK	40W/60W/80W 110LM/W 30K/35K/40K Black, 8FT, Drop Lens, Can Adj. to 75% or 50%
SCXT-L2FT-20-40W-MCTP-D-DL-BK	20W/30W/40W 110LM/W 30K/35K/40K Black, 2FT, L-Shape, Drop Lens, Can Adj. to 75% or 50%
SCXT-2FT-10-20W-MCTP-D-FL-BK	10W/15W/20W 110LM/W 30K/35K/40K Black, 2FT, Flat Lens, Can Adj. to 75% or 50%
SCXT-4FT-20-40W-MCTP-D-FL-BK	20W/30W/40W 110LM/W 30K/35K/40K Black, 4FT, Flat Lens, Can Adj. to 75% or 50%
SCXT-8FT-40-80W-MCTP-D-FL-BK	40W/60W/80W 110LM/W 30K/35K/40K Black, 8FT, Flat Lens, Can Adj. to 75% or 50%
SCXT-L2FT-20-40W-MCTP-D-FL-BK	20W/30W/40W 110LM/W 30K/35K/40K Black, 2FT, L-Shape, Flat Lens, Can Adj. to 75% or 50%
OPT-SCXT-ULM-2FT-MCTP	2Ft Uplighting Factory-Installed Adder Option - Directs 30% Of Power To Up
OPT-SCXT-ULM-4FT-MCTP	4Ft Uplighting Factory-Installed Adder Option - Directs 30% Of Power To Up
OPT-SCXT-ULM-8FT-MCTP	8Ft Uplighting Factory-Installed Adder Option - Directs 30% Of Power To Up
SCXT-DRVK-RJ11-20W	SCXT Series 20W Driver Kit With Power & CCT Selection Switches
SCXT-DRVK-RJ11-40W	SCXT Series 40W Driver Kit With Power & CCT Selection Switches
SCXT-DRVK-RJ11-80W	SCXT Series 80W Driver Kit With Power & CCT Selection Switches
SCXT-TGRID-DSP1	SCXT Series T-Grid Driver Support Platform For Up To 80W Driver Kit
SCXT-TB916CK4	Set of 2 mounting clips for 9/16" T-bar ceilings, up to SCXT-4FT
SCXT-TB916CK8	Set of 3 mounting clips for 9/16" T-bar ceilings, SCXT-6FT & above
SCXT-CMP-RJ11-6FT	Comm. Multi-Purp. Extension Cable With RJ11 Ends - 6Ft
SCXT-CMP-RJ11-8FT	Comm. Multi-Purp. Extension Cable With RJ11 Ends - 8Ft
SCXT-CMP-RJ11-12FT	Comm. Multi-Purp. Extension Cable With RJ11 Ends - 12Ft
SCXT-CMP-RJ11-24FT	Comm. Multi-Purp. Extension Cable With RJ11 Ends - 24Ft
SCXT-RJ11-COUPPL	RJ11 Coupling Female To Female
SCXT-SLC	SCXT Swivel L Connector
SCXT-SLC-BK	SCXT Swivel L Connector Black
SCXT-SLT	SCXT-Swivel T Connector
SCXT-SLT-BK	SCXT-Swivel T Connector Black
SCXT-SLX	SCXT Swivel X Connector
SCXT-SLX-BK	SCXT Swivel X Connector Black
SCXT-PK	Pendant Kit For The Center Of Two SCXT Fixtures 7in Or 14in Drop Field-Installed
SCXT-PK-BK	Pendant Kit For The Center Of Two SCXT Fixtures 7in Or 14in Drop Field-Installed Bk
SCXT-TB-DEEP-CK4	SCXT Repl. Clip Kit For Deep Grids, For Up To 4Ft - Contains 2 Clips
SCXT-TB-DEEP-CK8	SCXT Repl. Clip Kit For Deep Grids, For Up To 8Ft - Contains 3 Clips
SCXT-TB-SLOTTED/BULLNOSE-CK4	SCXT Repl. Clip Kit For Slotted Or Bull-Nose Grids, For Up To 4Ft - Contains 2 Clips
SCXT-TB-SLOTTED/BULLNOSE-CK8	SCXT Repl. Clip Kit For Slotted Or Bull-Nose Grids, For Up To 8Ft - Contains 3 Clips

 **FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
SCXT	OPT-EM-SCXT	EXTERNAL	N/A	N/A	OPT-CLR-SCXT-2FT(BK/GR/SR/WH) OPT-CLR-SCXT-4FT(BK/GR/SR/WH) OPT-CLR-SCXT-8FT(BK/GR/SR/WH) OPT-CLR-SCXT-L2FT(BK/GR/SR/WH)	N/A	N/A



**SHOWN WITH  
RECESSED MOUNTING FLANGES  
SEE OPTION ON PAGE 154**



**SHOWN WITH  
SUSPENSION KIT**



**SCL-4CS10**

ADJ. 10FT 1/16in QUAD CABLE SUSP.  
CANOPY KIT, KEYHOLE CONNECTORS  
(NO CORD INCL.)



## 2.75IN SCX 2X2 & 2X4 LINEAR LIGHT

CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>SCX-2X2-40-80W-MCTP</b>	40W/60W/80W 110LM/W 30K/35K/40K/50K	1
<b>SCX-2X4-60-120W-MCTP</b>	60W/90W/120W 110LM/W 30K/35K/40K/50K	1



## FULL CIRCLE 10FT CHANDELIER, UP & DOWN RATIO ADJUSTABLE WITH CANOPY & CABLE

CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>SCXCF-D24UD-MCTP4</b>	20W/30W/40W 100LM/W 30K/35K/40K/50K 24" White	1
<b>SCXCF-D24UD-MCTP4-BK</b>	20W/30W/40W 100LM/W 30K/35K/40K/50K 24" Black	1
<b>SCXCF-D36UD-MCTP4</b>	60W/70W/80W 100LM/W 30K/35K/40K/50K 36" White	1
<b>SCXCF-D36UD-MCTP4-BK</b>	60W/70W/80W 100LM/W 30K/35K/40K/50K 36" Black	1
<b>SCXCF-D48UD-MCTP4</b>	80W/90W/100W 100LM/W 30K/35K/40K/50K 48" White	1
<b>SCXCF-D48UD-MCTP4-BK</b>	80W/90W/100W 100LM/W 30K/35K/40K/50K 48" Black	1



**1 QUARTER CIRCLE  
SHOWN WITH SUSPENSION KITS**



**CREATED WITH 4 QUARTER CIRCLES**



**CREATED WITH 4 QUARTER CIRCLES  
SHOWN WITH SUSPENSION KIT**



**SCL-3CS10**

ADJ. 10FT 1/16in TRIPLE-CABLE  
SUSPENSION CANOPY KIT WITH  
KEYHOLE END CONNECTORS  
(NO CORD INCL.)

## SCX QUARTER OF CIRCLE 4CCT

CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>SCXC-Q24-10W-MCT4</b>	10W 1100LM 30K/35K/40K/50K 24"	1
<b>SCXC-Q36-20W-MCT4</b>	20W 2200LM 30K/35K/40K/50K 36"	1
<b>SCXC-Q48-25W-MCT4</b>	25W 2750LM 30K/35K/40K/50K 48"	1





**HIGH-OUTPUT ROUND LINEAR CHANDELIER, UP/DOWN LIGHT WITH SEPARATE CONTROLS, POWER AND CCT ADJUSTABLE, 1-7/8" W CHANNEL**




CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>SRC-D24UD-MCTP-BK</b>	0W/40W/80W 65LM/W 30K/35K/40K Black	1
<b>SRC-D24UD-MCTP</b>	0W/40W/80W 65LM/W 30K/35K/40K	1
<b>SRC-D36UD-MCTP-BK</b>	0W/80W/120W 65LM/W 30K/35K/40K Black	1
<b>SRC-D36UD-MCTP</b>	0W/80W/120W 65LM/W 30K/35K/40K	1
<b>SRC-D48UD-MCTP-BK</b>	0W/120W/160W 65LM/W 30K/35K/40K Black	1
<b>SRC-D48UD-MCTP</b>	0W/120W/160W 65LM/W 30K/35K/40K	1

 **FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

WATTS	EM OPTION	DESCRIPTION	VANDAL RES.	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL	<b>OPT-EM-SRC</b>	INTERNAL	<b>N/A</b>	N/A	<b>N/A</b>	<b>N/A</b>	N/A

COMMERCIAL  
LINEAR LIGHTS

**SCX CUSTOM DESIGN QUOTES - CALL**  
we can do SCX custom design quotes. Please call for more info.





## WALL MOUNTING WITH 5 INCH ARMS (ADD-ON OPTION, DOES NOT INCLUDE FIXTURE)

CATALOG NO.	DESCRIPTION
-------------	-------------

ADD THIS OPTION TO THE FIXTURE AND WALL MOUNTING ARMS WITH WALL CANOPY WILL BE INSTALLED ON BACK OF FIXTURE. THE LENGTH OF EACH ARM IS 5". CONNECTION CABLES WILL ENTER THE FIXTURE THROUGH ONE OF THE ARMS. ON YOUR PURCHASE ORDER SPECIFY THE POSITION OF YOUR WIRE ENTRY FROM THE WALL AND THE ARM WILL BE INSTALLED ON THE BACK ACCORDINGLY.

<b>OPT-SCX-WMA-1FT</b>	1FT
<b>OPT-SCX-WMA-2FT</b>	2FT
<b>OPT-SCX-WMA-3FT</b>	3FT
<b>OPT-SCX-WMA-4FT</b>	4FT
<b>OPT-SCX-WMA-6FT</b>	6FT
<b>OPT-SCX-WMA-8FT</b>	8FT




## WALL MOUNTING (ADD-ON OPTION, DOES NOT INCLUDE FIXTURE)

CATALOG NO.	DESCRIPTION
-------------	-------------

ADD THIS OPTION TO THE FIXTURE AND WALL MOUNTING BRACKETS WILL BE INSTALLED ON BACK OF FIXTURE. CONNECTION CABLES WILL ENTER THE FIXTURE THROUGH ONE OF THESE WALL-MOUNTING BRACKETS. ON YOUR PURCHASE ORDER SPECIFY THE POSITION OF YOUR WIRE ENTRY FROM THE WALL AND THE BRACKETS WILL BE INSTALLED ON THE BACK ACCORDINGLY.

<b>OPT-SCX-WM-1FT</b>	1FT
<b>OPT-SCX-WM-2FT</b>	2FT
<b>OPT-SCX-WM-3FT</b>	3FT
<b>OPT-SCX-WM-4FT</b>	4FT
<b>OPT-SCX-WM-6FT</b>	6FT
<b>OPT-SCX-WM-8FT</b>	8FT
<b>OPT-SCXR-WM-4FT</b>	4FT
<b>OPT-SCXR-WM-8FT</b>	8FT



## SURFACE MOUNTING

### DESCRIPTION

YOU DO NOT NEED TO ORDER ANY ACCESSORIES. SCREW AND ANCHOR KIT PROVIDED WITH EACH FIXTURE CAN BE USED TO FASTEN THE FIXTURE DIRECTLY TO THE HARD SURFACE THROUGH THE HOLES ON TOP OF THE FIXTURE.

NOT APPLICABLE TO INDIRECT SERIES



## SCX CONTINUOUS FLEXIBLE LENS 25FT OR 100FT

CATALOG NO.	DESCRIPTION
-------------	-------------

<b>SCX-FLEXLENS-25FT</b>	25FT
<b>SCX-FLEXLENS-100FT</b>	100FT
<b>SCX2-FLEXLENS-25FT</b>	25FT
<b>SCX2-FLEXLENS-100FT</b>	100FT
<b>SCX4-FLEXLENS-25FT</b>	25FT
<b>SCX4-FLEXLENS-100FT</b>	100FT


## SUSPENSION ROD KITS

CATALOG NO.	DESCRIPTION
-------------	-------------



<b>SCL-RS-12</b>	12 INCH	Set of 2
<b>SCL-RS-18</b>	18 INCH	Set of 2
<b>SCL-RS-24</b>	24 INCH	Set of 2
<b>SCL-RS-36</b>	36 INCH	Set of 2
<b>SCL-RS-48</b>	48 INCH	Set of 2

NOT APPLICABLE TO INDIRECT, SCXR SERIES



## SCX INSTALLED ACOUSTIC OPTIONS - 9mm THICKNESS

CATALOG NO.	DESCRIPTION
-------------	-------------

<b>OPT-SCX-AK-2FT-9MM-HY2204</b>	2FT Dark Gray
<b>OPT-SCX-AK-4FT-9MM-HY2204</b>	4FT Dark Gray
<b>OPT-SCX-AK-6FT-9MM-HY2204</b>	6FT Dark Gray
<b>OPT-SCX-AK-8FT-9MM-HY2204</b>	8FT Dark Gray
<b>OPT-SCX-AK-2FT-9MM-HY2210</b>	2FT Dark Blue
<b>OPT-SCX-AK-4FT-9MM-HY2210</b>	4FT Dark Blue
<b>OPT-SCX-AK-6FT-9MM-HY2210</b>	6FT Dark Blue
<b>OPT-SCX-AK-8FT-9MM-HY2210</b>	8FT Dark Blue
<b>OPT-SCX4-AK-2FT-9MM-HY2204</b>	2FT Dark Gray
<b>OPT-SCX4-AK-4FT-9MM-HY2204</b>	4FT Dark Gray
<b>OPT-SCX4-AK-6FT-9MM-HY2204</b>	6FT Dark Gray
<b>OPT-SCX4-AK-8FT-9MM-HY2204</b>	8FT Dark Gray
<b>OPT-SCX4-AK-2FT-9MM-HY2210</b>	2FT Dark Blue
<b>OPT-SCX4-AK-4FT-9MM-HY2210</b>	4FT Dark Blue
<b>OPT-SCX4-AK-6FT-9MM-HY2210</b>	6FT Dark Blue
<b>OPT-SCX4-AK-8FT-9MM-HY2210</b>	8FT Dark Blue



SCX-WK01



SCX2-WK02



MAPLE



WALNUT




FRENCH  
OAK



EBONY

## WOOD TRIMS

CATALOG NO.	DESCRIPTION
OPT-SCX2-WK02-2FT-MAPLE	2FT -MAPLE FINISH
OPT-SCX2-WK02-4FT-MAPLE	4FT -MAPLE FINISH
OPT-SCX2-WK02-6FT-MAPLE	6FT -MAPLE FINISH
OPT-SCX2-WK02-8FT-MAPLE	8FT -MAPLE FINISH
OPT-SCX2-WK02-2FT-WALNUT	2FT -WALNUT FINISH
OPT-SCX2-WK02-4FT-WALNUT	4FT -WALNUT FINISH
OPT-SCX2-WK02-6FT-WALNUT	6FT -WALNUT FINISH
OPT-SCX2-WK02-8FT-WALNUT	8FT -WALNUT FINISH
OPT-SCX2-WK02-2FT-FREOAK	2FT -FRENCH OAK FINISH
OPT-SCX2-WK02-4FT-FREOAK	4FT -FRENCH OAK FINISH
OPT-SCX2-WK02-6FT-FREOAK	6FT -FRENCH OAK FINISH
OPT-SCX2-WK02-8FT-FREOAK	8FT -FRENCH OAK FINISH
OPT-SCX2-WK02-2FT-EBONY	2FT -EBONY FINISH
OPT-SCX2-WK02-4FT-EBONY	4FT -EBONY FINISH
OPT-SCX2-WK02-6FT-EBONY	6FT -EBONY FINISH
OPT-SCX2-WK02-8FT-EBONY	8FT -EBONY FINISH
OPT-SCX-WK01-2FT-MAPLE	2FT -MAPLE FINISH
OPT-SCX-WK01-4FT-MAPLE	4FT -MAPLE FINISH
OPT-SCX-WK01-6FT-MAPLE	6FT -MAPLE FINISH
OPT-SCX-WK01-8FT-MAPLE	8FT -MAPLE FINISH
OPT-SCX-WK01-2FT-WALNUT	2FT -WALNUT FINISH
OPT-SCX-WK01-4FT-WALNUT	4FT -WALNUT FINISH
OPT-SCX-WK01-6FT-WALNUT	6FT -WALNUT FINISH
OPT-SCX-WK01-8FT-WALNUT	8FT -WALNUT FINISH
OPT-SCX-WK01-2FT-FREOAK	2FT -FRENCH OAK FINISH
OPT-SCX-WK01-4FT-FREOAK	4FT -FRENCH OAK FINISH
OPT-SCX-WK01-6FT-FREOAK	6FT -FRENCH OAK FINISH
OPT-SCX-WK01-8FT-FREOAK	8FT -FRENCH OAK FINISH
OPT-SCX-WK01-2FT-EBONY	2FT -EBONY FINISH
OPT-SCX-WK01-4FT-EBONY	4FT -EBONY FINISH
OPT-SCX-WK01-6FT-EBONY	6FT -EBONY FINISH
OPT-SCX-WK01-8FT-EBONY	8FT -EBONY FINISH



## COLOR OF YOUR CHOICE

### CATALOG NO.

ADD THIS OPTION TO THE FIXTURE AND SPECIFY YOUR DESIRED COLOR ON YOUR PURCHASE ORDER OR PROVIDE A SWATCH TO MATCH. FOR PAINTED FLANGED FIXTURES OR OPTIONAL ROD MOUNTING SET PLEASE ALSO ADD THE RELEVANT OPTION BELOW FOR EACH FIXTURE.

- OPT-CLR-SCX-1FT(BK/GR/SR/WH)
- OPT-CLR-SCX-2FT(BK/GR/SR/WH)
- OPT-CLR-SCX-3FT(BK/GR/SR/WH)
- OPT-CLR-SCX-4FT(BK/GR/SR/WH)
- OPT-CLR-SCX-6FT(BK/GR/SR/WH)
- OPT-CLR-SCX-8FT(BK/GR/SR/WH)
- OPT-CLR-SCX-FMR(BK/GR/SR/WH)
- OPT-CLR-SCX-RODSET(BK/GR/SR/WH)
- OPT-CLR-SCX-CORNERS(BK/GR/SR/WH)
- OPT-CLR-SCL-RS(BK/GR/SR/WH)

## BLUE OR GREEN OR PURPLE ACCENT UPLIGHT

### CATALOG NO.

ADD THIS OPTION TO THE UPLIGHT OPTION TO GET BLUE OR GREEN ACCENT UPLIGHT. (UPLIGHT OPTION MUST BE INCLUDED)

- OPT-SCX-ULM-BU Blue
- OPT-SCX-ULM-GR Green
- OPT-SCX-ULM-PU Purple

## REDUCED WATTAGE/LUMENS (SPECIFY)

### CATALOG NO.

- OPT-SCX-WTD-2FT Wattage-Tunable Driver 2FT 10/15/20W
- OPT-SCX-WTD-3FT Wattage-Tunable Driver 3FT 15/22.5/30W
- OPT-SCX-WTD-4FT Wattage-Tunable Driver 4FT 20/30/40W
- OPT-SCX-WTD-6FT Wattage-Tunable Driver 6FT 30/45/60W
- OPT-SCX-WTD-8FT Wattage-Tunable Driver 8FT 40/60/80W

COMPATIBLE WITH SCX, SCX2 & SCX4 SERIES

## WALL MOUNTING WITH 5 INCH ARMS (ADD-ON OPTION, DOES NOT INCLUDE FIXTURE)

### CATALOG NO. DESCRIPTION


ADD THIS OPTION TO THE FIXTURE AND WALL MOUNTING ARMS WITH WALL CANOPY WILL BE INSTALLED ON BACK OF FIXTURE. THE LENGTH OF EACH ARM IS 5". CONNECTION CABLES WILL ENTER THE FIXTURE THROUGH ONE OF THE ARMS. ON YOUR PURCHASE ORDER SPECIFY THE POSITION OF YOUR WIRE ENTRY FROM THE WALL AND THE ARM WILL BE INSTALLED ON THE BACK ACCORDINGLY.

- OPT-SCX-WMA-1FT 1FT
- OPT-SCX-WMA-2FT 2FT
- OPT-SCX-WMA-3FT 3FT
- OPT-SCX-WMA-4FT 4FT
- OPT-SCX-WMA-6FT 6FT
- OPT-SCX-WMA-8FT 8FT

## DEDICATED WIRING FOR UPLIGHT CONTROL

### CATALOG NO. DESCRIPTION

- OPT-SCX-ULC-2FT-MCT4 2FT
- OPT-SCX-ULC-3FT-MCT4 3FT
- OPT-SCX-ULC-4FT-MCT4 4FT
- OPT-SCX-ULC-6FT-MCT4 6FT
- OPT-SCX-ULC-8FT-MCT4 8FT




## RECESSED MOUNT WITH VISIBLE FLANGES & SLIP-THROUGH BRACKET (ADD-ON OPTION, DOES NOT INCLUDE FIXTURE)

CATALOG NO.	DESCRIPTION
-------------	-------------

ADD THIS OPTION TO THE FIXTURE AND THE FIXTURE WILL BE EQUIPPED WITH A 1/2" WIDE FLANGE ON FOUR SIDES. ADVANCED DESIGN TOGGLE STYLE BRACKETS WILL ALSO BE PROVIDED, TO ADJUST AND HOLD THE FIXTURE AGAINST DRYWALL OR OTHER HARD CEILING FROM THE TOP. WHEN LINKING TO ANOTHER FIXTURE OR CORNER MODULE, CALL US OR SEND A COPY OF YOUR PLAN ALONG WITH YOUR PO AND FLANGES WILL BE REMOVED ON THOSE ENDS THAT NEED TO MAKE A SEAMLESS CONNECTION.

OPT-SCX-FMR-1FT	1FT
OPT-SCX-FMR-2FT	2FT
OPT-SCX-FMR-3FT	3FT
OPT-SCX-FMR-4FT	4FT
OPT-SCX-FMR-6FT	6FT
OPT-SCX-FMR-8FT	8FT
OPT-SCX-FMR-L	L
OPT-SCX-FMR-T	T
OPT-SCX-FMR-X	X
OPT-SCX-FMR-Y	Y
OPT-SCX-FMR-IC	INSIDE CORNER
OPT-SCX2-FMR-1FT	1FT
OPT-SCX2-FMR-2FT	2FT
OPT-SCX2-FMR-3FT	3FT
OPT-SCX2-FMR-4FT	4FT
OPT-SCX2-FMR-6FT	6FT
OPT-SCX2-FMR-8FT	8FT
OPT-SCX2-FMR-L	L
OPT-SCX2-FMR-T	T
OPT-SCX2-FMR-X	X
OPT-SCX2-FMR-Y	Y
OPT-SCX2-FMR-IC	INSIDE CORNER
OPT-SCX4-FMR-1FT	1FT
OPT-SCX4-FMR-2FT	2FT
OPT-SCX4-FMR-3FT	3FT
OPT-SCX4-FMR-4FT	4FT
OPT-SCX4-FMR-6FT	6FT
OPT-SCX4-FMR-8FT	8FT
OPT-SCX4-FMR-L	L
OPT-SCX4-FMR-T	T
OPT-SCX4-FMR-X	X
OPT-SCX4-FMR-Y	Y
OPT-SCX4-FMR-IC	INSIDE CORNER
OPT-SCX6-FMR-1FT	1FT
OPT-SCX6-FMR-2FT	2FT
OPT-SCX6-FMR-3FT	3FT
OPT-SCX6-FMR-4FT	4FT
OPT-SCX6-FMR-6FT	6FT
OPT-SCX6-FMR-8FT	8FT
OPT-SCX6-FMR-L	L
OPT-SCX6-FMR-T	T
OPT-SCX6-FMR-X	X
OPT-SCX6-FMR-Y	Y
OPT-SCX6-FMR-IC	INSIDE CORNER
OPT-SCX-FMR-2X2	2X2
OPT-SCX-FMR-2X4	2X4

NOT APPLICABLE TO INDIRECT, SCXR SERIES



## FLANGELESS RECESS MOUNT IN DRYWALL (MUD-IN) FOR SPACKLING (ADD-ON OPTION, DOES NOT INCLUDE FIXTURE)

CATALOG NO.	DESCRIPTION
-------------	-------------

ORDER THIS OPTION AND THE FIXTURE WILL BE EQUIPPED WITH MUD-IN BRACKETS ON ALL FOUR SIDES, MOUNTED AT 1/16" FROM THE LENS SURFACE (SPECIFY IF OTHER SPACING IS NEEDED). WHEN LINKING TO ANOTHER FIXTURE OR CORNER FIXTURE MODULE CALL US OR SEND A COPY OF YOUR PLAN ALONG WITH YOUR PO AND FLANGES WILL BE REMOVED ON THOSE ENDS THAT NEED TO MAKE A SEAMLESS CONNECTION.

OPT-SCX-MIF-1FT	1FT
OPT-SCX-MIF-2FT	2FT
OPT-SCX-MIF-3FT	3FT
OPT-SCX-MIF-4FT	4FT
OPT-SCX-MIF-6FT	6FT
OPT-SCX-MIF-8FT	8FT
OPT-SCX-MIF-2X2	2X2
OPT-SCX-MIF-2X4	2X4
OPT-SCX-MIF-L	L
OPT-SCX-MIF-T	T
OPT-SCX-MIF-X	X
OPT-SCX-MIF-Y	Y
OPT-SCX-MIF-IC	INSIDE CORNER

NOT APPLICABLE TO INDIRECT, SCXR SERIES



## FLANGELESS RECESSED INSTALLATION IN WOOD CEILING

DESCRIPTION
-------------

**YOU DO NOT NEED TO ORDER ANY ACCESSORIES.**

MAKE RECESSED PREPARATIONS BY INSTALLING A HORIZONTAL PLANK OF WOOD ON TOP OF THE WOOD CEILING AT RECESSED HEIGHT OF 3-3/8".

SCREW AND ANCHOR KIT PROVIDED WITH EACH FIXTURE CAN BE USED TO FASTEN THE TOP OF THE FIXTURE TO THE WOOD PLANK THROUGH THE HOLES ON TOP OF THE FIXTURE.

YOU CAN ALSO INSTALL VERTICAL WOOD BOARDS ON TOP OF THE CEILING AT THE EDGE OF THE OPENING AND OPEN THE FIXTURE AND PUT SCREWS THROUGH THE SIDES OF THE FIXTURE HOUSING TO FASTEN IT TO THE WOOD BOARDS.

NOT APPLICABLE TO INDIRECT, SCXR SERIES

## SCX TRIAC DIMMING

CATALOG NO.
-------------

OPT-SCX-1FT-TRIAC	SCX, SCX2, SCX4 1FT TRIAC DIMMING
OPT-SCX-2FT-TRIAC	SCX, SCX2, SCX4 2FT TRIAC DIMMING
OPT-SCX-3FT-TRIAC	SCX, SCX2, SCX4 3FT TRIAC DIMMING
OPT-SCX-4FT-TRIAC	SCX, SCX2, SCX4 4FT TRIAC DIMMING
OPT-SCX-6FT-TRIAC	SCX, SCX2, SCX4 6FT TRIAC DIMMING
OPT-SCX-8FT-TRIAC	SCX, SCX2, SCX4 8FT TRIAC DIMMING



NOT APPLICABLE TO INDIRECT, SCXR SERIES

## T-BAR INSTALLATION (ADD-ON OPTION, DOES NOT INCLUDE FIXTURE)

CATALOG NO.	DESCRIPTION
-------------	-------------

ADD THIS OPTION TO THE FIXTURE AND 1/2" WIDE FLANGES WILL BE INSTALLED ON THE TWO LONG SIDES OF THE FIXTURE. THE TWO ENDS OF THE FIXTURE WILL FALL ONTO THE T-BAR GRIDS AND WILL BE SUPPORTED THIS WAY. THE T-BAR TILES ON THE TWO SIDES OF THE FIXTURE MUST BE CUT TO ALLOW FOR THE WIDTH OF THE FIXTURE. THE TILES WILL FALL ONTO AND BE SUPPORTED BY THE FLANGES ON BOTH SIDES OF THE FIXTURE. IF YOU PLAN TO SUPPORT THE FIXTURE BY THE GRIDS ON THREE SIDES AND TILE ON ONE SIDE, CALL US OR SPECIFY ON YOUR PO AND FLANGE WILL BE INSTALLED ONLY ON ONE SIDE OF THE FIXTURE. TO PROVIDE SAFETY AND SUPPORT FROM THE BEAMS ABOVE THE T-BAR CEILING ORDER 10FT OR 20FT AIRCRAFT SUSPENSION KITS BELOW.

<b>OPT-SCX-TBAR-1FT</b>	1FT
<b>OPT-SCX-TBAR-2FT</b>	2FT
<b>OPT-SCX-TBAR-4FT</b>	4FT
<b>OPT-SCX-TBAR-6FT</b>	6FT
<b>OPT-SCX-TBAR-8FT</b>	8FT
<b>OPT-SCX4-TBAR-1FT</b>	1FT
<b>OPT-SCX4-TBAR-2FT</b>	2FT
<b>OPT-SCX4-TBAR-4FT</b>	4FT
<b>OPT-SCX4-TBAR-6FT</b>	6FT
<b>OPT-SCX4-TBAR-8FT</b>	8FT
<b>OPT-SCX-TBAR-2X2</b>	2X2
<b>OPT-SCX-TBAR-2X4</b>	2X4
<b>OPT-FWH-63</b>	6FT 3-WIRE FLEX WHIP
<b>OPT-FWH-65</b>	6FT 5-WIRE FLEX WHIP
<b>OPT-FWH-66</b>	6FT 6-WIRE FLEX WHIP

<b>SCL-GS10</b>	ADJ. 10FT 1/16in DOUBLE SUSPENSION CABLE WITH SINGLE KEYHOLE CONN., LOOP GRIPPER ON TOP
-----------------	---

<b>SCL-GS20</b>	ADJ. 20FT 1/16in DOUBLE SUSPENSION CABLE WITH SINGLE KEYHOLE CONN., LOOP GRIPPER ON TOP
-----------------	---

<b>SCL-GSY110</b>	ADJ. 10FT 1/16IN SINGLE SUSPENSION CABLE WITH Y HOOK ENDS, LOOP GRIPPER ON TOP
-------------------	--

<b>SCL-GSY120</b>	ADJ. 20FT 1/16IN SINGLE SUSPENSION CABLE WITH Y HOOK ENDS, LOOP GRIPPER ON TOP
-------------------	--



## WALL GRAZER ASSEMBLY KIT FOR SCX SCX2 SCX4

CATALOG NO.	DESCRIPTION
-------------	-------------

<b>OPT-SCX-WGRZR-1FT</b>	1FT Wall Grazer Kit
<b>OPT-SCX-WGRZR-2FT</b>	2FT Wall Grazer Kit
<b>OPT-SCX-WGRZR-3FT</b>	3FT Wall Grazer Kit
<b>OPT-SCX-WGRZR-4FT</b>	4FT Wall Grazer Kit
<b>OPT-SCX-WGRZR-6FT</b>	6FT Wall Grazer Kit
<b>OPT-SCX-WGRZR-8FT</b>	8FT Wall Grazer Kit



## EMERGENCY BATTERY BACKUP

CATALOG NO.	DESCRIPTION
-------------	-------------

ADD THIS OPTION FOR 90-MINUTE BATTERY BACKUP INSTALLATION. IF ORDERING A SERIES OF THIS FIXTURE TO LINK, CALL US OR SPECIFY ON YOUR PURCHASE ORDER, ON WHICH FIXTURES TO INSTALL THE BACKUP AND WHERE YOU WOULD LIKE THE TEST BUTTONS.

<b>OPT-EM-SCX</b>	1FT, 2FT, 3FT, 4FT, 6FT
<b>OPT-EM-SCX-8FT</b>	8FT
<b>OPT-EM-SCX2</b>	1FT, 2FT, 3FT, 4FT, 6FT
<b>OPT-EM-SCX2-8FT</b>	8FT
<b>OPT-EM-SCX4</b>	1FT, 2FT, 3FT, 4FT, 6FT
<b>OPT-EM-SCX4-8FT</b>	8FT
<b>OPT-EM-SCX6</b>	2FT, 3FT, 4FT, 6FT
<b>OPT-EM-SCX6-8FT</b>	8FT
<b>OPT-EM-SCX-2X2-2X4</b>	2X2, 2X4



## MICROWAVE BI-LEVEL MOTION SENSORS

CATALOG NO.	DESCRIPTION
-------------	-------------

THIS OPTION INSTALLS AN ADVANCED MOTION SENSOR THAT WILL TURN THE LIGHTS ON WHEN THE AREA IS OCCUPIED. WHEN THE AREA IS CLEARED, AFTER A PRESET HOLD TIME OF 5 SECONDS OR MORE, THE LIGHTS ARE DIMMED TO A STANDBY LEVEL OF 30% OR MORE. IF STILL NO MOTION IS DETECTED, AFTER THE STANDBY PERIOD, THE LIGHTS ARE TURNED OFF. ALL SETTINGS ARE PROGRAMMABLE WITH A REMOTE CONTROL.


<b>OPT-SEN-SCX-3MRLV-5</b>	PROGRAMMABLE MICROWAVE BI-LEVEL
<b>OPT-SEN-SCXR</b>	PROGRAMMABLE MICROWAVE BI-LEVEL FOR SCXR
<b>WEC-8RC</b>	OPTIONAL REMOTE CONTROL FOR SENSOR
<b>OPT-SEN-2US-DAYLIGHT INTERNAL FOR ALL MODELS</b>	MICROWAVE BI-LEVEL DIMMING (REMOTE NOT NEEDED) DAYLIGHT SENSOR
<b>OPT-SEN-SCX2</b>	PROGRAMMABLE MICROWAVE BI-LEVEL
<b>OPT-SEN-SCX4</b>	PROGRAMMABLE MICROWAVE BI-LEVEL
<b>OPT-SEN-SCX6</b>	PROGRAMMABLE MICROWAVE BI-LEVEL
<b>SCX-UVC-12W</b>	SCX ANTIVIRUS UVC SECTION 12W 280nm UV LIGHT WITH REVERSE-LOGIC SENSOR




**SCSSL**  
PC Lens  
shown with  
Round Endcap



**SCSSL-AP**  
Optic Lens  
Version




**SCSSL-AP**  
Optic Lens  
Version



**SCSSL**  
PC Lens  
shown with  
Round Endcap



**SCSSL-BK**  
PC Lens  
shown with  
Round Endcap



**SCSSL-AP-BK**  
Optic Lens  
Version



**SCSSL-CEC**  
White



**SCSSL-CEC-BK**  
Black



**SCSSL-REC**  
White




**SCSSL-REC-BK**  
Black

**ARCHITECTURAL 0.4" SLIM UP&DOWN /w SEPARATE CONTROLS LINEAR LIGHT  
POWER & CCT SELECTABLE - DUAL DIMMING**



CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER				PKG. QTY.
<b>ARCHITECTURAL 0.4" SLIM UP&amp;DOWN /w SEPARATE CONTROLS LINEAR LIGHT, PC LENS - POWER &amp; CCT SELECTABLE</b>						
<b>SCSSL-UD-4FT-MCTP</b>	10W/15W/20W 70LM/W 27K/30K/35K/40K/50K 4FT White					6
<b>SCSSL-UD-4FT-MCTP-BK</b>	10W/15W/20W 70LM/W 27K/30K/35K/40K/50K 4FT Black					6
<b>SCSSL-UD-6FT-MCTP</b>	15W/23W/30W 70LM/W 27K/30K/35K/40K/50K 6FT White					4
<b>SCSSL-UD-6FT-MCTP-BK</b>	15W/23W/30W 70LM/W 27K/30K/35K/40K/50K 6FT Black					4
<b>SCSSL-UD-8FT-MCTP</b>	20W/30W/40W 70LM/W 27K/30K/35K/40K/50K 8FT White					4
<b>SCSSL-UD-8FT-MCTP-BK</b>	20W/30W/40W 70LM/W 27K/30K/35K/40K/50K 8FT Black					4
<b>ARCHITECTURAL 0.4" SLIM UP&amp;DOWN /w SEPARATE CONTROLS LINEAR LIGHT, APERTURE OPTICS - POWER &amp; CCT SELECTABLE</b>						
<b>SCSSL-UD-AP-4FT-MCTP</b>	10W/15W/20W 80LM/W 27K/30K/35K/40K/50K 4FT White					6
<b>SCSSL-UD-AP-4FT-MCTP-BK</b>	10W/15W/20W 80LM/W 27K/30K/35K/40K/50K 4FT Black					6
<b>SCSSL-UD-AP-6FT-MCTP</b>	15W/23W/30W 80LM/W 27K/30K/35K/40K/50K 6FT White					4
<b>SCSSL-UD-AP-6FT-MCTP-BK</b>	15W/23W/30W 80LM/W 27K/30K/35K/40K/50K 6FT Black					4
<b>SCSSL-UD-AP-8FT-MCTP</b>	20W/30W/40W 80LM/W 27K/30K/35K/40K/50K 8FT White					4
<b>SCSSL-UD-AP-8FT-MCTP-BK</b>	20W/30W/40W 80LM/W 27K/30K/35K/40K/50K 8FT Black					4
<b>SCSSL-REC</b>	Scssl Rounded End Cap					
<b>SCSSL-REC-BK</b>	Scssl Rounded End Cap Black					
<b>SCSSL-CEC</b>	Scssl Coupling End Cap					
<b>SCSSL-CEC-BK</b>	Scssl Coupling End Cap Black					



**SCSSL-UD-BK**  
Black

**SCSSL-UD-AP-BK**  
Black

**SCSSL-AP**  
Optic Lens  
Version

**SCSSL**  
PC Lens  
shown with  
Round Endcap

**SCSSL-UD**  
White

**SCSSL-UD-AP**  
White

**SCSSL-CEC**

**SCSSL-WM**  
White

**SCSSL-WM**  
Black

**ARCHITECTURAL 0.7" (18mm) SLIM UP&DOWN /w SEPARATE CONTROLS  
LINEAR LIGHT - POWER & CCT SELECTABLE**




CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>ARCHITECTURAL 0.7" SLIM UP&amp;DOWN /w SEPARATE CONTROLS LINEAR LIGHT, PC LENS - POWER &amp; CCT SELECTABLE</b>		
<b>SCSSL-UD-4FT-MCTP</b>	20W/23W/26W/29W <b>90LM/W</b> 27K/30K/35K/40K/50K 4FT White	6
<b>SCSSL-UD-4FT-MCTP-BK</b>	20W/23W/26W/29W <b>90LM/W</b> 27K/30K/35K/40K/50K 4FT Black	6
<b>SCSSL-UD-6FT-MCTP</b>	30W/34W/37W/40W <b>90LM/W</b> 27K/30K/35K/40K/50K 6FT White	4
<b>SCSSL-UD-6FT-MCTP-BK</b>	30W/34W/37W/40W <b>90LM/W</b> 27K/30K/35K/40K/50K 6FT Black	4
<b>SCSSL-UD-8FT-MCTP</b>	40W/46W/52W/60W <b>90LM/W</b> 27K/30K/35K/40K/50K 8FT White	4
<b>SCSSL-UD-8FT-MCTP-BK</b>	40W/46W/52W/60W <b>90LM/W</b> 27K/30K/35K/40K/50K 8FT Black	4
<b>ARCHITECTURAL 0.7" SLIM UP&amp;DOWN /w SEPARATE CONTROLS LINEAR LIGHT, 36° APERTURE OPTICS - POWER &amp; CCT SELECTABLE</b>		
<b>SCSSL-UD-AP-4FT-MCTP</b>	20W/23W/26W/29W <b>90LM/W</b> 27K/30K/35K/40K/50K 4FT White	6
<b>SCSSL-UD-AP-4FT-MCTP-BK</b>	20W/23W/26W/29W <b>90LM/W</b> 27K/30K/35K/40K/50K 4FT Black	6
<b>SCSSL-UD-AP-6FT-MCTP</b>	30W/34W/37W/40W <b>90LM/W</b> 27K/30K/35K/40K/50K 6FT White	4
<b>SCSSL-UD-AP-6FT-MCTP-BK</b>	30W/34W/37W/40W <b>90LM/W</b> 27K/30K/35K/40K/50K 6FT Black	4
<b>SCSSL-UD-AP-8FT-MCTP</b>	40W/46W/52W/60W <b>90LM/W</b> 27K/30K/35K/40K/50K 8FT White	4
<b>SCSSL-UD-AP-8FT-MCTP-BK</b>	40W/46W/52W/60W <b>90LM/W</b> 27K/30K/35K/40K/50K 8FT Black	4
<b>ARCHITECTURAL 0.7" SLIM UP&amp;DOWN /w SEPARATE CONTROLS WALL SCNCE, 36° APERTURE OPTICS - CCT SELECTABLE</b>		
<b>SCSSL-WM-UD-AP-12-MCT</b>	7W <b>630LM</b> 27K/30K/35K/40K/50K 12" White	
<b>SCSSL-WM-UD-AP-12-MCT-BK</b>	7W <b>630LM</b> 27K/30K/35K/40K/50K 12" Black	
<b>SCSSL-WM-UD-AP-18-MCT</b>	15W <b>1350LM</b> 27K/30K/35K/40K/50K 18" White	
<b>SCSSL-WM-UD-AP-18-MCT-BK</b>	15W <b>1350LM</b> 27K/30K/35K/40K/50K 18" Black	
<b>SCSSL-WM-UD-AP-24-MCT</b>	20W <b>1800LM</b> 27K/30K/35K/40K/50K 24" White	
<b>SCSSL-WM-UD-AP-24-MCT-BK</b>	20W <b>1800LM</b> 27K/30K/35K/40K/50K 24" Black	
<b>SCSSL-REC</b>	SCSSL Rounded End Cap, White	
<b>SCSSL-REC-BK</b>	SCSSL Rounded End Cap, Black	
<b>SCSSL-CEC</b>	SCSSL Coupling End Cap, White	
<b>SCSSL-CEC-BK</b>	SCSSL Coupling End Cap, Black	


FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	VANDAL RES.	DESCRIPTION	PAINT	480V OPTION	DESCRIPTION
ALL	<b>OPT-EM-SCSSL-WH</b>	IN CANOPY	N/A	N/A	N/A	N/A	N/A
	<b>OPT-EM-SCSSL-BK</b>	IN CANOPY					

**Direct Light**



**Indirect Light**



**EURO-DESIGN DIE-CAST SUSPENDED LINEAR LIGHT, POWER & CCT SELECTABLE DIRECT OR INDIRECT - REVERSIBLE**



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>SCP-4FT-20-30W-MCTP</b>	20W/25W/30W <b>80LM/W</b> 3000K/3500K/4000K	12
<b>SCP-8FT-40-60W-MCTP</b>	40W/50W/60W <b>80LM/W</b> 3000K/3500K/4000K	12
<b>SCP-4FT-20-30W-MCTP-BK</b>	20W/25W/30W <b>80LM/W</b> 3000K/3500K/4000K	12
<b>SCP-8FT-40-60W-MCTP-BK</b>	40W/50W/60W <b>80LM/W</b> 3000K/3500K/4000K	12

FOR FACTORY-INSTALLED OPTIONS SEE BELOW SCPL PAGE 162



**POWER & CCT- ADJUSTABLE LINEAR TUBE DECORATIVE SUSP. LIGHT**



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>SDTL-4FT-20-30W-MCTP</b>	20W/25W/30W <b>105LM/W</b> 30K/35K/40K White	4
<b>SDTL-6FT-25-50W-MCTP</b>	25W/40W/50W <b>105LM/W</b> 30K/35K/40K White	4
<b>SDTL-8FT-40-60W-MCTP</b>	40W/50W/60W <b>105LM/W</b> 30K/35K/40K White	4
<b>SDTL-4FT-20-30W-MCTP-BK</b>	20W/25W/30W <b>105LM/W</b> 30K/35K/40K Black	4
<b>SDTL-6FT-25-50W-MCTP-BK</b>	25W/40W/50W <b>105LM/W</b> 30K/35K/40K Black	4
<b>SDTL-8FT-40-60W-MCTP-BK</b>	40W/50W/60W <b>105LM/W</b> 30K/35K/40K Black	4



Can be Installed Vertically



COMMERCIAL  
SUSPENDED  
LIGHTS

## SUSPENDED 360° COMMERCIAL TUBE LIGHTS, WATTAGE & CCT SELECTABLE

CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>ST360-2FT-MCTP-DD</b>	17W/19W/21W/23W 80LM/W 30K/35K/40K	1
<b>ST360-3FT-MCTP-DD</b>	25W/27W/29W/31W 80LM/W 30K/35K/40K	1
<b>ST360-4FT-MCTP-DD</b>	33W/35W/37W/39W 80LM/W 30K/35K/40K	1
<b>ST360-6FT-MCTP-DD</b>	50W/54W/58W/62W 80LM/W 30K/35K/40K	1
<b>ST360-8FT-MCTP-DD</b>	66W/70W/74W/78W 80LM/W 30K/35K/40K	1



## POWER & CCT-ADJUSTABLE LED SUSPENDED FRAME FIXTURES, 120-277V



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>SFL-4FT-60W-MCTP</b>	40W/50W/60W 7000LM 30K/35K/40K White	4
<b>SFL-4FT-60W-MCTP-BK</b>	40W/50W/60W 7000LM 30K/35K/40K Black	4
<b>SFL-4FT-60W-MCTP-GD</b>	40W/50W/60W 7000LM 30K/35K/40K Gold	4



**SCLP-4FT**  
White



**SCLT-4FT**  
White



**SCLP-4FT-BK**  
Black



**SCLT-4FT-BK**  
Black



**SCLP-CB**

**LED PARABOLIC SUSPENDED DOWN LIGHT, 120-277V**

Aluminum Finish



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>SCLP-4FT-40W-MCT-D</b>	40W <b>4600LM</b> 35K/40K/50K <b>MCT</b>	2
<b>SCLP-4FT-50W-MCTP-D</b>	35W/40W/50W <b>115LM/W</b> 35K/40K/50K <b>MTP</b>	2
<b>SCLP-4FT-50W-MCTP-D-BK</b>	35W/40W/50W <b>115LM/W</b> 35K/40K/50K <b>MTP</b>	2
<b>SCLT-4FT-40W-50K-D</b>	40W <b>4600LM</b> 5000K <b>WHILE SUPPLIES LAST</b>	2
<b>SCLT-4FT-40W-MCT-D</b>	40W <b>4600LM</b> 35K/40K/50K <b>MCT</b>	2
<b>SCLT-4FT-50W-MCTP-D</b>	30W/40W/50W <b>115LM/W</b> 35K/40K/50K <b>MTP</b>	2
<b>SCLT-4FT-50W-MCTP-D-BK</b>	30W/40W/50W <b>115LM/W</b> 35K/40K/50K <b>MTP</b>	2
<b>SCLP-CB</b>	COUPLING BRACKET	-

COMMERCIAL  
SUSPENDED LIGHTS

**FACTORY-INSTALLED OPTIONS. ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

WATTS	EM OPTION	DESCRIPTION	UP LIGHT	DESCRIPTION	PAINT	SURFACE MOUNT	DESCRIPTION
ALL MODELS	<b>OPT-EM-AC2EXT</b>	EXTERNAL	<b>OPT-SCLP-ULK</b>	UP LIGHT 20W, MCT	N/A	<b>OPT-SCLP-SURF</b>	SURFACE-MOUNT



**SCLP-UD-CB**

**LED PARABOLIC SUSPENDED PERH. BASKET & LOUVER UP/DOWN LIGHT, 120-277V**

White



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>SCLP-UD-4FT-60W-MCT-D</b>	<b>MCT</b> 40W/20W <b>4400LM/2100LM</b> 3500K/4000K/5000K	1
<b>SCLP-UD-CB</b>	COUPLING BRACKET	-

SUSPENSION KIT & CABLE NOT INCLUDED. SEE PAGES 170 TO 174, FOR FACTORY-INSTALLED OPTIONS SEE PAGE 162



**SCLL-CB**

**LED LINEAR SUSPENDED PERFORATED BASKET LIGHT (UP/DOWN)**

White



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>SCLL-UD-4FT-60W-50K-D</b>	40W/20W OR 60W <b>4400LM/2100LM</b> 5000K	1
<b>SCLL-UD-4FT-60W-40K-D</b>	40W/20W OR 60W <b>4400LM/2100LM</b> 4000K	1
<b>SCLL-UD-4FT-60W-35K-D</b>	40W/20W OR 60W <b>4400LM/2100LM</b> 3500K	1
<b>SCLL-CB</b>	COUPLING BRACKET	-

SUSPENSION KIT & CABLE NOT INCLUDED. SEE PAGES 153 TO 156, FOR FACTORY-INSTALLED OPTIONS SEE PAGE 162

4Ft



SCPP-DEC

LED SUSPENDED 2/3 LOUVER & PERF. CENTER BASKET LIGHT (UP/DOWN)



CATALOG NO.	DESCRIPTION	PKG. QTY.
SCPP-UD-4FT-60W-50K-D	40W/20W OR 60W 4400LM/2100LM 5000K	1
SCPP-UD-4FT-60W-40K-D	40W/20W OR 60W 4400LM/2100LM 4000K	1
SCPP-UD-4FT-60W-35K-D	40W/20W OR 60W 4400LM/2100LM 3500K	1
SCPP-DEC	DECORATIVE END CAP FOR SCPP	-

SUSPENSION KIT & CABLE NOT INCLUDED SEE PAGES 170 TO 174, FOR FACTORY-INSTALLED OPTIONS SEE SCPL-UD BELOW  
COUPLING CLIPS INCLUDED

4Ft



SCLP-UD-CB

LED SUSPENDED 2/3 PERFORATED BASKETLIGHT (UP/DOWN)

White



CATALOG NO.	DESCRIPTION	PKG. QTY.
SCPL-UD-4FT-60W-50K-D	40W/20W OR 60W 4400LM/2100LM 5000K	1
SCPL-UD-4FT-60W-40K-D	40W/20W OR 60W 4400LM/2100LM 4000K	1
SCPL-UD-4FT-60W-35K-D	40W/20W OR 60W 4400LM/2100LM 3500K	1
SCPL-UD-4FT-60W-MCT-D	60W 4400LM/2100LM 35K/40K/50K	1
SCLP-UD-CB	COUPLING BRACKET	-

SUSPENSION KIT & CABLE NOT INCLUDED SEE PAGES 170 TO 174

COMMERCIAL  
SUSPENDED  
LIGHTS

**FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

WATTS	EM OPTION	DESCRIPTION	UP/DOWN LIGHT	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
All	OPT-EM-SLIINT	INTERNAL	OPT-SCL-LMT-35K OPT-SCL-LMT-40K OPT-SCL-LMT-50K	UP/DOWN LIGHT MODULE	OPT-CLR-100 (BK/GR/SR/WH)	OPT-SEN-2US OPT-SEN-NLS-SCP OPT-SEN-KEILTON  WEC-3RC	MICROWAVE WG NETWORK SENSOR KEILTON NETWORK SENSOR  REMOTE CONTROL

4Ft



LED SUSPENDED UP/DOWN CLEAR PANEL LIGHT, 120-277V (SUSPENSION & CORD NOT INCL.)



CATALOG NO.	DESCRIPTION	PKG. QTY.
SPL-4FT-40W-50K-D	40W 2100LM/2100LM 5000K <b>WHILE SUPPLIES LAST</b>	2
SPL-4FT-40W-40K-D	40W 2100LM/2100LM 4000K <b>WHILE SUPPLIES LAST</b>	2
SPL-4FT-40W-MCT-D	40W 2100LM/2100LM 3500K/4000K/5000K <b>MCT</b>	2

SEE PAGES 170 TO 174 FOR SUSPENSION & CORD

**FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL MODELS	OPT-EM-SPL	EXTERNAL	N/A	N/A	N/A	N/A	N/A



**LED ARCHITECTURAL ROUND SUSPENDED DOWN LIGHT,**  
(WITH UP LIGHT OPTION, SEE FACTORY-INSTALLED OPTIONS BELOW)



CATALOG NO.	DESCRIPTION	PKG. QTY.
SCR-24D-40K-D	50W 5197LM 4000K <b>WHILE SUPPLIES LAST</b> 24" Dia	1
SCR-24D-MCTP-D	30W/40W/50W 60LM/W 3000K/3500K/4000K 24" Dia	1
SCR-32D-MCTP-D	40W/60W/80W 110LM/W 30K/35K/40K 32" Dia	1
SCR-48D-MCTP-D	60W/80W/100W 110LM/W 30K/35K/40K 48" Dia	1
SCR-24D-MCTP-SMB	Surface Mounting Bracket For SCR-24D-MCTP-D	
SCR-32D-MCTP-SMB	Surface Mounting Bracket For SCR-32D-MCTP-D	
SCR-48D-MCTP-SMB	Surface Mounting Bracket For SCR-48D-MCTP-D	

COMMERCIAL  
SUSPENDED LIGHTS

**FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

WATTS	UPLIGHT OPTION	DESCRIPTION	EM OPTION	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL MODELS	OPT-SCR-ULK	120V Installation Only	OPT-EM-SCR	EXTERNAL	N/A	OPT-SEN-2MDR-36 OPT-SEN-NLS-SCR OPT-SEN-KEILTON WEC-3RC	PROGRAMMABLE MICROWAVE BI-LEVEL WG NETWORK SENSOR KEILTON NETWORK SENSOR REMOTE CONTROL
		SCRH-UD-WH White		SCRH-UD-BK Black			SCRH-WS-WH White
							SCRH-WS-BK Black

**HOLLOW CIRCLE PENDANT OR WALL SCNCE WITH UPLIGHT**



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>18" HOLLOW CIRCLE PENDANT WITH UPLIGHT</b>		
SCRH-UD-18-MCT5-DD-WH	30W 50LM/W 27K/30K/35K/40K/50K White	1
SCRH-UD-18-MCT5-DD-BK	30W 50LM/W 27K/30K/35K/40K/50K Black	1
SCRH-UD-24-MCT5-DD-WH	40W 50LM/W 27K/30K/35K/40K/50K White	1
SCRH-UD-24-MCT5-DD-BK	40W 50LM/W 27K/30K/35K/40K/50K Black	1
SCRH-UD-36-MCT5-DD-WH	80W 50LM/W 27K/30K/35K/40K/50K White	1
SCRH-UD-36-MCT5-DD-BK	80W 50LM/W 27K/30K/35K/40K/50K Black	1
<b>8" HOLLOW CIRCLE WALL SCNCE WITH UPLIGHT - 120V</b>		
SCRH-WS-WH	10W 500LM 27K/30K/35K/40K/50K White	
SCRH-WS-BK	10W 500LM 27K/30K/35K/40K/50K Black	

**LED SUSPENDED UP/DOWN CLEAR ROUND PANEL LIGHT, 22" DIA., 6FT HEIGHT**



CATALOG NO.	DESCRIPTION	PKG. QTY.
SRPL-40W-35K-D	40W 2100LM/2100LM 3500K <b>WHILE SUPPLIES LAST</b>	1
SRPL-40W-40K-D	40W 2100LM/2100LM 4000K <b>WHILE SUPPLIES LAST</b>	1
SRPL-40W-50K-D	40W 2100LM/2100LM 5000K <b>WHILE SUPPLIES LAST</b>	1
SRPL-40W-MCT-D	40W 2100LM/2100LM 3500K/4000K/5000K <b>MCT5</b>	1

**FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL MODELS	OPT-EM-SRPL	INTERNAL	N/A	N/A	N/A	OPT-SEN-2MDR-36 OPT-SEN-NLS-SRPL OPT-SEN-KEILTON WEC-3RC	PROGRAMMABLE MICROWAVE BI-LEVEL WG NETWORK SENSOR KEILTON NETWORK SENSOR REMOTE CONTROL



**POB-UD-3FT-45W-40K-D**  
**POB-UD-4FT-60W-40K-D**



**POB-F-3FT-40W**



**POB-HB-3FT-50W**



**POB-VB-3FT-56W**



**PATIENT OVERBED HEALTHCARE LIGHT WITH PULL CHAIN AND INDICATOR LIGHT**

CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>POB-UD-3FT-45W-40K-D</b>	15W UP 35W DOWN 5175LM 4000K 3FT	4
<b>POB-UD-4FT-60W-40K-D</b>	20W UP 40W DOWN 6900LM 4000K 4FT	4
<b>POB-F-3FT-40W</b>	20W UP 20W DOWN 2800LM 27K/30K/40K 3FT	4
<b>POB-HB-3FT-56W</b>	20W UP 36W DOWN 2800LM 27K/30K/40K 3FT	4
<b>POB-VB-3FT-56W</b>	20W UP 36W DOWN 2800LM 27K/30K/40K 3FT	4

**FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**


WATTS	EM OPTION	DESCRIPTION	UP/DOWN LIGHT	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
All	<b>OPT-EM-SLIINT</b>	INTERNAL	<b>OPT-SCL-LMT-35K</b> <b>OPT-SCL-LMT-40K</b> <b>OPT-SCL-LMT-50K</b>	UP/DOWN LIGHT MODULE	<b>OPT-CLR-100 (BK/GR/SR/WH)</b>	<b>OPT-SEN-2US</b> <b>OPT-SEN-NLS-SCP</b> <b>OPT-SEN-KEILTON</b> <b>WEC-3RC</b>	MICROWAVE WG NETWORK SENSOR KEILTON NETWORK SENSOR REMOTE CONTROL



**3FT FLAT WALL LIGHT, SEPARATE UP AND DOWN CONTROLS - DUAL DIMMING**



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>WCF-UD-EFT-36W-MCTP-DD-BK</b>	36W 2800LM 27K/30K/40K Black	1
<b>WCF-UD-EFT-36W-MCTP-DD-WH</b>	36W 2800LM 27K/30K/40K White	1



**LED LOUVER WALL LIGHTS (UP/DOWN)** FOR FACTORY-INSTALLED EM OPTIONS SEE PAGE 162



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>WCLP-UD-2FT-25W-MCT-D</b>	25W 2750LM 3000K/4000K/5000K 2FT	1
<b>WCLP-UD-4FT-50W-MCT-D</b>	50W 5500LM 3000K/4000K/5000K 4FT	1



**LED PERFORATED WALL LIGHTS (UP/DOWN)** FOR FACTORY-INSTALLED EM OPTIONS SEE PAGE 162




CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>WCPL-UD-2FT-25W-MCT-D</b>	25W 2750LM 3000K/4000K/5000K 2FT	1
<b>WCPL-UD-4FT-50W-MCT-D</b>	50W 5500LM 3000K/4000K/5000K 4FT	1





COMMERCIAL

STRIP LIGHTS



**SPEC SERIES HIGH-LUMEN CCT & POWER ADJUSTABLE LINEAR STRIP**



CATALOG NO.	DESCRIPTION	PKG. QTY.
LSS-2FT-25W-MCTP	15W/17W/20W/25W 130LM/W 35K/40K/50K	6
LSS-4FT-34W-MCTP	24W/27W/30W/34W 130LM/W 35K/40K/50K	6
LSS-4FT-46W-MCTP	29W/34W/39W/46W 130LM/W 35K/40K/50K	6
LSS-8FT-90W-MCTP	85W/75W/65W/55W 130LM/W 35K/40K/50K	6
LSS-2FT-25W-MCTP-BK	15W/17W/20W/25W 130LM/W 35K/40K/50K Black	6
LSS-4FT-46W-MCTP-BK	29W/34W/39W/46W 130LM/W 35K/40K/50K Black	6
LSS-8FT-90W-MCTP-BK	85W/75W/65W/55W 130LM/W 35K/40K/50K Black	6
LSS-CB2	Alignment Bracket for long runs	
LSS-CB2-BK	Alignment Bracket for long runs, Black Finish	
SCL-CSY1-6FT	Adj. 6Ft 1/16In, 1.5mm Single Suspension 5In Canopy Set With Y Double Keyhole End Connectors, Non Power Side	
SCL-CSY1P-6FT	Adj. 6Ft 1/16In, 1.5mm Single Suspension 5In Canopy Set With Y Double Keyhole End Connectors, Power Side With SjtW18/5 White Cord	
SCL-CSY1P-6FT-NC	Adj. 6Ft 1/16In, 1.5mm Single Suspension 5In Canopy Set With Y Double Keyhole End Connector	
SCL-GSY10	Adjustable 10 Ft. 1/16", 1.5mm Suspension Kit With Y-Connector & Loop Grip & Hooks(2)	
SCL-GSY20	Adjustable 20 Ft. 1/16", 1.5mm Suspension Kit With Y-Connector & Loop Grip & Hooks(2)	
SCL-TBTC-WN	T-Bar Track Clip With Washer And Wing Nut	

**FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

WATTS	EM OPTION	DESCRIPTION	PLUG IN CORD	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
2FT & 3FT	OPT-EM-LSS-23	INTERNAL	OPT-HBC-125TL-WH	8FT, 15A, 125V, WHITE	N/A	OPT-SEN-2US	MICROWAVE
4FT	OPT-EM-LSS-4	INTERNAL	OPT-HBC-277TL-WH	8FT, 15A, 277V, WHITE		OPT-SEN-NLS-LSS	WG NETWORK SENSOR
8FT	OPT-EM-LSS-8	INTERNAL	OPT-HBC-125SB-WH	10FT, 15A, 125V, 18/35STR, WHT		OPT-SEN-KEILTON	KEILTON NETWORK SENSOR
	FLEX WHIP	DESCRIPTION				WEC-3RC	(REMOTE NOT NEEDED)
	OPT-FWH-63	6FT 3-Wire Whip				OPT-2P-58	OPTIONAL RC
	OPT-FWH-65	6FT 5-Wire Whip					PIR SENSOR (Not remote capable)



**BUILDER SERIES NARROW STRIP, 120-277VAC**

CATALOG NO.	DESCRIPTION	PKG. QTY.
-------------	-------------	-----------

**NARROW STRIP, 120-277VAC**

LSN-2FT-20W-MCT-D	MCTP 20W 2600LM 3500K/4000K/5000K	8
LSN-4FT-32W-35K-D	32W 4160LM 3500K	8
LSN-4FT-32W-40K-D	32W 4160LM 4000K	8
LSN-4FT-32W-50K-D	32W 4160LM 5000K	8
LSN-4FT-40W-35K-D	40W 5200LM 3500K	8
LSN-4FT-40W-40K-D	40W 5200LM 4000K	8
LSN-4FT-40W-50K-D	40W 5200LM 5000K	8
LSN-4FT-40W-MCTP-D	MCTP 25W/30W/40W 130LM/W 3500K/4000K/5000K	8
LSN-4FT-40W-MCTP5-D	MCTP 25W/30W/40W 130LM/W 30K/35K/40K/50K/60K	8
LSN-8FT-64W-40K-D	64W 8320LM 4000K	4
LSN-8FT-64W-50K-D	64W 8320LM 5000K	4
LSN-8FT-50W-MCTP-D	MCTP 30W/40W/50W 130LM/W 3500K/4000K/5000K	4
LSN-8FT-80W-MCTP-D	MCTP 50W/64W/80W 130LM/W 3500K/4000K/5000K	4
LSN-8FT-80W-MCTP5-D	MCTP 50W/64W/80W 130LM/W 30K/35K/40K/50K/60K	5

**NARROW STRIP WITH SENSOR (SENSOR CAN BE DISCONNECTED), 120-277VAC**

LSN-2FT-20W-MCT-D-SEN	20W 2600LM 3500K/4000K/5000K	8
LSN-4FT-40W-MCTP-D-SEN	25W/30W/40W 130LM/W 3500K/4000K/5000K	8
LSN-8FT-80W-MCTP-D-SEN	50W/64W/80W 130LM/W 3500K/4000K/5000K	4


**NARROW STRIP WITH SENSOR (SENSOR CAN BE DISCONNECTED) & EMERGENCY BACKUP, 120-277VAC**

LSN-2FT-20W-MCT-D-EM-SEN	20W 2600LM 3500K/4000K/5000K	8
LSN-4FT-40W-MCTP-D-EM-SEN	25W/30W/40W 130LM/W 3500K/4000K/5000K	8
LSN-8FT-80W-MCTP-D-EM-SEN	50W/64W/80W 130LM/W 3000K/4000K/5000K	4

LSN-CB	Alignment Bracket for long runs	
LSN-2FT-WG	Wire Guard Kit For 2ft LSN Strip Light	
LSN-4FT-WG	Wire Guard Kit For 4ft OR Set of 2 For 8 ft LSN Strip Light	
SCL-TBTC-WN	T-Bar Track Clip With Washer And Wing Nut	
WEC-3RC	Remote Control For Motion Sensors ( For Sensor Fixtures )	
SCL-CSY1-6FT	Adj. 6Ft 1/16In, 1.5mm Single Suspension 5In Canopy Set With Y Double Keyhole End Connectors, Non Power Side	
SCL-CSY1P-6FT	Adj. 6Ft 1/16In, 1.5mm Single Suspension 5In Canopy Set With Y Double Keyhole End Connectors, Power Side With SjtW18/5 White Cord	
SCL-CSY1P-6FT-NC	Adj. 6Ft 1/16In, 1.5mm Single Suspension 5In Canopy Set With Y Double Keyhole End Connector	
SCL-GSY10	Adjustable 10 Ft. 1/16", 1.5mm Suspension Kit With Y-Connector & Loop Grip & Hooks(2)	
SCL-GSY20	Adjustable 20 Ft. 1/16", 1.5mm Suspension Kit With Y-Connector & Loop Grip & Hooks(2)	

**FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

WATTS	EM OPTION	DESCRIPTION	PLUG IN CORD	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
2FT & 3FT	OPT-EM-LSN-23	INTERNAL	OPT-HBC-125TL-WH	8FT, 15A, 125V.WHITE	N/A	OPT-SEN-2US	MICROWAVE
4FT	OPT-EM-LSN-4	INTERNAL	OPT-HBC-277TL-WH	8FT, 15A, 277V.WHITE		OPT-SEN-NLS-LSN	WG NETWORK SENSOR
8FT	OPT-EM-LSN-8	INTERNAL	OPT-HBC-125SB-WH	10FT, 15A, 125V/18/35STR.WHT		OPT-SEN-KEILTON	KEILTON NETWORK SENSOR
	FLEX WHIP	DESCRIPTION				WEC-3RC	(REMOTE NOT NEEDED)
	OPT-FWH-63	6FT 3-Wire Whip				OPT-2P-58	OPTIONAL RC
	OPT-FWH-65	6FT 5-Wire Whip					PIR SENSOR (Not remote capable)



**SPEC SERIES LED STRIP LIGHT, 120-277V, (FOR SENSOR MODELS: SENSOR CAN BE DISCONNECTED)**



	CATALOG NO.	DESCRIPTION	PKG. QTY.
2 Ft	LSL-2FT-20W-35K-D	20W 2100LM 3500K 2FT	1
	LSL-2FT-20W-40K-D	20W 2100LM 4000K 2FT	1
	LSL-2FT-20W-50K-D	20W 2100LM 5000K 2FT	1
3 Ft	LSL-2FT-20W-MCT-D	20W 2270LM 35K/40K/50K 2FT	1
	LSL-3FT-30W-MCT-D	30W 3150LM 35K/40K/50K 3FT	1
	LSL-4FT-40W-35K-D	40W 4200LM 3500K 4FT	1
4 Ft	LSL-4FT-40W-40K-D	40W 4200LM 4000K 4FT	1
	LSL-4FT-40W-50K-D	40W 4200LM 5000K 4FT	1
	LSL-4FT-40W-MCT-D	40W 4200LM 35K/40K/50K 4FT	1
6 Ft	LSL-6FT-60W-MCT-D	60W 7300LM 35K/40K/50K 6FT	1
	LSL-8FT-80W-40K-D-A	80W 8400LM 4000K 8FT	1
	LSL-8FT-80W-50K-D-A	80W 8400LM 5000K 8FT	1
8 Ft	LSL-8FT-80W-40K-D	80W 8400LM 4000K 8FT	1
	LSL-8FT-80W-50K-D	80W 8400LM 5000K 8FT	1
	LSL-8FT-80W-MCT-D	80W 8400LM 35K/40K/50K 8FT	1
8 Ft	LSL-8FT-84W-40K-D-HL	84W 11000LM 4000K 8FT	1
	LSL-8FT-84W-50K-D-HL	84W 11000LM 5000K 8FT	1
	LSL-8FT-84W-MCT-D-HL	84W 11000LM 35K/40K/50K 8FT	1
QUICK SHIP	LSL-2FT-20W-MCT-D-SEN	20W 2100LM 35K/40K/50K 2FT	1
	LSL-4FT-40W-MCT-D-SEN	40W 4200LM 35K/40K/50K 4FT	1
	LSL-8FT-80W-MCT-D-SEN	80W 8400LM 35K/40K/50K 8FT	1
QUICK SHIP	LSL-2FT-20W-MCT-D-EM-SEN	20W 2100LM 35K/40K/50K 2FT	1
	LSL-4FT-40W-MCT-D-EM-SEN	40W 4200LM 35K/40K/50K 4FT	1
	LSL-8FT-80W-MCT-D-EM-SEN	80W 8400LM 35K/40K/50K 8FT	1
	LSL-2FT-WG	Wire Guard Kit For 2Ft. Strip Light	
	LSL-4FT-WG	Wire Guard Kit For 4Ft. Strip Light	
	LSL-4FT-WK	Shop Wings For 4Ft. Strip Light, Use 2 Kits For Lsl-8Ft	
	SCL-TBTC-WN	T-Bar Track Clip With Washer And Wing Nut	
	SCL-TBC-WN	T-Bar Clip With Suspension Hole On Top, Wing Nut And Washer Incl	
	LSL-CB	Alignment Bracket for long runs	
	SCL-CSY1-6FT	Adj. 6Ft 1/16In, 1.5mm Single Suspension 5In Canopy Set With Y Double Keyhole End Connectors, Non Power Side	
	SCL-CSY1P-6FT	Adj. 6Ft 1/16In, 1.5mm Single Suspension 5In Canopy Set With Y Double Keyhole End Connectors, Power Side With SjtW18/5 White Cord	
	SCL-CSY1P-6FT-NC	Adj. 6Ft 1/16In, 1.5mm Single Suspension 5In Canopy Set With Y Double Keyhole End Connector	
	SCL-GSY10	Adjustable 10 Ft. 1/16", 1.5mm Suspension Kit With Y-Connector & Loop Grip & Hooks(2)	
	SCL-GSY20	Adjustable 20 Ft. 1/16", 1.5mm Suspension Kit With Y-Connector & Loop Grip & Hooks(2)	
	WEC-3RC	Remote Control For Motion Sensors ( For Sensor Fixtures )	

FOR FACTORY-INSTALLED OPTIONS SEE NEXT PAGE

(SAME FOOTPRINT AS STANDARD 4' 2L FLUOR. STRIPS)

**FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

WATTS	EM OPTION	DESCRIPTION	PLUG IN CORD	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
2FT & 3FT	<b>OPT-EM-LSL-23</b>	INTERNAL	<b>OPT-HBC-125TL-WH</b>	8FT, 15A, 125V,WHITE	N/A	<b>OPT-SEN-2US</b>	MICROWAVE
4FT	<b>OPT-EM-LSL-4</b>	INTERNAL	<b>OPT-HBC-277TL-WH</b>	8FT, 15A, 277V,WHITE		<b>OPT-SEN-NLS-LSL</b>	WG NETWORK SENSOR
8FT	<b>OPT-EM-LSL-8</b>	INTERNAL	<b>OPT-HBC-125SB-WH</b>	10FT, 15A, 125V,18/3STR,WHT		<b>OPT-SEN-KEILTON</b>	KEILTON NETWORK SENSOR
	<b>FLEX WHIP</b>	DESCRIPTION				<b>WEC-3RC</b>	(REMOTE NOT NEEDED)
	<b>OPT-FWH-63</b>	6FT 3-Wire Whip				<b>OPT-2P-58</b>	OPTIONAL RC
	<b>OPT-FWH-65</b>	6FT 5-Wire Whip					PIR SENSOR (Not remote capable)

2Ft



4Ft



Add EM and/or Sensor Options to use as Stairwell Fixtures

**2FT & 4FT POWER & CCT ADJUSTABLE LINEAR CORNER CORRIDOR**



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>LCL-2FT-20W-MCTP</b>	10W/15W/20W 115LM/W 3500K/4000K/5000K	6
<b>LCL-4FT-40W-MCTP</b>	20W/30W/40W 115LM/W 3500K/4000K/5000K	6
<b>POWER &amp; CCT ADJUSTABLE LINEAR CORNER CORRIDOR WITH BI-LVL SENSOR &amp; EMERGENCY BACKUP</b>		
<b>LCL-2FT-20W-MCTP-EM-SEN</b>	10W/15W/20W 115LM/W 35K/40K/50K	6
<b>LCL-4FT-40W-MCTP-EM-SEN</b>	20W/30W/40W 115LM/W 35K/40K/50K	6

**FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

WATTS	EM OPTION	DESCRIPTION	PLUG IN CORD	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL MODELS	<b>OPT-EM-LCL</b>	INTERNAL	<b>OPT-HBC-125TL-WH</b>	8FT, 15A, 125V,WHITE	N/A	<b>OPT-SEN-2US</b>	MICROWAVE
			<b>OPT-HBC-277TL-WH</b>	8FT, 15A, 277V,WHITE		<b>OPT-SEN-NLS-LCL</b>	WG NETWORK SENSOR
			<b>OPT-HBC-125SB-WH</b>	10FT, 15A, 125V,18/3STR,WHT		<b>OPT-SEN-KEILTON</b>	KEILTON NETWORK SENSOR
						<b>WEC-3RC</b>	(REMOTE NOT NEEDED)
						<b>OPT-2P-58</b>	OPTIONAL RC

**LED-READY 4FT 2-LAMP WRAP - LAMPS NOT ICL.**

CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER	PKG. QTY.
<b>WASLR-4FT-2L-NL</b>	Led-Ready 4Ft 2-Lamp Wrap - No Lamps		1



**LRSL SERIES WITH CLEAR OR FROSTED LED T8 LAMPS**

NO PARTIAL/MUST SHIP CASE QTY.

CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>LRSL-4FT-2L-6PK-40K-C</b>	18W 2200LM 4000K per lamp 4FT 2 LAMPS (Inc)	6
<b>LRSL-8FT-T4L-6PK-40K-C</b>	18W 2200LM 4000K per lamp 8FT 4 LAMPS (Inc)	6
<b>LRSL-4FT-2L-6PK-50K-C</b>	18W 2200LM 5000K per lamp 4FT 2 LAMPS (Inc)	6
<b>LRSL-8FT-T4L-6PK-50K-C</b>	18W 2200LM 5000K per lamp 8FT 4 LAMPS (Inc)	6
<b>LRSL-4FT-2L-6PK-40K-F</b>	18W 2200LM 4000K per lamp 4FT 2 LAMPS (Inc)	6
<b>LRSL-8FT-T4L-6PK-40K-F</b>	18W 2200LM 4000K per lamp 8FT 4 LAMPS (Inc)	6
<b>LRSL-4FT-2L-6PK-50K-F</b>	18W 2200LM 5000K per lamp 4FT 2 LAMPS (Inc)	6
<b>LRSL-8FT-T4L-6PK-50K-F</b>	18W 2200LM 5000K per lamp 8FT 4 LAMPS (Inc)	6



**4FT. & 8FT. LED-READY STRIP LIGHTS - DIRECT AC INPUT 120-277V FOR TYPE B (AC) T8 (CAN ALSO BE USED AS 4FT 1L OR 8FT 2L) WITHOUT LAMP** NO PARTIAL/MUST SHIP CASE QTY.

CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>LRSL-4FT-2L-6PK</b>	<b>4FT</b> 2 LAMPS (Not Included)	6
<b>LRSL-8FT-T4L-6PK</b>	<b>8FT</b> 4 LAMPS (Not Included)	6

**LED SHOP LIGHT, 120V WITH PLUG-IN CORD**



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>4ft LSP-4FT-40W-40K</b>	<b>40W 4400LM 4000K</b> WITH ADJUSTABLE SUSPENSION CABLE	4

**LED STANDARD WRAP-AROUND FIXTURE, 120-277V**



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>4ft WAS-4FT-42W-35K-D</b>	42W <b>4400LM</b> 3500K 4FT	1
<b>WAS-4FT-42W-50K-D</b>	42W <b>4400LM</b> 5000K 4FT	1
<b>WAS-4FT-MCTP</b>	22W/30W/38W <b>130LM/W</b> 30K/40K/50K 4FT	1

FOR FACTORY-INSTALLED OPTIONS SEE WA BELOW



**MODERN SURFACE CEILING LIGHT - DUAL DIM - 5CCT**



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>CCL-2FT-MCT5-DD</b>	18W/24W/30W <b>100LM/W</b> 27K/30K/35K/40K/50K 2FT	1
<b>CCL-2FT-MCT5-DD-BK</b>	18W/24W/30W <b>100LM/W</b> 27K/30K/35K/40K/50K 2FT, Black	1
<b>CCL-4FT-MCT5-DD</b>	36W/48W/60W <b>100LM/W</b> 27K/30K/35K/40K/50K 4FT	1
<b>CCL-4FT-MCT5-DD-BK</b>	36W/48W/60W <b>100LM/W</b> 27K/30K/35K/40K/50K 4FT, Black	1

**FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL	<b>OPT-EM-CCL</b>	External Box	<b>N/A</b>	N/A	<b>N/A</b>	<b>N/A</b>	N/A

**SPEC SERIES LED ARCHITECTURAL WRAP-AROUND LIGHT**



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>SPEC SERIES LED ARCHITECTURAL WRAP-AROUND LIGHT</b> <span style="float: right;"><b>WHILE SUPPLIES LAST</b></span>		
<b>2ft WA-2FT-25W-35K-D</b>	25W <b>2750LM</b> 3500K 2FTx8.2"	5
<b>WA-2FT-25W-50K-D</b>	25W <b>2750LM</b> 5000K 2FTx8.2"	5
<b>4ft WA-2FT-25W-MCT-D</b>	25W <b>2800LM</b> 35K/40K/50K 2FTx8.2"	
<b>SPEC SERIES POWER &amp; CCT ADJUSTABLE LED ARCHITECTURAL WRAP-AROUND LIGHT</b> <span style="float: right;"><b>MCTP</b></span>		
<b>WA-2FT-10-20W-MCTP</b>	10W/15W/20W <b>110LM/W</b> 35K/40K/50K 4FTx8.2"	
<b>WA-4FT-20-40W-MCTP</b>	20W/30W/40W <b>110LM/W</b> 35K/40K/50K 4FTx8.2"	

**FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL MODELS	<b>OPT-EM-WA</b>	INTERNAL	<b>N/A</b>	N/A	<b>N/A</b>	<b>OPT-2P-58</b> <b>OPT-SEN-2MDR-36</b> <b>OPT-SEN-NLS-WA</b> <b>OPT-SEN-KEILTON</b> <b>WEC-3RC</b>	PIR SENSOR (Not remote capable) PROGRAMMABLE MICROWAVE BI-LEVEL WG NETWORK SENSOR KEILTON NETWORK SENSOR REMOTE CONTROL

COMMERCIAL STRIP & WRAP AROUND



**BUILDER SERIES LED ECONOMY WRAP-AROUND FIXTURES, 5.4" WIDE**

MCTP\*: MULTI COLOR TEMPERATURE & MULTI POWER



	CATALOG NO.	DESCRIPTION	PKG. QTY.
	<b>LED ECONOMY WRAP-AROUND FIXTURES, 0-10V DIMMING</b>		
4Ft	WAE-4FT-30K-D	40W 3000K	6
	WAE-4FT-40K-D	40W 4000K	6
	WAE-4FT-50K-D	40W 5000K	6
	<b>CCT ADJUSTABLE LED ECONOMY WRAP-AROUND FIXTURES, 0-10V &amp; TRIAC DIMMING</b>		
2Ft	WAE-2FT-MCT-DD	20W 3000K/4000K/5000K 120-277V	6
4Ft	WAE-4FT-MCT-DD	40W 3000K/4000K/5000K 120-277V	6
	<b>CCT5 ADJUSTABLE LED ECONOMY WRAP-AROUND FIXTURES, 0-10V</b>		
4Ft	WAE-4FT-40W-MCT5-D	40W 27K/30K/35K/40K/50K	6
	<b>POWER &amp; CCT ADJUSTABLE LED ECONOMY WRAP-AROUND FIXTURE</b>		
4Ft	WAE-4FT-40-65W-MCTP-DD	40W/50W/65W 30K/40K/50K	
8Ft	WAE-8FT-MCTP-DD	48W/64W/80W 27K/30K/35K/40K/50K	1
4Ft	<b>POWER &amp; CCT ADJUSTABLE LED ECONOMY WRAP-AROUND FIXTURE WITH REMOTE CONTROL</b>		
	WAE-4FT-MCTP	40W Max. 2700K-5000K	6 Remote Control incl.
	<b>CCT ADJUSTABLE LED ECONOMY WRAP-AROUND FIXTURES WITH SENSOR (SENSOR CAN BE DISCONNECTED), 0-10V &amp; TRIAC DIMMING</b>		
	WAE-2FT-MCT-DD-SEN	20W 3000K/4000K/5000K	
	WAE-4FT-MCT-DD-SEN	40W 3000K/4000K/5000K	
	WAE-8FT-MCTP-DD-SEN	48W/64W/80W 27K/30K/35K/40K/50K	1
	WEC-3RC	Remote Control For Motion Sensors ( For Sensor Fixtures )	
	<b>CCT ADJUSTABLE LED ECONOMY WRAP-AROUND FIXTURES WITH SENSOR (SENSOR CAN BE DISCONNECTED) &amp; EMERGENCY BACKUP, 0-10V &amp; TRIAC DIMMING</b>		
	WAE-2FT-MCT-DD-EM-SEN	20W 3000K/4000K/5000K	
	WAE-4FT-MCT-DD-EM-SEN	40W 3000K/4000K/5000K	
	WAE-8FT-MCTP-DD-EM-SEN	48W/64W/80W 27K/30K/35K/40K/50K	1
	WEC-3RC	Remote Control For Motion Sensors ( For Sensor Fixtures )	
2Ft	<b>CCT ADJUSTABLE LED ECONOMY WRAP-AROUND FIXTURES, TRIAC DIMMING</b> <b>WHILE SUPPLIES LAST</b>		
	WAE-2FT-MCT-DT	20W 3000K/4000K/5000K	6



**BUILDER SERIES LED ECONOMY WIDE (10") WRAP-AROUND FIXTURES**



	CATALOG NO.	DESCRIPTION	PKG. QTY.
	WAEW-4FT-30-50W-MCTP-D	30W/40W/50W 120LM/W 30K/40K/50K	4
	WAEW-4FT-30-50W-MCTP-D-SEN	30W/40W/50W 120LM/W 30K/40K/50K	4
	WAEW-4FT-30-50W-MCTP-D-EM-SEN	30W/40W/50W 120LM/W 30K/40K/50K	4

**LINEAR PUFF FIXTURE, SELECTABLE POWER & CCT, DUAL DIMMING TRIAC & 0-10V**



	CATALOG NO.	DESCRIPTION
	LPF-2FT-MCT-DD	25W 2250LM 30K/40K/50K 2FT
	LPF-4FT-MCT-DD	40W 3600LM 30K/40K/50K 4FT

COMMERCIAL  
WRAP AROUND

# GRIP & SUSPENSION ACCESSORIES

## COMPATIBLE SERIES

SCX (SINGLE KEYHOLE)/LSL, LSS ("Y" END & HOOK OR "Y" END & TOGGLE)/SCLP, SCLP-UD, SCLL, SCPP, SCX6 ("Y" END & KEYHOLE) & 2FT, 3FT, 4FT FIXTURES NEED 2 SUSPENSION & CABLES (2 ON ENDS)/6FT & 8FT FIXTURES NEED 3 SUSPENSION & CABLES (1 IN CENTER, 2 ON ENDS)



### SCL-CSK-6FT

ADJ. 6FT 1/16in SUSPENSION CANOPY COMPLETE KIT FOR BOTH SIDES WITH KEYHOLE END CONNECTORS



### SCL-CSK-12FT

ADJ. 12FT 1/16in SUSPENSION CANOPY COMPLETE KIT FOR BOTH SIDES WITH KEYHOLE END CONNECTORS



### SCL-CSK-20FT

ADJ. 20ft 1/16in SUSPENSION CANOPY COMPLETE KIT FOR BOTH SIDES WITH KEYHOLE END CONNECTORS



### SCL-CSK-6FT-BK

ADJ. 6FT 1/16in SUSPENSION CANOPY COMPLETE KIT FOR BOTH SIDES WITH KEYHOLE END CONNECTORS, BLACK



### SCL-CSK-12FT-BK

ADJ. 12FT 1/16in SUSPENSION CANOPY COMPLETE KIT FOR BOTH SIDES WITH KEYHOLE END CONNECTORS, BLACK



### SCL-CSK-20FT-BK

ADJ. 20ft 1/16in SUSPENSION CANOPY COMPLETE KIT FOR BOTH SIDES WITH KEYHOLE END CONNECTORS BLACK



### SCL-CSMK-6FT

ADJ. 6FT 1/16in SUSPENSION CANOPY COMPLETE KIT WITH MINI NON-POWR CANOPY KEYHOLE END CONNECTORS



### SCL-CSMK-12FT

ADJ. 12FT 1/16in SUSPENSION CANOPY COMPLETE KIT WITH MINI NON-POWR CANOPY KEYHOLE END CONNECTORS



### SCL-CSMK-20FT

ADJ. 20ft 1/16in SUSPENSION CANOPY COMPLETE KIT WITH MINI NON-POWR CANOPY KEYHOLE END CONNECTORS



### SCL-CSMK-6FT-BK

ADJ. 6FT 1/16in SUSPENSION CANOPY COMPLETE KIT WITH MINI NON-POWR CANOPY KEYHOLE END CONNECTORS BLACK



### SCL-CSMK-12FT-BK

ADJ. 12FT 1/16in SUSPENSION CANOPY COMPLETE KIT WITH MINI NON-POWR CANOPY KEYHOLE END CONNECTORS BLACK



### SCL-CSMK-20FT-BK

ADJ. 20ft 1/16in SUSPENSION CANOPY COMPLETE KIT WITH MINI NON-POWR CANOPY KEYHOLE END CONNECTORS BLACK



### SCL-CSKC-6FT

ADJ. 6FT 1/16in SUSPENSION CANOPY COMPLETE KIT WITH DECOR NON-POWER CEILING ATTACHMENT - KEYHOLE ENDS



### SCL-CSKC-12FT

ADJ. 12FT 1/16in SUSPENSION CANOPY COMPLETE KIT WITH DECOR NON-POWER CEILING ATTACHMENT - KEYHOLE ENDS



### SCL-CSKC-20FT

ADJ. 20FT 1/16in SUSPENSION CANOPY COMPLETE KIT WITH DECOR NON-POWER CEILING ATTACHMENT - KEYHOLE ENDS



### SCL-CSKC-6FT-BK

ADJ. 6FT 1/16in SUSPENSION CANOPY COMPLETE KIT WITH DECOR NON-POWER CEILING ATTACHMENT - KEYHOLE ENDS BLACK



### SCL-CSKC-12FT-BK

ADJ. 12FT 1/16in SUSPENSION CANOPY COMPLETE KIT WITH DECOR NON-POWER CEILING ATTACHMENT - KEYHOLE ENDS BLACK



### SCL-CSKC-20FT-BK

ADJ. 20FT 1/16in SUSPENSION CANOPY COMPLETE KIT WITH DECOR NON-POWER CEILING ATTACHMENT - KEYHOLE ENDS BLACK



### SCL-CS1-6FT

ADJ. 6FT 1/16in, 1.5mm SINGLE SUSPENSION 5in CANOPY SET WITH KEYHOLE END CONNECTOR, NON-POWER SIDE



### SCL-CS1-12FT

ADJ. 12FT 1/16in, 1.5mm SINGLE SUSPENSION 5in CANOPY SET WITH KEYHOLE END CONNECTOR, NON-POWER SIDE



### SCL-CS1-20FT

ADJ. 20FT 1/16in SINGLE SUSPENSION CANOPY SET WITH KEYHOLE END CONNECTOR, NON-POWER SIDE



### SCL-CS1-6FT-BK

BLACK ADJ. 6FT 1/16in, 1.5mm SINGLE SUSPENSION 5in CANOPY SET WITH KEYHOLE END CONNECTOR, NON-POWER SIDE



### SCL-CS1-12FT-BK

BLACK ADJ. 12FT 1/16in, 1.5mm SINGLE SUSPENSION 5in CANOPY SET WITH KEYHOLE END CONNECTOR, NON-POWER SIDE



### SCL-CS1-20FT-BK

ADJ. 20FT 1/16in SINGLE SUSPENSION CANOPY SET WITH KEYHOLE END CONNECTOR, NON-POWER SIDE, BLACK



### SCL-CS1P-6FT

ADJ. 6FT 1/16in, 1.5mm SINGLE SUSPENSION 5in CANOPY SET WITH KEYHOLE END CONNECTOR, POWER SIDE WITH SJTW18/5 WHITE CORD



### SCL-CS1P-12FT

ADJ. 12FT 1/16in, 1.5mm SINGLE SUSPENSION 5in CANOPY SET WITH KEYHOLE END CONNECTOR, POWER SIDE WITH CORD



### SCL-CS1P-20FT

ADJ. 20FT 1/16in SINGLE SUSPENSION CANOPY SET WITH KEYHOLE END CONNECTOR, POWER SIDE WITH SJTW18/5 WHITE CORD



### SCL-CS1P-6FT-BK

BLACK ADJ. 6FT 1/16in, 1.5mm SINGLE SUSPENSION 5in CANOPY SET WITH KEYHOLE END CONNECTOR, POWER SIDE WITH SJTW18/5 BLACK CORD



### SCL-CS1P-12FT-BK

BLACK ADJ. 12FT 1/16in, 1.5mm SINGLE SUSPENSION 5in CANOPY SET WITH KEYHOLE END CONNECTOR WITH CORD



### SCL-CS1P-20FT-BK

ADJ. 20FT 1/16in SINGLE SUSPENSION CANOPY SET WITH KEYHOLE END CONNECTOR, POWER SIDE WITH SJTW18/5 WHITE CORD, BLACK



### SCL-CS1P-6FT-NC

ADJ. 6FT 1/16in, 1.5mm SINGLE SUSPENSION 5in CANOPY SET WITH KEYHOLE END CONNECTOR, POWER SIDE WITHOUT CORD



### SCL-CS1P-12FT-NC

ADJ. 12FT 1/16in, 1.5mm SINGLE SUSPENSION 5in CANOPY SET WITH KEYHOLE END CONNECTOR, POWER SIDE WITHOUT CORD



### SCL-CS1P-20FT-NC

ADJ. 20FT 1/16in SINGLE SUSPENSION CANOPY SET WITH KEYHOLE END CONNECTOR, POWER SIDE, WITHOUT CORD



### SCL-CS1P-6FT-NC-BK

BLACK ADJ. 6FT 1/16in, 1.5mm SINGLE SUSPENSION 5in CANOPY SET WITH KEYHOLE END CONNECTOR, POWER SIDE WITHOUT CORD



### SCL-CS1P-12FT-NC-BK

BLACK ADJ. 12FT 1/16in, 1.5mm SINGLE SUSPENSION 5in CANOPY SET WITH KEYHOLE END CONNECTOR WITHOUT CORD



### SCL-CS1P-20FT-NC-BK

ADJ. 20FT 1/16in SINGLE SUSPENSION CANOPY SET WITH KEYHOLE END CONNECTOR, POWER SIDE, WITHOUT CORD, BLACK



OPT-SCL-XLENGTH

LABOR CHARGE FOR CUSTOM CABLE LENGTH, SPECIFY DESIRED LENGTH IN PO. MUST PURCHASE SUFFICIENT ROLLS OF AIRCRAFT CABLE & POWER CORD SEE PAGE 173

# GRIP & SUSPENSION ACCESSORIES

COMMERCIAL  
SUSPENSION  
ACCESSORIES



**SCL-CSQMK-6FT**

ADJ. 6FT 1/16in SUSPENSION CANOPY COMPLETE SQ KIT WITH **MINI** NON-POWR CANOPY KEYHOLE END CONNECTORS



**SCL-CSQMK-12FT**

ADJ. 12FT 1/16in SUSPENSION CANOPY COMPLETE SQ KIT WITH **MINI** NON-POWR CANOPY KEYHOLE END CONNECTORS



**SCL-CSQMK-20FT**

ADJ. 20FT 1/16in SUSPENSION CANOPY COMPLETE SQ KIT WITH **MINI** NON-POWR CANOPY KEYHOLE END CONNECTORS



**SCL-CSQMK-6FT-BK**

ADJ. 6FT 1/16in SUSPENSION CANOPY COMPLETE SQ KIT WITH **MINI** NON-POWR CANOPY KEYHOLE END CONNECTORS, BLACK




**SCL-CSQMK-12FT-BK**

ADJ. 12FT 1/16in SUSPENSION CANOPY COMPLETE SQ KIT WITH **MINI** NON-POWR CANOPY KEYHOLE END CONNECTORS BLACK



**SCL-CSQMK-20FT-BK**

ADJ. 20FT 1/16in SUSPENSION CANOPY COMPLETE SQ KIT WITH **MINI** NON-POWR CANOPY KEYHOLE END CONNECTORS BLACK



**SCL-CSQ1-6FT**

ADJ. 6FT 1/16in, 1.5mm SINGLE SQUARE SUSPENSION 5in CANOPY SET WITH KEYHOLE END CONNECTOR, NON-POWER SIDE



**SCL-CSQ1-12FT**

ADJ. 12FT 1/16in, 1.5mm SINGLE SQUARE SUSPENSION 5in CANOPY SET WITH KEYHOLE END CONNECTOR, NON-POWER SIDE



**SCL-CSQ1-20FT**

ADJ. 20FT 1/16in SINGLE SQUARE SUSPENSION CANOPY SET WITH KEYHOLE END CONNECTOR, NON-POWER SIDE



**SCL-CSQ1-6FT-BK**

ADJ. 6FT 1/16in, 1.5mm SINGLE SQUARE SUSPENSION 5in CANOPY SET WITH KEYHOLE END CONNECTOR, NON-POWER SIDE, BLACK



**SCL-CSQ1-12FT-BK**

ADJ. 12FT 1/16in, 1.5mm SINGLE SQUARE SUSPENSION 5in CANOPY SET WITH KEYHOLE END CONNECTOR, NON-POWER SIDE, BLACK



**SCL-CSQ1-20FT-BK**

ADJ. 20FT 1/16in SINGLE SQUARE SUSPENSION CANOPY SET WITH KEYHOLE END CONNECTOR, NON-POWER SIDE, BLACK



**SCL-CSQ1P-6FT**

ADJ. 6FT 1/16in, 1.5mm SINGLE SQUARE SUSPENSION 5in CANOPY SET WITH KEYHOLE END CONNECTOR, POWER SIDE, WITH CORD



**SCL-CSQ1P-12FT**

ADJ. 12FT 1/16in, 1.5mm SINGLE SQUARE SUSPENSION 5in CANOPY SET WITH KEYHOLE END CONNECTOR, POWER SIDE, WITH CORD



**SCL-CSQ1P-20FT**

ADJ. 20FT 1/16in SINGLE SQUARE SUSPENSION CANOPY SET WITH KEYHOLE END CONNECTOR, POWER SIDE, KIT



**SCL-CSQ1P-6FT-BK**

ADJ. 6FT 1/16in, 1.5mm SINGLE SQUARE SUSPENSION 5in CANOPY SET WITH KEYHOLE END CONNECTOR, POWER SIDE, WITH CORD, BLACK



**SCL-CSQ1P-12FT-BK**

ADJ. 12FT 1/16in, 1.5mm SINGLE SQUARE SUSPENSION 5in CANOPY SET WITH KEYHOLE END CONNECTOR, POWER SIDE, WITH CORD, BLACK



**SCL-CSQ1P-20FT-BK**

ADJ. 20FT 1/16in SINGLE SQUARE SUSPENSION CANOPY SET WITH KEYHOLE END CONNECTOR, POWER SIDE, KIT, BLACK



**SCL-CSQ1P-6FT-NC**

ADJ. 6FT 1/16in, 1.5mm SINGLE SQUARE SUSPENSION 5in CANOPY SET WITH KEYHOLE END CONNECTOR, POWER SIDE, WITHOUT CORD



**SCL-CSQ1P-12FT-NC**

ADJ. 12FT 1/16in, 1.5mm SINGLE SQUARE SUSPENSION 5in CANOPY SET WITH KEYHOLE END CONNECTOR, POWER SIDE, WITHOUT CORD



**SCL-CSQ1P-20FT-NC**

ADJ. 20FT 1/16in SINGLE SQUARE SUSPENSION CANOPY SET WITH KEYHOLE END CONNECTOR, POWER SIDE, WITHOUT CORD



**SCL-CSQ1P-6FT-NC-BK**

ADJ. 6FT 1/16in, 1.5mm SINGLE SQUARE SUSPENSION 5in CANOPY SET WITH KEYHOLE END CONNECTOR, POWER SIDE, WITHOUT CORD, BLACK



**SCL-CSQ1P-12FT-NC-BK**

ADJ. 12FT 1/16in, 1.5mm SINGLE SQUARE SUSPENSION 5in CANOPY SET WITH KEYHOLE END CONNECTOR, POWER SIDE, WITHOUT CORD, BLACK



**SCL-CSQ1P-20FT-NC-BK**

ADJ. 20FT 1/16in SINGLE SQUARE SUSPENSION CANOPY SET WITH KEYHOLE END CONNECTOR, POWER SIDE, WITHOUT CORD, BLACK



**SCL-CCK-6FT**

ADJ. 6FT 1/16in SUSPENSION WIRE WITH DECOR CEILING ATTACHMENT - KEYHOLE END



**SCL-CCK-12FT**

ADJ. 12FT 1/16in SUSPENSION WIRE WITH DECOR CEILING ATTACHMENT - KEYHOLE END



**SCL-CCK-20FT**

ADJ. 20FT 1/16in SUSPENSION WIRE WITH DECOR CEILING ATTACHMENT - KEYHOLE END



**SCL-CCK-6FT-BK**

ADJ. 6FT 1/16in SUSPENSION WIRE WITH DECOR CEILING ATTACHMENT - KEYHOLE END BLACK



**SCL-CCK-12FT-BK**

ADJ. 12FT 1/16in SUSPENSION WIRE WITH DECOR CEILING ATTACHMENT - KEYHOLE END BLACK



**SCL-CCK-20FT-BK**

ADJ. 20FT 1/16in SUSPENSION WIRE WITH DECOR CEILING ATTACHMENT - KEYHOLE END BLACK



**SCL-CS1M-6FT**

ADJ. 6FT 1/16in, 1.5mm SINGLE SUSPENSION 2in **MINI** CANOPY SET WITH KEYHOLE END CONNECTOR, NON-POWER SIDE



**SCL-CS1MP-6FT-BK**

ADJ. 6FT 1/16in, 1.5mm SINGLE SUSPENSION 2in **MINI** CANOPY SET WITH KEYHOLE END CONNECTOR, POWER SIDE WITH SJTW18/5 WHITE CORD, BLACK



**SCL-CS1MP-6FT**

ADJ. 6FT 1/16in, 1.5mm SINGLE SUSPENSION 2in **MINI** CANOPY SET WITH KEYHOLE END CONNECTOR, POWER SIDE WITH SJTW18/5 WHITE CORD



**SCL-CS1M-6FT-BK**

ADJ. 6FT 1/16in, 1.5mm SINGLE SUSPENSION 2in **MINI** CANOPY SET WITH KEYHOLE END CONNECTOR, NON-POWER SIDE, BLACK

# GRIP & SUSPENSION ACCESSORIES



**SCL-CSYK-6FT**

ADJ. 6FT 1/16in SUSPENSION CANOPY COMPLETE KIT FOR BOTH SIDES - KEYHOLE Y END CONNECTORS



**SCL-CSYK-12FT**

ADJ. 12FT 1/16in SUSPENSION CANOPY COMPLETE KIT FOR BOTH SIDES - KEYHOLE Y END CONNECTORS



**SCL-CSYK-20FT**

ADJ. 20FT 1/16in SUSPENSION CANOPY COMPLETE KIT FOR BOTH SIDES - KEYHOLE Y END CONNECTORS



**SCL-CSYK-12FT-BK**

ADJ. 12FT 1/16in SUSPENSION CANOPY COMPLETE KIT FOR BOTH SIDES - KEYHOLE Y END CONNECTORS BLACK



**SCL-CSYK-6FT-BK**

ADJ. 6FT 1/16in SUSPENSION CANOPY COMPLETE KIT FOR BOTH SIDES - KEYHOLE Y END CONNECTORS BLACK




**SCL-CSYK-20FT-BK**

ADJ. 20FT 1/16in SUSPENSION CANOPY COMPLETE KIT FOR BOTH SIDES - KEYHOLE Y END CONNECTORS BLACK



**SCL-CSY1-6FT**

ADJ. 6FT 1/16in, 1.5mm SINGLE SUSPENSION 5in CANOPY SET WITH Y DOUBLE KEYHOLE END CONNECTORS, NON-POWER SIDE



**SCL-CSY1P-6FT**

ADJ. 6FT 1/16in, 1.5mm SINGLE SUSPENSION 5in CANOPY SET WITH Y DOUBLE KEYHOLE END CONNECTORS, POWER SIDE WITH SJTW18/5 WHITE CORD



**SCL-CSY1P-6FT-NC**

ADJ. 6FT 1/16in, 1.5mm SINGLE SUSPENSION 5in CANOPY SET WITH Y DOUBLE KEYHOLE END CONNECTORS



**SCL-CSY1-12FT**

ADJ. 12FT 1/16in, 1.5mm SINGLE SUSPENSION 5in CANOPY SET WITH Y DOUBLE KEYHOLE END CONNECTORS, NON-POWER SIDE




**SCL-CSY1P-12FT**

ADJ. 12FT 1/16in, 1.5mm SINGLE SUSPENSION 5in CANOPY SET WITH Y DOUBLE KEYHOLE END CONNECTORS, POWER SIDE WITH SJTW18/5 WHITE CORD




**SCL-3CS10**

ADJ. 10FT 1/16in, 1.5mm TRIPLE-CABLE SUSPENSION 5in CANOPY KIT WITH KEYHOLE END & CONNECTORS, CABLE BUSHING, 9" DIA., NO CORD INCL.




**SCL-GTY10**

ADJUSTABLE 1/16" 10 FT., 1.5mm SUSPENSION KIT WITH LOOP GRIPPER & TOGGLE ENDS(2)




**SCL-GTY20**

ADJUSTABLE 1/16" 20 FT., 1.5mm SUSPENSION KIT WITH LOOP GRIPPER & TOGGLE ENDS(2)




**SCL-GTY210**

**HEAVY-DUTY** ADJUSTABLE 5/64" 10 FT., 2mm SUSPENSION KIT WITH LOOP GRIPPER & TOGGLE ENDS(2)




**SCL-GTY220**

**HEAVY-DUTY** ADJUSTABLE 5/64" 20 FT., 2mm SUSPENSION KIT WITH LOOP GRIPPER & TOGGLE ENDS(2)



**SCL-GSY10**

ADJUSTABLE 10 FT. 1/16", 1.5mm SUSPENSION KIT WITH Y-CONNECTOR & LOOP GRIP & HOOKS(2)




**SCL-GSY20**

ADJUSTABLE 20 FT. 1/16", 1.5mm SUSPENSION KIT WITH Y-CONNECTOR & LOOP GRIP & HOOKS(2)



**SCL-GSY110**

ADJ. 10FT 1/16IN, 1.5mm SINGLE SUSPENSION CABLE WITH Y HOOK ENDS, LOOP GRIPPER ON TOP (ORDER 3 FOR 8FT.)(1)



**SCL-GSY120**

ADJ. 20FT 1/16IN, 1.5mm SINGLE SUSPENSION CABLE WITH Y HOOK ENDS, LOOP GRIPPER ON TOP (ORDER 3 FOR 8FT.)(1)



**SCL-GS10**

ADJ. 10FT 1/16IN, 1.5mm DOUBLE SUSPENSION CABLE WITH SINGLE KEYHOLE CONN., LOOP GRIPPER ON TOP(2)



**SCL-GS20**

ADJ. 20FT 1/16IN, 1.5mm DOUBLE SUSPENSION CABLE WITH SINGLE KEYHOLE CONN., LOOP GRIPPER ON TOP(2)



**SCL-GS210**

**HEAVY-DUTY** ADJUSTABLE 5/64" 10 FT., 2mm SUSPENSION KIT WITH LOOP GRIPPER & HOOK(1)



**SCL-GS220**

**HEAVY-DUTY** ADJUSTABLE 5/64" 20 FT., 2mm SUSPENSION KIT WITH LOOP GRIPPER & HOOK(1)



**CMC-SRK-218-5C-WH**  
Universal Swivel W/ Rod Kit, 18 Or 36 Inches, 5-Wire, White



**CMC-SRK-218-5C-BK**  
Universal Swivel W/ Rod Kit, 18 Or 36 Inches, 5-Wire, Black



**CMC-SRK-218-5C-BR**  
Universal Swivel W/ Rod Kit, 18 Or 36 Inches, 5-Wire, Bronze



**CMC-SRK-224-5C-WH**  
Universal Swivel W/ Rod Kit, 24 Or 48 Inches, 5-Wire, White



**CMC-SRK-224-5C-BK**  
Universal Swivel W/ Rod Kit, 24 Or 48 Inches, 5-Wire, Black



**CMC-SRK-224-5C-BR**  
Universal Swivel W/ Rod Kit, 24 Or 48 Inches, 5-Wire, Bronze



**SCL-CSR-12FT**

Adj. 12Ft Rectangular Canopy With Two Aircraft Cables For Linear Fixtures Up To 6Ft Long



**SCL-CSR-12FT-BK**

Adj. 12Ft Rectangular Canopy With Two Aircraft Cables For Linear Fixtures Up To 6Ft Long, Black



**SCL-WRCL-14**

1/4in GALVANIZED MALLEABLE IRON WIRE ROPE CLIP



**SCL-TBJJ-14-4**

1/4 X 4 INCH JAW TO JAW TURN-BUCKLE GALVANIZED STEEL



**SCL-WRCL-DUPLEX**

5/32in 4mm DUPLEX 2-POST WIRE ROPE CLIP CABLE CLAMP



**SCL-PEP-M8**

PAD EYE PLATE STAPLE HOOK, SIZE M8, 2in X 1.5in STAINLESS



**SCL-ASC-4MM-250FT**

5/32in 4mm DIA. EXTRA DUTY GALVANIZED AIR-CRAFT CABLE / WIRE ROPE 250FT ROLL



**SCL-WRTH-14**

1/4in GALVANIZED WIRE ROPE THIMBLE

COMMERCIAL SUSPENSION ACCESSORIES

**GRIP & SUSPENSION ACCESSORIES**



SCL-6FT-SJTW18/5

WHITE 6 FT. CORD, SJTW 18 AWG 5-CONDUCT ( WH/BK/GN/PU/GY)



SCL-6FT-SJTW18/6

WHITE 6 FT. CORD, SJTW 18 AWG 6-CONDUCT ( WH/BK/GN/PU/GY + RED FOR EMERGENCY)



SCL-6FT-SJTW18/5-BK

BLACK 12 FT. CORD, SJTW 18 AWG 5-CONDUCT ( WH/BK/GN/PU/GY)



SCL-6FT-SJTW18/6-BK

BLACK 12 FT. CORD, SJTW 18 AWG 6-CONDUCT ( WH/BK/GN/PU/GY + RED FOR EMERGENCY)



SCL-12FT-SJTW18/5

WHITE 12 FT. CORD, SJTW 18 AWG 5-CONDUCT ( WH/BK/GN/PU/GY)



SCL-12FT-SJTW18/6

WHITE 12 FT. CORD, SJTW 18 AWG 6-CONDUCT ( WH/BK/GN/PU/GY + RED FOR EMERGENCY)



SCL-12FT-SJTW18/5-BK

BLACK 12 FT. CORD, SJTW 18 AWG 5-CONDUCT ( WH/BK/GN/PU/GY)



SCL-12FT-SJTW18/6-BK

BLACK 12 FT. CORD, SJTW 18 AWG 6-CONDUCT ( WH/BK/GN/PU/GY + RED FOR EMERGENCY)



SCL-100FT-SJTW18/5

WHITE 100 FT. CORD, SJTW 18 AWG 5-CONDUCT ( WH/BK/GN/PU/GY)



SCL-100FT-SJTW18/6

WHITE 100 FT. CORD, SJTW 18 AWG 6-CONDUCT ( WH/BK/GN/PU/GY + RED FOR EMERGENCY)



SCL-100FT-SJTW18/5-BK

BLACK 100 FT. CORD, SJTW 18 AWG 5-CONDUCT ( WH/BK/GN/PU/GY)



SCL-100FT-SJTW18/6-BK

BLACK 100 FT. CORD, SJTW 18 AWG 6-CONDUCT ( WH/BK/GN/PU/GY + RED FOR EMERGENCY)



SCL-6FT-AWM18/5-CLR

6FT CORD, SJTW 18 AWM 5-CONDUCTOR, CLEAR



SCL-12FT-AWM18/5-CLR

12FT CORD, SJTW 18 AWM 5-CONDUCTOR, CLEAR



SCL-100FT-AWM18/5-CLR

100FT CORD, SJTW 18 AWM 5-CONDUCTOR, CLEAR



SCL-100FT-AWM18/6-CLR

100FT CORD, AWM 18 AWG 6-CONDUCTOR, CLEAR



SCL-ASC-50FT

1/16" 50 FT. STEEL AIRCRAFT SUSPENSION CABLE



SCL-ASC-100FT

1/16IN 100FT ROLL STEEL AIRCRAFT SUSPENSION CABLE



SCL-ASC-500FT

1/16" 500 FT. STEEL AIRCRAFT SUSPENSION CABLE



SCL-ASC-1000FT

1/16IN 1000FT ROLL STEEL AIRCRAFT SUSPENSION CABLE



FWH-6FT-16/3

6FT 16AWG 3-WIRE FLEX FIXTURE WHIP, STR. & 90D 1/2" CONN.



FWH-6FT-16/5

6FT 16AWG 5-WIRE FLEX FIXTURE WHIP, STR. & 90D 1/2" CONN.



FWH-6FT-16/6

6FT 16AWG 6-WIRE FLEX FIXTURE WHIP, STR. & 90D 1/2" CONN.



SCL-LCB-BK

LOCKING 3/8": DIA. CABLE BUSHING FOR CANOPY SETS, BLACK



SCL-LCB

LOCKING 3/8": DIA. CABLE BUSHING FOR CANOPY SETS



SCL-CMDCK-2PK

2-PACK REPLACEMENT DECOR CEILING ATTACHMENT FOR 1/16in CABLE WITH CRIMP SLEEVES



SCL-CMSCK-2PK

2-PACK REPLACEMENT DECOR SLOPE CEILING ATTACHMENT FOR 1/16in CABLE WITH CRIMP SLEEVES

COMMERCIAL  
SUSPENSION  
ACCESSORIES

**GRIP & SUSPENSION ACCESSORIES**



**FML-SK6**

6FT ADJUSTABLE SUSPENSION KIT, 2-WIRE CLEAR CABLE INCL.



**LFCF-SK10-BR**

10FT 4-LINE CANOPY SUSPENSION KIT FOR DECORATIVE LIGHTS, 2-WIRE CLEAR CABLE INCL., BRONZE



**LFCF-SK10-BN**

10FT 4-LINE CANOPY SUSPENSION KIT FOR DECORATIVE LIGHTS, 2-WIRE CLEAR CABLE INCL., BRUSHED NICKEL



**SCL-4CS10**

ADJ. 10FT 1/16in QUAD CABLE SUSP. CANOPY KIT, KEYHOLE CONNECTORS (NO CORD INCL.)



**SCL-ABCQ2K**

2in SQUARE NON-POWERFEED SIDE **MINI** CANOPY CONVERSION KIT



**SCL-ABCQ2K-BK**

2in SQUARE NON-POWERFEED SIDE **MINI** CANOPY CONVERSION KIT - BLACK



**SCL-ABC2K**

2IN NON-POWERFEED SIDE **MINI** CANOPY CONVERSION KIT



**SCL-ABC2K-BK**

2IN NON-POWERFEED SIDE **MINI** CANOPY CONVERSION KIT - BLACK



**SCL-ABCH**

5IN AUXILIARY BLANK CANOPY WITH CORD GRIP



**SCL-ABC**

5IN AUXILIARY BLANK CANOPY FOR SUSPENSION CABLES



**SCL-ABCH-BK**

5IN AUXILIARY BLANK CANOPY WITH CORD GRIP - BLACK



**SCL-ABC-BK**

5IN AUXILIARY BLANK CANOPY FOR SUSPENSION CABLES - BLACK



**SCL-ABCQ**

AUXILIARY SQUARE BLANK CANOPY FOR SUSPENSION CABLES



**SCL-ABCQH**

AUXILIARY SQUARE BLANK CANOPY FOR SUSPENSION CABLES WITH CABLE HOLE AND CORD GRIP



**SCL-ACSE**

AIRCRAFT CABLE STOPPER END



**SCL-AH**

HEAVY-DUTY AUXILIARY HOOK FOR UP TO 1/16" AIRCRAFT CABLES



**SCL-TG1420**

AUXILIARY TOP GRIPPER SIDE EXIT WITH 1/4-20 THREAD FOR 1/16in AIRCRAFT CABLE



**SCL-AYC**

AUXILIARY Y CONNECTOR FOR AIRCRAFT SUSPENSION CABLE, 1/16"



**SCL-AKHC**

AUXILIARY KEYHOLE CONNECTOR FOR AIRCRAFT SUSPENSION CABLE, 1/16"



**SCL-CTB**

CANOPY SET TOP BRACKET FOR MOUNTING ON JUNCTION BOX OR CEILING- 1/4-20



**SCL-TBC-WN**

T-BAR CLIP WITH SUSPENSION HOLE ON TOP, WING NUT AND WASHER INCL.



**SCL-TBTC-WN**

T-BAR TRACK CLIP WITH WASHER AND WING NUT




**SCL-AUC**

AUXILIARY UNIVERSAL SURFACE CONNECTOR FOR 1/6 IN AIRCRAFT SUSPENSION CABLE



**SCL-CMC**

AUXILIARY CEILING-MOUNT CONNECTOR FOR 1/16in AIRCRAFT SUSPENSION CABLES



**SCL-YCK**

ADJ. 1/16in Y CONVERSION SUSPENSION CABLE WITH TOGGLE ENDS



**SCL-TGS1420**

ADJ. SWIVEL TOP GRIP REPLACEMENT CONNECTOR TO ADAPT SCL-CS SERIES TO SLOPE CEILINGS



**SCL-ALG**

AUXILIARY LOOP GRIP FOR AIRCRAFT SUSPENSION CABLE, 1/16"

COMMERCIAL  
SUSPENSION  
ACCESSORIES



Shown with Drop Lens

**1.6" ARCHITECTURAL CEILING CYLINDERS WITH INTERNAL DRIVERS** INCL. CLEAR & FORSTED LENSES

CATALOG NO.	DESCRIPTION
<b>CMC1L-MCT-WH</b>	10W <b>700LM</b> 30K/40K/50K 12" H
<b>CMC1L-MCT-BK</b>	10W <b>700LM</b> 30K/40K/50K 12" H
<b>CMC1XL-MCT-WH</b>	10W <b>700LM</b> 30K/40K/50K 18" H
<b>CMC1XL-MCT-BK</b>	10W <b>700LM</b> 30K/40K/50K 18" H
<b>CMCS1XL-MCT-DT-WH</b>	9W <b>630LM</b> 30K/40K/50K 18" H SQUARE
<b>CMCS1XL-MCT-DT-BK</b>	9W <b>630LM</b> 30K/40K/50K 18" H SQUARE
<b>CMC1-TRM-BN</b>	1in Cylinder Trim, Brushed Nickel
<b>CMC1-TRM-AG</b>	1in Cylinder Trim, Anodized Gold
<b>CMC1-DL15</b>	CMC1 15mm Acrylic Drop Lens
<b>SUSPENSION ACCESSORIES FOR CMC SERIES</b> FOR 12FT & 20 FT SUSPENSION CABLE & CANOPY SET SEE PAGE 183	
<b>CMC-CS-8FT-WH</b>	Suspension Cable & Canopy Set For CMC Series, 8Ft, 5-Wire, White
<b>CMC-CS-8FT-BK</b>	Suspension Cable & Canopy Set For CMC Series, 8Ft, 5-Wire, Black
<b>CMC-SRK-218-5C-WH</b>	Universal Swivel W/ Rod Kit, 18 Or 36 Inches, 5-Wire, White
<b>CMC-SRK-218-5C-BK</b>	Universal Swivel W/ Rod Kit, 18 Or 36 Inches, 5-Wire, Black
<b>CMC-SRK-224-5C-WH</b>	Universal Swivel W/ Rod Kit, 24 Or 48 Inches, 5-Wire, White
<b>CMC-SRK-224-5C-BK</b>	Universal Swivel W/ Rod Kit, 24 Or 48 Inches, 5-Wire, Black
<b>CMC-SRK-340-5C-WH</b>	Universal Swivel W/ Rod Kit, 40 Or 80 Or 120 Inches, 5-Wire, White
<b>CMC-SRK-340-5C-BK</b>	Universal Swivel W/ Rod Kit, 40 Or 80 Or 120 Inches, 5-Wire, Black



CMC3

CMC3S

Shown with Drop Lens

**3" ARCHITECTURAL CEILING CYLINDERS** INCL. CLEAR & FORSTED LENSES

CATALOG NO.	DESCRIPTION
<b>CMC3-MCTP-DD-WH</b>	5W/7W/9W <b>75LM/W</b> 30K/40K/50K 3"D X 9.7"H 120-277V, 25°
<b>CMC3-MCTP-DD-BK</b>	5W/7W/9W <b>75LM/W</b> 30K/40K/50K 3"D X 9.7"H 120-277V, 25°
<b>CMC3S-MCT-D-WH</b>	9W <b>700LM</b> 30K/40K/50K 3"D X 5.12"H 120-277V, 45°
<b>CMC3S-MCT-D-BK</b>	9W <b>700LM</b> 30K/40K/50K 3"D X 5.12"H 120-277V, 45°
<b>CMC3-TRM-AG</b>	3in Cylinder Trim, Anodized Gold
<b>CMC3-TRM-BN</b>	3in Cylinder Trim, Brushed Nickel
<b>CMC3-HCDK-BK</b>	3in Cylinder Honeycomb Diffuser Kit, Black
<b>CMC3-HCDK-AG</b>	3in Cylinder Honeycomb Diffuser Kit, Anodized Gold
<b>CWMC3-DL32</b>	CMC3 And WMC3 32Mm Acrylic Drop Lens
<b>SUSPENSION ACCESSORIES FOR CMC SERIES</b> FOR 12FT & 20 FT SUSPENSION CABLE & CANOPY SET SEE PAGE 183	
<b>CMC-CS-8FT-WH</b>	Suspension Cable & Canopy Set For CMC Series, 8Ft, 5-Wire, White
<b>CMC-CS-8FT-BK</b>	Suspension Cable & Canopy Set For CMC Series, 8Ft, 5-Wire, Black
<b>CMC-SRK-218-5C-WH</b>	Universal Swivel W/ Rod Kit, 18 Or 36 Inches, 5-Wire, White
<b>CMC-SRK-218-5C-BK</b>	Universal Swivel W/ Rod Kit, 18 Or 36 Inches, 5-Wire, Black
<b>CMC-SRK-224-5C-WH</b>	Universal Swivel W/ Rod Kit, 24 Or 48 Inches, 5-Wire, White
<b>CMC-SRK-224-5C-BK</b>	Universal Swivel W/ Rod Kit, 24 Or 48 Inches, 5-Wire, Black
<b>CMC-SRK-340-5C-WH</b>	Universal Swivel W/ Rod Kit, 40 Or 80 Or 120 Inches, 5-Wire, White
<b>CMC-SRK-340-5C-BK</b>	Universal Swivel W/ Rod Kit, 40 Or 80 Or 120 Inches, 5-Wire, Black



**2" ARCHITECTURAL CEILING CYLINDERS WITH INTERNAL DRIVERS**

INCL. CLEAR & FORSTED LENSES **MCT3** EM Capable **DAMP** LOCATION **CEI** US

CATALOG NO.	DESCRIPTION	REF.
CMC2-MCT-DT-WH	6W 450LM 30K/40K/50K 9"H 120V, 40°	1
CMC2-MCT-DT-BK	6W 450LM 30K/40K/50K 9"H 120V, 40°	2
CMC2L-MCT-DT-WH	6W 450LM 30K/40K/50K 12"H 120V, 40°	3
CMC2L-MCT-DT-BK	6W 450LM 30K/40K/50K 12"H 120V, 40°	4
CMC2XL-MCT-DD-BK	20W 1500LM 30K/40K/50K 18"H 120-277V	5
CMC2XL-MCT-DD-WH	20W 1500LM 30K/40K/50K 18"H 120-277V	6
CMCS2L-MCT-DT-WH	6W 450LM 30K/40K/50K 12"H SQUARE	7
CMCS2L-MCT-DT-BK	6W 450LM 30K/40K/50K 12"H SQUARE	8
CMCS2XL-MCT-DT-WH	20W 1500LM 30K/40K/50K 18"H SQUARE	9
CMCS2XL-MCT-DT-BK	20W 1500LM 30K/40K/50K 18"H SQUARE	10
CMCS2XXL-MCT-DT-WH	20W 1500LM 30K/40K/50K 24"H SQUARE	11
CMCS2XXL-MCT-DT-BK	20W 1500LM 30K/40K/50K 24"H SQUARE	12
CMC2-TRM-AG	2in Cylinder Trim, Anodized Gold	13
CMC2-TRM-BN	2in Cylinder Trim, Brushed Nickel	14
CMC2-TRMWM-AG	Decorative Wide-Mouth Replacement Lens Cap for CMC2, Anodized Gold	15
CMC2-TRMWM-BN	Decorative Wide-Mouth Replacement Lens Cap for CMC2, Brushed Nickel	16
CMC2-HCDK-BK	2in Cylinder Honeycomb Diffuser Kit, Black	17
CMC2-HCDK-AG	2in Cylinder Honeycomb Diffuser Kit, Anodized Gold	18
CMC2-DS-BG	Decorative Shield Reflector Replacement For Lens Cap Of CMC2, Black Gold	19
CMC2-DS-WG	Decorative Shield Reflector Replacement For Lens Cap Of CMC2, White Gold	20
CMC2-DCR-BG	Decorative Cone Reflector Kit for CMC2, Black Gold	21
CMC2-DCR-WG	Decorative Cone Reflector Kit for CMC2, White Gold	22
CMC2-PS12-WG-KIT	CMC2 12in Pan Shade, White/Gold	23
CMC2-PS12-BG-KIT	CMC2 12in Pan Shade, Black/Gold	24
CMC2-PS14-WG-KIT	CMC2 14in Pan Shade, White/Gold	25
CMC2-PS14-BG-KIT	CMC2 14in Pan Shade, Black/Gold	26
CMC2-MLA-BK	Decorative Middle Light Accessory Fits All CMC2, Black	27
CMC2-MLA-WH	Decorative Middle Light Accessory Fits All CMC2, White	28
CWMC2-DL32	CMC2 And WMC2 32Mm Acrylic Drop Lens	29
<b>SUSPENSION ACCESSORIES FOR CMC SERIES FOR 12FT &amp; 20 FT SUSPENSION CABLE &amp; CANOPY SET SEE PAGE 183</b>		
CMC-CS-8FT-WH	Suspension Cable & Canopy Set For CMC Series, 8Ft, 5-Wire, White	30
CMC-CS-8FT-BK	Suspension Cable & Canopy Set For CMC Series, 8Ft, 5-Wire, Black	31
CMC-SRK-218-5C-WH	Universal Swivel W/ Rod Kit, 18 Or 36 Inches, 5-Wire, White	32
CMC-SRK-218-5C-BK	Universal Swivel W/ Rod Kit, 18 Or 36 Inches, 5-Wire, Black	33
CMC-SRK-224-5C-WH	Universal Swivel W/ Rod Kit, 24 Or 48 Inches, 5-Wire, White	34
CMC-SRK-224-5C-BK	Universal Swivel W/ Rod Kit, 24 Or 48 Inches, 5-Wire, Black	35
CMC-SRK-340-5C-WH	Universal Swivel W/ Rod Kit, 40 Or 80 Or 120 Inches, 5-Wire, White	36
CMC-SRK-340-5C-BK	Universal Swivel W/ Rod Kit, 40 Or 80 Or 120 Inches, 5-Wire, Black	37

**2" TILT HEAD INDOOR CYLINDER, CCT- ADJUSTABLE**

**MCT3** EM Capable **DAMP** LOCATION **CEI** US

CATALOG NO.	DESCRIPTION	REF.
CMC2L-ADJ-MCT-DT-BK	6W 400LM 30K/40K/50K Black	6
CMC2L-ADJ-MCT-DT-WH	6W 400LM 30K/40K/50K White	6





**4" ARCHITECTURAL CEILING CYLINDERS**

INCL. CLEAR & FORSTED LENSES



COMMERCIAL  
CYLINDER LIGHTS

CATALOG NO.	DESCRIPTION	REF.
-------------	-------------	------

**4" ROUND ARCHITECTURAL CEILING CYLINDERS**

CMC4-MCTP-DD-WH	9W/12W/15W 75LM/W 30K/40K/50K 9.6"H 120-277V, 40°	1
CMC4-MCTP-DD-BK	9W/12W/15W 75LM/W 30K/40K/50K 9.6"H 120-277V, 40°	2
CMC4HL-MCTP-DD-WH	24W/32W/40W 80LM/W 30K/40K/50K 10"H HIGH-LUMEN	3
CMC4HL-MCTP-DD-BK	24W/32W/40W 80LM/W 30K/40K/50K 10"H HIGH-LUMEN	4
CMC4S-MCTP-DD-WH	9W/12W/15W 76LM/W 30K/40K/50K 5"H	5
CMC4S-MCTP-DD-BK	9W/12W/15W 76LM/W 30K/40K/50K 5"H	6


**4" SQUARE ARCHITECTURAL CEILING CYLINDERS**

CMCS4-MCTP-DD-WH	21W/28W/35W 80LM/W 30K/40K/50K 10"H	7
CMCS4-MCTP-DD-BK	21W/28W/35W 80LM/W 30K/40K/50K 10"H	8
CMCS4S-MCTP-DD-WH	9W/12W/15W 76LM/W 30K/40K/50K 5"H	9
CMCS4S-MCTP-DD-BK	9W/12W/15W 76LM/W 30K/40K/50K 5"H	10
CMC46-ULK	5W 400LM 30K/40K/50K UP LIGHT KIT	11
CMC-JBCK-WH	Cylinder And Pendant Lighting J-Box Cover Canopy For Up To 4 Pipe Entries, Wh	12
CMC-JBCK-BK	Cylinder And Pendant Lighting J-Box Cover Canopy For Up To 4 Pipe Entries, Bk	13
CMC4-TRM-AG	4in Cylinder Trim, Anodized Gold	14
CMC4-TRM-BN	4in Cylinder Trim, Brushed Nickel	15
CMC4-HCDK-BK	4in Cylinder Honeycomb Diffuser Kit, Black	16
CMC4-HCDK-AG	4in Cylinder Honeycomb Diffuser Kit, Anodized Gold	17
CMC4-FS14-WG-KIT	CMC4 14in Flat Shade, White/Gold	18
CMC4-FS14-BG-KIT	CMC4 14in Flat Shade, Black/Gold	19
CMC4-FS14-WS-KIT	CMC4 14in Flat Shade, White/Silver	20
CMC4-FS14-BS-KIT	CMC4 14in Flat Shade, Black/Silver	21
CMC4-DS14-WG-KIT	CMC4 14in Dome Shade, White/Gold	22
CMC4-DS14-BG-KIT	CMC4 14in Dome Shade, Black/Gold	23
CMC4-DS14-WS-KIT	CMC4 14in Dome Shade, White/Silver	24
CMC4-DS14-BS-KIT	CMC4 14in Dome Shade, Black/Silver	25
CMC4-PCR-KIT	12in Dia. Prismatic Pc Highbay Reflector Kit For CMC4	26
CMC4-WPCK-WH	CMC4 Weatherproof Conversion Kit For Cord Or Down-Rod, White	27
CMC4-WPCK-BK	CMC4 Weatherproof Conversion Kit For Cord Or Down-Rod, Black	28
CMCS4-WPCK-WH	CMCS4 Weatherproof Conversion Kit For Cord Or Down-Rod, White	29
CMCS4-WPCK-BK	CMCS4 Weatherproof Conversion Kit For Cord Or Down-Rod, Black	30
CMC4-SNA-BK	Snoot Accessory For CMC4 Round Reduces Beam Angle To 25D, Black	31
CMC4-SNA-WH	Snoot Accessory For CMC4 Round Reduces Beam Angle To 25D, White	32
CMC4-SH9-BK	9in Wide Shade For CMC4 And CMC4S, Black	33
CMC4-SH9-WH	9in Wide Shade For CMC4 And CMC4S, White	34
CMC4-DL32	WMC 4in 32Mm Acrylic Drop Lens	35

**SUSPENSION ACCESSORIES FOR CMC SERIES FOR 12FT & 20 FT SUSPENSION CABLE & CANOPY SET SEE PAGE 183**

CMC-CS-8FT-WH	Suspension Cable & Canopy Set For CMC Series, 8Ft, 5-Wire, White	36
CMC-CS-8FT-BK	Suspension Cable & Canopy Set For CMC Series, 8Ft, 5-Wire, Black	37
CMC-SRK-218-5C-WH	Universal Swivel W/ Rod Kit, 18 Or 36 Inches, 5-Wire, White	38
CMC-SRK-218-5C-BK	Universal Swivel W/ Rod Kit, 18 Or 36 Inches, 5-Wire, Black	39
CMC-SRK-224-5C-WH	Universal Swivel W/ Rod Kit, 24 Or 48 Inches, 5-Wire, White	40
CMC-SRK-224-5C-BK	Universal Swivel W/ Rod Kit, 24 Or 48 Inches, 5-Wire, Black	41
CMC-SRK-340-5C-WH	Universal Swivel W/ Rod Kit, 40 Or 80 Or 120 Inches, 5-Wire, White	42
CMC-SRK-340-5C-BK	Universal Swivel W/ Rod Kit, 40 Or 80 Or 120 Inches, 5-Wire, Black	43





CMCS4-ADJ-MCTP-DD-BK  
BLACK



CMCS4-ADJ-MCTP-DD-WH  
WHITE


4" SQUARE ADJUSTABLE-HEAD COMMERCIAL CYLINDERS - H:9.5"



COMMERCIAL

CYLINDER LIGHTS

CATALOG NO.	DESCRIPTION
CMCS4-ADJ-MCTP-DD-BK	12W/16W/20W 80LM/W 30K/40K/50K Black
CMCS4-ADJ-MCTP-DD-WH	12W/16W/20W 80LM/W 30K/40K/50K White



CMC4-ADJ



CMC4-GIM

POWER & CCT- ADJUSTABLE 4" INDOOR CYLINDER



CATALOG NO.	DESCRIPTION	
<b>TILT HEAD 4" INDOOR CYLINDER, POWER &amp; CCT- ADJUSTABLE</b>		
CMC4-ADJ-MCTP-DD-BK	12W/16W/20W 80LM/W 30K/40K/50K Black	6
CMC4-ADJ-MCTP-DD-WH	12W/16W/20W 80LM/W 30K/40K/50K White	6
<b>GIMBAL HEAD 4" INDOOR CYLINDER, POWER &amp; CCT- ADJUSTABLE</b>		
CMC4-GIM-MCTP-DD-BK	12W/16W/20W 80LM/W 30K/40K/50K Black	6
CMC4-GIM-MCTP-DD-WH	12W/16W/20W 80LM/W 30K/40K/50K White	6



CMC5-MILAN1-MCTP-DD-GD  
Gold/Black



CMC5-MILAN1-MCTP-DD-BN  
Brush Nickel/Black



CMC5-MILAN2-MCTP-DD-GD  
Gold/Black



CMC5-MILAN2-MCTP-DD-BN  
Brush Nickel/Black

MILAN SERIES 5" CEILING CYLINDERS



CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER
CMC5-MILAN1-MCTP-DD-GD	12W/16W/20W 80LM/W 30K/40K/50K Gold/Black	
CMC5-MILAN1-MCTP-DD-BN	12W/16W/20W 80LM/W 30K/40K/50K Brush Nickel/Black	
CMC5-MILAN2-MCTP-DD-GD	12W/16W/20W 80LM/W 30K/40K/50K Gold/Black	
CMC5-MILAN2-MCTP-DD-BN	12W/16W/20W 80LM/W 30K/40K/50K Brush Nickel/Black	



CMC6  
6" D X 8.74" H



Shown with  
Drop Lens



Shown with  
Up Light Kit



CMC6S  
6" D X 6.75" H



CMC6HL  
6" D X 12" H



CMC6XHL  
6" D X 15.5" H



CMC-JBCK-BK  
BLACK



CMC-JBCK-WH  
WHITE

## 6" ARCHITECTURAL CEILING CYLINDERS

INCL. CLEAR &  
FORSTED LENSES



CATALOG NO.

DESCRIPTION

### 6" ROUND ARCHITECTURAL CEILING CYLINDERS

<b>CMC6-MCTP-DD-WH</b>	21W/28W/35W	75LM/W	30K/40K/50K	8.74"H	120-277V, 25°
<b>CMC6-MCTP-DD-BK</b>	21W/28W/35W	75LM/W	30K/40K/50K	8.74"H	120-277V, 25°
<b>CMC6S-MCTP-DD-WH</b>	18W/24W/30W	80LM/W	30K/40K/50K	6.75"H	
<b>CMC6S-MCTP-DD-BK</b>	18W/24W/30W	80LM/W	30K/40K/50K	6.75"H	
<b>CMC6HL-MCTP-DD-BK</b>	27W/36W/45W	80LM/W	30K/40K/50K	12"H	
<b>CMC6HL-MCTP-DD-WH</b>	27W/36W/45W	80LM/W	30K/40K/50K	12"H	
<b>CMC6XHL-MCTP-DD-BK</b>	36W/48W/60W	80LM/W	30K/40K/50K	15.5"H	
<b>CMC6XHL-MCTP-DD-WH</b>	36W/48W/60W	80LM/W	30K/40K/50K	15.5"H	
<b>CMC46-ULK</b>	5W	400LM	30K/40K/50K		UP LIGHT KIT
<b>CMC-JBCK-WH</b>	Cylinder And Pendant Lighting J-Box Cover Canopy For Up To 4 Pipe Entries, Wh				
<b>CMC-JBCK-BK</b>	Cylinder And Pendant Lighting J-Box Cover Canopy For Up To 4 Pipe Entries, Bk				
<b>CMC6-TRM-AG</b>	6in Cylinder Trim, Anodized Gold				
<b>CMC6-TRM-BN</b>	6in Cylinder Trim, Brushed Nickel				
<b>CMC6-WPCK-WH</b>	CMC6 Weatherproof Conversion Kit For Cord Or Down-Rod, White				
<b>CMC6-WPCK-BK</b>	CMC6 Weatherproof Conversion Kit For Cord Or Down-Rod, Black				
<b>CMC6-HCDK-AG</b>	6in Cylinder Honeycomb Diffuser Kit, Anodized Gold				
<b>CMC6-HCDK-BK</b>	6in Cylinder Honeycomb Diffuser Kit, Black				
<b>CWMC6-DL32</b>	CMC6 And WMC6 32Mm Acrylic Drop Lens				


### SUSPENSION ACCESSORIES FOR CMC SERIES FOR 12FT & 20 FT SUSPENSION CABLE & CANOPY SET SEE PAGE 183

<b>CMC-CS-8FT-WH</b>	Suspension Cable & Canopy Set For CMC Series, 8Ft, 5-Wire, White
<b>CMC-CS-8FT-BK</b>	Suspension Cable & Canopy Set For CMC Series, 8Ft, 5-Wire, Black
<b>CMC-SRK-218-5C-WH</b>	Universal Swivel W/ Rod Kit, 18 Or 36 Inches, 5-Wire, White
<b>CMC-SRK-218-5C-BK</b>	Universal Swivel W/ Rod Kit, 18 Or 36 Inches, 5-Wire, Black
<b>CMC-SRK-224-5C-WH</b>	Universal Swivel W/ Rod Kit, 24 Or 48 Inches, 5-Wire, White
<b>CMC-SRK-224-5C-BK</b>	Universal Swivel W/ Rod Kit, 24 Or 48 Inches, 5-Wire, Black
<b>CMC-SRK-340-5C-WH</b>	Universal Swivel W/ Rod Kit, 40 Or 80 Or 120 Inches, 5-Wire, White
<b>CMC-SRK-340-5C-BK</b>	Universal Swivel W/ Rod Kit, 40 Or 80 Or 120 Inches, 5-Wire, Black



## 8IN SQUARE INDOOR CYLINDER, CCT- ADJUSTABLE

CATALOG NO.	DESCRIPTION
 <b>CMC8S-MCT-D-BK</b>	40W <b>80LM/W</b> 30K/40K/50K Black
<b>CMC8S-MCT-D-WH</b>	40W <b>80LM/W</b> 30K/40K/50K White
<b>CMC8S-MCTP-DD-BK</b>	30W/40W/50W <b>80LM/W</b> 30K/40K/50K 5.5"H, Black
<b>CMC8S-MCTP-DD-WH</b>	30W/40W/50W <b>80LM/W</b> 30K/40K/50K 5.5"H, White
<b>CMC8S-REFL-BK</b>	CMC8S Replacement Lens Black
<b>CMC8S-REFL-WH</b>	CMC8S Replacement Lens White
<b>CMC8S-REFL-SIL</b>	CMC8S Replacement Lens Silver



COMMERCIAL  
CYLINDER  
LIGHTS

## 9" ARCHITECTURAL CEILING CYLINDERS

INCL. CLEAR & FORSTED LENSES

CATALOG NO.	DESCRIPTION
<b>CMC9-MCTP-D-BK</b>	60W/70W/80W <b>80LM/W</b> 30K/40K/50K 10"H 120-277V, 60°
<b>CMC9-MCTP-D-WH</b>	60W/70W/80W <b>80LM/W</b> 30K/40K/50K 10"H 120-277V, 60°
<b>CMC9-EC-BK</b>	Decorative Extension Cylinder Black, Adds 5"H
<b>CMC9-EC-WH</b>	Decorative Extension Cylinder White, Adds 5"H
<b>CMC9-HCDK-BK</b>	9in Cylinder Honeycomb Diffuser Kit, Black
<b>CMC9-REFL-BK</b>	Inside-Black Reflector
<b>CMC9-REFL-WH</b>	Inside-White Reflector
<b>CMC9-WBK-BK</b>	CMC9 Wall Bracket Kit And Conversion Top To IP65, Black
<b>CMC9-WBK-WH</b>	CMC9 Wall Bracket Kit And Conversion Top To IP65, White
<b>CMC9-WPCK-BK</b>	CMC9-Weatherproof Conversion Kit For Cord Or Down-Rod, Black
<b>CMC9-WPCK-WH</b>	CMC9-Weatherproof Conversion Kit For Cord Or Down-Rod, White
<b>SUSPENSION ACCESSORIES FOR CMC SERIES</b> FOR 12FT & 20 FT SUSPENSION CABLE & CANOPY SET SEE PAGE 183	
<b>CMC-CS-8FT-WH</b>	Suspension Cable & Canopy Set For CMC Series, 8Ft, 5-Wire, White
<b>CMC-CS-8FT-BK</b>	Suspension Cable & Canopy Set For CMC Series, 8Ft, 5-Wire, Black
<b>CMC-SRK-218-5C-WH</b>	Universal Swivel W/ Rod Kit, 18 Or 36 Inches, 5-Wire, White
<b>CMC-SRK-218-5C-BK</b>	Universal Swivel W/ Rod Kit, 18 Or 36 Inches, 5-Wire, Black
<b>CMC-SRK-224-5C-WH</b>	Universal Swivel W/ Rod Kit, 24 Or 48 Inches, 5-Wire, White
<b>CMC-SRK-224-5C-BK</b>	Universal Swivel W/ Rod Kit, 24 Or 48 Inches, 5-Wire, Black
<b>CMC-SRK-340-5C-WH</b>	Universal Swivel W/ Rod Kit, 40 Or 80 Or 120 Inches, 5-Wire, White
<b>CMC-SRK-340-5C-BK</b>	Universal Swivel W/ Rod Kit, 40 Or 80 Or 120 Inches, 5-Wire, Black

## 5" OLD-WORK RECESSED CEILING CANOPY WITH JUNCTION BOX

CATALOG NO.	DESCRIPTION
 <b>CMC-0WCC-WH</b>	5in Old-Work Recessed Ceiling Canopy With Junction Box For CMC Cylinders, White (Except CMC9)
 <b>CMC-0WCC-BK</b>	5in Old-Work Recessed Ceiling Canopy With Junction Box For CMC Cylinders, Black (Except CMC9)

 **FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

WATTS	EM OPTION	DESCRIPTION	TRACK PENDANT CONVERSION	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
1', 2' 3'	N/A	N/A	<b>OPT-CMC-TRACK-H-WH</b>	3.3FT TRACK PENDANT CONVERSION, H-TYPE	N/A	N/A	N/A
1', 2' 3'	N/A	N/A	<b>OPT-CMC-TRACK-H-BK</b>				
4" & 6"	<b>OPT-EM-CMC46</b>	INTERNAL					
9" white	<b>OPT-EM-CMC9-WH</b>	Extension Cylinder - White					
9" black	<b>OPT-EM-CMC9-BK</b>	Extension Cylinder - Black					



**CMC12-BK**  
14"H Black



**CMC12-WH**  
14"H White



**CMC12-SIL**  
14"H Silver



**CMC12L-BK**  
20"H Black



**CMC12L-WH**  
20"H White



**CMC12L-SIL**  
20"H Silver

## 12" COMMERCIAL CEILING CYLINDERS



CATALOG NO.	DESCRIPTION
<b>CMC12-MCTP-D-BK</b>	60w/80w/100w <b>125LM/W</b> 30K/40K/50K 14"H, Black
<b>CMC12-MCTP-D-WH</b>	60w/80w/100w <b>125LM/W</b> 30K/40K/50K 14"H, White
<b>CMC12-MCTP-D-SIL</b>	60w/80w/100w <b>125LM/W</b> 30K/40K/50K 14"H, Silver
<b>CMC12L-MCTP-D-BK</b>	60w/80w/100w <b>125LM/W</b> 30K/40K/50K 20"H, Black
<b>CMC12L-MCTP-D-WH</b>	60w/80w/100w <b>125LM/W</b> 30K/40K/50K 20"H, White
<b>CMC12L-MCTP-D-SIL</b>	60w/80w/100w <b>125LM/W</b> 30K/40K/50K 20"H, Silver
<b>CMC12-REFL-WH</b>	Cmc12 Replacement Reflector - White
<b>CMC12-REFL-SIL</b>	Cmc12 Replacement Reflector - Silver
<b>CMC12-REFL-GD</b>	Cmc12 Replacement Reflector - Matte Gold
<b>CMC12-SRK-218-5C-BK</b>	1/2In Universal Downrod Kit With 5 Wires 2X18 H36In Bk
<b>CMC12-SRK-218-5C-WH</b>	1/2In Universal Downrod Kit With 5 Wires 2X18 H36In Wh
<b>CMC12-SRK-218-5C-BR</b>	1/2In Universal Downrod Kit With 5 Wires 2X18 H36In Bronze
<b>CMC12-SRK-218-5C-SIL</b>	1/2In Universal Downrod Kit With 5 Wires 2X18 H36In Silver
<b>CMC12-SRK-224-5C-BK</b>	1/2In Universal Downrod Kit With 5 Wires 2X24 H48In Bk
<b>CMC12-SRK-224-5C-WH</b>	1/2In Universal Downrod Kit With 5 Wires 2X24 H48In Wh
<b>CMC12-SRK-224-5C-BR</b>	1/2In Universal Downrod Kit With 5 Wires 2X24 H48In Bronze
<b>CMC12-SRK-224-5C-SIL</b>	1/2In Universal Downrod Kit With 5 Wires 2X24 H48In Silver
<b>CMC12-SRK-340-5C-BK</b>	1/2In Universal Downrod Kit With 5 Wires 3X40 H120In Bk
<b>CMC12-SRK-340-5C-WH</b>	1/2In Universal Downrod Kit With 5 Wires 3X40 H120In Wh
<b>CMC12-SRK-340-5C-BR</b>	1/2In Universal Downrod Kit With 5 Wires 3X40 H120In Bronze
<b>CMC12-SRK-340-5C-SIL</b>	1/2In Universal Downrod Kit With 5 Wires 3X40 H120In Silver

## CMC RGBW CYLINDER LIGHTS, PENDANT OR SURFACE MOUNT, APP CONTROLLED



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>CMC2L-RGBW-BK</b>	6W <b>300LM</b> 27K-50K + RGB Black	6
<b>CMC2L-RGBW-WH</b>	6W <b>300LM</b> 27K-50K + RGB White	6
<b>CMC3-RGBW-BK</b>	9W <b>550LM</b> 27K-50K + RGB Black	6
<b>CMC3-RGBW-WH</b>	9W <b>550LM</b> 27K-50K + RGB White	6
<b>CMC4-RGBW-BK</b>	15W <b>900LM</b> 27K-50K + RGB Black	6
<b>CMC4-RGBW-WH</b>	15W <b>900LM</b> 27K-50K + RGB White	6
<b>CMC6-RGBW-BK</b>	20W <b>1200LM</b> 27K-50K + RGB Black	8
<b>CMC6-RGBW-WH</b>	20W <b>1200LM</b> 27K-50K + RGB White	8





CMCSR435MCTP-DD-BK  
BLACK



CMCSR35-MCTP-DD-WH  
WHITE



CMCSR6-MCTP-DD-BK  
BLACK



CMCSR6-MCTP-DD-WH  
WHITE



CMCSR4-MCTP-DD-BK  
BLACK



CMCSR4-MCTP-DD-WH  
WHITE



CMCSR4S-MCTP-DD-BK  
BLACK



CMCSR4S-MCTP-DD-WH  
WHITE



CMCSR75-MCTP-DD-BK  
BLACK



CMCSR75-MCTP-DD-WH  
WHITE



CMCSR95-MCTP-DD-BK  
BLACK



CMCSR95-MCTP-DD-WH  
WHITE

**EU-DESIGN SQUARE ROUNDED-CORNER COMMERCIAL CYLINDERS**



**ARRIVES THIS SEASON  
CHECK & PRE-ORDER**

CATALOG NO.

DESCRIPTION

**3" SQUARE ROUNDED-CORNER COMMERCIAL CYLINDERS**

**CMCSR3S-MCTP-DD-BK** 9W/12W/15W 80LM/W 30K/40K/50K 3"D X 4"H, Black

**CMCSR3S-MCTP-DD-WH** 9W/12W/15W 80LM/W 30K/40K/50K 3"D X 4"H, White

**4" SQUARE ROUNDED-CORNER COMMERCIAL CYLINDERS, 10" LONG**

**CMCSR4-MCTP-DD-BK** 12W/16W/20W 80LM/W 30K/40K/50K 4"D X 10"H, Black

**CMCSR4-MCTP-DD-WH** 12W/16W/20W 80LM/W 30K/40K/50K 4"D X 10"H, White

**4" SQUARE ROUNDED-CORNER COMMERCIAL CYLINDERS**

**CMCSR4S-MCTP-DD-BK** 12W/16W/20W 80LM/W 30K/40K/50K 4"D X 5"H, Black

**CMCSR4S-MCTP-DD-WH** 12W/16W/20W 80LM/W 30K/40K/50K 4"D X 5"H, White

**6" SQUARE ROUNDED-CORNER COMMERCIAL CYLINDERS**

**CMCSR6-MCTP-DD-BK** 24W/32W/40W 70LM/W 30K/40K/50K 6"D X 6"H, Black

**CMCSR6-MCTP-DD-WH** 24W/32W/40W 70LM/W 30K/40K/50K 6"D X 6"H, White

**7" SQUARE ROUNDED-CORNER COMMERCIAL CYLINDERS**

**CMCSR7S-MCTP-DD-WH** 30W/40W/5W 80LM/W 30K/40K/50K 7"D X 7"H, Black

**CMCSR7S-MCTP-DD-BK** 30W/40W/5W 80LM/W 30K/40K/50K 7"D X 7"H, White

**9" SQUARE ROUNDED-CORNER COMMERCIAL CYLINDERS**

**CMCSR9S-MCTP-DD-WH** 42W/56W/70W 80LM/W 30K/40K/50K 9"D X 9"H, Black

**CMCSR9S-MCTP-DD-BK** 42W/56W/70W 80LM/W 30K/40K/50K 9"D X 9"H, White

CMC1 Round  
Fixture  
not Included



CMC1 Square  
Fixture  
not Included



CMC1 Square  
Fixture  
not Included



CMC1 Square  
Fixture  
not Included



CMC1 Square  
Fixture  
not Included



CMC2 Square  
Fixture  
not Included



CMC2 Round  
Fixture  
not Included



CMC3 Round  
Fixture  
not Included



CMC4 Round  
Fixture  
not Included



CMC4 Round  
Fixture  
not Included



CMC4 Square  
Fixture  
not Included



CMC4 Square  
Fixture  
not Included



CMC6 Round  
Fixture  
not Included



CMC6 Round  
Fixture  
not Included



CMC9 Round  
Fixture  
not Included



CMC9 Round  
Fixture  
not Included



## SUSPENSION ACCESSORIES FOR CMC SERIES

CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER
<a href="#">CMC-CS-8FT-WH</a>	Suspension Cable & Canopy Set For CMC Series, 8Ft, 5-Wire, White	
<a href="#">CMC-CS-8FT-BK</a>	Suspension Cable & Canopy Set For CMC Series, 8Ft, 5-Wire, Black	
<a href="#">CMC-CS-12FT-WH</a>	Suspension Cable & Canopy Set For CMC Series, 12Ft, 5-Wire, White	
<a href="#">CMC-CS-12FT-BK</a>	Suspension Cable & Canopy Set For CMC Series, 12Ft, 5-Wire, Black	
<a href="#">CMC-CS-20FT-WH</a>	Suspension Cable & Canopy Set For CMC Series, 20Ft, 5-Wire, White	
<a href="#">CMC-CS-20FT-BK</a>	Suspension Cable & Canopy Set For CMC Series, 20Ft, 5-Wire, Black	
<a href="#">CMC-SRK-218-5C-WH</a>	Universal Swivel W/ Rod Kit, 18 Or 36 Inches, 5-Wire, White	
<a href="#">CMC-SRK-218-5C-BK</a>	Universal Swivel W/ Rod Kit, 18 Or 36 Inches, 5-Wire, Black	
<a href="#">CMC-SRK-224-5C-WH</a>	Universal Swivel W/ Rod Kit, 24 Or 48 Inches, 5-Wire, White	
<a href="#">CMC-SRK-224-5C-BK</a>	Universal Swivel W/ Rod Kit, 24 Or 48 Inches, 5-Wire, Black	
<a href="#">CMC-SRK-340-5C-WH</a>	Universal Swivel W/ Rod Kit, 40 Or 80 Or 120 Inches, 5-Wire, White	
<a href="#">CMC-SRK-340-5C-BK</a>	Universal Swivel W/ Rod Kit, 40 Or 80 Or 120 Inches, 5-Wire, Black	



CMCW3  
BLACK



CMCW5  
BLACK



CMCW6  
BLACK



CMCW8  
BLACK



CMCW10  
BLACK

**IP65 SPEC CYLINDER COB WITH OPTIC LENS, 36° BEAM ANGLE**



CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER	PKG. QTY.
<b>CMCW3-COB-10W-MCT-36D-DT-WH</b>	10W <b>900LM</b> 30K/35K/40K 3.5" D X 4.2" H White, 120V		18
<b>CMCW3-COB-10W-MCT-36D-DT-BK</b>	10W <b>900LM</b> 30K/35K/40K 3.5" D X 4.2" H Black, 120V		18
<b>CMCW5-COB-25W-MCT-36D-DT-WH</b>	25W <b>2250LM</b> 30K/35K/40K 5" D X 4.5" H White, 120V		12
<b>CMCW5-COB-25W-MCT-36D-DT-BK</b>	25W <b>2250LM</b> 30K/35K/40K 5" D X 4.5" H Black, 120V		12
<b>CMCW6-COB-30W-MCT-36D-DT-WH</b>	30W <b>2500LM</b> 30K/35K/40K 6.3" D X 4.3" H White, 120V		6
<b>CMCW6-COB-30W-MCT-36D-DT-BK</b>	30W <b>2500LM</b> 30K/35K/40K 6.3" D X 4.3" H Black, 120V		6
<b>CMCW8-COB-35W-MCT-36D-D-WH</b>	35W <b>3100LM</b> 30K/35K/40K 8.4" D X 4.7" H White, 120-277V		6
<b>CMCW8-COB-35W-MCT-36D-D-BK</b>	35W <b>3100LM</b> 30K/35K/40K 8.4" D X 4.7" H Black, 120-277V		6
<b>CMCW10-COB-40W-MCT-36D-D-WH</b>	40W <b>3850LM</b> 30K/35K/40K 9.8" D X 5" H White, 120-277V		4
<b>CMCW10-COB-40W-MCT-36D-D-BK</b>	40W <b>3850LM</b> 30K/35K/40K 9.8" D X 5" H Black, 120-277V		4

**FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

WATTS	OPTIC LENS OPTION	DESCRIPTION	VANDAL RES.	DESCRIPTION	PAINT	480V OPTION	DESCRIPTION
ALL	<b>OPT-CMCW3-COB-24D</b>	24° OPTIC CMCW3	<b>N/A</b>	N/A	<b>N/A</b>	<b>N/A</b>	N/A
	<b>OPT-CMCW3-COB-60D</b>	60° OPTIC CMCW3					
	<b>OPT-CMCW6-COB-24D</b>	24° OPTIC CMCW6					
	<b>OPT-CMCW6-COB-60D</b>	60° OPTIC CMCW6					
	<b>OPT-CMCW10-COB-24D</b>	24° OPTIC CMCW10					
	<b>OPT-CMCW10-COB-60D</b>	60° OPTIC CMCW10					



CMCW3  
BLACK



CMCW5  
BLACK



CMCW6  
BLACK



CMCW8  
BLACK



CMCW10  
BLACK

**IP65 SPEC CYLINDER SMD WITH PC LENS, 75° BEAM ANGLE**



CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER	PKG. QTY.
<b>CMCW3-SMD-10W-MCT-75D-DT-WH</b>	10W <b>850LM</b> 30K/35K/40K 3.5" D X 4.2" H White, 120V		18
<b>CMCW3-SMD-10W-MCT-75D-DT-BK</b>	10W <b>850LM</b> 30K/35K/40K 3.5" D X 4.2" H Black, 120V		18
<b>CMCW5-SMD-25W-MCT-75D-DT-BK</b>	25W <b>2300LM</b> 30K/35K/40K 5" D X 4.5" H White, 120V		12
<b>CMCW5-SMD-25W-MCT-75D-DT-WH</b>	25W <b>2300LM</b> 30K/35K/40K 5" D X 4.5" H Black, 120V		12
<b>CMCW6-SMD-30W-MCT-75D-DT-BK</b>	30W <b>2800LM</b> 30K/35K/40K 6.3" D X 4.3" H White, 120V		6
<b>CMCW6-SMD-30W-MCT-75D-DT-WH</b>	30W <b>2800LM</b> 30K/35K/40K 6.3" D X 4.3" H Black, 120V		6
<b>CMCW8-SMD-35W-MCT-75D-D-BK</b>	35W <b>3650LM</b> 30K/35K/40K 8.4" D X 4.7" H White, 120-277V		6
<b>CMCW8-SMD-35W-MCT-75D-D-WH</b>	35W <b>3650LM</b> 30K/35K/40K 8.4" D X 4.7" H Black, 120-277V		6
<b>CMCW10-SMD-40W-MCT-75D-D-BK</b>	40W <b>4350LM</b> 30K/35K/40K 9.8" D X 5" H White, 120-277V		4
<b>CMCW10-SMD-40W-MCT-75D-D-WH</b>	40W <b>4350LM</b> 30K/35K/40K 9.8" D X 5" H Black, 120-277V		4



**ROUND & OPEN RECESSED LIGHT**



**SQUARE & OPEN RECESSED LIGHT**



**ROUND & WALL WASH RECESSED LIGHT**



**SQUARE & WALL WASH RECESSED LIGHT**



**CRLC-TRM-6 Round Trim Open**

Haze finish & White ring



**CRLC-TRM-6-WH Round Trim Open**

White finish & White ring



**CRLC-TRM-6-RG Round Trim Open**

Rose Gold & White ring



**CRLC-TRM-6A Round Trim Wall Wash**

Haze finish & White ring



**CRLC-TRM-6S Square Trim Open**

Haze finish & White ring



**CRLC-TRM-6SA Square Trim Wall Wash**

Haze finish & White ring

**LED COMMERCIAL RECESSED LIGHT**  
(CLIP-ON/SNAP-IN) WITH OR WITHOUT HOUSING



WATTS	LUMENS
15W	1200-1275LM
20W	1600-1720LM

**15W ENGINE**

**20W ENGINE**

**40W MAX ENGINE**

**60W MAX ENGINE**

**CRLC-EGN-15W-50K-D**

15W RECESSED LIGHT

**CRLC-EGN-20W-50K-D**  
**CRLC-EGN-20W-MCTP-D**

20W RECESSED LIGHT

27W/34W/40W & 30K/35K/40K

**CRLC-EGN-40W-MCTP-D**

40W RECESSED LIGHT

40W/50W/60W & 30K/35K/40K

**CRLC-EGN-60W-MCTP-D**

60W RECESSED LIGHT

4" ROUND TRIM		4" SQUARE TRIM		4" ROUND RECESSED LIGHT				4" SQUARE RECESSED LIGHT			
FINISH	TRIM TYPE	FINISH	TRIM TYPE	ENGINE	TRIM	ENGINE	TRIM	ENGINE	TRIM	ENGINE	TRIM
HAZE FINISH & WHITE RING	OPEN	HAZE FINISH & WHITE RING	OPEN	15W	CRLC-TRM-4	15W	CRLC-TRM-4	40W	CRLC-TRM-4	60W	CRLC-TRM-4
	WALL WASH		WALL WASH	20W	CRLC-TRM-4A	20W	CRLC-TRM-4A	40W	CRLC-TRM-4A	N/A	
	OPEN		OPEN	15W	CRLC-TRM-4-WH	15W	CRLC-TRM-4-WH	40W	CRLC-TRM-4-WH	60W	CRLC-TRM-4-WH
	WALL WASH		WALL WASH	20W	CRLC-TRM-4A-WH	20W	CRLC-TRM-4A-WH	40W	CRLC-TRM-4A-WH	N/A	
ROSE GOLD	OPEN	ROSE GOLD	OPEN	15W	CRLC-TRM-4-RG	15W	CRLC-TRM-4-RG	40W	CRLC-TRM-4-RG	60W	CRLC-TRM-4-RG
	WALL WASH		WALL WASH	20W	CRLC-TRM-4A-RG	20W	CRLC-TRM-4A-RG	40W	CRLC-TRM-4A-RG	N/A	
	OPEN		OPEN	15W	CRLC-TRM-4S	15W	CRLC-TRM-4S	40W	CRLC-TRM-4S	60W	CRLC-TRM-4S
	WALL WASH		WALL WASH	20W	CRLC-TRM-4SA	20W	CRLC-TRM-4SA	40W	CRLC-TRM-4SA	N/A	
WHITE FINISH & WHITE RING	OPEN	WHITE FINISH & WHITE RING	OPEN	15W	CRLC-TRM-4S-WH	15W	CRLC-TRM-4S-WH	40W	CRLC-TRM-4S-WH	60W	CRLC-TRM-4S-WH
	WALL WASH		WALL WASH	20W	CRLC-TRM-4SA-WH	20W	CRLC-TRM-4SA-WH	40W	CRLC-TRM-4SA-WH	N/A	
	OPEN		OPEN	15W	CRLC-TRM-4S-D	15W	CRLC-TRM-4S-D	40W	CRLC-TRM-4S-D	60W	CRLC-TRM-4S-D
	WALL WASH		WALL WASH	20W	CRLC-TRM-4SA-D	20W	CRLC-TRM-4SA-D	40W	CRLC-TRM-4SA-D	N/A	
WHITE FINISH & WHITE RING	OPEN	WHITE FINISH & WHITE RING	OPEN	15W	CRLC-TRM-4S-D-WH	15W	CRLC-TRM-4S-D-WH	40W	CRLC-TRM-4S-D-WH	60W	CRLC-TRM-4S-D-WH
	WALL WASH		WALL WASH	20W	CRLC-TRM-4SA-D-WH	20W	CRLC-TRM-4SA-D-WH	40W	CRLC-TRM-4SA-D-WH	N/A	
	OPEN		OPEN	15W	CRLC-TRM-4S-D-RG	15W	CRLC-TRM-4S-D-RG	40W	CRLC-TRM-4S-D-RG	60W	CRLC-TRM-4S-D-RG
	WALL WASH		WALL WASH	20W	CRLC-TRM-4SA-D-RG	20W	CRLC-TRM-4SA-D-RG	40W	CRLC-TRM-4SA-D-RG	N/A	



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL MODELS	OPT-EM-CRLC	EXTERNAL	N/A	N/A	N/A	N/A	N/A

## LED COMMERCIAL RECESSED LIGHT, 120-277V

HAZE



Shown with Housing  
(Not Incl., See Below)

CODE	TRIM DESCRIPTION	WATTS		COLOR TEMP		WATT
		CODE	DESCRIPTION	CODE	DESCRIPTION	
CRL4	4" LED Commercial trim only, 4 inches	27W	1950LM	30K	3000K	27W:
		40W	3447LM	40K	4000K	
		54W	4500LM	50K	5000K	
CRL6	6" LED Commercial trim only, 6 inches	18W	1639LM	30K	3000K	18W: 27W: 40W: 54W:
		27W	2387LM	40K	4000K	
		40W	3447LM	50K	5000K	
CRL8	8" LED Commercial trim only, 8 inches	18W	1639LM	30K	3000K	18W: 27W: 40W: 54W:
		27W	2387LM	40K	4000K	
		40W	3447LM	50K	5000K	
CRL10	10" LED Commercial trim only, 10 inches	18W	1639LM	30K	3000K	18W: 27W: 40W: 54W:
		27W	2387LM	40K	4000K	
		40W	3447LM	50K	5000K	

SEE NEXT PAGE FOR HOUSING

Sample Order:

**CRL6-27W-40K**



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL MODELS	OPT-EM-CRL	EXTERNAL	N/A	N/A	N/A	N/A	N/A

## SPEC SERIES COMMERCIAL RECESS LIGHT, POWER AND CCT ADJUSTABLE



CATALOG NO.	DESCRIPTION
CRLX4-14-27W-MCTP	14W/20W/27W 80LM/W 30K/35K/40K 4" <b>MCTP</b>
CRLX6-18-40W-MCTP	18W/27W/40W 85LM/W 30K/35K/40K 6" <b>MCTP</b>
CRLX6-50-80W-MP-30K	50W/65W/80W 85LM/W 3000K 6" <b>MP</b>
CRLX6-50-80W-MP-40K	50W/65W/80W 85LM/W 4000K 6" <b>MP</b>
CRLX6-50-80W-MP-50K	50W/65W/80W 85LM/W 5000K 6" <b>MP</b>
CRLX8-18-40W-MCTP	18W/27W/40W 85LM/W 30K/35K/40K 8" <b>MCTP</b>
CRLX8-50-80W-MP-30K	50W/65W/80W 85LM/W 3000K 8" <b>MP</b>
CRLX8-50-80W-MP-40K	50W/65W/80W 85LM/W 4000K 8" <b>MP</b>
CRLX8-50-80W-MP-50K	50W/65W/80W 85LM/W 5000K 8" <b>MP</b>
CRLX10-18-40W-MCTP	18W/27W/40W 85LM/W 30K/35K/40K 10" <b>MCTP</b>
CRLX10-50-80W-MP-30K	50W/65W/80W 85LM/W 3000K 10" <b>MP</b>
CRLX10-50-80W-MP-40K	50W/65W/80W 85LM/W 4000K 10" <b>MP</b>
CRLX10-50-80W-MP-50K	50W/65W/80W 85LM/W 5000K 10" <b>MP</b>

SEE NEXT PAGE FOR HOUSING



Back View  
ENGINE + TRIM

COMMERCIAL RECESSED WHILE SUPPLIES LAST



## LED COMMERCIAL RECESSED LIGHT HOUSINGS

CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>CRL-HSG-4</b>	Commercial Recessed Light Housings, 4"	2
<b>CRL-HSG-6</b>	Commercial Recessed Light Housings, 6"	2
<b>CRL-HSG-8</b>	Commercial Recessed Light Housings, 8"	2
<b>CRL-HSG-10</b>	Commercial Recessed Light Housings, 10"	2
<b>CRL-BH</b>	Bar Hanger For Commercial Recessed Housings	



## BUILDER SERIES COMMERCIAL RECESS LIGHT, POWER AND CCT ADJUSTABLE **MCTP**



CATALOG NO.	DESCRIPTION
<b>CRLE4-5-12W-MCTP-WH</b>	5W/7W/12W 100LM/W 30K/35K/40K 4"
<b>CRLE6-7-18W-MCTP-WH</b>	7W/10W/18W 100LM/W 30K/35K/40K 6"
<b>CRLE6-H0-25-40W-MCTP-WH</b>	25W/30W/40W 100LM/W 30K/35K/40K 6", High-Output
<b>CRLE8-10-22W-MCTP-WH</b>	10W/15W/22W 100LM/W 30K/35K/40K 8"
<b>CRLE8-H0-34-52W-MCTP-WH</b>	34W/42W/52W 100LM/W 30K/35K/40K 8", High-Output
<b>CRLE10-20-32W-MCTP-WH</b>	20W/25W/32W 100LM/W 30K/35K/40K 10"
<b>CRLE10-H0-26-40W-MCTP-WH</b>	26W/32W/40W 100LM/W 30K/35K/40K 10", High-Output
<b>CRLE-RI-TBAR-UNV</b>	Snap-In Comm. Recessed Light Universal TBAR Plate
<b>CRLE-RI-UNV</b>	Snap-In Comm. Recessed Light Universal Rough-In Plate
<b>CRLE4-TRM-BK</b>	4" Snap-In Comm. Recessed Light 4In Black Trim + Ring Set
<b>CRLE4-TRM-BN</b>	4" Snap-In Comm. Recessed Light 4In Brushed Nickel Trim + Ring Set
<b>CRLE6-TRM-BK</b>	6" Snap-In Comm. Recessed Light 6In Black Trim + Ring Set
<b>CRLE6-TRM-BN</b>	6" Snap-In Comm. Recessed Light 6In Brushed Nickel Trim + Ring Set
<b>CRLE8-TRM-BK</b>	8" Snap-In Comm. Recessed Light 8In Black Trim + Ring Set
<b>CRLE8-TRM-BN</b>	8" Snap-In Comm. Recessed Light 8In Brushed Nickel Trim + Ring Set
<b>CRLE10-TRM-BK</b>	10" Snap-In Comm. Recessed Light 10In Black Trim + Ring Set
<b>CRLE10-TRM-BN</b>	10" Snap-In Comm. Recessed Light 10In Brushed Nickel Trim + Ring Set

**WG** **FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL MODELS	OPT-EM-CRLE	EXTERNAL	N/A	N/A	N/A	N/A	N/A



CRLE4-BF-7-12W-MCTP-FR



CRLE6-BF-10-18W-MCTP-FR



CRLE8-BF-15-25W-MCTP-FR

## FIRE-RATED DEEP BAFFLE COMMERCIAL RECESSED LIGHTS - POWER AND CCT ADJUSTABLE



CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER	PKG. QTY.
CRLE4-BF-7-12W-MCTP-FR	7W/9W/12W	130LM/W 27K/30K/35K/40K/50K	18
CRLE6-BF-10-18W-MCTP-FR	10W/14W/18W	130LM/W 27K/30K/35K/40K/50K	12
CRLE8-BF-15-25W-MCTP-FR	15W/20W/25W	130LM/W 27K/30K/35K/40K/50K	12



CRLB4-7-15W-MCTP5-WH  
White



CRLB6-10-18W-MCTP5-WH  
White



CRLB8-18-30W-MCTP5-WH  
White



CRLB10-22-38W-MCTP5-WH  
White

## BUILDER SERIES COMMERCIAL RECESSED LIGHT WITH REMOTE DRIVER 5CCT ADJ. POWER DUAL-DIM CRI90



CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER	PKG. QTY.
CRLB4-7-15W-MCTP5-WH	7W/11W/15W	86LM/W 27K/30K/35K/40K/50K 4" White	16
CRLB6-10-18W-MCTP5-WH	10W/15W/18W	86LM/W 27K/30K/35K/40K/50K 6" White	12
CRLB8-18-30W-MCTP5-WH	18W/24W/30W	86LM/W 27K/30K/35K/40K/50K 8" White	8
CRLB10-22-38W-MCTP5-WH	22W/30W/38W	86LM/W 27K/30K/35K/40K/50K 10" White	8



## LED COMMERCIAL SLIM CANLESS RECESSED REGRESSED BAFFLE LIGHTS 120-277V, 0-10V DIMMING



CATALOG NO.	DESCRIPTION	PKG. QTY.
RSLC6-BF-30K	15W 1200LM 3000K 6"	12
RSLC6-BF-40K	15W 1200LM 4000K 6"	12
RSLC8-BF-30K	18W 1440LM 3000K 8"	12
RSLC6-BF-MCT5	15W 1200LM 27K/30K/35K/40K/50K 6"	-
RSLC8-BF-MCT5	18W 1440LM 27K/30K/35K/40K/50K 8"	-
RSL-BF-EXT-6FT	RSL-BF 6FT. DC extension cord	-
RSL-BF-EXT-10FT	RSL-BF 10FT. DC extension cord	-
RSL-BF-EXT-20FT	RSL-BF 20FT. DC extension cord	-



## HALF CIRCLE INDOOR WALL SCNCE, 5CCT



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>FDLH-12-MCT5</b>	12W <b>960LM</b> 27K/30K/35K/40K/50K	6

COMMERCIAL  
VANITY LIGHTS



LSC-10-MCTP-BN  
Brushed Nickel



LSC-15-MCTP-BN  
Brushed Nickel



LSC-18-MCTP-BN  
Brushed Nickel

## MODERN INDOOR WALL SCNCE, POWER AND CCT ADJUSTABLE



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>LSC-10-MCTP-BN</b>	9W/12W/15W <b>80LM/W</b> 30K/40K/50K Brushed Nickel	6
<b>LSC-15-MCTP-BN</b>	12W/18W/20W <b>80LM/W</b> 30K/40K/50K Brushed Nickel	6
<b>LSC-18-MCTP-BN</b>	15W/20W/25W <b>80LM/W</b> 30K/40K/50K Brushed Nickel	6



## LED VANITY LIGHT, 120-277VAC



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>LVL-2FT-MCT-DD</b>	20W <b>2200LM</b> 30K/40K/50K	3
<b>LVL-2FT-17W-30K</b>	17W <b>1900LM</b> 3000K <b>WHILE SUPPLIES LAST</b>	3
<b>LVL-2FT-17W-40K</b>	17W <b>1900LM</b> 4000K	3

**FACTORY-INSTALLED OPTIONS. ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

WATTS	EM OPTION	DESCRIPTION	ROCKER SWITCH OPTION	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL MODELS	<b>OPT-EM-LVL</b>	INTERNAL	<b>OPT-VL-RS-BK</b>	BOX	<b>N/A</b>	<b>OPT-SEN-2MDR-36</b> <b>OPT-SEN-NLS-LVL</b> <b>OPT-SEN-KEILTON</b> <b>WEC-3RC</b>	PROGRAMMABLE MICROWAVE BI-LEVEL WG NETWORK SENSOR KEILTON NETWORK SENSOR REMOTE CONTROL



Fixture Shown with  
**OPT-VL-RS-BK**  
Factory-installed Switch Option


LVF-WS-MCT5-BN

**BULDER SERIES VANITY LIGHTS WITH SLIDE-TO-CENTER WALL CANOPY**



CATALOG NO.	DESCRIPTION
<b>LVF-18-MCT5-BN</b>	12W <b>1020LM</b> 27K/30K/35K/40K/50K 18" Brushed Nickel
<b>LVF-24-MCT5-BN</b>	16W <b>1360LM</b> 27K/30K/35K/40K/50K 24" Brushed Nickel
<b>LVF-30-MCT5-BN</b>	20W <b>1600LM</b> 27K/30K/35K/40K/50K 30" Brushed Nickel
<b>LVF-36-MCT5-BN</b>	24W <b>2000LM</b> 27K/30K/35K/40K/50K 36" Brushed Nickel
<b>LVF-48-MCT5-BN</b>	32W <b>2700LM</b> 27K/30K/35K/40K/50K 48" Brushed Nickel
<b>LVF-WS-MCT5-BN</b>	16W <b>1360LM</b> 27K/30K/35K/40K/50K 14" Brushed Nickel

COMMERCIAL  
VANITY  
LIGHTS



**MODEL LVB LED SEMI-FLUSH VANITY LIGHT, 3CCT, PC LENS, 120V**

FOR FACTORY OPTION BOX SEE LVE BELOW



CATALOG NO.	DESCRIPTION
<b>LVB-12-MCT-BN</b>	8W <b>560LM</b> 30K/40K/50K Brushed-Nickel, 12"
<b>LVB-12-MCT-PC</b>	8W <b>560LM</b> 30K/40K/50K Polished-Chrome, 12"
<b>LVB-18-MCT-BN</b>	12W <b>840LM</b> 30K/40K/50K Brushed-Nickel, 18"
<b>LVB-18-MCT-PC</b>	12W <b>840LM</b> 30K/40K/50K Polished-Chrome, 18"
<b>LVB-24-MCT-BN</b>	16W <b>1440LM</b> 30K/40K/50K Brushed-Nickel, 24"
<b>LVB-24-MCT-PC</b>	16W <b>1440LM</b> 30K/40K/50K Polished-Chrome, 24"
<b>LVB-36-MCT-BN</b>	24W <b>1680LM</b> 30K/40K/50K Brushed-Nickel, 36"
<b>LVB-36-MCT-PC</b>	24W <b>1680LM</b> 30K/40K/50K Polished-Chrome, 36"
<b>LVB-48-MCT-BN</b>	32W <b>2240LM</b> 30K/40K/50K Brushed-Nickel, 48"
<b>LVB-48-MCT-PC</b>	32W <b>2240LM</b> 30K/40K/50K Polished-Chrome, 48"



**MODEL LVC ARCHITECTURAL LED MULTI COLOR-TEMPERATURE VANITY LIGHT WITH CUBE PC LENS, 120V**

FOR FACTORY OPTION BOX SEE LVE BELOW



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>LVC-24-MCT5-BN</b>	16W <b>1120LM</b> 27K/30K/35K/40K/50K Brushed Nickel 24"	10
<b>LVC-36-MCT5-BN</b>	24W <b>1680LM</b> 27K/30K/35K/40K/50K Brushed Nickel 36"	10



LVD-WS-MCT5-BN

**MODEL LVD ARCHITECTURAL LED MULTI COLOR-TEMPERATURE VANITY LIGHT WITH TUBE PC, 120V**

FOR FACTORY OPTION BOX SEE LVE BELOW



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>LVD-24-MCT5-BN</b>	16W <b>1300LM</b> 27K/30K/35K/40K/50K Brushed Nickel 24"	10
<b>LVD-36-MCT5-BN</b>	24W <b>2000LM</b> 27K/30K/35K/40K/50K Brushed Nickel 36"	10
<b>LVD-48-MCT5-BN</b>	32W <b>2700LM</b> 27K/30K/35K/40K/50K Brushed Nickel 48"	10
<b>LVD-WS-MCT5-BN</b>	16W <b>1360LM</b> 27K/30K/35K/40K/50K Brushed Nickel 14"	



**OVAL-BACK 360° MODERN VANITY LIGHT**



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>LVO-18-MCT5-BN</b>	18W <b>1260LM</b> 27K/30K/35K/40K/50K Brushed Nickel 18"	10
<b>LVO-18-MCT5-BK</b>	18W <b>900LM</b> 27K/30K/35K/40K/50K Black 18"	10
<b>LVO-24-MCT5-BN</b>	24W <b>1680LM</b> 27K/30K/35K/40K/50K Brushed Nickel 24"	6
<b>LVO-24-MCT5-BK</b>	24W <b>1200LM</b> 27K/30K/35K/40K/50K Black 24"	6
<b>LVO-36-MCT5-BN</b>	36W <b>2520LM</b> 27K/30K/35K/40K/50K Brushed Nickel 36"	4
<b>LVO-36-MCT5-BK</b>	36W <b>1800LM</b> 27K/30K/35K/40K/50K Black 36"	4



**MODEL LVE MULTI COLOR-TEMPERATURE VANITY LIGHT (3CCT), WITH PC LENS AND METAL RINGS, 120V**



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>LVE-24-MCT-BN</b>	17W <b>1760LM</b> 3000K/3500K/4000K Brushed Nickel 24"	1
<b>LVE-36-MCT-BN</b>	25W <b>2560LM</b> 3000K/3500K/4000K Brushed Nickel 36"	1
<b>LVE-48-MCT-BN</b>	34W <b>3500LM</b> 3000K/3500K/4000K Brushed Nickel 48"	1

**FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

WATTS	277V OPTION	DESCRIPTION	ROCKER SWITCH OPTION	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL	OPT-277V	INTERNAL	OPT-VL-RS-BK	BOX	N/A	N/A	N/A




## MODEL LVA ARCHITECTURAL LED DUAL GLASS MULTI COLOR-TEMPERATURE VANITY LIGHT, 120V

FOR FACTORY OPTION BOX SEE LVE BELOW



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>LVA-24-MCT5-BN</b>	20W <b>1400LM</b> 27K/30K/35K/40K/50K Brushed Nickel 24"	1
<b>LVA-36-MCT5-BN</b>	30W <b>2100LM</b> 27K/30K/35K/40K/50K Brushed Nickel 36"	1



## MODEL LVG ARCHITECTURAL LED MULTI COLOR-TEMPERATURE VANITY LIGHT WITH SQUARE PC LENS, 120V

FOR FACTORY OPTION BOX SEE LVE BELOW



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>LVG-24-MCT5-BN</b>	18W <b>1300LM</b> 27K/30K/35K/40K/50K Brushed Nickel 24"	10
<b>LVG-36-MCT5-BN</b>	30W <b>2000LM</b> 27K/30K/35K/40K/50K Brushed Nickel 36"	10



## SPEC SERIES WIDE PMMA LENS VANITY LIGHT, 5CCT



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>LVJ-18-MCT5-BK</b>	18W <b>1260LM</b> 27K/30K/35K/40K/50K Black 18"	10
<b>LVJ-18-MCT5-BN</b>	18W <b>1260LM</b> 27K/30K/35K/40K/50K Brushed Nickel 18"	10
<b>LVJ-24-MCT5-BK</b>	24W <b>1680LM</b> 27K/30K/35K/40K/50K Black 24"	10
<b>LVJ-24-MCT5-BN</b>	24W <b>1680LM</b> 27K/30K/35K/40K/50K Brushed Nickel 24"	10
<b>LVJ-36-MCT5-BK</b>	36W <b>2520LM</b> 27K/30K/35K/40K/50K Black 36"	10
<b>LVJ-36-MCT5-BN</b>	36W <b>2520LM</b> 27K/30K/35K/40K/50K Brushed Nickel 36"	10



**LVP**  
Black



**LVP**  
Brushed Nickel

**PMMA LENS VANITY LIGHT - 120V - 5CCT**



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>LVP-18-MCT5-BK</b>	20w <b>1400LM</b> 27K/30K/35K/40K/50K Black 18"	4
<b>LVP-18-MCT5-BN</b>	20w <b>1400LM</b> 27K/30K/35K/40K/50K Brushed Nickel 18"	4
<b>LVP-24-MCT5-BK</b>	25w <b>1800LM</b> 27K/30K/35K/40K/50K Black 24"	4
<b>LVP-24-MCT5-BN</b>	25w <b>1800LM</b> 27K/30K/35K/40K/50K Brushed Nickel 24"	4
<b>LVP-36-MCT5-BK</b>	30w <b>3000LM</b> 27K/30K/35K/40K/50K Black 36"	4
<b>LVP-36-MCT5-BN</b>	30w <b>3000LM</b> 27K/30K/35K/40K/50K Brushed Nickel 36"	4

COMMERCIAL  
VANITY LIGHTS



LVS-24  
LVS-36  
LVS-48




LVS-WS-21

**SPEC SERIES SLIM ROTATABLE VANITY LIGHTS AND SCONCES, 120V**



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>LVS-24-MCT5-BN</b>	20w <b>1400LM</b> 27K/30K/35K/40K/50K 24" Brushed Nickel	10
<b>LVS-24-MCT5-BK</b>	20w <b>1400LM</b> 27K/30K/35K/40K/50K 24" Black	10
<b>LVS-24-MCT5-BB</b>	20w <b>1400LM</b> 27K/30K/35K/40K/50K 24" Brushed Brass	10
<b>LVS-36-MCT5-BN</b>	30w <b>2100LM</b> 27K/30K/35K/40K/50K 36" Brushed Nickel	10
<b>LVS-36-MCT5-BK</b>	30w <b>2100LM</b> 27K/30K/35K/40K/50K 36" Black	10
<b>LVS-36-MCT5-BB</b>	30w <b>2100LM</b> 27K/30K/35K/40K/50K 36" Brushed Brass	10
<b>LVS-48-MCT5-BN</b>	40w <b>2800LM</b> 27K/30K/35K/40K/50K 48" Brushed Nickel	10
<b>LVS-48-MCT5-BK</b>	40w <b>2800LM</b> 27K/30K/35K/40K/50K 48" Black	10
<b>LVS-48-MCT5-BB</b>	40w <b>2800LM</b> 27K/30K/35K/40K/50K 48" Brushed Brass	10
<b>LVS-WS-21-MCT5-BN</b>	14w <b>980LM</b> 27K/30K/35K/40K/50K 21" Brushed Nickel	10
<b>LVS-WS-21-MCT5-BK</b>	14w <b>980LM</b> 27K/30K/35K/40K/50K 21" Black	10
<b>LVS-WS-21-MCT5-BB</b>	14w <b>980LM</b> 27K/30K/35K/40K/50K 21" Brushed Brass	10



## COMMERCIAL AND WAITING-ROOM INDOOR WALL SCENCE AND SUSPENDED LIGHTS

CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>CWS-12-MCTP</b>	10W/15W/20W 85LM/W 30K/35K/40K	1
<b>CWS-18-MCTP</b>	10W/15W/20W 85LM/W 30K/35K/40K	1
<b>CWS-48-MCTP</b>	20W/30W/40W 85LM/W 30K/35K/40K	1




LMIR-18-2028-MCT-DF  
LMIR-18-2436-MCT-DF  
LMIR-18-2840-MCT-DF



LMIR-36-2028-MCT-DF  
LMIR-36-2436-MCT-DF  
LMIR-36-4836-MCT-DF



LMIR-MC18-2432-MCT-DF



LMIR-18R-24D-MCT-DF  
LMIR-18R-32D-MCT-DF  
LMIR-18R-40D-MCT-DF

## SPEC SERIES LED MIRRORS AND CABINET, ADJUSTABLE COLOR TEMP., DIMMING, WITH DEFOGGER FEATURE, (CALL SPECIAL SIZES & FEATURES AVAIL. BY SPECIAL ORDER)



CATALOG NO.	DESCRIPTION	W X H	PKG. QTY.
<b>SQUARE LED MIRRORS</b>			
<b>LMIR-18-2028-MCT-DF</b>	35W 3000K/4500K/6500K	20"W X 28"H	1
<b>LMIR-18-2436-MCT-DF</b>	44W 3000K/4500K/6500K	24"W X 36"H	1
<b>LMIR-18-2840-MCT-DF</b>	48W 3000K/4500K/6500K	28"W X 40"H	1
<b>LMIR-36-2028-MCT-DF</b>	31W 3000K/4500K/6500K	20"W X 28"H	1
<b>LMIR-36-2436-MCT-DF</b>	39W 3000K/4500K/6500K	24"W X 36"H	1
<b>LMIR-36-4836-MCT-DF</b>	50W 3000K/4500K/6500K	48"W X 36"H	1
<b>SQUARE LED MEDICINE CABINET MIRROR</b>			
<b>LMIR-MC18-2432-MCT-DF</b>	35W 2700K-6500K	24"W X 32"H	1
<b>ROUND LED MIRRORS</b>			
<b>LMIR-18R-24D-MCT-DF</b>	30W 30K/45K/65K	24"	1
<b>LMIR-18R-32D-MCT-DF</b>	48W 30K/45K/65K	32"	1
<b>LMIR-18R-40D-MCT-DF</b>	68W 30K/45K/65K	40"	1



**With wall switch**  
**WF-215-3B-56-BK**  
Black



**With wall switch**  
**WF-215-3B-56-WH**  
White

## 56" INDUSTRIAL 3-BLADE CEILING FAN WITH WALL SWITCH MATTE

CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>WF-215-3B-56-BK</b>	56In Industrial 3-Blade Ceiling Fan With Wall Switch Matte Black	1
<b>WF-215-3B-56-WH</b>	56In Industrial 3-Blade Ceiling Fan With Wall Switch Matte White	1

**Replacement wall switch available to purchase.**

COMMERCIAL  
CEILING  
FANS



**With Pull Chain**

**WFL-103-PC-5B-52-BN-RWSO**  
Brush Nickel and Reversible  
Rosewood/Silver oak



**With Pull Chain**

**WFL-103-PC-5B-52-WH-WH**  
White and White blades



**With Pull Chain**

**WFL-105-PC-5B-52-SN-RWSO**  
Satin Nickel and Reversible  
Rosewood /Silver oak



**With Pull Chain**

**WFL-105-PC-5B-52-WH-WH**  
White and White blades



**With Pull Chain**

**WFL-107-PC-5B-52-BN-RWSO**  
Brush Nickel and Reversible  
Rosewood/Silver oak



**With Pull Chain**

**WFL-107-PC-5B-52-WH-WH**  
White and White blades



**With Pull Chain**

**WFL-112-PC-3B-52-MCT-BK-BK**  
Black and Black blades



**With Pull Chain**

**WFL-112-PC-3B-52-MCT-BN-RWS**  
Brush Nickel and Reversible  
Rosewood/Silver blades



**With Pull Chain**

**WFL-112-PC-3B-52-MCT-WH-WH**  
White and White blades



**With Pull Chain**

**WFL-113-PC-5B-52-MCT-BN-RWBK**  
Brush Nickel and Reversible  
Black/Rosewood blades



**With Pull Chain**

**WFL-113-PC-5B-52-MCT-WH-WH**  
White and White blades



**With Pull Chain**

**WFL-114-PC-3B-52-BN-WNS**  
Brush Nickel and Reversible  
Walnut/Silver blades



**With Pull Chain**

**WFL-115-PC-3B-52-MCT-WH-WH**  
White and White blades



**With Pull Chain**

**WFL-115-PC-3B-52-MCT-BK-BK**  
Black and Black blades



**With Pull Chain**

**WFL-115-PC-3B-52-MCT-BN-RWS**  
Brush Nickel and Reversible  
Rosewood/Silver blades



**With Pull Chain**

**WFL-119-PC-4B-48-BN-BK**  
Brush Nickel and Black blades

## WESTGATE CEILING FANS

CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>WFL-103-PC-5B-52-BN-RWSO</b>	7W*3 600LM*3 3000K Brush Nickel and Reversible Rosewood/Silver oak	1
<b>WFL-103-PC-5B-52-WH-WH</b>	7W*3 600LM*3 3000K White and White blades	1
<b>WFL-105-PC-5B-52-SN-RWSO</b>	7W*3 600LM*3 3000K Satin Nickel and Reversible Rosewood /Silver oak	1
<b>WFL-105-PC-5B-52-WH-WH</b>	7W*3 600LM*3 3000K White and White blades	1
<b>WFL-107-PC-5B-52-BN-RWSO</b>	9W*2 800LM*2 3000K Brush Nickel and Reversible Rosewood/Silver oak	1
<b>WFL-107-PC-5B-52-WH-WH</b>	9W*2 800LM*2 3000K White and White blades	1
<b>WFL-112-PC-3B-52-MCT-BK-BK</b>	20W 1750LM 30K/40K/50K Black and Black blades	1
<b>WFL-112-PC-3B-52-MCT-BN-RWS</b>	20W 1750LM 30K/40K/50K Brush Nickel and Reversible Rosewood/Silver blades	1
<b>WFL-112-PC-3B-52-MCT-WH-WH</b>	20W 1750LM 30K/40K/50K White and White blades	1
<b>WFL-113-PC-5B-52-MCT-BN-RWBK</b>	20W 1750LM 30K/40K/50K Brush Nickel and Reversible Black/Rosewood blades	1
<b>WFL-113-PC-5B-52-MCT-WH-WH</b>	20W 1750LM 30K/40K/50K White and White blades	1
<b>WFL-114-PC-3B-52-BN-WNS</b>	1X19W 89LM/W 3000K Brush Nickel and Reversible Walnut/Silver blades	1
<b>WFL-115-PC-3B-52-MCT-BK-BK</b>	20W 1750LM 30K/40K/50K Black and Black blades	1
<b>WFL-115-PC-3B-52-MCT-BN-RWS</b>	20W 1750LM 30K/40K/50K Brush Nickel and Reversible Rosewood/Silver blades	1
<b>WFL-115-PC-3B-52-MCT-WH-WH</b>	20W 1750LM 30K/40K/50K White and White blades	1
<b>WFL-119-PC-4B-48-BN-BK</b>	3X19W 89LM/W 3000K Brush Nickel and Black blades	1



With wall switch

**WFL-116-WS-3B-52-30K-WH-WH**  
White and White blades



With wall switch

**WFL-116-WS-3B-52-30K-BK-BK**  
Black and Black blades



With wall switch

**WFL-116-WS-3B-52-30K-BN-RWS**  
Brush Nickel and Reversible  
Rosewood/Silver blades



With wall switch

**WFL-118-WS-4B-52-30K-WH-WH**  
White and White blades



With wall switch

**WFL-118-WS-4B-52-30K-BK-BK**  
Black and Black blades



With wall switch

**WFL-118-WS-4B-52-30K-BN-S**  
Brush Nickel/Silver Blades



With wall switch

**WFL-512-WS-3B-36-30K-BK-BK**  
Black and Black blades



With wall switch

**WFL-512-WS-3B-36-30K-BN-BK**  
Brush Nickel and Black blades



With wall switch

**WFL-512-WS-3B-36-30K-GD-BK**  
Gold and Black blades



With wall switch

**WFL-512-WS-3B-36-30K-WH-WH**  
White and White blades



With wall switch

**WFL-117DL-WS-4B-52-30K-BK-BK**  
Black and Black blades

## WESTGATE CEILING FAN AND LIGHT



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>WFL-116-WS-3B-52-30K-WH-WH</b>	19W 1600LM 3000K White and White blades	1
<b>WFL-116-WS-3B-52-30K-BK-BK</b>	19W 1600LM 3000K Black and Black blades	1
<b>WFL-116-WS-3B-52-30K-BN-RWS</b>	19W 1600LM 3000K Brush Nickel and Reversible Rosewood/Silver blades	1
<b>WFL-118-WS-4B-52-30K-WH-WH</b>	19W 1600LM 3000K White and White blades	1
<b>WFL-118-WS-4B-52-30K-BK-BK</b>	19W 1600LM 3000K Black and Black blades	1
<b>WFL-118-WS-4B-52-30K-BN-S</b>	19W 1600LM 3000K Brush Nickel/Silver Blades	1
<b>WFL-512-WS-3B-36-30K-BK-BK</b>	18W 1700LM 3000K Black and Black blades	1
<b>WFL-512-WS-3B-36-30K-BN-BK</b>	18W 1700LM 3000K Brush Nickel and Black blades	1
<b>WFL-512-WS-3B-36-30K-GD-BK</b>	18W 1700LM 3000K Gold and Black blades	1
<b>WFL-512-WS-3B-36-30K-WH-WH</b>	18W 1700LM 3000K White and White blades	1
<b>WFL-117DL-WS-4B-52-30K-BK-BK</b>	19W 1600LM 3000K Black and Black blades	1

Replacement wall switch available to purchase.



With Remote Control  
**WFL-418-RC-3B-52-MCT5-BK**  
Black



With Remote Control  
**WFL-418-RC-3B-52-MCT5-WH**  
White

## 52in CONTEMPORARY 3-BLADE CEILING FAN AND LIGHT WITH REMOTE, 5CCT



CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER	PKG. QTY.
<b>WFL-418-RC-3B-52-MCT5-BK</b>	18W 2160LM 30K/35K/40K/50K/65K Black		1
<b>WFL-418-RC-3B-52-MCT5-WH</b>	18W 2160LM 30K/35K/40K/50K/65K White		1

Replacement Remote Control available to purchase.



**With Remote Control**  
**WF-318WP-RC-3B-52-BR-WA**  
Bronze And Walnut Blades

## 52" 3-BLADE OUTDOOR CEILING FAN REMOTE CONTROL



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>WF-318WP-RC-3B-52-BR-WA</b>	52" 3-Blade Outdoor Ceiling Fan Remote Control, Bronze And Walnut Blades <b>Replacement Remote Control available to purchase.</b>	1



**With Remote Control**  
**WFL-DC-336WP-RC-5B-54-MCT-BKBR**  
Black/Brown



**With Remote Control**  
**WFL-DC-336WP-RC-5B-54-MCT-BKWA**  
Black/Walnut

## 54" 5-BLADE OUTDOOR WESTGATE CEILING FAN AND LIGHT WITH REMOTE, 5CCT



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>WFL-DC-336WP-RC-5B-54-MCT-BKWA</b>	22W 27K/30K/35K/40K/50K Black/Brown	1
<b>WFL-DC-336WP-RC-5B-54-MCT-BKBR</b>	22W 27K/30K/35K/40K/50K Black/Walnut	1

**Replacement Remote Control available to purchase.**



**With Remote Control**  
**WFL-DC-120-RC-5B-42-MCT5-BK-BK**  
Black and Black blades



**With Remote Control**  
**WFL-DC-120-RC-5B-42-MCT5-WH-WH**  
Black and Black blades



**With Remote Control**  
**WFL-DC-120-RC-5B-42-MCT5-BN-OK**  
Brush Nickel and Light Oak blades



**With Remote Control**  
**WFL-DC-121-RC-5B-52-MCT5-BK-BK**  
Black and Black blades



**With Remote Control**  
**WFL-DC-122-RC-3B-46-MCT5-BK-RW**  
Black and Rosewood blades



**With Remote Control**  
**WFL-DC-123-RC-3B-56-MCT5-BN-NW**  
Black and Natural Wood blades



**With Remote Control**  
**WFL-DC-124-RC-3B-52-MCT5-BK-BK**  
Black and Black blades



**With Remote Control**  
**WFL-DC-124-RC-3B-52-MCT5-BN-NW**  
Brush Nickel and Natural Wood blades



**With Remote Control**  
**WFL-DC-124-RC-3B-52-MCT5-WH-WH**  
White and White blades



**With Remote Control**  
**WFL-DC-125-RC-3B-52-MCT5-AZ-BK**  
Antique Brass and Black blades



**With Remote Control**  
**WFL-DC-125-RC-3B-52-MCT5-BN-BK**  
Brush Nickel and Black blades



**With Remote Control**  
**WFL-DC-125-RC-3B-52-MCT5-GD-BK**  
Gold and Black blades

## DC CEILING FAN AND LIGHT WITH REMOTE, 5CCT



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>WFL-DC-120-RC-5B-42-MCT5-BK-BK</b>	18W 109LM/W 30K/35K/40K/50K/65K Black and Black blades	1
<b>WFL-DC-120-RC-5B-42-MCT5-WH-WH</b>	18W 109LM/W 30K/35K/40K/50K/65K White and White blades	1
<b>WFL-DC-120-RC-5B-42-MCT5-BN-OK</b>	18W 109LM/W 30K/35K/40K/50K/65K Brush Nickel and Light Oak blades	1
<b>WFL-DC-121-RC-5B-52-MCT5-BK-BK</b>	18W 109LM/W 30K/35K/40K/50K/65K Black and Black blades	1
<b>WFL-DC-122-RC-3B-46-MCT5-BK-RW</b>	22W 100LM/W 30K/35K/40K/50K/65K Black and Rosewood blades	1
<b>WFL-DC-123-RC-3B-56-MCT5-BN-NW</b>	22W 103LM/W 30K/35K/40K/50K/65K Black and Natural Wood blades	1
<b>WFL-DC-124-RC-3B-52-MCT5-BK-BK</b>	22W 103LM/W 30K/35K/40K/50K/65K Black and Black blades	1
<b>WFL-DC-124-RC-3B-52-MCT5-BN-NW</b>	22W 103LM/W 30K/35K/40K/50K/65K Brush Nickel and Natural Wood blades	1
<b>WFL-DC-124-RC-3B-52-MCT5-WH-WH</b>	22W 103LM/W 30K/35K/40K/50K/65K White and White blades	1
<b>WFL-DC-125-RC-3B-52-MCT5-AZ-BK</b>	18W 108LM/W 30K/35K/40K/50K/65K Antique Brass and Black blades	1
<b>WFL-DC-125-RC-3B-52-MCT5-BN-BK</b>	18W 108LM/W 30K/35K/40K/50K/65K Brush Nickel and Black blades	1
<b>WFL-DC-125-RC-3B-52-MCT5-GD-BK</b>	18W 108LM/W 30K/35K/40K/50K/65K Gold and Black blades	1

COMMERCIAL

CEILING FANS



**With Remote Control**  
**WF-DC-216-RC-6B-60-BK**  
Black



**With Remote Control**  
**WF-DC-216-RC-6B-60-BN**  
Brush Nickel



**With Remote Control**  
**WF-DC-216-RC-6B-60-WH**  
White



**With Remote Control**  
**WF-DC-216-RC-6B-72-BK**  
Black



**With Remote Control**  
**WF-DC-216-RC-6B-72-BN**  
Brush Nickel



**With Remote Control**  
**WF-DC-216-RC-6B-72-WH**  
White

## WESTGATE DC 6-BLADE CEILING FAN WITH REMOTE




CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>WF-DC-216-RC-6B-60-BK</b>	60" DC 6-Blade Fan With Remote Black	1
<b>WF-DC-216-RC-6B-60-BN</b>	60" DC 6-Blade Fan With Remote Brush Nickel	1
<b>WF-DC-216-RC-6B-60-WH</b>	60" DC 6-Blade Fan With Remote White	1
<b>WF-DC-216-RC-6B-72-BK</b>	72" DC 6-Blade Fan With Remote Black	1
<b>WF-DC-216-RC-6B-72-BN</b>	72" DC 6-Blade Fan With Remote Brush Nickel	1
<b>WF-DC-216-RC-6B-72-WH</b>	72" DC 6-Blade Fan With Remote White	1

**Replacement Remote Control available to purchase.**

## CEILING FAN EXTENSION DOWNROD

CATALOG NO.	DESCRIPTION
<b>WF-DR-12-BN</b>	Ceiling Fan Extension Downrod 12in, Brush Nickel
<b>WF-DR-18-BN</b>	Ceiling Fan Extension Downrod 18in, Brush Nickel
<b>WF-DR-24-BN</b>	Ceiling Fan Extension Downrod 24in, Brush Nickel
<b>WF-DR-36-BN</b>	Ceiling Fan Extension Downrod 36in, Brush Nickel
<b>WF-DR-48-BN</b>	Ceiling Fan Extension Downrod 48in, Brush Nickel
<b>WF-DR-60-BN</b>	Ceiling Fan Extension Downrod 60in, Brush Nickel
<b>WF-DR-12-BK</b>	Ceiling Fan Extension Downrod 12in, Black
<b>WF-DR-18-BK</b>	Ceiling Fan Extension Downrod 18in, Black
<b>WF-DR-24-BK</b>	Ceiling Fan Extension Downrod 24in, Black
<b>WF-DR-36-BK</b>	Ceiling Fan Extension Downrod 36in, Black
<b>WF-DR-48-BK</b>	Ceiling Fan Extension Downrod 48in, Black
<b>WF-DR-60-BK</b>	Ceiling Fan Extension Downrod 60in, Black
<b>WF-DR-12-WH</b>	Ceiling Fan Extension Downrod 12in, White
<b>WF-DR-18-WH</b>	Ceiling Fan Extension Downrod 18in, White
<b>WF-DR-24-WH</b>	Ceiling Fan Extension Downrod 24in, White
<b>WF-DR-36-WH</b>	Ceiling Fan Extension Downrod 36in, White
<b>WF-DR-48-WH</b>	Ceiling Fan Extension Downrod 48in, White
<b>WF-DR-60-WH</b>	Ceiling Fan Extension Downrod 60in, White



## LED TRACK LIGHTS, 120V (Fit Halo® and compatible tracks and accessories)



CATALOG NO.	DESCRIPTION
<b>TR1-R-10W-WH-50K</b>	10W 702LM 5000K WHITE 25° LED ADJ. CYLINDER
<b>TR1-S-10W-WH-30K</b>	10W 681LM 3000K WHITE 25° LED ADJ. SQUARE
<b>TR1-S-10W-WH-40K</b>	10W 706LM 4000K WHITE 25° LED ADJ. SQUARE
<b>TR1-S-10W-WH-50K</b>	10W 732LM 5000K WHITE 25° LED ADJ. SQUARE



WHILE SUPPLIES LAST



**TRPK-3L-GU10-30K-BN**  
Brush Nickel



**TRPK-4L-GU10-30K-BN**  
Brush Nickel



**TRPK-6L-GU10-30K-BN**  
Brush Nickel

**TRACK PACK W/ LED GU10 LAMP**



CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER	PKG. QTY.
<b>TRPK-3L-GU10-30K-BN</b>	3X6.5W <b>3x500LM</b> 3000K Brush Nickel		6
<b>TRPK-4L-GU10-30K-BN</b>	4X6.5W <b>4x500LM</b> 3000K Brush Nickel		6
<b>TRPK-6L-GU10-30K-BN</b>	6X6.5W <b>5x500LM</b> 3000K Brush Nickel		6



**TRE-5-15W-MCTP-36D-BK**  
Black



**TRE-15-25W-MCTP-36D-BK**  
Black



**TRE-25-35W-MCTP-36D-BK**  
Black



Shown with **TRE26-BK**  
Black



**TRE-5-15W-MCTP-36D-WH**  
White



**TRE-15-25W-MCTP-36D-WH**  
White



**TRE-25-35W-MCTP-36D-WH**  
White



Shown with **TRE26-WH**  
White

**BUILDER SERIES TRACK HEADS WITH EXT. DRIVERS, POWER AND CCT ADJUSTABLE, 120V**



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>TRE-5-15W-MCTP-36D-BK</b>	5W/10W/15W <b>84LM/W</b> 30K/35K/40K Black	20
<b>TRE-5-15W-MCTP-36D-WH</b>	5W/10W/15W <b>84LM/W</b> 30K/35K/40K White	20
<b>TRE-15-25W-MCTP-36D-BK</b>	15W/20W/25W <b>84LM/W</b> 30K/35K/40K Black	12
<b>TRE-15-25W-MCTP-36D-WH</b>	15W/20W/25W <b>84LM/W</b> 30K/35K/40K White	12
<b>TRE-25-35W-MCTP-36D-BK</b>	25W/30W/35W <b>84LM/W</b> 30K/35K/40K Black	10
<b>TRE-25-35W-MCTP-36D-WH</b>	25W/30W/35W <b>84LM/W</b> 30K/35K/40K White	10
<b>TRE26-BK</b>	3.5In Modern Par-Lamp Track Head 120V 3-Wire, Black	
<b>TRE26-WH</b>	3.5In Modern Par-Lamp Track Head 120V 3-Wire, White	

COMMERCIAL  
TRACK  
LIGHTS



**TRP-8-15W-MCTP-20D-WH**  
White



**TRP-8-15W-MCTP-20D-BK**  
Black

**TRACK PUCK LIGHTS - POWER AND CCT ADJUSTABLE, 120V - 20° BEAM ANGLE**



CATALOG NO.	DESCRIPTION
<b>TRP-8-15W-MCTP-20D-WH</b>	8W/12W/15W <b>90LM/W</b> 27K/30K/35K/40K/50K White
<b>TRP-8-15W-MCTP-20D-BK</b>	8W/12W/15W <b>90LM/W</b> 27K/30K/35K/40K/50K Black

COMMERCIAL  
TRACK  
LIGHTS



**TRD-8W-MCT5-36D-BK**  
Black



**TRD-12W-MCT5-36D-BK**  
**TRD-15W-MCT5-36D-BK**  
Black



**TRD-20W-MCT5-36D-BK**  
Black



**TRD-30W-MCT5-36D-BK**  
Black

**SPEC SERIES DIE-CAST TRACK HEADS 5CCT, 120V**



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>TRD-8W-MCT5-36D-BK</b>	8W <b>720LM</b> 27K/30K/35K/40K/50K Black	40
<b>TRD-8W-MCT5-36D-WH</b>	8W <b>720LM</b> 27K/30K/35K/40K/50K White	40
<b>TRD-12W-MCT5-36D-BK</b>	12W <b>1080LM</b> 27K/30K/35K/40K/50K Black	24
<b>TRD-12W-MCT5-36D-WH</b>	12W <b>1080LM</b> 27K/30K/35K/40K/50K White	24
<b>TRD-15W-MCT5-36D-BK</b>	15W <b>1350LM</b> 27K/30K/35K/40K/50K Black	24
<b>TRD-15W-MCT5-36D-WH</b>	15W <b>1350LM</b> 27K/30K/35K/40K/50K White	24
<b>TRD-20W-MCT5-36D-BK</b>	20W <b>1800LM</b> 27K/30K/35K/40K/50K Black	16
<b>TRD-20W-MCT5-36D-WH</b>	20W <b>1800LM</b> 27K/30K/35K/40K/50K White	16
<b>TRD-30W-MCT5-36D-BK</b>	30W <b>2700LM</b> 27K/30K/35K/40K/50K Black	16
<b>TRD-30W-MCT5-36D-WH</b>	30W <b>2700LM</b> 27K/30K/35K/40K/50K White	16
<b>TRD-8W-LENS-15D</b>	TRD 8W Replacement Lens 15-Degree	
<b>TRD-8W-LENS-25D</b>	TRD 8W Replacement Lens 25-Degree	
<b>TRD-8W-LENS-55D</b>	TRD 8W Replacement Lens 55-Degree	
<b>TRD-12W-LENS-15D</b>	TRD 12W & 15W Replacement Lens 15-Degree	
<b>TRD-12W-LENS-25D</b>	TRD 12W & 15W Replacement Lens 25-Degree	
<b>TRD-12W-LENS-55D</b>	TRD 12W & 15W Replacement Lens 55-Degree	
<b>TRD-20W-LENS-15D</b>	TRD 20W Replacement Lens 15-Degree	
<b>TRD-20W-LENS-25D</b>	TRD 20W Replacement Lens 25-Degree	
<b>TRD-20W-LENS-60D</b>	TRD 20W Replacement Lens 60-Degree	
<b>TRD-30W-LENS-12D</b>	TRD 30W Replacement Lens 12-Degree	
<b>TRD-30W-LENS-24D</b>	TRD 30W Replacement Lens 24-Degree	
<b>TRD-30W-LENS-60D</b>	TRD 30W Replacement Lens 60-Degree	



**TRD-BK**  
Black



Fixture Shown with  
Antiglare Honeycomb Louver



**TRD-WH**  
White



Fixture Shown with  
Antiglare Honeycomb Louver

**SPEC SERIES DIE-CAST ZOOMABLE TRACK HEADS**  
WATTAGE & CCT & BEAM ANGLE SELECT



CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER	PKG. QTY.
<b>TRD-20W-MCTB-BK</b>	20W <b>1700LM</b> 27K/30K/35K/40K/50K	Black	16
<b>TRD-20W-MCTB-WH</b>	20W <b>1700LM</b> 27K/30K/35K/40K/50K	White	16
<b>TRD-30W-MCTB-BK</b>	30W <b>2700LM</b> 27K/30K/35K/40K/50K	Black	12
<b>TRD-30W-MCTB-WH</b>	30W <b>2700LM</b> 27K/30K/35K/40K/50K	White	12
<b>TRD-20W-MCTB-HCL-BK</b>	Antiglare Honeycomb Louver For Zoomable TRD-20W-MCTB Black		
<b>TRD-20W-MCTB-HCL-WH</b>	Antiglare Honeycomb Louver For Zoomable TRD-20W-MCTB White		
<b>TRD-30W-MCTB-HCL-BK</b>	Antiglare Honeycomb Louver For Zoomable TRD-30W-MCTB Black		
<b>TRD-30W-MCTB-HCL-WH</b>	Antiglare Honeycomb Louver For Zoomable TRD-30W-MCTB White		
<b>TRD-20W-MCTB-BD-BK</b>	Barn Door For Zoomable TRD-20W-MCTB Black		
<b>TRD-20W-MCTB-BD-WH</b>	Barn Door For Zoomable TRD-20W-MCTB White		
<b>TRD-30W-MCTB-BD-BK</b>	Barn Door For Zoomable TRD-30W-MCTB Black		
<b>TRD-30W-MCTB-BD-WH</b>	Barn Door For Zoomable TRD-30W-MCTB White		



**TRS-10-20W-BK**  
Black



**TRS-10-20W-WH**  
White



**TRS-20-30W-BK**  
Black



**TRS-20-30W-WH**  
White

**STANDARD TRACK HEAD SERIES, WATTAGE & CCT SELECT,**  
H-TYPE TO J-TYPE CONV. KIT AVAIL., 120V



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>STANDARD TRACK HEAD SERIES, WATTAGE &amp; CCT SELECT BEAM ANGLE: 36°</b>		
<b>TRS-10-20W-MCTP-36D-WH</b>	10W/15W/20W <b>90LM/W</b> 27K/30K/35K/40K/50K White	20
<b>TRS-10-20W-MCTP-36D-BK</b>	10W/15W/20W <b>90LM/W</b> 27K/30K/35K/40K/50K Black	20
<b>TRS-20-30W-MCTP-36D-WH</b>	20W/25W/30W <b>90LM/W</b> 27K/30K/35K/40K/50K White	20
<b>TRS-20-30W-MCTP-36D-BK</b>	20W/25W/30W <b>90LM/W</b> 27K/30K/35K/40K/50K Black	20
<b>STANDARD TRACK HEAD SERIES, WATTAGE &amp; CCT &amp; BEAM ANGLE SELECT BEAM ANGLE: 20°-50°</b>		
<b>TRS-10-20W-MCTPB-36D-WH</b>	10W/15W/20W <b>90LM/W</b> 27K/30K/35K/40K/50K White, Zoomable	20
<b>TRS-10-20W-MCTPB-36D-BK</b>	10W/15W/20W <b>90LM/W</b> 27K/30K/35K/40K/50K Black, Zoomable	20
<b>TRS-20-30W-MCTPB-36D-WH</b>	20W/25W/30W <b>90LM/W</b> 27K/30K/35K/40K/50K White, Zoomable	20
<b>TRS-20-30W-MCTPB-36D-BK</b>	20W/25W/30W <b>90LM/W</b> 27K/30K/35K/40K/50K Black, Zoomable	20
<b>TRS-H-J-WH</b>	H-Type To J-Type Connector Head Converter for TRS Series, White	
<b>TRS-H-J-BK</b>	H-Type To J-Type Connector Head Converter for TRS Series, Black	



**TR-2FT**  
**TR-4FT**  
**TR-6FT**  
**TR-8FT**  
White OR Black



**TR-LE**  
White OR Black



**TR-MC**  
White OR Black



**TR-SC**  
White OR Black



**TR-LC**  
White OR Black



**TR-TC**  
White OR Black



**TR-XC**  
White OR Black



**TR-FLEXC**  
White OR Black



**TR-FC**  
White OR Black



**TR-MONC**  
White OR Black



**TR-JBEF**  
White OR Black



**TR-CCON**  
White OR Black



**TR-EC**  
White OR Black  
2 Included with each track



**TR-EXTCON**  
White OR Black

## TRACK ACCESSORIES

CATALOG NO.	DESCRIPTION
<b>TR-2FT-BK</b>	2Ft 3-Wire Track, Black
<b>TR-2FT-WH</b>	2Ft 3-Wire Track, White
<b>TR-4FT-BK</b>	4Ft 3-Wire Track, Black
<b>TR-4FT-WH</b>	4Ft 3-Wire Track, White
<b>TR-6FT-BK</b>	6Ft 3-Wire Track, Black
<b>TR-6FT-WH</b>	6Ft 3-Wire Track, White
<b>TR-8FT-BK</b>	8Ft 3-Wire Track, Black
<b>TR-8FT-WH</b>	8Ft 3-Wire Track, White
<b>TR-LE-BK</b>	3-Wire Track Live End, Black
<b>TR-LE-WH</b>	3-Wire Track Live End, White
<b>TR-MC-BK</b>	3-Wire Track Mini Connector, Black
<b>TR-MC-WH</b>	3-Wire Track Mini Connector, White
<b>TR-SC-BK</b>	3-Wire Track Straight Connector, Black
<b>TR-SC-WH</b>	3-Wire Track Straight Connector, White
<b>TR-LC-BK</b>	3-Wire Track L Connector, Black
<b>TR-LC-WH</b>	3-Wire Track L Connector, White
<b>TR-TC-BK</b>	3-Wire Track T Connector, Black
<b>TR-TC-WH</b>	3-Wire Track T Connector, White
<b>TR-XC-BK</b>	3-Wire Track X Connector, Black
<b>TR-XC-WH</b>	3-Wire Track X Connector, White
<b>TR-FLEXC-BK</b>	3-Wire Track Flex Connector, Black
<b>TR-FLEXC-WH</b>	3-Wire Track Flex Connector, White
<b>TR-FC-BK</b>	3-Wire Track Floating Canopy, Black
<b>TR-FC-WH</b>	3-Wire Track Floating Canopy, White
<b>TR-MONC-BK</b>	3-Wire Track Mono Canopy, Black
<b>TR-MONC-WH</b>	3-Wire Track Mono Canopy, White
<b>TR-JBEF-BK</b>	3-Wire Track J-Box End Feed Kit, Black
<b>TR-JBEF-WH</b>	3-Wire Track J-Box End Feed Kit, White
<b>TR-CCON-BK</b>	3-Wire Track Conduit Connector, Black
<b>TR-CCON-WH</b>	3-Wire Track Conduit Connector, White
<b>TR-EC-BK</b>	3-Wire Track End Cap, Black
<b>TR-EC-WH</b>	3-Wire Track End Cap, White
<b>TR-EXTCON-BK</b>	3-Wire Track To Track Extension Connector, Black
<b>TR-EXTCON-WH</b>	3-Wire Track To Track Extension Connector, White
<b>TR-PENDKIT-BK</b>	3-Wire Track 3Ft Pendant Wiring Kit, Black
<b>TR-PENDKIT-WH</b>	3-Wire Track 3Ft Pendant Wiring Kit, White

SUSPENSION KIT SEE PAGES 171 TO 174

# LAMPS

SEARCH FOR THE SERIES NAME @WESTGATEMFG.COM



CL-XHL SERIES



CL-EHL SERIES



CL-FLT SERIES



ED SERIES




CL-FLTW SERIES



HPL SERIES




HBL SERIES




CL-CONST-2WIRE SERIES



CL-CONST SERIES



CL-CONST SERIES




T8-EZX SERIES




T8-EZX-GS SERIES



T8-EM SERIES



T8-EZ6 SERIES



T8-EZ6 SERIES



T8-4FT-TYPB SERIES



T8-HL SERIES



T8-HL-SPLIT SERIES



T12-EZX-MCT SERIES



T5 SERIES



T-RFG SERIES



T8HO SERIES



LPL SERIES



STG SERIES



STG-RGB SERIES



A19-MCT5 SERIES



A19 SERIES



TC-A19-RGBW SERIES



MR16 SERIES



MR11 SERIES




PAR30 SERIES



PAR36 SERIES



TC-PAR SERIES



GZ-JC SERIES



GZ-G9 SERIES



G10 SERIES



E12 SERIES



TC-E12 SERIES



TC-FLA SERIES



ST19 SERIES



BR30 SERIES



ST64 SERIES



T10 SERIES



MR-16-RGB SERIES



*GATEWAY RESORT - RGBW STRING LIGHTS*



Live inventory. Real-time pricing. No waiting.  
Access the MyWestgate Portal to check  
availability and pricing instantly.  
Scan the QR code to skip the line.



CL-XHL-12-27W



CL-XHL-18-36W



CL-XHL-27-45W  
CL-XHL-36-54W  
CL-XHL-45-63W



CL-XHL-54-80W  
CL-XHL-63-100W  
CL-XHL-80-120W



CL-XHL-100-150W



CL-XHL-120-200W  
CL-XHL-200-300W

### DLC HIGH-LUMEN LED CORN LAMP,100-277V AC



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>CL-XHL-12-27W-MCTP-E39</b>	12W/18W/27W 145LM/W 30K/40K/50K E39	24
<b>CL-XHL-18-36W-MCTP-E39</b>	18W/27W/36W 145LM/W 30K/40K/50K E39	12
<b>CL-XHL-27-45W-MCTP-E39</b>	27W/36W/45W 145LM/W 30K/40K/50K E39	12
<b>CL-XHL-36-54W-MCTP-E39</b>	36W/45W/54W 145LM/W 30K/40K/50K E39	12
<b>CL-XHL-45-63W-MCTP-E39</b>	45W/54W/63W 145LM/W 30K/40K/50K E39	12
<b>CL-XHL-54-80W-MCTP-E39</b>	54W/63W/80W 145LM/W 30K/40K/50K E39	6
<b>CL-XHL-63-100W-MCTP-E39</b>	63W/80W/100W 145LM/W 30K/40K/50K E39	6
<b>CL-XHL-80-120W-MCTP-E39</b>	80W/100W/120W 145LM/W 30K/40K/50K E39	6
<b>CL-XHL-100-150W-MCTP-E39</b>	100W/120W/150W 145LM/W 30K/40K/50K E39	6
<b>CL-XHL-120-200W-MCTP-E39</b>	120W/150W/200W 145LM/W 30K/40K/50K E39	6
<b>CL-XHL-200-300W-MCTP-E39</b>	200W/240W/300W 145LM/W 30K/40K/50K E39	6



### HIGH-LUMEN LED CORN LAMP WITH UP LIGHT,100-277V AC



CATALOG NO.	DESCRIPTION	REPLACEMENT RANGE	PKG. QTY.
<b>CL-HL-27W-30K-E26</b>	27W 3510LM 3000K E26 H: 7.13" X D: 3.74"	50-70MH	12
<b>CL-HL-45W-30K-E39</b>	45W 5850LM 3000K E39 H: 10.20" X D: 3.74"	70-100MH	12
<b>CL-HL-75W-30K-E39</b>	75W 9750LM 3000K E39 H: 12.17" X D: 3.74"	70-125MH	12
<b>CL-HL-100W-30K-E39</b>	100W 13000LM 3000K E39 H: 9.88" X D: 5.75"	70-175MH	6
<b>E26-ENLARGER</b>	ENLARGES E26 (MED.), BASE TO BE USED IN E39 (MOGUL) SOCKET		6
<b>E39-REDUCER</b>	REDUCES E39 (MOGUL), BASE TO BE USED IN E26 (MED.) SOCKET		6

WHILE SUPPLIES LAST



**POWER & CCT SWITCHES**



**CL-EHL-12-27W-MCTP-E26**  
**CL-EHL-36-54W-MCTP-E39**  
**CL-EHL-80-120W-MCTP-E39**



**CL-EHL**  
**(12W TO 27W)**



**CL-EHL**  
**(36W TO 54W)**



**CL-EHL**  
**(75W TO 120W)**



**Internal Driver**  
**CL-HL**  
**(200W TO 300W)**



**External Driver**  
**CL-HL-200W-EXTR**  
**CL-HL-200W-480W**

**HIGH-LUMEN LED CORN LAMP, 100-277V AC**



CATALOG NO.

DESCRIPTION

PKG. QTY.

**POWER & CCT ADJUSTABLE HIGH-LUMEN LED CORN LAMP, 100-277V AC**



<b>CL-EHL-12-27W-MCTP-E26</b>	27MAX	150LM/W	30K/40K/50K	E26 H: 6.69" X D: 2.36"	24
<b>CL-EHL-36-54W-MCTP-E39</b>	54MAX	150LM/W	30K/40K/50K	E39 H: 9.84" X D: 3.34"	12
<b>CL-EHL-80-120W-MCTP-E39</b>	120MAX	150LM/W	30K/40K/50K	E39 H: 11.14" X D: 5.11"	6
<b>CL-EHL-80-120W-MCTP-EX39</b>	80W/100W/120W	135LM/W	30K/40K/50K	E39 H: 11.14" X D: 5.11"	6

**HIGH-LUMEN LED CORN LAMP, 100-277V AC, DLC EXCEPT E26**



<b>CL-EHL-12W-30K-E26</b>	12W	1500LM	3000K	E26 H: 4.90" X D: 2.36" 30-50MH	24
<b>CL-EHL-12W-50K-E26</b>	12W	1860LM	5000K	E26 H: 4.90" X D: 2.36" 30-50MH	24
<b>CL-EHL-18W-30K-E26</b>	18W	2250LM	3000K	E26 H: 5.70" X D: 2.36" 50-60MH	24
<b>CL-EHL-18W-50K-E26</b>	18W	2610LM	5000K	E26 H: 5.70" X D: 2.36" 50-60MH	24
<b>CL-EHL-27W-30K-E26</b>	27W	3375LM	3000K	E26 H: 6.69" X D: 2.36" 50-70MH	24
<b>CL-EHL-27W-50K-E26</b>	27W	4185LM	5000K	E26 H: 6.69" X D: 2.36" 50-70MH	24
<b>CL-EHL-36W-30K-E26</b>	36W	4500LM	3000K	E26 H: 7.55" X D: 3.34" 50-100MH	12
<b>CL-EHL-36W-50K-E26</b>	36W	5580LM	5000K	E26 H: 7.55" X D: 3.34" 50-100MH	12
<b>CL-EHL-36W-30K-E39</b>	36W	4500LM	3000K	E39 H: 8.30" X D: 3.34" 50-100MH	12
<b>CL-EHL-36W-50K-E39</b>	36W	5580LM	5000K	E39 H: 8.30" X D: 3.34" 50-100MH	12
<b>CL-EHL-45W-30K-E39</b>	45W	5625LM	3000K	E39 H: 9.84" X D: 3.34" 70-100MH	12
<b>CL-EHL-45W-50K-E39</b>	45W	6975LM	5000K	E39 H: 9.84" X D: 3.34" 70-100MH	12
<b>CL-EHL-54W-30K-E39</b>	54W	6750LM	3000K	E39 H: 9.84" X D: 3.34" 70-125MH	12
<b>CL-EHL-54W-50K-E39</b>	54W	8370LM	5000K	E39 H: 9.84" X D: 3.34" 70-125MH	12
<b>CL-EHL-75W-30K-E39</b>	75W	9375LM	3000K	E39 H: 9.84" X D: 5.11" 70-125MH	6
<b>CL-EHL-75W-50K-E39</b>	75W	11625LM	5000K	E39 H: 9.84" X D: 5.11" 70-125MH	6
<b>CL-EHL-100W-30K-E39</b>	100W	12500LM	3000K	E39 H: 10.31" X D: 5.11" 70-175MH	6
<b>CL-EHL-100W-50K-E39</b>	100W	15500LM	5000K	E39 H: 10.31" X D: 5.11" 70-175MH	6
<b>CL-EHL-120W-30K-E39</b>	120W	15600LM	3000K	E39 H: 11.14" X D: 5.11" 200-400MH	6
<b>CL-EHL-120W-50K-E39</b>	120W	17400LM	5000K	E39 H: 11.14" X D: 5.11" 200-400MH	6
<b>CL-HL-200W-50K-E39</b>	200W	28000LM	5000K	E39 H: 14.25" X D: 5.75" 600MH	6
<b>CL-HL-240W-50K-E39</b>	240W	34800LM	5000K	E39 H: 13.15" X D: 5.50" 800W HID	6
<b>CL-HL-300W-50K-E39</b>	300W	43500LM	5000K	E39 H: 13.15" X D: 5.50" 800W HID	6
<b>CL-HL-200W-50K-E39-EXTR</b>	200W	28000LM	5000K	E39 H: 14.25" X D: 5.75" 600MH	4
<b>CL-HL-200W-50K-E39-480V</b>	200W	28000LM	5000K	E39 H: 14.25" X D: 5.75" 600MH	4
<b>CL-EHL-75W-30K-EX39</b>	75W	135LM/W	3000K	EX39 H: 9.84" X D: 5.11" 70-125MH	6
<b>CL-EHL-75W-50K-EX39</b>	75W	135LM/W	5000K	EX39 H: 9.84" X D: 5.11" 70-125MH	6
<b>CL-EHL-100W-30K-EX39</b>	100W	135LM/W	3000K	EX39 H: 10.31" X D: 5.11" 70-175MH	6
<b>CL-EHL-100W-50K-EX39</b>	100W	135LM/W	5000K	EX39 H: 10.31" X D: 5.11" 70-175MH	6
<b>CL-EHL-120W-30K-EX39</b>	120W	135LM/W	3000K	EX39 H: 11.14" X D: 5.11" 200-400MH	6
<b>CL-EHL-120W-50K-EX39</b>	120W	135LM/W	5000K	EX39 H: 11.14" X D: 5.11" 200-400MH	6

480V



<b>E26-ENLARGER</b>	ENLARGES E26 (MED.), BASE TO BE USED IN E39 (MOGUL) SOCKET	6
<b>E39-REDUCER</b>	REDUCES E39 (MOGUL), BASE TO BE USED IN E26 (MED.) SOCKET	6

NOTE: FOR 125W OR BELOW: IF USED IN ENCLOSED FIXTURE, CHECK SPEC SHEET FOR MINIMUM SPACE REQUIRED  
 FOR 200W OR ABOVE: DO NOT USE THE LAMPS IN ENCLOSED FIXTURES  
 THE DIMENSION OF THE EXTERNAL DRIVER FOR 200-EXTR & 480V LAMPS IS 9.5"X2.5"X1.5"



## LED 180 DEGREE FLAT HID RETROFIT LAMP



CATALOG NO.	DESCRIPTION	REPLACEMENT RANGE	PKG. QTY.
<b>CL-FLT-75W-50K-E39</b>	75W <b>WHILE SUPPLIES LAST</b> 9000LM 5000K 11.7"(L) x 5.5"(W) x 3.4"(H)	150-320 MH	8
<b>CL-FLT-115W-50K-E39</b>	115W <b>WHILE SUPPLIES LAST</b> 13570LM 5000K 11.7"(L) x 5.5"(W) x 3.4"(H)	320-400 MH	8
<b>POWER &amp; CTT - ADJUSTABLE LED 180 DEGREE FLAT HID RETROFIT LAMP</b>			
<b>CL-FLT-54-75W-50K-E39</b>	54W/63W/75W 150LM/W 5000K 11.7"(L) x 5.5"(W) x 3.4"(H)	150-320 MH	8
<b>CL-FLT-75-115W-50K-E39</b>	75W/97W/115W 150LM/W 5000K 11.7"(L) x 5.5"(W) x 3.4"(H)	320-400 MH	8

## LED 180 DEGREE FLAT HID RETROFIT LAMP



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>CL-FLT-36-54W-50K-E39</b>	36W/45W/54W 150LM/W 5000K Flat	6
<b>CL-FLT-54-75W-50K-E39</b>	54W/63W/75W 150LM/W 5000K Adjustable	6
<b>CL-FLT-75-110W-50K-E39</b>	75W/97W/110W 150LM/W 5000K Adjustable	6



## HID-STYLE FILAMENT LAMP - 120-277V - GLASS LENS



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>ED23-20W-40K-C-E26</b>	20W 3500LM 4000K E26 Medium Base	10
<b>ED23-20W-50K-C-E26</b>	20W 3500LM 5000K E26 Medium Base	10
<b>ED23-20W-40K-C-EX39</b>	20W 3500LM 4000K E39 Mogul Base	10
<b>ED23-20W-50K-C-EX39</b>	20W 3500LM 5000K E39 Mogul Base	10
<b>ED28-40W-40K-C-EX39</b>	40W 7200LM 4000K E39 Mogul Base	10
<b>ED28-40W-50K-C-EX39</b>	40W 7200LM 5000K E39 Mogul Base	10
<b>ED37-55W-40K-C-EX39</b>	55W 10010LM 4000K E39 Mogul Base	10
<b>ED37-55W-50K-C-EX39</b>	55W 10010LM 5000K E39 Mogul Base	10

## HIGH-PERFORMANCE HIGH BAY LAMP, POWER & CCT ADJUSTABLE



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>HBL-80-120W-MCT-E39</b>	80W/100W/120W 150LM/W 30K/40K/50K E39 Mogul Base	4
<b>HBL-120-160W-MCT-E39</b>	120W/140W/160W 150LM/W 30K/40K/50K E39 Mogul Base	4



## LED HIGH POWER LAMPS, 120-277V



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>HPL-16W-30K-E26</b>	16W 2000LM 3000K E26 Medium Base <b>WHILE SUPPLIES LAST</b>	20
<b>HPL-20W-30K-E26</b>	20W 2500LM 3000K E26 Medium Base	20
<b>HPL-20W-50K-E26</b>	20W 2500LM 5000K E26 Medium Base	20
<b>HPL-24W-30K-E26</b>	24W 3000LM 3000K E26 Medium Base <b>WHILE SUPPLIES LAST</b>	20
<b>HPL-32W-30K-E26</b>	32W 4000LM 3000K E26 Medium Base	20
<b>HPL-34W-30K-E26</b>	34W 4250LM 3000K E26 Medium Base	12
<b>HPL-34W-50K-E26</b>	34W 4250LM 5000K E26 Medium Base	12
<b>HPL-HB-60W-50K-E39</b>	60W 6480LM 5000K E39 Mogul Base <b>WHILE SUPPLIES LAST</b>	4
<b>HPL-HB-75W-50K-E39</b>	75W 8100LM 5000K E39 Mogul Base <b>WHILE SUPPLIES LAST</b>	4
<b>HPL-HB-100W-50K-E39</b>	100W 12500LM 5000K E39 Mogul Base <b>WHILE SUPPLIES LAST</b>	4
<b>HPL-HB-R1</b>	Optional PC Reflector for HPL-HB-60W	12
<b>HPL-HB-R2</b>	Optional PC Reflector for HPL-HB-75W	8
<b>HPL-HB-R3</b>	Optional PC Reflector for HPL-HB-120W & HPL-HB-140W	8





## 2WIRE ECONOMY CONSTRUCTION STRING LIGHT



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>CL-CONST-50FT-50W-2WIRE</b>	5X10W 6000LM 5000K 50FT	1
<b>CL-CONST-100FT-50W-2WIRE</b>	10X10W 12000LM 5000K 100FT	1

## LED CONSTRUCTION / TEMPORARY LIGHT WITH SOCKET FOR LINKING MULTIPLE UNITS




CATALOG NO.	DESCRIPTION	EQUIVALENCY	PKG. QTY.
<b>CL-CONST-40W-50K</b>	40W 4800LM 5000K 6FT CORD WITH 15A 3 PRONG STRAIGHT BLADE PLUG	400 MH	1
<b>CL-CONST-100W-50K</b>	100W 12000LM 5000K 6FT CORD WITH 15A 3 PRONG STRAIGHT BLADE PLUG	400 MH	1



## LAMP-READY CONSTRUCTION LIGHT E39 MOGUL - MAX 8FT CORD MAX 1200W DAISY CHAIN



CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER
<b>CL-CONST-E39-8FT</b>	Lamp-Ready Construction Light E39 Mogul 150W Max 8Ft Cord Max 1200W Daisy Chain	



CL-CONST-LINEAR-IP65



CL-CONST-UFO-IP65

## WET LOCATION LINKABLE TEMPORARY CONSTRUCTION LIGHTS IP65 HIGH-LUMEN & IMPACT RESISTANT



CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER
<b>CL-CONST-LINEAR-IP65</b>	90W 10800LM 5000K	
<b>CL-CONST-UFO-IP65</b>	130W 15600LM 5000K	
<b>CL-CONST-LU-1FT-120V-PIGTAIL</b>	5-15P 1Ft Straight Power Pigtail For Linear And Ufo Construction Lights	
<b>CL-CONST-LU-1FT-277V-PIGTAIL</b>	L7-15P 1Ft Twist-Lock Power Pigtail For Linear And Ufo Construction Lights	
<b>CL-CONST-LU-25FT-EXTENSION-T</b>	25Ft Extension Cord With Triple End For Linear And Ufo Construction Lights	

## X-GEN WATTAGE & CCT ADJ. LED T8 GLASS LAMPS - TYPE A+B (A/C OR BALLAST) - NO POWER SELECT WITH BALLAST, DIMMABLE

NO PARTIAL/MUST SHIP CASE QTY.



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>4FT</b> T8-EZX-4FT-12-18W-MCTP-F	12W/15W/18W <b>130LM/W</b> 27K/30K/35K/40K/50K FROSTED	12 & 36
T8-EZX-4FT-12-18W-MCTP-S	12W/15W/18W <b>130LM/W</b> 27K/30K/35K/40K/50K CLEAR	12 & 36

## X-GEN LED T8 PC+ALUM. SHATTER-PROOF LAMPS, TYPE A+B FOR A/C OR BALLAST

NO PARTIAL/MUST SHIP CASE QTY.



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>2FT</b> T8-EZX-PRO-2FT-10W-40K-C	10W <b>1300LM</b> 4000K Clear, G13, Type A & B	25
T8-EZX-PRO-2FT-10W-40K-F	10W <b>1300LM</b> 4000K Frosted, G13, Type A & B	25
T8-EZX-PRO-2FT-10W-50K-C	10W <b>1300LM</b> 5000K Clear, G13, Type A & B	25
T8-EZX-PRO-2FT-10W-50K-F	10W <b>1300LM</b> 5000K Frosted, G13, Type A & B	25
T8-EZX-PRO-4FT-12W-40K-F	12W <b>1560LM</b> 4000K Frosted, G13, Type A & B	25
T8-EZX-PRO-4FT-12W-50K-F	12W <b>1560LM</b> 5000K Frosted, G13, Type A & B	25
<b>4FT</b> T8-EZX-PRO-4FT-18W-40K-C	18W <b>2340LM</b> 4000K Clear, G13, Type A & B	25
T8-EZX-PRO-4FT-18W-40K-F	18W <b>2340LM</b> 4000K Frosted, G13, Type A & B	25
T8-EZX-PRO-4FT-18W-50K-C	18W <b>2340LM</b> 5000K Clear, G13, Type A & B	25
T8-EZX-PRO-4FT-18W-50K-F	18W <b>2340LM</b> 5000K Frosted, G13, Type A & B	25

## X-GEN 3CCT LED T8 GLASS LAMPS

### 3 COLOR-TEMPERATURES IN ONE LAMP TYPE A+B (A/C OR BALLAST) NO PARTIAL/MUST SHIP CASE QTY.



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>2FT</b> T8-EZX-MCT-GS-2FT-8W-C	8W <b>1216LM</b> 35K/40K/50K Clear, G13, Type A & B	12
T8-EZX-MCT-GS-2FT-8W-F	8W <b>1216LM</b> 35K/40K/50K Frosted, G13, Type A & B	12
<b>3FT</b> T8-EZX-MCT-GS-3FT-12W-C	12W <b>1500LM</b> 35K/40K/50K Clear, G13, Type A & B	12
T8-EZX-MCT-GS-3FT-12W-F	12W <b>1500LM</b> 35K/40K/50K Frosted, G13, Type A & B	12
<b>4FT</b> T8-EZX-MCT-GS-4FT-15W-C	15W <b>1875LM</b> 35K/40K/50K Clear, G13, Type A & B	12
T8-EZX-MCT-GS-4FT-15W-F	15W <b>1875LM</b> 35K/40K/50K Frosted, G13, Type A & B	12

## X-GEN SELECTABLE-POWER LED T8 GLASS LAMPS, TYPE B FOR DIRECT A/C (BALLAST OVERRIDE)

NO PARTIAL/MUST SHIP CASE QTY.



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>4FT</b> T8-EZX-TB-4FT-12-18W-50K-F	12W/15W/18W <b>120LM/W</b> 5000K Frosted, G13, Type B	12
T8-EZX-TB-4FT-12-18W-50K-C	12W/15W/18W <b>120LM/W</b> 5000K Clear, G13, Type B	12
T8-EZX-TB-4FT-12-18W-40K-F	12W/15W/18W <b>120LM/W</b> 4000K Frosted, G13, Type B	12
T8-EZX-TB-4FT-12-18W-40K-C	12W/15W/18W <b>120LM/W</b> 4000K Clear, G13, Type B	12

## EMERGENCY (90-MIN) T8 LAMP 120-277V - TYPE B FOR DIRECT A/C (BALLAST OVERRIDE)



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>4FT</b> T8-EM-4FT-12-15W-MCTP-F	12W/15W/18W <b>700LM</b> 35K/40K/50K FROSTED	12

## U-SHAPED T8 EZ6 LED GLASS LAMPS

NO PARTIAL/MUST SHIP CASE QTY.



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>U Lamp</b> T8-EZ6-U2F-15W-41K-C	15W <b>2100LM</b> 4100K Ballast Compatible Or 100-277 Ac	10
T8-EZ6-U2F-15W-41K-F	15W <b>2000LM</b> 4100K Ballast Compatible Or 100-277 Ac	10
T8-EZ6-U2F-15W-50K-C	15W <b>2100LM</b> 5000K Ballast Compatible Or 100-277 Ac	10
T8-EZ6-U2F-15W-50K-F	15W <b>2000LM</b> 5000K Ballast Compatible Or 100-277 Ac	10

## U-SHAPED T8 LED PLASTIC/ALUMINUM LAMPS

Works 3 ways: 1) With existing electronic ballast 2) A/C direct one end 3) A/C direct 2 ends

NO PARTIAL/MUST SHIP CASE QTY.



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>T8-U2F-EZ3-15W-41K-C</b>	15W <b>1450LM</b> 4100K BALLAST COMPATIBLE OR 100-277 AC	10
T8-U2F-EZ3-15W-50K-C	15W <b>1500LM</b> 5000K BALLAST COMPATIBLE OR 100-277 AC	10

WHITE SHIP PLIES LAST

NEW GEN. - TYPE A + B (DOUBLE UL) 2FT. 3FT. & 4FT. LED T8-EZ6 GLASS LAMPS, 180°(CLEAR) & 240° (FROSTED) Beam Angle, ELECTRONIC BALLASTS (TYPE A), ALSO WORK WITH A/C DIRECT (120-277V) ONE END OR BOTH ENDS (TYPE B)

NO PARTIAL/MUST SHIP CASE QTY.



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>2FT</b> 	<b>T8-EZ6-GS-2FT-10W-30K-C</b> 10W <b>1250LM</b> 3000K Clear, G13, Type A & B	12 & 36
	<b>T8-EZ6-GS-2FT-10W-30K-F</b> 10W <b>1200LM</b> 3000K Frosted, G13, Type A & B	12 & 36
	<b>T8-EZ6-GS-2FT-10W-35K-C</b> 10W <b>1250LM</b> 3500K Clear, G13, Type A & B	12 & 36
	<b>T8-EZ6-GS-2FT-10W-35K-F</b> 10W <b>1200LM</b> 3500K Frosted, G13, Type A & B	12 & 36
	<b>T8-EZ6-GS-2FT-10W-40K-C</b> 10W <b>1250LM</b> 4000K Clear, G13, Type A & B	12 & 36
	<b>T8-EZ6-GS-2FT-10W-40K-F</b> 10W <b>1200LM</b> 4000K Frosted, G13, Type A & B	12 & 36
	<b>T8-EZ6-GS-2FT-10W-50K-C</b> 10W <b>1250LM</b> 5000K Clear, G13, Type A & B	12 & 36
	<b>T8-EZ6-GS-2FT-10W-50K-F</b> 10W <b>1200LM</b> 5000K Frosted, G13, Type A & B	12 & 36
<b>3FT</b> 	<b>T8-EZ6-GS-3FT-12W-40K-C</b> 12W <b>1600LM</b> 4000K Clear, G13, Type A & B	12 & 36
	<b>T8-EZ6-GS-3FT-12W-40K-F</b> 12W <b>1560LM</b> 4000K Frosted, G13, Type A & B	12 & 36
	<b>T8-EZ6-GS-3FT-12W-50K-C</b> 12W <b>1600LM</b> 5000K Clear, G13, Type A & B	12 & 36
	<b>T8-EZ6-GS-3FT-12W-50K-F</b> 12W <b>1560LM</b> 5000K Frosted, G13, Type A & B	12 & 36
	<b>T8-EZ6-GS-4FT-15W-30K-C</b> 15W <b>1875LM</b> 3000K Clear, G13, Type A & B	12 & 36
	<b>T8-EZ6-GS-4FT-15W-30K-F</b> 15W <b>1800LM</b> 3000K Frosted, G13, Type A & B	12 & 36
<b>4FT</b> 	<b>T8-EZ6-GS-4FT-15W-35K-C</b> 15W <b>1875LM</b> 3500K Clear, G13, Type A & B	12 & 36
	<b>T8-EZ6-GS-4FT-15W-35K-F</b> 15W <b>1800LM</b> 3500K Frosted, G13, Type A & B	12 & 36
	<b>T8-EZ6-GS-4FT-15W-40K-C</b> 15W <b>1875LM</b> 4000K Clear, G13, Type A & B	12 & 36
	<b>T8-EZ6-GS-4FT-15W-40K-F</b> 15W <b>1800LM</b> 4000K Frosted, G13, Type A & B	12 & 36
	<b>T8-EZ6-GS-4FT-15W-50K-C</b> 15W <b>1875LM</b> 5000K Clear, G13, Type A & B	12 & 36
	<b>T8-EZ6-GS-4FT-15W-50K-F</b> 15W <b>1800LM</b> 5000K Frosted, G13, Type A & B	12 & 36
	<b>T8-EZ6-GS-4FT-18W-30K-C</b> 18W <b>2250LM</b> 3000K Clear, G13, Type A & B	12 & 36
	<b>T8-EZ6-GS-4FT-18W-30K-F</b> 18W <b>2160LM</b> 3000K Frosted, G13, Type A & B	12 & 36
<b>4FT</b> 	<b>T8-EZ6-GS-4FT-18W-35K-C</b> 18W <b>2250LM</b> 3500K Clear, G13, Type A & B	12 & 36
	<b>T8-EZ6-GS-4FT-18W-35K-F</b> 18W <b>2160LM</b> 3500K Frosted, G13, Type A & B	12 & 36
	<b>T8-EZ6-GS-4FT-18W-40K-C</b> 18W <b>2160LM</b> 4000K Clear, G13, Type A & B	12 & 36
	<b>T8-EZ6-GS-4FT-18W-40K-F</b> 18W <b>2160LM</b> 4000K Frosted, G13, Type A & B	12 & 36
	<b>T8-EZ6-GS-4FT-18W-50K-C</b> 18W <b>2250LM</b> 5000K Clear, G13, Type A & B	12 & 36
	<b>T8-EZ6-GS-4FT-18W-50K-F</b> 18W <b>2160LM</b> 5000K Frosted, G13, Type A & B	12 & 36

4FT. T8 GLASS LAMPS

WORKS WITH A/C DIRECT (120-277V) ONE END OR BOTH ENDS (TYPE B)

NO PARTIAL/MUST SHIP CASE QTY.



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>4FT</b> 	<b>T8-4FT-TYPB-17W-40K-F</b> 17W <b>2200LM</b> 4000K FROSTED	12 & 36
	<b>T8-4FT-TYPB-17W-40K-C</b> 17W <b>2200LM</b> 4000K CLEAR	12 & 36
	<b>T8-4FT-TYPB-17W-50K-F</b> 17W <b>2200LM</b> 5000K FROSTED	12 & 36
	<b>T8-4FT-TYPB-17W-50K-C</b> 17W <b>2200LM</b> 5000K CLEAR	12 & 36
	<b>T8-4FT-TYPB-14W-40K-F</b> 14W <b>1800LM</b> 4000K FROSTED	13 & 36
	<b>T8-4FT-TYPB-10.5WHL-40K-F</b> 10.5W <b>1700LM</b> 4000K FROSTED	12 & 36
	<b>T8-4FT-TYPB-10.5WHL-40K-C</b> 10.5W <b>1700LM</b> 4000K CLEAR	12 & 36

4FT. T8 LED GLASS LAMPS DIMMABLE DIRECT A/C (one end N+L)

NO PARTIAL/MUST SHIP CASE QTY.



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>4FT</b> 	<b>T8-4FT-DIM-18W-35K-C</b> 18W <b>1900LM</b> 3500K 90-140VAC, CLEAR	12 & 36
	<b>T8-4FT-DIM-18W-50K-F</b> 18W <b>2150LM</b> 5000K 90-140VAC, FROSTED	12 & 36

NEW GEN HIGH LUMEN 4FT. LED T8 GLASS LAMPS DIMMABLE DIRECT A/C (ONE END N+L)

NO PARTIAL/MUST SHIP CASE QTY.



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>4FT</b> 	<b>T8-HL-4FT-DIM-18W-40K-C</b> 18W <b>2250LM</b> 4000K Clear	12 & 36
	<b>T8-HL-4FT-DIM-18W-40K-F</b> 18W <b>2160LM</b> 4000K Frosted	12 & 36
	<b>T8-HL-4FT-DIM-18W-50K-C</b> 18W <b>2250LM</b> 5000K Clear	12 & 36
	<b>T8-HL-4FT-DIM-18W-50K-F</b> 18W <b>2160LM</b> 5000K Frosted	12 & 36

LAMPS  
T8  
LAMPS

WHILE SUPPLIES LAST

4FT. LED T8 GLASS LAMPS ELV DIMMABLE (TYPE A),  
ALSO WORK WITH A/C DIRECT (120-277V) ONE END OR BOTH ENDS (TYPE B)



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>T8-HL-4FT-ELV-18W-50K-F</b>	18W <b>2250LM</b> 5000K FROSTED	12 & 36

8FT. SPLIT VERSION LED T8 LAMPS, TYPE B

NO PARTIAL/MUST SHIP CASE QTY.



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>T8-HL-8FT-SPLIT-42W-40K-C</b>	42W <b>6000LM</b> 4000K Clear	18
<b>T8-HL-8FT-SPLIT-42W-40K-F</b>	42W <b>5500LM</b> 4000K Frosted	18
<b>T8-HL-8FT-SPLIT-42W-50K-C</b>	42W <b>6000LM</b> 5000K Clear	18
<b>T8-HL-8FT-SPLIT-42W-50K-F</b>	42W <b>5500LM</b> 5000K Frosted	18
<b>T8-R17D-CONV</b>	R17D Conversion kit	

8FT. LED T8 LAMPS, TYPE B DIRECT A/C 100-277V (TWO ENDS) NO PARTIAL/MUST SHIP CASE QTY.



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>T8-HL-8FT-40W-40K-C</b>	40W <b>4600LM</b> 4000K Clear	20
<b>T8-HL-8FT-40W-40K-F</b>	40W <b>4400LM</b> 4000K Frosted	20
<b>T8-HL-8FT-40W-50K-C</b>	40W <b>4600LM</b> 5000K Clear	20
<b>T8-HL-8FT-40W-50K-F</b>	40W <b>4400LM</b> 5000K Frosted	20

T12 X-GEN SELECTABLE-CCT LED LAMPS,  
TYPE A+B FOR A/C OR BALLAST

NO PARTIAL/MUST SHIP CASE QTY.



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>T12-EZX-MCT-GS-4FT-16W-F</b>	16W <b>2000LM</b> 30K/40K/50K/65K Frosted, G13, Type B	20

4FT. LED T5 GLASS LAMPS, TYPE A+B, WORK WITH DIRECT A/C OR BALLAST



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>T5-EZ6-GS-4FT-24W-40K-F</b>	24W <b>3000LM</b> 4000K Frosted	12 & 36
<b>T5-EZ6-GS-4FT-24W-50K-F</b>	24W <b>3000LM</b> 5000K Frosted	12 & 36

4FT. LED T5 GLASS LAMPS

NO PARTIAL/MUST SHIP CASE QTY.

CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>T5-TYPB-25W-40K-F</b>	25W <b>3200LM</b> 4000K FROSTED	40

5FT. & 6FT. LED REFRIGERATOR LAMPS



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>T-RFG-5FT-22W-50K-C</b>	22W <b>3100LM</b> 5000K CLEAR	25
<b>T-RFG-6FT-30W-50K-C</b>	30W <b>4200LM</b> 5000K CLEAR	25

LED SIGN TUBE - 360° - R17D ENDS - SINGLE/DOUBLE ENDED NO PARTIAL/MUST SHIP CASE QTY.



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>T8H0-R17D-4FT-65K-360D</b>	21W <b>125LM/W</b> 6500K	25
<b>T8H0-R17D-5FT-65K-360D</b>	26W <b>125LM/W</b> 6500K	25
<b>T8H0-R17D-6FT-65K-360D</b>	31W <b>125LM/W</b> 6500K	25
<b>T8H0-R17D-7FT-65K-360D</b>	37W <b>125LM/W</b> 6500K	25
<b>T8H0-R17D-8FT-65K-360D</b>	42W <b>125LM/W</b> 6500K	25

LED EMERGENCY DRIVER FOR ALL T8 LAMPS



CATALOG NO.	DESCRIPTION
<b>ELB-23120-HH-AC-FLEX</b>	120VAC 23W BACKUP FOR T8 LAMPS

LAMPS

T8 & T5 LAMPS

WHILE SUPPLIES LAST

## LED PL LAMPS



WHILE SUPPLIES LAST

CATALOG NO.	DESCRIPTION	POSITION	ROTATABLE	BALLAST
 <b>LPL-EB-9W-H-40K</b>	9W <b>800LM</b> 4000K	Horizontal	90°	Electronic Ballast

## LED TYPE A+B PL LAMPS



CATALOG NO.	DESCRIPTION	PKG. QTY.
 <b>LPL-G24-AB-11W</b>	11W <b>1300LM</b> 4000K	1
 <b>LPL-GX23-AB-8W</b>	8W <b>800LM</b> 4000K	1

## 12 LED LAMPS /24FT. STG



CATALOG NO.	DESCRIPTION	TOTAL LED
 <b>STG-2412-27K</b>	1W per bulb <b>75LM per S14 bulb</b> 2700K Black	12
 <b>STG-2412-27K-WH</b>	1W per bulb <b>75LM per S14 bulb</b> 2700K White	12

## 53FT 15-BULB ST14 RGB STRING LIGHT



CATALOG NO.	DESCRIPTION
 <b>STG-5315-RGB-BT</b>	53Ft 15-Bulb ST14 Rgb String Light 1M Appart With 11 Fairy Lights In Between Bluetooth

## LANTERN DESIGN STRING LIGHT RGB BLUETOOTH APP CONTROLLED



CATALOG NO.	DESCRIPTION
 <b>STG-2415-LANT-RGBIC-BT</b>	24Ft 15-Lamp Lantern Design String Light Rgb Bluetooth App Controlled
<b>STG-4830-LANT-RGBIC-BT</b>	48Ft 30-Lamp Lantern Design String Light Rgb Bluetooth App Controlled

## A19 LED LAMPS



CATALOG NO.	DESCRIPTION	PKG. QTY.
 <b>A19-9W-MCT5-D</b>	9W <b>800LM</b> 27K/30K/35K/40K/50K	1

## A19 LED LAMPS (Medium Base) 240° 15K Hours



CATALOG NO.	DESCRIPTION	MASTER QTY.
 <b>A19-8PK-9W-30K-D</b>	9W <b>700LM</b> 3000K 8-PACK	64
<b>A19-8PK-9W-40K-D</b>	9W <b>810LM</b> 4000K 8-PACK	64
<b>A19-8PK-9W-50K-D</b>	9W <b>810LM</b> 5000K 8-PACK	64
<b>A19-40PK-9W-30K-D</b>	9W <b>700LM</b> 3000K 40-PACK	40
<b>A19-40PK-9W-40K-D</b>	9W <b>810LM</b> 4000K 40-PACK	40
<b>A19-40PK-9W-50K-D</b>	9W <b>810LM</b> 5000K 40-PACK	40

LAMP

LAMP

## WG SMART APP COMPATIBLE RGBW A19 LAMP, 120V



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>TC-A19-9W-RGBW-WIFI</b>	9W <b>800LM</b> RGBW E26 Base	50



## MR16 LED LAMPS, 12V AC/DC GU5.3 BASE 36°



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>MR16-400L-27K-D</b>	5W <b>380LM</b> 2700K 80CRI	200
<b>MR16-400L-30K-D</b>	5W <b>380LM</b> 3000K 80CRI	200
<b>MR16-400L-41K-D</b>	5W <b>390LM</b> 4100K 80CRI	200
<b>MR16-400L-50K-D</b>	5W <b>400LM</b> 5000K 80CRI	200
<b>MR16-500L-C90-30K-D</b>	7W <b>500LM</b> 3000K 90CRI	100
<b>MR16-500L-C90-40K-D</b>	7W <b>560LM</b> 4000K 90CRI	100
<b>MR16-500L-C90-50K-D</b>	7W <b>560LM</b> 5000K 90CRI	100



## MR11 LED LAMPS, 12V AC/DC GU5.3 BASE 36°

CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>MR11-250L-27K</b>	3W <b>250LM</b> 2700K	
<b>MR11-250L-30K</b>	3W <b>250LM</b> 3000K	



## BR30 LED LAMPS



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>BR30-9W-MCT5-D</b>	9W <b>800LM</b> 27K/30K/35K/40K/50K	1



## PAR30, PAR30S, PAR38 LED LAMPS, 5CCT, WEATHERPROOF



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>PAR30-9W-MCT5-D-WP</b>	9W <b>800LM</b> 27K/30K/35K/40K/50K	24
<b>PAR30S-9W-MCT5-D-WP</b>	9W <b>800LM</b> 27K/30K/35K/40K/50K	24
<b>PAR38-12W-MCT5-D-WP</b>	12W <b>1200LM</b> 27K/30K/35K/40K/50K	1



## PAR36 12V AC/DC G53 Terminal Base, IP65, WET LOCATION



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>PAR36-12W-30K</b>	12W <b>1000LM</b> 3000K	20
<b>PAR36-12W-40K</b>	12W <b>1000LM</b> 4000K	20
<b>PAR36-12W-50K</b>	12W <b>1000LM</b> 5000K	20



## WG SMART APP COMPATIBLE RGBW PAR20/PAR30/PAR38, 120V




CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>TC-PAR20-4.5W-RGBW-WIFI</b>	4.5W <b>400LM</b> RGBW E26 Base	50
<b>TC-PAR30-11W-RGBW-WIFI</b>	11W <b>850LM</b> RGBW E26 Base	50
<b>TC-PAR38-10W-RGBW-WIFI</b>	10W <b>1050LM</b> RGBW E26 Base	50



LAMPS

## 12-VOLT LED REPLACEMENT LAMPS

CATALOG NO.	DESCRIPTION	PKG. QTY.
 <b>GZ-JC-39L-27K</b>	3W <b>250LM</b> 2700K 12VAC/DC	1000
 <b>GZ-JC-39L-30K</b>	 3W <b>250LM</b> 3000K 12VAC/DC	1000
 <b>GZ-JC-18L-27K</b>	3W <b>250LM</b> 2700K 12VAC/DC	1000
 <b>GZ-JC-WP-3W-32K</b>	 3W <b>180LM</b> 3200K 12VAC/DC	1000
 <b>GZ-S8-32K-G2</b>	2.2W <b>230LM</b> 3200K 12V	500
 <b>GZ-G4-9L-32K</b>	2W <b>120LM</b> 3200K 12V	1000
 <b>GZ-JC-60L-TFL</b>	3W <b>60LM</b> TURTLE FRIENDLY CCT	1000
 <b>GZ-JC-300L-27K</b>	 3W <b>300LM</b> 2700K 360° Beam Angle	1000
 <b>GZ-JC-300L-30K</b>	 3W <b>300LM</b> 3000K 360° Beam Angle	1000

## LED REPLACEMENT LAMPS, 120V

CATALOG NO.	DESCRIPTION	PKG. QTY.
 <b>GZ-G9-3W-32K</b>	3W <b>240LM</b> 3200K G9	500
 <b>GZ-G9-3W-55K</b>	3W <b>250LM</b> 5500K G9	500

## HIGH POWER GU10, 120V

CATALOG NO.	DESCRIPTION	PKG. QTY.
 <b>G10-600L-30K-D</b>	7.5W <b>500LM</b> 3000K SMD CRI80 30° ANGLE	60
<b>G10-600L-50K-D</b>	7.5W <b>600LM</b> 5000K SMD CRI80 30° ANGLE	60



## LED FILAMENT CANDELABRA, 120V

CATALOG NO.	DESCRIPTION	PKG. QTY.
 <b>E12-FLA-4W-30K-D</b>	4W <b>500LM</b> 3000K CLEAR TORPEDO	48
 <b>E12-FLA-4W-30K-D-F-BT</b>	4W <b>500LM</b> 3000K FROSTED BENT TIP	48
<b>E12-FLA-5W-27K-D</b>	4W <b>400LM</b> 2700K CLEAR TORPEDO	48
<b>E12-FLA-5W-40K-D</b>	4W <b>400LM</b> 4000K CLEAR TORPEDO	48
<b>E12-FLA-5W-27K-D-F-BT</b>	4W <b>300LM</b> 2700K FROSTED BENT TIP	48
<b>E12-FLA-5W-40K-D-F-BT</b>	4W <b>300LM</b> 4000K FROSTED BENT TIP	48



## WG SMART APP COMPATIBLE RGBW CANDELABRA, 120V

CATALOG NO.	DESCRIPTION	PKG. QTY.
 <b>TC-E12-4.5W-RGBW-WIFI</b>	4.5W <b>325LM</b> RGBW E12 Base	50



## LED FILAMENT A19 BULB, 120V



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>A19-FLA-7W-27K-D</b>	7W <b>800LM</b> 2700K CLEAR	100
<b>A19-FLA-7W-30K-D</b>	7W <b>800LM</b> 3000K CLEAR	100
<b>A19-FLA-7W-40K-D</b>	7W <b>800LM</b> 4000K CLEAR	100

## LED FILAMENT ST19 BULB, 120V




CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>ST19-FLA-5W-27K-D-CL</b>	5W <b>430LM</b> 2700K	24
<b>ST19-FLA-5W-30K-D-CL</b>	5W <b>650LM</b> 3000K	24
<b>ST19-FLA-5W-40K-D-CL</b>	5W <b>650LM</b> 4000K	24
<b>ST19-FLA-5W-22K-D-AM</b>	5W <b>380LM</b> 2200K (Amber Glass, LED Component 2700K)	24

## LED DECO FILAMENT ST64 BULB, 120V, E26 BASE



CATALOG NO.	DESCRIPTION	<b>ARRIVES THIS SEASON CHECK &amp; PRE-ORDER</b>	PKG. QTY.
<b>ST64-DECO-4W-27K-D-AMB</b>	4W <b>140LM</b> 2700K AMBER GLASS		50
<b>ST64-DECO-4W-27K-D-CL</b>	4W <b>140LM</b> 2700K CLEAR		50
<b>ST64-DECO-4W-30K-D-CL</b>	4W <b>140LM</b> 3000K CLEAR		50

## LED T10 FILAMENT LAMP, 120V



CATALOG NO.	DESCRIPTION	<b>ARRIVES THIS SEASON CHECK &amp; PRE-ORDER</b>	PKG. QTY.
<b>T10-12-6W-27K</b>	6W <b>780LM</b> 2700K		50
<b>T10-12-6W-30K</b>	6W <b>780LM</b> 3000K		50
<b>T10-12-6W-40K</b>	6W <b>780LM</b> 4000K		50
<b>T10-9-4W-27K</b>	4W <b>520LM</b> 2700K		50
<b>T10-9-4W-30K</b>	4W <b>520LM</b> 3000K		50
<b>T10-9-4W-40K</b>	4W <b>520LM</b> 4000K		50

## RGB BULBS



CATALOG NO.	DESCRIPTION
<b>MR16-5W-RGB</b>	5W <b>280LM</b> RGB 12V 30° REMOTE CONTROL

# RESIDENTIAL LIGHTING

SEARCH FOR THE SERIES NAME @WESTGATEMFG.COM



RDDF-MCT5 SERIES



RDDS-MCT5 SERIES



RDDF6-PIR SERIES



RDPS2-MCT5 SERIES




RDPF SERIES




RDL-MCT5 SERIES



RDMF SERIES



SDL SERIES




TC-RDPS-RGBW SERIES




RD4-12V SERIES



RDJ4 SERIES



HL SERIES



ICF SERIES



FR-HL SERIES



RSL-FR SERIES



SSL-FR SERIES



RSL SERIES




RSL-D2W SERIES



RSL-BF SERIES



SSL SERIES



TC-RSL-RGBW SERIES



RSL-ADJ SERIES



RSL-GIM SERIES




RSL-ADP SERIES



RSL-JB SERIES



RDL-BF SERIES



LDLS SERIES



SDL SERIES



RDL SERIES



RDL-ADJ SERIES




RDL2S SERIES



SDL2S SERIES




RDL3S-ADJ SERIES



RDLT SDLT SERIES



LRD-WTM1 SERIES



LRD-4WTR SERIES



LRD-TL-4S SERIES



LRD-3WTRSL SERIES



LRD-3WTRPH SERIES



LRD-3WTR SERIES



LRD-4WTRPH SERIES



LRD-4WTRSL SERIES



LRD-TL-4R SERIES



LRD-WTM3 SERIES



LRD-WTM2 SERIES



DLST6 SERIES



DLST6-PIR SERIES



DLSE SERIES



DLSE-PIR SERIES



DLSE-PIR SERIES



DLSF SERIES



DLS SERIES



DLS-PIR SERIES



FMD SERIES



FDL SERIES



FSL SERIES



FCRB SERIES



FCR SERIES



FCS SERIES



FMH SERIES



FMLU SERIES



FEL SERIES



FDLS SERIES



FMLT SERIES



FMLB SERIES



FMLS SERIES



TC-FML SERIES



FML-UGR SERIES



FML SERIES



FMLB SERIES



LCFF SERIES



FCD SERIES



LCEU SERIES



LCFC SERIES



LCFN SERIES



LCFA SERIES




LCFPM SERIES



LCF SERIES



LCFQ SERIES



LCFT SERIES



LCFW SERIES



LCFK SERIES



LCFI SERIES



LCFL SERIES



LDAP SERIES



LCFD SERIES



LCFP SERIES



LCFR SERIES



LCFB SERIES



LCFH SERIES



LCFE SERIES



LCFE-26 SERIES



LCFG SERIES



DPL SERIES



BRL SERIES



TC-PL12 SERIES



Live inventory. Real-time pricing. No waiting.  
Access the MyWestgate Portal to check  
availability and pricing instantly.  
Scan the QR code to skip the line.

## 2" ROUND COMPOSITE RECESSED TRIM, SMOOTH



CATALOG NO.	DESCRIPTION
<b>RDPS2-MCT5</b>	7W <b>600LM</b> 27K/30K/35K/40K/50K



## 2" ADJUSTABLE ROUND COMPOSITE RECESSED TRIM



CATALOG NO.	DESCRIPTION
<b>RDPS2-ADJ-MCT5</b>	7W <b>600LM</b> 27K/30K/35K/40K/50K



## ECO SHALLOW PC DOB RECESS TRIM, 5CCT WITH PIR MOTION SENSOR



CATALOG NO.	DESCRIPTION
<b>RDDF6-MCT5-PIR</b>	10W <b>1000LM</b> 27K/30K/40K/50K/60K 6" BAFFLE



## BUILDER SERIES ECO SHALLOW PC DOB RECESS TRIM, 5CCT SELECTABLE



CATALOG NO.	DESCRIPTION
<b>RDDF4-MCT5</b>	6.5W <b>650LM</b> 27K/30K/40K/50K/60K 4" BAFFLE
<b>RDDF6-MCT5</b>	10W <b>1000LM</b> 27K/30K/40K/50K/60K 6" BAFFLE
<b>RDDS4-MCT5</b>	6.5W <b>650LM</b> 27K/30K/40K/50K/60K 4" SMOOTH
<b>RDDS6-MCT5</b>	10W <b>1000LM</b> 27K/30K/40K/50K/60K 6" SMOOTH



## BUILDER PLUS ENVIRONMENTAL SERIES PC 5CCT SELECTABLE LED RECESSED LIGHT TRIM- COMPOSITE SERIES



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>RDPF4-MCT5</b>	10W <b>800LM</b> 27K/30K/35K/40K/50K 4" BAFFLE	12
<b>RDPF6-MCT5</b>	13W <b>1040LM</b> 27K/30K/35K/40K/50K 6" BAFFLE	8
<b>RDPS4-MCT5</b>	10W <b>800LM</b> 27K/30K/35K/40K/50K 4" SMOOTH	12
<b>RDPS6-MCT5</b>	13W <b>1040LM</b> 27K/30K/35K/40K/50K 6" SMOOTH	8



## BUILDER PLUS ENVIRONMENTAL SERIES PC 5CCT+3 POWER-LEVEL SELECTABLE LED RECESSED LIGHT TRIM- COMPOSITE SERIES



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>RDPF4-MCTP</b>	8W/10W/13W <b>80LM/W</b> 27K/30K/35K/40K/50K 4" BAFFLE	12
<b>RDPF6-MCTP</b>	10W/13W/17W <b>80LM/W</b> 27K/30K/35K/40K/50K 6" BAFFLE	8



## BUILDER PLUS ENVIRONMENTAL SERIES PC 5CCT SELECTABLE ADJUSTABLE-HEAD LED RECESSED LIGHT TRIMS



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>RDPF4-ADJ-MCT5</b>	10W <b>800LM</b> 27K/30K/35K/40K/50K 4"	12
<b>RDPF6-ADJ-MCT5</b>	11W <b>880LM</b> 27K/30K/35K/40K/50K 6"	8



RESIDENTIAL

RECESSED TRIMS

WHILE SUPPLIES LAST

# SPEC SERIES LED RECESSED TRIM SERIES 3", 4", 5/6" 5CCT SELECTABLE



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>SMOOTH METAL LED RECESSED TRIM SERIES 4" &amp; 5/6" SELECTABLE 5CCT [JA8]</b>		
RDL4-ST-MCT5	10W 700LM 27K/30K/35K/40K/50K 4"	24
RDL4-ST-MCT5-ORB	10W 700LM 27K/30K/35K/40K/50K 4"	24
RDL4-ST-MCT5-BK	10W 700LM 27K/30K/35K/40K/50K 4"	24
RDL6-ST-MCT5	15W 1275LM 27K/30K/35K/40K/50K 5/6"	16
RDL6-ST-MCT5-ORB	15W 1275LM 27K/30K/35K/40K/50K 5/6"	16
RDL6-ST-MCT5-BK	15W 1275LM 27K/30K/35K/40K/50K 5/6"	16
<b>BAFFLE METAL LED RECESSED TRIM SERIES 4" &amp; 5/6" SELECTABLE 5CCT [JA8]</b>		
RDL4-BF-MCT5	10W 700LM 27K/30K/35K/40K/50K 4"	24
RDL4-BF-MCT5-ORB	10W 700LM 27K/30K/35K/40K/50K 4"	24
RDL4-BF-MCT5-BK	10W 700LM 27K/30K/35K/40K/50K 4"	24
RDL6-BF-MCT5	15W 1275LM 27K/30K/35K/40K/50K 5/6"	16
RDL6-BF-MCT5-ORB	15W 1275LM 27K/30K/35K/40K/50K 5/6"	16
RDL6-BF-MCT5-BK	15W 1275LM 27K/30K/35K/40K/50K 5/6"	16
<b>SPEC PLUS &amp; WESTGATE SIGNATURE LED RECESSED TRIM SERIES 3", 4", 5/6" SELECTABLE 5CCT [JA8]</b>		
RDL3-MCT5-WP	7W 560LM 27K/30K/35K/40K/50K 3"	20
RDL4-MCT5-WP	8W 650LM 27K/30K/35K/40K/50K 4"	20
RDL6-MCT5-WP	14W 1140LM 27K/30K/35K/40K/50K 5/6"	20
<b>WESTGATE SIGNATURE ADJUSTABLE BAFFLE METAL LED RECESSED TRIM SERIES 4" &amp; 5/6" SELECTABLE 5CCT [JA8]</b>		
RDL4-ADJ-MCT5	8W 650LM 27K/30K/35K/40K/50K 4"	12
RDL6-ADJ-MCT5	11W 900LM 27K/30K/35K/40K/50K 5/6"	8



**FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
UP TO 19W	OPT-EM-RDL	EXTERNAL	N/A	N/A	N/A	N/A	N/A



**RDMF4-MCT5**  
White



**RDMF4-MCT5-BK**  
Black



**RDMF4-MCT5-ORB**  
Oil-Rubbed Bronze



**RDMF6-MCT5**  
White



**RDMF6-MCT5-BK**  
Black



**RDMF6-MCT5-ORB**  
Oil-Rubbed Bronze

## WESTGATE SIGNATURE DEEP BAFFLE RETROFIT METAL LED RECESSED TRIM POWER AND CCT ADJUSTABLE



CATALOG NO.	DESCRIPTION	PKG. QTY.
RDMF4-MCT5	6W/7W/9.5W 550LM/650W/800LM 27K/30K/35K/40K/50K White	10
RDMF4-MCT5-BK	6W/7W/9.5W 550LM/650W/800LM 27K/30K/35K/40K/50K Black	10
RDMF4-MCT5-ORB	6W/7W/9.5W 550LM/650W/800LM 27K/30K/35K/40K/50K Oil-rubbed bronze	10
RDMF6-MCT5	8W/10W/13W 750LM/900W/1100LM 27K/30K/35K/40K/50K White	10
RDMF6-MCT5-BK	8W/10W/13W 750LM/900W/1100LM 27K/30K/35K/40K/50K Black	10
RDMF6-MCT5-ORB	8W/10W/13W 750LM/900W/1100LM 27K/30K/35K/40K/50K Oil-rubbed bronze	10

## LED BAFFLE AND SMOOTH RECESSED TRIMS (CLIP-ON RDL-BF & RDL-ST)



BAFFLE  
SMOOTH

CATALOG NO.	DESCRIPTION
<b>RDL4-BF-TRMB-BK</b>	RDL4-BF series color trim, baffle, black finish
<b>RDL4-BF-TRMB-BN</b>	RDL4-BF series color trim, baffle, brushed nickel finish
<b>RDL4-BF-TRMB-ORB</b>	RDL4-BF series color trim, baffle, oil-rubbed bronze finish
<b>RDL4-BF-TRMB-GD</b>	RDL4-BF series color trim, baffle, Specular Gold
<b>RDL6-BF-TRMB-BK</b>	RDL6-BF series color trim, baffle, black finish
<b>RDL6-BF-TRMB-BN</b>	RDL6-BF series color trim, baffle, brushed nickel
<b>RDL6-BF-TRMB-ORB</b>	RDL6-BF series color trim, baffle, oil-rubbed bronze finish
<b>RDL6-BF-TRMB-GD</b>	RDL6-BF series color trim, baffle, Specular Gold
<b>RDL4-BF-TRMS-BK</b>	RDL4-BF series color trim, smooth, black finish
<b>RDL4-BF-TRMS-BN</b>	RDL4-BF series color trim, smooth, brushed nickel
<b>RDL4-BF-TRMS-WH</b>	RDL4-BF series color trim, smooth, white finish
<b>RDL4-BF-TRMS-ORB</b>	RDL4-BF series color trim, smooth, oil-rubbed bronze finish
<b>RDL4-BF-TRMS-GD</b>	RDL4-BF series color trim, smooth, Specular Gold
<b>RDL6-BF-TRMS-BK</b>	RDL6-BF series color trim, smooth, black finish
<b>RDL6-BF-TRMS-BN</b>	RDL6-BF series color trim, smooth, brushed nickel
<b>RDL6-BF-TRMS-WH</b>	RDL6-BF series color trim, smooth, white finish
<b>RDL6-BF-TRMS-ORB</b>	RDL6-BF series color trim, smooth, oil-rubbed bronze finish
<b>RDL6-BF-TRMS-GD</b>	RDL6-BF series color trim, smooth, Specular Gold



**SDPS2-MCT5**  
White



**SDL4**  
White



**SDL4-BF**  
White



**SDL6-BF**  
White

## LED SQUARE TRIMS 2", 4", 5/6"



SMOOTH

BAFFLE

CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>2" SQUARE COMPOSITE RECESSED TRIM, SMOOTH</b>	<b>MCT5</b> <b>UL</b>	
<b>SDPS2-MCT5</b>	7W 600LM 27K/30K/35K/40K/50K 2"	50
<b>SMOOTH LED SQUARE TRIMS 4", 5/6"</b>	<b>MCT5</b> <b>UL</b>	
<b>SDL4-MCT5</b>	10W 650LM 27K/30K/35K/40K/50K 4"	24
<b>SDL6-MCT5</b>	15W 1155LM 27K/30K/35K/40K/50K 5/6"	16
<b>BAFFLE LED SQUARE TRIMS 4", 5/6"</b>	<b>MCT5</b> <b>UL</b>	
<b>SDL4-BF-27K</b>	10W 600LM 2700K 4"	24
<b>SDL4-BF-30K</b>	10W 650LM 3000K 4"	24
<b>SDL4-BF-50K</b>	10W 700LM 5000K 4"	24
<b>SDL4-BF-MCT5</b>	10W 700LM 27K/30K/35K/40K/50K 4"	24
<b>SDL6-BF-27K</b>	16.5W 1073LM 2700K 5/6"	16
<b>SDL6-BF-30K</b>	16.5W 1100LM 3000K 5/6"	16
<b>SDL6-BF-41K</b>	16.5W 1150LM 4100K 5/6"	16
<b>SDL6-BF-50K</b>	16.5W 1200LM 5000K 5/6"	16
<b>SDL6-BF-MCT5</b>	15W 1155LM 27K/30K/35K/40K/50K 5/6"	16

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
UP TO 19W	OPT-EM-SDL	EXTERNAL	N/A	N/A	N/A	N/A	N/A

WG SMART APP COMPATIBLE RGBW SMOOTH RECESSED LIGHT TRIM – ROUND, 120V    

CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>TC-RDPS4-10W-RGBW-WIFI</b>	10W <b>650LM</b> RGBW 4" E26 Base	12
<b>TC-RDPS6-13W-RGBW-WIFI</b>	13W <b>850LM</b> RGBW 6" E26 Base	8



12V LOW-VOLTAGE LED REPLACEMENT TRIMS FOR MR16 HOUSINGS



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>RDL4-BF-MCT5-12V</b>	11W <b>77LM</b> 27K/30K/35K/40K/50K 4"	24
<b>RDL4-ST-MCT5-12V</b>	11W <b>77LM</b> 27K/30K/35K/40K/50K 4"	24



J-BOX DIRECT-MOUNT RECESSED LIGHT, FITS 3-0 AND 4-0 OCTAGON BOXES



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>RDJ4-MCT5</b>	10W <b>700LM</b> 27K/30K/35K/40K/50K 4"	20
<b>RDJ4-TRM-BK</b>	4 inch magnetic trim for RDJ4, Black	



SPEC PLUS SERIES SINGLE CCT LED TRIMS 3", 4", 5/6" E26 included in the box (JA8-E-2016 COMPLIANT)



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>RDL3-27K-WP</b>	9W <b>540LM</b> 2700K 3" 	20
<b>RDL3-41K-WP</b>	9W <b>540LM</b> 4100K 3"	20
<b>RDL3-50K-WP</b>	9W <b>540LM</b> 5000K 3"	20
<b>RDL4-27K-WP</b>	12W <b>650LM</b> 2700K 4" 	12
<b>RDL4-30K-WP</b>	12W <b>700LM</b> 3000K 4" 	12
<b>RDL4-35K-WP</b>	12W <b>725LM</b> 3500K 4" 	12
<b>RDL4-65K-WP</b>	12W <b>850LM</b> 6500K 4" 	12
<b>RDL6-30K-WP</b>	19W <b>1250LM</b> 3000K 5/6" 	8
<b>RDL6-41K-WP</b>	19W <b>1300LM</b> 4100K 5/6" 	8
<b>RDL6-50K-WP</b>	19W <b>1350LM</b> 5000K 5/6" 	8
<b>RDL6-65K-WP</b>	19W <b>1400LM</b> 6500K 5/6" 	8
<b>RDL4-BF-27K</b>	10W <b>650LM</b> 2700K 4" 	24
<b>RDL4-BF-30K-ORB</b>	10W <b>680LM</b> 3000K 4" Oil-Rubbed Bronze	24
<b>RDL4-BF-35K</b>	10W <b>720LM</b> 3500K 4" 	24
<b>RDL4-BF-41K</b>	10W <b>746LM</b> 4100K 4"	24
<b>RDL4-BF-50K</b>	10W <b>761LM</b> 5000K 4"	24
<b>RDL6-BF-35K</b>	18W <b>1280LM</b> 3500K 5/6"	16
<b>RDL4-ADJ-27K</b>	10W <b>650LM</b> 2700K 4"	12
<b>RDL4-ADJ-30K</b>	10W <b>650LM</b> 3000K 4"	12
<b>RDL4-ADJ-41K</b>	10W <b>650LM</b> 4100K 4"	12
<b>RDL4-ADJ-50K</b>	10W <b>650LM</b> 5000K 4"	12
<b>RDL6-ADJ-50K</b>	13W <b>900LM</b> 5000K 5/6"	8

SMOOTH

ADJUSTABLE EYEBALL BAFFLE



RESIDENTIAL

RECESSED TRIMS


WHILE SUPPLIES LAST



## LED RECESSED HOUSINGS



CATALOG NO.	DESCRIPTION
<b>HL2R-ICAT</b>	2In Led (TP24) Remodel Recessed Housing ICAT UL
<b>HL2DW-ICAT</b>	2In Led (TP24) Double-Wall Recessed Housing ICAT UL
<b>HL3R-ICAT</b>	3In Led (TP24) Remodel Recessed Housing ICAT UL
<b>HL3-ICAT</b>	3In Led (TP24) Recessed Housing ICAT UL
<b>HL4R-ICAT</b>	4In Led (TP24) Remodel Recessed Housing ICAT UL
<b>HL4DW-ICAT</b>	4In Led (TP24) Double-Wall Recessed Housing ICAT UL
<b>HL4-ICAT</b>	4In Led (TP24) Recessed Housing ICAT UL
<b>HL4RS-ICAT</b>	4In Led (TP24) Shallow Remodel Recessed Housing ICAT UL
<b>HL4S-ICAT</b>	4In Led (TP24) Shallow Recessed Housing ICAT UL
<b>HL6R-ICAT</b>	6In Led (TP24) Remodel Recessed Housing ICAT UL
<b>HL6-ICAT</b>	6In Led (TP24) Recessed Housing ICAT UL
<b>HL6RS-ICAT</b>	6In Led (TP24) Shallow Remodel Recessed Housing ICAT UL
<b>HL6S-ICAT</b>	6In Led (TP24) Shallow Recessed Housing ICAT UL




## AIRTIGHT LED RECESSED LIGHT HOUSING

NO PARTIAL/MUST SHIP CASE QTY.

CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>ICF4SJBB</b>	4" Fire-Rated Junction Box With Bar Hangers For Surface Mount Down Lights	24
<b>ICF4SJB</b>	4" Fire-Rated Junction Box Housing For Led Surface Mount Down Lights & J-Box Recessed Lights	6
<b>ICFAL-4</b>	4" Fire-Rated Ic New Construction Led Recessed Housing	4
<b>ICFAL-6</b>	6" Fire-Rated Ic New Construction Led Recessed Housing	4

FOR FACTORY-INSTALLED OPTIONS SEE SDL4 & 6 BELOW



## FIRE-RATED RECESSED HOUSINGS GEN. 2, IC & AT, CONFORM TO UL263 & UL1598



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>FR-HL4-AT</b>	4in 2hr Fire-Rated Recessed Housing New Const.	4
<b>FR-HL6-AT</b>	6in 2hr Fire-Rated Recessed Housing New Const.	4

RESIDENTIAL

RECESSED HOUSINGS

## RSL G2 SECOND GENERATION SLIM CANLESS WAFER LIGHTS, 5CCT



CATALOG NO.	DESCRIPTION	PKG. QTY.
 RSL4-G2-MCT5	10W 700LM 27K/30K/35K/40K/50K 4" White	20
RSL4-G2-MCT5-BK	10W 700LM 27K/30K/35K/40K/50K 4" Black	20
RSL4-G2-MCT5-ORB	10W 700LM 27K/30K/35K/40K/50K 4" Oil-Rubbed Bronze	20
RSL6-G2-MCT5	12W 1000LM 27K/30K/35K/40K/50K 6" White	20
RSL6-G2-MCT5-BK	12W 1000LM 27K/30K/35K/40K/50K 6" Black	20
RSL6-G2-MCT5-ORB	12W 1000LM 27K/30K/35K/40K/50K 6" Oil-Rubbed Bronze	20

## ROUND CANLESS SLIM LIGHTS 120V



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>CANLESS SLIM LIGHTS, DIM-TO-WARM</b>		
 RSL4-D2W	11W 700LM DIM TO WARM 22-40K	12
RSL6-D2W	12W 900LM DIM TO WARM 22-40K	12
<b>WG SMART APP OR REMOTE COMPATIBLE RGBWW SLIM CANLESS RECESSED LIGHTS</b> 		
TC-RSL4-RGBWW	9W 630LM RGBWW	24
TC-RSL6-RGBWW	12W 840LM RGBWW	24

## LED ULTRA SLIM CANLESS RECESSED LIGHTS 3", 4", 6", 8" & 12"




CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>LED 5CCT ULTRA SLIM ROUND RECESSED LIGHTS, 120V</b> 		
 RSL3-MCT5	6W 400LM 27K/30K/35K/40K/50K 3"	24
RSL3-MCT5-BN	6W 400LM 27K/30K/35K/40K/50K 3"	24
RSL3-MCT5-ORB	6W 400LM 27K/30K/35K/40K/50K 3"	24
RSL4-MCT5	9W 630LM 27K/30K/35K/40K/50K 4"	24
RSL4-MCT5-ORB	9W 630LM 27K/30K/35K/40K/50K 4"	24
RSL6-MCT5	15W 1125LM 27K/30K/35K/40K/50K 6"	24
RSL6-MCT5-ORB	15W 1125LM 27K/30K/35K/40K/50K 6"	24
RSL8-MCT5	18W 1350LM 27K/30K/35K/40K/50K 8"	24
RSL10-MCT5	20W 1500LM 27K/30K/35K/40K/50K 10"	24
RSL12-MCT5	24W 1800LM 27K/30K/35K/40K/50K 12"	24
<b>LED 5CCT BAFFLE ULTRA SLIM ROUND RECESSED LIGHTS, 120V</b> 		
 RSL4-BF-MCT5	9W 650LM 27K/30K/35K/40K/50K 4"	12
RSL6-BF-MCT5	15W 1200LM 27K/30K/35K/40K/50K 6"	12
RSL-BF-EXT-6FT-MCT5	6 FT Extension Cord for RSL-BF	-
RSL-BF-EXT-10FT-MCT5	10 FT Extension Cord for RSL-BF	-
RSL-BF-EXT-20FT-MCT5	20 FT Extension Cord for RSL-BF	-
<b>WET LOCATION LED 5CCT SLIM CANLESS ROUND RECESSED LIGHTS, 120V</b>  		
 RSL3-MCT5-WP	6W 400LM 27K/30K/35K/40K/50K 3"	24
RSL4-MCT5-WP	9W 630LM 27K/30K/35K/40K/50K 4"	24
RSL6-MCT5-WP	15W 1125LM 27K/30K/35K/40K/50K 6"	24
RSL8-MCT5-WP	18W 1350LM 27K/30K/35K/40K/50K 8"	24
RSL10-MCT5-WP	20W 1500LM 27K/30K/35K/40K/50K 10"	24
RSL12-MCT5-WP	24W 1800LM 27K/30K/35K/40K/50K 12"	24
<b>LED COMMERCIAL SLIM CANLESS ROUND RECESSED REGRESSED BAFFLE LIGHTS 120-277V, 0-10V DIMMING</b> 		
 RSLC6-BF-30K	15W 1200LM 3000K 6"	18
RSLC6-BF-40K	15W 1200LM 4000K 6"	19
RSLC6-BF-MCT5	15W 1200LM 27K/30K/35K/40K/50K 6"	20
RSLC8-BF-30K	18W 1440LM 3000K 8"	21
RSLC8-BF-MCT5	18W 1440LM 27K/30K/35K/40K/50K 8"	22
RSL-BF-EXT-6FT	RSL-BF 6FT. DC extension cord	23
RSL-BF-EXT-10FT	RSL-BF 10FT. DC extension cord	24
RSL-BF-EXT-20FT	RSL-BF 20FT. DC extension cord	25
<b>LED 5CCT ULTRA SLIM SQUARE RECESSED LIGHTS, 120V</b> 		
 SSL4-MCT5	9W 630LM 27K/30K/35K/40K/50K 4"	24
SSL6-MCT5	15W 1125LM 27K/30K/35K/40K/50K 6"	24
SSL8-MCT5	18W 1350LM 27K/30K/35K/40K/50K 8"	24
SSL12-MCT5	24W 1800LM 27K/30K/35K/40K/50K 12"	24
RSL-EXT-10FT-MCT	10 Ft. Extension Cable for use with all MCT Slim Lights	

## LED ULTRA SLIM RECESSED TRIMS (CLIP ON RSL & SSL SLIM LIGHTS)

	CATALOG NO.	DESCRIPTION
	<b>RSL4-TRM-BK</b>	4" Black Clip-on Trim
	<b>RSL4-TRM-ORB</b>	4" Oil-rubbed Bronze Clip-on Trim
	<b>RSL4-TRM-CU</b>	4" Copper Clip-on Trim
	<b>RSL4-TRM-BZ</b>	4" Bronze Clip-on Trim
	<b>RSL4-TRM-BN</b>	4" Brushed Nickel Clip-on Trim
	<b>RSL4-TRM-CH</b>	4" Chrome Clip-on Trim
	<b>SSL4-TRM-BK</b>	4" Black Clip-on Trim
	<b>SSL4-TRM-ORB</b>	4" Oil-rubbed Bronze Clip-on Trim
	<b>SSL4-TRM-CU</b>	4" Copper Clip-on Trim
	<b>SSL4-TRM-BZ</b>	4" Bronze Clip-on Trim
	<b>SSL4-TRM-BN</b>	4" Brushed Nickel Clip-on Trim
	<b>SSL4-TRM-CH</b>	4" Chrome Clip-on Trim
	<b>RSL6-TRM-BK</b>	6" Black Clip-on Trim
	<b>RSL6-TRM-ORB</b>	6" Oil-rubbed Bronze Clip-on Trim
	<b>RSL6-TRM-CU</b>	6" Copper Clip-on Trim
	<b>RSL6-TRM-BZ</b>	6" Bronze Clip-on Trim
	<b>RSL6-TRM-BN</b>	6" Brushed Nickel Clip-on Trim
	<b>RSL6-TRM-CH</b>	6" Chrome Clip-on Trim
	<b>SSL6-TRM-BK</b>	6" Black Clip-on Trim
	<b>SSL6-TRM-ORB</b>	6" Oil-rubbed Bronze Clip-on Trim
	<b>SSL6-TRM-CU</b>	6" Copper Clip-on Trim
	<b>SSL6-TRM-BZ</b>	6" Bronze Clip-on Trim
	<b>SSL6-TRM-BN</b>	6" Brushed Nickel Clip-on Trim
	<b>SSL6-TRM-CH</b>	6" Chrome Clip-on Trim

RESIDENTIAL

RECESSED TRIMS




## LED 5CCT ADJUSTABLE ULTRA SLIM ROUND-BACK CANLESS RECESSED LIGHTS

CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>SSLRB4-MCT5</b>	9W <b>630LM</b> 27K/30K/35K/40K/50K 4"	24
<b>SSLRB6-MCT5</b>	15W <b>1125LM</b> 27K/30K/35K/40K/50K 6"	24
<b>SSLRB4-TRM-BK</b>	4 inch square trim for SSLRB4, black	
<b>SSLRB4-TRM-BN</b>	4 inch square trim for SSLRB4, brushed nickel	
<b>SSLRB4-TRM-ORB</b>	4 inch square trim for SSLRB4, oil-rubbed bronze	
<b>SSLRB6-TRM-BK</b>	6 inch square trim for SSLRB6, black	
<b>SSLRB6-TRM-BN</b>	6 inch square trim for SSLRB6, brushed nickel	
<b>SSLRB6-TRM-ORB</b>	6 inch square trim for SSLRB6, oil-rubbed bronze	

 **FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
UP TO 19W	<b>OPT-EM-RSL</b>	EXTERNAL	N/A	N/A	N/A	N/A	N/A



## LED ULTRA SLIM RECESSED LIGHT ACCESSORIES

CATALOG NO.	DESCRIPTION
<b>RSL2-RI</b>	2" Round Rough-in Plate, 26" Long
<b>RSL3-RI</b>	3" Round Rough-in Plate, 26" Long
<b>RSL3-RIBH</b>	New Construction Recessed LT Mounting Plate 3" Hole With Hanger Bars
<b>RSL4-RI</b>	4" Round Rough-in Plate, 26" Long
<b>RSL4-RI-13</b>	4" Round Rough-in Plate, 13" Long
<b>RSL4-RIL-13</b>	13" Long Recessed Lt Mounting Plate 4" Hole With 1/2In Lip
<b>RSL4-RIBH</b>	New Construction Recessed LT Mounting Plate 4" Hole With Hanger Bars
<b>RSL6-RI</b>	6" Round Rough-in Plate, 26" Long
<b>RSL6-RI-13</b>	6" Round Rough-in Plate, 13" Long
<b>RSL6-RIL-13</b>	13" Long Recessed Lt Mounting Plate 6" Hole With 1/2In Lip
<b>RSL6-RIBH</b>	New Construction Recessed LT Mounting Plate 6" Hole With Hanger Bars
<b>RSL-346-RI</b>	3", 4", 6" Round Rough-in Plate, 26" Long
<b>RSL-346-RI-13</b>	3", 4", 6" Round Rough-in Plate, 13" Long
<b>RSL-346-RIBH</b>	3", 4", 6" (Adjustable) Round Galvanized plate with Bar Hangers
<b>RSL-568-RIBH</b>	5", 6", 8" (Adjustable) Round Galvanized plate with Bar Hangers
<b>RSL8-RI</b>	8" Round Rough-in Plate, 26" Long
<b>RSL12-RI</b>	12" Round Rough-in Plate, 26" Long
<b>RSL-81012-RI</b>	8", 10", 12" Round Rough-in Plate, 26" Long
<b>RSL-81012-RI-13</b>	8", 10", 12" Round Rough-in Plate, 13" Long
<b>RSL-81012-RIBH</b>	8", 10", 12" (Adjustable) Round Galvanized plate with Bar Hangers
<b>SSL4-RI</b>	4" Square Rough-in Plate, 26" Long
<b>SSL6-RI</b>	6" Square Rough-in Plate, 26" Long
<b>SSL-346-RI</b>	3", 4", 6" Square Rough-in Plate, 26" Long
<b>SSL-346-RI-13</b>	3", 4", 6" Square Rough-in Plate, 13" Long
<b>SSL-346-RIBH</b>	3", 4", 6" (Adjustable) Square Galvanized plate with Bar Hangers
<b>SSL-568-RIBH</b>	5", 6", 8" (Adjustable) Square Galvanized plate with Bar Hangers
<b>SSL12-RI</b>	12" Square Rough-in Plate, 26" Long
<b>SSL-81012-RI</b>	8", 10", 12" Square Rough-in Plate, 26" Long
<b>SSL-81012-RI-13</b>	8", 10", 12" Square Rough-in Plate, 13" Long
<b>SSL-81012-RIBH</b>	8", 10", 12" (Adjustable) Square Galvanized plate with Bar Hangers
<b>RSL-EXT-10FT</b>	10 Ft Extension Cord For Slim Recessed Lights
<b>RSL4-GR</b>	Goof ring for 4in lights with butterfly wings
<b>RSL6-GR</b>	Goof ring for 6in lights with butterfly wings
<b>RSL8-GR</b>	Goof ring for 8in lights with butterfly wings
<b>RSL10-GR</b>	Goof ring for 10in lights with butterfly wings
<b>RSL12-GR</b>	Goof ring for 12in lights with butterfly wings
<b>RSL4-VB</b>	4" Vapor Barrier For Slim Recessed Lights
<b>RSL6-VB</b>	6" Vapor Barrier For Slim Recessed Lights

## ROUND FIRE-RATED EDGE-LIT SLIM RECESS LIGHTS



CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER	PKG. QTY.
 RSL3-G2-MCT5-FR	6W 600LM 27K/30K/35K/40K/50K 3"		24
RSL4-G2-MCT5-FR	9W 900LM 27K/30K/35K/40K/50K 4"		24
RSL6-G2-MCT5-FR	12W 1200LM 27K/30K/35K/40K/50K 6"		24

## SQUARE FIRE-RATED EDGE-LIT SLIM RECESS LIGHTS



CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER	PKG. QTY.
 SSL4-G2-MCT5-FR	9W 900LM 27K/30K/35K/40K/50K 4"		24
SSL6-G2-MCT5-FR	12W 1200LM 27K/30K/35K/40K/50K 6"		24


## ROUND FIRE-RATED EDGE-LIT SLIM REGRESSED RECESS LIGHTS



CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER	PKG. QTY.
 RSL4-REG-MCT5-FR	9W 900LM 27K/30K/35K/40K/50K 4"		24
RSL6-REG-MCT5-FR	14W 1400LM 27K/30K/35K/40K/50K 6"		18

## SQUARE FIRE-RATED EDGE-LIT SLIM REGRESSED RECESS LIGHTS



CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER	PKG. QTY.
 SSL4-REG-MCT5-FR	9W 900LM 27K/30K/35K/40K/50K 4"		24
SSL6-REG-MCT5-FR	14W 1400LM 27K/30K/35K/40K/50K 6"		18

## FIRE-RATED (2 HR) SLIM WAFER CANLESS RECESSED LIGHT



CATALOG NO.	DESCRIPTION	PKG. QTY.
 RSL4-MCT5-FR	9W 630LM 27K/30K/35K/40K/50K 4"	24
SSL4-MCT5-FR	9W 630LM 27K/30K/35K/40K/50K 4"	24
RSL6-MCT5-FR	12W 840LM 27K/30K/35K/40K/50K 6"	24
SSL6-MCT5-FR	12W 840LM 27K/30K/35K/40K/50K 6"	24

## ADJUSTABLE FIRE-RATED SLIM CANLESS RECESSED LIGHT, 5CCT



CATALOG NO.	DESCRIPTION	PKG. QTY.
 RSL4-ADJ-MCT5-FR	9W 630LM 27K/30K/35K/40K/50K	24
RSL6-ADJ-MCT5-FR	12W 840LM 27K/30K/35K/40K/50K	12

## ROUND GIMBAL FIRE-RATED EDGE-LIT SLIM RECESS LIGHTS



CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER	PKG. QTY.
 RSL4-GIM-MCT5-FR	9W 900LM 27K/30K/35K/40K/50K 4"		24
RSL6-GIM-MCT5-FR	12W 1200LM 27K/30K/35K/40K/50K 6"		18

RESIDENTIAL

RECESSED TRIMS



## RECESSED LIGHTS



### SLIM SNAP-IN CANLESS RECESSED LIGHTS WITH J-BOX, 5CCT



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>RSL4-JB-MCT5</b>	10W <b>650LM</b> 27K/30K/35K/40K/50K 4"	24
<b>RSL6-JB-MCT5</b>	12W <b>1000LM</b> 27K/30K/35K/40K/50K 6"	24

### ROUND ADJUSTABLE CANLESS LIGHT, 120V



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>NEW GENERATION OF ADJUSTABLE ANGLE CANLESS LIGHT</b> 		
<b>RSL4-ADJ-G2-MCT5</b>	9W <b>630LM</b> 27K/30K/35K/40K/50K 4"	24
<b>RSL6-ADJ-G2-MCT5</b>	12W <b>840LM</b> 27K/30K/35K/40K/50K 6"	24
<b>LED 5CCT ADJUSTABLE ULTRA SLIM CANLESS RECESSED LIGHTS</b> 		
<b>RSL4-ADJ-MCT5</b>	9W <b>700LM</b> 27K/30K/35K/40K/50K 4"	24
<b>WET LOCATION ADJUSTABLE LED 5CCT SLIM CANLESS RECESSED LIGHTS</b> 		
<b>RSL4-ADJ-MCT5-WP</b>	9W <b>630LM</b> 27K/30K/35K/40K/50K 4"	24
<b>RSL6-ADJ-MCT5-WP</b>	15W <b>1125LM</b> 27K/30K/35K/40K/50K 6"	24



### 4" LED GIMBAL (EYEBALL) ROUND CANLESS RECESSED SNAP-IN LIGHT



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>RSL4-GIM-MCT5</b>	10W <b>800LM</b> 27K/30K/35K/40K/50K 4"	24





### 4" LED 5CCT ADJUSTABLE PULL-DOWN ULTRA SLIM CANLESS RECESSED LIGHTS

CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>RSL4-APD-MCT5</b>	10W <b>700LM</b> 27K/30K/35K/40K/50K 4"	12



## CANLESS DEEP BAFFLE RECESSED LIGHTS



CATALOG NO.	DESCRIPTION	PKG. QTY.
 <b>RDL4S-BF-MCT5-WH</b>	12W <b>1050LM</b> 27K/30K/35K/40K/50K 4" White	20
 <b>RDL4S-BF-MCT5-BK</b>	12W <b>1050LM</b> 27K/30K/35K/40K/50K 4" Black	20
 <b>RDL4S-BF-MCT5-ORB</b>	12W <b>1050LM</b> 27K/30K/35K/40K/50K 4" Oil-rubbed bronze	20
 <b>RDL6S-BF-MCT5-WH</b>	14W <b>1200LM</b> 27K/30K/35K/40K/50K 6" White	20
 <b>RDL6S-BF-MCT5-BK</b>	14W <b>1200LM</b> 27K/30K/35K/40K/50K 6" Black	20
 <b>RDL6S-BF-MCT5-ORB</b>	14W <b>1200LM</b> 27K/30K/35K/40K/50K 6" Oil-rubbed bronze	20

## CANLESS DEEP RECESS LIGHT, DIM TO WARM



CATALOG NO.	DESCRIPTION
 <b>RDL4S-BF-D2W-WH</b>	12W <b>1050LM</b> DIM TO WARM 22-40K
 <b>RDL6S-BF-D2W-WH</b>	14W <b>1200LM</b> DIM TO WARM 22-40K

RESIDENTIAL

RECESSED TRIMS



**RDL1S-ADJ**  
White



**RDL3S-ADJ**  
White



**SDL3S-ADJ**  
White



**RDL4S-ADJ-WH**  
White



**RDL4S-ADJ-BK**  
Black



**SDL4S-ADJ-WH**  
White



**SDL4S-ADJ-BK**  
Black

## 1" & 3" & 4" ADJUSTABLE CANLESS LIGHT



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>1" &amp; 3" ADJUSTABLE (EYEBALL) ROUND ARCHITECTURAL CANLESS LIGHT 5CCT</b>		
<b>RDL1S-ADJ-MCT5</b>	6W <b>350LM</b> 27K/30K/35K/40K/50K 1" White	24
<b>RDL3S-ADJ-MCT5-WH</b>	7W <b>700LM</b> 27K/30K/35K/40K/50K 3" White	20
<b>3" &amp; 4" ROUND REGRESSED CANLESS GIMBAL</b> <span style="background-color: yellow;">ARRIVES THIS SEASON CHECK &amp; PRE-ORDER</span>		
<b>RDL3S-ADJ-MCT5-WH</b>	9W <b>800LM</b> 27K/30K/35K/40K/50K 3" White	30
<b>RDL4S-ADJ-MCT5-WH</b>	15W <b>1100LM</b> 27K/30K/35K/40K/50K 4" White	20
<b>RDL3S-ADJ-MCT5-BK</b>	9W <b>800LM</b> 27K/30K/35K/40K/50K 3" Black	30
<b>RDL4S-ADJ-MCT5-BK</b>	15W <b>1100LM</b> 27K/30K/35K/40K/50K 4" Black	20
<b>3" &amp; 4" SQUARE REGRESSED CANLESS GIMBAL</b> <span style="background-color: yellow;">ARRIVES THIS SEASON CHECK &amp; PRE-ORDER</span>		
<b>SDL3S-ADJ-MCT5-WH</b>	9W <b>800LM</b> 27K/30K/35K/40K/50K 3" White	30
<b>SDL4S-ADJ-MCT5-WH</b>	15W <b>1100LM</b> 27K/30K/35K/40K/50K 4" White	20
<b>SDL3S-ADJ-MCT5-BK</b>	9W <b>800LM</b> 27K/30K/35K/40K/50K 3" Black	30
<b>SDL4S-ADJ-MCT5-BK</b>	15W <b>1100LM</b> 27K/30K/35K/40K/50K 4" Black	20
<b>3" LED ADJUSTABLE (EYEBALL) CANLESS RECESSED LIGHTS (JA8-E-2016 COMPLIANT) (ROUND &amp; SQUARE)</b> <span style="background-color: yellow;">ARRIVES THIS SEASON CHECK &amp; PRE-ORDER</span>		
<b>RDL3S-ADJ-40K-WH</b>	8W <b>600LM</b> 4000K 3" White	18
<b>SDL3S-ADJ-27K-WH</b>	8W <b>600LM</b> 2700K 3" White	18
<b>SDL3S-ADJ-30K-WH</b>	8W <b>600LM</b> 3000K 3" White	18
<b>SDL3S-ADJ-40K-WH</b>	8W <b>600LM</b> 4000K 3" White	18
<b>SDL3S-ADJ-50K-WH</b>	8W <b>600LM</b> 5000K 3" White	18
<b>RSL-346-RIBH</b>	3", 4", 6" (Adjustable) Galvanized plate with Bar Hangers	



**RDL1S-ST**  
White



**SDL1S-ST**  
White



**RSL-1-RIBH**

## HIGH-OUTPUT LOW-GLARE CANLESS RECESSED LIGHTS, ROUND & SQUARE



CATALOG NO.	DESCRIPTION
<b>RDL1S-ST-MCT5-BK</b>	8W <b>600LM</b> 27K/30K/35K/40K/50K Black
<b>RDL1S-ST-MCT5-WH</b>	8W <b>600LM</b> 27K/30K/35K/40K/50K White
<b>SDL1S-ST-MCT5-BK</b>	8W <b>600LM</b> 27K/30K/35K/40K/50K Black
<b>SDL1S-ST-MCT5-WH</b>	8W <b>600LM</b> 27K/30K/35K/40K/50K White
<b>RSL-1-RIBH</b>	1in (Adjustable) Galvanized Mounting Plate with Bar Hangers



**RDL2S-SB-WH**  
**RDL4S-SB-WH**  
**RDL6S-SB-WH**  
White



**RDL2S-SB-BK**  
**RDL4S-SB-BK**  
**RDL6S-SB-BK**  
Black



**SDL2S-SB-WH**  
**SDL4S-SB-WH**  
**SDL6S-SB-WH**  
White



**SDL2S-SB-BK**  
**SDL4S-SB-BK**  
**SDL6S-SB-BK**  
Black

## HIGH-LUMEN DIE-CAST LED SNAP-IN CANLESS RECESSED LIGHTS SMOOTH AND BAFFLE TRIMS INCL.



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>2" &amp; 4" HIGH-LUMEN DIE-CAST LED SNAP-IN CANLESS RECESSED LIGHTS</b>		
<b>RDL2S-SB-MCT5-BK</b>	9W <b>600LM</b> 27K/30K/35K/40K/50K 2" Round, Black	20
<b>RDL4S-SB-MCT5-WH</b>	15W <b>1350LM</b> 27K/30K/35K/40K/50K 4" Round, White	20
<b>RDL4S-SB-MCT5-BK</b>	15W <b>1350LM</b> 27K/30K/35K/40K/50K 4" Round, Black	20
<b>SDL2S-SB-MCT5-BK</b>	9W <b>600LM</b> 27K/30K/35K/40K/50K 2" Square, Black	20
<b>SDL4S-SB-MCT5-WH</b>	15W <b>1350LM</b> 27K/30K/35K/40K/50K 4" Square, White	20
<b>SDL4S-SB-MCT5-BK</b>	15W <b>1350LM</b> 27K/30K/35K/40K/50K 4" Square, Black	20
<b>6" ANTI-GLARE COMMERCIAL CANLESS RECESSED LIGHTS, DUAL DIM</b>		
<b>RDL6S-SB-MCTP5-DD-WH</b>	10W/15W/20W <b>85LM/W</b> 27K/30K/35K/40K/50K 6" Round, White	20
<b>RDL6S-SB-MCTP5-DD-BK</b>	10W/15W/20W <b>85LM/W</b> 27K/30K/35K/40K/50K 6" Round, Black	20


RESIDENTIAL RECESSED TRIMS

WHILE SUPPLIES LAST

## 2" LED CANLESS RECESSED LIGHTS (Baffle)(JA8-E-2016 COMPLIANT)



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>RDL2S-BF-40K-WH</b>	8W <b>600LM</b> 4000K Round <b>WHILE SUPPLIES LAST</b>	18
<b>RDL2S-BF-50K-WH</b>	8W <b>600LM</b> 5000K Round <b>WHILE SUPPLIES LAST</b>	18
<b>RDL2S-BF-MCT-WH</b>	8W <b>600LM</b> 3000K/4000K/5000K Round <b>MCT5</b>	18
<b>SDL2S-BF-27K-WH</b>	8W <b>600LM</b> 2700K Square <b>WHILE SUPPLIES LAST</b>	18
<b>SDL2S-BF-40K-WH</b>	8W <b>600LM</b> 4000K Square <b>WHILE SUPPLIES LAST</b>	18
<b>SDL2S-BF-50K-WH</b>	8W <b>600LM</b> 5000K Square <b>WHILE SUPPLIES LAST</b>	18
<b>SDL2S-BF-MCT-WH</b>	8W <b>600LM</b> 3000K/4000K/5000K Square <b>MCT5</b>	18
<b>RSL-346-RIBH</b>	3", 4", 6" (Adjustable) Galvanized plate with Bar Hangers	
<b>RDL2S-TRIM-ST-WH</b>	Smooth Reflector Trim For RDL2S-BF, White	
<b>SDL2S-TRIM-ST-WH</b>	Smooth Reflector Trim For SDL2S-BF, White	



## ROUND HOTEL SPEC CANLESS THIN-TRIM RECESS LIGHTS



CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER	PKG. QTY.
<b>RDLT1S-ST-MCT5-WH</b>	7W 550LM 27K/30K/35K/40K/50K 1" White	<b>MCT5</b>	40
<b>RDLT2S-ST-MCT5-WH</b>	12W 900LM 27K/30K/35K/40K/50K 2" White	<b>MCT5</b>	20
<b>RDLT3S-ST-MCTP5-WH</b>	12W/15W/18W 82LM/W 27K/30K/35K/40K/50K 3" White	<b>MCTP5</b>	20
<b>RDLT4S-ST-MCTP5-WH</b>	12W/15W/18W 82LM/W 27K/30K/35K/40K/50K 4" White	<b>MCTP5</b>	20
<b>RDLT1S-ST-MCT5-BK</b>	7W 550LM 27K/30K/35K/40K/50K 1" Black	<b>MCT5</b>	40
<b>RDLT2S-ST-MCT5-BK</b>	12W 900LM 27K/30K/35K/40K/50K 2" Black	<b>MCT5</b>	20
<b>RDLT3S-ST-MCTP5-BK</b>	12W/15W/18W 82LM/W 27K/30K/35K/40K/50K 3" Black	<b>MCTP5</b>	20
<b>RDLT4S-ST-MCTP5-BK</b>	12W/15W/18W 82LM/W 27K/30K/35K/40K/50K 4" Black	<b>MCTP5</b>	20



## SQUARE HOTEL SPEC CANLESS THIN-TRIM RECESS LIGHTS



CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER	PKG. QTY.
<b>SDLT1S-ST-MCT5-WH</b>	7W 550LM 27K/30K/35K/40K/50K 1" White	<b>MCT5</b>	40
<b>SDLT2S-ST-MCT5-WH</b>	12W 900LM 27K/30K/35K/40K/50K 2" White	<b>MCT5</b>	20
<b>SDLT3S-ST-MCTP5-WH</b>	12W/15W/18W 82LM/W 27K/30K/35K/40K/50K 3" White	<b>MCTP5</b>	20
<b>SDLT4S-ST-MCTP5-WH</b>	12W/15W/18W 82LM/W 27K/30K/35K/40K/50K 4" White	<b>MCTP5</b>	20
<b>SDLT1S-ST-MCT5-BK</b>	7W 550LM 27K/30K/35K/40K/50K 1" Black	<b>MCT5</b>	40
<b>SDLT2S-ST-MCT5-BK</b>	12W 900LM 27K/30K/35K/40K/50K 2" Black	<b>MCT5</b>	20
<b>SDLT3S-ST-MCTP5-BK</b>	12W/15W/18W 82LM/W 27K/30K/35K/40K/50K 3" Black	<b>MCTP5</b>	20
<b>SDLT4S-ST-MCTP5-BK</b>	12W/15W/18W 82LM/W 27K/30K/35K/40K/50K 4" Black	<b>MCTP5</b>	20



## MINI LINEAR OPTIC-LIGHT FIXTURES, SNAP IN 5CCT



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>LDLS-6-MCT5</b>	11W 600LM 27K/30K/35K/40K/50K	20
<b>LDLS-12-MCT5</b>	18W 1200LM 27K/30K/35K/40K/50K	20
<b>LDLS-6-12-RI</b>	26in Mounting Plate For LDLS6 And LDLS12 Snap-In Linear Lights	

## LED EMERGENCY DRIVER FOR ALL RECESSED TRIMS



CATALOG NO.	DESCRIPTION
-------------	-------------



**ELB-0895**

Field-installed emergency ballast for all LED recessed trims;  
Input voltage: 100-277VAC, 50-60Hz; Output: 8W Maximum for 90 minutes



# LED ARCHITECTURAL TRIMLESS RECESSED LIGHTS - 4"



CATALOG NO.

WATTAGE

COLOR TEMPERATURES

SHAPE

TRIM FINISH

LRD-TL

10W 10W

MCT5 27K/30K/35K/40K/50K

4R

ROUND

WH

WHITE (For 4R & 4S shape only)

BK

BLACK (For 4R & 4S shape only)

C

CLEAR (For 4R & 4S shape only)

MG

MATTE GOLD (For 4R & 4S shape only)

HZ

MATTE SILVER (For 4R & 4S shape only)

SAMPLE ORDERING:

LRD-TL-10W-MCT5-4S-BK

FOR SEPARATE LIGHT ENGINE & TRIM PART NUMBERS, PLEASE SEE THE SPEC SHEETS

4S

SQUARE

4RM-WH

REGRESSED ROUND WHITE\*

4SM1-WH

REGRESSED SQUARE WHITE\*

4SM2-WH

REGRESSED SQUARE WHITE\*

4SM3-WH

REGRESSED SQUARE WHITE\*

4RM-BK

REGRESSED ROUND BLACK\*

4SM1-BK

REGRESSED SQUARE BLACK\*

4SM2-BK

REGRESSED SQUARE BLACK\*

4SM3-BK

REGRESSED SQUARE BLACK\*

COMPLETE ITEM CODE



SINGLE ROUND

ENGINE ONLY 10W ENGINE



Junction box included with fixtures



HOUSING



ROUND TRIMS



BLACK

CLEAR



MATTE SILVER

MATTE GOLD

WHITE

\*COLOR TRIMS NOT COMPATIBLE WITH REGRESSED TRIMS



REGRESSED ROUND

HOUSING AVAILABLE IN BLACK & WHITE

\*COLOR TRIMS NOT COMPATIBLE



Junction box included with fixtures



COMPLETE ITEM CODE



SINGLE SQUARE

ENGINE ONLY 10W ENGINE



Junction box included with fixtures



HOUSING



SQUARE TRIMS



BLACK

CLEAR



MATTE SILVER

MATTE GOLD

WHITE

\*COLOR TRIMS NOT COMPATIBLE WITH REGRESSED TRIMS



SINGLE REGRESSED SQUARE

HOUSING AVAILABLE IN BLACK & WHITE  
COLOR TRIMS NOT COMPATIBLE



DOUBLE REGRESSED SQUARE

HOUSING AVAILABLE IN BLACK & WHITE  
COLOR TRIMS NOT COMPATIBLE



TRIPLE REGRESSED SQUARE

HOUSING AVAILABLE IN BLACK & WHITE  
COLOR TRIMS NOT COMPATIBLE



+





# LED ARCHITECTURAL WINGED RECESSED LIGHTS - 3" & 4"



CATALOG NO.	WATTAGE	COLOR TEMPERATURES	TRIM (ADJUSTBLE)	TRIM FINISH
LRD	10W 10W	MCT5 27K/30K/35K/40K/50K	3WTR 3" OPEN TRIM 3WTRPH 3" PIN HOLE TRIM 3WTRSL 3" SLOT TRIM 4WTR 4" OPEN TRIM 4WTRPH 4" PIN HOLE TRIM 4WTRSL 4" SLOT TRIM	WH WHITE (ALL TRIMS) BK BLACK (ALL TRIMS) C CLEAR (OPEN TRIMS ONLY) MG MATTE GOLD (OPEN TRIMS ONLY) HZ MATTE SILVER (OPEN TRIMS ONLY) ABK BLACK ON BLACK (OPEN TRIMS ONLY)

SAMPLE ORDERING:  
**LRD-10W-MCT5-3WTR-MG**  
 FOR SEPARATE LIGHT ENGINE & TRIM PART NUMBERS, PLEASE SEE THE SPEC SHEETS



RESIDENTIAL RECESSED TRIMS



# LED ARCHITECTURAL MULTIPLE-TRIM RECESSED LIGHTS



CATALOG NO.	WATTAGE	COLOR TEMPERATURES	TRIM (ADJUSTBLE)	TRIM FINISH
LRD	10W 10W	MCT5 27K/30K/35K/40K/50K	WTM1 SINGLE SLOT TRIM WTM2 DOUBLE SLOT TRIM WTM3 TRIPLE SLOT TRIM	WH WHITE

SAMPLE ORDERING:  
**LRD-10W-MCT5-WTM1-WH**  
 FOR SEPARATE LIGHT ENGINE & TRIM PART NUMBERS, PLEASE SEE THE SPEC SHEETS



LRD-FGL  
 Frosted Glass Lens For LRD Series

## 6" ECO METAL DISK LIGHT - 120V



CATALOG NO.	DESCRIPTION	PKG. QTY.
 <b>DLSU6-MCT5</b>	14.8W <b>1000LM</b> 3000K	20

## 6" ECONOMY EASY-INSTALL DISK - POLYCARBONATE HOUSING



CATALOG NO.	DESCRIPTION	PKG. QTY.
 <b>DLST6-MCT5</b>	10W <b>1000LM</b> 27K/30K/40K/50K/60K 6"	10

## 6" ECONOMY EASY-INSTALL DISK, IP65 - POLYCARBONATE HOUSING



CATALOG NO.	DESCRIPTION	PKG. QTY.
 <b>DLST6-MCT5-IP65</b>	10W <b>1000LM</b> 27K/30K/40K/50K/60K 6"	10

## 6" ECONOMY EASY-INSTALL DISK WITH PIR MOTION SENSOR, PC HOUSING



CATALOG NO.	DESCRIPTION	PKG. QTY.
 <b>DLST6-MCT5-PIR</b>	10W <b>1000LM</b> 27K/30K/40K/50K/60K 6"	10

## BUILDER SERIES 4" & 6" LED 5CCT DISK LIGHT ECONOMY DISC LIGHT (JA8-E-2019 COMPLIANT)



CATALOG NO.	DESCRIPTION	PKG. QTY.
 <b>DLSE4-MCT5</b>	10W <b>630LM</b> 27K/30K/35K/40K/50K 4" White	30
 <b>DLSE4-MCT5-BR</b>	10W <b>630LM</b> 27K/30K/35K/40K/50K 4" Bronze	30
 <b>DLSE6-MCT5</b>	15W <b>1000LM</b> 27K/30K/35K/40K/50K 6" White	24
 <b>DLSE6-MCT5-BR</b>	15W <b>1000LM</b> 27K/30K/35K/40K/50K 6" Bronze	24
 <b>DLSE6-MCT5-BN</b>	15W <b>1000LM</b> 27K/30K/35K/40K/50K 6" Brushed Nickel	24


## BUILDER SERIES LED ECONOMY DISK LIGHT WITH PIR MOTION SENSOR



CATALOG NO.	DESCRIPTION	PKG. QTY.
 <b>DLSE4-MCT5-PIR</b>	10W <b>630LM</b> 27K/30K/35K/40K/50K 4"	30
 <b>DLSE6-MCT5-PIR</b>	15W <b>1000LM</b> 27K/30K/35K/40K/50K 6"	24

## WG SMART APP COMPATIBLE RGBW BUILDER SERIES LED ECONOMY DISK LIGHT



CATALOG NO.	DESCRIPTION	PKG. QTY.
 <b>DLSE6-RGBW</b>	15W <b>1000LM</b> 27K/30K/35K/40K/50K 6"	24

## BUILDER SERIES 4" & 6" LED MULTI-CCT ECONOMY DISC LIGHT (JA8-E-2019 COMPLIANT)



CATALOG NO.	DESCRIPTION	PKG. QTY.
 <b>DLSE4-MCT</b>	9W <b>540LM</b> 3000K/4000K/5000K 4" White	20
 <b>DLSE6-40K</b>	15W <b>900LM</b> 4000K 6" White	20
 <b>DLSE6-50K</b>	15W <b>900LM</b> 5000K 6" White	20
 <b>DLSE6-MCT-BN</b>	15W <b>1000LM</b> 3000K/4000K/5000K 6" Brushed Nickel	20

RESIDENTIAL

DISC LIGHTS

WHILE SUPPLIES LAST

## LED DISC LIGHT 4" & 6" 120V (J-BOX MOUNTING)(JA8-E-2016 COMPLIANT)



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>DLSN4-50K</b>	10W <b>600LM</b> 5000K	20
<b>DLSN6-27K</b>	15W <b>1000LM</b> 2700K	20
<b>DLSN6-30K</b>	15W <b>1000LM</b> 3000K	20
<b>DLSN6-50K</b>	15W <b>1000LM</b> 5000K	20

WHILE SUPPLIES LAST

## ARCHITECTURAL FLAT EDGE-LIT SURFACE DISK LIGHTS, 5CCT



CATALOG NO.	DESCRIPTION
<b>DLSF4-MCT5</b>	12W <b>1080LM</b> 27K/30K/35K/40K/50K
<b>DLSF6-MCT5</b>	14W <b>1350LM</b> 27K/30K/35K/40K/50K

## SPEC SERIES 3CCT HIGH-PERFORMANCE DISC LIGHTS, 120V DIE CAST ALUMINUM, ALL MOUNTING OPTIONS INCL.



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>DLS4-MCT</b>	9W <b>540LM</b> 3000K/4000K/5000K 4"	20
<b>DLS6-MCT</b>	15W <b>900LM</b> 3000K/4000K/5000K 6"	20
<b>DLS6-MCT-BN</b>	15W <b>900LM</b> 3000K/4000K/5000K 6" BRUSHED NICKEL	20
<b>DLS6-MCT-BR</b>	15W <b>900LM</b> 3000K/4000K/5000K 6" BRONZE	20
<b>DLS8-MCT</b>	20W <b>1200LM</b> 3000K/4000K/5000K 8"	10
<b>DLS10-MCT</b>	25W <b>1500LM</b> 3000K/4000K/5000K 10"	10
<b>DLS12-MCT</b>	30W <b>1800LM</b> 3000K/4000K/5000K 12"	5

## SPEC SERIES HIGH-PERFORMANCE DISC LIGHTS, 120V DIE CAST ALUMINUM, ALL MOUNTING OPTIONS INCL.



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>DLS4-27K</b>	9W <b>550-600LM</b> 2700K 4"	20
<b>DLS4-30K</b>	9W <b>550-600LM</b> 3000K 4"	20
<b>DLS4-41K</b>	9W <b>550-600LM</b> 4100K 4"	20
<b>DLS4-50K</b>	9W <b>550-600LM</b> 5000K 4"	20
<b>DLS6-30K</b>	15W <b>950-1000LM</b> 3000K 6"	20
<b>DLS6-41K</b>	15W <b>950-1000LM</b> 4100K 6"	20
<b>DLS6-30K-BR</b>	15W <b>950-1000LM</b> 3000K BRONZE 6"	20
<b>DLS6-30K-BN</b>	15W <b>950-1000LM</b> 3000K BRUSHED NICKEL 6"	20

WHILE SUPPLIES LAST

## SPECS SERIES HIGH-PERFORMANCE DIE-CAST DISK LIGHTS, 277V



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>DLS6-MCT-277V</b>	15W <b>900LM</b> 3000K/4000K/5000K 6"	20
<b>DLS12-MCT-277V</b>	30W <b>1800LM</b> 3000K/4000K/5000K 12"	5

## SPECS SERIES HIGH-PERFORMANCE DIE-CAST DISK LIGHTS WITH PIR MOTION SENSOR



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>DLS4-MCT-PIR</b>	9W <b>540LM</b> 3000K/4000K/5000K 4"	20
<b>DLS6-MCT-PIR</b>	15W <b>900LM</b> 3000K/4000K/5000K 6"	20
<b>DLS8-MCT-PIR</b>	20W <b>1200LM</b> 3000K/4000K/5000K 8"	10
<b>DLS10-MCT-PIR</b>	25W <b>1500LM</b> 3000K/4000K/5000K 10"	10
<b>DLS12-MCT-PIR</b>	30W <b>1800LM</b> 3000K/4000K/5000K 12"	5

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	277V OPTION	DESCRIPTION
DLS6, DLS66, DLSN6	<b>OPT-EM-DLS6</b>	MOUNT IN EXTENDED BASE	<b>OPT-PC-DLS6</b>	Photocell	N/A	<b>OPT-277V-DLS6</b>	277V
DLS8	<b>OPT-EM-DLS8</b>	MOUNT IN EXTENDED BASE	<b>OPT-PC-DLS8</b>	Photocell		<b>OPT-277V-DLS8</b>	277V
DLS10	<b>OPT-EM-DLS10</b>	MOUNT IN EXTENDED BASE	<b>OPT-PC-DLS10</b>	Photocell		<b>OPT-277V-DLS10</b>	277V
DLS12	<b>OPT-EM-DLS12</b>	MOUNT IN EXTENDED BASE	<b>OPT-PC-DLS12</b>	Photocell		<b>OPT-277V-DLS12</b>	277V
DLS6-277V	<b>OPT-EM-DLS6-277V</b>	MOUNT IN EXTENDED BASE	<b>OPT-PC-DLS6-277V</b>	Photocell			
DLS12-277V	<b>OPT-EM-DLS12-277V</b>	MOUNT IN EXTENDED BASE	<b>OPT-PC-DLS12-277V</b>	Photocell			

# LED 5CCT DOME FLUSH MOUNT



CATALOG NO.	DESCRIPTION	PKG. QTY.
 <b>FMD-11-MCT5-BN</b>	20W <b>1500LM</b> 27K/30K/35K/40K/50K Brushed Nickel 11"	8
 <b>FMD-11-MCT5-ORB</b>	20W <b>1500LM</b> 27K/30K/35K/40K/50K Oil-Rubbed Bronze 11"	8
 <b>FMD-11-MCT5-WH</b>	20W <b>1500LM</b> 27K/30K/35K/40K/50K White 11"	8
 <b>FMD-13-MCT5-BN</b>	24W <b>1800LM</b> 27K/30K/35K/40K/50K Brushed Nickel 13"	8
<b>FMD-13-MCT5-ORB</b>	24W <b>1800LM</b> 27K/30K/35K/40K/50K Oil-Rubbed Bronze 13"	8
<b>FMD-13-MCT5-WH</b>	24W <b>1800LM</b> 27K/30K/35K/40K/50K White 13"	8

 **FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
FMD-11	<b>OPT-EM-FMD11</b>	EXTERNAL BOX	N/A	N/A	N/A	<b>OPT-SEN-2US</b>	MICROWAVE
FMD-13	<b>OPT-EM-FMD11-BN</b>	EXTERNAL BOX				<b>OPT-SEN-NLS-FMD</b>	WG NETWORK SENSOR
	<b>OPT-EM-FMD11-ORB</b>	EXTERNAL BOX				<b>OPT-SEN-KEILTON</b>	KEILTON NETWORK SENSOR
	<b>OPT-EM-FMD13</b>	EXTERNAL BOX				<b>OPT-SEN-2USRC</b>	OPTIONAL RC
	<b>OPT-EM-FMD13-BN</b>	EXTERNAL BOX					
	<b>OPT-EM-FMD13-ORB</b>	EXTERNAL BOX					



**FDL**  
White



**FDL-BK**  
Black



**FDL** shown  
with EM



**FDL-BK**  
shown with **FDL-SFK-BK**



**FDLS**

# LED 5CCT DOUBLE RING FLUSH MOUNT, 120V



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>FDL-10-MCT5</b>	12W <b>900LM</b> 27K/30K/35K/40K/50K 10" D X 3-1/4" H	8
<b>FDL-12-MCT5</b>	16W <b>1200LM</b> 27K/30K/35K/40K/50K 12" D X 3-1/4" H	8
<b>FDLS-12-MCT5</b>	20W <b>1500LM</b> 27K/30K/35K/40K/50K 12" D X 2-1/8" H	8
<b>FDL-12-MCT5-BK</b>	16W <b>1200LM</b> 27K/30K/35K/40K/50K 12" D X 3-1/4" H	8
<b>FDL-14-MCT5</b>	20W <b>1500LM</b> 27K/30K/35K/40K/50K 14" D X 3-1/4" H	8
<b>FDLS-14-MCT5</b>	24W <b>1800LM</b> 27K/30K/35K/40K/50K 14" D X 2-1/8" H	8
<b>FDL-14-MCT5-BK</b>	20W <b>1500LM</b> 27K/30K/35K/40K/50K 14" D X 3-1/4" H	8
<b>FDL-16-MCT5</b>	24W <b>1800LM</b> 27K/30K/35K/40K/50K 16" D X 3-1/4" H	8
<b>FDL-18-MCT</b>	30W <b>2200LM</b> 3000K/4000K/5000K 18" D X 3-1/4" H	5
<b>FDL-SFK</b>	Semi-Flush Accessory Kit For Fdl Flush-Mount Series	
<b>FDL-SFK-BK</b>	Semi-Flush Accessory Kit For Fdl Flush-Mount Series, Bk	

 **FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
FDL-10	<b>OPT-EM-FDL-10</b>	MOUNT IN EXTENDED BASE	<b>OPT-PC-FM</b>	BUTTON WITH AUXILIARY BASE	N/A	<b>OPT-SEN-2US</b>	MICROWAVE
FDL-12	<b>OPT-EM-FDL-12</b>	MOUNT IN EXTENDED BASE	<b>277V OPTION</b>	DESCRIPTION		<b>OPT-SEN-NLS-FDL</b>	WG NETWORK SENSOR
FDL-14	<b>OPT-EM-FDL-14</b>	MOUNT IN EXTENDED BASE	<b>OPT-277V-FDL-10</b>	EXTERNAL BOX		<b>OPT-SEN-KEILTON</b>	KEILTON NETWORK SENSOR
FDL-16	<b>OPT-EM-FDL-16</b>	MOUNT IN EXTENDED BASE	<b>OPT-277V-FDL-12</b>	EXTERNAL BOX		<b>WEC-3RC</b>	REMOTE CONTROL
FDL-18	<b>OPT-EM-FDL-18</b>	INTERNAL	<b>OPT-277V-FDL-14</b>	EXTERNAL BOX			
			<b>OPT-277V-FDL-16</b>	EXTERNAL BOX			
			<b>OPT-277V-FDL-18</b>	INTERNAL			

# LED 5CCT SINGLE RING FLUSH MOUNT



CATALOG NO.	DESCRIPTION	PKG. QTY.
 <b>FSL-11-MCT5</b>	16W <b>1200LM</b> 27K/30K/35K/40K/50K 11"	8
 <b>FSL-11-MCT5-GD</b>	16W <b>1200LM</b> 27K/30K/35K/40K/50K 11"	8
 <b>FSL-13-MCT5</b>	20W <b>1500LM</b> 27K/30K/35K/40K/50K 13"	8
<b>FSL-13-MCT5-GD</b>	20W <b>1500LM</b> 27K/30K/35K/40K/50K 13"	8
<b>FSL-15-MCT5</b>	24W <b>1800LM</b> 27K/30K/35K/40K/50K 15"	8
<b>FSL-15-MCT5-GD</b>	24W <b>1800LM</b> 27K/30K/35K/40K/50K 15"	8

 **FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
FSL-11	<b>OPT-EM-FSL-11</b>	MOUNT IN EXTENDED BASE	<b>OPT-PC-FM</b>	BUTTON WITH AUXILIARY BASE	N/A	<b>OPT-SEN-2US</b>	MICROWAVE BI-LEVEL DIMMING
FSL-13	<b>OPT-EM-FSL-13</b>	MOUNT IN EXTENDED BASE	<b>277V OPTION</b>	DESCRIPTION		<b>OPT-SEN-NLS-FSL</b>	WG NETWORK SENSOR
FSL-15	<b>OPT-EM-FSL-15</b>	MOUNT IN EXTENDED BASE	<b>OPT-277V-FSL-11</b>	EXTERNAL BOX		<b>OPT-SEN-KEILTON</b>	KEILTON NETWORK SENSOR
			<b>OPT-277V-FSL-13</b>	EXTERNAL BOX		<b>WEC-3RC</b>	REMOTE CONTROL
			<b>OPT-277V-FSL-15</b>	EXTERNAL BOX			

RESIDENTIAL  
DISC  
LIGHTS

## LED 5CCT CLOUD FIXTURES, 120V



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>FCRB-11HL-MCT5</b>	20W 1500LM 27K/30K/35K/40K/50K 11" DIA	8
<b>FCRB-14-MCT5</b>	20W 1500LM 27K/30K/35K/40K/50K 14" DIA	8
<b>FCRB-16-MCT5</b>	20W 1500LM 27K/30K/35K/40K/50K 16" DIA	8

## LED 5CCT CLOUD FIXTURE WITH PRE-INSTALLED SENSOR, 120V



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>FCRB-16-MCT5-SEN</b>	20W 1400LM 27K/30K/35K/40K/50K 16" DIA	8

**FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
FCRB-11	<b>OPT-EM-FCRB-11</b>	MOUNT IN EXTENDED BASE	<b>OPT-PC-FM</b>	BUTTON WITH AUXILIARY BASE	N/A	<b>OPT-SEN-2US</b>	MICROWAVE BI-LEVEL DIMMING
FCRB-14	<b>OPT-EM-FCRB-14</b>	MOUNT IN EXTENDED BASE	<b>277V OPTION</b>	DESCRIPTION		<b>OPT-SEN-NLS-FCRB</b>	WG NETWORK SENSOR
FCRB-16	<b>OPT-EM-FCRB-16</b>	MOUNT IN EXTENDED BASE	<b>OPT-277V-FCRB-11</b>	EXTERNAL BOX		<b>OPT-SEN-KEILTON</b>	KEILTON NETWORK SENSOR
			<b>OPT-277V-FCRB-14</b>	EXTERNAL BOX		<b>WEC-3RC</b>	REMOTE CONTROL
			<b>OPT-277V-FCRB-16</b>	EXTERNAL BOX			

## LED 5CCT CLOUD FIXTURES, 120V



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>FCR-11-MCT5</b>	16W 1200LM 27K/30K/35K/40K/50K 11" DIA	8
<b>FCR-14-MCT5</b>	24W 1800LM 27K/30K/35K/40K/50K 14" DIA	8

## LED 5CCT CLOUD FIXTURES, 120V



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>FCS-11HL-MCT5</b>	20W 1500LM 27K/30K/35K/40K/50K 11" DIA	8
<b>FCS-13-MCT5</b>	20W 1800LM 27K/30K/35K/40K/50K 13" DIA	8

## LED CLOUD FIXTURES, 120V



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>FCS-11-12W-40K</b>	15W 1100LM 4000K 11" DIA	2



SHOWN WITH EM



SHOWN WITH EM

**FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
FCR-11	<b>OPT-EM-FCR11</b>	INTERNAL	<b>OPT-PC-FM</b>	BUTTON WITH AUXILIARY BASE	N/A	<b>OPT-SEN-2US</b>	MICROWAVE
FCR-14	<b>OPT-EM-FCR14</b>	INTERNAL	<b>277V OPTION</b>	DESCRIPTION		<b>OPT-SEN-NLS-FCS</b>	WG NETWORK SENSOR
FCS11, FCS11HL	<b>OPT-EM-FCS11</b>	INTERNAL	<b>OPT-277V-FCR-11</b>	EXTERNAL BOX		<b>OPT-SEN-KEILTON</b>	KEILTON NETWORK SENSOR
FCS14	<b>OPT-EM-FCS14</b>	INTERNAL	<b>OPT-277V-FCS-11</b>	EXTERNAL BOX		<b>OPT-SEN-2USRC</b>	OPTIONAL RC
FCS13	<b>OPT-EM-FCS13</b>	INTERNAL	<b>OPT-277V-FCS-11HL</b>	EXTERNAL BOX			
			<b>OPT-277V-FCS-13</b>	EXTERNAL BOX			



**FMHT-WH**  
White



**FMHT-BK**  
Black



**FMHR-WH**  
White



**FMHR-BK**  
Black

## FLUSH MOUNT FIXTURES - 120V




CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>FREE FORM FLUSH MOUNT FIXTURES - 120V</b>		
<b>FMHT-16-MCT5-WH</b>	20W <b>1400LM</b> 27K/30K/35K/40K/50K 16" White	1
<b>FMHT-16-MCT5-BK</b>	20W <b>1400LM</b> 27K/30K/35K/40K/50K 16" Black	1
<b>FMHT-20-MCT5-WH</b>	30W <b>2100LM</b> 27K/30K/35K/40K/50K 20" White	1
<b>FMHT-20-MCT5-BK</b>	30W <b>2100LM</b> 27K/30K/35K/40K/50K 20" Black	1
<b>FMHT-24-MCT5-WH</b>	40W <b>2800LM</b> 27K/30K/35K/40K/50K 24" White	1
<b>FMHT-24-MCT5-BK</b>	40W <b>2800LM</b> 27K/30K/35K/40K/50K 24" Black	1
<b>ROUND FLUSH MOUNT FIXTURES - 120V</b>		
<b>FMHR-15-MCT5-WH</b>	20W <b>1400LM</b> 27K/30K/35K/40K/50K 15" White	1
<b>FMHR-15-MCT5-BK</b>	20W <b>1400LM</b> 27K/30K/35K/40K/50K 15" Black	1
<b>FMHR-19-MCT5-WH</b>	30W <b>2100LM</b> 27K/30K/35K/40K/50K 19" White	1
<b>FMHR-19-MCT5-BK</b>	30W <b>2100LM</b> 27K/30K/35K/40K/50K 19" Black	1
<b>FMHR-23-MCT5-WH</b>	30W <b>2100LM</b> 27K/30K/35K/40K/50K 23" White	1
<b>FMHR-23-MCT5-BK</b>	30W <b>2100LM</b> 27K/30K/35K/40K/50K 23" Black	1

RESIDENTIAL

SURFACE MOUNT



**FMLU-R12-MCT5-BK**  
Black



**FMLU-R12-MCT5-WH**  
White

## 12" FLUSH-MOUNT LIGHT WITH UPLIGHT, 5CCT



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>FMLU-R12-MCT5-BK</b>	25W <b>1600LM</b> 27K/30K/35K/40K/50K 12" Black	6
<b>FMLU-R12-MCT5-WH</b>	25W <b>1600LM</b> 27K/30K/35K/40K/50K 12" White	6



FEL  
White



FEL-SEN  
White



FEL-TRM-BK  
Black



FEL-TRM-BN  
Brushed Nickel



FEL-TRM-GD  
Gold

## 5CCT EDGE-LESS ARCHITECTURAL FLUSH MOUNT



RESIDENTIAL

SURFACE MOUNT

CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>5CCT EDGE-LESS ARCHITECTURAL FLUSH MOUNT</b>		
FEL-R6-MCT5	10W 700LM 27K/30K/35K/40K/50K	20
FEL-R8-MCT5	15W 1050LM 27K/30K/35K/40K/50K	10
FEL-R10-MCT5	20W 1400LM 27K/30K/35K/40K/50K	10
FEL-R12-MCT5	25W 1750LM 27K/30K/35K/40K/50K	5
FEL-R14-MCT5	30W 2100LM 27K/30K/35K/40K/50K	5
<b>5CCT EDGE-LESS ARCHITECTURAL FLUSH MOUNT</b>		
FEL-R6-MCT5-SEN	10W 700LM 27K/30K/35K/40K/50K	20
FEL-R8-MCT5-SEN	15W 1050LM 27K/30K/35K/40K/50K	10
FEL-R10-MCT5-SEN	20W 1400LM 27K/30K/35K/40K/50K	10
FEL-R12-MCT5-SEN	25W 1750LM 27K/30K/35K/40K/50K	5
FEL-R14-MCT5-SEN	30W 2100LM 27K/30K/35K/40K/50K	5
<b>TRIM ACCESSORIES</b>		
FEL-R6-TRM-BK	FEL-R6 Decorative Trim Black	
FEL-R6-TRM-BN	FEL-R6 Decorative Trim Brushed Nickel	
FEL-R6-TRM-GD	FEL-R6 Decorative Trim Gold	
FEL-R8-TRM-BK	FEL-R8 Decorative Trim Black	
FEL-R8-TRM-BN	FEL-R8 Decorative Trim Brushed Nickel	
FEL-R8-TRM-GD	FEL-R8 Decorative Trim Gold	
FEL-R10-TRM-BK	FEL-R10 Decorative Trim Black	
FEL-R10-TRM-BN	FEL-R10 Decorative Trim Brushed Nickel	
FEL-R10-TRM-GD	FEL-R10 Decorative Trim Gold	
FEL-R12-TRM-BK	FEL-R12 Decorative Trim Black	
FEL-R12-TRM-BN	FEL-R12 Decorative Trim Brushed Nickel	
FEL-R12-TRM-GD	FEL-R12 Decorative Trim Gold	
FEL-R14-TRM-BK	FEL-R14 Decorative Trim Black	
FEL-R14-TRM-BN	FEL-R14 Decorative Trim Brushed Nickel	
FEL-R14-TRM-GD	FEL-R14 Decorative Trim Gold	

**FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

WATTS	EM OPTION	DESCRIPTION	VANDAL RES.	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL	OPT-EM-FEL-R6	MOUNT IN EXTENDED BASE	N/A	N/A	N/A	N/A	N/A
	OPT-EM-FEL-R8	MOUNT IN EXTENDED BASE					
	OPT-EM-FEL-R10	MOUNT IN EXTENDED BASE					
	OPT-EM-FEL-R12	MOUNT IN EXTENDED BASE					
	OPT-EM-FEL-R14	MOUNT IN EXTENDED BASE					

## CONTRACTOR-FRIENDLY SNAP-IN FLUSH MOUNT SERIES, 5CCT E26 VER. INCL. RECESS ACCESSORIES



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>CONTRACTOR-FRIENDLY SNAP-IN FLUSH MOUNT SERIES, 5CCT, 120V</b>		
 FMLS-R5-MCT5-DT	11W 680LM 27K/30K/35K/40K/50K	12
FMLS-R7-MCT5-DT	14W 900LM 27K/30K/35K/40K/50K	12
FMLS-R9-MCT5-DT	20W 1300LM 27K/30K/35K/40K/50K	8
FMLS-R11-MCT5-DT	25W 1650LM 27K/30K/35K/40K/50K	8
<b>DUAL-DIMMING CONTRACTOR-FRIENDLY SNAP-IN FLUSH MOUNT SERIES, 5CCT AVAIL. WITH SLIM, 120-277V</b>		
FMLS-R5-MCT5-DD	11W 680LM 27K/30K/35K/40K/50K	12
FMLS-R7-MCT5-DD	14W 1000LM 27K/30K/35K/40K/50K	12
FMLS-R9-MCT5-DD	20W 1600LM 27K/30K/35K/40K/50K	8
FMLS-R11-MCT5-DD	25W 2000LM 27K/30K/35K/40K/50K	8
FMLS-R7-MCT5-DD-EM	14W 1000LM 27K/30K/35K/40K/50K	8
FMLS-R9-MCT5-DD-EM	20W 1600LM 27K/30K/35K/40K/50K	8



## TRIMS FOR FMLS SERIES

CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER
 FMLS-R5-TRIM-BK	FMLS-R5 Accessory Trim, Black	
FMLS-R7-TRIM-BK	FMLS-R7 Accessory Trim, Black	
FMLS-R9-TRIM-BK	FMLS-R9 Accessory Trim, Black	
FMLS-R11-TRIM-BK	FMLS-R11 Accessory Trim, Black	
FMLS-R7-TRIM-BK-EM	FMLS-R7 Accessory Trim, Black, EM VERSION	
FMLS-R9-TRIM-BK-EM	FMLS-R9 Accessory Trim, Black, EM VERSION	
FMLS-R5-TRIM-BN	FMLS-R5 Accessory Trim, Brushed Nickel	
FMLS-R7-TRIM-BN	FMLS-R7 Accessory Trim, Brushed Nickel	
FMLS-R9-TRIM-BN	FMLS-R9 Accessory Trim, Brushed Nickel	
FMLS-R11-TRIM-BN	FMLS-R11 Accessory Trim, Brushed Nickel	
FMLS-R7-TRIM-BN-EM	FMLS-R7 Accessory Trim, Brushed Nickel, EM VERSION	
FMLS-R9-TRIM-BN-EM	FMLS-R9 Accessory Trim, Brushed Nickel, EM VERSION	

RESIDENTIAL  
SURFACE MOUNT

## ULTRA-ECONOMY QUICK-INSTALL FLUSH-MOUNT LIGHT 120V 5CCT



CATALOG NO.	DESCRIPTION	PKG. QTY.
 FMLT-R5-MCT5	10W 740LM 27K/30K/35K/40K/50K 5"	20
FMLT-R7-MCT5	15W 1260LM 27K/30K/35K/40K/50K 7"	20
FMLT-R9-MCT5	18W 1440LM 27K/30K/35K/40K/50K 9"	10
FMLT-R12-MCT5	24W 2150LM 27K/30K/35K/40K/50K 12"	5



## BUILDER COMPOSITE SERIES DECORATIVE FLUSH MOUNT FIXTURES 120V 5CCT E26 VER. INCL. (EXCEPT R12) RECESS ACCESSORIES



CATALOG NO.	DESCRIPTION	PKG. QTY.
FMLE-R5-MCT5-E26	9W 650LM 27K/30K/35K/40K/50K 5" <b>WHILE SUPPLIES</b>	20
FMLE-R9-MCT5-E26	17W 1300LM 27K/30K/35K/40K/50K 9" <b>WHILE SUPPLIES</b>	10
FMLE-R12-MCT5	21W 1500LM 27K/30K/35K/40K/50K 12" <b>WHILE SUPPLIES</b>	5

# COMMERCIAL FLUSH MOUNT SERIES

## UGR<19 LOW-GLARE, 0-10V DIMMABLE, 120-277V



CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER	PKG. QTY.
FML-R6-MCT5-UGR-010V	11W 660LM 27K/30K/35K/40K/50K 6"		20
FML-R8-MCT5-UGR-010V	14W 980LM 27K/30K/35K/40K/50K 8"		10
FML-R10-MCT5-UGR-010V	17W 1020LM 27K/30K/35K/40K/50K 10"		10
FML-R12-MCT5-UGR-010V	22W 1540LM 27K/30K/35K/40K/50K 12"		10
FML-R14-MCT5-UGR-010V	26W 1560LM 27K/30K/35K/40K/50K 14"		5
FML-R16-MCT5-UGR-010V	30W 2100LM 27K/30K/35K/40K/50K 16"		5
FML-R18-MCT5-UGR-010V	35W 2450LM 27K/30K/35K/40K/50K 18"		3
FML-R20-MCT5-UGR-010V	40W 2800LM 27K/30K/35K/40K/50K 20"		3
FML-R22-MCT5-UGR-010V	45W 3150LM 27K/30K/35K/40K/50K 22"		3
FML-R24-MCT5-UGR-010V	50W 3500LM 27K/30K/35K/40K/50K 24"		3



**FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
FML-R6	OPT-EM-FML-R6	MOUNT IN EXTENDED BASE	OPT-PC-FML8	BUTTON	N/A	N/A	N/A
FML-R8	OPT-EM-FML-R8	MOUNT IN EXTENDED BASE	OPT-PC-FML10	BUTTON			
FML-R10	OPT-EM-FML-R10	MOUNT IN EXTENDED BASE	277V OPTION	DESCRIPTION			
FML-R12	OPT-EM-FML-R12	MOUNT IN EXTENDED BASE	OPT-277V-FML-R8	EXTERNAL BOX			
FML-R14	OPT-EM-FML-R14	MOUNT IN EXTENDED BASE	OPT-277V-FML-R10	EXTERNAL BOX			
FML-R16	OPT-EM-FML-R16	EXTERNAL EM PACKAGE					
FML-R18	OPT-EM-FML-R18	EXTERNAL EM PACKAGE					
FML-R20	OPT-EM-FML-R20	EXTERNAL EM PACKAGE					
FML-R22	OPT-EM-FML-R22	EXTERNAL EM PACKAGE					

RESIDENTIAL

SURFACE MOUNT

# FLUSH MOUNT SERIES, UGR<19 LOW-GLARE



CATALOG NO.	DESCRIPTION	PKG. QTY.
FML-R6-MCT5-UGR	11W 700LM 27K/30K/35K/40K/50K 6"	20
FML-R8-MCT5-UGR	14W 980LM 27K/30K/35K/40K/50K 8"	10
FML-R10-MCT5-UGR	17W 1190LM 27K/30K/35K/40K/50K 10"	10
FML-R12-MCT5-UGR	22W 1540LM 27K/30K/35K/40K/50K 12"	10
FML-R14-MCT5-UGR	26W 1820LM 27K/30K/35K/40K/50K 14"	5
FML-R16-MCT5-UGR	30W 2100LM 27K/30K/35K/40K/50K 16"	5
FML-R18-MCT5-UGR	35W 2450LM 27K/30K/35K/40K/50K 18"	3
FML-R20-MCT5-UGR	40W 2800LM 27K/30K/35K/40K/50K 20"	3
FML-R22-MCT5-UGR	45W 3150LM 27K/30K/35K/40K/50K 22"	3
FML-R24-MCT5-UGR	50W 3500LM 27K/30K/35K/40K/50K 24"	3



**FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
FML-R6	OPT-EM-FML-R6	MOUNT IN EXTENDED BASE	OPT-PC-FML8	BUTTON	N/A	N/A	N/A
FML-R8	OPT-EM-FML-R8	MOUNT IN EXTENDED BASE	OPT-PC-FML10	BUTTON			
FML-R10	OPT-EM-FML-R10	MOUNT IN EXTENDED BASE	277V OPTION	DESCRIPTION			
FML-R12	OPT-EM-FML-R12	MOUNT IN EXTENDED BASE	OPT-277V-FML-R8	EXTERNAL BOX			
FML-R14	OPT-EM-FML-R14	MOUNT IN EXTENDED BASE	OPT-277V-FML-R10	EXTERNAL BOX			
FML-R16	OPT-EM-FML-R16	EXTERNAL EM PACKAGE					
FML-R18	OPT-EM-FML-R18	EXTERNAL EM PACKAGE					
FML-R20	OPT-EM-FML-R20	EXTERNAL EM PACKAGE					
FML-R22	OPT-EM-FML-R22	EXTERNAL EM PACKAGE					

# WG SMART APP COMPATIBLE RGBW FLUSH MOUNT FIXTURES, 120V



CATALOG NO.	DESCRIPTION	PKG. QTY.
TC-FML-8-14W-RGBW-WIFI	14W 980LM RGBW	20
TC-FML-10-17W-RGBW-WIFI	17W 1190LM RGBW	20
TC-FML-12-22W-RGBW-WIFI	22W 1540LM RGBW	20
TC-FML-14-26W-RGBW-WIFI	26W 1820LM RGBW	20



# SPEC SERIES ARCHITECTURAL DIE-CAST FLUSH MOUNT FIXTURES, 120V, 3cct



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>FML-R6-MCT</b>	11W <b>660LM</b> 30K/40K/50K 6"	20
<b>FML-R8-MCT</b>	14W <b>840LM</b> 30K/40K/50K 8"	10
<b>FML-R10-MCT</b>	17W <b>1020LM</b> 30K/40K/50K 10"	10
<b>FML-R18-MCT</b>	30W <b>2100LM</b> 30K/40K/50K 18"	5
<b>FML-ULK-MCT</b>	15W <b>850LM</b> 30K/40K/50K UP LIGHT KIT FOR 18" & 22" FML SERIES	
<b>FML-RK-712</b>	7" OR 12" ROD KIT FOR FML FOR 18" & 22" FML SERIES	
<b>FML-SK6</b>	6FT ADJUSTABLE SUSPENSION KIT FOR 18" & 22" FML SERIES	



SHOWN WITH EM BASE



SHOWN WITH FML-SK6



SHOWN WITH FML-RK-712



SHOWN WITH FML-ULK-MCT

## ARCHITECTURAL FLUSH MOUNT SURFACE FIXTURES, 120V



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>FML-R6-11W-50K</b>	11W <b>550LM</b> 5000K 6" DIAMETER	20
<b>FML-R8-14W-50K</b>	14W <b>750LM</b> 5000K 8" DIAMETER	10
<b>FML-S6-11W-50K</b>	11W <b>550LM</b> 5000K 6" X 6"	20
<b>FML-S8-14W-30K</b>	14W <b>750LM</b> 3000K 8" X 8"	20
<b>FML-S10-17W-30K</b>	17W <b>950LM</b> 3000K 10" X 10"	20



RESIDENTIAL SURFACE MOUNT WHILE SUPPLIES LAST

## FML COLOR TRIMS (CLIP ON)

CATALOG NO.	DESCRIPTION
<b>FML-R6-TRM-BK</b>	6" ROUND TRIM FOR FML-R6 SERIES, BLACK FINISH
<b>FML-R6-TRM-BN</b>	6" ROUND TRIM FOR FML-R6 SERIES, BRUSHED NICKEL FINISH
<b>FML-R6-TRM-BR</b>	6" ROUND TRIM FOR FML-R6 SERIES, BRONZE FINISH
<b>FML-R8-TRM-BK</b>	8" ROUND TRIM FOR FML-R6 SERIES, BLACK FINISH
<b>FML-R8-TRM-BN</b>	8" ROUND TRIM FOR FML-R6 SERIES, BRUSHED NICKEL FINISH
<b>FML-R8-TRM-BR</b>	8" ROUND TRIM FOR FML-R6 SERIES, BRONZE FINISH
<b>FML-R10-TRM-BK</b>	10" ROUND TRIM FOR FML-R6 SERIES, BLACK FINISH
<b>FML-R10-TRM-BN</b>	10" ROUND TRIM FOR FML-R6 SERIES, BRUSHED NICKEL FINISH
<b>FML-R10-TRM-BR</b>	10" ROUND TRIM FOR FML-R6 SERIES, BRONZE FINISH



**FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
FML-R6	<b>OPT-EM-FML-R6</b>	MOUNT IN EXTENDED BASE	<b>OPT-PC-FML8</b>	BUTTON	N/A	N/A	N/A
FML-R8	<b>OPT-EM-FML-R8</b>	MOUNT IN EXTENDED BASE	<b>OPT-PC-FML10</b>	BUTTON			
FML-R10	<b>OPT-EM-FML-R10</b>	MOUNT IN EXTENDED BASE	<b>277V OPTION</b>	DESCRIPTION			
FML-R12	<b>OPT-EM-FML-R12</b>	MOUNT IN EXTENDED BASE	<b>OPT-277V-FML-R8</b>	EXTERNAL BOX			
FML-R14	<b>OPT-EM-FML-R14</b>	MOUNT IN EXTENDED BASE	<b>OPT-277V-FML-R10</b>	EXTERNAL BOX			
FML-R16	<b>OPT-EM-FML-R16</b>	EXTERNAL EM PACKAGE					
FML-R18	<b>OPT-EM-FML-R18</b>	EXTERNAL EM PACKAGE					
FML-R20	<b>OPT-EM-FML-R20</b>	EXTERNAL EM PACKAGE					
FML-R22	<b>OPT-EM-FML-R22</b>	EXTERNAL EM PACKAGE					

## 4in SQUARE J-BOX WITH FLAT BRACKET

CATALOG NO.	DESCRIPTION
<b>ELB-09120-AC-JB</b>	4in SQUARE J-BOX WITH FLAT BRACKET FOR CEILING LIGHTS WITH 9W AC-CONNECT



**ARRIVES THIS SEASON CHECK & PRE-ORDER**



FMLB  
White



FMLB-SEN  
White



FMLB-TRM-BN  
Brushed Nickel



FMLB-TRM-BK  
Black



FMLB-TRM-ALAB-BK  
Black



FMLB-TRM-ALAB-GD  
Gold



FMLB-TRM-ALAB-BN  
Brushed Nickel



## BUILDER SERIES FLUSH MOUNT FIXTURES - 5CCT - 120V



CATALOG NO.	DESCRIPTION	PKG. QTY.
-------------	-------------	-----------

FMLB-R5-MCT5	8W 560LM 27K/30K/35K/40K/50K	
FMLB-R7-MCT5	12W 900LM 27K/30K/35K/40K/50K	
FMLB-R9-MCT5	18W 1440LM 27K/30K/35K/40K/50K	20
FMLB-R12-MCT5	24W 2000LM 27K/30K/35K/40K/50K	
FMLB-R15-MCT5	36W 3050LM 27K/30K/35K/40K/50K	

### BUILDER SERIES FLUSH MOUNT FIXTURES WITH SENSOR

FMLB-R7-MCT5-SEN	12W 900LM 27K/30K/35K/40K/50K	
FMLB-R9-MCT5-SEN	18W 1440LM 27K/30K/35K/40K/50K	20
FMLB-R12-MCT5-SEN	24W 2000LM 27K/30K/35K/40K/50K	
FMLB-R15-MCT5-SEN	36W 3050LM 27K/30K/35K/40K/50K	
FMLB-SEN-RC	Remote Control For FMLB Sensor Series	

### COLOR TRIM ACCESSORIES

FMLB-R5-TRM-BN	FMLB-R5 Color Trim - Brushed Nickel	
FMLB-R5-TRM-BK	FMLB-R5 Color Trim - Black	
FMLB-R7-TRM-BN	FMLB-R7 Color Trim - Brushed Nickel	
FMLB-R7-TRM-BK	FMLB-R7 Color Trim - Black	
FMLB-R9-TRM-BN	FMLB-R9 Color Trim - Brushed Nickel	
FMLB-R9-TRM-BK	FMLB-R9 Color Trim - Black	
FMLB-R12-TRM-BN	FMLB-R12 Color Trim - Brushed Nickel	
FMLB-R12-TRM-BK	FMLB-R12 Color Trim - Black	
FMLB-R15-TRM-BN	FMLB-R12 Color Trim - Brushed Nickel	
FMLB-R15-TRM-BK	FMLB-R12 Color Trim - Black	

### ALABASTER STONE LENSES WITH METAL TRIMS

FMLB-R7-TRM-ALAB-BK	FMLB-R7 Real Alabaster Lens With Trim - Black	
FMLB-R7-TRM-ALAB-GD	FMLB-R7 Real Alabaster Lens With Trim - Gold	
FMLB-R7-TRM-ALAB-BN	FMLB-R7 Real Alabaster Lens With Trim - Brushed Nickel	
FMLB-R9-TRM-ALAB-BK	FMLB-R9 Real Alabaster Lens With Trim - Black	
FMLB-R9-TRM-ALAB-GD	FMLB-R9 Real Alabaster Lens With Trim - Gold	
FMLB-R9-TRM-ALAB-BN	FMLB-R9 Real Alabaster Lens With Trim - Brushed Nickel	
FMLB-R12-TRM-ALAB-BK	FMLB-R12 Real Alabaster Lens With Trim - Black	
FMLB-R12-TRM-ALAB-GD	FMLB-R12 Real Alabaster Lens With Trim - Gold	
FMLB-R12-TRM-ALAB-BN	FMLB-R12 Real Alabaster Lens With Trim - Brushed Nickel	



## CEILING LIGHTS BUILT WITH FMLB FIXTURES INCLUDED, 5CCT

CATALOG NO.	DESCRIPTION	PKG. QTY.
-------------	-------------	-----------

FMLB-R9-MCT5-FMF12-WG	18W 1440LM 27K/30K/35K/40K/50K White/Gold	1
FMLB-R9-MCT5-FMF12-BG	18W 1440LM 27K/30K/35K/40K/50K Black/Gold	1
FMLB-R12-MCT5-FMF15-WG	24W 2000LM 27K/30K/35K/40K/50K White/Gold	1
FMLB-R12-MCT5-FMF15-BG	24W 2000LM 27K/30K/35K/40K/50K Black/Gold	1



# REGRESSED CEILING LIGHTS BUILT WITH FMLB FIXTURES INCLUDED, 5CCT



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>FMLB-R5-MCT5-REG-WH</b>	8W <b>560LM</b> 27K/30K/35K/40K/50K White	1
<b>FMLB-R5-MCT5-REG-BK</b>	8W <b>560LM</b> 27K/30K/35K/40K/50K Black	1
<b>FMLB-R7-MCT5-REG-WH</b>	12W <b>900LM</b> 27K/30K/35K/40K/50K White	1
<b>FMLB-R7-MCT5-REG-BK</b>	12W <b>900LM</b> 27K/30K/35K/40K/50K Black	1
<b>FMLB-R9-MCT5-REG-WH</b>	18W <b>1440LM</b> 27K/30K/35K/40K/50K White	1
<b>FMLB-R9-MCT5-REG-BK</b>	18W <b>1440LM</b> 27K/30K/35K/40K/50K Black	1
<b>FMLB-R12-MCT5-REG-WH</b>	24W <b>2000LM</b> 27K/30K/35K/40K/50K White	1
<b>FMLB-R12-MCT5-REG-BK</b>	24W <b>2000LM</b> 27K/30K/35K/40K/50K Black	1
<b>FMLB-R15-MCT5-REG-WH</b>	36W <b>3050LM</b> 27K/30K/35K/40K/50K White	1
<b>FMLB-R15-MCT5-REG-BK</b>	36W <b>3050LM</b> 27K/30K/35K/40K/50K Black	1



# CYLINDERS BUILT WITH FMLB FIXTURES INCLUDED, 5CCT



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>FMLB-R5-MCT5-CMC5S-WH</b>	8W <b>560LM</b> 27K/30K/35K/40K/50K White	1
<b>FMLB-R5-MCT5-CMC5S-BK</b>	8W <b>560LM</b> 27K/30K/35K/40K/50K Black	1
<b>FMLB-R5-MCT5-CMC5S-WG</b>	8W <b>560LM</b> 27K/30K/35K/40K/50K White/Gold	1
<b>FMLB-R5-MCT5-CMC5S-BG</b>	8W <b>560LM</b> 27K/30K/35K/40K/50K Black/Gold	1
<b>FMLB-R7-MCT5-CMC7S-WH</b>	12W <b>900LM</b> 27K/30K/35K/40K/50K White	1
<b>FMLB-R7-MCT5-CMC7S-BK</b>	12W <b>900LM</b> 27K/30K/35K/40K/50K Black	1
<b>FMLB-R7-MCT5-CMC7S-WG</b>	12W <b>900LM</b> 27K/30K/35K/40K/50K White/Gold	1
<b>FMLB-R7-MCT5-CMC7S-BG</b>	12W <b>900LM</b> 27K/30K/35K/40K/50K Black/Gold	1
<b>FMLB-R7-MCT5-CMC7-WH</b>	12W <b>900LM</b> 27K/30K/35K/40K/50K White	1
<b>FMLB-R7-MCT5-CMC7-BK</b>	12W <b>900LM</b> 27K/30K/35K/40K/50K Black	1
<b>FMLB-R7-MCT5-CMC7-WG</b>	12W <b>900LM</b> 27K/30K/35K/40K/50K White/Gold	1
<b>FMLB-R7-MCT5-CMC7-BG</b>	12W <b>900LM</b> 27K/30K/35K/40K/50K Black/Gold	1
<b>FMLB-R9-MCT5-CMC9FL-WH</b>	18W <b>1440LM</b> 27K/30K/35K/40K/50K White	1
<b>FMLB-R9-MCT5-CMC9FL-BK</b>	18W <b>1440LM</b> 27K/30K/35K/40K/50K Black	1



# FMLB SERIES ACCESSORIES

CATALOG NO.	DESCRIPTION
<b>FMLB-CS-10FT-WH</b>	FMLB 10FT Suspension Cord And Canopy Accessory - White
<b>FMLB-CS-10FT-BK</b>	FMLB 10FT Suspension Cord And Canopy Accessory - Black
<b>FMLB-CSC-10FT-WH</b>	FMLB Canopy And Cord Pendant Cylinder Accessory 10FT White
<b>FMLB-CSC-10FT-BK</b>	FMLB Canopy And Cord Pendant Cylinder Accessory 10FT Black
<b>FMLB-SRK-412-3W-WH</b>	FMLB Downrod Kit Pendant Cylinder Accessory 4X1FT 3-Wire White
<b>FMLB-SRK-412-3W-BK</b>	FMLB Downrod Kit Pendant Cylinder Accessory 4X1FT 3-Wire Black

RESIDENTIAL SURFACE MOUNT



## RESIDENTIAL SURFACE MOUNT LIGHTS



LCFF



SHOWN WITH  
ROD & CANOPY



SHOWN WITH  
SUSPENSION KIT  
& CANOPY



LCFF-WS

### LED 5CCT INTEGRATED LED FABRIC DRUM



CATALOG NO.	DESCRIPTION	PKG. QTY.
LCFF-15-MCT5-BR	25W 1400LM 27K/30K/35K/40K/50K 15" Bronze	2
LCFF-18-MCT5-BR	35W 1800LM 27K/30K/35K/40K/50K 18" Bronze	2
LCFF-22-MCT5-BR	45W 2100LM 27K/30K/35K/40K/50K 22" Bronze	2
LCFF-15-MCT5-BN	25W 1400LM 27K/30K/35K/40K/50K 15" Brushed Nickel	2
LCFF-18-MCT5-BN	35W 1800LM 27K/30K/35K/40K/50K 18" Brushed Nickel	2
LCFF-22-MCT5-BN	45W 2100LM 27K/30K/35K/40K/50K 22" Brushed Nickel	2
<b>INTEGRATED LED MODERN WALL SCONCE</b>		
LCFF-WS-WH	10W 500LM 27K/30K/35K/40K/50K White	5
LCFF-WS-BR	10W 500LM 27K/30K/35K/40K/50K Bronze	5
LCFF-WS-BN	10W 500LM 27K/30K/35K/40K/50K Brushed Nickel	5
LCF-ROD-5-BR	5In Suspension Rod For Ceiling Fixture Swivel Canopy, Bronze	
LCF-ROD-12-BR	12In Suspension Rod For Ceiling Fixture Swivel Canopy, Bronze	
LCF-ROD-24-BR	24In Suspension Rod For Ceiling Fixture Swivel Canopy, Bronze	
LCF-ROD-36-BR	36In Suspension Rod For Ceiling Fixture Swivel Canopy, Bronze	
LCF-ROD-48-BR	48In Suspension Rod For Ceiling Fixture Swivel Canopy, Bronze	
LCF-ROD-5-BN	5In Suspension Rod For Ceiling Fixture Swivel Canopy, Brushed Nickel	
LCF-ROD-12-BN	12In Suspension Rod For Ceiling Fixture Swivel Canopy, Brushed Nickel	
LCF-ROD-24-BN	24In Suspension Rod For Ceiling Fixture Swivel Canopy, Brushed Nickel	
LCF-ROD-36-BN	36In Suspension Rod For Ceiling Fixture Swivel Canopy, Brushed Nickel	
LCF-ROD-48-BN	48In Suspension Rod For Ceiling Fixture Swivel Canopy, Brushed Nickel	
LCF-CANOPY-S-BR	Swivel Ceiling Canopy For Ceiling Fixtures, Bronze	
LCF-CANOPY-S-BN	Swivel Ceiling Canopy For Ceiling Fixtures, Brushed Nickel	
LFCF-SK10-BR	10Ft 4Line Canopy Suspension Kit For Decorative Lights, Bronze	
LFCF-SK10-BN	10Ft 4Line Canopy Suspension Kit For Decorative Lights, Brushed Nickel	
FML-ULK-MCT	15W, 850Lm, 30K/40K/50K Up Light Kit	

### MODERN 3CCT FLUSH MOUNT DRUM



CATALOG NO.	DESCRIPTION	PKG. QTY.
FCD-13-MCT-BG	25W 2350LM 3000K/4000K/5000K 13" Black/Gold	5
FCD-16-MCT-BG	30W 2800LM 3000K/4000K/5000K 16" Black/Gold	5



**LCEU-8-30K-WH**  
8" White With Copper Reflector



**LCEU-8-30K-BK**  
8" Black With Copper Reflector



**LCEU-8-30K-CU**  
8" Copper With White Reflector



**LCEU-12-30K-WH**  
12" White With Copper Reflector



**LCEU-12-30K-BK**  
12" Black With Copper Reflector




**LCEU-12-30K-CU**  
12" Copper With White Reflector

## EU PENDANT WITH INDIRECT LIGHT SOURCE



CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER	PKG. QTY.
<b>LCEU-8-30K-WH</b>	8W <b>395LM</b> 3000K 8" White With Copper Reflector		2
<b>LCEU-8-30K-BK</b>	8W <b>220LM</b> 3000K 8" Black With Copper Reflector		2
<b>LCEU-8-30K-CU</b>	8W <b>650LM</b> 3000K 8" Copper With White Reflector		2
<b>LCEU-12-30K-WH</b>	12W <b>815LM</b> 3000K 12" White With Copper Reflector		8
<b>LCEU-12-30K-BK</b>	12W <b>540LM</b> 3000K 12" Black With Copper Reflector		8
<b>LCEU-12-30K-CU</b>	12W <b>1400LM</b> 3000K 12" Copper With White Reflector		8

RESIDENTIAL  
PENDANT  
LIGHTS



SHOWN WITH MODIFICATION ACCESSORY

## 5CCT INTEGRATED LED MODERN CONE PENDANT LIGHTS, 12" DAI.- 5FT ADJ. CORD



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>LCFC-MCT5-BK</b>	25W <b>1300LM</b> 27K/30K/35K/40K/50K Black	2
<b>LCFC-MCT5-WH</b>	25W <b>1300LM</b> 27K/30K/35K/40K/50K White	2
<b>LCFC-BF-ACC-GD</b>	LCFC Pendant Modification Accessory, Electroplated Gold	
<b>LCFC-BF-ACC-BN</b>	LCFC Pendant Modification Accessory, Brushed Nickel	



**NORDIC DESIGN PENDANT WITH LEATHER STRAP, INTEGRATED 5CCT LED - 10FT ADJ. CORD**   

CATALOG NO.	DESCRIPTION	PKG. QTY.
<a href="#">LCFN-MCT5-WH</a>	25W <b>1400LM</b> 27K/30K/35K/40K/50K White	2
<a href="#">LCFN-MCT5-BK</a>	25W <b>1400LM</b> 27K/30K/35K/40K/50K Black	2



SHOWN WITH WIRE GUARD BLACK

SHOWN WITH WIRE GUARD WHITE

**12" INTEGRATED LED VINTAGE PENDANT LIGHTS, 5CCT - 5FT ADJ. CORD**   

CATALOG NO.	DESCRIPTION	PKG. QTY.
<a href="#">LCFA-MCT5-BK</a>	25W <b>1300LM</b> 27K/30K/35K/40K/50K Black (Copper Inside)	2
<a href="#">LCFA-MCT5-WH</a>	25W <b>1300LM</b> 27K/30K/35K/40K/50K White Gloss (Copper Inside)	2
<a href="#">LCFA-WG-BK</a>	LCFA Wire Guard, Black	
<a href="#">LCFA-WG-WH</a>	LCFA Wire Guard, White	




**5" MINI PAN PENDANT W/ 4.FT CORD, 120V - 5CCT**   

CATALOG NO.	DESCRIPTION	PKG. QTY.
<a href="#">LCFPM-MCT5-BK</a>	10W <b>700LM</b> 27K/30K/35K/40K/50K Black	1
<a href="#">LCFPM-MCT5-WH</a>	10W <b>700LM</b> 27K/30K/35K/40K/50K White	1

RESIDENTIAL

PENDANT LIGHTS




COMMERCIAL/RESIDENTIAL POWER & CCT-ADJUSTABLE CONE PENDANT



RESIDENTIAL  
PENDANT  
LIGHTS

CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>3CCT CONE PENDANT WITH 5FT ADJ. DOWNROD, 7" Dia.</b>		
LCFS-MCT-BK	6W/9W/12W 600LM Max. 30K/40K/50K Black	4
LCFS-MCT-WH	6W/9W/12W 600LM Max. 30K/40K/50K White	4
<b>3CCT CONE PENDANT WITH 6FT ADJ. CORD, 6" Dia.</b>		
LCFQ-MCT-BK	6W/9W/12W 600LM Max. 30K/40K/50K Black	12
LCFQ-MCT-WH	6W/9W/12W 600LM Max. 30K/40K/50K White	12
CMC2-TRMWM-AG	Replacement Trim Accessory, Anodized Gold	
CMC2-TRMWM-BN	Replacement Trim Accessory, Brushed Nickel	
<b>POWER &amp; CCT ADJUSTABLE TAPERED PENDANT WITH 6FT ADJ. CORD, 2" Dia.</b>		
LCFT-MCTP-BK	3W/6W/9W 720LM Max. 30K/40K/50K Black	8
LCFT-MCTP-WH	3W/6W/9W 720LM Max. 30K/40K/50K White	8
LCFT-MCTP-BN	3W/6W/9W 720LM Max. 30K/40K/50K Brushed Nickel	8
LCFT-DL25	LCFT 2in 25mm Acrylic Drop Lens	
<b>WINE BOTTLE PENDANT, COMMERCIAL/RESIDENTIAL 10FT ADJ. CORD</b>		
LCFW-MCTP-BK	6W/9W/12W 960LM Max. 30K/40K/50K Black	4
LCFW-MCTP-WH	6W/9W/12W 960LM Max. 30K/40K/50K White	4
<b>COCONUT PENDANT, COMMERCIAL/RESIDENTIAL WITH 6FT ADJ. CORD, 6" Dia</b>		
LCFK-MCTP-BK	6W/9W/12W 960LM Max. 30K/40K/50K Black	4
LCFK-MCTP-WH	6W/9W/12W 960LM Max. 30K/40K/50K White	4



**LCFI-MCT5-WH**  
White



**LCFI-WS-WH**  
White

## 11" DECORATIVE 2-LEVEL PENDANT - 5FT ADJ. CORD



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>LCFI-MCT5-WH</b>	12W <b>600LM</b> 27K/30K/35K/40K/50K White	4
<b>LCFI-MCT5-BK</b>	12W <b>600LM</b> 27K/30K/35K/40K/50K Black	4
<b>INTEGRATED LED MODERN WALL SCNCE</b>		
<b>LCFI-WS-WH</b>	10W <b>500LM</b> 27K/30K/35K/40K/50K White	5
<b>LCFI-WS-BK</b>	10W <b>500LM</b> 27K/30K/35K/40K/50K Black	5

RESIDENTIAL

PENDANT LIGHTS



**LCFL-MCT5-WH**  
White



**LCFL-MCT5-BG**  
Black/Gold



**LCFL-WS-WH**  
White

## 12" MODERN DESIGNER LED PENDANT - 5FT ADJ. CORD



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>LCFL-MCT5-WH</b>	10W <b>500LM</b> 27K/30K/35K/40K/50K White	4
<b>LCFL-MCT5-BG</b>	10W <b>500LM</b> 27K/30K/35K/40K/50K Black Gold	4
<b>INTEGRATED LED MODERN WALL SCNCE</b>		
<b>LCFL-WS-WH</b>	10W <b>500LM</b> 27K/30K/35K/40K/50K White	5
<b>LCFL-WS-BG</b>	10W <b>500LM</b> 27K/30K/35K/40K/50K Black	5



## MODERN 3CCT FLUSH MOUNT DRUM



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>LDAP-10-MCT5</b>	12W <b>700LM</b> 27K/30K/35K/40K/50K BLACK, <b>10" Dia.</b>	4
<b>LDAP-14-MCT5</b>	18W <b>900LM</b> 27K/30K/35K/40K/50K BLACK, <b>14" Dia.</b>	4



## 5CCT INTEGRATED LED MODERN DOME PENDANT LIGHTS



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>12" INTEGRATED LED MODERN DOME PENDANT LIGHTS, 5CCT</b>		
LCFD-MCT5-BK	25W 1300LM 27K/30K/35K/40K/50K 12"X62" Black	2
LCFD-MCT5-WH	25W 1300LM 27K/30K/35K/40K/50K 12"X62" White	2
LCFD-MCT5-WS	25W 1300LM 27K/30K/35K/40K/50K 12"X62" White/Silver	2
LCFD-MCT5-BG	25W 1300LM 27K/30K/35K/40K/50K 12"X62" Black/Gold	2
<b>20" INTEGRATED LED MODERN DOME PENDANT LIGHTS</b>		
LCFD-20-MCT5-WS	40W 2250LM 27K/30K/35K/40K/50K 20"X62" White/Silver	2
LCFD-20-MCT5-BG	40W 2250LM 27K/30K/35K/40K/50K 20"X62" Black/Gold	2
<b>INTEGRATED LED MODERN WALL SCONCE</b>		
LCFD-WS-BK	10W 500LM 27K/30K/35K/40K/50K Black	5
LCFD-WS-WH	10W 500LM 27K/30K/35K/40K/50K White	5



LCFP-MCT5-BG  
Black/Gold



LCFP-MCT5-WG  
White/Gold



LCFP-WS-WH  
White



LCFP-WS-BK  
Black

## LED PAN PENDANT, 5CCT



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>20" INTEGRATED LED PAN PENDANT WITH 6FT ADJ. ROD DOWN, 5CCT</b>		
LCFP-MCT5-WG	40W 2800LM 27K/30K/35K/40K/50K White/Gold	1
LCFP-MCT5-BG	40W 2800LM 27K/30K/35K/40K/50K Black/Gold	1
<b>5" PAN DESIGN WALL SCONCE, 5CCT</b>		
LCFP-WS-WH	10W 700LM 27K/30K/35K/40K/50K White	5
LCFP-WS-BK	10W 700LM 27K/30K/35K/40K/50K Black	5



## 12" LARGE INTEGRATED LED DOME PENDANT WITH 6FT CORD, 5CCT



CATALOG NO.	DESCRIPTION	PKG. QTY.
LCFR-MCT5-WG	24W 820LM 27K/30K/35K/40K/50K White/Gold	2
LCFR-MCT5-BG	24W 820LM 27K/30K/35K/40K/50K Black/Gold	2



## 5CCT INTEGRATED LED PENDANT LIGHTS

xFT Adjustable



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>LCFB-1L-MCT5</b>	12W <b>810LM</b> 27K/30K/35K/40K/50K Single	4
<b>LCFB-3LR-MCT5</b>	36W <b>2430LM</b> 27K/30K/35K/40K/50K Triple w/ Square Canopy	2
<b>LCFB-3LS-MCT5</b>	36W <b>2430LM</b> 27K/30K/35K/40K/50K Triple w/ Straight Bar	1

RESIDENTIAL PENDANT LIGHTS




## 5CCT INTEGRATED LED HOLOGRAM PENDANT LIGHTS

xFT Adjustable



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>LCFH-1L-MCT5</b>	12W <b>810LM</b> 27K/30K/35K/40K/50K Single	4
<b>LCFH-3LR-MCT5</b>	36W <b>2430LM</b> 27K/30K/35K/40K/50K Triple w/ Square Canopy	2
<b>LCFH-3LS-MCT5</b>	36W <b>2430LM</b> 27K/30K/35K/40K/50K Triple w/ Straight Bar	1



## 4" GLASS LENS PENDANT WITH 6FT ADJ. ROD, 5CCT



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>LCFE-MCT5-BN</b>	12W <b>720LM</b> 27K/30K/35K/40K/50K Brushed Nickel	4
<b>LCFE-MCT5-BK</b>	12W <b>720LM</b> 27K/30K/35K/40K/50K Black	4

**FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

WATTS	EM OPTION	DESCRIPTION	277V OPTION	DESCRIPTION	PAINT	WIRE CABLE	DESCRIPTION
LCFF, LCFN, LDAP, LCFD	<b>OPT-EM-LCFX-WH</b>	INTERNAL White	<b>OPT-277V-LCFX-WH</b>	277V	<b>N/A</b>	<b>OPT-HBC-3WR-6FT-WH</b>	12FT Cable
LCFC, LCFP, LCFR, LCFB	<b>OPT-EM-LCFX-BK</b>	INTERNAL Black	<b>OPT-277V-LCFX-BK</b>	277V		<b>OPT-HBC-3WR-6FT-BK</b>	12FT Cable
LCFS, LCFQ, LCFA, LCFH	<b>OPT-EM-LCFX-BN</b>	INTERNAL Brushed Nickel	<b>OPT-277V-LCFX-BN</b>	277V			
LCFS, LCFQ, LCFA, LCFE							



## LCFE SERIES E26 LAMP-READY CHANDELIER



CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER
<b>LCFE-E26-V1L-BK</b>	LCFE Series Lamp-Ready 1-Lamp Vanity Black	
<b>LCFE-E26-V1L-BN</b>	LCFE Series Lamp-Ready 1-Lamp Vanity Brushed Nickel	
<b>LCFE-E26-V2L-BK</b>	LCFE Series Lamp-Ready 2-Lamp Vanity Black	
<b>LCFE-E26-V2L-BN</b>	LCFE Series Lamp-Ready 2-Lamp Vanity Brushed Nickel	
<b>LCFE-E26-V3L-BK</b>	LCFE Series Lamp-Ready 3-Lamp Vanity Black	
<b>LCFE-E26-V3L-BN</b>	LCFE Series Lamp-Ready 3-Lamp Vanity Brushed Nickel	
<b>LCFE-E26-P1L-BK</b>	LCFE Series Lamp-Ready 1-Lamp Pendant 54In Adj. Downrod Black	
<b>LCFE-E26-P1L-BN</b>	LCFE Series Lamp-Ready 1-Lamp Pendant 54In Adj. Downrod Brushed Nickel	
<b>LCFE-E26-P5L-BK</b>	LCFE Series Lamp-Ready 5-Lamp Chandelier 8Ft Height Adjustable Black	
<b>LCFE-E26-P5L-BN</b>	LCFE Series Lamp-Ready 5-Lamp Chandelier 8Ft Height Adjustable Brushed Nickel	

RESIDENTIAL  
PENDANT  
LIGHTS



## FROSTED GLASS ARCHITECTURAL GLOBE PENDANT - MULTI-CCT



CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER	PKG. QTY.
<b>LCFG-8-MCT5-FR-GD</b>	12W 1000LM 27K/30K/35K/40K/50K 8" Gold		2
<b>LCFG-12-MCT5-FR-GD</b>	20W 1600LM 27K/30K/35K/40K/50K 12" Gold		2
<b>LCFG-8-MCT5-FR-BK</b>	12W 1000LM 27K/30K/35K/40K/50K 8" Black		2
<b>LCFG-12-MCT5-FR-BK</b>	20W 1600LM 27K/30K/35K/40K/50K 12" Black		2



LCFG-SG-GD  
Gold



LCFG-SG-BK  
Black



LCFG-FR-GD  
Gold



LCFG-FR-BK  
Black

## LAMP-READY ARCHITECTURAL GLOBE PENDANT, E26 BASE



CATALOG NO.

DESCRIPTION

**ARRIVES THIS SEASON  
CHECK & PRE-ORDER**

### SEEDED GLASS E26 LAMP-READY ARCHITECTURAL GLOBE PENDANT

**LCFG-8-E26-SG-GD** 8In Seeded Glass E26 Architectural Globe Pendant 67In - Gold

**LCFG-12-E26-SG-GD** 12In Seeded Glass E26 Architectural Globe Pendant 67In - Gold

**LCFG-8-E26-SG-BK** 8In Seeded Glass E26 Architectural Globe Pendant 67In - Black

**LCFG-12-E26-SG-BK** 12In Seeded Glass E26 Architectural Globe Pendant 67In - Black

### FROSTED GLASS E26 LAMP-READY ARCHITECTURAL GLOBE PENDANT

**LCFG-8-E26-FR-GD** 8In Frosted Glass E26 Architectural Globe Pendant 67In - Gold

**LCFG-12-E26-FR-GD** 12In Frosted Glass E26 Architectural Globe Pendant 67In - Gold

**LCFG-8-E26-FR-BK** 8In Frosted Glass E26 Architectural Globe Pendant 67In - Black

**LCFG-12-E26-FR-BK** 12In Frosted Glass E26 Architectural Globe Pendant 67In - Black



**DPL-01-18K**  
Free Form 7.5in Dia



**DPL-02-18K**  
Tear Drop 7in Dia



**DPL-03-18K**  
Long Form 2.4X10in



**DPL-04-18K**  
Round Form 3.2in Dia



**DPL-05-18K**  
Round Form 5.2in Dia



**DPL-06-18K**  
Round Dimple 8in Dia



**DPL-07M-18K**  
Round Metal Mesh 8in Dia

## DECORATIVE PENDANT LAMP - E26 BASE - 120V

CATALOG NO.

DESCRIPTION

**ARRIVES THIS SEASON  
CHECK & PRE-ORDER**

**DPL-01-18K** 4W 160LM 1800K Free Form 7.5in Dia

**DPL-02-18K** 4W 160LM 1800K Tear Drop 7in Dia

**DPL-03-18K** 4W 160LM 1800K Long Form 2.4X10in

**DPL-04-18K** 4W 160LM 1800K Round Form 3.2in Dia

**DPL-05-18K** 4W 160LM 1800K Round Form 5.2in Dia

**DPL-06-18K** 4W 160LM 1800K Round Dimple 8in Dia

**DPL-07M-18K** 4W 160LM 1800K Round Metal Mesh 8in Dia



RESIDENTIAL  
PENDANT  
SOCKET

## DECORATIVE SOCKET PENDANT 6FT CORD - E26 MEDIUM BASE

CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER
<a href="#">DSP-066-6FT-BK</a>	Decorative Socket Pendant 066 6Ft Blk Cord - Black	
<a href="#">DSP-066-6FT-AB</a>	Decorative Socket Pendant 066 6Ft Blk Cord - Antique Brass	
<a href="#">DSP-066-6FT-BR</a>	Decorative Socket Pendant 066 6Ft Blk Cord - Brass	
<a href="#">DSP-066-6FT-GB</a>	Decorative Socket Pendant 066 6Ft Blk Cord - Gun Black	
<a href="#">DSP-761-6FT-AC</a>	Decorative Socket Pendant 761 6Ft Blk Cord - Antique Copper	
<a href="#">DSP-761-6FT-AB</a>	Decorative Socket Pendant 761 6Ft Blk Cord - Antique Brass	
<a href="#">DSP-722-6FT-RG</a>	Decorative Socket Pendant 761 6Ft Blk Cord - Rose Gold	
<a href="#">DSP-722-6FT-GB</a>	Decorative Socket Pendant 761 6Ft Blk Cord - Gun Black	
<a href="#">DSP-974-6FT-AB</a>	Decorative Socket Pendant 974 6Ft Blk Cord - Antique Brass	
<a href="#">DSP-039-6FT-RG</a>	Decorative Socket Pendant 039 6Ft Blk Cord - Rose Gold	
<a href="#">DSP-039-6FT-BK</a>	Decorative Socket Pendant 039 6Ft Blk Cord - Black	
<a href="#">DSP-CORD-FAB-BK</a>	Replacement Fabric Cord For DSP Decorative Sockets - Black	



**BRL-RH-BK**  
Black



**BRL-RH-BN**  
Brushed Nickel



**BRL-RH-WH**  
White



**BRL-SHL-BK**  
Black



**BRL-SHL-WH**  
White



**BRL-SHR-BK**  
Black



**BRL-SHR-WH**  
White



**BRL-RV-BK**  
Black



**BRL-RV-BN**  
Brushed Nickel



**BRL-RV-WH**  
White



**BRL-SV-BK**  
Black



**BRL-SV-WH**  
White

## BEDSIDE READING LAMPS WITH BACKLIGHT, WIRELESS CHARGING, & USB OPTIONS



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>BRL-RH-WH</b>	3W <b>120LM</b> 3000K Horizontal Recessed, White	20
<b>BRL-RH-BK</b>	3W <b>120LM</b> 3000K Horizontal Recessed, Black	20
<b>BRL-RH-BN</b>	3W <b>120LM</b> 3000K Horizontal Recessed, Brushed Nickel	20
<b>BRL-RV-WH</b>	3W <b>120LM</b> 3000K Vertical Recessed, White	20
<b>BRL-RV-BK</b>	3W <b>120LM</b> 3000K Vertical Recessed, Black	20
<b>BRL-RV-BN</b>	3W <b>120LM</b> 3000K Vertical Recessed, Brushed Nickel	20
<b>BRL-SHR-WCH-WH</b>	10W <b>500LM</b> 3000K Horiz. Surf. Backlit + USB & W/L CHG., Right Side, White	5
<b>BRL-SHR-WCH-BK</b>	10W <b>500LM</b> 3000K Horiz. Surf. Backlit + USB & W/L CHG., Right Side, Black	5
<b>BRL-SHL-WCH-WH</b>	10W <b>500LM</b> 3000K Horiz. Surf. Backlit + USB & W/L CHG., Left Side, White	5
<b>BRL-SHL-WCH-BK</b>	10W <b>500LM</b> 3000K Horiz. Surf. Backlit + USB & W/L CHG., Left Side, Black	5
<b>BRL-SV-WH</b>	10W <b>500LM</b> 3000K Vert. Surf. Backlit + USB, White	5
<b>BRL-SV-BK</b>	10W <b>500LM</b> 3000K Vert. Surf. Backlit + USB, Black	5



# WESTGATE SMART APP COMPATIBLE RGBW SERIES



## BLUETOOTH WG APP COMPATIBLE RGBW FLOOD LIGHT, 40D LENS, 12V



CATALOG NO.	DESCRIPTION	PKG. QTY.
 <b>TC-GL-12V-15W-RGBW-BT-BR</b> FOR REMOTE CONTROL SEE PAGE 104	15W <b>405LM</b> RGBW	6

## BLUETOOTH WG APP COMPATIBLE RGBW FLOOD LIGHT, 60D LENS, 12V



CATALOG NO.	DESCRIPTION	PKG. QTY.
 <b>TC-FL-12V-36W-RGBW-BT-BR</b> FOR REMOTE CONTROL SEE PAGE 104	36W <b>824LM</b> RGBW	4

## BLUETOOTH WG APP COMPATIBLE RGBW FLOOD LIGHT, 60D LENS, 120-277V



CATALOG NO.	DESCRIPTION	PKG. QTY.
 <b>TC-FL-36W-RGBW-BT-BR</b> FOR REMOTE CONTROL SEE PAGE 104	36W <b>824LM</b> RGBW	4

## SPEC SERIES RGBW BLUETOOTH WESTGATE APP BULLET, 120-277V



CATALOG NO.	DESCRIPTION	PKG. QTY.
 <b>FLDX-MD-15W-RGBW-BT-BR</b> FOR REMOTE CONTROL SEE PAGE 104	15W <b>720LM</b> RGBW Bronze	4

## SPEC SERIES RGBW BLUETOOTH WESTGATE APP BULLET, 12V



CATALOG NO.	DESCRIPTION	PKG. QTY.
 <b>FLVX-MD-15W-RGBW-BT-BR</b> FOR REMOTE CONTROL SEE PAGE 104	15W <b>720LM</b> RGBW Bronze	4

## RGBW LED OUTDOOR CYLINDER LIGHTS, IP65



CATALOG NO.	DESCRIPTION	PKG. QTY.
	<b>4" LED ROUND CYLINDER LIGHTS, 120V (UP/DOWN LIGHT) H: 12"</b>	
<b>WMC-UDL-RGBW-BK</b>	24W <b>1920LM</b> RGBW 25° Black	6
<b>WMC-UDL-RGBW-WH</b>	24W <b>1920LM</b> RGBW 25° White	6
	<b>4" LED SQUARE CYLINDER LIGHTS, 120V (UP/DOWN LIGHT) H: 10-1/4"</b>	
<b>WMCS-UDL-RGBW-BK</b>	24W <b>1920LM</b> RGBW 30° Black	6
<b>WMCS-UDL-RGBW-WH</b>	24W <b>1920LM</b> RGBW 30° White	6

FOR REMOTE CONTROL SEE PAGE 104

## CMC RGBW CYLINDER LIGHTS, PENDANT OR SURFACE MOUNT, APP CONTROLLED



CATALOG NO.	DESCRIPTION	PKG. QTY.
	<b>CMC2L-RGBW-BK</b>	6W <b>300LM</b> 27K-50K + RGB Black
	<b>CMC2L-RGBW-WH</b>	6W <b>300LM</b> 27K-50K + RGB White
	<b>CMC3-RGBW-BK</b>	9W <b>550LM</b> 27K-50K + RGB Black
	<b>CMC3-RGBW-WH</b>	9W <b>550LM</b> 27K-50K + RGB White
	<b>CMC4-RGBW-BK</b>	15W <b>900LM</b> 27K-50K + RGB Black
	<b>CMC4-RGBW-WH</b>	15W <b>900LM</b> 27K-50K + RGB White
	<b>CMC6-RGBW-BK</b>	20W <b>1200LM</b> 27K-50K + RGB Black
	<b>CMC6-RGBW-WH</b>	20W <b>1200LM</b> 27K-50K + RGB White

FOR REMOTE CONTROL SEE PAGE 104

## SPEC SERIES X GEN. RGB STADIUM LIGHTS, DMX512 CONTROLLED - SPECIAL ORDER



CATALOG NO.	DESCRIPTION	PKG. QTY.
 <b>SFX-G9-500W-45D-RGB</b>	500W RGB	1
<b>SFX-G9-800W-45D-RGB</b>	800W RGB	1

SHOWN WITH OPTIONAL SHROUD



# WESTGATE SMART APP COMPATIBLE RGBW SERIES



## RGB WG APP OR RC 13" OUTDOOR/INDOOR CEILING LIGHT, 120-277V




CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>LRS-PV-RGBW</b> FOR REMOTE CONTROL SEE PAGE 104	25W 1920LM 5CCT AND RGB Black	4



## RGB WG APP OR RC 6" SQUARE MODEL H ARCHITECTURAL OUTDOOR/INDOOR LED WALL LIGHTS, 120V



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>LRS-H-RGBW-BK</b> FOR REMOTE CONTROL SEE PAGE 104	12W 650LM 5CCT AND RGB Black	12



## RGB WG APP OR RC 7" ROUND MODEL F ARCHITECTURAL OUTDOOR/INDOOR LED WALL LIGHTS, 120V



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>LRS-F-RGBW-BK</b> FOR REMOTE CONTROL SEE PAGE 104	12W 650LM 5CCT AND RGB Black	12



## RGB WG APP OR RC OUTDOOR/INDOOR LED DECORATIVE WALL SCONCE, 120V (7" WIDE)



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>LDS-RGBW-BK</b> FOR REMOTE CONTROL SEE PAGE 104	15W 980LM 5CCT AND RGB Black	4



## WG SMART APP COMPATIBLE RGBW SMOOTH RECESSED LIGHT TRIM - ROUND, 120V



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>TC-RDPS4-10W-RGBW-WIFI</b>	10W 650LM RGBW 4" E26 Base	12
<b>TC-RDPS6-13W-RGBW-WIFI</b> FOR REMOTE CONTROL SEE PAGE 104	13W 850LM RGBW 6" E26 Base	8



## WG SMART APP OR REMOTE COMPATIBLE RGBW/W ULTRA SLIM CANLESS RECESSED LIGHTS - ROUND, 120V



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>TC-RSL4-RGBW/W</b>	9W 630LM RGBW/W 4"	24
<b>TC-RSL6-RGBW/W</b> FOR REMOTE CONTROL SEE PAGE 104	12W 840LM RGBW/W 6"	24



## WG SMART APP COMPATIBLE RGBW FLUSH MOUNT FIXTURES, 120V



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>TC-FML-8-14W-RGBW-WIFI</b>	14W 980LM RGBW	20
<b>TC-FML-10-17W-RGBW-WIFI</b>	17W 1190LM RGBW	20
<b>TC-FML-12-22W-RGBW-WIFI</b>	22W 1540LM RGBW	20
<b>TC-FML-14-26W-RGBW-WIFI</b> FOR REMOTE CONTROL SEE PAGE 104	26W 1820LM RGBW	20



RESIDENTIAL SMART SERIES




# WESTGATE SMART APP COMPATIBLE RGBW SERIES



## WG SMART APP COMPATIBLE RGBW BUILDER SERIES LED ECONOMY DISK LIGHT



CATALOG NO.	DESCRIPTION	PKG. QTY.
 <b>DLSE6-RGBW</b> FOR REMOTE CONTROL SEE PAGE 104	15W 1000LM 27K/30K/35K/40K/50K 6"	24

## 53FT 15-BULB ST14 RGB STRING LIGHT



CATALOG NO.	DESCRIPTION
 <b>STG-5315-RGB-BT</b> FOR REMOTE CONTROL SEE PAGE 104	53Ft 15-Bulb ST14 Rgb String Light 1M Appart With 11 Fairy Lights In Between Bluetooth

## LANTERN DESIGN STRING LIGHT RGB BLUETOOTH APP CONTROLLED



CATALOG NO.	DESCRIPTION
 <b>STG-2415-LANT-RGBIC-BT</b>	24Ft 15-Lamp Lantern Design String Light Rgb Bluetooth App Controlled
<b>STG-4830-LANT-RGBIC-BT</b> FOR REMOTE CONTROL SEE PAGE 104	48Ft 30-Lamp Lantern Design String Light Rgb Bluetooth App Controlled

## WG SMART APP COMPATIBLE RGBW PAR20/PAR30/PAR38, 120V



CATALOG NO.	DESCRIPTION	PKG. QTY.
 <b>TC-PAR20-4.5W-RGBW-WIFI</b>	4.5W 400LM RGBW E26 Base	50
 <b>TC-PAR30-11W-RGBW-WIFI</b>	11W 850LM RGBW E26 Base	50
 <b>TC-PAR38-10W-RGBW-WIFI</b> FOR REMOTE CONTROL SEE PAGE 104	10W 1050LM RGBW E26 Base	50

## WG SMART APP COMPATIBLE RGBW G25 LAMP, 120V



CATALOG NO.	DESCRIPTION	PKG. QTY.
 <b>TC-G25-5W-RGBW-WIFI</b> FOR REMOTE CONTROL SEE PAGE 104	5W 450LM RGBW E26 Base	50

## WG SMART APP COMPATIBLE RGBW CANDELABRA, 120V



CATALOG NO.	DESCRIPTION	PKG. QTY.
 <b>TC-E12-4.5W-RGBW-WIFI</b> FOR REMOTE CONTROL SEE PAGE 104	4.5W 325LM RGBW E12 Base	50

## WG SMART APP COMPATIBLE RGBW A19 LAMP, 120V



CATALOG NO.	DESCRIPTION	PKG. QTY.
 <b>TC-A19-9W-RGBW-WIFI</b> FOR REMOTE CONTROL SEE PAGE 104	9W 800LM RGBW E26 Base	50

## WG SMART APP COMPATIBLE RGBW PUCK LIGHT - ROUND



CATALOG NO.	DESCRIPTION
 <b>TC-PL12-RGBW</b>	4W 250LM RGB
<b>TC-PL12-RGBW-SPLITTER4</b>	RGB Puck Light 4-Port Splitter With 6in Cable
<b>TC-PL12-RGBW-CONTROLLER</b> FOR REMOTE CONTROL SEE PAGE 104	RGBW In-Line Smart Controller App Compatible

# RIBBON LIGHTING

SEARCH FOR THE SERIES NAME @WESTGATEMFG.COM




ULR-IN-SO SERIES



ULR-IN-HO SERIES



ULR-IN-XHO SERIES



ULR-COB SERIES



ULS SERIES



RGBW CONTROLLER SERIES



ELECTRONIC DRIVER SERIES



CHANNEL/LENS SERIES



*HOSPITALITY LOUNGE - 24V TAPE LIGHTS*



Live inventory. Real-time pricing. No waiting.  
Access the MyWestgate Portal to check  
availability and pricing instantly.  
Scan the QR code to skip the line.

## 24-VOLT INDOOR LED RIBBON LIGHTS - STANDARD OUTPUT



Standard  
OUTPUT

CATALOG NO.	DESCRIPTION	REEL LENGTH
<b>STANDARD OUTPUT LED RIBBON—INDOOR (16.4FT ROLLS) (Max Run 49ft)</b>		
 ULR-IN-16F-SO-27K	1.5W/FT 100LM/FT 2700K 8mm Width	16.4FT
ULR-IN-16F-SO-30K	1.5W/FT 100LM/FT 3000K 8mm Width	16.4FT
ULR-IN-16F-SO-35K	1.5W/FT 100LM/W 3500K 8mm Width	16.4FT
ULR-IN-16F-SO-40K	1.5W/FT 100LM/FT 4000K 8mm Width	16.4FT
ULR-IN-16F-SO-50K	1.5W/FT 100LM/FT 5000K 8mm Width	16.4FT
<b>STANDARD OUTPUT LED RIBBON—INDOOR (98.4FT ROLLS) (Max Run 49ft)</b>		
 ULR-IN-98F-SO-27K	1.5W/FT 100LM/FT 2700K 8mm Width	98.4FT
ULR-IN-98F-SO-30K	1.5W/FT 100LM/FT 3000K 8mm Width	98.4FT
ULR-IN-98F-SO-35K	1.5W/FT 100LM/W 3500K 8mm Width	98.4FT
ULR-IN-98F-SO-40K	1.5W/FT 100LM/FT 4000K 8mm Width	98.4FT
ULR-IN-98F-SO-50K	1.5W/FT 100LM/FT 5000K 8mm Width	98.4FT
<b>INDOOR TANDEM COUPLINGS</b>		
 ULR-IN-SO-COUP-6I-WR	Coupling to connect 2 standard output ribbons, 6"	
ULR-IN-SO-COUP-3F-WR	Coupling to connect 2 standard output ribbons, 3ft	
ULR-IN-SO-COUP-NO-WR	Coupling to connect 2 standard output ribbons, no wire	
<b>INDOOR POWER FEED CABLES</b>		
 ULR-IN-SO-CONN-6I-WR	1 side ribbon connector, 1 side female socket to driver, 6"	
ULR-IN-SO-CONN-3F-WR	1 side ribbon connector, 1 side female socket to driver, 3ft	
ULR-IN-SO-CONN-3F-PT	1 side ribbon connector, 1 side open end, 3ft	
ULR-IN-SO-CONN-10F-PT	1 side ribbon connector, 1 side open end, 10ft	

## 24-VOLT INDOOR LED RIBBON LIGHTS - HIGH OUTPUT



High  
OUTPUT

High  
OUTPUT

High  
OUTPUT

CATALOG NO.	DESCRIPTION	REEL LENGTH
<b>HIGH OUTPUT LED RIBBON—INDOOR (16.4FT ROLLS) (Max Run 20ft)</b>		
 ULR-IN-16F-HO-27K	4.4W/FT 310LM/FT 2700K 10mm Width	16.4FT
ULR-IN-16F-HO-30K	4.4W/FT 310LM/FT 3000K 10mm Width	16.4FT
ULR-IN-16F-HO-35K	4.4W/FT 310LM/FT 3500K 10mm Width	16.4FT
ULR-IN-16F-HO-40K	4.4W/FT 330LM/FT 4000K 10mm Width	16.4FT
ULR-IN-16F-HO-50K	4.4W/FT 350LM/FT 5000K 10mm Width	16.4FT
<b>HIGH OUTPUT LED BLACK RIBBON—INDOOR (16.4FT ROLLS) (Max Run 20ft)</b>		
 ULR-IN-16F-HO-27K-BK	4.4W/FT 310LM/FT 2700K 10mm Width	16.4FT
ULR-IN-16F-HO-30K-BK	4.4W/FT 310LM/FT 3000K 10mm Width	16.4FT
ULR-IN-16F-HO-35K-BK	4.4W/FT 310LM/FT 3500K 10mm Width	16.4FT
ULR-IN-16F-HO-40K-BK	4.4W/FT 330LM/FT 4000K 10mm Width	16.4FT
ULR-IN-16F-HO-50K-BK	4.4W/FT 350LM/FT 5000K 10mm Width	16.4FT
<b>HIGH OUTPUT LED RIBBON—INDOOR (98.4FT ROLLS) (Max Run 20ft)</b>		
 ULR-IN-98F-HO-27K	4.4W/FT 310LM/FT 2700K 10mm Width	98.4FT
ULR-IN-98F-HO-30K	4.4W/FT 310LM/FT 3000K 10mm Width	98.4FT
ULR-IN-98F-HO-35K	4.4W/FT 310LM/FT 3500K 10mm Width	98.4FT
ULR-IN-98F-HO-40K	4.4W/FT 330LM/FT 4000K 10mm Width	98.4FT
ULR-IN-98F-HO-50K	4.4W/FT 350LM/FT 5000K 10mm Width	98.4FT
<b>INDOOR TANDEM COUPLINGS</b>		
 ULR-IN-HO-COUP-6I-WR	Coupling to connect 2 high & Extra output ribbons, 6"	
ULR-IN-HO-COUP-3F-WR	Coupling to connect 2 high & Extra output ribbons, 3ft	
ULR-IN-HO-COUP-NO-WR	Coupling to connect 2 high & Extra output ribbons, no wire	
<b>INDOOR POWER FEED CABLES</b>		
 ULR-IN-HO-CONN-6I-WR	1 side ribbon connector, 1 side female socket to driver, 6"	
ULR-IN-HO-CONN-3F-WR	1 side ribbon connector, 1 side female socket to driver, 3ft	
ULR-IN-HO-CONN-3F-PT	1 side ribbon connector, 1 side open end, 3ft	
ULR-IN-HO-CONN-10F-PT	1 side ribbon connector, 1 side open end, 10ft	

RIBBON



Extra High OUTPUT

Ultra High OUTPUT

RIBBON

CATALOG NO.	DESCRIPTION	REEL LENGTH
<b>EXTRA HIGH OUTPUT LED RIBBON—INDOOR (16.4FT ROLLS) (Max Run 11ft)</b>		
 ULR-IN-16F-XHO-27K	8.8W/FT 620LM/FT 2700K 10mm Width	16.4FT
ULR-IN-16F-XHO-30K	8.8W/FT 620LM/FT 3000K 10mm Width	16.4FT
ULR-IN-16F-XHO-35K	8.8W/FT 620LM/FT 3500K 10mm Width	16.4FT
ULR-IN-16F-XHO-40K	8.8W/FT 680LM/FT 4000K 10mm Width	16.4FT
ULR-IN-16F-XHO-50K	8.8W/FT 700LM/FT 5000K 10mm Width	16.4FT
<b>EXTRA HIGH OUTPUT LED RIBBON—INDOOR (98.4FT ROLLS) (Max Run 11ft)</b>		
 ULR-IN-98F-XHO-27K	8.8W/FT 620LM/FT 2700K 10mm Width	98.4FT
ULR-IN-98F-XHO-30K	8.8W/FT 620LM/FT 3000K 10mm Width	98.4FT
ULR-IN-98F-XHO-35K	8.8W/FT 620LM/FT 3500K 10mm Width	98.4FT
ULR-IN-98F-XHO-40K	8.8W/FT 680LM/FT 4000K 10mm Width	98.4FT
ULR-IN-98F-XHO-50K	8.8W/FT 700LM/FT 5000K 10mm Width	98.4FT
<b>ULTRA HIGH OUTPUT LED RIBBON—INDOOR (16.4FT ROLLS) (Max Run 14ft)</b>		
 ULR-IN-16F-YHO-27K	6.7W/FT 820LM/FT 2700K 10mm Width	16.4FT
ULR-IN-16F-YHO-30K	6.7W/FT 820LM/FT 3000K 10mm Width	16.4FT
ULR-IN-16F-YHO-35K	6.7W/FT 820LM/FT 3500K 10mm Width	16.4FT
ULR-IN-16F-YHO-40K	6.7W/FT 880LM/FT 4000K 10mm Width	16.4FT
ULR-IN-16F-YHO-50K	6.7W/FT 900LM/FT 5000K 10mm Width	16.4FT
 <b>INDOOR TANDEM COUPLINGS</b>		
ULR-IN-HO-COUP-6I-WR	Coupling to connect 2 high & Extra output ribbons, 6"	
ULR-IN-HO-COUP-3F-WR	Coupling to connect 2 high & Extra output ribbons, 3ft	
ULR-IN-HO-COUP-NO-WR	Coupling to connect 2 high & Extra output ribbons, no wire	
 <b>INDOOR POWER FEED CABLES</b>		
ULR-IN-HO-CONN-6I-WR	1 side ribbon connector, 1 side female socket to driver, 6"	
ULR-IN-HO-CONN-3F-WR	1 side ribbon connector, 1 side female socket to driver, 3ft	
ULR-IN-HO-CONN-3F-PT	1 side ribbon connector, 1 side open end, 3ft	
ULR-IN-HO-CONN-10F-PT	1 side ribbon connector, 1 side open end, 10ft	

# 24-VOLT INDOOR COB RIBBON LIGHTS - HIGH OUTPUT



CATALOG NO.	DESCRIPTION	REEL LENGTH
<b>HIGH OUTPUT COB RIBBON—INDOOR (16.4FT ROLLS) (Max Run 20ft)</b>		
 ULR-IN-16F-HO-COB-27K	3W/FT 290LM/FT 2700K 10mm Width	16.4FT
ULR-IN-16F-HO-COB-30K	3W/FT 304LM/FT 3000K 10mm Width	16.4FT
ULR-IN-16F-HO-COB-35K	3W/FT 304LM/FT 3500K 10mm Width	16.4FT
ULR-IN-16F-HO-COB-40K	3W/FT 337LM/FT 4000K 10mm Width	16.4FT
ULR-IN-16F-HO-COB-50K	3W/FT 340LM/FT 5000K 10mm Width	16.4FT
ULR-IN-16F-HO-COB-65K	3W/FT 340LM/FT 6500K 10mm Width	16.4FT
<b>HIGH OUTPUT COB RIBBON—INDOOR (98.4FT ROLLS) (Max Run 20ft)</b>		
 ULR-IN-98F-HO-COB-27K	3W/FT 290LM/FT 2700K 10mm Width	98.4FT
ULR-IN-98F-HO-COB-30K	3W/FT 304LM/FT 3000K 10mm Width	98.4FT
ULR-IN-98F-HO-COB-35K	3W/FT 304LM/FT 3500K 10mm Width	98.4FT
ULR-IN-98F-HO-COB-40K	3W/FT 337LM/FT 4000K 10mm Width	98.4FT
ULR-IN-98F-HO-COB-50K	3W/FT 340LM/FT 5000K 10mm Width	98.4FT
ULR-IN-98F-HO-COB-65K	3W/FT 340LM/FT 6500K 10mm Width	98.4FT
 <b>INDOOR TANDEM COUPLINGS</b>		
ULR-IN-HO-COB-COUP-6I-WR	Coupling to connect 2 COB ribbons, 6"	
ULR-IN-HO-COB-COUP-3F-WR	Coupling to connect 2 COB ribbons, 3ft	
ULR-IN-HO-COB-COUP-NO-WR	Coupling to connect 2 COB ribbons, no wire	
 <b>INDOOR POWER FEED CABLES</b>		
ULR-IN-HO-COB-CONN-6I-WR	1 side ribbon connector, 1 side female socket to driver, 6"	
ULR-IN-HO-COB-CONN-3F-WR	1 side ribbon connector, 1 side female socket to driver, 3ft	
ULR-IN-HO-COB-CONN-3F-PT	1 side ribbon connector, 1 side open end, 3ft	
ULR-IN-HO-COB-CONN-10F-PT	1 side ribbon connector, 1 side open end, 10ft	

## 24-VOLT INDOOR WHITE-TUNING COB RIBBON LIGHTS, WHITE-TUNING WITH CONTROLLER -HIGH OUTPUT


INSTALL WITH ELECTRONIC DRIVERS ONLY



CATALOG NO.	DESCRIPTION	REEL LENGTH
 <b>ULR-IN-16F-HO-COB-WT</b>	3W/FT <b>340LM/FT</b> White Tuning 10mm Width	16.4FT
<b>ULR-M2-M3-3A</b>	White-Tuning Ribbon Light Controller With Remote	
<b>ULR-LTECH-E2</b>	White-Tuning Ribbon Light Wall-Mount Controller	
<b>ULR-T86-JB</b>	86X86mm PVC Junction Box For Wall-Mount Controllers	



ULR-M2-M3-3A



ULR-LTECH-E2



ULR-T86-JB

## 24-VOLT IP54 DAMP LOCATION LED RIBBON LIGHTS - HIGH OUTPUT



CATALOG NO.	DESCRIPTION	REEL LENGTH
	<b>HIGH OUTPUT LED RIBBON— DAMP LOCATION (16.4FT ROLLS) (Max Run 20ft)</b>	
<b>ULR-IP54-16F-HO-27K</b>	4.4W/FT <b>310LM/FT</b> 2700K 10mm Width	16.4FT
<b>ULR-IP54-16F-HO-30K</b>	4.4W/FT <b>310LM/FT</b> 3000K 10mm Width	16.4FT
<b>ULR-IP54-16F-HO-35K</b>	4.4W/FT <b>310LM/FT</b> 3500K 10mm Width	16.4FT
<b>ULR-IP54-16F-HO-40K</b>	4.4W/FT <b>330LM/FT</b> 4000K 10mm Width	16.4FT
<b>ULR-IP54-16F-HO-50K</b>	4.4W/FT <b>350LM/FT</b> 5000K 10mm Width	16.4FT

### INDOOR TANDEM COUPLINGS



- ULR-IP54-HO-COUP-6I-WR** Coupling to connect 2 high & Extra output ribbons, 6"
- ULR-IP54-HO-COUP-3F-WR** Coupling to connect 2 high & Extra output ribbons, 3ft
- ULR-IP54-HO-COUP-NO-WR** Coupling to connect 2 high & Extra output ribbons, no wire

### INDOOR POWER FEED CABLES



- ULR-IP54-HO-CONN-6I-WR** 1 side ribbon connector, 1 side female socket to driver, 6"
- ULR-IP54-HO-CONN-3F-WR** 1 side ribbon connector, 1 side female socket to driver, 3ft
- ULR-IP54-HO-CONN-3F-PT** 1 side ribbon connector, 1 side open end, 3ft
- ULR-IP54-HO-CONN-10F-PT** 1 side ribbon connector, 1 side open end, 10ft

## 24-VOLT LED RGBW RIBBON LIGHTS, Max Run 16.4ft INDOOR & OUTDOOR VERSIONS

INSTALL WITH ELECTRONIC DRIVERS ONLY



CATALOG NO.	DESCRIPTION	REEL LENGTH
 <b>ULR-IN-16F-HO-RGBW</b>	<b>INDOOR</b> 5.8W/FT <b>225LM/FT</b> RGB 20FT. Max Run 12mm Width	16.4FT IP20
<b>ULR-OT-16F-HO-RGBW</b>	<b>OUTDOOR</b> 5.8W/FT <b>225LM/FT</b> RGB 20FT. Max Run 12mm Width	16.4FT IP67
<b>RGBW-CONTROLLER</b>	RGBW Controller (Remote incl.), 192W Max, 12-24 VDC	
<b>RGBW-WIFI-CONTROLLER</b>	RGBW lighting controller with integrated WI-FI and app, RC incl.	
 <b>ULR-IN-HO-RGBW-COUP-6I-WR</b>	Coupling to connect 2 RGBW ribbons, 6"	
<b>ULR-IN-HO-RGBW-COUP-3F-WR</b>	Coupling to connect 2 RGBW ribbons, 3ft.	
<b>ULR-IN-HO-RGBW-COUP-NO-WR</b>	Coupling to connect 2 RGBW ribbons, no wire	
 <b>ULR-IN-HO-RGBW-CONN-6I-WR</b>	1 side ribbon connector, 1 side open end, 6"	
<b>ULR-IN-HO-RGBW-CONN-3F-WR</b>	1 side ribbon connector, 1 side open end, 3ft	
 <b>ULR-OT-HO-RGBW-CONN-3F-WR</b>	3ft RGBW 5C wire both side's open with 1 rubber jacket (use silicone, page 267)	

## RGBW CONTROLLERS

REQUIRES 24V ELECTRONIC DRIVER

CATALOG NO.	DESCRIPTION
<b>RGBW-CONTROLLER</b>	RGBW Controller (Remote incl.), 192W Max, 12-24 VDC
<b>ULR-M4-M4-3A</b>	RGBW Controller (Remote incl.), 288W Max, 12-24 VDC
<b>RGBW-WIFI-CONTROLLER</b>	RGBW lighting controller with integrated WI-FI and app, RC incl.
<b>ULR-LTECH-E5S</b>	RGBW-Tuning Ribbon Light Wall-Mount Controller
<b>ULR-T86-JB</b>	86X86mm PVC Junction Box For Wall-Mount Controllers



RGBW-CONTROLLER



ULR-M4-M4-3A



RGBW-WIFI-CONTROLLER



ULR-LTECH-E5S



ULR-T86-JB

## 24-VOLT IP67 OUTDOOR LED RIBBON LIGHTS - HIGH OUTPUT



High  
OUTPUT



CATALOG NO.	DESCRIPTION	REEL LENGTH
<b>HIGH OUTPUT LED RIBBON—OUTDOOR (16.4FT ROLLS) (Max Run 20ft)</b>		
ULR-OT-16F-HO-27K	4.4W/FT 310LM/FT 2700K 10mm Width	16.4FT
ULR-OT-16F-HO-30K	4.4W/FT 310LM/FT 3000K 10mm Width	16.4FT
ULR-OT-16F-HO-35K	4.4W/FT 310LM/FT 3500K 10mm Width	16.4FT
ULR-OT-16F-HO-40K	4.4W/FT 330LM/FT 4000K 10mm Width	16.4FT
ULR-OT-16F-HO-50K	4.4W/FT 350LM/FT 5000K 10mm Width	16.4FT

High  
OUTPUT



<b>HIGH OUTPUT LED RIBBON—OUTDOOR (49FT ROLLS) (Max Run 20ft)</b>		
ULR-OT-49F-HO-27K	4.4W/FT 350LM/FT 2700K 10mm Width	49FT
ULR-OT-49F-HO-30K	4.4W/FT 310LM/FT 3000K 10mm Width	49FT
ULR-OT-49F-HO-35K	4.4W/FT 310LM/FT 3500K 10mm Width	49FT
ULR-OT-49F-HO-40K	4.4W/FT 330LM/FT 4000K 10mm Width	49FT
ULR-OT-49F-HO-50K	4.4W/FT 350LM/FT 5000K 10mm Width	49FT

### OUTDOOR TANDEM COUPLINGS



ULR-OT-HO-COUP-6I-WR	Coupling to connect 2 high & Extra output ribbons, 6"
ULR-OT-HO-COUP-3F-WR	Coupling to connect 2 high & Extra output ribbons, 3ft
ULR-OT-HO-COUP-NO-WR	Coupling to connect 2 high & Extra output ribbons, no wire

### OUTDOOR POWER FEED CABLES



ULR-OT-HO-CONN-6I-WR	1 side ribbon connector, 1 side female socket to driver, 6"
ULR-OT-HO-CONN-3F-WR	1 side ribbon connector, 1 side female socket to driver, 3ft
ULR-OT-HO-CONN-3F-PT	1 side ribbon connector, 1 side open end, 3ft
ULR-OT-HO-CONN-10F-PT	1 side ribbon connector, 1 side open end, 10ft

RIBBON

## 24-VOLT IP67 OUTDOOR LED RIBBON LIGHTS - EXTRA HIGH OUTPUT



Extra High  
OUTPUT



CATALOG NO.	DESCRIPTION	REEL LENGTH
<b>EXTRA HIGH OUTPUT LED RIBBON—OUTDOOR (16.4FT ROLLS) (Max Run 16.4ft)</b>		
ULR-OT-16F-XHO-27K	5.8W/FT 440LM/FT 2700K 10mm Width	16.4FT
ULR-OT-16F-XHO-30K	5.8W/FT 440LM/FT 3000K 10mm Width	16.4FT
ULR-OT-16F-XHO-35K	5.8W/FT 440LM/FT 3500K 10mm Width	16.4FT
ULR-OT-16F-XHO-40K	5.8W/FT 450LM/FT 4000K 10mm Width	16.4FT
ULR-OT-16F-XHO-50K	5.8W/FT 450LM/FT 5000K 10mm Width	16.4FT

### EXTRA HIGH OUTPUT LED RIBBON—OUTDOOR (49FT ROLLS) (Max Run 16.4ft)



ULR-OT-49F-XHO-27K	5.8W/FT 450LM/FT 2700K 10mm Width	49FT
ULR-OT-49F-XHO-30K	5.8W/FT 440LM/FT 3000K 10mm Width	49FT
ULR-OT-49F-XHO-35K	5.8W/FT 440LM/FT 3500K 10mm Width	49FT
ULR-OT-49F-XHO-40K	5.8W/FT 450LM/FT 4000K 10mm Width	49FT
ULR-OT-49F-XHO-50K	5.8W/FT 450LM/FT 5000K 10mm Width	49FT

### OUTDOOR TANDEM COUPLINGS



ULR-OT-HO-COUP-6I-WR	Coupling to connect 2 high & Extra output ribbons, 6"
ULR-OT-HO-COUP-3F-WR	Coupling to connect 2 high & Extra output ribbons, 3ft
ULR-OT-HO-COUP-NO-WR	Coupling to connect 2 high & Extra output ribbons, no wire

### OUTDOOR POWER FEED CABLES



ULR-OT-HO-CONN-6I-WR	1 side ribbon connector, 1 side female socket to driver, 6"
ULR-OT-HO-CONN-3F-WR	1 side ribbon connector, 1 side female socket to driver, 3ft
ULR-OT-HO-CONN-3F-PT	1 side ribbon connector, 1 side open end, 3ft
ULR-OT-HO-CONN-10F-PT	1 side ribbon connector, 1 side open end, 10ft

CATALOG NO.	DESCRIPTION	REEL LENGTH
<b>HIGH OUTPUT COB RIBBON—OUTDOOR (16.4FT ROLLS) (Max Run 20ft)</b>		
 ULR-0T-16F-HO-COB-27K	3W/FT 290LM/FT 2700K 10mm Width	16.4FT
ULR-0T-16F-HO-COB-30K	3W/FT 304LM/FT 3000K 10mm Width	16.4FT
ULR-0T-16F-HO-COB-35K	3W/FT 304LM/FT 3500K 10mm Width	16.4FT
ULR-0T-16F-HO-COB-40K	3W/FT 337LM/FT 4000K 10mm Width	16.4FT
ULR-0T-16F-HO-COB-50K	3W/FT 340LM/FT 5000K 10mm Width	16.4FT
ULR-0T-16F-HO-COB-65K	3W/FT 340LM/FT 6500K 10mm Width	16.4FT
<b>HIGH OUTPUT COB RIBBON—OUTDOOR (98.4FT ROLLS) (Max Run 20ft)</b>		
 ULR-0T-98F-HO-COB-27K	3W/FT 290LM/FT 2700K 10mm Width	98.4FT
ULR-0T-98F-HO-COB-30K	3W/FT 304LM/FT 3000K 10mm Width	98.4FT
ULR-0T-98F-HO-COB-35K	3W/FT 304LM/FT 3500K 10mm Width	98.4FT
ULR-0T-98F-HO-COB-40K	3W/FT 337LM/FT 4000K 10mm Width	98.4FT
ULR-0T-98F-HO-COB-50K	3W/FT 340LM/FT 5000K 10mm Width	98.4FT
ULR-0T-98F-HO-COB-65K	3W/FT 340LM/FT 6500K 10mm Width	98.4FT
<b>INDOOR TANDEM COUPLINGS</b>		
 ULR-0T-HO-COB-COUP-6I-WR	6In Ribbon-To-Ribbon Coupling For COB IP65 Creates IP20 Ends	
ULR-0T-HO-COB-COUP-3F-WR	3Ft Ribbon-To-Ribbon Coupling For COB IP65 Creates IP20 Ends	
<b>INDOOR POWER FEED CABLES</b>		
 ULR-0T-HO-COB-CONN-3F-PT	3Ft Ribbon Pigtail Snap Connector To Female End For COB IP65 Creates IP20 End	
 ULR-0T-HO-COB-CONN-10F-PT	10Ft Ribbon Pigtail Snap Connector To Female End For COB IP65 Creates IP20 End	
ULR-0T-HO-COB-CONN-6I-WR	6In Ribbon Pigtail Snap Connector To Stripped End For COB IP65 Creates IP20 End	
ULR-0T-HO-COB-CONN-3F-WR	3Ft Ribbon Pigtail Snap Connector To Stripped End For COB IP65 Creates IP20 End	
ULR-0T-HO-COB-CONN-6I-WR-IP65	COB Ribbon Wet Loc IP65 Cap With Pigtail For Solder And Silicone Bag Of 5, Creates IP65 End	
ULR-0T-HO-COB-UCLIP-5PC	COB Ribbon Wet Loc IP65 Mounting Clips And Screws Bag Of 5	
ULR-0T-HO-COB-ENDC-5PC	COB Ribbon Wet Loc IP65 Closed End Cap Bag Of 5, Use With Silicone For IP65 Results	

RIBBON

## 24V LED FLEXIBLE SHEET 24cmX48cm

CATALOG NO.	DESCRIPTION	PKG. QTY.
 ULS-2448-35W-30K	35W 3000K	1
ULS-2448-35W-40K	35W 4000K	1
ULS-2448-35W-50K	35W 5000K	1
ULS-2448-70W-WT	35W WT: White Tuning	1

## LED INDOOR ELECTRONIC RIBBON LIGHT PLUG-IN DRIVERS (FOR DIMMABLE DRIVERS SEE PAGE 291)

CATALOG NO.	DESCRIPTION
 ULR-IN-PIDR-48W	48W MAX, 2A, 100-240V INPUT, 15A Plug & Male 24V Connector
ULR-IN-PIDR-72W	72W MAX, 3A, 100-240V INPUT Plug & Male 24V Connector

## LED INDOOR ELECTRONIC RIBBON LIGHT HARDWARE DRIVERS, NON-DIMMABLE

CATALOG NO.	DESCRIPTION
<b>ULR-IN-HWDR-75W</b>	75W MAX, 3.2A, 85-264V INPUT, 15A, 24V
<b>ULR-IN-HWDR-100W</b>	100W MAX, 4.5A, 85-264V INPUT, 15A, 24V
<b>ULR-IN-HWDR-150W</b>	150W MAX, 6.5A, 85-132V INPUT, 15A, 24V
<b>ULR-IN-HWDR-200W</b>	200W MAX, 8.8A, 90-132V INPUT, 15A, 24V
<b>ULR-IN-HWDR-350W</b>	350W MAX, 14.6A, 90-132V INPUT, 15A, 24V
<b>ULR-IN-HWDR-450W</b>	450W MAX, 18.8A, 90-132V INPUT, 15A, 24V
<b>ULR-IN-HWDR-600W</b>	600W MAX, 25A, 90-132V INPUT, 15A, 24V



## 5-IN-1 DIMMABLE ELECTRONIC LED DRIVER WITH JUNCTION BOX, 120-277V



CATALOG NO.	DESCRIPTION
<b>LEDDR-24V-60W-UNIV</b>	5-In-1 Dimmable Electronic Led Driver With Junction Box, 120-277V To 24V 60W
<b>LEDDR-24V-96W-UNIV</b>	5-In-1 Dimmable Electronic Led Driver With Junction Box, 120-277V To 24V 96W
<b>LEDDR-24V-120W-UNIV</b>	5-In-1 Dimmable Electronic Led Driver With Junction Box, 120-277V To 24V 120W
<b>LEDDR-24V-150W-UNIV</b>	5-In-1 Dimmable Electronic Led Driver With Junction Box, 120-277V To 24V 150W
<b>LEDDR-24V-192W-UNIV</b>	5-In-1 Dimmable Electronic Led Driver With Junction Box, 120-277V To 24V 192W
<b>LEDDR-24V-288W-UNIV</b>	5-In-1 Dimmable Electronic Led Driver With Junction Box, 120-277V To 24V 288W
<b>LEDDR-24V-384W-UNIV</b>	5-In-1 Dimmable Electronic Led Driver With Junction Box, 120-277V To 24V 384W



## 24-VOLT LED OUTDOOR ELECTRONIC NON-DIMMABLE DRIVERS 120V INPUT

(FOR MAG. DIMMABLE DRIVERS SEE PAGE 291)





CATALOG NO.	DESCRIPTION
<b>LEDDR-24V-WP-200W</b>	200W 120V INPUT





## SURFACE MOUNT CHANNELS & LENSES

CATALOG NO.	DESCRIPTION
<b>ULR-CH-SURF-SHALLOW</b>	<b>12X6 mm</b> Surface mount channel, 4ft.
<b>ULR-CH-SURF-DEEP</b>	<b>12X12 mm</b> Surface mount channel, 4ft.
<b>ULR-LENS-SURF-F</b>	Frosted Lens for 12X6 mm & 12X12 mm Channels
<b>ULR-LENS-SURF-C</b>	Clear Lens for 12X6 mm & 12X12 mm Channels
<b>ULR-CH-SURF-SHALLOW-CAP</b>	End Cap for 12X6 mm Channels
<b>ULR-CH-SURF-DEEP-CAP</b>	End Cap for 12X12 mm Channels
<b>ULR-CH-SURF-16X14</b>	<b>16X14 mm</b> Surface mount channel, 4ft.
<b>ULR-LENS-SURF-16X14-F</b>	Frosted Lens for 16X14 mm Channels
<b>ULR-LENS-SURF-16X14-C</b>	Clear Lens for 16X14 mm Channels
<b>ULR-LENS-SURF-16X14-CAP</b>	End Cap for 16X14 mm Channels



## MUD-IN RECESSED MOUNT CHANNELS & LENSES

CATALOG NO.	DESCRIPTION
<b>ULR-CH-MUD-13X15</b>	<b>13X15 mm</b> Mud-In Recessed mount channel, 4ft.
<b>ULR-LENS-MUD-13X15-F</b>	Frosted Lens for 13X15 mm Channels
<b>ULR-LENS-MUD-13X15-C</b>	Clear Lens for 13X15 mm Channels
<b>ULR-CH-MUD-13X15-CAP</b>	End Cap for 13X15 mm Channels
<b>ULR-CH-MUD-37X15</b>	<b>37X15 mm</b> Mud-In Recessed mount channel ( Can fit 2 Ribbons), 4ft.
<b>ULR-LENS-MUD-37X15-F</b>	Frosted Lens for 37X15 mm Channels
<b>ULR-LENS-MUD-37X15-C</b>	Clear Lens for 37X15 mm Channels
<b>ULR-LENS-MUD-37X15-CAP</b>	End Cap for 37X15 mm Channels








## 45 DEGREE CHANNEL & LENSES

CATALOG NO.	DESCRIPTION
 <b>ULR-CH-45D</b>	<b>12X18 mm</b> 45° Channel, 4ft.
 <b>ULR-LENS-45D-F</b>	Frosted Lens for 45° Channels
 <b>ULR-CH-45D-CAP</b>	End Cap for 45° Channels

## RECESSED MOUNT CHANNELS & LENSES

CATALOG NO.	DESCRIPTION
 <b>ULR-CH-REC-SHALLOW</b>	<b>20X10 mm</b> Recessed mount channel, 4ft.
 <b>ULR-CH-REC-DEEP</b>	<b>20X20 mm</b> Recessed mount channel( Can fit 2 Ribbons), 4ft.
 <b>ULR-LENS-REC-F</b>	Frosted Lens for 20X10 mm & 20X20 mm Channels
 <b>ULR-LENS-REC-C</b>	Clear Lens for 20X10 mm & 20X20 mm Channels
 <b>ULR-CH-REC-SHALLOW-CAP</b>	End Cap for 20X10 mm Channels
 <b>ULR-CH-REC-DEEP-CAP</b>	End Cap for 20X20 mm Channels
 <b>ULR-CH-REC-12X7</b>	<b>12X7 mm</b> Recessed mount channel, 4ft.
 <b>ULR-LENS-REC-12X7-F</b>	Frosted Lens for 12X7 mm Channels
 <b>ULR-LENS-REC-12X7-C</b>	Clear Lens for 12X7 mm Channels
 <b>ULR-CH-REC-12X7-CAP</b>	End Cap for 12X7 mm Channels
 <b>ULR-CH-REC-12X12</b>	<b>12X12 mm</b> Recessed mount channel, 4ft.
 <b>ULR-LENS-REC-12X12-F</b>	Frosted Lens for 12X12 mm Channels
 <b>ULR-LENS-REC-12X12-C</b>	Clear Lens for 12X12 mm Channels
 <b>ULR-CH-REC-12X12-CAP</b>	End Cap for 12X12 mm Channels

## ACCESSORIES

CATALOG NO.	DESCRIPTION
 <b>ULR-OUT-ENDC-5PC</b>	End cap for IP67 ribbons, Pack of 5
 <b>ULR-OUT-UCLIP-10PC</b>	Mounting Clip, Pack of 10
 <b>ULR-OUT-SGLUE</b>	Silicone glue for sealing compound
 <b>ULR-2HSTRP</b>	2-hole rubber strap, Pack of 10

## EXTENSION CORDS FOR SECONDARY-SIDE OF DRIVERS

CATALOG NO.	DESCRIPTION
 <b>ULR-DCJ-2ML-1FT</b>	DC Jumper cable, Both sides male, 1ft.
 <b>ULR-DCJ-2ML-3FT</b>	DC Jumper cable, Both sides male, 3ft.
 <b>ULR-DCJ-2ML-10FT</b>	DC Jumper cable, Both sides male, 10ft.
 <b>ULR-DCJ-1M1F-1FT</b>	DC Jumper cable, one side male one side female, 1ft.
 <b>ULR-DCJ-1M1F-3FT</b>	DC Jumper cable, one side male one side female, 3ft.
 <b>ULR-DCJ-1M1F-10FT</b>	DC Jumper cable, one side male one side female, 10ft.
 <b>ULR-DCJ-2FM-1FT</b>	DC Jumper cable, Both sides female, 1ft.
 <b>ULR-DCJ-2FM-3FT</b>	DC Jumper cable, Both sides female, 3ft.
 <b>ULR-DCJ-2FM-10FT</b>	DC Jumper cable, Both sides female, 10ft.
 <b>ULR-DCJ-1S1F-3FT</b>	DC Jumper cable, one side female one side striped, 3ft
 <b>ULR-DCJ-1S1F-10FT</b>	DC Jumper cable, one side female one side striped, 10ft
 <b>ULR-DCJ-1S1M-3FT</b>	DC Jumper cable, one side male one side striped, 3ft
 <b>ULR-DCJ-1S1M-10FT</b>	DC Jumper cable, one side male one side striped, 10ft

## WIRES

CATALOG NO.	DESCRIPTION
 <b>ULR-2WRE-50FT-18</b>	50' Roll of 18/2 AWG wire
<b>ULR-2WRE-100FT-18</b>	100' Roll of 18/2 AWG wire
<b>ULR-2WRE-50FT-22</b>	50' Roll of 22/2 AWG wire
<b>ULR-2WRE-100FT-22</b>	100' Roll of 22/2 AWG wire
<b>ULR-5WRE-50FT-22</b>	50' Roll of 22/5 AWG wire
<b>ULR-5WRE-100FT-22</b>	100' Roll of 22/5 AWG wire

# CUSTOM LENGTHS/ORDER BY FOOT

We Cut & Solder Each Section With Your Desired Sizes

Provide the lighting plan/ wiring diagram - Ensure to order Pigtails/Connectors

## 24-VOLT INDOOR LED RIBBON LIGHTS - STANDARD OUTPUT IP20

CATALOG NO.	DESCRIPTION	MAX ORDER LENGTH PER CONNECTION
<b>STANDARD OUTPUT LED RIBBON—INDOOR</b>		
<b>STANDARD OUTPUT</b>	<b>ULR-IN-1FT-SO-27K</b> 1.5W/FT <b>100LM/FT</b> 2700K 8mm Width	49FT
	<b>ULR-IN-1FT-SO-30K</b> 1.5W/FT <b>100LM/FT</b> 3000K 8mm Width	49FT
	<b>ULR-IN-1FT-SO-40K</b> 1.5W/FT <b>100LM/FT</b> 4000K 8mm Width	49FT
	<b>ULR-IN-1FT-SO-50K</b> 1.5W/FT <b>100LM/FT</b> 5000K 8mm Width	49FT

## 24-VOLT INDOOR LED RIBBON LIGHTS - HIGH OUTPUT IP20

CATALOG NO.	DESCRIPTION	MAX ORDER LENGTH PER CONNECTION
<b>HIGH OUTPUT LED RIBBON—INDOOR</b>		
<b>HIGH OUTPUT</b>	<b>ULR-IN-1FT-HO-27K</b> 4.4W/FT <b>310LM/FT</b> 2700K 10mm Width	20FT
	<b>ULR-IN-1FT-HO-30K</b> 4.4W/FT <b>310LM/FT</b> 3000K 10mm Width	20FT
	<b>ULR-IN-1FT-HO-40K</b> 4.4W/FT <b>330LM/FT</b> 4000K 10mm Width	20FT
	<b>ULR-IN-1FT-HO-50K</b> 4.4W/FT <b>350LM/FT</b> 5000K 10mm Width	20FT
<b>HIGH OUTPUT LED BLACK RIBBON—INDOOR</b>		
<b>HIGH OUTPUT</b>	<b>ULR-IN-1FT-HO-27K-BK</b> 4.4W/FT <b>310LM/FT</b> 2700K 10mm Width	20FT
	<b>ULR-IN-1FT-HO-30K-BK</b> 4.4W/FT <b>310LM/FT</b> 3000K 10mm Width	20FT
	<b>ULR-IN-1FT-HO-40K-BK</b> 4.4W/FT <b>330LM/FT</b> 4000K 10mm Width	20FT
	<b>ULR-IN-1FT-HO-50K-BK</b> 4.4W/FT <b>350LM/FT</b> 5000K 10mm Width	20FT

## 24-VOLT INDOOR LED RIBBON LIGHTS - EXTRA HIGH OUTPUT IP20

CATALOG NO.	DESCRIPTION	MAX ORDER LENGTH PER CONNECTION
<b>EXTRA HIGH OUTPUT LED RIBBON—INDOOR</b>		
<b>EXTRA HIGH OUTPUT</b>	<b>ULR-IN-1FT-XHO-27K</b> 8.8W/FT <b>620LM/FT</b> 2700K 10mm Width	11FT
	<b>ULR-IN-1FT-XHO-30K</b> 8.8W/FT <b>620LM/FT</b> 3000K 10mm Width	11FT
	<b>ULR-IN-1FT-XHO-40K</b> 8.8W/FT <b>680LM/FT</b> 4000K 10mm Width	11FT
	<b>ULR-IN-1FT-XHO-50K</b> 8.8W/FT <b>700LM/FT</b> 5000K 10mm Width	11FT
<b>ULTRA HIGH OUTPUT LED RIBBON—INDOOR</b>		
<b>ULTRA HIGH OUTPUT</b>	<b>ULR-IN-1FT-YHO-27K</b> 6.7W/FT <b>820LM/FT</b> 2700K 10mm Width	14FT
	<b>ULR-IN-1FT-YHO-30K</b> 6.7W/FT <b>820LM/FT</b> 3000K 10mm Width	14FT
	<b>ULR-IN-1FT-YHO-40K</b> 6.7W/FT <b>880LM/FT</b> 4000K 10mm Width	14FT
	<b>ULR-IN-1FT-YHO-50K</b> 6.7W/FT <b>900LM/FT</b> 5000K 10mm Width	14FT

## 24-VOLT INDOOR COB RIBBON LIGHTS - HIGH OUTPUT IP20

CATALOG NO.	DESCRIPTION	MAX ORDER LENGTH PER CONNECTION
<b>EXTRA HIGH OUTPUT COB RIBBON—INDOOR</b>		
<b>HIGH OUTPUT</b>	<b>ULR-IN-1FT-HO-COB-27K</b> 3W/FT <b>290LM/FT</b> 2700K 10mm Width	20FT
	<b>ULR-IN-1FT-HO-COB-30K</b> 3W/FT <b>304LM/FT</b> 3000K 10mm Width	20FT
	<b>ULR-IN-1FT-HO-COB-40K</b> 3W/FT <b>337LM/FT</b> 4000K 10mm Width	20FT
	<b>ULR-IN-1FT-HO-COB-50K</b> 3W/FT <b>340LM/FT</b> 5000K 10mm Width	20FT
	<b>ULR-IN-1FT-HO-COB-65K</b> 3W/FT <b>340LM/FT</b> 6500K 10mm Width	20FT

## 24-VOLT INDOOR WHITE-TUNING COB RIBBON LIGHTS, WHITE-TUNING WITH CONTROLLER -HIGH OUTPUT INSTALL WITH ELECTRONIC DRIVERS ONLY

CATALOG NO.	DESCRIPTION	MAX ORDER LENGTH PER CONNECTION
<b>HIGH OUTPUT</b>	<b>ULR-IN-1FT-HO-COB-WT</b> 3W/FT <b>340LM/FT</b> White Tuning 10mm Width	20FT
	<b>OPT-CONNECT-WTUNE-CTRL</b> Connect Ribbon With White Tuning Controller and Driver	



## 24-VOLT IP54 DAMP LOCATION LED RIBBON LIGHTS - HIGH OUTPUT IP54

	CATALOG NO.	DESCRIPTION	MAX ORDER LENGTH PER CONNECTION
HIGH OUTPUT	<b>HIGH OUTPUT LED RIBBON— DAMP LOCATION</b>		
	ULR-IP54-1FT-HO-27K	4.4W/FT 310LM/FT 2700K 10mm Width	20FT
	ULR-IP54-1FT-HO-30K	4.4W/FT 310LM/FT 3000K 10mm Width	20FT
	ULR-IP54-1FT-HO-40K	4.4W/FT 330LM/FT 4000K 10mm Width	20FT
	ULR-IP54-1FT-HO-50K	4.4W/FT 350LM/FT 5000K 10mm Width	20FT

## 24-VOLT LED RGBW RIBBON LIGHTS



	CATALOG NO.	DESCRIPTION	MAX ORDER LENGTH PER CONNECTION
HIGH OUTPUT	ULR-IN-1FT-HO-RGBW	5.8W/FT 225LM/FT RGB 10mm Width IP20	20FT
	ULR-OT-1FT-HO-RGBW	5.8W/FT 225LM/FT RGB 10mm Width IP67	20FT
	OPT-CONNECT-RGBW-CTRL	Connect RGBW With Controller and Driver	

## 24-VOLT IP67 OUTDOOR LED RIBBON LIGHTS - HIGH OUTPUT IP67

	CATALOG NO.	DESCRIPTION	MAX ORDER LENGTH PER CONNECTION
HIGH OUTPUT	<b>HIGH OUTPUT LED RIBBON—OUTDOOR</b>		
	ULR-OT-1FT-HO-27K	4.4W/FT 310LM/FT 2700K 10mm Width	20FT
	ULR-OT-1FT-HO-30K	4.4W/FT 310LM/FT 3000K 10mm Width	20FT
	ULR-OT-1FT-HO-40K	4.4W/FT 330LM/FT 4000K 10mm Width	20FT
	ULR-OT-1FT-HO-50K	4.4W/FT 350LM/FT 5000K 10mm Width	20FT

## 24-VOLT IP67 OUTDOOR LED RIBBON LIGHTS - EXTRA HIGH OUTPUT IP67

	CATALOG NO.	DESCRIPTION	MAX ORDER LENGTH PER CONNECTION
EXTRA HIGH OUTPUT	<b>EXTRA HIGH OUTPUT LED RIBBON—OUTDOOR</b>		
	ULR-OT-1FT-XHO-27K	5.8W/FT 440LM/FT 2700K 10mm Width	16.4FT
	ULR-OT-1FT-XHO-30K	5.8W/FT 440LM/FT 3000K 10mm Width	16.4FT
	ULR-OT-1FT-XHO-40K	5.8W/FT 450LM/FT 4000K 10mm Width	16.4FT
	ULR-OT-1FT-XHO-50K	5.8W/FT 450LM/FT 5000K 10mm Width	16.4FT

RIBBON

## FACTORY-INSTALLED OPTIONS FOR ULR 1FT

	CATALOG NO.	DESCRIPTION
	OPT-PT-2HW-6I	Solder 6" 2 Wire Pigtail To Ribbon
	OPT-PT-2HW-36I	Solder 36" 2 Wire Pigtail To Ribbon
	OPT-PT-2HW-120I	Solder 120" 2 Wire Pigtail To Ribbon
	OPT-PT-2HW-240I	Solder 240" 2 Wire Pigtail To Ribbon
	OPTF-PTF-2W-6I	Solder 6" 2 Wire Pigtail To Ribbon With Female DC
	OPTF-PTF-2W-36I	Solder 36" 2 Wire Pigtail To Ribbon With Female DC
	OPTF-PTF-2W-120I	Solder 120" 2 Wire Pigtail To Ribbon With Female DC
	OPTF-PTF-2W-240I	Solder 240" 2 Wire Pigtail To Ribbon With Female DC
	OPT-PT-5HW-6I	Solder 6" 5 Wire Pigtail To Ribbon
	OPT-PT-5HW-36I	Solder 36" 5 Wire RGBW Pigtail To Ribbon
	OPT-PT-5HW-120I	Solder 120" 5 Wire RGBW Pigtail To Ribbon
	OPT-PT-5HW-240I	Solder 240" 5 Wire RGBW Pigtail To Ribbon
	OPT-COUP-2HW	Couple Two Ribbons No Wire
	OPT-COUP-2HW-XXI	Couple Two Ribbons W. Specified Length 2 Wire
	OPT-COUP-2HW-6I	Couple Two Ribbons W. 6" 2 Wire
	OPT-COUP-2HW-36I	Couple Two Ribbons W. 36" 2 Wire
	OPT-COUP-2HW-120I	Couple Two Ribbons W. 120" 2 Wire
	OPT-COUP-2HW-240I	Couple Two Ribbons W. 240" 2 Wire
	OPT-COUP-5HW-XXI	Couple Two Ribbons W. Specified Length 5 Wire
	OPT-COUP-5HW-6I	Couple Two RGBW Ribbons W. 6" 5 Wire
	OPT-COUP-5HW-36I	Couple Two RGBW Ribbons W. 36" 5 Wire
	OPT-COUP-5HW-120I	Couple Two RGBW Ribbons W. 120" 5 Wire
	OPT-COUP-5HW-240I	Couple Two RGBW Ribbons W. 240" 5 Wire

# LANDSCAPE LIGHTING

SEARCH FOR THE SERIES NAME @WESTGATEMFG.COM



AD-018 SERIES



AD120 SERIES



GL SERIES



LFLD SERIES



LD-180 SERIES



LFLD SERIES




LD-CR SERIES



LD-009-BZ SERIES



LD-176-BZ SERIES



LD-006-BZ SERIES



LD-103-BZ SERIES



LD-103-AN SERIES



LD-099-BZ SERIES



LD-099-BZB SERIES



LD-174-BZ SERIES



LD-110-BZ SERIES



AD-102 SERIES



AD-003 SERIES



AD-003-SIL SERIES



AD-131-BR SERIES



LD-192-BZ SERIES



LD-192-BZ SERIES



AD-192 SERIES



LD-192-FBK SERIES




LVW-100 SERIES



LVW-110 SERIES



LVW-110-UD-SERIES



LVW-115 SERIES




LVW-200 SERIES




LVW-210 SERIES



LVW-210-UD SERIES



LVW-215 SERIES



LVW-250 SERIES



LVW-300 SERIES



LVW-310 SERIES



WMC1-12V-DL SERIES



WMC1-12V-UDL SERIES



WMC2-12V-DL SERIES



WMC2-12V-UDL SERIES



AA-18L SERIES



AA-19L SERIES



AA-20L SERIES



AA-21L SERIES



AA-22L SERIES



AA-23L SERIES



AA-24L SERIES



AA-46L SERIES



LA-112-BZ SERIES



LA-115-BZ SERIES



LA-117-BZ SERIES



LA-116-BZ SERIES



LA-120-BZ SERIES



LA-118-BZ SERIES



LA-111-BZ SERIES



LA-008-BZ SERIES



LA-010-BZ SERIES



LA-002-BZ SERIES



LA-112-AN SERIES



LA-117-AN SERIES



LA-116-AN SERIES



LA-111-AN SERIES



LA-111-CR SERIES



LA-111-CR SERIES



LA-116-CR SERIES



LA-010-CR SERIES



LA-118-CR SERIES



LA-112-CR SERIES




AA-146 SERIES



LAL-12V-117 SERIES



LAL-12V-118 SERIES



LA-12V-120 SERIES



LA-12V-122 SERIES




LAL-12V-124 SERIES



LAL-12V-124 SERIES



LAL-12V-127 SERIES



LAL-12V-128 SERIES



LAL-12V-130 SERIES



LAL-136 SERIES



LAL-131 SERIES



LAL-145 SERIES



SLM SERIES



AS-158 SERIES



LS-158 SERIES



LS SERIES



SLSM SERIES



IGL SERIES



IGLA SERIES




WL SERIES



UW SERIES



WLL SERIES



SOLR SERIES



WL-FGBZ SERIES



TR SERIES



MR16 SERIES



PAR36 SERIES



GZ-JC SERIES



SLE SERIES



Live inventory. Real-time pricing. No waiting.  
Access the MyWestgate Portal to check  
availability and pricing instantly.  
Scan the QR code to skip the line.



**12V 7W LED NEW GENERATION ALUMINUM SPOT LIGHT**  
Aluminum, Black & Metallic Oil-Rubbed Bronze & Brass Simulation Finishes

CATALOG NO.	DESCRIPTION
AD-018-MCT-BK	7W 600LM 30K/40K/50K
AD-018-MCT-ORB	7W 600LM 30K/40K/50K
AD-018-MCT-AZ	7W 600LM 30K/40K/50K
AD-018-MCT-WH	7W 700LM 30K/40K/50K
AD-018-RGBW-PB-ORB	7W 600LM RGBW PUSH BUTTON
AD-018-RGBW-W-BT-ORB	7W 600LM RGBW APP CONTROL



**120V GARDEN BULLET WITHOUT OR WITH SHROUD**

CATALOG NO.	DESCRIPTION
AD120-017-MCT-ORB	8W 700LM 30K/40K/50K 17"
AD120-017-MCT-BK	8W 700LM 30K/40K/50K 17"
AD120-017-MCT-WH	8W 700LM 30K/40K/50K 17"
AD120-018-MCT-ORB	8W 700LM 30K/40K/50K 18"
AD120-018-MCT-BK	8W 700LM 30K/40K/50K 18"



**12-VOLT AC/DC LED GARDEN FLOOD LIGHTS**

CATALOG NO.	DESCRIPTION
GL-12V-12W-30K-BR	12W 960LM 3000K
GL-12V-12W-40K-BR	12W 960LM 4000K
GL-12V-12W-50K-BR	12W 960LM 5000K
GL-12V-24W-30K-BR	24W 1920LM 3000K
GL-12V-24W-40K-BR	24W 1920LM 4000K
GL-12V-24W-50K-BR	24W 1920LM 5000K



**12V LED DIRECTIONAL LIGHT - SOLID BRASS**

CATALOG NO.	DESCRIPTION
LFLD-5W-30K-BZB	5W 400LM 3000K Bronzed Brass
LFLD-5W-30K-BZ	5W 400LM 3000K Bronze
LD-180-BZ	6W 300LM 3000K Bronze



**12V LED DIRECTIONAL LIGHT - SOLID BRASS**

CATALOG NO.	DESCRIPTION
LFLD2-6W-30K-BZ	6W 280LM 3000K
LFLD3-8W-30K-BZ	8W 430LM 3000K

LED 12V LIGHTS 35°



**12V INTEGRATED LED LANDSCAPE FLOOD LIGHTS**

CATALOG NO.	DESCRIPTION
FLV12-6W-30K	6W 500LM 3000K
FLV12-6W-50K	6W 550LM 5000K
FLV12-12W-30K	12W 1200LM 3000K
FLV12-12W-50K	12W 1300LM 5000K
FLV12-24W-30K	24W 2200LM 3000K
FLV12-24W-50K	24W 2500LM 5000K
FLV12-32W-30K	32W 3200LM 3000K
FLV12-32W-50K	32W 3500LM 5000K



**12-VOLT AC/DC LED GARDEN LIGHT**

CATALOG NO.	DESCRIPTION
LF12-6W-27K-KN	6W 400LM 2700K
LF12-6W-30K-KN	6W 400LM 3000K
LF12-6W-40K-KN	6W 450LM 4000K
LF12-6W-50K-KN	6W 450LM 5000K
LF12-6W-RGBW-KN	6W 450LM RGB + 3000K

**2ND GEN. 12-VOLT AC/DC LED GARDEN LIGHT**

LF12-G2-7W-MCT5-BK	7W 500-550LM 27K/30K/35K/40K/50K
LF12-G2-7W-MCT5-ORB	7W 500-550LM 27K/30K/35K/40K/50K

NEEDS RGBW CONTROLLER SEE PAGE 279

**12V Wall Wash (INTEGRATED) LED FLOODLIGHTS**



**12V INTEGRATED LED WALL WASH LIGHTS**

CATALOG NO.	DESCRIPTION
LF4-12V-6W-30K	6W 440LM 3000K
LF4-12V-6W-50K	6W 500LM 5000K
LF4-12V-12W-30K	12W 1080LM 3000K
LF4-12V-12W-50K	12W 1260LM 5000K
LF4-12V-24W-30K	24W 2155LM 3000K
LF4-12V-24W-50K	24W 2500LM 5000K
LF4-12V-30W-30K	30W 2700LM 3000K
LF4-12V-30W-50K	30W 3150LM 5000K
LF4-12V-50W-30K	50W 4500LM 3000K
LF4-12V-50W-50K	50W 5250LM 5000K

LANDSCAPE



LD-098-CR LD-176-CR LD-009-BZ LD-009-BZB LD-176-BZ LD-176-BZB  
12V LED DIRECTIONAL LIGHTS - SOLID COPPER & SOLID BRASS

CATALOG NO.	DESCRIPTION
LD-098-CR	5W 400LM 3000K Cast Copper
LD-176-CR	5W 400LM 3000K Cast Copper
LD-009-BZ	5W 400LM 3000K Bronze
LD-009-BZB	5W 400LM 3000K Bronzed Brass
LD-176-BZ	5W 400LM 3000K Bronze
LD-176-BZB	5W 400LM 3000K Bronzed Brass



12V LED DIRECTIONAL LIGHTS

CATALOG NO.	DESCRIPTION
LD-006-BZ	5W 400LM 3000K
LD-006-BZB	5W 400LM 3000K
LD-103-BZ	5W 400LM 3000K
LD-103-BZB	5W 400LM 3000K
LD-103-AN	5W 400LM 3000K
LD-099-BZ	5W 400LM 3000K
LD-099-BZB	5W 400LM 3000K
LD-174-BZ	5W 400LM 3000K
LD-110-BZ	5W 400LM 3000K



12V LED DIRECTIONAL LIGHTS - ALUMINUM

CATALOG NO.	DESCRIPTION
AD-102-BK	5W 400LM 3000K Black
AD-102-BR	5W 400LM 3000K Bronze
AD-003-BK	5W 400LM 3000K Black
AD-003-BR	5W 400LM 3000K Bronze
AD-003-SIL	5W 400LM 3000K Silver
AD-131-BR	5W 400LM 3000K Bronze



12V LED DIRECTIONAL LIGHTS

CATALOG NO.	DESCRIPTION
LD-192-BZ	5W 400LM 3000K
LD-192-BZB	5W 400LM 3000K
LD-192-FBK	5W 400LM 3000K
AD-192-BK	5W 400LM 3000K
AD-192-BR	5W 400LM 3000K



12V SELECTABLE CCT LED MINI WALL SCONCES

CATALOG NO.	DESCRIPTION
LVW-100-MCT-ORB	3W 200LM 30K/40K/50K
LVW-110-MCT-ORB	3W 200LM 30K/40K/50K
LVW-110-UD-MCT-ORB	6W 400LM 30K/40K/50K
LVW-115-MCT-ORB	3W 200LM 30K/40K/50K
LVW-200-MCT-ORB	3W 200LM 30K/40K/50K
LVW-210-MCT-ORB	3W 200LM 30K/40K/50K
LVW-210-UD-MCT-ORB	6W 400LM 30K/40K/50K
LVW-215-MCT-ORB	3W 200LM 30K/40K/50K
LVW-250-MCT-ORB	6W 400LM 30K/40K/50K
LVW-300-MCT-ORB	6W 400LM 30K/40K/50K
LVW-300-MCT-WH	6W 400LM 30K/40K/50K
LVW-310-MCT-ORB	6W 400LM 30K/40K/50K
LVW-310-MCT-WH	6W 400LM 30K/40K/50K



12V OIL-RUBBED BRONZE & BLACK BRUSHED NICKEL FINISH



12V LED WALL CYLINDERS

CATALOG NO.	DESCRIPTION
<b>12V 1.6in LED WALL CYLINDERS, 25°</b>	
WMC1-12V-DL-MCT-ORB	3W 300LM 30K/40K/50K
WMC1-12V-DL-MCT-BN	3W 300LM 30K/40K/50K
WMC1-12V-DL-MCT-BK	3W 300LM 30K/40K/50K
WMC1-12V-UDL-MCT-ORB	2X3W 600LM 30K/40K/50K
WMC1-12V-UDL-MCT-BN	2X3W 600LM 30K/40K/50K
WMC1-12V-UDL-MCT-BK	2X3W 600LM 30K/40K/50K
<b>12V 2in LED WALL CYLINDERS, 25°</b>	
WMC2-12V-DL-MCT-ORB	5W 500LM 30K/40K/50K
WMC2-12V-DL-MCT-BN	5W 500LM 30K/40K/50K
WMC2-12V-DL-MCT-BK	5W 500LM 30K/40K/50K
WMC2-12V-UDL-MCT-ORB	10W 1000LM 30K/40K/50K
WMC2-12V-UDL-MCT-BN	10W 1000LM 30K/40K/50K
WMC2-12V-UDL-MCT-BK	10W 1000LM 30K/40K/50K

LANDSCAPE



LED PATH LIGHTS

CATALOG NO.	DESCRIPTION
<b>3CCT LED PATH LIGHTS</b>	
AA-STEM-22-MCT-ORB	5W 200LM 30K/40K/50K 22" Oil-Rubbed Bronze
AA-STEM-22-MCT-BK	5W 200LM 30K/40K/50K 22" Black
AA-STEM-22-MCT-AZ	5W 200LM 30K/40K/50K 22" Antique Brass
AA-STEM-15-MCT-ORB	5W 200LM 30K/40K/50K 15" Oil-Rubbed Bronze
AA-STEM-15-MCT-BK	5W 200LM 30K/40K/50K 15" Black
AA-STEM-15-MCT-AZ	5W 200LM 30K/40K/50K 15" Antique Brass
<b>PUSH BUTTON RGBW LED PATH LIGHTS</b>	
AA-STEM-22-RGBW-PB-ORB	5W 200LM RGBW 22" Oil-Rubbed Bronze
AA-STEM-22-RGBW-PB-BK	5W 200LM RGBW 22" Black
AA-STEM-22-RGBW-PB-AZ	5W 200LM RGBW 22" Antique Brass
AA-STEM-15-RGBW-PB-ORB	5W 200LM RGBW 15" Oil-Rubbed Bronze
AA-STEM-15-RGBW-PB-BK	5W 200LM RGBW 15" Black
AA-STEM-15-RGBW-PB-AZ	5W 200LM RGBW 15" Antique Brass
<b>RGBWW BLUETOOTH WG APP LED PATH LIGHTS</b>	
AA-STEM-22-RGBWW-BT-ORB	5W 200LM RGBWW 22" Oil-Rubbed Bronze
AA-STEM-22-RGBWW-BT-BK	5W 200LM RGBWW 22" Black
AA-STEM-22-RGBWW-BT-AZ	5W 200LM RGBWW 22" Antique Brass
AA-STEM-15-RGBWW-BT-ORB	5W 200LM RGBWW 15" Oil-Rubbed Bronze
AA-STEM-15-RGBWW-BT-BK	5W 200LM RGBWW 15" Black
AA-STEM-15-RGBWW-BT-AZ	5W 200LM RGBWW 15" Antique Brass



FOR REMOTE CONTROL SEE PAGE 104

ALUMINUM PATH LIGHT CAP

CATALOG NO.	DESCRIPTION
AA-18L-ORB	Model 18 Aluminum Path Light Cap, Oil-Rubbed Bronze
AA-18L-BK	Model 18 Aluminum Path Light Cap, Black
AA-18L-AZ	Model 18 Aluminum Path Light Cap, Antique Brass
AA-19L-ORB	Model 19 Aluminum Path Light Cap, Oil-Rubbed Bronze
AA-19L-BK	Model 19 Aluminum Path Light Cap, Black
AA-19L-AZ	Model 19 Aluminum Path Light Cap, Antique Brass
AA-20L-ORB	Model 20 Aluminum Path Light Cap, Oil-Rubbed Bronze
AA-20L-BK	Model 20 Aluminum Path Light Cap, Black
AA-20L-AZ	Model 20 Aluminum Path Light Cap, Antique Brass
AA-21L-ORB	Model 21 Aluminum Path Light Cap, Oil-Rubbed Bronze
AA-21L-BK	Model 21 Aluminum Path Light Cap, Black
AA-21L-AZ	Model 21 Aluminum Path Light Cap, Antique Brass
AA-22L-ORB	Model 22 Aluminum Path Light Cap, Oil-Rubbed Bronze
AA-22L-BK	Model 22 Aluminum Path Light Cap, Black
AA-22L-AZ	Model 22 Aluminum Path Light Cap, Antique Brass
AA-23L-ORB	Model 23 Aluminum Path Light Cap, Oil-Rubbed Bronze
AA-23L-BK	Model 23 Aluminum Path Light Cap, Black
AA-23L-AZ	Model 23 Aluminum Path Light Cap, Antique Brass
AA-24L-ORB	Model 24 Aluminum Path Light Cap, Oil-Rubbed Bronze
AA-24L-BK	Model 24 Aluminum Path Light Cap, Black
AA-24L-AZ	Model 24 Aluminum Path Light Cap, Antique Brass
AA-46L-MCT5-ORB	Model 46 Aluminum Path Light Cap, Oil-Rubbed Bronze
AA-46L-MCT5-BK	Model 46 Aluminum Path Light Cap, Black

**NEW GENERATION OF INTEGRATED LED PATH LIGHTS, ALUM. ALLOY  
 SELECTABLE COLOR TEMPERATURE OR PUSH-BUTTON RGBWW WITH SCENES, APP-CONTROLLED RGBWW  
 IN 3 FINISHES, SIMULATED DARK BRASS, BLACK, METALLIC OIL-RUBBED BRONZE  
 2 DIFFERENT HEIGHTS: 15" OR 22"  
 STEMS AND CAPS SOLD SEPARATELY**

LANDSCAPE

**23"**  
12V AREA LIGHTS  
SOLID BRASS  
TOTAL LENGTH: 23"  
**BUILT-IN INTEGRATED LED**



12V LED AREA LIGHTS – SOLID BRASS

CATALOG NO.	DESCRIPTION
LA-112-BZ	3W 200LM 3000K
LA-115-BZ	3W 200LM 3000K
LA-117-BZ	3W 200LM 3000K
LA-116-BZ	3W 200LM 3000K
LA-120-BZ	3W 200LM 3000K

12V AREA LIGHTS  
SOLID BRASS

**BUILT-IN INTEGRATED LED**



12V LED AREA LIGHTS – SOLID BRASS

CATALOG NO.	DESCRIPTION
LA-118-BZ	3W 200LM 3000K
LA-111-BZ	3W 200LM 3000K
LA-008-BZ	3W 200LM 3000K
LA-010-BZ	3W 200LM 3000K
LA-002-BZ	3W 200LM 3000K

**12"**  
12V AREA LIGHTS  
SOLID BRASS  
TOTAL LENGTH: 12"  
**BUILT-IN INTEGRATED LED**



12V LED AREA LIGHTS

CATALOG NO.	DESCRIPTION
LA-112-BZ-12IN	3W 200LM 3000K
LA-115-BZ-12IN	3W 200LM 3000K
LA-117-BZ-12IN	3W 200LM 3000K
LA-116-BZ-12IN	3W 200LM 3000K
LA-118-BZ-12IN	3W 200LM 3000K
LA-111-BZ-12IN	3W 200LM 3000K
LA-111-CR-12IN	3W 200LM 3000K
LA-116-CR-12IN	3W 200LM 3000K
LA-117-CR-12IN	3W 200LM 3000K


**12V AGED NICKEL**  
COLLECTION  
Cast Brass, Aged Nickel Finish  
TOTAL LENGTH: 23"  
**BUILT-IN INTEGRATED LED**



AGED NICKEL COLLECTION

CATALOG NO.	DESCRIPTION
LA-112-AN	3W 200LM 3000K
LA-117-AN	3W 200LM 3000K
LA-116-AN	3W 200LM 3000K
LA-111-AN	3W 200LM 3000K

12V AREA LIGHTS  
SOLID COPPER  
TOTAL LENGTH: 23"  
**BUILT-IN INTEGRATED LED**



12V LED AREA LIGHTS – SOLID COPPER

CATALOG NO.	DESCRIPTION
LA-111-CR	3W 200LM 3000K
LA-116-CR	3W 200LM 3000K
LA-117-CR	3W 200LM 3000K

12V AREA LIGHTS  
SOLID COPPER



12V LED AREA LIGHTS – SOLID COPPER

CATALOG NO.	DESCRIPTION
LA-010-CR	3W 200LM 3000K
LA-112-CR	3W 200LM 3000K
LA-118-CR	3W 200LM 3000K

12V PAGODA LIGHTS  
BLACK OR BRONZE



12V LED PAGODA LIGHTS

CATALOG NO.	DESCRIPTION
AA-146-BK	3W 200LM 3000K
AA-146-BR	3W 200LM 3000K



# AREA LIGHTS

## 12V AREA LIGHTS

For 120V installations, add a mini transformer inside the LAL fixtures. see page 282

POWDER-COATED BRONZE OR BLACK



HEIGHT: 31"

**HUT Model**  
LAL-12V-117-31-30K-BR  
LAL-12V-117-31-30K-BK



HEIGHT: 31"

**HAMMERHEAD Model**  
LAL-12V-118-31-30K-BR  
LAL-12V-118-31-30K-BK



HEIGHT: 23"

**OPERA Model**  
LAL-12V-120-23-30K-BR  
LAL-12V-120-23-30K-BK



HEIGHT: 31"

**AFAR Model (ADJUSTABLE)**  
LAL-12V-122-31-30K-BR  
LAL-12V-122-31-30K-BK



HEIGHT: 15"

**EUCLID Model**  
LAL-12V-124-15-30K-BR  
LAL-12V-124-15-30K-BK



HEIGHT: 31"

**EUCLID Model**  
LAL-12V-124-31-30K-BR  
LAL-12V-124-31-30K-BK



HEIGHT: 23"

**LEAN Model**  
LAL-12V-127-23-30K-BR  
LAL-12V-127-23-30K-BK



HEIGHT: 31"

**SURVEIL Model**  
LAL-12V-128-31-30K-BR  
LAL-12V-128-31-30K-BK



HEIGHT: 31"

**BELL Model**  
LAL-12V-130-31-30K-BR  
LAL-12V-130-31-30K-BK

## 12V PATH LIGHTS

POWDER-COATED BRONZE OR BLACK OR SILVER  
TOTAL LENGTH: 23"





LAL-145-MCT5-ORB



LAL-145-MCT5-BK



LAL-136-MCT-ORB



LAL-136-MCT-BK



LAL-131-30K-ORB



LAL-136-RGBWW-BT-ORB



LAL-136-RGBWW-BT-BK



LAL-131-30K-BK



LAL-126-SIL

## 12V LED PATH LIGHTS

CATALOG NO.	DESCRIPTION
LAL-145-MCT5-ORB	3W 200LM 27K/30K/35K/40K/50K
LAL-145-MCT5-BK	3W 200LM 27K/30K/35K/40K/50K
LAL-136-MCT-ORB	5W 300LM 30K/40K/50K
LAL-136-MCT-BK	5W 300LM 30K/40K/50K
LAL-136-RGBWW-BT-ORB	5W 200LM RGBW
LAL-136-RGBWW-BT-BK	5W 200LM RGBW
LAL-136-RGBWW-PB-ORB	5W 200LM RGBWW
LAL-131-30K-ORB	5W 200LM 3000K
LAL-131-30K-BK	5W 200LM 3000K
LAL-126-SIL	3W 200LM 3000K

## 12V LED AREA LIGHTS-GROUND OR SURFACE MOUNT

Custom Design Aluminum Spike & Surface Mounting Base Inc.



CATALOG NO.	DESCRIPTION
LAL-12V-117-31-30K-BR	10W 720LM 3000K 31"
LAL-12V-117-31-30K-BK	10W 720LM 3000K 31"
LAL-12V-118-31-30K-BR	10W 720LM 3000K 31"
LAL-12V-118-31-30K-BK	10W 720LM 3000K 31"
LAL-12V-120-23-30K-BR	10W 720LM 3000K 23"
LAL-12V-120-23-30K-BK	10W 720LM 3000K 23"
LAL-12V-122-31-30K-BR	10W 720LM 3000K 31"
LAL-12V-122-31-30K-BK	10W 720LM 3000K 31"
LAL-12V-124-15-30K-BR	10W 720LM 3000K 15"
LAL-12V-124-15-30K-BK	10W 720LM 3000K 15"
LAL-12V-124-31-30K-BR	10W 720LM 3000K 31"
LAL-12V-124-31-30K-BK	10W 720LM 3000K 31"
LAL-12V-127-23-30K-BR	10W 720LM 3000K 23"
LAL-12V-127-23-30K-BK	10W 720LM 3000K 23"
LAL-12V-128-31-30K-BR	10W 720LM 3000K 31"
LAL-12V-128-31-30K-BK	10W 720LM 3000K 31"
LAL-12V-130-31-30K-BR	10W 720LM 3000K 31"
LAL-12V-130-31-30K-BK	10W 720LM 3000K 31"



LFLV-7W



LFLV-12W

## 12V INTEGRATED LED LANDSCAPE UPLIGHTS

CATALOG NO.	DESCRIPTION
LFLV-7W-27K	7W 500LM 2700K
LFLV-7W-40K	7W 550LM 4000K

WHILE SUPPLIES LAST

LANDSCAPE

## 12V STEP LIGHTS



SLM-R1-BK



SLM-R1-WH



SLM-S1-BK



SLM-S1-WH

### MINI STEP LIGHT - 12V

CATALOG NO.	DESCRIPTION
SLM-R1-12V-30K-BK	2W 160LM 3000K
SLM-R1-12V-30K-WH	2W 160LM 3000K
SLM-S1-12V-30K-BK	2W 160LM 3000K
SLM-S1-12V-30K-WH	2W 160LM 3000K

12V  
ALUMINUM



4"

### STEP LIGHTS WITH LED LAMPS- ALUMINUM

CATALOG NO.	DESCRIPTION
AS-158-BR	3W 200LM 3000K
AS-158-BK	3W 200LM 3000K
AS-158-MCT-ORB	2.5W 80LM 30K/40K/50K



LS-185-BZ

LS-158-BZ

LS-159-BZ

LS-175-ORB-LEDI

### STEP LIGHTS WITH LED LAMPS

CATALOG NO.	DESCRIPTION
LS-185-BZ	3W 200LM 3000K
LS-158-BZ	3W 200LM 3000K
LS-158-SS	3W 200LM 3000K
LS-159-BZ	3W 200LM 3000K
LS-175-ORB-LEDI	3W 200LM 27K/30K/35K/40K/50K

## 12V STEP LIGHTS WITH INTEGRATED SMD LED MODULE



LS-124-AN



LS-161-BZ



LS-155-BZ



LS-160-BZ  
LS-160-AN

### LED STEP LIGHTS

CATALOG NO.	DESCRIPTION
LS-124-AN	3W 200LM 3000K
LS-161-BZ	3W 200LM 3000K
LS-160-BZ	3W 200LM 3000K
LS-160-AN	3W 200LM 3000K
LS-155-BZ	3W 200LM 3000K



SLSM-LH-MCT5-ORB  
Surface Mount  
(NO HOUSING)



SLSM-LH-MCT5-WH  
Surface Mount  
(NO HOUSING)



LS-172-BZ-LEDI  
Surface Mount  
(NO HOUSING)

### SURFACE-MOUNT HORIZONTAL LOUVER STEP LIGHT

CATALOG NO.	DESCRIPTION
SLSM-LH-MCT5-ORB	4W 30LM 27K/30K/35K/40K/50K
SLSM-LH-MCT5-WH	4W 30LM 27K/30K/35K/40K/50K
LS-172-BZ-LEDI	3W 200LM 3000K

## 12V INTEGRATED IP67 COB (IN GROUND) LIGHTS



IGL-1W

IGL-3W

IGL-7W

IGL-1W-TWLN

RGBW-CONTROLLER

RGBW-WIFI-CONTROLLER

## 12V INTEGRATED LED (IN GROUND) LIGHTS

CATALOG NO.	DESCRIPTION
IGL-1W-30K	1W 100LM 3000K
IGL-1W-40K	1W 100LM 4000K
IGL-1W-TWLN	1W in ground light lock nut for thin wall
IGL-3W-30K	3W 290LM 3000K
IGL-3W-40K	3W 290LM 4000K
IGL-3W-RGBW	3W 290LM RGB+3000K <small>NEEDS CONTROLLER</small>
IGL-7W-30K	7W 620LM 3000K
IGL-7W-40K	7W 620LM 4000K
IGL-10W-RGBW	10W 620LM RGB+3000K <small>NEEDS CONTROLLER</small>
RGBW-CONTROLLER	RGBW Controller (Remote incl.), 192W Max, 12-24 VDC

**RGBW-WIFI-CONTROLLER** RGBW lighting controller with integrated WI-FI and app, RC incl.



IGL-1W-TRM-AL-RBK

IGL-1W-TRM-AL-RWH

IGL-1W-TRM-AL-RBN

IGL-1W-TRM-AL-RLBN

IGL-1W-TRM-AL-SCP

IGL-1W-TRM-AL-SCP-AZ

IGL-1W-TRM-SS-1WY

IGL-1W-TRM-SS-2WY

IGL-1W-TRM-SS-SQR

IGL-1W-TRM-SS-SQSQ

IGL-1W-TRM-AL-RAZ

### OPTIONAL TRIMS FOR 1W IN-GROUND FIXTURES

CATALOG NO.	DESCRIPTION
IGL-1W-TRM-AL-RBK	1.8" DIAMETER
IGL-1W-TRM-AL-RWH	1.8" DIAMETER
IGL-1W-TRM-AL-RBN	1.8" DIAMETER
IGL-1W-TRM-AL-RLBN	2.75" DIAMETER
IGL-1W-TRM-AL-SCP	1.8" DIAMETER
IGL-1W-TRM-SS-1WY	1.8" DIAMETER
IGL-1W-TRM-SS-2WY	1.8" DIAMETER
IGL-1W-TRM-SS-SQR	1.8" DIAMETER
IGL-1W-TRM-SS-SQSQ	1.8" DIAMETER
IGL-1W-TRM-AL-RAZ	1.8" DIAMETER
IGL-1W-TRM-AL-SCP-AZ	1.8" DIAMETER



OPTIONAL TRIMS FOR 3W IN-GROUND FIXTURES

CATALOG NO.	DESCRIPTION
IGL-3W-TRM-SS-1WY	2.3" DIAMETER
IGL-3W-TRM-SS-2WY	2.3" DIAMETER
IGL-3W-TRM-SS-SQR	2.3" DIAMETER
IGL-3W-TRM-SS-SQSQ	2.3" DIAMETER
IGL-3W-TRM-SS-R	2.3" DIAMETER
IGL-3W-TRM-AL-RBN	2.75" DIAMETER
IGL-3W-TRM-SS-SCP	2.3" DIAMETER
IGL-3W-TRM-SS-SCP-AZ	2.3" DIAMETER, BRONZE
IGL-3W-TRM-AL-AZ	2.3" DIAMETER

PVC SLEEVES  
BRUSHED NICKEL FINISH



IGLA-3W-30K-BN

IGLA-7W-30K-BN

12V ALUM. INTEGRATED LED INGROUND LIGHTS

CATALOG NO.	DESCRIPTION
IGLA-3W-30K-BN	3W 320LM 3000K
IGLA-7W-30K-BN	7W 720LM 3000K

12V HARDSCAPE AREA LIGHTS 8 FT Cable



HSL-7-MCT  
HSL-7-RGBCW

HSL-12-MCT  
HSL-12-RGBCW

LED HARDSCAPE LIGHTS WITH FRONT TRIM

CATALOG NO.	DESCRIPTION
HSL-7-MCT	5W 200LM 30K/40K/50K
HSL-12-MCT	7W 280LM 30K/40K/50K
HSL-7-RGBCW	5W 200LM RGBCW
HSL-12-RGBCW	7W 280LM RGBCW



WL-140-FBK  
FIBER GLASS  
FOR PAR36  
No Lamp

LD-001-BZ  
CAST BRASS  
FOR PAR36  
No Lamp

CATALOG NO.	DESCRIPTION
-------------	-------------

WL-140-FBK Fiber Glass, Black

LD-001-BZ Die-cast Brass, Antique Bronze Finish

UNDERWATER LIGHTS

INCL. 5W 30K MR16 LED



UW-125-SS

UW-125-BZ

UW-126-BZ

LED UNDERWATER LIGHTS 30FT CABLE

CATALOG NO.	DESCRIPTION
-------------	-------------

UW-125-SS 5W 400LM 3000K

UW-125-BZ 5W 400LM 3000K

UW-126-BZ 5W 400LM 3000K



SOLR-SL1-60K-SEN  
14/5"(H) X 4 2/5"(W)

SOLRW-30K  
4 1/7"(H) X 3 5/6"(W)

SOLR-WL2-MCT-SEN  
4 1/2"(H) X 12"(W) X 2 1/2"(D)



SOLR-WL1-30K-SEN-BK  
5"(H) X 6 1/3"(W) X 2 3/7"(D)

SOLR-PL1-30K  
20 8/9"(H) X 4 2/7"(W) X 4 1/2"(D)

SPEC SERIES SOLAR LIGHT COLLECTION



CATALOG NO.	DESCRIPTION
-------------	-------------

SOLRW-30K 0.2W 50LM 3000K

SOLR-SL1-60K-SEN 0.5W+0.2W 100LM 6000K/3000K

SOLR-WL1-30K-SEN-BK 5W 500LM 3000K

SOLR-WL2-MCT-SEN 8W 1000LM 3000K/6000K

SOLR-PL1-30K 3W 300LM 3000K

LANDSCAPE

4" DIA. & PVC SLEEVES



WLL-105-30K-BK  
WLL-105-RGBWW-BT-ORB



WLL-106-30K-BK



WLL-152-30K-BK  
WLL-152-30K-ORB



WLL-157-30K-BK  
WLL-157-RGBWW-BT-ORB



WLL-159-30K-BK



WLL-181-30K-BK  
WLL-181-RGBWW-BT-ORB

12V WELL LIGHTS MR16 LED INCL. 5W 30K



WL-105-1-BK



WL-105-BK



WL-181-BK  
WL-181-BR



WL-181-BZ



WL-157-FGBZ

INTEGRATED ALUMINUM LED WELL/PATH LIGHTS

CATALOG NO.	DESCRIPTION
WLL-105-30K-BK	6w 580LM 3000K
WLL-105-RGBWW-BT-ORB	6w 580LM RGBW
WLL-106-30K-BK	6w 500LM 3000K
WLL-152-30K-BK	6w 200LM 3000K
WLL-152-30K-ORB	6w 200LM 3000K Oil-Rubbed Bronze
WLL-157-30K-BK	6w 500LM 3000K
WLL-157-RGBWW-BT-ORB	6w 180LM RGBW
WLL-159-30K-BK	6w 400LM 3000K
WLL-181-30K-BK	6w 580LM 3000K
WLL-181-RGBWW-BT-ORB	6w 420LM RGBW

FOR REMOTE CONTROL SEE PAGE 104

WELL LIGHTS WITH SLEEVE & LED LAMPS

CATALOG NO.	DESCRIPTION
WL-105-1-BK	5w 400LM 3000K
WL-105-BK	5w 400LM 3000K
WL-181-BK	5w 400LM 3000K
WL-181-BZ	5w 400LM 3000K
WL-181-BR	5w 400LM 3000K
WL-157-FGBZ	5w 400LM 3000K

WHILE SUPPLIES LAST

12V WELL LIGHTS MR16 LED INCL. 5W 30K



WL-137-BK



WL-137-BZ  
Solid Brass



WL-138-BK



WL-138-BZ  
Solid Brass



WL-138-SS

WELL LIGHTS WITH SLEEVE & LED LAMPS

CATALOG NO.	DESCRIPTION
WL-137-BK	5w 400LM 3000K
WL-137-BZ	5w 400LM 3000K
WL-138-BK	5w 400LM 3000K
WL-138-BZ	5w 400LM 3000K
WL-138-SS	5w 400LM 3000K

12V WELL LIGHTS MR16 LED WITH DIRECTIONAL LAMP BRACKET INCL. 5W 30K, 400LM



WL-701-FGBZ



WL-705-FGBZ



WL-707-FGBZ



WL-708-FGBZ

SOLID BRASS WELL LIGHTS WITH DIRECTIONAL LAMP BRACKET

CATALOG NO.	DESCRIPTION
WL-701-FGBZ	5w 400LM 3000K
WL-705-FGBZ	5w 400LM 3000K
WL-707-FGBZ	5w 400LM 3000K
WL-708-FGBZ	5w 400LM 3000K

LANDSCAPE



WIFI WG APP MULTI-TAP (12V/13V/14V/15V AC) LANDSCAPE TRANSFORMERS



CATALOG NO.	DESCRIPTION
<b>TR-300W-MT-SS-WIFI</b>	300W
<b>TR-ZC-WIFI</b>	Wifi Controller



12VAC MULTI-ZONE TRANSFORMER. PROGRAMMABLE AND ON AT DUSK OFF AFTER 2/4/6/8Hrs

CATALOG NO.	DESCRIPTION
<b>ARRIVES THIS SEASON CHECK &amp; PRE-ORDER</b>	
<b>TR-100W-2Z-TPC-SS</b>	100W 2-Zone
<b>TR-200W-2Z-TPC-SS</b>	200W 2-Zone
<b>TR-300W-3Z-TPC-SS</b>	300W 3-Zone
<b>TR-100W-2Z-TPC-BK</b>	100W 2-Zone
<b>TR-200W-2Z-TPC-BK</b>	200W 2-Zone
<b>TR-300W-3Z-TPC-BK</b>	300W 3-Zone

DUAL-TAP WITH TIMER & PHOTOCELL SLIDE DOOR STAINLESS STEEL



TR-40W-DT-TPC-SS  
TR-75W-DT-TPC-SS

TR-100W-DT-TPC-SS  
TR-200W-DT-TPC-SS

DUAL-TAP (12V/15V AC) LANDSCAPE TRANSFORMERS WITH TIMER & PHOTOCELL SLIDE

CATALOG NO.	DESCRIPTION
<b>TR-40W-DT-TPC-SS</b>	40W
<b>TR-75W-DT-TPC-SS</b>	75W
<b>TR-100W-DT-TPC-SS</b>	100W
<b>TR-200W-DT-TPC-SS</b>	200W

PROFESSIONAL SERIES TRANSFORMERS MULTI-TAP TIMER & PHOTOCELL READY STAINLESS STEEL



TR-150W-MT-SS

TR-300W-MT-SS



TR-600W-MT-SS  
TR-900W-MT-SS

MULTI-TAP (12V/13V/14V/15V AC) LANDSCAPE TRANSFORMERS TIMER & PHOTOCELL READY (NOT INCLUDED) HINGE DOOR



CATALOG NO.	DESCRIPTION
<b>TR-75W-MT-T-SS</b>	75W
<b>TR-150W-MT-SS</b>	150W
<b>TR-300W-MT-SS</b>	300W
<b>TR-600W-MT-SS</b>	600W
<b>TR-900W-MT-SS</b>	900W



TR-MTMR



TR-DTMR



TR-PC

MULTI-TAP LANDSCAPE TRANSFORMERS PLUG-IN OPTIONS

CATALOG NO.	DESCRIPTION
<b>TR-MTMR</b>	MECHANICAL TIMER
<b>TR-DTMR</b>	DIGITAL TIMER
<b>TR-PC</b>	PHOTOCELL



LVT-60



LVT-100

DRY LOCATION AC TRANSFORMERS, 12V

CATALOG NO.	DESCRIPTION
<b>LVT-60</b>	60W
<b>LVT-100</b>	100W

MR16



CATALOG NO.	DESCRIPTION
MR16-400L-27K-D	5W 380LM 2700K
MR16-400L-30K-D	5W 380LM 3000K
MR16-400L-41K-D	5W 390LM 4100K
MR16-400L-50K-D	5W 400LM 5000K
MR16-500L-C90-30K-D	7W 500LM 3000K
MR16-500L-C90-40K-D	7W 560LM 4000K
MR16-500L-C90-50K-D	7W 560LM 5000K




CATALOG NO.	DESCRIPTION
WE167	3" 18-1/2" PVC mounting post with brass hub
WE167-25	3" 25" PVC mounting post with brass hub
WE167-CAP	Cap only for WE167
WE167-CAP-BZ	Brass with bronze finish Cap only for WE167



CATALOG NO.	DESCRIPTION
A-41-S	Tree mounting base
A-GM-50	Gutter Surface Mounting Bracket With 1/2In Hub, Orb
A-STAB	Inground Stabilizer Plate With Male And Female 1/2" Hubs
LG-SMB-BZ	12V brass landscape tree or surface bracket, antique bronze finish

BUNGEE CORDS

CATALOG NO.	DESCRIPTION
BC-10	10" Bungee cords with hooks
BC-15	15" Bungee cords with hooks
BC-18	18" Bungee cords with hooks
BC-21	21" Bungee cords with hooks
BC-32	32" Bungee cords with hooks



PATH LIGHTING ACCESSORIES

CATALOG NO.	DESCRIPTION
LA-T-BZ	Fixture mounting "T" Attachment
LA-90-BZ	Fixture mounting 90° elbow Attachment
LA-FMS21-BZ	21" Solid brass fixture mounting stem Antique bronze finish

PAR36-IP65



CATALOG NO.	DESCRIPTION
PAR36-12W-30K	12W 1000LM 3000K
PAR36-12W-40K	12W 1000LM 4000K
PAR36-12W-50K	12W 1000LM 5000K



12V AC/DC REPLACEMENT LAMPS

CATALOG NO.	DESCRIPTION
GZ-JC-39L-27K	3W 250LM 2700K
GZ-JC-39L-30K	3W 250LM 3000K
GZ-JC-18L-27K	3W 250LM 2700K
GZ-JC-WP-3W-32K	3W 180LM 3200K
GZ-S8-32K-G2	2.2W 230LM 3200K
GZ-G4-9L-32K	2W 120LM 3200K
GZ-JC-60L-TFL	3W 60LM TURTLE FRIENDLY CCT
GZ-JC-300L-27K	3W 300LM 2700K
GZ-JC-300L-30K	3W 300LM 3000K



BRASS BASE

CATALOG NO.	DESCRIPTION
B-41	1/2" NPT hub, Solid Brass, Antique Bronze finish
B-41-AN	1/2" NPT hub, Solid Brass, Aged Nickel finish



ALUMINUM BASE

CATALOG NO.	DESCRIPTION
A-41-BR	1/2" NPT hub, Cast aluminum, Bronze Powder coat finish
A-41-BK	1/2" NPT hub, Cast aluminum, Black Powder coat finish
A-51-BK	1/2In Modern Surface Mounting Base, Alum., Black
A-51-ORB	1/2In Modern Surface Mounting Base, Alum., Orb



SILICON-FILLED WIRE NUTS

CATALOG NO.	DESCRIPTION
LSWN1	Bag of 24, Waterproof wire connectors, for up to two 14-2 + one 16-2 cables
LSWN2	Box of 24, Waterproof wire connectors, for up to three 12-2 cables
LSWN2-100	Jar of 100, Waterproof wire connectors, for up to three 12-2 cables

LANDSCAPE



WL-SLEEVE



SPIKE-BG



SPIKE-10

SPIKES

CATALOG NO. DESCRIPTION

**WL-SLEEVE** PVC sleeve Kit for 4" well lights

**SPIKE-BG** 8.5" PVC spike

**SPIKE-10** 10" PVC spike



LA-STEM-REPL-LED



LA-STEM-RL



LA-STEM-KNOB

AREA LIGHTING REPLACEMENT PARTS

CATALOG NO. DESCRIPTION

**LA-STEM-RL** Replacement Glass Lens for Path Light stem

**LA-STEM-KNOB** Replacement Knob

**LA-STEM-REPL-LED** 3000K Replacement LED Tower for path lights Also fits Pagoda Lights

**LA-STEM-REPL-LED-27K** 2700K Replacement LED Tower for path lights Also fits Pagoda Lights

**LA-STEM-REPL-LED-40K** 4000K Replacement LED Tower for path lights Also fits Pagoda Lights

**LA-STEM-REPL-LED-50K** 5000K Replacement LED Tower for path lights Also fits Pagoda Lights



PAGODA LIGHTS REPLACEMENT GLASS

CATALOG NO. DESCRIPTION

**AA-145-RG** Replacement Glass for 2-Tier pagodas

**AA-146-RG** Replacement Glass for 3-Tier pagodas

**AA-147-RG** Replacement Glass for 4-Tier pagodas



WE-CONN

12V SNAP CONNECTOR

CATALOG NO. DESCRIPTION

**WE-CONN** black color

**LSFLC-20** 20 Fast-Lock In-Line Landscape Connectors



LSFLC-20



LOW-VOLTAGE CABLE MUST ORDER IN MULTIPLES OF 500FT

CATALOG NO. DESCRIPTION

**LOV-14** #14 AWG (41 Strands)

**LOV-12** #12 AWG (65 Strands)

**LOV-10** #10 AWG (104 Strands)

**LOV-8** #8 AWG (168 Strands)



LOW-VOLTAGE CABLE MUST ORDER IN MULTIPLES OF 100FT

CATALOG NO. DESCRIPTION

**LOV-14-100FT** #14 AWG (41 Strands)

**LOV-12-100FT** #12 AWG (65 Strands)

**LOV-10-100FT** #10 AWG (104 Strands)

**LOV-8-100FT** #8 AWG (168 Strands)



STEP LIGHTING REPLACEMENT LED MODULE

CATALOG NO. DESCRIPTION

**LS-REPL-LED** 3000K Replacement LED Module

**LS-REPL-LED-27K** 2700K Replacement LED Module



LANDSCAPE-DISPLAY



LANDSCAPE-DISPLAY2-UBR



LANDSCAPE-DISPLAY2-UBK

LANDSCAPE DISPLAY

CATALOG NO. DESCRIPTION

**LANDSCAPE-DISPLAY** Display for Landscape

**LANDSCAPE-DISPLAY2-UBK** Display for Landscape

**LANDSCAPE-DISPLAY2-UBR** Display for Landscape

BOLLARD CUSTOMIZATION

CATALOG NO.	POST SIZE		FIXTURES PER POLE		COLOR TEMPERATURE		FINISH DESCRIPTION	
	CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
<b>WMS-S</b>	18	18 Inch	1	1 Sided	30K	3000K	BR	Bronze
<b>WMS-R</b>	36	36 Inch	2	2 Sided	40K	4000K	WH	White
<b>LMW</b>					50K	5000K		

For more information on each fixture model, refer to: LWA-12 page 12-13, LMW page 20, WMS page 20.



Mounting Options Shown with LMW series



Mounting Options Shown with LWA-12W



Mounting Options Shown with WMS series



SLE-A-120V-MCT-WH  
SLE-A-12V-MCT-WH  
White



SLE-A-120V-MCT-ORB  
SLE-A-12V-MCT-ORB  
SLE-A-120V-RGBWW-PB-ORB  
SLE-A-12V-RGBWW-PB-ORB



SLE-A-120V-MCT-BN  
SLE-A-12V-MCT-BN  
Brushed Nickel



SLE-A-120V-MCT-PIR-WH  
SLE-A-12V-MCT-PIR-WH  
White



SLE-A-120V-MCT-PIR-ORB  
SLE-A-12V-MCT-PIR-ORB  
Oil-Rubbed Bronze



SLE-F-120V-MCT-WH  
SLE-F-12V-MCT-WH  
White



SLE-F-120V-MCT-ORB  
SLE-F-12V-MCT-ORB  
Oil-Rubbed Bronze



SLE-F-120V-MCT-BN  
SLE-F-12V-MCT-BN  
Brushed Nickel



SLE-LH-120V-MCT-WH  
SLE-LH-12V-MCT-WH  
White



SLE-LH-120V-MCT-ORB  
SLE-LH-12V-MCT-ORB  
Oil-Rubbed Bronze



SLE-LH-120V-MCT-BN  
SLE-LH-12V-MCT-BN  
Brushed Nickel



SLE-EL-120V-MCT5-WH  
SLE-EL-12V-MCT5-WH  
White



SLE-EL-120V-MCT5-ORB  
SLE-EL-12V-MCT5-ORB  
Oil-Rubbed Bronze

## SELECTABLE CCT LED INTEGRATED STEP LIGHTS



CATALOG NO.	DESCRIPTION
-------------	-------------

### MODEL A - 120V SELECTABLE CCT LED INTEGRATED STEP LIGHTS

SLE-A-120V-MCT-WH	3.5W 100LM 30K/40K/50K	White
SLE-A-120V-MCT-ORB	3.5W 50LM 30K/40K/50K	Oil-Rubbed Bronze
SLE-A-120V-RGBWW-PB-ORB	3.5W 50LM RGBWW	Oil-Rubbed Bronze
SLE-A-120V-MCT-BN	3.5W 50LM 30K/40K/50K	Brushed Nickel

### MODEL A - 120V SELECTABLE CCT LED INTEGRATED STEP LIGHTS WITH PIR MOTION SENSOR & PHOTOCELL

SLE-A-120V-MCT-PIR-WH	3W 150LM 30K/40K/50K	White
SLE-A-120V-MCT-PIR-ORB	3W 75LM 30K/40K/50K	Oil-Rubbed Bronze

### MODEL LH - 120V SELECTABLE CCT LED INTEGRATED STEP LIGHTS

SLE-LH-120V-MCT-WH	5W 150LM 30K/40K/50K	White
SLE-LH-120V-MCT-ORB	5W 75LM 30K/40K/50K	Oil-Rubbed Bronze
SLE-LH-120V-MCT-BN	5W 75LM 30K/40K/50K	Brushed Nickel

### MODEL F - 120V SELECTABLE CCT LED INTEGRATED STEP LIGHTS

SLE-F-120V-MCT-WH	3.5W 200LM 30K/40K/50K	White
SLE-F-120V-MCT-ORB	3.5W 100LM 30K/40K/50K	Oil-Rubbed Bronze
SLE-F-120V-MCT-BN	3.5W 75LM 30K/40K/50K	Brushed Nickel

### MODEL EL - 120V SELECTABLE CCT LED INTEGRATED STEP LIGHTS

SLE-EL-120V-MCT5-WH	3W 90LM 27K/30K/35K/40K/50K	White
SLE-EL-120V-MCT5-ORB	3W 50LM 27K/30K/35K/40K/50K	Oil-Rubbed Bronze

### MODEL A - 12V SELECTABLE CCT LED INTEGRATED STEP LIGHTS

SLE-A-12V-MCT-WH	3.5W 100LM 30K/40K/50K	White
SLE-A-12V-MCT-ORB	3.5W 50LM 30K/40K/50K	Oil-Rubbed Bronze
SLE-A-12V-RGBWW-PB-ORB	3.5W 50LM RGBWW	Oil-Rubbed Bronze
SLE-A-12V-MCT-BN	3.5W 50LM 30K/40K/50K	Brushed Nickel

### MODEL A - 12V SELECTABLE CCT LED INTEGRATED STEP LIGHTS WITH PIR MOTION SENSOR & PHOTOCELL

SLE-A-12V-MCT-PIR-WH	3W 150LM 30K/40K/50K	White
SLE-A-12V-MCT-PIR-ORB	3W 75LM 30K/40K/50K	Oil-Rubbed Bronze

### MODEL LH - 12V SELECTABLE CCT LED INTEGRATED STEP LIGHTS

SLE-LH-12V-MCT-WH	5W 150LM 30K/40K/50K	White
SLE-LH-12V-MCT-ORB	5W 75LM 30K/40K/50K	Oil-Rubbed Bronze
SLE-LH-12V-MCT-BN	5W 75LM 30K/40K/50K	Brushed Nickel

### MODEL F - 12V SELECTABLE CCT LED INTEGRATED STEP LIGHTS

SLE-F-12V-MCT-WH	3.5W 200LM 30K/40K/50K	White
SLE-F-12V-MCT-ORB	3.5W 100LM 30K/40K/50K	Oil-Rubbed Bronze
SLE-F-12V-MCT-BN	3.5W 75LM 30K/40K/50K	Brushed Nickel

### MODEL EL - 12V SELECTABLE CCT LED INTEGRATED STEP LIGHTS

SLE-EL-12V-MCT5-WH	3W 90LM 27K/30K/35K/40K/50K	White
SLE-EL-12V-MCT5-ORB	3W 50LM 27K/30K/35K/40K/50K	Oil-Rubbed Bronze

## MODERN LED TREE LIGHTS

CATALOG NO.	DESCRIPTION
-------------	-------------



TL-118-MCT-ORB	4.5W 300LM 30K/40K/50K
TL-118-MCT-AZ	4.5W 300LM 30K/40K/50K



STEP LIGHT ENGINES Polycarbonate

**120V 12V**

**LED SPEC SERIES**

DESCRIPTION
SLEA-12V-27K 2W 86LM 2700K
SLEA-12V-30K 2W 86LM 3000K
SLEA-12V-40K 2W 86LM 4000K
SLEA-12V-50K 2W 86LM 5000K
SLEA-120V-27K 2W 86LM 2700K
SLEA-120V-30K 2W 86LM 3000K
SLEA-120V-40K 2W 86LM 4000K
SLEA-120V-50K 2W 86LM 5000K

FACE PLATES For SLEA (Order Separately)

PRECISION-CAST ALUMINUM



SLT-A-WH (WHITE FINISH)



SLT-A-BN (BRUSHED NICKEL FINISH)



SLT-A-AZ (ANTIQUe BRONZE FINISH)



SLT-A-ORB (OIL-RUBBED BRONZE FINISH)



STEP LIGHT ENGINES Polycarbonate

**120V 12V**

**LED SPEC SERIES**

DESCRIPTION
SLEB-12V-27K 2W 86LM 2700K
SLEB-12V-30K 2W 86LM 3000K
SLEB-12V-40K 2W 86LM 4000K
SLEB-12V-50K 2W 86LM 5000K
SLEB-120V-27K 2W 86LM 2700K
SLEB-120V-30K 2W 86LM 3000K
SLEB-120V-40K 2W 86LM 4000K
SLEB-120V-50K 2W 86LM 5000K

FACE PLATES For SLEB (Order Separately)

PRECISION-CAST ALUMINUM



SLT-B-WH (WHITE FINISH)



SLT-B-BN (BRUSHED NICKEL FINISH)



SLT-B-AZ (ANTIQUe BRONZE FINISH)



SLT-B-ORB (OIL-RUBBED BRONZE FINISH)



STEP LIGHT ENGINES Polycarbonate

**120V 12V**

**LED SPEC SERIES**

CATALOG NO.	DESCRIPTION
SLE-12V-27K 2W 100LM 2700K	
SLE-12V-30K 2W 100LM 3000K	
SLE-12V-40K 2W 100LM 4000K	
SLE-12V-50K 2W 118LM 5000K	
SLE-120V-27K 2W 90LM 2700K	
SLE-120V-30K 2W 90LM 3000K	
SLE-120V-40K 2W 90LM 4000K	
SLE-120V-50K 2W 104LM 5000K	

FACE PLATES For SLE (Order Separately)

PRECISION-CAST ALUMINUM



SLT-LH-ORB (OIL-RUBBED BRONZE FINISH)



SLT-LH-BN (BRUSHED NICKEL FINISH)




SLT-LH-WH (WHITE FINISH)



SLT-LH-AZ (ANTIQUe BRONZE FINISH)



SLT-F-ORB (OIL-RUBBED BRONZE FINISH)



SLT-F-BN (BRUSHED NICKEL FINISH)



SLT-F-WH (WHITE FINISH)



SLT-F-AZ (ANTIQUe BRONZE FINISH)



SLT-S-ORB (OIL-RUBBED BRONZE FINISH)



SLT-S-BN (BRUSHED NICKEL FINISH)



SLT-S-WH (WHITE FINISH)



SLT-S-AZ (ANTIQUe BRONZE FINISH)



SLT-LV-ORB (OIL-RUBBED BRONZE FINISH)



SLT-LV-BN (BRUSHED NICKEL FINISH)



SLT-LV-WH (WHITE FINISH)



SLT-LV-AZ (ANTIQUe BRONZE FINISH)



Clear PVC Gasket Set Included with Light Engine for J-box or weatherproof box mounting

LANDSCAPE

# UNDER CABINET LIGHTING

SEARCH FOR THE SERIES NAME @WESTGATEMFG.COM




UCE SERIES




UCA SERIES




UCR SERIES



UCA-RGBW SERIES



PSA SERIES



UC-24V SERIES



UCM SERIES



UC-ADJ SERIES



PL12-PIR SERIES



TC-PL12-RGBW SERIES



PL12ADJ SERIES



PL12R SERIES



PL12S SERIES



PL12 SERIES



STUDIO KITCHEN - LINEAR UNDER CABINET LIGHTS



Live inventory. Real-time pricing. No waiting.  
Access the MyWestgate Portal to check  
availability and pricing instantly.  
Scan the QR code to skip the line.



## BUILDER SERIES 5CCT HARD-WIRE UNDER CABINET LIGHT, OPTIONAL CORD



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>UCE-9-WHT</b>	3W 180LM 27K/30K/35K/40K/50K White	10
<b>UCE-12-WHT</b>	5W 300LM 27K/30K/35K/40K/50K White	10
<b>UCE-18-WHT</b>	8W 480LM 27K/30K/35K/40K/50K White	10
<b>UCE-21-WHT</b>	10W 600LM 27K/30K/35K/40K/50K White	10
<b>UCE-24-WHT</b>	12W 720LM 27K/30K/35K/40K/50K White	10
<b>UCE-32-WHT</b>	16W 960LM 27K/30K/35K/40K/50K White	10
<b>UCE-40-WHT</b>	20W 1200LM 27K/30K/35K/40K/50K White	10
<b>UCA-LC8-WHT</b>	8in Linking Cord For UCA And UCE Series, White	
<b>UCA-PC-6FT-WHT</b>	6Ft Power Cord Cord For UCA And UCE Series, White	

## ADJUSTABLE ANGLE MULTI COLOR-TEMPERATURE UNDERCABINET LIGHTS



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>UCA-8-WHT</b>	3W 150LM 2700K/3000K/4000K 8"L WHITE	10
<b>UCA-12-WHT</b>	5W 275LM 2700K/3000K/4000K 12"L WHITE	10
<b>UCA-16-WHT</b>	6.5W 390LM 2700K/3000K/4000K 16" WHITE	10
<b>UCA-21-WHT</b>	8W 450LM 2700K/3000K/4000K 21" WHITE	10
<b>UCA-24-WHT</b>	12W 650LM 2700K/3000K/4000K 24" WHITE	10
<b>UCA-33-WHT</b>	16W 900LM 2700K/3000K/4000K 33" WHITE	10
<b>UCA-42-WHT</b>	20W 1100LM 2700K/3000K/4000K 42" WHITE	10
<b>UCA-LC12-WHT</b>	12" Linking Cable for White UCA Series - White color	
<b>UCA-LC8-WHT</b>	8in Linking Cord For Uce And UCE Series, White	
<b>UCA-PC-6FT-WHT</b>	6Ft Power Cord Cord For Uce And UCE Series, White	
<b>UCA-8-BRZ</b>	3W 150LM 2700K/3000K/4000K 8"L BRONZE	10
<b>UCA-12-BRZ</b>	5W 275LM 2700K/3000K/4000K 12"L BRONZE	10
<b>UCA-16-BRZ</b>	6.5W 390LM 2700K/3000K/4000K 16" BRONZE	10
<b>UCA-21-BRZ</b>	8W 450LM 2700K/3000K/4000K 21" BRONZE	10
<b>UCA-24-BRZ</b>	12W 650LM 2700K/3000K/4000K 24" BRONZE	10
<b>UCA-33-BRZ</b>	16W 900LM 2700K/3000K/4000K 33" BRONZE	10
<b>UCA-42-BRZ</b>	20W 1100LM 2700K/3000K/4000K 42" BRONZE	10
<b>UCA-LC12-BLK</b>	12" Linking Cable for Bronze UCA Series - Black color (Matches the color of included cables)	
<b>UCA-LC8-BLK</b>	8in Linking Cord For UCA And UCE Series, Black	
<b>UCA-PC-6FT-BLK</b>	6Ft Power Cord Cord For UCA And UCE Series, Black	
<b>UCA-DISPLAY</b>	Display Board for UCA Series	

UNDERCABINET  
120V

### MULTI COLOR-TEMPERATURE LIGHTS Accessories Included



- 6' Power Cord
- 8" Interconnect Cable
- End-to-End Coupling
- Mounting Screws



On/Off Switch with  
100% /50% Dimming.  
Color Temp. selection  
Switch: 2700K/ 3000K/ 4000k



3/8" KOs  
Cable Connector  
included



## UNDER CABINET LIGHTS



**UCR-12-WHT**  
White



**UCR-18-WHT**  
White



**UCR-24-WHT**  
White



**UCR-32-WHT**  
White



**UCR-40-WHT**  
White



**UCR-12-BK**  
Black



**UCR-18-BK**  
Black



**UCR-24-BK**  
Black



**UCR-32-BK**  
Black





**UCR-40-BK**  
Black

## UNDERCABINET SERIES WITH RECEPTACLES AND USB PORTS



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>UCR-12-WHT</b>	5W <b>300LM</b> 27K/30K/35K/40K/50K White, 1 Outlet	10
<b>UCR-18-WHT</b>	8W <b>480LM</b> 27K/30K/35K/40K/50K White, 1 outlet, 1 USB port, and 1 USB-C port	10
<b>UCR-24-WHT</b>	12W <b>720LM</b> 27K/30K/35K/40K/50K White, 3 outlets, 2 USB ports, 2 USB-C ports	10
<b>UCR-32-WHT</b>	16W <b>960LM</b> 27K/30K/35K/40K/50K White, 4 outlets, 2 USB ports, 2 USB-C ports	10
<b>UCR-40-WHT</b>	20W <b>1200LM</b> 27K/30K/35K/40K/50K White, 4 outlets, 2 USB ports, 2 USB-C ports	10
<b>UCR-12-BK</b>	5W <b>300LM</b> 27K/30K/35K/40K/50K Black, 1 Outlet	10
<b>UCR-18-BK</b>	8W <b>480LM</b> 27K/30K/35K/40K/50K Black, 1 outlet, 1 USB port, and 1 USB-C port	10
<b>UCR-24-BK</b>	12W <b>720LM</b> 27K/30K/35K/40K/50K Black, 3 outlets, 2 USB ports, 2 USB-C ports	10
<b>UCR-32-BK</b>	16W <b>960LM</b> 27K/30K/35K/40K/50K Black, 4 outlets, 2 USB ports, 2 USB-C ports	10
<b>UCR-40-BK</b>	20W <b>1200LM</b> 27K/30K/35K/40K/50K Black, 4 outlets, 2 USB ports, 2 USB-C ports	10



## RGBW (9 MODES) & 3CCT UNDER CABINET LIGHT, PUSH-BUTTON COLOR CONTROL



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>UCA-RGBW-PB-12-BR</b>	5W <b>275LM</b> 30K/40K/50K + RGB Bronze	10
<b>UCA-RGBW-PB-12-WH</b>	5W <b>275LM</b> 30K/40K/50K + RGB White	10
<b>UCA-RGBW-PB-18-BR</b>	8W <b>440LM</b> 30K/40K/50K + RGB Bronze	10
<b>UCA-RGBW-PB-18-WH</b>	8W <b>440LM</b> 30K/40K/50K + RGB White	10
<b>UCA-RGBW-PB-24-BR</b>	12W <b>660LM</b> 30K/40K/50K + RGB Bronze	10
<b>UCA-RGBW-PB-24-WH</b>	12W <b>660LM</b> 30K/40K/50K + RGB White	10
<b>UCA-RGBW-PB-32-BR</b>	16W <b>880LM</b> 30K/40K/50K + RGB Bronze	10
<b>UCA-RGBW-PB-32-WH</b>	16W <b>880LM</b> 30K/40K/50K + RGB White	10
<b>UCA-RGBW-PB-40-BR</b>	20W <b>1100LM</b> 30K/40K/50K + RGB Bronze	10
<b>UCA-RGBW-PB-40-WH</b>	20W <b>1100LM</b> 30K/40K/50K + RGB White	10



## ANGLED POWER STRIP & UNDERCABINET LIGHT W/ POWER RECEPTACLE



CATALOG NO.	DESCRIPTION	PKG. QTY.
<a href="#">PSAL-13-1R-MCT5-WH</a>	420LM <a href="#">27K/30K/35K/40K/50K</a> 13" White	12
<a href="#">PSAL-13-1R-MCT5-BR</a>	420LM <a href="#">27K/30K/35K/40K/50K</a> 13" Bronze	12
<a href="#">PSAL-13-1R-MCT5-BN</a>	420LM <a href="#">27K/30K/35K/40K/50K</a> 13" Brushed Nickel	12
<a href="#">PSAL-18-2R-MCT5-WH</a>	600LM <a href="#">27K/30K/35K/40K/50K</a> 18" White	12
<a href="#">PSAL-18-2R-MCT5-BR</a>	600LM <a href="#">27K/30K/35K/40K/50K</a> 18" Bronze	12
<a href="#">PSAL-18-2R-MCT5-BN</a>	600LM <a href="#">27K/30K/35K/40K/50K</a> 18" Brushed Nickel	12
<a href="#">PSAL-24-3R-MCT5-WH</a>	790LM <a href="#">27K/30K/35K/40K/50K</a> 24" White	6
<a href="#">PSAL-24-3R-MCT5-BR</a>	790LM <a href="#">27K/30K/35K/40K/50K</a> 24" Bronze	6
<a href="#">PSAL-24-3R-MCT5-BN</a>	790LM <a href="#">27K/30K/35K/40K/50K</a> 24" Brushed Nickel	6
<a href="#">PSAL-30-3R-MCT5-WH</a>	900LM <a href="#">27K/30K/35K/40K/50K</a> 30" White	6
<a href="#">PSAL-30-3R-MCT5-BR</a>	900LM <a href="#">27K/30K/35K/40K/50K</a> 30" Bronze	6
<a href="#">PSAL-30-3R-MCT5-BN</a>	900LM <a href="#">27K/30K/35K/40K/50K</a> 30" Brushed Nickel	6
<a href="#">PSAL-36-4R-MCT5-WH</a>	1050LM <a href="#">27K/30K/35K/40K/50K</a> 36" White	6
<a href="#">PSAL-36-4R-MCT5-BR</a>	1050LM <a href="#">27K/30K/35K/40K/50K</a> 36" Bronze	6
<a href="#">PSAL-36-4R-MCT5-BN</a>	1050LM <a href="#">27K/30K/35K/40K/50K</a> 36" Brushed Nickel	6
<a href="#">PSAL-42-4R-MCT5-WH</a>	1275LM <a href="#">27K/30K/35K/40K/50K</a> 42" White	6
<a href="#">PSAL-42-4R-MCT5-BR</a>	1275LM <a href="#">27K/30K/35K/40K/50K</a> 42" Bronze	6
<a href="#">PSAL-42-4R-MCT5-BN</a>	1275LM <a href="#">27K/30K/35K/40K/50K</a> 42" Brushed Nickel	6



## ANGLED POWER STRIP W/ POWER & USB RECEPTACLES




CATALOG NO.	DESCRIPTION
<a href="#">PSA-12-2R-1U-WH</a>	12In Angled 2-Receptacle 1 Usb 20A Power Strip White
<a href="#">PSA-12-2R-1U-BR</a>	12In Angled 2-Receptacle 1 Usb 20A Power Strip Bronze
<a href="#">PSA-12-2R-1U-BN</a>	12In Angled 2-Receptacle 1 Usb 20A Power Strip Brushed Nickel
<a href="#">PSA-18-2R-1U-WH</a>	18In Angled 2-Receptacle 1 Usb 20A Power Strip White
<a href="#">PSA-18-2R-1U-BR</a>	18In Angled 2-Receptacle 1 Usb 20A Power Strip Bronze
<a href="#">PSA-18-2R-1U-BN</a>	18In Angled 2-Receptacle 1 Usb 20A Power Strip Brushed Nickel
<a href="#">PSA-24-3R-2U-WH</a>	24In Angled 3-Receptacle 2 Usb 20A Power Strip White
<a href="#">PSA-24-3R-2U-BR</a>	24In Angled 3-Receptacle 2 Usb 20A Power Strip Bronze
<a href="#">PSA-24-3R-2U-BN</a>	24In Angled 3-Receptacle 2 Usb 20A Power Strip Brushed Nickel
<a href="#">PSA-30-3R-2U-WH</a>	30In Angled 3-Receptacle 2 Usb 20A Power Strip White
<a href="#">PSA-30-3R-2U-BR</a>	30In Angled 3-Receptacle 2 Usb 20A Power Strip Bronze
<a href="#">PSA-30-3R-2U-BN</a>	30In Angled 3-Receptacle 2 Usb 20A Power Strip Brushed Nickel
<a href="#">PSA-36-4R-2U-WH</a>	36In Angled 4-Receptacle 2 Usb 20A Power Strip White
<a href="#">PSA-36-4R-2U-BR</a>	36In Angled 4-Receptacle 2 Usb 20A Power Strip Bronze
<a href="#">PSA-36-4R-2U-BN</a>	36In Angled 4-Receptacle 2 Usb 20A Power Strip Brushed Nickel
<a href="#">PSA-42-4R-2U-WH</a>	42In Angled 4-Receptacle 2 Usb 20A Power Strip White
<a href="#">PSA-42-4R-2U-BR</a>	42In Angled 4-Receptacle 2 Usb 20A Power Strip Bronze
<a href="#">PSA-42-4R-2U-BN</a>	42In Angled 4-Receptacle 2 Usb 20A Power Strip Brushed Nickel

UNDERCABINET

## LED LINEAR UNDERCABINET LIGHTS (Use External Drivers)



12V



24V



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>UCW6WW</b>	2W 140LM 3000K 6"	30
<b>UCW6W</b>	2W 168LM 6000K 6"	30
<b>UCW12WW</b>	3W 250LM 3000K 12"	30
<b>UCW12W</b>	3W 280LM 6000K 12"	30
<b>UCW20WW</b>	5W 420LM 3000K 20"	30
<b>UCW20W</b>	5W 462LM 6000K 20"	30
<b>UCW32WW</b>	8W 590LM 3000K 32"	30
<b>UCW32W</b>	8W 640LM 6000K 32"	30
<b>UCW40WW</b>	11W 820LM 3000K 40"	30
<b>UCW40W</b>	11W 880LM 6000K 40"	30
<b>UC6WW</b>	2W 140LM 3000K 6"	30
<b>UC6W</b>	2W 168LM 6000K 6"	30
<b>UC12WW</b>	3W 250LM 3000K 12"	30
<b>UC12W</b>	3W 280LM 6000K 12"	30
<b>UC20WW</b>	5W 420LM 3000K 20"	30
<b>UC20W</b>	5W 462LM 6000K 20"	30
<b>UC32W</b>	8W 640LM 6000K 32"	30
<b>UC40WW</b>	11W 820LM 3000K 40"	30
<b>UC40W</b>	11W 880LM 6000K 40"	30
<b>UC-DISPLAY</b>	Display Board for UC Series	-

## PLUG-IN DRIVERS (Non-Dimming)

12V  
24V



CATALOG NO.	DESCRIPTION
<b>UC12PS6W</b>	6W, 12V, POWER SUPPLY WITH CABLE
<b>UCPS6W</b>	6W, 24V, POWER SUPPLY W/ CABLE
<b>UCPS12W</b>	12W, 24V, POWER SUPPLY W/ 1.5 POWER CABLE
<b>UCPS24W</b>	24W, 24V, 1A, POWER SUPPLY W/ 1.5 POWER CABLE
<b>UCPS48W</b>	48W, 24V, 1A, POWER SUPPLY W/ 1.5 POWER CABLE

## MAGNETIC DIMMABLE DRIVERS\* (Use Magnetic Low-Voltage Dimmers)



24V 12V



CATALOG NO.	DESCRIPTION
<b>UCM-20L-12DC</b>	DIMMABLE, 20W, 12V, 5" X 2-1/8" X 2"
<b>UCM-40L-12DC</b>	DIMMABLE, 40W, 12V, 5" X 2-1/8" X 2"
<b>UCM-50L-12DC</b>	DIMMABLE, 50W, 12V, 5" X 2-1/8" X 2"
<b>UCM-100L-12DC</b>	DIMMABLE, 100W, 12V, 5" X 4-1/8" X 2"
<b>UCM-150L-12DC</b>	DIMMABLE, 150W, 12V, 5" X 4-1/8" X 4"
<b>UCM-300L-12DC</b>	DIMMABLE, 300W, 12V, 5" X 4-1/8" X 4"
<b>UCM-20L-24DC</b>	DIMMABLE, 20W, 24V, 5" X 2-1/8" X 2"
<b>UCM-40L-24DC</b>	DIMMABLE, 40W, 24V, 5" X 2-1/8" X 2"
<b>UCM-50L-24DC</b>	DIMMABLE, 50W, 24V, 5" X 2-1/8" X 2"
<b>UCM-60L-24DC</b>	DIMMABLE, 60W, 24V, 5" X 2-1/8" X 2"
<b>UCM-96L-24DC</b>	DIMMABLE, 96W, 24V, 5" X 4-1/8" X 2"
<b>UCM-150L-24DC</b>	DIMMABLE, 150W, 24V, 5" X 4-1/8" X 4"
<b>UCM-300L-24DC</b>	DIMMABLE, 300W, 24V, 5" X 4-1/8" X 4"

\*Not dimmable with RGB products (use the dimming feature of your RGB controller)

UNDERCABINET

## UNDER CABINET LIGHTING PARTS & ACCESSORIES

CATALOG NO.	DESCRIPTION
 <b>UCDIMMER</b>	LED UNDER CABINET LIGHTS DIMMER
 <b>UCDIMMER-TOUCH</b>	LINEAR UNDER CABINET TOUCH DIMMER TO CONNECT TO FIXTURES END, <b>BLACK</b>
 <b>UCDIMMER-TOUCH-WH</b>	LINEAR UNDER CABINET TOUCH DIMMER TO CONNECT TO FIXTURES END, <b>WHITE</b>
 <b>UCJUNCTION-W</b>	HARD WIRE POWER FEED IN / OUT, <b>WHITE</b>
 <b>UCSENS-PIR-1</b>	PIR SENSOR, AUTO ON/OFF WHEN MOVEMENT, MAX 72W, 4" (10CM) RANGE, 120D, -20°C TO 40°C INDOORS
 <b>UCSENS-PIR</b>	PIR SENSOR, AUTO ON/OFF WHEN MOVEMENT, MAX 72W, 4" (10CM) RANGE, 120D, -20°C TO 40°C INDOORS
 <b>UCCONCABLE</b>	3.25 FT. CONNECTOR CABLE, <b>BLACK</b>
 <b>UCCONCABLE-WH</b>	3.25 FT. CONNECTOR CABLE, <b>WHITE</b>
 <b>UCCONCABLE-10</b>	10 FT. UNDER CABINET LIGHT CONNECTOR CABLE, BOTH SIDE MALE, <b>BLACK</b>
 <b>UCCONCABLE-10-WH</b>	10 FT. UNDER CABINET LIGHT CONNECTOR CABLE, BOTH SIDE MALE, <b>WHITE</b>
 <b>UCCOP-3F</b>	3 FT. UNDER CABINET LIGHT COUPLING, BOTH SIDE FEMALE, <b>BLACK</b>
 <b>UCCOP-3F-WH</b>	3 FT. UNDER CABINET LIGHT COUPLING, BOTH SIDE FEMALE, <b>WHITE</b>
 <b>UCPOWERC-10F</b>	10 FT. UNDER CABINET LIGHT POWER CONNECTOR, 1 SIDE MALE, 1 SIDE FEMALE, <b>BLACK</b>
 <b>UCPOWERC-10F-WH</b>	10 FT. UNDER CABINET LIGHT POWER CONNECTOR, 1 SIDE MALE, 1 SIDE FEMALE, <b>WHITE</b>
 <b>UCRE04</b>	4 OUTPUT EASY RECEPTACLE
 <b>UCRE08</b>	8 OUTPUT EASY RECEPTACLE
 <b>UCAC01</b>	CORNER CONNECTOR, <b>BLACK</b>
 <b>UCAC01-WH</b>	CORNER CONNECTOR, <b>WHITE</b>
 <b>UCPLASCONN-WH</b>	PLASTIC CONNECTOR, <b>WHITE</b>
 <b>UCMAGNET+3M</b>	2 PCS OF MAGNET AND 2 PCS OF 3M TAPE FOR LED UNDER CABINET LIGHTS

## LED ADJUSTABLE UNDERCABINET, 24V

CATALOG NO.	DESCRIPTION	PKG. QTY.
 <b>UC-ADJ-12WW</b>	5W <b>380LM</b> 3000K 11.81"	30
<b>UC-ADJ-12W</b>	5W <b>400LM</b> 6000K 11.81"	30
<b>UC-ADJ-20WW</b>	8W <b>600LM</b> 3000K 19.68"	30
<b>UC-ADJ-20W</b>	8W <b>640LM</b> 6000K 19.68"	30
<b>UC-ADJ-40WW</b>	16W <b>1200LM</b> 3000K 39.37"	30
<b>UC-ADJ-40W</b>	16W <b>1280LM</b> 6000K 39.37"	30
<b>UC-ADJ-PIR</b>	PIR SENSOR FOR U/C ADJUSTABLE SERIES	-
<b>UC-ADJ-DMR</b>	TOUCH DIMMER WITH MEMORY FOR U/C ADJUSTABLE SERIES	-

## LED LINKABLE STRIP WITH INTERNAL DRIVER, 120VAC DIRECT, DIMMABLE

CATALOG NO.	DESCRIPTION	MAX RUN	PKG. QTY.
 <b>T5-12IN-5W-30K-D</b>	5W <b>575LM</b> 3000K 1FT.	15'	24
<b>T5-12IN-5W-40K-D</b>	5W <b>575LM</b> 4000K 1FT.	15'	24
<b>T5-12IN-5W-50K-D</b>	5W <b>625LM</b> 5000K 1FT.	15'	24
<b>T5-22IN-9W-30K-D</b>	9W <b>1035LM</b> 3000K 2FT.	24'	24
<b>T5-22IN-9W-40K-D</b>	9W <b>1035LM</b> 4000K 2FT.	24'	24
<b>T5-22IN-9W-50K-D</b>	9W <b>1125LM</b> 5000K 2FT.	24'	24
<b>T5-47IN-16W-30K-D</b>	16W <b>1840LM</b> 3000K 4FT.	31'	24
<b>T5-47IN-16W-50K-D</b>	16W <b>2000LM</b> 5000K 4FT.	31'	24
<b>T5-6FT-PC</b>	6 FT. Plug-in Power Cord	-	-
<b>T5-6FT-PCS</b>	6 FT. Plug-in Power Cord with Switch	-	-
<b>T5-8IN-JUMP</b>	8" Linking Cable	-	-
<b>T5-6FT-PT</b>	6' AC Input Wire (PIGTAIL)	-	-
<b>T5-COUPLER</b>	Coupler (1 Included)	-	-
<b>T5-MAGSET</b>	Clip-on Secure Magnet Set	-	-

## 12V PUCK 5CCT WITH PIR SENSOR



CATALOG NO.	DESCRIPTION
-------------	-------------



<b>PL12-MCT5-PIR-WH</b>	5W <b>300LM</b> 27K/30K/35K/40K/50K White
<b>PL12-MCT5-PIR-BN</b>	5W <b>300LM</b> 27K/30K/35K/40K/50K Brushed-Nickel

## WG SMART APP COMPATIBLE RGBW PUCK LIGHT - ROUND



CATALOG NO.	DESCRIPTION
-------------	-------------



<b>TC-PL12-RGBW</b>	4W <b>250LM</b> RGB
<b>TC-PL12-RGBW-SPLITTER4</b>	RGB Puck Light 4-Port Splitter With 6in Cable
<b>TC-PL12-RGBW-CONTROLLER</b>	RGBW In-Line Smart Controller App Compatible

## LED ADJUSTABLE PUCK LIGHTS, 120V

6Ft. Power Cord with In-Line switch



CATALOG NO.	DESCRIPTION
-------------	-------------

### 3" ROUND ADJUSTABLE PUCK LIGHT



<b>PL120ADJ-30K-WH</b>	4.5W <b>250LM</b> 3000K White
<b>PL120ADJ-40K-WH</b>	4.5W <b>250LM</b> 4000K White
<b>PL120ADJ-50K-WH</b>	4.5W <b>250LM</b> 5000K White
<b>PL120ADJ-30K-BK</b>	4.5W <b>250LM</b> 3000K Black
<b>PL120ADJ-40K-BK</b>	4.5W <b>250LM</b> 4000K Black
<b>PL120ADJ-50K-BK</b>	4.5W <b>250LM</b> 5000K Black
<b>PL120ADJ-30K-BN</b>	4.5W <b>250LM</b> 3000K Brushed-Nickel
<b>PL120ADJ-40K-BN</b>	4.5W <b>250LM</b> 4000K Brushed-Nickel
<b>PL120ADJ-50K-BN</b>	4.5W <b>250LM</b> 5000K Brushed-Nickel

### 3-PACK 3" ROUND ADJUSTABLE PUCK LIGHT



<b>PL120ADJ-3KIT-30K-WH</b>	4.5W <b>250LM</b> 3000K White
<b>PL120ADJ-3KIT-40K-WH</b>	4.5W <b>250LM</b> 4000K White
<b>PL120ADJ-3KIT-50K-WH</b>	4.5W <b>250LM</b> 5000K White
<b>PL120ADJ-3KIT-30K-BK</b>	4.5W <b>250LM</b> 3000K Black
<b>PL120ADJ-3KIT-40K-BK</b>	4.5W <b>250LM</b> 4000K Black
<b>PL120ADJ-3KIT-50K-BK</b>	4.5W <b>250LM</b> 5000K Black
<b>PL120ADJ-3KIT-30K-BN</b>	4.5W <b>250LM</b> 3000K Brushed-Nickel
<b>PL120ADJ-3KIT-40K-BN</b>	4.5W <b>250LM</b> 4000K Brushed-Nickel
<b>PL120ADJ-3KIT-50K-BN</b>	4.5W <b>250LM</b> 5000K Brushed-Nickel

## LED PUCK LIGHTS (3.3 FT. CORD WITH MALE SOCKET, MOUNTING HARDWARE, SCREWLESS TRIM)



CATALOG NO.	DESCRIPTION
-------------	-------------

### 4" ROUND & SQUARE SLIM PUCK LIGHT



<b>PL12R-30K-WH</b>	3.5W <b>230LM</b> 3000K White
<b>PL12R-40K-WH</b>	3.5W <b>230LM</b> 4000K White
<b>PL12R-50K-WH</b>	3.5W <b>230LM</b> 5000K White
<b>PL12S-30K-WH</b>	3.5W <b>230LM</b> 3000K White
<b>PL12S-40K-WH</b>	3.5W <b>230LM</b> 4000K White
<b>PL12S-50K-WH</b>	3.5W <b>230LM</b> 5000K White

### PL12R & PL12S SERIES COLOR TRIMS



<b>PL12R-TRM-BK</b>	PL12R series replacement color trim-Black
<b>PL12R-TRM-BN</b>	PL12R series replacement color trim-Brushed-Nickel
<b>PL12R-TRM-BR</b>	PL12R series replacement color trim-Bronze
<b>PL12S-TRM-BK</b>	PL12S series replacement color trim-Black
<b>PL12S-TRM-BN</b>	PL12S series replacement color trim-Brushed-Nickel
<b>PL12S-TRM-BR</b>	PL12S series replacement color trim-Bronze

120V

12V

UNDERCABINET

# LED PUCK LIGHTS (3.3 FT. CORD WITH MALE SOCKET, MOUNTING HARDWARE, SCREWLESS TRIM)



CATALOG NO. DESCRIPTION

### 3" ROUND SLIM PUCK LIGHT - 1/8" H (1/16" WHEN RECESSED)

PL12-30K-WH	2W	120LM	3000K	White
PL12-40K-WH	2W	120LM	4000K	White
PL12-50K-WH	2W	120LM	5000K	White
PL12-30K-BK	2W	120LM	3000K	Black
PL12-40K-BK	2W	120LM	4000K	Black
PL12-50K-BK	2W	120LM	5000K	Black
PL12-30K-BN	2W	120LM	3000K	Brushed-Nickel
PL12-40K-BN	2W	120LM	4000K	Brushed-Nickel
PL12-50K-BN	2W	120LM	5000K	Brushed-Nickel

### 3" ROUND SLIM PUCK LIGHT - 5CCT ADJUSTABLE - 5/8" H (1/16" WHEN RECESSED) **MCT5**

PL12-MCT5-WH	4W	250LM	27K/30K/35K/40K/50K	White
PL12-MCT5-BK	4W	250LM	27K/30K/35K/40K/50K	Black
PL12-MCT5-BN	4W	250LM	27K/30K/35K/40K/50K	Brushed-Nickel

### 3-PACK 3" ROUND SLIM PUCK LIGHT - 1/8" H (1/16" WHEN RECESSED)

PL12-3KIT-30K-WH	2W	120LM	3000K	White
PL12-3KIT-40K-WH	2W	120LM	4000K	White
PL12-3KIT-50K-WH	2W	120LM	5000K	White
PL12-3KIT-30K-BK	2W	120LM	3000K	Black
PL12-3KIT-40K-BK	2W	120LM	4000K	Black
PL12-3KIT-50K-BK	2W	120LM	5000K	Black
PL12-3KIT-30K-BN	2W	120LM	3000K	Brushed-Nickel
PL12-3KIT-40K-BN	2W	120LM	4000K	Brushed-Nickel
PL12-3KIT-50K-BN	2W	120LM	5000K	Brushed-Nickel

### PL12 SERIES COLOR TRIMS

PL12-TRM-BK	PL12 series replacement color trim-Black
PL12-TRM-BN	PL12 series replacement color trim-Brushed-Nickel
PL12-TRM-BR	PL12 series replacement color trim-Bronze

### 3" ROUND ADJUSTABLE PUCK LIGHT - DRIVER NOT INCL.

PL12ADJ-30K-WH	4.5W	250LM	3000K	White
PL12ADJ-40K-WH	4.5W	250LM	4000K	White
PL12ADJ-50K-WH	4.5W	250LM	5000K	White
PL12ADJ-30K-BK	4.5W	250LM	3000K	Black
PL12ADJ-40K-BK	4.5W	250LM	4000K	Black
PL12ADJ-50K-BK	4.5W	250LM	5000K	Black
PL12ADJ-30K-BN	4.5W	250LM	3000K	Brushed-Nickel
PL12ADJ-40K-BN	4.5W	250LM	4000K	Brushed-Nickel
PL12ADJ-50K-BN	4.5W	250LM	5000K	Brushed-Nickel

### LED PUCK LIGHT ACCESSORIES

PL12-SPLIT3-WH	3-Hole mini splitter with female socket & 40" cord, white
PL12-SPLIT3-BK	3-Hole mini splitter with female socket & 40" cord, Black
PL12-SPLIT6-WH	6-Hole mini splitter with female socket & 40" cord, white
PL12-SPLIT6-BK	6-Hole mini splitter with female socket & 40" cord, Black
PL12-SPLIT10-WH	10-Hole mini splitter with female socket & 40" cord, white
PL12-SPLIT10-BK	10-Hole mini splitter with female socket & 40" cord, Black
PL12-PF-WH	6" Power feed cord, White
PL12-PF-BK	6" Power feed cord, Black
PL12-PIDR-12W-WH	12W Plug-in driver with switch, white
PL12-PIDR-12W-BK	12W Plug-in driver with switch, Black
PL12-PIDR-24W-WH	24W Plug-in driver with switch, white
PL12-PIDR-24W-BK	24W Plug-in driver with switch, Black
PL12-ILDMR-WH	In-Line dimming control, White
PL12-ILDMR-BK	In-Line dimming control, Black
PL12-HWDR-25W-D	25W Hardwired Dimmable driver with switch, 120V

## LED PUCK LIGHTS DISPLAY BOARD

CATALOG NO. DESCRIPTION

PL12-DISPLAY

Display board with Brochures for PL12 Series



# EXIT & EMERGENCY LIGHTING

SEARCH FOR THE SERIES NAME @WESTGATEMFG.COM



XTSL SERIES



XT-RW SERIES



XTU-RG SERIES



XT-TH SERIES



XT-EL SERIES



XT-ELRMA SERIES



XE SERIES



XT-WP SERIES



XT-WP WET LOCATION SERIES



XTN4X SERIES



XTSL SERIES



XT-CL-EM SERIES



XTU-CL-RG-EM SERIES



XIT-STRIP SERIES



XT-C-ADJ SERIES



CWLEZ SERIES



XTCLN4X SERIES



LLXT SERIES



XT-CLWP SERIES



XT-CWP SERIES



EL-MT SERIES



EL-M5 SERIES



EL-M5-HO SERIES



EL-M2 SERIES



EL-M1 SERIES



EL-1 SERIES



EL-1D SERIES



EL-M5-HO SERIES



EL-HO SERIES



EW-16-LED SERIES



EL-WP SERIES



EL-RH SERIES



EL-RH-WP SERIES



LEDTFX SERIES



LESW SERIES



DELW SERIES



DBEL SERIES



RHN4X SERIES



ELN4X SERIES



ELB SERIES



OFFICE COMPLEX PARKING - LED COMBO LIGHT



Live inventory. Real-time pricing. No waiting.  
Access the MyWestgate Portal to check  
availability and pricing instantly.  
Scan the QR code to skip the line.

## BUILDER SERIES SUPER SLIM LED EXIT SIGN, 120-277V, 12"(W) x 7 1/2"(H) x 1"(D)



CATALOG NO.	NUMBER OF FACES	LETTERS COLOR	HOUSING	BATTERY
 <b>XTSL-RW</b>	Universal Single/Double	RED	White	1.2V Ni-MH
 <b>XTSL-GW</b>	Universal Single/Double	GREEN	White	1.2V Ni-MH

## LED EXIT SIGN EXIT SIGN, 120-277V, 12"(W) x 7 1/2"(H) x 1 1/2"(D)



CATALOG NO.	NUMBER OF FACES	LETTERS COLOR	HOUSING	BATTERY
 <b>XT-RW-EM</b>	Universal Single/Double	RED	White	NiCd
<b>XT-GW-EM</b>	Universal Single/Double	GREEN	White	NiCd

## 2-IN-1 COLOR- SELECTABLE UNIVERSAL EXIT SIGN, 120-277V, 15-1/2"(W) x 12-1/2"(H) x 9"(D)

DEFAULT IS RED, FLIP SWITCH INSIDE AND CHANGE PROVIDED GREEN FILM[S] FOR GREEN



CATALOG NO.	NUMBER OF FACES	LETTERS COLOR	HOUSING	BATTERY	
 <b>XTU-RG-EM-BK</b>	Universal Single/Double	RED/GREEN	Black	1.2V Ni-MH	
<b>XTU-RG-EM</b>	Universal Single/Double	RED/GREEN	White	1.2V Ni-MH	
 <b>XTU-RG-2C-120V</b>	Universal Single/Double	RED/GREEN	White	N/A	Two Circuits
<b>XTU-RG-2C-277V</b>	Universal Single/Double	RED/GREEN	White	N/A	Two Circuits
<b>XTU-RG-BK-2C-120V</b>	Universal Single/Double	RED/GREEN	Black	N/A	Two Circuits
<b>XTU-RG-BK-2C-277V</b>	Universal Single/Double	RED/GREEN	Black	N/A	Two Circuits

## SPEC SERIES THIN DIECAST LED EXIT SIGN, 120-277V, 11-13/16"(W) x 7-3/4"(H) x 7/8"(D)



CATALOG NO.	NUMBER OF FACES	LETTER COLOR	HOUSING	BATTERY
 <b>XD-TH-1GAAEM</b>	Single Face	Green	Aluminum	NiCd
<b>XD-TH-1GBBEM</b>	Single Face	Green	Black	NiCd
<b>XD-TH-1GWWEM</b>	Single Face	Green	White	NiCd
<b>XD-TH-1RAAEM</b>	Single Face	Red	Aluminum	NiCd
<b>XD-TH-1RBBEM</b>	Single Face	Red	Black	NiCd
<b>XD-TH-1RWWEM</b>	Single Face	Red	White	NiCd
<b>XD-TH-2GAAEM</b>	Double Face	Green	Aluminum	NiCd
<b>XD-TH-2GBBEM</b>	Double Face	Green	Black	NiCd
<b>XD-TH-2GWWEM</b>	Double Face	Green	White	NiCd
<b>XD-TH-2RAAEM</b>	Double Face	Red	Aluminum	NiCd
<b>XD-TH-2RBBEM</b>	Double Face	Red	Black	NiCd
<b>XD-TH-2RWWEM</b>	Double Face	Red	White	NiCd

## BUILDER SERIES EDGELIT LED EXIT SIGN WITH ALUMINUM HOUSING, SINGLE FACE WITH OPTIONAL DOUBLE FACE, OPT. RECESS-MT. ACCESSORY



CATALOG NO.	NUMBER OF FACES	LETTER COLOR	FACE COLOR	BATTERY	HOUSING
 <b>XT-EL1RCA-EM</b>	Single Face	Red	Clear	NiCd	Aluminum
<b>XT-EL1GCA-EM</b>	Single Face	Green	Clear	NiCd	Aluminum
<b>XT-EL2RM-CP</b>	Field-Installed Double-Face Mirror Panel only to Convert Single Face to Double Face- Red				
<b>XT-EL2GM-CP</b>	Field-Installed Double-Face Mirror Panel only to Convert Single Face to Double Face- Green				
 <b>XT-ELRMA</b>	Field-Installed Recessed Mounting Conversion Kit, Order together with Exit Sign above				
<b>XT-EL1RCA-EM-WH</b>	Single Face	Red	Clear	NiCd	White
<b>XT-EL1GCA-EM-WH</b>	Single Face	Green	Clear	NiCd	White
<b>XT-EL2RM-WH-CP</b>	Field-Installed Double-Face Mirror Panel only to Convert Single Face to Double Face- Red White				
<b>XT-EL2GM-WH-CP</b>	Field-Installed Double-Face Mirror Panel only to Convert Single Face to Double Face- Green White				
 <b>XT-ELRMA-WH</b>	Field-Installed Recessed Mounting Conversion Kit, Order together with Exit Sign above White				

XT-ELRMA RECESSED CONVERSION KIT (FIXTURE NOT INCL.)

EXIT & EMERGENCY



## LED EXIT SIGN

### SPEC SERIES EDGELIT LED EXIT SIGN, 120-277V, 13"(W) x 11-1/8"(H) x 1-3/4"(D)



CATALOG NO.	NUMBER OF FACES	LETTER COLOR	FACE COLOR	CANOPY	BATTERY
<b>XE-1RCA-EM</b>	Single Face	Red	Clear	Aluminum	NiCd
<b>XE-1RCW-EM</b>	Single Face	Red	Clear	White	NiCd
<b>XE-2RMW-EM</b>	Double Face	Red	Mirror	White	NiCd
<b>XE-2RMA-EM</b>	Double Face	Red	Mirror	Aluminum	NiCd
<b>XE-1GCA-EM</b>	Single Face	Green	Clear	Aluminum	NiCd
<b>XE-1GCW-EM</b>	Single Face	Green	Clear	White	NiCd
<b>XE-2GMW-EM</b>	Double Face	Green	Mirror	White	NiCd
<b>XE-2GMA-EM</b>	Double Face	Green	Mirror	Aluminum	NiCd
<b>XE-2C-120V</b>	Optional Dual circuits, 120V				
<b>XE-2C-277V</b>	Optional Dual circuits, 277V				
<b>XE-SDT</b>	Optional Self Diagnostics Test				

### WET LOCATION LED EXIT SIGN, UNIVERSAL



CATALOG NO.	NUMBER OF FACES	LETTER COLOR	HOUSING	BATTERY
<b>XT-WP-RG-EM</b>	Universal Single/Double	Red	Gray	NiCd
<b>XT-WP-GG-EM</b>	Universal Single/Double	Green	Gray	NiCd

### SPEC SERIES WET LOCATION LED EXIT SIGN

(TWO-CIRCUITS OPTION AVAILABLE), 120-277V, 12-1/2"(W) x 9-1/4"(H) x 4-3/8"(D)



CATALOG NO.	NUMBER OF FACES	LETTER COLOR	HOUSING	BATTERY	
<b>XT-WP-1RG-EM</b>	Single Face	Red	Gray	NiCd	
<b>XT-WP-2RG-EM</b>	Double Face	Red	Gray	NiCd	
<b>XT-WP-2GG-EM</b>	Double Face	Green	Gray	NiCd	
<b>XT-WP-1RB-EM</b>	Single Face	Red	Black	NiCd	
<b>XT-WP-1GB-EM</b>	Single Face	Green	Black	NiCd	
<b>XT-WP-2RB-EM</b>	Double Face	Red	Black	NiCd	
<b>XT-WP-2GB-EM</b>	Double Face	Green	Black	NiCd	
<b>XT-WP-SDT</b>	Optional Self Diagnostics Test				
<b>XT-WP-2C-120V</b>	Optional Dual circuits, 120V				
<b>XT-WP-2C-277V</b>	Optional Dual circuits, 277V				

### SPEC SERIES NEMA 4X LED EXIT SIGN, 120-277V 14-3/4"(W) X 10"(H) X 6"(D)



NEMA 4X RATED



CATALOG NO.	WATTS	NUMBER OF FACES	LETTER COLOR	HOUSING COLOR	BATTERY
<b>XTN4X-1GB</b>	3.8W	Single Face	Green	Black	-
<b>XTN4X-1GW</b>	3.8W	Single Face	Green	White	-
<b>XTN4X-1RB</b>	3.2W	Single Face	Red	Black	-
<b>XTN4X-1RW</b>	3.2W	Single Face	Red	White	-
<b>XTN4X-2GB</b>	3.8W	Double Face	Green	Black	-
<b>XTN4X-2GW</b>	3.8W	Double Face	Green	White	-
<b>XTN4X-2RB</b>	3.2W	Double Face	Red	Black	-
<b>XTN4X-2RW</b>	3.2W	Double Face	Red	White	-
<b>XTN4X-1GBEM</b>	3.8W	Single Face	Green	Black	NiCd
<b>XTN4X-1GWEM</b>	3.8W	Single Face	Green	White	NiCd
<b>XTN4X-1RBEM</b>	3.2W	Single Face	Red	Black	NiCd
<b>XTN4X-1RWEM</b>	3.2W	Single Face	Red	White	NiCd
<b>XTN4X-2GBEM</b>	3.8W	Double Face	Green	Black	NiCd
<b>XTN4X-2GWEM</b>	3.8W	Double Face	Green	White	NiCd
<b>XTN4X-2RBEM</b>	3.2W	Double Face	Red	Black	NiCd
<b>XTN4X-2RWEM</b>	3.2W	Double Face	Red	White	NiCd

## BUILDER SERIES SUPER SLIM LED EXIT SIGN

WITH ADJUSTABLE LED HEADS, 120-277V, 12"(W) x 7 3/5"(H) x 1"(D)



CATALOG NO.	NUMBER OF FACES	LETTERS COLOR	HOUSING	BATTERY
 <b>XTSL-CL-RW</b>	Universal Single/Double	RED	White	3.6 Ni-MH
<b>XTSL-CL-GW</b>	Universal Single/Double	GREEN	White	3.6 Ni-MH

## COMBINATION LED EXIT SIGN & LED EMERGENCY, 120-277V, 21"(W) x 9"(H) x 4-7/16"(D)



CATALOG NO.	NUMBER OF FACES	LETTER COLOR	HOUSING	BATTERY
 <b>XT-CL-RW-EM</b>	Universal Single/Double	Red	White	NiCd
<b>XT-CL-GW-EM</b>	Universal Single/Double	Green	White	NiCd

## 2-IN-1 COLOR-SELEC UNIVERSAL COMBO UNIT, 120-277V, 15-1/2"(W) x 12-1/2"(H) x 9"(D)

DEFAULT IS RED, FLIP SWITCH INSIDE AND CHANGE PROVIDED GREEN FILM[S] FOR GREEN



CATALOG NO.	NUMBER OF FACES	LETTERS COLOR	HOUSING	BATTERY
 <b>XTU-CL-RG-EM-BK</b>	Universal Single/Double	RED/GREEN	Black	1.2V Ni-MH
<b>XTU-CL-RG-EM</b>	Universal Single/Double	RED/GREEN	White	1.2V Ni-MH
 <b>XTU-CL-RG-EM-RC</b>	Universal Single/Double	RED/GREEN	White	1.2V Ni-MH
<b>XTU-CL-RG-EM-RC-BK</b>	Universal Single/Double	RED/GREEN	Black	1.2V Ni-MH

Remote Capable  
Remote Capable

## LED STRIP COMBINATION EXIT/EMERGENCY LIGHT, SINGLE OR DOUBLE FACE



CATALOG NO.	NUMBER OF FACES	LETTER COLOR	HOUSING	BATTERY
 <b>XIT-STRIP-2R-W</b>	Double Face	Red	White	NiCd
 <b>XIT-STRIP-2G-W</b>	Double Face	Green	White	NiCd
<b>XIT-STRIP-2R-B</b>	Double Face	Red	Black	NiCd
<b>XIT-STRIP-2G-B</b>	Double Face	Green	Black	NiCd

## SPEC SERIES COMBO DIE-CAST ALUMINUM LED EXIT SIGN

ADJUSTABLE HEADS, 120-277V, 12-1/2"(W) x 11-3/4"(H) x 2-3/8"(D)



CATALOG NO.	NUMBER OF FACES	LETTER COLOR	HOUSING	BATTERY
 <b>XT-C-ADJ-3RBBEM</b>	Universal Single/Double	Red	Black	NiCd
<b>XT-C-ADJ-3RAAEM</b>	Universal Single/Double	Red	Aluminum	NiCd
<b>XT-C-ADJ-3RWWEM</b>	Universal Single/Double	Red	White	NiCd
<b>XT-C-ADJ-3GBBEM</b>	Universal Single/Double	Green	Black	NiCd
<b>XT-C-ADJ-3GAAEM</b>	Universal Single/Double	Green	Aluminum	NiCd
<b>XT-C-ADJ-3GWWEM</b>	Universal Single/Double	Green	White	NiCd
<b>XT-C-ADJ-RC</b>	Optional Remote Capability			

## SPEC SERIES WET LOCATION COMBINATION LED EXIT SIGN &

LED EMERGENCY, 120-277V 3.6W, 13-11/16"(W) x 12-3/8"(H) x 4-1/16"(D)



CATALOG NO.	NUMBER OF FACES	LETTER COLOR	HOUSING
 <b>CWLEZXT1G</b>	Single Face	Green	White
<b>CWLEZXT1GG</b>	Single Face	Green	Gray
<b>CWLEZXT1RW</b>	Single Face	Red	White
<b>CWLEZXT1RG</b>	Single Face	Red	Gray
<b>CWLEZXT1GB</b>	Single Face	Green	Black
<b>CWLEZXT1RB</b>	Single Face	Red	Black
<b>CWLEZXT2GB</b>	Double Face	Green	Black
<b>CWLEZXT2RB</b>	Double Face	Red	Black
<b>CWLEZXT2GW</b>	Double Face	Green	White
<b>CWLEZXT2GG</b>	Double Face	Green	Gray
<b>CWLEZXT2RW</b>	Double Face	Red	White
<b>CWLEZXT2RG</b>	Double Face	Red	Gray
<b>CWLEZ-SDT</b>	Optional Self Diagnostics Test		
<b>CWLEZ-RC</b>	Optional Remote Capability		
<b>CWLEZ-CW</b>	Optional Cold Weather		

EXIT & EMERGENCY

## SPEC SERIES NEMA 4X COMBINATION LED EXIT SIGN & LED EMERGENCY, 120-277V



CATALOG NO.	NO. OF FACES/LETTER COLOR	VOLTAGE	WATTAGE	HOUSING COLOR	ITEMS DESCRIPTION
XTCLN4X	1G 1R 2G 2R	6 6V	12W 12W	W B G WHITE BLACK GRAY	6V, 15W, SINGLE FACE
		12 12V	15W 15W 28W 28W		6V, 28W, SINGLE FACE 12V, 15W, SINGLE FACE 12V, 28W, SINGLE FACE 6V, 12W, DOUBLE FACE 12V, 12W, DOUBLE FACE

**SAMPLE ORDERING:**  
XTCLN4X-1G-12-15W-W

## LOW LEVEL LED EXIT & EMERGENCY COMBO



CATALOG NO.	NUMBER OF FACES	LETTERS COLOR	HOUSING	BATTERY
LLXT-RW	Universal Single	RED	Frost White	NiCd
LLXT-GW	Universal Single	GREEN	Frost White	NiCd
LLXT-RB	Universal Single	RED	Black	NiCd
LLXT-GB	Universal Single	GREEN	Black	NiCd

## WET LOCATION COMBO LED EXIT & EMERGENCY SIGN, UNIVERSAL



CATALOG NO.	NUMBER OF FACES	LETTER COLOR	FACE COLOR	BATTERY
XT-CLWP-RG-EM	Universal Single/Double	Red	White	NiCd
XT-CLWP-GG-EM	Universal Single/Double	Green	White	NiCd

## WET LOCATION COMBINATION LED EXIT SIGN &

## INCANDESCENT EMERGENCY, 120-277V, 11-3/4"(W) x 18-1/4"(H) x 3-3/4"(D)



CATALOG NO.	NUMBER OF FACES	LETTER COLOR	HOUSING	BATTERY
XT-CWP-RG-EM	Single Face	Red	Gray	NiCd
XT-CWP-HTR	Optional Internal Heater			

## MODERN MINI BUG-EYE EMERGENCY LIGHTS - 120-277 - 7"x7"



CATALOG NO.	WATTS	LUMENS	HOUSING COLOR	MOUNTING	BATTERY
EL-MT	1.5W(2)	150LM	White	Wall	3.6V NiCd
EL-MT-HO	1.5W(2)	250LM	White	Wall	3.6V NiCd

## MODERN MINI EMERGENCY LIGHTS- 120-277V - 7"(H) X 14" (W)



CATALOG NO.	WATTS	LUMENS	HOUSING COLOR	MOUNTING	BATTERY
EL-M5	1W(2)	150LM	White	Wall	3.6V NiCd
EL-M5-BK	1W(2)	150LM	Black	Wall	3.6V NiCd

## WET LOCATION MODERN MINI EMERGENCY LIGHTS- 120-277V - 7"(H) X 14" (W)



CATALOG NO.	WATTS	LUMENS	HOUSING COLOR	MOUNTING	BATTERY
EL-M5-HO-WP	1.5W(2)	200LM	White	Wall	3.6V NiCd

EXIT & EMERGENCY

**LED 2-HEAD MINI EMERGENCY LIGHT, 120-277V, 4"(H) x 8 1/2"(W) x 1 3/4"(D)**



CATALOG NO.	WATTS	LUMEN	HOUSING COLOR	MOUNTING	BATTERY
<b>EL-M2</b>	1W(2)	200LM	White	Wall	3.6V NiCd
<b>EL-M2-BK</b>	1W(2)	200LM	Black	Wall	3.6V NiCd



**LED 2-HEAD MINI EMERGENCY LIGHT, 120-277V, 4-1/4"(H) x 9-1/4"(W) x 1-3/5"(D)**



CATALOG NO.	WATTS	LUMEN	HOUSING COLOR	MOUNTING	BATTERY	LUMEN
<b>EL-M1</b>	1W(2)	200LM	White	Wall	3.6V Ni-MH	200LM
<b>EL-M1-BK</b>	1W(2)	200LM	Black	Wall	3.6V Ni-MH	200LM



**BUILDER SERIES LED EMERGENCY LIGHTS, 120-277V, 13.7" W X 4.3" H X 3.5" D**



CATALOG NO.	WATTS	HOUSING COLOR	MOUNTING	BATTERY
<b>EL-1</b>	1W per Head	White	Wall & Ceiling	NiCd



**SPEC SERIES LARGE LED EMERGENCY LIGHTS WITH HIGHER OUTPUT, 120-277V, 15.5" W X 5" H X 4.75" D**



CATALOG NO.	WATTS	HOUSING COLOR	MOUNTING	BATTERY
<b>EL-1L</b>	1.2W per Head	White	Wall & Ceiling	NiCd
<b>EL-1L-BK</b>	1.2W per Head	Black	Wall & Ceiling	NiCd



**SPEC SERIES LARGE LED EMERGENCY LIGHTS WITH REMOTE CAPABLE & HIGHER OUTPUT, 120-277V, 15.5" W X 5" H X 4.75" D**



CATALOG NO.	WATTS	HOUSING COLOR	MOUNTING	BATTERY	FEATURES
<b>EL-1L-RC</b>	1.2W per Head	White	Wall & Ceiling	NiCd	Remote Capable



**LED 2-HEAD DESIGNER EMERGENCY LIGHT, 120-277V, 4- 1/3"(H) x 13- 1/2"(W) x 3- 1/2"(D)**



CATALOG NO.	WATTS	HOUSING COLOR	MOUNTING	BATTERY
<b>EL-1D</b>	2.4W(2)	White	Wall	3.6V NiCd



**BUILDER SERIES LED EMERGENCY LIGHTS, 120-277V, 4 5/8"(H) x 9 1/2"(W) x 2 1/4"(D)**



CATALOG NO.	WATTS	HOUSING COLOR	MOUNTING	BATTERY
<b>EL-2A</b>	1.2W per head	White	Wall & Ceiling	3.6V 1Ah NI-CAD



EXIT & EMERGENCY

## SPEC SERIES LED 2-HEAD HIGH-OUTPUT EMERGENCY LIGHT, 120-277V, 5"(H) x 12-1/2"(W) x 2-4/5"(D)



CATALOG NO.	WATTS	HOUSING COLOR	BATTERY	LUMEN
<b>EL-HO</b>	3W(2)	White	Lead Acid	650LM

## LED 2-HEAD EXTRA HIGH-OUTPUT EMERGENCY LIGHT, 120-277V, 5"(H) x 12-1/2"(W) x 2-4/5"(D)



CATALOG NO.	WATTS	HOUSING COLOR	BATTERY	LUMENS
<b>EL-EHO</b>	10W per Head	White	Lead Acid	1250LM

## WET LOCATION LED 2-HEAD EMERGENCY LIGHT, 120-277V 4-1/5"(H) x 12-1/4"(W) x 5-1/4"(D)



CATALOG NO.	WATTS	HOUSING COLOR	MOUNTING	BATTERY	LUMEN
<b>EL-WP</b>	6W(2)	White	Wall & Ceiling	6V Ni-MH	400LM

## INDOOR SQUARE LED REMOTE HEADS, 120-277V



CATALOG NO.	WATTS	VOLTAGE	HOUSING COLOR	HEADS PER FIXTURE	
<b>EL-RH1</b>	1W per Head	3.6V/6V/9.9V/12 DC	White	Single	6-3/8"(H) x 4-1/4"(W) x 4-1/4"(D)
<b>EL-RH2</b>	1W per Head	3.6V/6V/9.9V/12 DC	White	Double	6-3/4"(H) x 4-1/4"(W) x 10-3/8"(D)

## WET LOCATION OUTDOOR SQUARE LED REMOTE HEADS, 120-277V



CATALOG NO.	WATTS	VOLTAGE	HOUSING COLOR	HEADS PER FIXTURE	
<b>EL-RH1-WP</b>	1W per Head	3.6V/6V/9.9V/12 DC	White	Single	6-3/8"(H) x 4-1/4"(W) x 4-1/4"(D)
<b>EL-RH2-WP</b>	1W per Head	3.6V/6V/9.9V/12 DC	White	Double	6-3/4"(H) x 4-1/4"(W) x 10-3/8"(D)

## WET LOCATION LED EMERGENCY LIGHTS WITH REMOTE CAPABILITY, 120-277V, 6"(H) x 12-1/2"(W) x 8-1/2"(D)



CATALOG NO.	WATTS	HOUSING COLOR	MOUNTING	BATTERY
<b>LEDTFX-2</b>	1.875W per Head	Gray	Wall	NiCd
<b>LEDTFX-2-B</b>	1.875W per Head	Black	Wall	NiCd

## BUILDER SERIES ECONOMY OUTDOOR EMERGENCY WALL PACK WITH PHOTOCELL, SELECTABLE 15~30W, 30/40K/50K, 120~277V MTO made to order



CATALOG NO.	DESCRIPTION
<b>LESW-15-30W-MCTP-P-EM</b>	15W/20W/30W 135LM/W 3000K/4000K/5000K Bronze
<b>LESW-15-30W-MCTP-P-WH-EM</b>	15W/20W/30W 135LM/W 3000K/4000K/5000K White



## BUILDER SERIES DECORATIVE OUTDOOR LED AC/EMERGENCY UNIT, 120~277V, 3-5/8"(H) x 10-1/2"(W) x 6-3/5"(D)



CATALOG NO.	WATTS	HOUSING COLOR	BATTERY	DESCRIPTION
<b>DELW-15W-MCT-BK</b>	15W	Black	NiCd	With Photocell
<b>DELW-15W-MCT-BR</b>	15W	Dark Bronze	NiCd	With Photocell
<b>DELW-15W-MCT-WH</b>	15W	White	NiCd	With Photocell



## SPEC SERIES DECORATIVE OUTDOOR LED AC/EMERGENCY UNIT, 120~277V, 3-5/8"(H) x 10-1/2"(W) x 6-3/5"(D)



CATALOG NO.	WATTS	HOUSING COLOR	BATTERY	DESCRIPTION
<b>DBEL-ACEM-WH-SDT</b>	12W	White	NiCd	With Photocell
<b>DBEL-ACEM-BK-SDT</b>	12W	Black	NiCd	With Photocell
<b>DBEL-ACEM-BR-SDT</b>	12W	Dark Bronze	NiCd	With Photocell
<b>DBEL-ACEM-N-SDT</b>	12W	Nickel	NiCd	With Photocell
<b>DBEL-ACEM-WH-SDT-CW</b>	12W	White	NiCd	With Cold Weather & Photocell
<b>DBEL-ACEM-BK-SDT-CW</b>	12W	Black	NiCd	With Cold Weather & Photocell
<b>DBEL-ACEM-BR-SDT-CW</b>	12W	Dark Bronze	NiCd	With Cold Weather & Photocell
<b>DBEL-ACEM-N-SDT-CW</b>	12W	Nickel	NiCd	With Cold Weather & Photocell



## SPEC SERIES NEMA 4X OUTDOOR LED REMOTE HEADS, 120~277V, 4-7/8"(H) x 9-5/8"(W) x 5-1/2"(D)



CATALOG NO.	WATTS	VOLTAGE	HOUSING COLOR	HEADS	PER FIXTURE
<b>RHN4X-1W</b>	3.3W per Head	6V/12VDC	White	Single Square Head	
<b>RHN4X-1B</b>	3.3W per Head	6V/12VDC	Black	Double Square Head	
<b>RHN4X-2W</b>	3.3W per Head	6V/12VDC	White	Single Square Head	
<b>RHN4X-2B</b>	3.3W per Head	6V/12VDC	Black	Double Square Head	



## SPEC SERIES NEMA 4X LED EMERGENCY LIGHTS, 120~277V



CATALOG NO.	WATTS	VOLTAGE	HOUSING COLOR	BATTERY
<b>ELN4X-12-15W-B</b>	15W	12V	Black	NiCd
<b>ELN4X-12-15W-W</b>	15W	12V	White	NiCd
<b>ELN4X-12-36W-B</b>	36W	12V	Black	NiCd
<b>ELN4X-12-36W-W</b>	36W	12V	White	NiCd
<b>ELN4X-12-54W-B</b>	54W	12V	Black	NiCd
<b>ELN4X-12-54W-W</b>	54W	12V	White	NiCd
<b>ELN4X-6-15W-B</b>	15W	6V	Black	NiCd
<b>ELN4X-6-15W-W</b>	15W	6V	White	NiCd
<b>ELN4X-6-36W-B</b>	36W	6V	Black	NiCd
<b>ELN4X-6-36W-W</b>	36W	6V	White	NiCd
<b>ELN4X-6-54W-B</b>	54W	6V	Black	NiCd
<b>ELN4X-6-54W-W</b>	54W	6V	White	NiCd



## POLYCARBONATE VANDAL/ENVIRONMENTAL SHIELD GUARDS



CATALOG NO.	DESCRIPTION
<b>PCS-1</b>	For use with most standard Exit signs
<b>BG-1</b>	For use with most standard Exit signs
<b>BGR-1</b>	For use with most standard Emergency lights
<b>WG-1</b>	Wire Guard, 13-3/4 X 15-1/4 X 6"
<b>WG-3</b>	Wire Guard, 13-3/4 X 30-1/4 X 6"





**EMERGENCY BATTERY BACKUPS**

CATALOG NO.	OUTPUT VOLTAGE	OUTPUT POWER	BATTERY	NOTES
<b>ELB-0848</b>	25-48V DC	8W MAX	Li-ion 2500mAh	8W SPLIT
<b>ELB-1048-HH</b>	25-48V DC	10W MAX	LiFePO4 3000mAh	10W SPLIT HEAT TOLERANT
<b>ELB-1248</b>	25-48V DC	12W MAX	Li-ion 2500mAh	12W SPLIT
<b>ELB-1548-HH</b>	25-48V DC	15W MAX	LiFePO4 3000mAh	15W SPLIT HEAT TOLERANT
<b>ELB-2048</b>	25-48V DC	20W MAX	Li-ion 4000mAh	20W SPLIT
<b>ELB-0460-FM</b>	10-60V DC	4W MAX	Li-ion 2500mAh	4W INTEGRATED
<b>ELB-2048-EXTR</b>	25-48V DC	20W MAX	Ni-MH 4000mAh	20W INTEGRATED
<b>ELB-3048-FLEX</b>	25-48V DC	30W MAX	Li-ion 4000mAh	30W INTEGRATED
<b>ELB-0895</b>	95V DC MAX	8W MAX	Ni-MH 2600mAh	8W INTEGRATED HIGH DC VOLTAGE
<b>ELB-30150-FLEX</b>	50-150V DC	30W MAX	Li-ion 4000mAh	30W INTEGRATED HIGH DC VOLTAGE
<b>ELB-2048-IP65</b>	25-48V DC	20W MAX	Li-ion 4000mAh	20W INTEGRATED IP65
<b>ELB-20150-IP65</b>	50-150V DC	20W MAX	Li-ion 4000mAh	20W INTEGRATED HIGH DC VOLTAGE IP65
<b>ELB-20150</b>	50-150V DC	20W MAX	Li-ion 4000mAh	20W INTEGRATED HIGH DC VOLTAGE
<b>ELB-08170-EXTR</b>	170VDC	8W MAX	Li-ion	WITH FLEX
<b>ELB-08120-AC</b>	120V AC	8W MAX	Li-ion	8W & AC VOLTAGE
<b>ELB-09120-AC</b>	120V AC	9W MAX	Li-ion	9W & AC VOLTAGE
<b>ELB-09120-AC-JB</b>	4in SQUARE J-BOX WITH FLAT BRACKET FOR CEILING LIGHTS WITH 9W AC-CONNECT			
<b>ELB-12120-AC</b>	120V AC	12W MAX	Li-ion	12W & AC VOLTAGE
<b>ELB-15120-AC</b>	120V AC	15W MAX	Li-ion	15W & AC VOLTAGE
<b>ELB-20175-AC-FLEX</b>	175VDC	20W MAX	Li-ion 4000mAh	20W INTEGRATED
<b>ELB-40170-AC-FLEX</b>	170VDC	40W MAX		DIRECT AC-CONNECT
<b>ELB-60170-AC-FLEX</b>	170VDC	60W MAX		DIRECT AC-CONNECT
<b>ELB-18150-B</b>	50-150VDC	18W MAX	Li-ion	18W SPLIT
<b>ELB-CW-18W-MW</b>	COLD-WEATHER LED EMERGENCY BACKUP 18W MULTI-VOLTAGE INTERNAL			
<b>ELB-CW-27W-MW</b>	COLD-WEATHER LED EMERGENCY BACKUP 27W MULTI-VOLTAGE INTERNAL			
<b>ELB-CW-27W-MW-IP66</b>	COLD-WEATHER LED EMERGENCY BACKUP 27W MULTI-VOLTAGE INTERNAL, IP66			
<b>ELB-15300-HH-B</b>	60-300VDC	15W	CONSTANT-POWER INTERNAL BACKUP	100-347V INPUT SELF-TEST
<b>ELB-23120-HH-AC-FLEX</b>	120VAC	23W	BACKUP FOR T8 LAMPS AND DOB DOWNLIGHTS	
<b>ELB-0856-CP-SD-HH-B</b>	100-347VAC	25-56VDC	8W LiFePO4	CONSTANT POWER SELF-DIAG. 2PC BOXED EM
<b>ELB-1556-CP-SD-HH-B</b>	100-347VAC	25-56VDC	15W LiFePO4	CONSTANT POWER SELF-DIAG. 2PC BOXED EM
<b>ELB-2056-CP-SD-HH-B</b>	100-347VAC	25-56VDC	20W LiFePO4	CONSTANT POWER SELF-DIAG. 2PC BOXED EM

**FACTORY-INSTALLED OPTIONS. ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

CATALOG NO.	DESCRIPTION
OPT-EM-CW2EXT	COLD-WEATHER EXTERNAL EMERGENCY POWER SUPPLY 27W FACTORY OPTION
OPT-EM-CW2INT	COLD-WEATHER INTERNAL EMERGENCY POWER SUPPLY 27W FACTORY OPTION
OPT-EM-CW1INT	COLD-WEATHER INTERNAL EMERGENCY POWER SUPPLY 18W FACTORY OPTION

# ELECTRICAL

SEARCH FOR THE SERIES NAME @WESTGATEMFG.COM



W1B SERIES




W1 SERIES



W1D SERIES



W2B SERIES



W2 SERIES




WC2 SERIES



W2D SERIES



W2X SERIES



W3 SERIES




W3D SERIES



WRB SERIES



WRC SERIES



WRE SERIES



WXB SERIES



WXF SERIES



WXR SERIES



LB SERIES



LL SERIES



LR SERIES



C SERIES



T SERIES



SLB SERIES



CG SERIES



LH150 SERIES



PL SERIES



M507CW SERIES



MS50 SERIES



GPA SERIES



EL-HO SERIES



EX143 SERIES



MVP98 SERIES



MVP99 SERIES



MVP94 SERIES



MVP99 SERIES



USB2 SERIES



YM SERIES



Live inventory. Real-time pricing. No waiting.  
Access the MyWestgate Portal to check  
availability and pricing instantly.  
Scan the QR code to skip the line.

*INFRASTRUCTURE CEILING - ELECTRICAL CONDUITS*

## ONE-GANG BOXES, 2" DEEP

	CATALOG NO.	DESCRIPTION	PKG. QTY.
	<b>W1B50-3</b>	1/2" trade size, 3 outlet holes, 18.3 cu. in.	20
	<b>W1B50-3-WH</b>	1/2" trade size, 3 outlet holes, 18.3 cu. in., white	20
	<b>W1B50-3-BRZ</b>	1/2" trade size, 3 outlet holes, 18.3 cu. in., bronze	20
	<b>W1B75-3</b>	3/4" trade size, 3 outlet holes, 18.3 cu. in.	20
	<b>W1B75-3-WH</b>	3/4" trade size, 3 outlet holes, 18.3 cu. in., white	20
	<b>W1B75-3-BRZ</b>	3/4" trade size, 3 outlet holes, 18.3 cu. in., bronze	20
	<b>W1B100-3</b>	1" trade size, 3 outlet holes, 18.3 cu. in.	20
	<b>W1B50-4</b>	1/2" trade size, 4 outlet holes, 18.3 cu. in.	20
	<b>W1B50-4-WH</b>	1/2" trade size, 4 outlet holes, 18.3 cu. in., white	20
	<b>W1B50-4-BRZ</b>	1/2" trade size, 4 outlet holes, 18.3 cu. in., bronze	20
	<b>W1B75-4</b>	3/4" trade size, 4 outlet holes, 18.3 cu. in.	20
	<b>W1B75-4-WH</b>	3/4" trade size, 4 outlet holes, 18.3 cu. in., white	20
	<b>W1B75-4-BRZ</b>	3/4" trade size, 4 outlet holes, 18.3 cu. in., bronze	20
	<b>W1B50-5</b>	1/2" trade size, 5 outlet holes, 18.3 cu. in.	20
	<b>W1B50-5-WH</b>	1/2" trade size, 5 outlet holes, 18.3 cu. in., white	20
<b>W1B50-5-BRZ</b>	1/2" trade size, 5 outlet holes, 18.3 cu. in., bronze	20	
<b>W1B75-5</b>	3/4" trade size, 5 outlet holes, 18.3 cu. in.	20	
<b>W1B75-5-WH</b>	3/4" trade size, 5 outlet holes, 18.3 cu. in., white	20	
<b>W1B75-5-BRZ</b>	3/4" trade size, 5 outlet holes, 18.3 cu. in. bronze	20	
<b>W1B50-5X</b>	1/2" trade size, 5 outlet holes, 18.3 cu. in.	20	
<b>W1B75-5X</b>	3/4" trade size, 5 outlet holes, 18.3 cu. in.	20	

## ONE-GANG DEVICE COVERS DEEP

	CATALOG NO.	DESCRIPTION	PKG. QTY.
	<b>W1BC</b>	BLANK COVER	50
	<b>W1BC-WH</b>	BLANK COVER, white	50
	<b>W1BC-BRZ</b>	BLANK COVER, bronze	50
	<b>W1BC-G</b>	HEAVY DUTY GALVANIZED BLANK COVER - gray	50
	<b>W1C-DV</b>	DUPLEX, VERTICAL	25
	<b>W1C-DV-WH</b>	DUPLEX, VERTICAL, white	25
	<b>W1C-DV-BRZ</b>	DUPLEX, VERTICAL, bronze	25
	<b>W1C-GV</b>	GFCI, VERTICAL	25
	<b>W1C-GV-WH</b>	GFCI, VERTICAL - white	25
	<b>W1C-GV-BRZ</b>	GFCI, VERTICAL - Bronze	25
	<b>W1C-P020</b>	20A RECEPTACLE, 1.60" DIAMETER	25
	<b>W1C-P030</b>	30A RECEPTACLE, 1.75" DIAMETER	25
	<b>W1C-P040</b>	40-50A RECEPTACLE, 2.30" DIAMETER	25
	<b>W1C-SV</b>	SINGLE RECEPTACLE, VERTICAL	25
	<b>W1C-SV-WH</b>	SINGLE RECEPTACLE, VERTICAL, white	25
	<b>W1C-SV-BRZ</b>	SINGLE RECEPTACLE, VERTICAL, bronze	25
	<b>W1C-SW</b>	1 LEVER, VERTICAL, SWITCH NOT INCLUDED	25
<b>W1C-SW-WH</b>	1 LEVER, VERTICAL, SWITCH NOT INCLUDED	25	
<b>W1C-SW-BRZ</b>	1 LEVER, VERTICAL, SWITCH NOT INCLUDED	25	

## ONE-GANG DEVICE COVERS

CATALOG NO.	DESCRIPTION	PKG. QTY.
 <b>W1C-TS</b>	TOGGLE SWITCH, VERTICAL	25
 <b>W1C-TS-WH</b>	TOGGLE SWITCH, VERTICAL, white	25
 <b>W1C-TS-BRZ</b>	TOGGLE SWITCH, VERTICAL, bronze	25
 <b>W1C-DH</b>	DUPLEX, HORIZONTAL	25
 <b>W1C-GH</b>	GFCI, HORIZONTAL	25
 <b>W1C-GH-WH</b>	GFCI, HORIZONTAL - white	25
 <b>W1C-GH-BRZ</b>	GFCI, HORIZONTAL - bronze	25
 <b>W1CL-DV</b>	LOCKABLE 1 GANG W/P COVER 1 SI	25
<b>W1CL-GV</b>	LOCKABLE 1 GANG W/P DEVICE COV	25
<b>W1CL-SV</b>	LOCKABLE 1 GANG W/P COVER 1 SI	25
<b>W1C-SH</b>	SINGLE RECEPTACLE HORIZONTAL	25

## ONE-GANG BOXES | 2-5/8" DEEP

CATALOG NO.	DESCRIPTION	PKG. QTY.
 <b>W1DB50-3</b>	1/2" trade size, 3 outlet holes, 23.8 cu. in.	12
 <b>W1DB75-3</b>	3/4" trade size, 3 outlet holes, 23.8 cu. in.	12
 <b>W1DB100-3</b>	1" trade size, 3 outlet holes, 23.8 cu. in.	12
 <b>W1DB50-4</b>	1/2" trade size, 4 outlet holes, 23.8 cu. in.	12
 <b>W1DB75-4</b>	3/4" trade size, 4 outlet holes, 23.8 cu. in.	12
 <b>W1DB50-5X</b>	1/2" trade size, 5 outlet holes, 23.8 cu. in.	12
 <b>W1DB75-5X</b>	3/4" trade size, 5 outlet holes, 23.8 cu. in.	12
 <b>W1DB100-5X</b>	1" trade size, 5 outlet holes, 23.8 cu. in.	12

## TWO-GANG STANDARD BOXES | 2" DEEP

CATALOG NO.	DESCRIPTION	PKG. QTY.
 <b>W2B50-3</b>	1/2" trade size, 3 outlet holes, 30.5 cu. in.	12
 <b>W2B75-3</b>	3/4" trade size, 3 outlet holes, 30.5 cu. in.	12
 <b>W2B100-3</b>	1" trade size, 3 outlet holes, 30.5 cu. in.	12
 <b>W2B50-4</b>	1/2" trade size, 4 outlet holes, 30.5 cu. in.	12
 <b>W2B75-4</b>	3/4" trade size, 4 outlet holes, 30.5 cu. in.	12
 <b>W2B100-4</b>	1" trade size, 4 outlet holes, 30.5 cu. in.	12
 <b>W2B50-5</b>	1/2" trade size, 5 outlet holes, 30.5 cu. in.	12
 <b>W2B75-5</b>	3/4" trade size, 5 outlet holes, 30.5 cu. in.	12
 <b>W2B50-5X</b>	1/2" trade size, 5 outlet holes, 30.5 cu. in.	12
 <b>W2B75-5X</b>	3/4" trade size, 5 outlet holes, 30.5 cu. in.	12
 <b>W2B100-5X</b>	1" trade size, 4 outlet holes, 30.5 cu. in.	12
 <b>W2B50-6X</b>	1/2" trade size, 6 outlet holes, 30.5 cu. in.	12
<b>W2B75-6X</b>	3/4" trade size, 6 outlet holes, 30.5 cu. in.	12
<b>W2B50-7</b>	1/2" trade size, 7 outlet holes, 30.5 cu. in.	12
<b>W2B75-7</b>	3/4" trade size, 7 outlet holes, 30.5 cu. in.	12
<b>W2B50-7X</b>	1/2" trade size, 7 outlet holes, 30.5 cu. in.	12
<b>W2B75-7X</b>	3/4" trade size, 7 outlet holes, 30.5 cu. in.	12
<b>W2B50-9</b>	1/2" trade size, 9 outlet holes, 30.5 cu. in.	12
<b>W2B75-9</b>	3/4" trade size, 9 outlet holes, 30.5 cu. in.	12

## TWO-GANG DEVICE COVERS

CATALOG NO.	DESCRIPTION	PKG. QTY.
 <b>W2BC</b>	2 GANG WEATHERPROOF BLANK COVE	25
<b>W2BC-WH</b>	2 GANG WEATHERPROOF BLANK COVE, white	25
<b>W2BC-BRZ</b>	2 GANG WEATHERPROOF BLANK COVE, bronze	25
<b>W2C-2D</b>	2 DUPLEX RECEPTACLES	12
<b>W2BC-G</b>	HEAVY DUTY GALVANIZED BLANK COVER	25
<b>W2C-2G</b>	2 GFCI RECEPTACLES	12
<b>W2C-2S</b>	2 SINGLE RECEPTACLES 1.406" DIAMETER	12
<b>W2C-GD</b>	1 GFCI & 1 DUPLEX RECEPTACLE	12
<b>W2C-GS</b>	1 GFCI & 1 SINGLE RECEPTACLE	12
<b>W2C-SD</b>	1 DUPLEX & 1 SINGLE RECEPTACLE 1.41" DIAMETER	12
<b>W2C-SW</b>	2 LEVERS + 2-15A SINGLE POLE SWITCHES -NOT INCLUDED	12
<b>W2CL-P050</b>	40-50A RECEPTACLE, 2.125" DIAMETER, LOCKABLE	12
<b>W2CL-P060</b>	60A RECEPTACLE, 2.468" DIAMETER, LOCKABLE	12
<b>W2C-DH</b>	OVER-SIZED DUPLEX, HORIZONTAL	12

## SERVICE ENTRANCE CAPS

CATALOG NO.	DESCRIPTION	PKG. QTY.
 <b>WC2-50</b>	SERVICE ENTRANCE CAPS, DIE-CAS	15
<b>WC2-75</b>	SERVICE ENTRANCE CAPS, DIE-CAS	10
<b>WC2-100</b>	SERVICE ENTRANCE CAPS, DIE-CAS	7
<b>WC2-125</b>	SERVICE ENTRANCE CAPS, DIE-CAS	5
<b>WC2-150</b>	SERVICE ENTRANCE CAPS, DIE-CAS	4
<b>WC2-200</b>	SERVICE ENTRANCE CAPS, DIE-CAS	4
<b>WC2-250</b>	SERVICE ENTRANCE CAPS, DIE-CAS	1
<b>WC2-300</b>	SERVICE ENTRANCE CAPS, DIE-CAS	1
<b>WC2-350</b>	SERVICE ENTRANCE CAPS, DIE-CAS	1
<b>WC2-400</b>	SERVICE ENTRANCE CAPS, DIE-CAS	1

## TWO-GANG DEEP BOXES | 2-5/8" DEEP

CATALOG NO.	DESCRIPTION	PKG. QTY.
 <b>W2DB50-5</b>	1/2" trade size, 5 outlet holes, 40.3 cu. in.	9
<b>W2DB75-5</b>	3/4" trade size, 5 outlet holes, 40.3 cu. in.	9
<b>W2DB100-5</b>	1" trade size, 5 outlet holes, 40.3 cu. in.	9
<b>W2DB50-7X</b>	1/2" trade size, 7 outlet holes, 40.3 cu. in.	9
<b>W2DB75-7X</b>	3/4" trade size, 7 outlet holes, 40.3 cu. in.	9
<b>W2DB100-7X</b>	1" trade size, 7 outlet holes, 40.3 cu. in.	9

## TWO-GANG EXTENSION BOXES | 1-9/16" DEEP

CATALOG NO.	DESCRIPTION	PKG. QTY.
 <b>W2XB50-6</b>	1/2" trade size, 6 outlet holes, 15.0 cu. in.	9
<b>W2XB75-6</b>	3/4" trade size, 6 outlet holes, 15.0 cu. in.	9
<b>W2XB50-8</b>	1/2" trade size, 8 outlet holes, 15.0 cu. in.	9
<b>W2XB75-8</b>	3/4" trade size, 8 outlet holes, 15.0 cu. in.	9

## THREE-GANG DEVICE COVER

CATALOG NO.	DESCRIPTION	PKG. QTY.
 <b>W3BC</b>	BLANK COVER	7
<b>W3C-3D</b>	3 DUPLEX RECEPTACLES	7
<b>W3C-3G</b>	3 GFCI RECEPTACLES	7
<b>W3C-3S</b>	3 SINGLE 1.41" DIAMETER RECEPTACLES	7

## THREE-GANG DEEP BOXES | 2-5/8" DEEP

CATALOG NO.	DESCRIPTION	PKG. QTY.
 <b>W3DB50-7</b>	1/2" trade size, 7 outlet holes, 54.0 cu. in.	10
<b>W3DB75-7</b>	3/4" trade size, 7 outlet holes, 54.0 cu. in.	10
<b>W3DB100-7</b>	1" trade size, 7 outlet holes, 54.0 cu. in.	10

## ROUND EXTENSION BOXES | 4" DEEP

CATALOG NO.	DESCRIPTION	PKG. QTY.
 <b>WRB50-5</b>	1/2" trade size, 5 outlet holes, 15.8 cu. in.	16
<b>WRB50-5-WH</b>	1/2" trade size, 5 outlet holes, 15.8 cu. in., white	16
<b>WRB50-5-BRZ</b>	1/2" trade size, 5 outlet holes, 15.8 cu. in., bronze	16
<b>WRB50-5-BK</b>	1/2" trade size, 5 outlet holes, 15.8 cu. in., black	16
<b>WRB75-5</b>	3/4" trade size, 5 outlet holes, 54.0 cu. in	16

## ROUND COVERS | 4" DEEP

CATALOG NO.	DESCRIPTION	PKG. QTY.
 <b>WRC-1</b>	1/2" trade size, 1 outlet holes	25
<b>WRC-1-WH</b>	1/2" trade size, 1 outlet holes, white	25
<b>WRC-1-BRZ</b>	1/2" trade size, 1 outlet holes, bronze	25
<b>WRC-1-BK</b>	1/2" trade size, 1 outlet holes, black	25
 <b>WRC-2</b>	1/2" trade size, 2 outlet holes	25
<b>WRC-2-WH</b>	1/2" trade size, 2 outlet holes, white	25
<b>WRC-2-BRZ</b>	1/2" trade size, 2 outlet holes, bronze	25
<b>WRC-2-BK</b>	1/2" trade size, 2 outlet holes, black	25
 <b>WRC-3</b>	1/2" trade size, 3 outlet holes	25
<b>WRC-3-WH</b>	1/2" trade size, 3 outlet holes, white	25
<b>WRC-3-BRZ</b>	1/2" trade size, 3 outlet holes, bronze	25
<b>WRC-3-BK</b>	1/2" trade size, 3 outlet holes, black	25
 <b>W4RBC</b>	4" round blank cover with gasket	50

## ONE-GANG RECTANGULAR COVERS

CATALOG NO.	DESCRIPTION	PKG. QTY.
 <b>WRE-1</b>	1/2" trade size, 1 outlet holes	25
<b>WRE-1-WHT</b>	1/2" trade size, 1 outlet holes, white	25
<b>WRE-1-BRZ</b>	1/2" trade size, 1 outlet holes, bronze	25
 <b>WRE-2</b>	1/2" trade size, 2 outlet holes	25
<b>WRE-2-WHT</b>	1/2" trade size, 2 outlet holes, white	25
<b>WRE-2-BRZ</b>	1/2" trade size, 2 outlet holes, bronze	25
 <b>WRE-3</b>	1/2" trade size, 3 outlet holes	25
<b>WRE-3-WH</b>	1/2" trade size, 3 outlet holes, white	25
<b>WRE-3-BRZ</b>	1/2" trade size, 3 outlet holes, bronze	25

## ONE-GANG EXTENSION BOXES | 1-3/8" DEEP

CATALOG NO.	DESCRIPTION	PKG. QTY.
 <b>WXB50-4</b>	1/2" trade size, 4 outlet holes, 9.5 cu. in.	12
<b>WXB75-4</b>	3/4" trade size, 4 outlet holes, 9.5 cu. in.	12
<b>WXB50-6</b>	1/2" trade size, 6 outlet holes, 9.5 cu. in	12
<b>WXB75-6</b>	3/4" trade size, 6 outlet holes, 9.5 cu. in.	12

## ONE-GANG FLANGED EXTENSION BOXES | 1-9/16" DEEP

CATALOG NO.	DESCRIPTION	PKG. QTY.
 <b>WXF50-2</b>	1/2" trade size, 2 outlet holes, 13.5 cu. in.	10
<b>WXF75-2</b>	3/4" trade size, 2 outlet holes, 13.5 cu. in.	10
 <b>WXF50-4</b>	1/2" trade size, 4 outlet holes, 13.5 cu. in.	10
<b>WXF75-4</b>	3/4" trade size, 4 outlet holes, 13.5 cu. in.	10
 <b>WXF50-6</b>	1/2" trade size, 6 outlet holes, 13.5 cu. in.	10
<b>WXF75-6</b>	3/4" trade size, 6 outlet holes, 13.5 cu. in	10

## ONE-GANG FLANGED EXTENSION RING | 1" DEEP

CATALOG NO.	DESCRIPTION	PKG. QTY.
 <b>WXR-1</b>	1 GANG W/P EXTENSION RING	24
 <b>WXR-2</b>	2 GANG W/P EXTENSION RING	12
 <b>WXR50-4</b>	4" ROUND W/P EXT. BOX 4 1/2" H	16
 <b>WXR75-4</b>	4" ROUND W/P EXT. BOX 4 3/4" H	16
 <b>WRC-GASKET</b>	Universal 1-gang foam gasket	25

## THREADED CONDUIT BODIES | LB SERIES

	CATALOG NO.	TRADE SIZE	LENGTH	WIDTH	HEIGHT	PKG. QTY.
	<b>LB-50CG</b>	1/2"	4-5/16"	1-5/16"	2-11/32"	10
	<b>LB-75CG</b>	3/4"	5-3/32"	1-9/16"	2-5/8"	10
	<b>LB-100CG</b>	1"	5-29/32"	1-13/16"	3"	5
	<b>LB-125CG</b>	1-1/4"	7-13/16"	2-1/2"	3-3/4"	2
	<b>LB-150CG</b>	1-1/2"	7-13/16"	2-1/2"	3-3/4"	2
	<b>LB-200CG</b>	2"	10-1/16"	3-3/16"	4-3/4"	1
	<b>LB-250CG</b>	2-1/2"	12-13/16" 12-	4-1/2"	5-9/16"	1
	<b>LB-300CG</b>	3"	13/16"	4-1/2"	6-5/32"	1
	<b>LB-400CG</b>	4"	15-5/8"	5-9/16"	7-9/16"	1

## THREADED CONDUIT BODIES | LL SERIES

	CATALOG NO.	TRADE SIZE	LENGTH	WIDTH	HEIGHT	PKG. QTY.
	<b>LL-50CG</b>	1/2"	4-5/16"	2-1/32"	1-5/8"	10
	<b>LL-75CG</b>	3/4"	5-3/32"	2-5/16"	1-7/8"	10
	<b>LL-100CG</b>	1"	5-29/32"	2-11/16"	2-1/8"	5
	<b>LL-125CG</b>	1-1/4"	7-13/16"	3-1/2"	2-3/4"	2
	<b>LL-150CG</b>	1-1/2"	7-13/16"	3-1/2"	2-3/4"	2
	<b>LL-200CG</b>	2"	10-1/16"	4-9/32"	3-5/8"	1
	<b>LL-250CG</b>	2-1/2"	12-13/16" 12-	5-7/8"	4-1/4"	1
	<b>LL-300CG</b>	3"	13/16"	5-7/8"	4-3/4"	1
	<b>LL-400CG</b>	4"	15-5/8"	7-21/32"	5-7/8"	1

## THREADED CONDUIT BODIES | LR SERIES

	CATALOG NO.	TRADE SIZE	LENGTH	WIDTH	HEIGHT	PKG. QTY.
	<b>LR-50CG</b>	1/2"	4-5/16"	2-1/32"	1-5/8"	10
	<b>LR-75CG</b>	3/4"	5-3/32"	2-5/16"	1-7/8"	10
	<b>LR-100CG</b>	1"	5-29/32"	2-11/16"	2-1/8"	5
	<b>LR-125CG</b>	1-1/4"	7-13/16"	3-1/2"	2-3/4"	2
	<b>LR-150CG</b>	1-1/2"	7-13/16"	3-1/2"	2-3/4"	2
	<b>LR-200CG</b>	2"	10-1/16"	4-9/32"	3-5/8"	1
	<b>LR-250CG</b>	2-1/2"	12-13/16" 12-	5-7/8"	4-1/4"	1
	<b>LR-300CG</b>	3"	13/16"	5-7/8"	4-3/4"	1
	<b>LR-400CG</b>	4"	15-5/8"	7-21/32"	5-7/8"	1

## THREADED CONDUIT BODIES | C SERIES

	CATALOG NO.	TRADE SIZE	LENGTH	WIDTH	HEIGHT	PKG. QTY.
	<b>C-50CG</b>	1/2"	4-11/16"	1-5/16"	1-5/8"	10
	<b>C-75CG</b>	3/4"	5-1/2"	1-9/16"	1-7/8"	10
	<b>C-100CG</b>	1"	6-7/16"	1-13/16"	2-1/8"	5
	<b>C-125CG</b>	1-1/4"	8-3/8"	2-1/2"	2-3/4"	2
	<b>C-150CG</b>	1-1/2"	8-3/8"	2-1/2"	2-3/4"	2
	<b>C-200CG</b>	2"	10-9/16"	3-3/16"	3-5/8"	1
	<b>C-250CG</b>	2-1/2"	13-1/2"	4-1/2"	4-1/4"	1
	<b>C-300CG</b>	3"	13-1/2"	4-1/2"	4-3/4"	1
	<b>C-400CG</b>	4"	16-5/16"	5-9/16"	5-7/8"	1

## THREADED CONDUIT BODIES | T SERIES

	CATALOG NO.	TRADE SIZE	LENGTH	WIDTH	HEIGHT	PKG. QTY.
	<b>T-50CG</b>	1/2"	4-11/16"	2-1/32"	1-5/8"	10
	<b>T-75CG</b>	3/4"	5-1/2"	2-5/16"	1-7/8"	10
	<b>T-100CG</b>	1"	6-7/16"	2-11/16"	2-1/8"	5
	<b>T-125CG</b>	1-1/4"	8-3/8"	3-1/2"	2-3/4"	2
	<b>T-150CG</b>	1-1/2"	8-3/8"	3-1/2"	2-3/4"	2
	<b>T-200CG</b>	2"	10-9/16"	4-9/32"	3-5/8"	1
	<b>T-250CG</b>	2-1/2"	13-1/2"	5-7/8"	4-1/4"	1
	<b>T-300CG</b>	3"	13-1/2"	5-7/8"	4-3/4"	1
	<b>T-350CG</b>	3-1/2"	16-5/16"	7-21/32"	5-7/8"	1
	<b>T-400CG</b>	4"	16-5/16"	7-21/32"	5-7/8"	1

## THREADED CONDUIT BODIES | SLB SERIES

	CATALOG NO.	TRADE SIZE	LENGTH	WIDTH	HEIGHT	PKG. QTY.
	<b>SLB-50</b>	1/2"	3-9/32"	1-3/8"	1-5/8"	20
	<b>SLB-75</b>	3/4"	3-19/32"	1-9/16"	1-27/32"	20
	<b>SLB-100</b>	1"	4-5/16"	1-31/32"	2-1/8"	10

## COVERS & GASKETS FOR THREADED CONDUIT BODIES

	CATALOG NO.	TRADE SIZE	LENGTH	WIDTH	HEIGHT	PKG. QTY.
	<b>CG-50</b>	1/2"	3-7/8"	1-5/16"	-	100
	<b>CG-75</b>	3/4"	4-11/16"	1-9/16"	-	50
	<b>CG-100</b>	1	5-3/8"	1-3/4"	-	50
	<b>CG-125/150</b>	1-1/4" &	7-5/16"	2-1/2"	-	25
	<b>CG-200</b>	1-1/2"	9-1/2"	3-1/8"	-	10
	<b>CG-250/300</b>	2"	12-1/16"	4-7/16"	-	10
	<b>CG-350/400</b>	2-1/2"	15-1/16"	5/9/2016"	-	5

## LAMP HOLDERS

	CATALOG NO.	DESCRIPTION	PKG. QTY.
	<b>LH150-1</b>	STANDARD WEATHERPROOF LAMP HOLDER	20
	<b>LH150-1-WH</b>	STANDARD WEATHERPROOF LAMP HOLDER, BRONZE	12
	<b>LH150-GASKET</b>	Silicon Gasket For LH150	20

## LAMP HOLDERS

	CATALOG NO.	DESCRIPTION	PKG. QTY.
	<b>PL-50</b>	CLOSE-UP PLUG 1/2" - 50 PER BA	500 per bag
	<b>PL-50-BRZ</b>	CLOSE-UP PLUG 1/2" - 50 PER BA, BRONZE	500 per bag
	<b>PL-50-WH</b>	CLOSE-UP PLUG 1/2" - 50 PER BA, WHITE	500 per bag
	<b>PL-75</b>	CLOSE-UP PLUG 3/4" - 50 PER BA	500 per bag
	<b>PL-100</b>	CLOSE-UP PLUG 1" - 50 PER BAG	200 per bag

## PORCELAIN LAMP HOLDERS

	CATALOG NO.	DESCRIPTION	PKG. QTY.
	<b>M507CW-UL</b>	E26, PORCELAIN LAMPHOLDER WITH PULL CHAIN, 2 TERMINAL SCREWS, 660W/250V RATING, WHITE	48

## PLASTIC LAMP HOLDERS

	CATALOG NO.	DESCRIPTION	PKG. QTY.
	<b>MS507C-UL</b>	E26, BAKELITE KEYLESS LAMPHOLDER WITH 2 TERMINAL SCREWS, 660W/250V RATING, WHITE	108
	<b>MS507CW-UL</b>	E26, BAKELITE LAMPHOLDER WITH PULL CHAIN, 2 TERMINAL SCREWS, 660W/250V RATING, WHITE	108

## ANGLE PLUG, GENERAL PURPOSE CORDS | 125V-13A, GRAY

	CATALOG NO.	DESCRIPTION	PKG. QTY.
	<b>GPA3-2</b>	SPT-2 16AWG/ 3 CONDUCTOR, ANGLE PLUG, NEMA 5-15P, 125V, GRAY, 3FT	100
	<b>GPA6-2</b>	SPT-2 16AWG/ 3 CONDUCTOR, ANGLE PLUG, NEMA 5-15P, 125V, GRAY, 6FT	100
	<b>GPA8-2</b>	SPT-2 16AWG/ 3 CONDUCTOR, ANGLE PLUG, NEMA 5-15P, 125V, GRAY, 8FT	100

## STRAIGHT PLUG, GENERAL PURPOSE CORDS | 125V-13A, GRAY

CATALOG NO.	DESCRIPTION	PKG. QTY.
 <b>GPS3-2</b>	SPT-2 16AWG/ 3 CONDUCTOR, STRAIGHT PLUG, NEMA 5-15P, 125V, GRAY, 3FT	100
<b>GPS6-2</b>	SPT-2 16AWG/ 3 CONDUCTOR, STRAIGHT PLUG, NEMA 5-15P, 125V, GRAY, 6FT	100
<b>GPS8-2</b>	SPT-2 16AWG/ 3 CONDUCTOR, STRAIGHT PLUG, NEMA 5-15P, 125V, GRAY, 8FT	100

## STRAIGHT PLUG WITH VINYL INSULATION

CATALOG NO.	DESCRIPTION	PKG. QTY.
 <b>EX143-50</b>	Replacement Cords For Range Or Dryer	

## DIRECTIONAL ARMORED GROUND CLAMP WITH STEEL SCREWS

CATALOG NO.	DESCRIPTION	PKG. QTY.
 <b>MVP98</b>	TRADE SIZE 1/2"- 1" WIRE SIZE 4-6-8	100

## FEED-THROUGH ARMORED GROUND CLAMP WITH STEEL SCREWS

CATALOG NO.	DESCRIPTION	PKG. QTY.
 <b>MVP99</b>	TRADE SIZE 1/2"- 1" WIRE SIZE 4-6-8,	100

## FEED-THROUGH ARMORED GROUND CLAMP WITH STEEL SCREWS

CATALOG NO.	DESCRIPTION	PKG. QTY.
 <b>MVP94-50</b>	1/2" FEED-THROUGH ARMORED GROUND CLAMP	100
<b>MVP94-75</b>	3/4" FEED-THROUGH ARMORED GROUND CLAMP	100

## FEED-THROUGH ARMORED GROUND CLAMP WITH CABLE ADAPTOR

CATALOG NO.	DESCRIPTION	PKG. QTY.
 <b>MVP99-360-1C</b>	TRADE SIZE 1/2"- 1" WIRE SIZE 4-6-8, MASTER 80 WITH 1 ARMORED CABLE ADAPTOR	80
<b>MVP99-360-2C</b>	TRADE SIZE 1/2"- 1" WIRE SIZE 4-6-8, MASTER 80 WITH 2 ARMORED CABLE ADAPTOR	80

## STEEL JACK CHAIN & FIXTURE HANGER

CATALOG NO.	DESCRIPTION	PKG. QTY.
 <b>CH-1212</b>	Steel jack chain, 100ft., 12GA, (Meets weight requirements for Linear High Bays)	
<b>CH-1010</b>	Steel jack chain, 100ft., 10GA	
<b>FH-S</b>	Side mount Steel fixture hangers, 10GA	
<b>FH-E</b>	End mount Steel fixture hangers, 10GA	
<b>H-SCREW</b>	Steel flat hanger screw with single hole, 1/4" x 3"	

## OCCUPANCY/VACANCY SENSORS

CATALOG NO.	DESCRIPTION	PKG. QTY.
 <b>YM183-W</b>	Occupancy PIR Sensor, 180°, 30FT (720FT), 120V 800/1200W max, Single Pole, Neutral Req.	
<b>YM2108-W</b>	Vacancy & Occupancy PIR Sensor, 180°, 30FT (720FT), 120V 800/1200W max, Single Pole, Neutral Req.	
<b>YM2108-T-W</b>	Vacancy & Occupancy PIR Sensor, 180°, 25FT (600FT), 120V 600/1000W max, 3-Way, Neutral Req.	

## 2 VERTICAL USB PORT 5V DC

CATALOG NO.	DESCRIPTION	PKG. QTY.
 <b>USB2-15TR-WH</b>	15A Receptacle W/2 USB Ports	
<b>USB2-20TR-WH</b>	20A Receptacle W/2 USB Ports	

# FINAL PRODUCTION DEALS

"WHILE SUPPLIES LAST"



**LWAX-SM**  
White



**LWAX-SM**  
Dark Bronze



**LWAX-MD**  
Dark Bronze



**LWAX-LG**  
Dark Bronze

## POWER & CCT-ADJUSTABLE CUTOFF WALL PACK, 120-277V TYPE 2 LENS



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
<b>LWAX-SM-12W-50K</b>	12W <b>1500LM</b> 5000K	30
<b>LWAX-MD-30W-30K</b>	30W <b>3900LM</b> 3000K	92
<b>LWAX-MD-30W-50K</b>	30W <b>3900LM</b> 5000K	73
<b>LWAX-SM-12W-30K-WH</b>	12W <b>1500LM</b> 3000K	225

## LED ADJUSTABLE CUTOFF WALL PACK, 120-277V TYPE 2 LENS Dark Bronze & White



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
<b>LWA-50CW-WH</b>	50W <b>5200LM</b> 5000K	46
<b>LWA-50WW-WH</b>	50W <b>4900LM</b> 3000K	178
<b>LWA-120NW</b>	120W <b>13700LM</b> 4000K	20
<b>LWA-120WW</b>	120W <b>13700LM</b> 5000K	16

## LED ADJUSTABLE CUTOFF WALL PACK, 120-277V



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
<b>LWA-20WW</b>	20W <b>2000LM</b> 3000K	46
<b>LWA-30CW-WH</b>	30W <b>3200LM</b> 5000K	42
<b>LWA-30WW</b>	30W <b>3000LM</b> 3000K	13

## LED CUTOFF WALL PACK, 120-277V



CATALOG NO.	DESCRIPTION	REPLACEMENT RANGE	AVAILABLE QTY.
<b>LWP-22CW</b>	22W <b>2000LM</b> 5000K	50-100 MH	93
<b>LWP-80CW</b>	80W <b>7900LM</b> 5000K	320-400 MH	28

## LED ROTATABLE WALL PACKS, 120-277V



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
<b>LW360-25W-MCT-G2</b>	25W <b>3250LM</b> 30K/40K/50K	21
<b>LW360-60W-40K</b>	60W <b>8100LM</b> 4000K	87

FINAL DEALS

# FINAL PRODUCTION DEALS

"WHILE SUPPLIES LAST"

## LED ROTATABLE WALL PACKS, 120-277V

Dark Bronze & White



CATALOG NO.	DESCRIPTION	REPLACEMENT RANGE	AVAILABLE QTY.
	<b>LW360-60W-30K</b> 60W <b>8100LM</b> 3000K Bronze	200-300MH	143
	<b>LW360-80W-30K</b> 80W <b>10800LM</b> 3000K Bronze	250-400 MH	44
	<b>LW360-80W-40K</b> 80W <b>10800LM</b> 4000K Bronze	250-400 MH	48
	<b>LW360-25W-30K-WH</b> 25W <b>3375LM</b> 3000K White	100-150 MH	210

## LED NON-CUTOFF WALL PACKS, 120-277V



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
	<b>WML-HL-100W-30K</b> 100W <b>14800LM</b> 3000K	47
	<b>WML-HL-30W-30K</b> 30W <b>4200LM</b> 3000K	129
	<b>WML-HL-50W-50K</b> 50W <b>7100LM</b> 5000K	13
	<b>WML-HL-60W-30K</b> 60W <b>8700LM</b> 3000K	208
	<b>WML-HL-80W-30K</b> 80W <b>11600LM</b> 3000K	134
	<b>WML-HL-80W-50K</b> 80W <b>11600LM</b> 5000K	17

## SHIELD FOR WML 30W

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
<b>WML-SH1</b>	Shield For WML 30W	50



## LED NON-CUTOFF WALL PACKS WITH DIRECTIONAL OPTIC LENS



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
	<b>WML2-28W-50K-HL-SM-D</b> 28W <b>3500LM</b> 5000K	524
	<b>WML2-50W-30K-HL</b> 48W <b>6000LM</b> 3000K	112
	<b>WML2-50W-30K-SM</b> 50W <b>5500LM</b> 3000K	195
	<b>WML2-120W-30K-HL-LG</b> 120W <b>15000LM</b> 3000K	13

## LED SMALL NON-CUTOFF WALL PACK WITH PHOTOCELL, 120V

CATALOG NO.	DESCRIPTION	REPLACEMENT RANGE	AVAILABLE QTY.
<b>LESW-12W-30K-P</b>	12W <b>1225LM</b> 3000K	50-70MH	53



FINAL DEALS

# FINAL PRODUCTION DEALS

"WHILE SUPPLIES LAST"

## LED SMALL (11") WALL PACK WITH PHOTOCELL 120-277V TYPE 2 LENS

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
<b>LSWX-20W-30K-PC</b>	20W 2450LM 3000KBronze	577



## 6" LED CYLINDER LIGHTS, 120-277V (UP/DOWN LIGHT) H: 18"

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
<b>WMCL-UDL-MCT-BK</b>	40W 3200LM 3000K/4000K/5000K	10



**LFX-LG**  
Dark Bronze

**LFX-XL**  
Dark Bronze

**LFX-XXL**  
Dark Bronze

## SPEC SERIES POWER-ADJUSTABLE AREA LIGHT, TYPE 3 LENS



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
<b>SPEC SERIES POWER-ADJUSTABLE FLOOD/AREA LIGHT, 120-277V</b>		
<b>LFX-LG-50-150W-30K</b>	50W/80W/100W/150W 140LM/W 3000K	70
<b>LFX-LG-50-150W-40K</b>	50W/80W/100W/150W 140LM/W 4000K	35
<b>LFX-XL-150-300W-30K</b>	150W/200W/240W/300W 145LM/W 3000K	378
<b>LFX-XL-150-300W-40K</b>	150W/200W/240W/300W 145LM/W 4000K	65
<b>LFX-XXL-300-600W-50K</b>	300W/400W/500W/600W 140LM/W 5000K	435
<b>SPEC SERIES POWER-ADJUSTABLE FLOOD/AREA LIGHT, 480V</b>		
<b>LFX-XXL-300-600W-50K-480V</b>	300W/400W/500W/600W 140LM/W 5000K	238

## SPEC SERIES POWER & CCT ADJUSTABLE ARCHITECTURAL ROUND-BACK FLOOD LIGHT, 120-277V



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
<b>LF4PRO-50-150W-MCTP</b>	50W/80W/100W/150W 125LM/W 30K/40K/50K/57K	397



FINAL DEALS

# FINAL PRODUCTION DEALS

"WHILE SUPPLIES LAST"

## LED FLOOD LIGHT 120-277V

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
 <b>LF-120WW-SF</b>	120W <b>10000LM</b> 3000K	11

## LED FLOOD LIGHTS LF3 SERIES WITH KNUCKLE, 120-277V (NOT DIMMABLE)

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
 <b>LF-55WW-KN</b>	55W <b>4500LM</b> 3000K	77

## LF2 ARCHITECTURAL FLOOD LIGHTS, 120-277V



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
 <b>LF2-10CW-TR</b>	10W <b>942LM</b> 5000K TRUNNION	196
<b>LF2-10WW-TR</b>	10W <b>900LM</b> 3000K TRUNNION	19
<b>LF2-80WW-TR</b>	80W <b>6282LM</b> 3000K TRUNNION	12

## 12V LED GARDEN LIGHT

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
 <b>LF12-6NW</b>	6W <b>450LM</b> 4000K	18
<b>LF12-20WW</b>	20W <b>1330LM</b> 3000K	63
<b>LF12-30CW</b>	30W <b>2000LM</b> 5000K	22
<b>LF12-50WW</b>	50W <b>3330LM</b> 3000K	28
<b>LF12-6W-RGBW-KN</b>	6W <b>450LM</b> RGB + 3000K	462

## LED FLOOD LIGHTS LF3 SERIES w/ SLIP FITTER, 120-277V

Dark Bronze



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
 <b>LF3-80WW-SF</b>	80W <b>9600LM</b> 3000K	14
<b>LF3-300WW-SF</b>	300W <b>30800LM</b> 3000K	21

## LED FLOOD LIGHTS LF3 SERIES WITH U BRACKET, 120-277V (NOT DIMMABLE)



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
 <b>LF3-WH-30WW-TR</b>	30W <b>3600LM</b> 3000K TRUNNION	707
<b>LF3-30WW-TR</b>	30W <b>3600LM</b> 3000K TRUNNION	11
<b>LF3-30NW-TR</b>	30W <b>3600LM</b> 4000K TRUNNION	123
<b>LF3-50NW-TR</b>	50W <b>6100LM</b> 4000K TRUNNION	36
<b>LF3-100WW-TR</b>	100W <b>10000LM</b> 3000K TRUNNION	11

FINAL DEALS

# FINAL PRODUCTION DEALS

"WHILE SUPPLIES LAST"

## LED FLOOD LIGHTS LF3 SERIES WITH YOKE, 120-277V



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
<b>LF3-150WW-YK</b>	150W 20680LM 3000K	238
<b>LF3-300CW-YK</b>	300W 39000LM 5000K	14

## LED FLOOD LIGHTS LF3 SERIES, 120-277V



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
<b>LF3-HL-80W-40K-D</b>	80W 10400LM 4000K	17
<b>LF3-HL-100W-30K-D</b>	100W 13000LM 3000K	52
<b>LF3-HL-150W-30K-D</b>	150W 19700LM 3000K	24
<b>LF3-HL-300W-40K-D</b>	300W 39000LM 4000K	16

## LED FLOOD LIGHTS LF3 SERIES, 480V



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
<b>LF3-HL-100W-40K-480V</b>	100W 13200LM 4000K	57
<b>LF3-HL-100W-50K-480V</b>	100W 13200LM 5000K	14
<b>LF3-HL-150W-40K-480V</b>	150W 20680LM 4000K	167
<b>LF3-HL-230W-40K-480V</b>	230W 31000LM 4000K	73

## LED FLOOD LIGHTS LF3 SERIES, 120-277V



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
<b>LF3-HL-80W-40K-TR</b>	80W 10700LM 4000K	44
<b>LF3-HL-100W-30K-TR</b>	100W 13000LM 3000K	14
<b>LF3-HL-300W-50K-TR</b>	300W 39000LM 5000K	12

FINAL DEALS

## ACCESSORIES FOR LF3 HL CSERIES

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
<b>LF3-EXTARM</b>	STRAIGHT EXTENSION ARM FOR SHOE BOX APPLICATION, WITH K/O TO INSTALL PC OR SENSOR (LF3-80-300)	459
<b>LF3-HL-ASA</b>	ADJUSTABLE STRAIGHT ARM FOR LF3-HL SERIES	116
<b>LF3-HL-EXT</b>	STRAIGHT EXTENSION ARM FOR SHOE BOX APPLICATION	159
<b>LF3-HL-PMR1</b>	ROUND POLE MOUNT FOR LF3-HL-80W/100W/150W	151
<b>LF3-HL-PMR2</b>	ROUND POLE MOUNT FOR LF3-HL-300W	110
<b>LF3-HL-PMS1</b>	SQUARE POLE MOUNT FOR LF3-HL-80W/100W/150W	665
<b>LF3-HL-RSF</b>	ROUND SLIP FITTER FOR LF3-HL SERIES	651
<b>LF3-HL-SF</b>	ADJUSTABLE SLIP FITTER FOR POLE MOUNT	248
<b>LF3-HL-FSF</b>		104
<b>LF3-HL-PK2</b>		376
<b>LF3-HL-RA</b>		22
<b>LF3-HL-TR-230/300W</b>	U BRACKET FOR LF3-HL-230W&300W	69
<b>LF3-HL-TR-80/100/150W</b>	U BRACKET FOR LF3-HL-80W,100W, AND 150W.	92
<b>LF3-HL-YK-100W/150W/230W</b>	ADJUSTABLE U SHAPE YOKE MOUNT FOR LF3-HL-100W/150W/230W	108
<b>LF3-HL-YK-300W</b>	ADJUSTABLE U SHAPE YOKE MOUNT FOR LF3-HL-300W	91
<b>LF3-HL-TYPEII-150W/230W/300W</b>	TYPE 2 LENS FOR LF3-HL SERIES LF3-HL 150W/230W/300W (ORDER 2)	178
<b>LF3-HL-TYPEIII-100W</b>	TYPE 3 LENS FOR LF3-HL SERIES 100W (ORDER 2)	77
<b>LF3-HL-TYPEIII-150W/230W/300W</b>	TYPE 3 LENS FOR LF3-HL SERIES LF3-HL 150W/230W/300W (ORDER 2)	395
<b>LF3-HL-TYPEIV-100W</b>	TYPE 4 LENS FOR LF3-HL SERIES 100W (ORDER 2)	388
<b>LF3-HL-TYPEIV-150W/230W/300W</b>	TYPE 4 LENS FOR LF3-HL SERIES LF3-HL 150W/230W/300W (ORDER 2)	205

## LF3 ACCESSORIES

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
<b>LF3-SH4FG</b>	FULL-GLARE SHROUD FOR LF3-HL-230W	27
<b>LF3-SH5</b>	SHROUD FOR LF3-220W/300W	46
<b>LF3-EXTARM</b>	STRAIGHT EXTENSION ARM FOR SHOE BOX APPLICATION, WITH K/O TO INSTALL PC OR SENSOR (LF3-80-300)	475
<b>LF3-STR</b>	STREET LIGHT ARM 6" LONG WITH 20" WIRE AND STRAIN RELIEF CONNECTOR (LF3-80-300)	63
<b>LF3-TR</b>	TRUNNION BRACKET FOR LF3 SERIES	15
<b>LF3-SF</b>	ADJUSTABLE SLIP FITTER FOR POLE MOUNT 2" -2-1/2", WITH K/O TO INSTALL PC OR SENSOR (LF3-80-300)	310
<b>LF3-PK</b>	0.00	133
<b>LF3-WMA</b>	WALL MOUNTING PLATE FOR LF3 AN	255
<b>LF3-WG3</b>	WIRE GUARD FOR LF3-HL-80W/100W	59
<b>LF3-WG4</b>	WIRE GUARD FOR LF3-HL-230W	99
<b>LF3-WG5</b>	WIRE GUARD FOR LF3-HL-300W	96
<b>LF3-YOK</b>	ADJUSTABLE U SHAPE YOKE MOUNT 5"L X 4"H WITH 20" WIRE & STRAIN RELIEF CON. (LF3-80-300)	1588
<b>LF3-TYPEIII-150W/300W</b>	TYPE 3 LENS FOR LF3 SERIES - FITS 150W & 300W FIXTURES - ONE LENS PANEL	97
<b>LF3-TYPEIII-80W/100W/220W</b>	TYPE 3 LENS FOR LF3 SERIES - FITS 80W & 100W & 220W FIXTURES - ONE LENS PANEL	55
<b>LF3-TYPEIV-150W/300W</b>	TYPE 4 LENS FOR LF3 SERIES - FITS 150W & 300W FIXTURES - ONE LENS PANEL	226
<b>LF3-TYPEIV-80W/100W/220W</b>	TYPE 4 LENS FOR LF3 SERIES - FITS 80W & 100W & 220W FIXTURES - ONE LENS PANEL	113



## COMPACT FLOOD LIGHTS

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
	<b>LFE-80W-MCT-D</b> 80W <b>10500LM</b> 3000K/4000K/5000K	560
	<b>LFE-100W-MCT-D</b> 100W <b>13000LM</b> 3000K/4000K/5000K	661

## LED FLOOD LIGHTS LF3 SERIES WITH U-BRACKET, 120-277V (NOT DIMMABLE)

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
	<b>LFE-15W-MCT-TR</b> 15W <b>1600LM</b> 3000K/4000K/5000K	560
	<b>LFE-30W-MCT-TR</b> 30W <b>3250LM</b> 3000K/4000K/5000K	50
	<b>LFE-50W-MCT-TR</b> 50W <b>5250LM</b> 3000K/4000K/5000K	465

## LED ARCHITECTURAL ROUND-BACK FLOOD LIGHTS, 120V-277V



CATALOG NO.	DESCRIPTION	REPLACEMENT RANGE	AVAILABLE QTY.
	<b>LF4-12CW-KN</b> 12W <b>1300LM</b> 5000K	50-70 MH	37

## LED FLOOD ARCHITECTURAL SERIES 120-277V



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
	<b>LF4-30WW-TR</b> 30W <b>3100LM</b> 3000K	12
	<b>LF4-50WW-TR</b> 50W <b>5400LM</b> 3000K	103
	<b>LF4-100CW-TR</b> 100W <b>11200LM</b> 5000K	45
	<b>LF4-12WW-TR</b> 12W <b>1240LM</b> 3000K	19

## SHROUD FOR LF4 SERIES

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
	<b>LF4-SH4</b> Shroud For Lf4 Series (Bronze ) Fits Lf4-80W & 100W ( Cast Aluminum )	39
	<b>LF4-SH5</b> Shroud For Lf4 Series (Bronze ) Fits Lf4-150W ( Cast Aluminum )	122

LF4 with Half Shroud

## ECONOMY FLOOD/AREA LIGHT SERIES TYPE 3 LENSES



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
	<b>LFC0-80W-40K</b> 80W <b>10800LM</b> 4000K	63
	<b>LFC0-80W-50K</b> 80W <b>10800LM</b> 5000K	113
	<b>LFC0-TR1</b> "U" Bracket For 80W 100W 150W	327
	<b>LFC0-TR2</b> "U" Bracket For 300W	250
	<b>LFC0-SA</b>	129
	<b>LFC0-SF</b>	417

# FINAL PRODUCTION DEALS

"WHILE SUPPLIES LAST"

## LED BULLET FLOOD LIGHTS w/ 1/2" KNUCKLE (1st Gen.)



CATALOG NO.	DESCRIPTION	REPLACEMENT RANGE	AVAILABLE QTY.
 <b>FLD-12WW-WH</b>	12W <b>800LM</b> 3000K WHITE	100 PAR	90
 <b>FLD-30CW-WH</b>	30W <b>2500LM</b> 5000K WHITE	70-100 MH	30
 <b>FLD-30WW-WH</b>	30W <b>2450LM</b> 3000K WHITE	70-100 MH	144
<b>FLD-30CW-GRN</b>	30W <b>2500LM</b> 5000K GREEN	70-100 MH	101

## LED BULLET FLOOD LIGHTS w/ 1/2" KNUCKLE (1st Gen.)

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
 <b>FLD-12CW-GRN</b>	12W <b>800LM</b> 5000K	106
 <b>FLD-30WW</b>	30W <b>2450LM</b> 3500K	19
<b>FLD-30WW-GRN</b>	30W <b>2450LM</b> 3000K	26

## SHROUD FITS FLD2-50W

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
 <b>FL-SH4</b>	POLYCARBONATE SHROUD (BRONZE ) FITS FLD2-50W	208

## 12V INTEGRATED LED LANDSCAPE UPLIGHTS



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
 <b>LFLV-7W-27K</b>	7W <b>500LM</b> 2700K	164
<b>LFLV-7W-40K</b>	7W <b>550LM</b> 4000K	32

## LED GARDEN POST LIGHT, 100-277V

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
 <b>LGP-100W-30K</b>	100W <b>12000LM</b> 3000K	42
<b>LGP-42W-30K</b>	42W <b>5000LM</b> 3000K	10
<b>LGP-A2</b>	Auxiliary Second Arm	337
<b>LGP-EXTARM</b>	External Arm for LGP	16

## HAZARDOUS LOCATION CLASS 1 DIV. 2 FLOOD LIGHT

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
 <b>EXPF-180W-60K</b>	180W <b>20700LM</b> 6000K	117

FINAL DEALS

# FINAL PRODUCTION DEALS

"WHILE SUPPLIES LAST"



**SL-20W-BZ-P**  
Dark Bronze



**SL-20W-WH-P**  
White



**SL-30W-BZ-P**  
Dark Bronze



**SL-30W-WH-P**  
White

## PHOTOCELL SECURITY LIGHTS

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
<b>SL-20W-30K-BZ-P</b>	20W 1900LM 3000K	12
<b>SL-20W-30K-WH-P</b>	20W 1900LM 3000K	82
<b>SL-20W-50K-BZ-P</b>	20W 1900LM 5000K	68
<b>SL-30W-30K-BZ-P</b>	30W 2800LM 3000K	263
<b>SL-30W-30K-WH-P</b>	30W 2800LM 3000K	166
<b>SL-30W-50K-WH-P</b>	30W 2800LM 5000K	165



**SL-28W-BZ-D**  
Bronze



**SL-28W-WH-D**  
Bronze/White



**SL-40W-BZ-D**  
Bronze

## DIMMABLE SECURITY LIGHTS

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
<b>SL-28W-30K-BZ-D</b>	28W 3400LM 3000K	326
<b>SL-28W-50K-WH-D</b>	28W 3400LM 5000K	20
<b>SL-40W-30K-BZ-D</b>	40W 4800LM 3000K	232
<b>SL-40W-50K-BZ-D</b>	40W 4800LM 5000K	196



**SL-10W-BZ-D**  
Dark Bronze



**SL-10W-WH-D**  
White



**SL-20W-BZ-D**  
Dark Bronze



**SL-20W-WH-D**  
White



**SL-30W-BZ-D**  
Dark Bronze



**SL-30W-WH-D**  
White

## DIMMABLE SECURITY LIGHTS



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
<b>SL-10W-30K-BZ-D</b>	10W 950LM 3000K	520
<b>SL-10W-30K-WH-D</b>	10W 950LM 3000K	349
<b>SL-10W-50K-BZ-D</b>	10W 950LM 5000K	51
<b>SL-10W-50K-WH-D</b>	10W 950LM 5000K	289
<b>SL-20W-30K-BZ-D</b>	20W 1900LM 3000K	11
<b>SL-20W-50K-BZ-D</b>	20W 1900LM 5000K	13
<b>SL-30W-30K-BZ-D</b>	30W 2800LM 3000K	49
<b>SL-30W-30K-WH-D</b>	30W 2800LM 3000K	96
<b>SL-30W-50K-WH-D</b>	30W 2800LM 5000K	25

FINAL DEALS

# FINAL PRODUCTION DEALS

"WHILE SUPPLIES LAST"



## SECURITY LIGHTS

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
<b>SL-20W-30K-BZ</b>	20W <b>2000LM</b> 3000K	213
<b>SL-20W-30K-WH</b>	20W <b>2000LM</b> 3000K	605
<b>SL-20W-50K-BZ</b>	20W <b>2000LM</b> 5000K	888
<b>SL-20W-50K-WH</b>	20W <b>2000LM</b> 5000K	912



## PHOTOCELL SECURITY LIGHTS



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
<b>SL-28W-30K-BZ-P</b>	28W <b>3400LM</b> 3000K	32
<b>SL-28W-30K-WH-P</b>	28W <b>3400LM</b> 3000K	256
<b>SL-28W-50K-WH-P</b>	28W <b>3400LM</b> 5000K	185

## LOHB ACCESSORIES

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
<b>LOHB-A</b>	LOHB 3.3 FT SUSPENSION CABLE ( SET OF 2 )	1861
<b>LOHB-E</b>	LOHB "T" MOUNTING BRACKET STAINLESS STEEL	43
<b>LOHB-F</b>	LOHB "X" MOUNTING BRACKET STAINLESS STEEL	45
<b>LOHB-K</b>	1/2" NPT THREADED-KNUCKLE ADAPTOR (SET OF 2)	82
<b>LOHB-SH-2FT</b>	SHROUD FOR LOHB-2FT	288
<b>LOHB-SH-4FT</b>	SHROUD FOR LOHB-4FT	52



## LED RESIDENTIAL LANTERNS



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
<b>LRS-B-40K-PC</b>	6W <b>550LM</b> 4000K	17
<b>LRS-C-30K-D</b>	12W <b>1100LM</b> 3000K	49
<b>LRS-C-40K-D</b>	12W <b>1100LM</b> 4000K	23
<b>LRS-D-30K-D</b>	12W <b>1100LM</b> 3000K	271
<b>LRS-D-40K-D</b>	12W <b>1100LM</b> 4000K	218

# FINAL PRODUCTION DEALS

"WHILE SUPPLIES LAST"

## CRES ENGINES & TRIMS

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
<b>CRES-EGN-30K-BR</b>	15W <b>1300LM</b> 3000K	220
<b>CRES-EGN-30K-SIL</b>	15W <b>1300LM</b> 3000K	226
<b>CRES-EGN-40K-BR</b>	15W <b>1300LM</b> 4000K	281
<b>CRES-EGN-40K-SIL</b>	15W <b>1300LM</b> 4000K	224
<b>CRES-EGN-50K-SIL</b>	15W <b>1300LM</b> 5000K	311
<b>CRES-51-SIL</b>	Trim for CRES-51, Sliver	255



## CREST ENGINES

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
<b>CRE-EGN-30K-BR</b>	10W(2.5Wx4) <b>900LM</b> 3000K	552
<b>CRE-EGN-30K-SIL</b>	10W(2.5Wx4) <b>900LM</b> 3000K	303
<b>CRE-EGN-40K-BR</b>	10W(2.5Wx4) <b>900LM</b> 4000K	34
<b>CRE-EGN-HL20-30K-SIL</b>	20W(5Wx4) <b>1800LM</b> 3000K	36
<b>CRE-EGN-HL20-50K-SIL</b>	20W(5Wx4) <b>1800LM</b> 5000K	14



## 4" CYLINDER LIGHTS, 120V, IP65



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
<b>WMC-DL-15W-50K-BN</b>	15W <b>1144LM</b> 5000K	201



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
<b>LDS-12W-30K-D</b>	12W <b>1200LM</b> 3000K	125



## LR ECO ARM

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
<b>LR-ECO-ARM</b>	90° Arm for LR-ECO Series,(Mounting Strap Incl.)	414



Shown with Wall Mounting Arm - 12-3/4" Length for 50W & above



Shown with Half Shroud (Reversible), See Factory-Installed option below



Shown with Full Shroud, See Factory-Installed option below

## LED STREET/ROADWAY LIGHTS

w/NEMA TWIST-LOCK PHOTOCELL SOCKET, (SHORTING CAP INCL.)



CATALOG NO.	DESCRIPTION	REPLACEMENT RANGE	AVAILABLE QTY.
<b>STL3-50W-50K</b>	50W <b>6750LM</b> 5000K	100-277V	13
<b>STL2-80W-30K</b>	80W <b>10800LM</b> 3000K	100-277V	38

FINAL DEALS

# FINAL PRODUCTION DEALS

"WHILE SUPPLIES LAST"




## SPEC SERIES LED ADJUSTABLE CANOPY/PARKING LIGHTS, 120-277V



NO.	DESCRIPTION				AVAILABLE QTY.
<b>SPEC SERIES LED ADJUSTABLE CANOPY/PARKING LIGHTS, 120-277V</b>					
<b>CDX-35W-35K-BR</b>	35W	4600LM	3500K	Bronze 10.6" (L) x 10.6" (W) x 4-1/2" (H)	367
<b>CDX-35W-35K-WH</b>	35W	4600LM	3500K	White 10.6" (L) x 10.6" (W) x 4-1/2" (H)	14
<b>CDX-35W-40K-BR</b>	35W	4600LM	4000K	Bronze 10.6" (L) x 10.6" (W) x 4-1/2" (H)	100
<b>CDX-35W-40K-WH</b>	35W	4600LM	4000K	White 10.6" (L) x 10.6" (W) x 4-1/2" (H)	60
<b>CDX-35W-50K-BR</b>	35W	4600LM	5000K	Bronze 10.6" (L) x 10.6" (W) x 4-1/2" (H)	533
<b>CDX-35W-50K-WH</b>	35W	4600LM	5000K	White 10.6" (L) x 10.6" (W) x 4-1/2" (H)	111
<b>CDX-55W-35K-BR</b>	55W	7250LM	3500K	Bronze 10.6" (L) x 10.6" (W) x 4-1/2" (H)	670
<b>CDX-55W-35K-WH</b>	55W	7250LM	3500K	White 10.6" (L) x 10.6" (W) x 4-1/2" (H)	258
<b>CDX-55W-50K-BR</b>	55W	7250LM	5000K	Bronze 10.6" (L) x 10.6" (W) x 4-1/2" (H)	376
<b>CDX-55W-50K-WH</b>	55W	7250LM	5000K	White 10.6" (L) x 10.6" (W) x 4-1/2" (H)	287

## LED CANOPY/GARAGE WITH ULTRASONIC MULTI-LEVEL MOTION SENSOR

CATALOG NO.	DESCRIPTION	REPLACEMENT RANGE	AVAILABLE QTY.
<b>CDL2-45CW-M</b>	45W 4400LM 5000K	100-150 MH	14



## STADIUM LIGHTS, 120-277V



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
<b>SFX-G5-RB</b>	ROTATABLE BASE FOR SFX SERIES	41
<b>SFX-G5-SF</b>	SLIP FITTER FOR SFX SERIES	101
<b>SFX-G5-SH2</b>	SHROUD FOR 1000W - FOR SFX SERIES	67

## VAPOR LIGHTS, 120-277V, IP65 NEMA 3R

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
<b>VT-CM-12W-50K</b>	12W 861LM 5000K CEILING MOUNTED	30



FINAL DEALS

# FINAL PRODUCTION DEALS

"WHILE SUPPLIES LAST"



**BOL-42-R-L-C-MCTP-BK**  
Black



**BOL-42-S-C-C-MCTP-BK**  
Black



Anchor Bolts  
& Mounting Plate  
Included

**MTO made to order**

ROUND AND SQUARE BOLLARD, 120-277VAC, (ADJUSTABLE POWER 14-24W & CCT 30K/40K/50K)



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
<b>BOL-42-S-C-C-MCTP-BK</b>	Bollard 42In Square Flat Top Cone Clear Lens, Black,, 6" SQ	269
<b>BOL-42-S-C-C-MCTP-BR</b>	Bollard 42In Square Flat Top Cone Clear Lens, Bronz., 6" SQ	238

## BOLLARD ROUND FROSTED LENS ACCESSORY

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
<b>BOL-R-ACC-FL</b>		692

## MOTION SENSOR

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
<b>WEC-2MD-35</b>	0-10V MW 120-277V SENSOR DIP, WHITE	48
<b>WEC-2MDR-33</b>	MICROWAVE SENSOR FOR LINEAR STRIP LIGHTS WITH DIP, REMOTE CAPABLE	61
<b>WEC-2MDR-36</b>	0-10V MW 120-277V SENSOR + SENSOR HEAD DIP & RC, WHITE	1433
<b>WEC-2MDRH-36</b>	120-277 VAC SPLIT MICROWAVE SENSOR, BI-LEVEL, DAYLIGHT HAVEST, DIP AND RC	2124
<b>WEC-2TS</b>	0-10V TEMPERATURE SENSOR FIXTURE CONTROLLER	198

## MOTION SENSORS FOR OUTDOOR

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
<b>WEC-2P-44</b>	0-10V PIR 6-24VDC TROFFER SENSOR DIP	748
<b>WEC-3MDR-42</b>	0-10V MW 120-277V SENSOR DIP & RC	124
<b>WEC-3MR-4-BR</b>	90-DEGREE IP67 MICROWAVE SENSOR, REMOTE CAPABLE, BRONZE	196
<b>WEC-3MR-4-WH</b>	90-DEGREE IP67 MICROWAVE SENSOR, REMOTE CAPABLE, WHITE	287
<b>WEC-3MRLV-5-GY</b>	0-10V MW LOW-VOLTAGE DIMMER WITH REMOTE DRIVER 120-277V REMOTE CAPABLE - GRAY	126
<b>WEC-3MRLV-5-WH</b>	0-10V MW LOW-VOLTAGE DIMMER WITH REMOTE DRIVER 120-277V REMOTE CAPABLE - WHITE	53
<b>WEC-3PDR-52</b>	0-10V PIR 120-277V SENSOR DIP & RC	484
<b>WEC-3PDR-52CAP-BR</b>	REPLACEMENT CAP WITH LENS FOR BR1823 BRONZE TO MATCH COLOR OF LIGHTS	500
<b>WEC-ON50-WH</b>	SENSOR MOUNTING OFFSET NIPPLE, 1/2 INCH SIZE , WHITE	340



FINAL DEALS

# FINAL PRODUCTION DEALS

"WHILE SUPPLIES LAST"

## LED WORK LIGHT S-HOOK, USB CABLE & ADAPTOR INCL.




CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
<b>WL-EZCG-10W-50K</b>	10W <b>300-600LM</b> 5000K	138
<b>WL-EZCG-SOLP</b>	Solar panel 10 ft. cord & magnetic base	301



## 3IN1 LED WORK LIGHT(WORK LIGHT/SOS LIGHT/POWER BANK) USB CABLE INCL.

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
<b>WL-3IN1-10W</b>	10W <b>400LM</b> 6000K	224

**Retail Packaging - MOQ 1 Master Carton of 10**



The WEC-MOD installed on a 0~10V or Triac fixture to control the luminaries via WIFI, BT or a remote control.

**WEC-MOD-010V-BT**  
**WEC-MOD-010V-WIFI**  
**WEC-MOD-TR-WIFI**

## WESTGATE SMART LIGHTING CONTROL MODULES - 1/2" KNUCKLE



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
<b>WEC-MOD-010V-BT</b>	WG Smart Lighting Control Module 1000W 0-10V Bluetooth IP65	247
<b>WEC-MOD-010V-WIFI</b>	WG Smart Lighting Control Module 1000W 0-10V Wifi IP65	44
<b>WEC-MOD-TR-WIFI</b>	WG Smart Lighting Control Module 300W Triac Wifi IP65	55

## WESTGATE SMART LIGHTING CONTROL SWITCHES SWITCHES WORK AS STAND ALONE OR WITH WESTGATE APP.



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
<b>WEC-SW-PB1-010V-BT</b>	WG Smart Push Button Wall Switch 1000W 0-10V Bluetooth + Wall Plate	402
<b>WEC-SW-PB1-TR-WIFI</b>	WG Smart Push Button Wall Switch 300W Triac Wifi + Wall Plate	949

This stand-alone "wall dimmer" functions similarly to traditional wall switches by directly wiring to the fixture.



## EV CHARGER, AC POWER 120-240V, SAE J1772 CONNECTOR



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
<b>EVC-A-48A-MP-BT</b>	Level 2 48A, 11.5KW, Selectable Power, Westgate App Enabled	12



FINAL DEALS

# FINAL PRODUCTION DEALS

"WHILE SUPPLIES LAST"



UHXE-80-150W-MCTP4-SR  
UHXE-165-220W-MCTP4-SR  
Black

UHXE-165-220W-MCTP4-SR-WH  
Bronze

SHOWN WITH  
UHXE-SMB

SHOWN WITH  
UHXE-RPMB

SHOWN WITH  
UHXE-PCR-A-90D  
UHXE-PCR-B-90D

SHOWN WITH  
UHXE-PCR-A-60D  
UHXE-PCR-B-60D

UHXE-PCC-A  
UHXE-PCC-B

## BUILDER SERIES POWER AND CCT- ADJUSTABLE UFO HIGHBAY, 120-277V (SENSOR-READY)



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
UHXE-80-150W-MCTP4-SR	80W/110W/150W 140LM/W 30K/35K/40K/50K Black	1154
UHXE-165-220W-MCTP4-SR	165W/190W/220W 140LM/W 30K/35K/40K/50K Black	11
UHXE-165-220W-MCTP4-SR-WH	165W/190W/220W 140LM/W 30K/35K/40K/50K White	247
UHXE-SMB	UHXE Surface Mounting U Bracket, Black	
UHXE-RPMB	UHXE 1-FT Rigid Pipe Stand with Canopy for Hard Surface (not Swivel)	
UHXE-PCR-A-90D	UHXE-80-150W 90-Degree PC Reflector	
UHXE-PCR-A-60D	UHXE-80-150W 60-Degree PC Reflector	
UHXE-PCR-B-90D	UHXE-165-220W 90-Degree PC Reflector	
UHXE-PCR-B-60D	UHXE-165-220W 60-Degree PC Reflector	
UHXE-PCC-A	UHXE-80-150W Bottom Cover For Pc Reflector, Fits Both 60D 90D	
UHXE-PCC-B	UHXE-165-220W Bottom Cover For Pc Reflector, Fits Both 60D 90D	



## SPEC SERIES NEW GENERATION - UFO HIGHBAY, 120-277V



DESCRIPTION	AVAILABLE QTY.
UHX-150W-MP-50K 50W/80W/100W/150W 140LM/W 5000K Black <b>MP</b>	12
UHX-150W-MP-40K 50W/80W/100W/150W 140LM/W 4000K Black <b>MP</b>	1929
UHX-230W-MP-50K 100W/150W/200W/230W 140LM/W 5000K Black <b>MP</b>	23
UHX-150W-MCTP 50W/80W/100W/150W 125LM/W 30K/40K/50K/57K Black <b>MCTP</b>	17
UHX-150W-MCTP-WH 50W/80W/100W/150W 125LM/W 30K/40K/50K/57K White <b>MCTP</b>	91
UHX-230W-MCTP-WH 100W/150W/200W/230W 125LM/W 30K/40K/50K/57K White <b>MCTP</b>	70

FINAL DEALS

# FINAL PRODUCTION DEALS

"WHILE SUPPLIES LAST"



## SPEC SERIES NEW GENERATION - UFO HIGHBAY, 480V

MTO made to order



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
<b>MP</b> UHX-150W-MP-50K-480V	50W/80W/100W/150W 160LM/W 5000K Black	12
<b>MP</b> UHX-230W-MP-50K-480V	100W/150W/200W/230W 160LM/W 5000K Black	1929
<b>MCTP</b> UHX-300W-MP-50K-480V	150W/200W/240W/300W 160LM/W 5000K Black	23
<b>MCTP</b> UHX-150W-MCTP-480V	50W/80W/100W/150W 125LM/W 30K/40K/50K/57K Black	17
<b>MCTP</b> UHX-150W-MCTP-WH-480V	50W/80W/100W/150W 125LM/W 30K/40K/50K/57K White	91
<b>MCTP</b> UHX-230W-MCTP-WH-480V	100W/150W/200W/230W 125LM/W 30K/40K/50K/57K White	70

480V

## LED HIGH-LUMEN UFO HIGH BAY, 110° BEAM ANGLE- HOOK WITH 3/4" THREAD



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
<b>ULHB-150W-50K</b>	150W 19500LM 5000K	30
<b>ULHB-240W-40K</b>	240W 31200LM 4000K	26
<b>ULHB-100W-50K-480V</b>	100W 13000LM 5000K	114
<b>ULHB-90KIT-100/150</b>	90 Degree Reflector and Glass Kit for 100W & 150W (Conversion from default 110° beam angle)	83
<b>ULHB-90KIT-200/240</b>	90 Degree Reflector and Glass Kit for 200W & 240W (Conversion from default 110° beam angle)	13
<b>ULHB-ALR-100/150</b>	Aluminum Reflector for 100W & 150W	219
<b>ULHB-ALR-200/240</b>	Aluminum Reflector for 200W & 240W	232
<b>ULHB-FL-200/240</b>	FROSTED LENS FOR ULHB 200-240W	247
<b>ULHB-FL-50/100/150</b>	FROSTED LENS FOR ULHB 50-150W	160
<b>ULHB-PCC-200/240</b>	Polycarbonate Cover for 200W & 240W (for ULHB-PCR-200/240 only) - Increases heat captured in the reflector. Not recommended when not necessary.	88
<b>ULHB-PCR-100/150</b>	Polycarbonate Reflector for 100W & 150W	245
<b>ULHB-PCR-200/240</b>	Polycarbonate Reflector for 200W & 240W	174
<b>ULHB-SC-100/150</b>	Safety Cable for 100W & 150W	331
<b>ULHB-SC-200/240</b>	Safety Cable for 200W & 240W	355
<b>ULHB-SC-300</b>	Safety Cable for 300W	130
<b>ULHB-SK</b>	Ultrasonic Bi-Level (Dimming) Motion Sensor Kit for 120-277V UFO High Bays	195
<b>ULHB-SK-480V</b>	Ultrasonic Bi-Level (Dimming) Motion Sensor Kit for 480V UFO High Bays	89
<b>ULHB-SMB-100/150</b>	Surface Mount Bracket for 100W & 150W	95
<b>ULHB-SMB-200/240</b>	Surface Mount Bracket for 200W & 240W	107
<b>ULHB-WG-100/150</b>	Wire Guard for 100W & 150W	104
<b>ULHB-WG-200/240</b>	Wire Guard for 200W & 240W	109
<b>ULHB-WG-300</b>	Wire Guard for 300W	126

## LED FOOD SERVICE & LABORATORY HIGH BAY



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
<b>UFHB-150W-50K</b>	150W 20250LM 5000K	22



FINAL DEALS

# FINAL PRODUCTION DEALS

"WHILE SUPPLIES LAST"

## LED SATURN ARCHITECTURAL HIGH BAY

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
<b>USHB-150W-40K</b>	150W <b>19500LM</b> 4000K	28
<b>USHB-240W-40K</b>	240W <b>31200LM</b> 4000K	25



## UFO HIGHBAY

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
<b>LHB2-50W-30K-WH</b>	50W <b>6750LM</b> 3000K	98
<b>LHB2-50W-40K-WH</b>	50W <b>6750LM</b> 4000K	74
<b>LHB2-50W-50K</b>	50W <b>6750LM</b> 5000K	35
<b>LHB2-50W-50K-WH</b>	50W <b>6750LM</b> 5000K	128



## IP69 2-FOOT LINEAR HIGH BAYFOR FOOD AND CHEMICAL FACILITIES, SENSOR READY

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
<b>LLHBF-120-200W-MCTP-SR</b>	120W/160W/200W <b>150LM/W</b> 40K/45K/50K	56



## LED LINEAR HIGH BAY

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
<b>LLHB2-100W-40K-D</b>	100W <b>14000LM</b> 4000K	15
<b>LLHB2-150W-40K-D</b>	150W <b>21600LM</b> 4000K	16
<b>LLHB2-220W-40K-D</b>	220W <b>30800LM</b> 4000K	11



## LED LINEAR VAPOR LIGHT

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
<b>LLVT-8FT-100W-40K-D</b>	100W <b>13000LM</b> 4000K	156




## SPEC SERIES 4TH GENERATION OF LINEAR HIGH BAYS

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
<b>LLHB-CL-120/180</b>	CLEAR LENS FOR LLHB 120W & 180W	420
<b>LLHB-OC-REMOTE</b>	INDOOR HIGHBAY OCCUPANCY SENSOR WITH BI-LEVEL DIMMING - NEEDS LLHB-OC-REMOTE TO CHANGE SETTINGS	213

## SPEC SERIES 4TH GENERATION OF LINEAR HIGH BAYS, 480V

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
<b>LLHB4-200W-50K-D</b>	200W <b>31000LM</b> 5000K	38




FINAL DEALS

# FINAL PRODUCTION DEALS

"WHILE SUPPLIES LAST"



LLHB4-MCTP  
LLHB4-MP (200W TO 500W)  
White




LLHB4-MP (100W TO 150W)  
White



OPT-LLHB4-SMK



LLHB4-100W-WG  
LLHB4-150W-WG



LLHB4-RODKIT

## SPEC SERIES 4TH GENERATION OF LINEAR HIGH BAYS



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
<b>POWER &amp; CCT ADJUSTABLE 4TH GENERATION OF LINEAR HIGH BAYS, 120-277V</b>		
LLHB4-80-150W-MCTP	80W/110W/150W 125LM/W 35K/40K/50K	38
<b>POWER ADJUSTABLE 4TH GENERATION OF LINEAR HIGH BAYS, 120-277V</b>		
LLHB4-100W-MP-40K-D	50W/80W/100W 125LM/W 4000K 2FT. X 13.77	350
LLHB4-100W-MP-50K-D	50W/80W/100W 125LM/W 5000K 2FT. X 13.77	378
LLHB4-150W-MP-40K-D	80W/110W/150W 125LM/W 4000K 2FT. X 17.75	214
LLHB4-150W-MP-50K-D	80W/110W/150W 125LM/W 5000K 2FT. X 17.75	41
LLHB4-300W-MP-40K-D	150W/225W/300W 125LM/W 4000K 4FT. X 17.75	431
LLHB4-300W-MP-50K-D	150W/225W/300W 125LM/W 5000K 4FT. X 17.75	78
LLHB4-410W-MP-50K-D	200W/300W/410W 125LM/W 5000K 4FT. X 23.20	128
LLHB4-500W-MP-50K-D	250W/400W/500W 125LM/W 5000K 4FT. X 23.20	32
<b>POWER &amp; CCT ADJUSTABLE 4TH GENERATION OF LINEAR HIGH BAYS, 480V (7DAYS LEAD TIME)</b>		
LLHB4-80-150W-MCTP-480V	80W/110W/150W 125LM/W 35K/40K/50K	38
<b>POWER ADJUSTABLE 4TH GENERATION OF LINEAR HIGH BAYS, 480V (7DAYS LEAD TIME)</b>		
LLHB4-100W-MP-40K-D-480V	50W/80W/100W 125LM/W 4000K 2FT. X 13.77	350
LLHB4-100W-MP-50K-D-480V	50W/80W/100W 125LM/W 5000K 2FT. X 13.77	378
LLHB4-150W-MP-40K-D-480V	80W/110W/150W 125LM/W 4000K 2FT. X 17.75	214
LLHB4-150W-MP-50K-D-480V	80W/110W/150W 125LM/W 5000K 2FT. X 17.75	41
LLHB4-300W-MP-40K-D-480V	150W/225W/300W 125LM/W 4000K 4FT. X 17.75	431
LLHB4-300W-MP-50K-D-480V	150W/225W/300W 125LM/W 5000K 4FT. X 17.75	78
LLHB4-410W-MP-50K-D-480V	200W/300W/410W 125LM/W 5000K 4FT. X 23.20	128
LLHB4-500W-MP-50K-D-480V	250W/400W/500W 125LM/W 5000K 4FT. X 23.20	32

120-277V

480V

## SPEC SERIES 4TH GENERATION OF LINEAR HIGH BAYS, 120-277V



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
LLHB4-50W-40K-D	50W 7750LM 4000K 1FT. X 13.75	137



120-277V

FINAL DEALS

# FINAL PRODUCTION DEALS

"WHILE SUPPLIES LAST"

## LLHB4 ACCESSORIES

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
<b>LLHB4-150W-WG</b>	LLHB4 Linear Highbay 150W Wireguard - White	25
<b>LLHB4-SMB</b>	LLHB4 Linear Highbay Surface Mounting Bracket Set	100



## LHB ACCESSORIES

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
<b>LHB-AL-18</b>	Aluminum Reflector For Led High Bays	367
<b>LHB-BRKT-150</b>	Bracket, Metal For LHB	14

## LED LINEAR HIGH BAY

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
<b>LLHB-90W-40K-D</b>	90W <b>14400LM</b> 4000K	11
<b>LLHB-180W-40K-D</b>	150W <b>23250LM</b> 4000K	42



## CORN LAMPS, 100-277V AC

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
<b>CL-36W-30K-E26</b>	36W <b>4456LM</b> 3000K E26	415
<b>CL-36W-30K-E39</b>	36W <b>4456LM</b> 3000K E39	314
<b>CL-36W-50K-E39</b>	36W <b>4456LM</b> 5000K E39	12



## LED 180 DEGREE FLAT HID RETROFIT LAMP

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
<b>CL-FLT-36-54W-50K-E39</b>	36W/45W/54W <b>150LM/W</b> 5000K E39	716
<b>CL-FLT-54-75W-50K-E39</b>	54W/63W/75W <b>150LM/W</b> 5000K E39	482
<b>CL-FLT-75-115W-50K-E39</b>	75W/97W/115W <b>150LM/W</b> 5000K E39	1254
<b>CL-FLTW-54-75W-50K-E39</b>	54W/63W/75W <b>150LM/W</b> 5000K E39	394
<b>CL-FLTW-75-110W-50K-E39</b>	75W/97W/110W <b>150LM/W</b> 5000K E39	2396



## HIGH-LUMEN LED CORN LAMP WITH UP LIGHT, 100-277V AC



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
<b>CL-HL-14W-30K-E26</b>	14W <b>1820LM</b> 3000K E26	19
<b>CL-HL-27W-30K-E26</b>	27W <b>3510LM</b> 3000K E26	316
<b>CL-HL-36W-30K-E26</b>	36W <b>4680LM</b> 3000K E26	42
<b>CL-HL-36W-30K-E39</b>	36W <b>4680LM</b> 3000K E39	27
<b>CL-HL-45W-30K-E39</b>	45W <b>5850LM</b> 3000K E39	27
<b>CL-HL-75W-30K-E39</b>	75W <b>9750LM</b> 3000K E39	126
<b>CL-HL-100W-30K-E39</b>	100W <b>13000LM</b> 3000K E39	66



## LED CONSTRUCTION STRING LIGHT

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
<b>CL-CONST-75W-50K</b>	75W <b>12500LM</b> 5000K	28



# FINAL PRODUCTION DEALS

"WHILE SUPPLIES LAST"

## LED HIGH POWER LAMPS, 120-277V



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
	<b>HPL-16W-30K-E26</b> 16W <b>2000LM</b> 3000K	12
	<b>HPL-HB-60W-50K-E39</b> 60W <b>6480LM</b> 5000K	47
	<b>HPL-HB-75W-50K-E39</b> 75W <b>8100LM</b> 5000K	163
	<b>HPL-HB-100W-50K-E39</b> 100W <b>12500LM</b> 5000K	154
	<b>HPL-HB-R1</b> Optional PC Reflector for HPL-HB-60W	132
	<b>HPL-HB-R2</b> Optional PC Reflector for HPL-HB-75W & 100W	237
	<b>HPL-HB-R3</b> Optional PC Reflector for HPL-HB-120W & HPL-HB-140W	70

## LED 180 DEGREE FLAT HID RETROFIT LAMP



CATALOG NO.	DESCRIPTION	REPLACEMENT RANGE	AVAILABLE QTY.
	<b>CL-FLT-75W-50K-E39</b> 75W <b>9000LM</b> 5000K 11.7"(L) x 5.5"(W) x 3.4"(H)	150-320 MH	47
	<b>CL-FLT-115W-50K-E39</b> 115W <b>13570LM</b> 5000K 11.7"(L) x 5.5"(W) x 3.4"(H)	320-400 MH	14

## PREMIUM HIGH-OUTPUT LED PANELS, 125LM/W



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
	<b>LP-2X4-50W-40K-D-HL</b> 50W <b>6260LM</b> 4000K	31
	<b>LP-2X4-50W-50K-D-HL</b> 50W <b>6260LM</b> 5000K	45

## LED PANEL LIGHTS WITH EMERGENCY BATTERY BACKUP



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
	<b>LP-1X4-40W-40K-DS-EM</b> 40W <b>4400LM</b> 4000K	45
	<b>LP-1X4-40W-50K-DS-EM</b> 40W <b>4400LM</b> 5000K	30
	<b>LP-2X2-40W-50K-DS-EM</b> 40W <b>4400LM</b> 5000K	28

## LED PANEL LIGHTS



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
	<b>LP-1X4-40W-27K-DS</b> 40W <b>3600LM</b> 2700K	18
	<b>LP-2X4-60W-27K-DS</b> 60W <b>5400LM</b> 2700K	19
	<b>LP-2X4-60W-35K-DS</b> 60W <b>6300LM</b> 3500K	20
	<b>LP-2X4-72W-27K-DS</b> 72W <b>6480LM</b> 2700K	13
	<b>LP-2X4-72W-35K-DS</b> 72W <b>7560LM</b> 3500K	145
	<b>LP-2X4-72W-40K-DS</b> 72W <b>7920LM</b> 4000K	10

## LED PANEL 2X4

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
	<b>LP-2X4-72W-27K-D</b> 72W <b>7200LM</b> 2700K	45

## ADJUSTABLE AIRCRAFT CABLE SUSPENSION KIT

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
<b>LP-SSPC-1X4</b>	Adjustable Aircraft Cable Suspension Kit For 1X4 Panel	12
<b>LP-SSPC-2X2</b>	Adjustable Aircraft Cable Suspension Kit For 2X2 Panel	285
<b>LP-SSPC-2X4</b>	Adjustable Aircraft Cable Suspension Kit For 2X4 Panel	112

# FINAL PRODUCTION DEALS

"WHILE SUPPLIES LAST"

## RECESSED MOUNTING FLANGE KIT FOR 2X2 PANELS

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
<b>LP-RMK-2X2</b>	Recessed Mounting Flange Kit For 2X2 Panels	18



## LED BACKLIT PANEL LIGHT, 100-277VAC



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
<b>LPNG-2X2-4KLM-50K-D</b>	40W <b>4400LM</b> 5000K	23
<b>LPNG-2X4-4KLM-50K-D</b>	40W <b>4200LM</b> 5000K	279
<b>LPNG-2X4-5KLM-35K-D</b>	50W <b>5140LM</b> 3500K	180
<b>LPNG-2X4-5KLM-50K-D</b>	50W <b>5250LM</b> 5000K	43
<b>LPNG-2X4-6KLM-35K-D</b>	60W <b>6300LM</b> 3500K	434
<b>LPNG-2X4-6KLM-40K-D</b>	60W <b>6600LM</b> 4000K	2392
<b>LPNG-2X4-6KLM-50K-D</b>	60W <b>6600LM</b> 5000K	1483
<b>LPNG-2X4-7KLM-35K-D</b>	60W <b>7560LM</b> 3500K	304
<b>LPNG-1X4-4KLM-27K-D</b>	40W <b>3800LM</b> 2700K	681
<b>LPNG-1X4-4KLM-50K-D</b>	40W <b>4400LM</b> 5000K	11
<b>LPNG-1X4-MCTP</b>	20/30/40W 35K/40K/50K	71



## SINGLE CCT T-BAR GRID LIGHTS



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
<b>TGL-2X4-30K</b>	60W <b>6000LM</b> 3000K	94
<b>TGL-2X4-40K</b>	60W <b>6000LM</b> 4000K	13



## INTERNAL-DRIVER LED SURFACE MOUNT PANELS, (1X4 & LARGER CAN BE RECESS MOUNTED)



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
<b>LPS-1X4-40K-D</b>	40W <b>4000LM</b> 4000K 120-277VAC	13
<b>LPS-2X2-30K-D</b>	40W <b>4400LM</b> 3000K 120-277VAC	995
<b>LPS-2X2-50K-D</b>	40W <b>4400LM</b> 5000K 120-277VAC	10
<b>LPS-2X4-50K-D</b>	50W <b>5500LM</b> 5000K 120-277VAC	13



## DURABLE (PC BODY) TROFFER LIGHTS, 140LM/W



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
<b>LTRP-2X2-35W-50K-D</b>	35W <b>4900LM</b> 5000K	47
<b>LTRP-2X4-50W-50K-D</b>	50W <b>6850LM</b> 5000K	105



## SPEC SERIES LED SELECTABLE COLOR TEMP. & WATTAGE TROFFERS, AC 100-277V

NO PARTIAL  
MUST BUY IN QTY OF TWO



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
<b>LTRE-2X2-MCTP</b>	26W, 32W, 40W <b>125LM/W</b> 3500K, 4000K, 5000K	32
<b>LTRE-2X4-MCTP</b>	32W, 40W, 50W <b>125LM/W</b> 3500K, 4000K, 5000K	215
<b>LTRE-1X4-MCTP</b>	26W, 32W, 40W <b>125LM/W</b> 3500K, 4000K, 5000K	143



FINAL DEALS

# FINAL PRODUCTION DEALS

"WHILE SUPPLIES LAST"

## BUILDER SERIES POWER & CCT- ADJUSTABLE STACK TROFFER

REQUIRES 1 MINUTE ASSEMBLY

NO PARTIAL  
MUST BUY IN PKG. QTY.



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
<b>LTRS-1X4-MCTP</b>	25W/35W/36W/40W <b>125LM/W</b> 3500K/4000K/5000K	114



## LED DIRECT-INDIRECT (METAL HOUSING+PC LENS) TROFFERS



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
<b>LTR-2X4-50W-40K-D</b>	50W <b>5590LM</b> 4000K	105
<b>LTR-2X4-50W-50K-D</b>	50W <b>5702LM</b> 5000K	208



## HIGH LUMEN LED RETROFIT BASKET TROFFER



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
<b>LRT-HL-2X2-40W-40K-D</b>	40W <b>5200LM</b> 4000K	12
<b>LRT-HL-2X4-50W-40K-D</b>	50W <b>6500LM</b> 4000K	21



## SCX LINEAR SERIES



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
<b>SCX-2FT-20W-30K-D</b>	20W <b>2240LM</b> 3000K	193
<b>SCX-2FT-20W-35K-D</b>	20W <b>2300LM</b> 3500K	63
<b>SCX-2FT-20W-40K-D</b>	20W <b>2360LM</b> 4000K	59
<b>SCX-2FT-20W-50K-D</b>	20W <b>2420LM</b> 5000K	165
<b>SCX-3FT-30W-30K-D</b>	30W <b>3360LM</b> 3000K	67
<b>SCX-ULM-8FT-32W-50K</b>	UPLIGHT FOR SCX	65
<b>SCX-T-40K</b>	SCX SERIES T SECTION 40K	81



## SINGLE CCT SCX ACCESSORIES

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
<b>SCX-IC-30K</b>	SCX SERIES INSIDE CORNER SECTION 30K	36
<b>SCX-IC-35K</b>	SCX SERIES INSIDE CORNER SECTION 35K	17
<b>SCX-IC-40K</b>	SCX SERIES INSIDE CORNER SECTION 40K	37
<b>SCX-IC-50K</b>	SCX SERIES INSIDE CORNER SECTION 50K	33
<b>SCX-T-35K</b>	SCX SERIES T SECTION 35K	92
<b>SCX-T-50K</b>	SCX SERIES T SECTION 50K	99



## LED SUSPENDED UP/DOWN CLEAR ROUND PANEL LIGHT, 22" DIA., 6FT HEIGHT



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
<b>SRPL-40W-35K-D</b>	40W <b>2100LM/2100LM</b> 3500K	13
<b>SRPL-40W-40K-D</b>	40W <b>2100LM/2100LM</b> 4000K	10
<b>SRPL-40W-50K-D</b>	40W <b>2100LM/2100LM</b> 5000K	121



## LED ARCHITECTURAL ROUND SUSPENDED DOWN LIGHT, 24" DIA, 6FT HEIGHT



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
<b>SCR-24D-40K-D</b>	50W <b>5197LM</b> 4000K	45



FINAL DEALS

# FINAL PRODUCTION DEALS

"WHILE SUPPLIES LAST"

## LED SUSPENDED UP/DOWN CLEAR PANEL LIGHT, 120-277V (SUSPENSION & CORD NOT INCL.)



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
<b>SPL-4FT-40W-40K-D</b>	40W 2100LM/2100LM 4000K	200
<b>SPL-4FT-40W-50K-D</b>	40W 2100LM/2100LM 5000K	76



## 4FT 2in MICRO OPTIC LINEAR LIGHT

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
<b>SCO-4FT-40W-MCT-WB</b>	40W 3760LM 3500K/4000K/5000K	97



## ARCHITECTURAL PARABOLIC SUSPENDED LIGHT - 4FT

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
<b>SCLP-4FT-40W-MCT-D</b>	40W 4600LM 35K/40K/50K	32



## LED SUSPENDED 2/3 PERFORATED BASKETLIGHT (UP/DOWN)

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
<b>SCPL-UD-4FT-60W-35K-D</b>	40W/20W OR 60W 4400LM/2100LM 3500K	37



## LED PARABOLIC SUSPENDED LIGHT



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
<b>SCLT-4FT-40W-50K-D</b>	40W 4600LM 5000K	34
<b>SCLT-4FT-40W-MCT-D</b>	40W 4600LM 35K/40K/50K	60



## SPEC SERIES LED STRIP LIGHT, 120-277V

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
<b>LSL-8FT-64W-35K-D</b>	64W 7000LM 3500K	14



## SUSPENSION KIT

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
<b>SCL-CSY</b>	ADJ. 6FT 1/16in DOUBLE SUSPENSION KIT WITH Y DOUBLE KEY HOLE CONNECTORS, CANOPIES, T-BAR CLIPS, ACCESSORIES	21
<b>SCL-CS</b>		19
<b>SCL-TBJJ-14-4</b>		22
<b>SCL-WRTH-14</b>		25



FINAL DEALS

# FINAL PRODUCTION DEALS

"WHILE SUPPLIES LAST"

## ARCHITECTURAL SUSPENDED COMMERCIAL LIGHT

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
<b>SCL-2FT-25W-50K-D</b>	25W 2750LM 5000K	105
<b>SCL-2FT-25W-40K-D</b>	25W 2750LM 4000K	110
<b>SCL-2FT-25W-35K-D</b>	25W 2750LM 3500K	36
<b>SCL-4FT-40W-35K-D</b>	40W 4400LM 3500K	16
<b>SCL-4FT-UD-40W-50K-D</b>	15W/25W 1650LM/2750LM 5000K	120



4Ft



SCLL-CB

## LED LINEAR SUSPENDED PERFORATED BASKET LIGHT (UP/DOWN)

White



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
<b>SCLL-UD-4FT-60W-50K-D</b>	40W/20W OR 60W 4400LM/2100LM 5000K	159
<b>SCLL-UD-4FT-60W-40K-D</b>	40W/20W OR 60W 4400LM/2100LM 4000K	23
<b>SCLL-UD-4FT-60W-35K-D</b>	40W/20W OR 60W 4400LM/2100LM 3500K	25

## LED STANDARD WRAP-AROUND FIXTURE, 120-277V



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
<b>WAS-4FT-42W-35K-D</b>	42W 4400LM 3500K 4FT	1332
<b>WAS-4FT-42W-50K-D</b>	42W 4400LM 5000K 4FT	1186



## SPEC SERIES LED ARCHITECTURAL WRAP-AROUND LIGHT



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
<b>WA-2FT-25W-35K-D</b>	25W 2750LM 3500K	686
<b>WA-2FT-25W-40K-D</b>	25W 2750LM 4000K	58
<b>WA-2FT-25W-50K-D</b>	25W 2750LM 5000K	71
<b>WA-2FT-25W-MCT-D</b>	25W 2800LM 35K/40K/50K	682



## BUILDER SERIES LED ECONOMY WRAP-AROUND FIXTURES



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
<b>WAE-2FT-MCT-DT</b>	20W 1600LM 3000K/4000K/5000K	112



## LED ARCHITECTURAL STRIP LIGHT, 120-277V

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
<b>CSL-4FT-40W-50K-D</b>	40W 4600LM 5000K	43
<b>CSL-4FT-40W-35K-D</b>	40W 4600LM 3500K	20



## LED ARCHITECTURAL STRIP LIGHT WITH MW MOTION SENSOR

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
<b>CSL-4FT-25W-50K-OC</b>	25W 3000LM 5000K With Sensor	31
<b>CSL-4FT-25W-40K-OC</b>	25W 3000LM 4000K With Sensor	24



FINAL DEALS

# FINAL PRODUCTION DEALS

"WHILE SUPPLIES LAST"

## U-SHAPED T8 LED PLASTIC/ALUMINUM LAMPS

Works 3 ways: 1) With existing electronic ballast 2) A/C direct one end 3) A/C direct 2 ends **NO PARTIAL/MUST SHIP CASE QTY.**



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
 <b>T8-U2F-EZ3-15W-41K-C</b>	15W <b>1450LM</b> 4100K BALLAST COMPATIBLE OR 100-277 AC	70
<b>T8-U2F-EZ3-15W-50K-C</b>	15W <b>1500LM</b> 5000K BALLAST COMPATIBLE OR 100-277 AC	14

## 4FT. LED T5 GLASS LAMPS

**NO PARTIAL/MUST SHIP CASE QTY.**

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
 <b>4FT T5-TYPB-25W-40K-F</b>	25W <b>3200LM</b> 4000K FROSTED	66

## 4FT. LED T5 GLASS LAMPS

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
 <b>T5-TYPB-25W-50K-F</b>	25W <b>3200LM</b> 5000K FROSTED	15

## X-GEN 3CCT LED T8 GLASS LAMPS

**3 COLOR-TEMPERATURES IN ONE LAMP** TYPE A+B (A/C OR BALLAST)

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
 <b>T8-EZX-MCT-GS-2FT-8W-C</b>	8W <b>1216LM</b> 35K/40K/50K Clear, G13, Type A & B	781
<b>T8-EZX-MCT-GS-2FT-8W-F</b>	8W <b>1216LM</b> 35K/40K/50K Frosted, G13, Type A & B	68
<b>T8-EZX-MCT-GS-3FT-12W-C</b>	12W <b>1500LM</b> 35K/40K/50K Clear, G13, Type A & B	2703
<b>T8-EZX-MCT-GS-4FT-15W-C</b>	15W <b>1875LM</b> 35K/40K/50K Clear, G13, Type A & B	53

## LED T8 2FT , PLASTIC ALUMINUM TUBE



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
 <b>T8-EZ6-AHL-2FT-15W-40K-F</b>	15W <b>1650LM</b> 4000K	1001
<b>T8-EZ6-AHL-2FT-15W-40K-C</b>	15W <b>1725LM</b> 4000K	270
<b>T8-EZ6-AHL-4FT-18W-30K-F</b>	18W <b>1980LM</b> 3000K	229
<b>T8-EZ6-AHL-4FT-18W-40K-F</b>	18W <b>1980LM</b> 4000K	15
<b>T8-EZ6-AHL-4FT-18W-50K-F</b>	18W <b>1980LM</b> 5000K	13

## 4FT. T8-EZ4 LED LAMPS 110° Beam Angle Clear, 200° Frosted ELECTRONIC BALLASTS (TYPE A)

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
 <b>T8-EZ4-18W-40K-C</b>	18W <b>2200LM</b> 4000K G13, TYPE A , CLEAR GLASS	37

## X-GEN SELECTABLE-POWER LED T8 GLASS LAMPS, TYPE B FOR DIRECT A/C (BALLAST OVERRIDE)

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
 <b>T8-EZX-TB-4FT-12-18W-50K-F</b>	12W/15W/18W <b>120LM/W</b> 5000K Frosted, G13, Type B	2320
<b>T8-EZX-TB-4FT-12-18W-50K-C</b>	12W/15W/18W <b>120LM/W</b> 5000K Clear, G13, Type B	2202
<b>T8-EZX-TB-4FT-12-18W-40K-F</b>	12W/15W/18W <b>120LM/W</b> 4000K Frosted, G13, Type B	468
<b>T8-EZX-TB-4FT-12-18W-40K-C</b>	12W/15W/18W <b>120LM/W</b> 4000K Clear, G13, Type B	1333

FINAL DEALS

# FINAL PRODUCTION DEALS

"WHILE SUPPLIES LAST"

## U-SHAPED T8 EZ6 LED GLASS LAMPS

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
<b>T8-EZ6-U2F-15W-41K-C</b>	15W <b>2100LM</b> 4100K Ballast Compatible Or 100-277 Ac	1455
<b>T8-EZ6-U2F-15W-50K-C</b>	15W <b>2100LM</b> 5000K Ballast Compatible Or 100-277 Ac	1540
<b>T8-EZ6-U2F-15W-50K-F</b>	15W <b>2000LM</b> 5000K Ballast Compatible Or 100-277 Ac	596



## 4FT. T8 GLASS LAMPS

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
<b>T8-4FT-TYPB-2E-18W-40K-C</b>	18W <b>2200LM</b> 4000K CLEAR	192
<b>T8-4FT-TYPB-2E-18W-40K-F</b>	18W <b>2200LM</b> 4000K FROSTED	496



## 4FT. T8 LED GLASS LAMPS DIMMABLE DIRECT A/C (one end N+L)

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
<b>T8-4FT-DIM-18W-35K-C</b>	18W <b>1900LM</b> 3500K	830
<b>T8-4FT-DIM-18W-50K-C</b>	18W <b>2150LM</b> 5000K	25
<b>T8-4FT-DIM-18W-50K-F</b>	18W <b>2150LM</b> 5000K	50



## CRL ENGINES

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
<b>CRL-EGN-18W-30K</b>	18W <b>1639LM</b> 3000K	325
<b>CRL-EGN-18W-50K</b>	18W <b>1639LM</b> 5000K	282
<b>CRL-EGN-27W-30K</b>	27W <b>2387LM</b> 3000K	158
<b>CRL-EGN-40W-30K</b>	40W <b>3447LM</b> 3000K	117
<b>CRL-EGN-40W-50K</b>	40W <b>3447LM</b> 5000K	130
<b>CRL-EGN-54W-30K</b>	54W <b>4500LM</b> 3000K	137
<b>CRL-EGN-54W-40K</b>	54W <b>4500LM</b> 4000K	64
<b>CRL-EGN-54W-50K</b>	54W <b>4500LM</b> 5000K	410



## CRLC ENGINES

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
<b>CRLC-EGN-15W-30K-D</b>	15W <b>1200LM</b> 3000K	24
<b>CRLC-EGN-15W-50K-D</b>	15W <b>1275LM</b> 5000K	747
<b>CRLC-EGN-20W-50K-D</b>	20W <b>1720LM</b> 5000K	139



## LED VANITY LIGHT, 120-277VAC



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
<b>LVL-2FT-17W-30K</b>	17W <b>1900LM</b> 3000K	125
<b>LVL-2FT-17W-40K</b>	17W <b>1900LM</b> 4000K	231



## LED TRACK LIGHTS, 120V



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
<b>TRI-R-10W-WH-50K</b>	10W <b>702LM</b> 5000K	50
<b>TRI-S-10W-BK-30K</b>	10W <b>681LM</b> 3000K	36
<b>TRI-S-10W-BK-40K</b>	10W <b>706LM</b> 4000K	16
<b>TRI-S-10W-WH-30K</b>	10W <b>681LM</b> 3000K	289
<b>TRI-S-10W-WH-40K</b>	10W <b>706LM</b> 4000K	138
<b>TRI-S-10W-WH-50K</b>	10W <b>732LM</b> 5000K	48
<b>TRI-REFL-13D</b>	Replacement Reflector For Tri Series Track Lights 13"	119



FINAL DEALS

## BUILDER PLUS ENVIRONMENTAL SERIES PC 5CCT+3 POWER-LEVEL SELECTABLE LED RECESSED LIGHT TRIM- COMPOSITE SERIES



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
 <b>RDPF4-MCTP</b>	8W/10W/13W <b>80LM/W</b> 27K/30K/35K/40K/50K 4" BAFFLE	1986
<b>RDPF6-MCTP</b>	10W/13W/17W <b>80LM/W</b> 27K/30K/35K/40K/50K 6" BAFFLE	8155

## BUILDER PLUS ENVIRONMENTAL SERIES PC 5CCT SELECTABLE LED RECESSED LIGHT TRIM- COMPOSITE SERIES



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
 <b>RDPF4-MCT5</b>	10W <b>800LM</b> 27K/30K/35K/40K/50K 4" BAFFLE	2409
<b>RDPF6-MCT5</b>	13W <b>1040LM</b> 27K/30K/35K/40K/50K 6" BAFFLE	2260
<b>RDPS4-MCT5</b>	10W <b>800LM</b> 27K/30K/35K/40K/50K 4" SMOOTH	8055
<b>RDPS6-MCT5</b>	13W <b>1040LM</b> 27K/30K/35K/40K/50K 6" SMOOTH	941

## SPEC PLUS & WESTGATE SIGNATURE LED RECESSED TRIM SERIES 3", 4", 5/6" SELECTABLE 5CCT [JA8]



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
 <b>RDL3-MCT5-WP</b>	7W <b>560LM</b> 27K/30K/35K/40K/50K 3"	1289
<b>RDL4-MCT5-WP</b>	8W <b>650LM</b> 27K/30K/35K/40K/50K 4"	1115
<b>RDL6-MCT5-WP</b>	14W <b>1140LM</b> 27K/30K/35K/40K/50K 5/6"	47

## SINGLE CCT LED TRIMS 3", 4", 5/6" E26 included in the box (JA8-E-2016 COMPLIANT)



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.	
 <b>SMOOTH</b> 3"	<b>RDL3-27K-WP</b>	9W <b>540LM</b> 2700K	42
	<b>RDL3-41K-WP</b>	9W <b>540LM</b> 4100K	531
	<b>RDL3-50K-WP</b>	9W <b>540LM</b> 5000K	66
 <b>SMOOTH</b> 4"	<b>RDL4-27K-WP</b>	12W <b>650LM</b> 2700K	216
	<b>RDL4-35K-WP</b>	12W <b>725LM</b> 3500K	1369
	<b>RDL4-65K-WP</b>	12W <b>850LM</b> 6500K	447
 <b>SMOOTH</b> 5/6"	<b>RDL6-65K-WP</b>	19W <b>1400LM</b> 6500K	386
	<b>RDL4-BF-27K</b>	10W <b>650LM</b> 2700K	335
	<b>RDL4-BF-35K</b>	10W <b>720LM</b> 3500K	1305
 <b>BAFFLE</b> 4"	<b>RDL4-BF-41K</b>	10W <b>746LM</b> 4100K	519
	<b>RDL4-BF-50K</b>	10W <b>761LM</b> 5000K	41
	<b>RDL6-BF-35K</b>	18W <b>1280LM</b> 3500K	64
 <b>BAFFLE</b> 4"	<b>RDL4-ADJ-27K</b>	10W <b>650LM</b> 2700K	20
	<b>RDL4-ADJ-30K</b>	10W <b>650LM</b> 3000K	16
	<b>RDL4-ADJ-41K</b>	10W <b>650LM</b> 4100K	883
 <b>ADJUSTABLE EYEBALL</b> 5/6"	<b>RDL4-ADJ-50K</b>	10W <b>650LM</b> 5000K	62
	<b>RDL6-ADJ-50K</b>	13W <b>900LM</b> 5000K	96

FINAL DEALS

# FINAL PRODUCTION DEALS

"WHILE SUPPLIES LAST"

## 4" LED SQUARE TRIMS



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
 <b>SDL4-BF-27K</b>	10W <b>600LM</b> 2700K	4091
<b>SDL4-BF-30K</b>	10W <b>650LM</b> 3000K	482
<b>SDL4-BF-50K</b>	10W <b>700LM</b> 5000K	437
<b>SDL6-BF-27K</b>	16.5W <b>1073LM</b> 2700K	351
<b>SDL6-BF-30K</b>	16.5W <b>1100LM</b> 3000K	23
<b>SDL6-BF-41K</b>	16.5W <b>1150LM</b> 4100K	40
<b>SDL6-BF-50K</b>	16.5W <b>1200LM</b> 5000K	290

## SINGLE CCT LED ULTRA SLIM RECESSED LIGHTS, 120V



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
 <b>SSL4-27K</b>	9W <b>630LM</b> 2700K	16
 <b>SSL6-27K</b>	15W <b>1125LM</b> 2700K	22
<b>SSL6-30K</b>	15W <b>1125LM</b> 3000K	255
<b>SSL6-40K</b>	15W <b>1125LM</b> 4000K	21
<b>SSL6-50K</b>	15W <b>1125LM</b> 5000K	11

## AIRTIGHT LED RECESSED LIGHT HOUSING

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
 <b>ICFAL-4</b>	4" Fire-Rated Ic New Construction Led Recessed Housing	1569
 <b>ICFAL-6</b>	6" Fire-Rated Ic New Construction Led Recessed Housing	123

## LED ADJUSTABLE ULTRA SLIM RECESSED LIGHTS



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
 <b>RSL4-ADJ-27K</b>	9W <b>700LM</b> 2700K	71
<b>RSL4-ADJ-40K</b>	9W <b>700LM</b> 4000K	540
<b>RSL4-ADJ-50K</b>	9W <b>700LM</b> 5000K	16
<b>RSL4-ADJ-MCT5</b>	9W <b>700LM</b> 27K/30K/35K/40K/50K	24
<b>RSL6-ADJ-30K</b>	12W <b>900LM</b> 3000K	21

## SINGLE CCT LED ULTRA SLIM RECESSED LIGHTS, 120V



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
 <b>RSL3-27K</b>	6W <b>400LM</b> 2700K	1444
<b>RSL3-30K-ORB</b>	6W <b>400LM</b> 3000K	13
<b>RSL3-40K</b>	6W <b>420LM</b> 4000K	11
<b>RSL3-50K</b>	6W <b>420LM</b> 5000K	18
 <b>RSL4-30K-BN</b>	9W <b>630LM</b> 3000K	495
<b>RSL4-30K-ORB</b>	9W <b>630LM</b> 3000K	13
<b>RSL4-40K</b>	9W <b>650LM</b> 4000K	18
<b>RSL4-50K</b>	9W <b>650LM</b> 5000K	55
 <b>RSL6-27K</b>	15W <b>1125LM</b> 2700K	12
<b>RSL6-30K-BN</b>	15W <b>1125LM</b> 3000K	167
<b>RSL6-40K</b>	15W <b>1125LM</b> 4000K	28
<b>RSL8-40K</b>	18W <b>1300LM</b> 4000K	28
<b>RSL8-MCT</b>	18W <b>1300LM</b> MULTI-CCT:3000K/4000K/5000K	11

FINAL DEALS

# FINAL PRODUCTION DEALS

"WHILE SUPPLIES LAST"

## LED COMMERCIAL SLIM CANLESS RECESSED REGRESSED BAFFLE LIGHTS

120-277V, 0-10V DIMMING

With External J-Box. Included. No need for Housing



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
<b>RSLC6-BF-30K</b>	15W <b>1200LM</b> 3000K	224
<b>RSLC8-BF-30K</b>	18W <b>1440LM</b> 3000K	164

## 4" SINGLE CCT LED ADJUSTABLE PULL-DOWN ULTRA SLIM RECESSED LIGHTS



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
<b>RSL4-APD-50K</b>	12W <b>700LM</b> 5000K	521

## LED ADJUSTABLE ULTRA SLIM RECESSED LIGHTS



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
<b>RSL4-ADJ-27K</b>	9W <b>700LM</b> 2700K	71
<b>RSL4-ADJ-40K</b>	9W <b>700LM</b> 4000K	540
<b>RSL4-ADJ-50K</b>	9W <b>700LM</b> 5000K	16
<b>RSL4-ADJ-MCT5</b>	9W <b>700LM</b> 27K/30K/35K/40K/50K	27
<b>RSL6-ADJ-30K</b>	12W <b>900LM</b> 3000K	21

## 2" LED RECESSED LIGHTS (Baffle)(JA8-E-2016 COMPLIANT)



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
<b>RDL2S-BF-27K-WH</b>	8W <b>600LM</b> 2700K	12
<b>RDL2S-BF-40K-WH</b>	8W <b>600LM</b> 4000K	270
<b>RDL2S-BF-50K-WH</b>	8W <b>600LM</b> 5000K	167

## 2" LED RECESSED LIGHTS (Baffle)(JA8-E-2016 COMPLIANT)



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
<b>SDL2S-BF-27K-WH</b>	8W <b>600LM</b> 2700K	324
<b>SDL2S-BF-40K-WH</b>	8W <b>600LM</b> 4000K	51
<b>SDL2S-BF-50K-WH</b>	8W <b>600LM</b> 5000K	213

## 3" LED ADJUSTABLE (EYEBALL) RECESSED LIGHTS (JA8-E-2016 COMPLIANT)



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
<b>SDL3S-ADJ-27K-WH</b>	8W <b>600LM</b> 2700K	157
<b>SDL3S-ADJ-30K-WH</b>	8W <b>600LM</b> 3000K	148
<b>SDL3S-ADJ-40K-WH</b>	8W <b>600LM</b> 4000K	107

FINAL DEALS

# FINAL PRODUCTION DEALS

"WHILE SUPPLIES LAST"

## DUSK-TO-DAWN AREA LIGHT, 120-277V

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
  <b>LRD-EGN-10W-35K-D</b>	10W <b>700LM</b> 3500K	411
<b>LRD-EGN-10W-40K-D</b>	10W <b>700LM</b> 4000K	50
<b>LRD-EGN-10W-50K-D</b>	10W <b>700LM</b> 5000K	1031

## LED 5CCT CLOUD FIXTURE WITH PRE-INSTALLED SENSOR, 120V



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
 <b>FCRB-16-MCT5-SEN</b>	20W <b>1400LM</b> 27K/30K/35K/40K/50K 16" DIA	1475

## 12V LED DIRECTIONAL LIGHTS - ALUMINUM



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
 <b>FCS-11-12W-40K</b>	15W <b>1100LM</b> 4000K	36

## BUILDER COMPOSITE SERIES DECORATIVE FLUSH MOUNT FIXTURES

120V 5CCT E26 VER. INCL. (EXCEPT R12) RECESS ACCESSORIES



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
 <b>FMLE-R5-MCT5-E26</b>	9W <b>650LM</b> 27K/30K/35K/40K/50K 5"	3264
<b>FMLE-R9-MCT5-E26</b>	17W <b>1300LM</b> 27K/30K/35K/40K/50K 9"	980
<b>FMLE-R12-MCT5</b>	21W <b>1500LM</b> 27K/30K/35K/40K/50K 12"	1060

## SPEC SERIES ARCHITECTURAL DIE-CAST FLUSH MOUNT FIXTURES, 120V, 3CCT



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
 <b>FML-R6-MCT</b>	11W <b>660LM</b> 30K/40K/50K 6"	1180
<b>FML-R8-MCT</b>	14W <b>840LM</b> 30K/40K/50K 8"	1652
<b>FML-R10-MCT</b>	17W <b>1020LM</b> 30K/40K/50K 10"	204
<b>FML-R14-MCT</b>	26W <b>1560LM</b> 30K/40K/50K 10"	15
<b>FML-R18-MCT</b>	30W <b>2100LM</b> 30K/40K/50K 18"	53

## ARCHITECTURAL FLUSH MOUNT SURFACE FIXTURES, 120V



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
 <b>FML-R6-11W-50K</b>	11W <b>550LM</b> 5000K 6" DIAMETER	285
<b>FML-R8-14W-30K</b>	14W <b>750LM</b> 3000K 8" DIAMETER	234
<b>FML-R8-14W-50K</b>	14W <b>750LM</b> 5000K 8" DIAMETER	17
<b>FML-R10-17W-30K</b>	17W <b>950LM</b> 3000K 10" DIAMETER	33
 <b>FML-S6-11W-50K</b>	11W <b>550LM</b> 5000K 6" X 6"	1854
<b>FML-S8-14W-30K</b>	14W <b>750LM</b> 3000K 8" X 8"	448
<b>FML-S10-17W-30K</b>	17W <b>950LM</b> 3000K 10" X 10"	929

# FINAL PRODUCTION DEALS

"WHILE SUPPLIES LAST"

## LED DRUM FIXTURES, 120V



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
 <b>FDL-14-20W-30K</b>	20W <b>1500LM</b> 3000K	23
<b>FDL-14-MCT5</b>	20W <b>1500LM</b> 27K/30K/35K/40K/50K	1106
<b>FDL-16-25W-30K</b>	25W <b>1800LM</b> 3000K	97
<b>FDL-16-MCT5</b>	24W <b>1800LM</b> 27K/30K/35K/40K/50K	2401
<b>FDL-18-30W-30K</b>	30W <b>2250LM</b> 3000K	39

## BUILDER SERIES 6" LED ECONOMY DISC LIGHT, 120V



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
 <b>DLSE6-30K</b>	15W <b>900LM</b> 3000K	12
<b>DLSE6-50K</b>	15W <b>900LM</b> 5000K	2327
<b>DLSE6-MCT-BN</b>	15W <b>1000LM</b> 3000K/4000K/5000K	219

## LED DISC LIGHT 4" & 6" 120V (J-BOX MOUNTING)(JA8-E-2016 COMPLIANT)



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
 <b>DLSN4-27K</b>	10W <b>600LM</b> 2700K	164
<b>DLSN4-50K</b>	10W <b>600LM</b> 5000K	453
<b>DLSN6-27K</b>	15W <b>1000LM</b> 2700K	2936
<b>DLSN6-41K</b>	15W <b>1000LM</b> 4100K	16
<b>DLSN6-50K</b>	15W <b>1000LM</b> 5000K	226
<b>DLSN6-30K-BR</b>	15W <b>1000LM</b> 3000K	12
<b>DLSN6-30K-BN</b>	15W <b>1000LM</b> 3000K	42

## LED 5" DISC LIGHT WITH PIR MOTION SENSOR

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
 <b>DLSN5-30K-PIR</b>	10W <b>650LM</b> 3000K	21

## SPEC SERIES HIGH-PERFORMANCE DISC LIGHTS, 120V

DIE CAST ALUMINUM, ALL MOUNTING OPTIONS INCL.



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
 <b>DLS4-27K</b>	9W <b>550-600LM</b> 2700K 4"	461
<b>DLS4-30K</b>	9W <b>550-600LM</b> 3000K 4"	20
<b>DLS4-41K</b>	9W <b>550-600LM</b> 4100K 4"	1316
<b>DLS4-50K</b>	9W <b>550-600LM</b> 5000K 4"	89
 <b>DLS6-30K</b>	15W <b>950-1000LM</b> 3000K 6"	19
<b>DLS6-41K</b>	15W <b>950-1000LM</b> 4100K 6"	637
<b>DLS6-30K-BN</b>	15W <b>950-1000LM</b> 3000K 6" BRUSHED NICKEL	302

FINAL DEALS

# FINAL PRODUCTION DEALS

"WHILE SUPPLIES LAST"

## G4 BASE LAMPS

	CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
	<b>GZ-JC-39L-27K</b>	3W 250LM 2700K	84
	<b>GZ-JC-39L-30K</b>	3W 250LM 3000K	19

## LED PL LAMPS

	CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
	<b>LPL-EB-14W-H-L-40K</b>	12W 1200LM 4000K	23
	<b>LPL-EB-9W-H-40K</b>	9W 800LM 4000K	122

## PAR LAMPS

	CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
	<b>PAR30-LN-10W-50K-D</b>	10W 900LM 5000K	14
	<b>PAR38-18W-30K-D</b>	18W 1620LM 3000K	67

## A19 LAMP, CRI 90

	CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
	<b>A19-C90-8PK-800L-50K-D</b>	9.5W 800LM 5000K	427

## RGBW CONTROLLER + REMOTE CONTROL, 192W MAX, LED CONTROLLER

	CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
	<b>RGBW-CONTROLLER</b>	Rgbw Controller + Remote Control, 192W Max, Led Controller	8

## 24-VOLT INDOOR LED RIBBON LIGHTS - EXTRA HIGH OUTPUT

XHO MODEL MUST BE INSTALLED IN ALUMINUM CHANNEL FOR BETTER HEAT DISSIPATION

	CATALOG NO.	DESCRIPTION	REEL LENGTH	AVAILABLE QTY.
	<b>EXTRA HIGH OUTPUT LED RIBBON—INDOOR (16.4FT ROLLS) (Max Run 11ft)</b>			
	<b>ULR-IN-16F-XHO-27K</b>	8.8w/FT 620LM/FT 2700K 10mm Width	16.4FT	68
	<b>ULR-IN-16F-XHO-30K</b>	8.8w/FT 620LM/FT 3000K 10mm Width	16.4FT	27
	<b>ULR-IN-16F-XHO-35K</b>	8.8w/FT 620LM/FT 3500K 10mm Width	16.4FT	46
	<b>ULR-IN-16F-XHO-40K</b>	8.8w/FT 680LM/FT 4000K 10mm Width	16.4FT	16
	<b>ULR-IN-16F-XHO-50K</b>	8.8w/FT 700LM/FT 5000K 10mm Width	16.4FT	379
	<b>EXTRA HIGH OUTPUT LED RIBBON—INDOOR (98.4FT ROLLS) (Max Run 11ft)</b>			
	<b>ULR-IN-98F-XHO-27K</b>	8.8w/FT 620LM/FT 2700K 10mm Width	98.4FT	14
	<b>ULR-IN-98F-XHO-30K</b>	8.8w/FT 620LM/FT 3000K 10mm Width	98.4FT	197
	<b>ULR-IN-98F-XHO-35K</b>	8.8w/FT 620LM/FT 3500K 10mm Width	98.4FT	12
	<b>ULR-IN-98F-XHO-40K</b>	8.8w/FT 680LM/FT 4000K 10mm Width	98.4FT	43
	<b>ULR-IN-98F-XHO-50K</b>	8.8w/FT 700LM/FT 5000K 10mm Width	98.4FT	169

Extra High OUTPUT

FINAL DEALS

# FINAL PRODUCTION DEALS

"WHILE SUPPLIES LAST"

## LED T5 RETROFIT LAMPS WITH INTERNAL DRIVER



CATALOG NO.	DESCRIPTION	MAX RUN	AVAILABLE QTY.
<b>T5-22IN-9W-40K</b>	9W <b>1035LM</b> 4000K 2FT	24'	306
<b>T5-22IN-9W-50K</b>	9W <b>1125LM</b> 5000K 2FT	24'	623
<b>T5-47IN-16W-40K</b>	16W <b>1840LM</b> 4000K 4FT	31'	14
<b>T5-47IN-16W-50K</b>	16W <b>2000LM</b> 5000K 4FT	31'	345
<b>T5-6FT-PC</b>	6 FT. Plug-in Power Cord		-
<b>T5-6FT-PCS</b>	7 FT. Plug-in Power Cord		-
<b>T5-8IN-JUMP</b>	8" Linking Cable		-
<b>T5-6FT-PT</b>	6' AC Input Wire (PIGTAIL)		-
<b>T5-COUPLER</b>	Coupler (1 Included)		-
<b>T5-MAGSET</b>	Clip-on Secure Magnet Set		-

## LED PUCK LIGHTS, 120V INTERNAL DRIVERS Surface/Recess

6Ft. Power Cord with In-Line switch



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
<b>PL12ADJ-30K-BK</b>	4.5W <b>250LM</b> 3000K PLASTIC WHITE 1LIGHT	88
<b>PL12ADJ-40K-BK</b>	4.5W <b>250LM</b> 4000K PLASTIC BRUSHED NICKEL 1LIGHT	492
<b>PL12ADJ-50K-BK</b>	4.5W <b>250LM</b> 5000K PLASTIC BLACK 1LIGHT	484

120V



## DIRECTIONAL LIGHT, 12V, SOLID BRASS

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
<b>LD-184-BZ</b>	5W <b>400LM</b> 3000K	88



## STEP LIGHT, 12V

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
<b>AS-159-BK</b>	3W <b>200LM</b> 3000K	158
<b>AS-159-BR</b>	3W <b>200LM</b> 3000K	155



## STEP LIGHT, 12V

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
<b>LS-159-BZ</b>	3W <b>200LM</b> 3000K	177

FINAL DEALS

# FINAL PRODUCTION DEALS

"WHILE SUPPLIES LAST"


## WELL LIGHTS WITH SLEEVE & LED LAMPS

	CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
	<b>WL-105-1-BK</b>	5W <b>400LM</b> 3000K	211
	<b>WL-105-BK</b>	5W <b>400LM</b> 3000K	13
	<b>WL-170-BK</b>	5W <b>400LM</b> 3000K	26
	<b>WL-181-BK</b>	5W <b>400LM</b> 3000K	24
	<b>WL-181-BR</b>	5W <b>400LM</b> 3000K	161
	<b>WL-181-BZ</b>	5W <b>400LM</b> 3000K	78

## PLUG-IN DRIVERS (Non-Dimming)

	CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
	<b>UC12PS6W</b>	6W, 12V, POWER SUPPLY WITH CABLE	72
	<b>UCPS6W</b>	6W, 24V, POWER SUPPLY W/ CABLE	38
	<b>UCPS12W</b>	12W, 24V, POWER SUPPLY W/ 1.5 POWER CABLE	509
	<b>UCPS24W</b>	24W, 24V, 1A, POWER SUPPLY W/ 1.5 POWER CABLE	189
	<b>UCPS48W</b>	48W, 24V, 1A, POWER SUPPLY W/ 1.5 POWER CABLE	123

## LED LINEAR UNDERCABINET LIGHTS (Use External Drivers)

	CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
	<b>UCW6WW</b>	2W <b>140LM</b> 3000K 6"	586
	<b>UCW6W</b>	2W <b>168LM</b> 6000K 6"	169
	<b>UCW12WW</b>	3W <b>250LM</b> 3000K 12"	186
	<b>UCW12W</b>	3W <b>280LM</b> 6000K 12"	64
	<b>UCW20WW</b>	5W <b>420LM</b> 3000K 20"	310
	<b>UCW20W</b>	5W <b>462LM</b> 6000K 20"	309
	<b>UCW32WW</b>	8W <b>590LM</b> 3000K 32"	816
	<b>UCW32W</b>	8W <b>640LM</b> 6000K 32"	35
	<b>UCW40WW</b>	11W <b>820LM</b> 3000K 40"	29
	<b>UCW40W</b>	11W <b>880LM</b> 6000K 40"	136
	<b>UC6WW</b>	2W <b>140LM</b> 3000K 6"	285
	<b>UC6W</b>	2W <b>168LM</b> 6000K 6"	76
	<b>UC12WW</b>	3W <b>250LM</b> 3000K 12"	72
	<b>UC12W</b>	3W <b>280LM</b> 6000K 12"	150
	<b>UC20WW</b>	5W <b>420LM</b> 3000K 20"	150
	<b>UC20W</b>	5W <b>462LM</b> 6000K 20"	11
	<b>UC32W</b>	8W <b>640LM</b> 6000K 32"	38
	<b>UC40WW</b>	11W <b>820LM</b> 3000K 40"	60
	<b>UC40W</b>	11W <b>880LM</b> 6000K 40"	126

## LED ADJUSTABLE UNDERCABINET, 24V

	CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
	<b>UC-ADJ-12WW</b>	5W <b>380LM</b> 3000K 11.81"	82
	<b>UC-ADJ-12W</b>	5W <b>400LM</b> 6000K 11.81"	17
	<b>UC-ADJ-20WW</b>	8W <b>600LM</b> 3000K 19.68"	141
	<b>UC-ADJ-20W</b>	8W <b>640LM</b> 6000K 19.68"	98
	<b>UC-ADJ-40WW</b>	16W <b>1200LM</b> 3000K 39.37"	79
	<b>UC-ADJ-40W</b>	16W <b>1280LM</b> 6000K 39.37"	99
	<b>UC-ADJ-PIR</b>	PIR SENSOR FOR U/C ADJUSTABLE SERIES	89
	<b>UC-ADJ-DMR</b>	TOUCH DIMMER WITH MEMORY FOR U/C ADJUSTABLE SERIES	92



FINAL DEALS

# FINAL PRODUCTION DEALS

"WHILE SUPPLIES LAST"

## UNDER CABINET LIGHTING PARTS & ACCESSORIES

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
 <b>UCDIMMER</b>	LED UNDER CABINET LIGHTS DIMMER	40
 <b>UCDIMMER-TOUCH</b>	LINEAR UNDER CABINET TOUCH DIMMER TO CONNECT TO FIXTURES END, <b>BLACK</b>	43
 <b>UCDIMMER-TOUCH-WH</b>	LINEAR UNDER CABINET TOUCH DIMMER TO CONNECT TO FIXTURES END, <b>WHITE</b>	207
 <b>UCJUNCTION-W</b>	HARD WIRE POWER FEED IN / OUT, <b>WHITE</b>	224
 <b>UCSENS-PIR-1</b>	PIR SENSOR, AUTO ON/OFF WHEN MOVEMENT, MAX 72W, 4" (10CM) RANGE, 120D, -20°C TO 40°C INDOORS	77
 <b>UCSENS-PIR</b>	PIR SENSOR, AUTO ON/OFF WHEN MOVEMENT, MAX 72W, 4" (10CM) RANGE, 120D, -20°C TO 40°C INDOORS	154
 <b>UCCONCABLE</b>	3.25 FT. CONNECTOR CABLE, <b>BLACK</b>	59
 <b>UCCONCABLE-WH</b>	3.25 FT. CONNECTOR CABLE, <b>WHITE</b>	75
 <b>UCCONCABLE-10</b>	10 FT. UNDER CABINET LIGHT CONNECTOR CABLE, BOTH SIDE MALE, <b>BLACK</b>	36
 <b>UCCONCABLE-10-WH</b>	10 FT. UNDER CABINET LIGHT CONNECTOR CABLE, BOTH SIDE MALE, <b>WHITE</b>	261
 <b>UCCOP-3F</b>	3 FT. UNDER CABINET LIGHT COUPLING, BOTH SIDE FEMALE, <b>BLACK</b>	69
 <b>UCCOP-3F-WH</b>	3 FT. UNDER CABINET LIGHT COUPLING, BOTH SIDE FEMALE, <b>WHITE</b>	216
 <b>UCPOWERC-10F</b>	10 FT. UNDER CABINET LIGHT POWER CONNECTOR, 1 SIDE MALE, 1 SIDE FEMALE, <b>BLACK</b>	47
 <b>UCPOWERC-10F-WH</b>	10 FT. UNDER CABINET LIGHT POWER CONNECTOR, 1 SIDE MALE, 1 SIDE FEMALE, <b>WHITE</b>	196
 <b>UCRE04</b>	4 OUTPUT EASY RECEPTACLE	83
 <b>UCRE08</b>	8 OUTPUT EASY RECEPTACLE	18
 <b>UCAC01</b>	CORNER CONNECTOR, <b>BLACK</b>	38
 <b>UCAC01-WH</b>	CORNER CONNECTOR, <b>WHITE</b>	17
 <b>UCPLASCONN-WH</b>	PLASTIC CONNECTOR, <b>WHITE</b>	167

## LED EMERGENCY DRIVER

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
 <b>ELB-2548-EXTR</b>	LED EMERGENCY DRIVER FOR LED PRODUCTS WITH EXTERNAL DRIVER, UL RECOGNIZED 120-277 INPUT 25W 90	71

## LED R1 REMOTE HEAD, DIE CAST, DOUBLE, 9.6V

CATALOG NO.	WATTS	VOLTAGE	HOUSING COLOR	HEADS PER FIXTURE	AVAILABLE QTY.
<b>RHLED2-MV</b>	1W per Head	3.6V/6V/9.9V/12 DC	Grey	Double	42

## LED R1 REMOTE HEAD, DIE CAST, DOUBLE, OUTDOOR WEATHER PROOF, 9.6V

CATALOG NO.	WATTS	VOLTAGE	HOUSING COLOR	HEADS PER FIXTURE	AVAILABLE QTY.
<b>RHLED2-WP-MV</b>	1W per Head	3.6V/6V/9.9V/12 DC	Grey	Double	20

## COMBINATION LED EXIT SIGN & LED EMERGENCY, 120-277V, 21"(W) x 9"(H) x 4-7/16"(D)

CATALOG NO.	NUMBER OF FACES	LETTER COLOR	HOUSING	BATTERY	AVAILABLE QTY.
 <b>XT-CL-RB-EM</b>	Universal Single/Double	Red	Black	NiCd	27

# FINAL PRODUCTION DEALS

"WHILE SUPPLIES LAST"

## LED EXIT SIGN WITH REMOTE CAPABILITY, 120-277V

CATALOG NO.	NUMBER OF FACES	LETTER COLOR	HOUSING	BATTERY	AVAILABLE QTY.
 <b>XT-RCRW-EM</b>	Universal Single/Double	RED	White	Lead Acid	62
 <b>XT-RCGW-EM</b>	Universal Single/Double	GREEN	White	Lead Acid	11

## EMERGENCY BATTERY BACKUPS

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
<b>ELB-08120-AC</b>	SPLIT 120VAC 8W Li-Ion EMERGENCY LED BACKUP FOR DOB FIXTURES	157
<b>ELB-0860-FLEX</b>	30-60VDC 8W Li-Ion LED EMERGENCY BACKUP WITH FLEX FOR BACKLIT PANELS	11
<b>ELB-18150-B</b>	SPLIT 50-150VDC 18W Li-Ion EMERGENCY LED BACKUP FOR LED T8 & T5 LAMPS AND RECESSED TRIMS, UL CEC	30
<b>ELB-30175-AC-HB</b>	30W 175VDC INTEGRATED HIGHBAY LED EMERGENCY BACKUP DRIVER WITH JUNCTION BOX FOR DIRECT AC CONNECTIONS - REMOTE CAPABLE	92

## SENSOR, IP66

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
 <b>MS0-IP66-KN</b>	OUTDOOR BI-LEVEL PROGRAMMABLE MOTIONS SENSOR WITH 1/2" KNUCKLE	122

## EXTENSION CORD

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
 <b>EX143-25</b>	SJTW 14Awg/3C, 25 Ft, 13A, 125V, Outside Extension Cord, 10 Pcs/Ctn	112
 <b>EX163-50</b>	SJTW 14Awg/3C, 50 Ft, 13A, 125V, Outside Extension Cord, 8 Pcs/Ctn	497
<b>EXL143-50</b>	SJTW 14Awg/3C, 50 Ft, 15A, 125V, Blue Outdoor Extension Cord, Lighted Plug, 6 Pcs/Ctn	58
<b>EXL123-50</b>	SJTW 3C/12Awg, 50 Ft, 15A, 125V, Blue Outdoor Extension Cord, Lighted Plug, 4 Pcs/Ctn	22

## STRAIGHT ANGLE PLUG WITH THICK VINYL INSULATION

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
 <b>DRY5</b>	Heavy-Duty Strain Relief Protects Cord Resulting In Longer Cord Life	17

## VACANCY SENSOR AUTO/MANUAL-ON 120V W. LED INDC.

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
 <b>YM2105-W</b>	Vacancy Sensor Auto/Manual-On 120V W. Led Indc.(No Neutral Required)	60

## OCCUPANCY/VACANCY SENSORS

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
 <b>YM183-W</b>	Occupancy PIR Sensor, 180°, 30FT (720FT), 120V 800/1200W max, Single Pole, Neutral Req.	703

FINAL DEALS

# Westgate Series INDEX

WG Series	Page No.	WG Series	Page No.	WG Series	Page No.	WG Series	Page No.	WG Series	Page No.	WG Series	Page No.	WG Series	Page No.	WG Series	Page No.
A19	213	DLSU	235	GSK	89	LFXPRO	24	LTRL	132	SCLP	160	T8-EM	210	W3B	309
A19-FLA	216	DLW	21	GZ	215	LFX-SC	24	LTRM	133	SCLT	160	T8-EXZ	210	W3C	309
A-41	283	DMX	66	HBL	208	LFX-TR	32	LTRR	133	SCO	146	T8-EZ6-GS	211	W3D	309
AA-146	277	DMX-CIGL	67	HEX	134	LFXU	22	LTRS	131	SCP	158	T8-EZ6-U2F	210	WA	168
AA-RG	284	DMX-IGLC	67	HEX-RGB	135	LH150	312	LTRW	132	SCPL	161	T8-HL-SPLIT	212	WAE	169
AA-STEM	276	DPL	254	HL	224	LHB2	112	LTW	16	SCPP	161	T8HO	212	WAEW	169
AD	273	DSLIE	235	HML	82	LHCMAX	114	LVA	193	SCR	162	T8-TYPB	211	WAS	168
AD120	39	DSP	255	HNS	62	LHCX	115	LVB	191	SCRH	162	T8-U2F-EZ3	210	WASLR	167
AS	279	E12	215	HPL	208	LL	311	LVC	191	SCSL	157	TC	65	WAX	15
B-41	283	ED	208	HSL	280	LLHB	1108	LVD	192	SCSSL	156	TC-A19	214	WCF	163
BKH	16	EL-1	301	ICFAL	224	LLHB4	116	LVE	192	SCX	140	TC-E12	215	WCPL	163
BKRD	17	EL-1D	301	IGL	279	LLHB4	117	LVF	191	SCX	141	TC-FL	38	WCPL	163
BKRF	17	EL-2A	301	IGLA	280	LLHBF	119	LVG	193	SCX1.5	143	TC-FL-12V	41	WE167	283
BKRN	17	ELB	304	IGLC	100	LLHC	114	LVI	193	SCX2	145	TC-FML	242	WEC-MOD	105
BOL-502	96	EL-EHO	302	KEA	102	LLVT	121	LVL	190	SCX	144	TC-GL-12V	41	WEC-SW	105
BOL-505	96	EL-HO	302	KEB	102	LLVT-480V	122	LVO	192	SCX6	145	TC-PAR	214	WESTGATE SMART	257
BOL-602	97	EL-M	301	LA	277	LLXT	300	LVP	194	SCXA	139	TC-RDPS	223	WESTGATE SMART	258
BOL-605	98	EL-M5	300	LAL	278	LMIR	195	LVS	194	SCXA2	138	TGL	128	WESTGATE SMART	259
BOL-608	98	EL-MT	300	LA-STEM	284	LMW	20	LVT	282	SCX-BK	142	TGLK	128	WFL-DC-RC	198
BOL-700	97	ELN4X	303	LA-T	283	LOHB	68	LVTE	120	SCXC	150	TL	285	WFL-DC-RC	199
BOL-800	99	EL-RH	302	LB	311	LOV	284	LVTF	121	SCXCF	150	TOL	71	WFL-PC	196
BOL-G2	94	EL-WP	302	LCEU	247	LPCR	134	LWV	60	SCX-FMRK	148	TR1	199	WFL-RC	197
BOL-G4	92	ERSH	61	LCFA	248	LPF	169	LWV	274	SCX-IP66	137	TRACK ACCESSORIES	203	WFL-WS	197
BOL-G4-SOLAR	91	EVC	106	LCFB	252	LPL	213	LW360	14	SCX-MIFK	148	TRD	201	WHCX	10
BOL-G5	92	EW-16	302	LCFC	247	LPNG	126	LWAX	13	SCXR	146	TRD-MCTB	202	WL	281
BOL-G5-SOLAR	93	EX	313	LCFD	251	LPNP	127	LWAX-P	12	SCX-RGB	147	TR-DT-TPC-SS	282	WL-140	280
BOL-G7	93	EXPF	80	LCFE	252	LPS	129	LWPMAX	11	SCXT	146	TRT	200	WL-3IN1	69
BOL-G8	95	EXPL	80	LCFE-E26	253	LPSB	129	LWPX	11	SCXT	149	T-RFG	212	WL-EZCG	69
BOL-RP	99	EXPR	80	LCFF	246	LP-SLF	126	M507	312	SDL	222	TR-MT-SS	282	WLF	46
BPS	90	FCD	246	LCFG	253	LR	311	MR11	214	SDLS-ADJ	230	TRP	201	WLL	281
BR30	214	FCR	238	LCFG-E26	254	LRD	233	MR16	214	SDLS-SB	231	TRPK	200	WMA	44
BRL	256	FCRB	238	LCFH	252	LRD	234	MR16	283	SDLS-ST	231	TRS	202	WMC-12V	274
BUNGEE CORDS	283	FCS	238	LCFI	250	LRP-HL	134	MR16-RGB	216	SDLTS	232	TR-Z-TPC	282	WMC2	49
C	311	FDL	237	LCFK	249	LRS-A	60	MVP	313	SDPS	222	TSR	67	WMC3	49
CAX	88	FDLH	190	LCFL	250	LRS-B	60	OUTDOOR ACCESSORIES	34	SDTL	158	UCA	288	WMC4	50
CCL	168	FDLS	237	LCFN	248	LRS-C	60	OUTDOOR ACCESSORIES	35	SENSORS	103	UC-ADJ	292	WMC6	52
CDLX	87	FEL	129	LCFP	251	LRS-CR	62	OUTDOOR ACCESSORIES	36	SENSORS	104	UCA-RGBW	289	WMC8	52
CDX	89	FEL	240	LCFPM	248	LRS-D	60	PAR	214	SFL	159	UCE	288	WMC-CD	51
CG	312	FLD2	39	LCFQ	249	LRS-E	59	PAR36	283	SFX-G10	82	UCM	291	WMC-CD-RGBW	51
CGL	87	FLD3	39	LCFR	251	LRS-F	59	PHOTOCONTROLS	101	SFX-G7	81	UCR	289	WMC1	52
CIGL	100	FLDF	38	LCFS	249	LRS-G	59	PL	312	SFX-G9	81	UCW	291	WMC-RGBW	53
CL-CONST	209	FLDX	37	LCFT	249	LRS-H	59	PL12	294	SL	44	UHL	112	WMC5	54
CL-EHL	207	FLDXPRO	37	LCG	90	LRS-J	59	PL120ADJ	293	SLB	312	UHX	110	WMC5R	53
CL-FLT	208	FLDX-RGBW	38	LCL	167	LRS-K	62	PL12-PIR	293	SL-CAM	43	UHXE	111	WML	19
CMC 1	175	FLH	42	LD	274	LRL	167	PL12R	293	SL-D	44	UHXF	112	WMO5	55
CMC ACCESSORIES	183	FLS	42	LDAP	250	LRS-L	60	PL12-RGBW	293	SLE	285	UHX-G2	109	WMS	20
CMC12	181	FLV12	41	LDL	122	LRS-M	61	PL12S	293	SLE-120V	286	UHMAX	108	WMV	16
CMC2	176	FLV12	273	LDLS	232	LRS-MC	64	PML	79	SLE-12V	286	ULR-1FT-RGBW	269	WMX	19
CMC3	175	FLVX	40	LDS	58	LRS-ML	63	POB	163	SLEA	286	ULR-2WRE	267	WMXE	18
CMC4	177	FLVXPRO	40	LDSB	57	LRS-N	61	POL	72	SLP	43	ULR-CH	266	WMXMAX	18
CMC4-ADJ	178	FLVX-RGBW	41	LDSC	58	LRS-O	62	PSA	290	SLR	113	ULR-DCJ	267	WMXPRO	19
CMC4-GIM	178	FMD	237	LDSL	58	LRS-P	56	PSAL	290	SLRP	113	ULR-IN-1FT-HO	268	WPAX	15
CMC5-MILAN	178	FMHR	239	LDSS	57	LRS-PV	60	RDDF	220	SLSM	279	ULR-IN-1FT-HO-COB	268	WPCY	12
CMC6	179	FMHT	239	LDSV	57	LRS-Q	64	RDDS	220	SLX	43	ULR-IN-1FT-SO	268	WPFX	17
CMC8	180	FML	174	LDSX	56	LRS-R	56	RDJ	223	SOLA	84	ULR-IN-1FT-XHO	268	WPMAX	8
CMC9	180	FML	243	LDSXL	58	LRS-S	56	RDL	221	SOLA-SPLT	83	ULR-IN-1FT-YHO	268	WPMX	10
CMC-RGBW	181	FMLB	244	LEDDR	266	LRS-S	60	RDL	223	SOLB	91	ULR-IN-HO	261	WPV	16
CMCSR	182	FMLB	245	LEDTFX	302	LRS-SG	63	RDL-12V	223	SOLF	83	ULR-IN-HO-COB	262	WPX	9
CMCW	184	FMLE	241	LESW	21	LRS-SH	63	RDL-ADJ	230	SOLN	84	ULR-IN-HWDR	266	WRB	310
CRE	45	FMLS	241	LESW-EM	303	LRS-SWG	60	RDL-5B	230	SOLRW	280	ULR-IN-SO	261	WRC	310
CREA	64	FMLT	241	LF SHROUD	31	LRS-T	56	RDL-5B-D2W	230	SOLS	68	ULR-IN-XHO	262	WRE	310
CRE5	45	FMLU	239	LF12	42	LRS-TU	55	RDL-5B	231	SOLW	69	ULR-IN-YHO	262	WSO	47
CRL	187	FML-UGR	242	LF12	273	LRS-WS	62	RDL-5T	231	SP10KV	105	ULR-IPS4	263	WSX	47
CRLB	189	FML--UGR-010V	242	LF4-12V	42	LRT-HL	134	RDL-TRM	222	SPL	161	ULR-IPS4-1FT-HO	269	WXB	310
CRLC	186	FR-HL	224	LF4-12V	273	LRX	70	RDLTS	232	SRC	151	ULR-LENS	267	WXF	310
CRLC4	185	FSL	237	LF4-KN	31	LS	279	RDMF	221	SRL	135	ULR-OT-1FT-XHO	269	WXR	310
CRLE	188	FWH	173	LF4MAX	26	LSC	190	RDPF	220	SRPL	162	ULR-OT-COB	265	XD	297
CRLE-BF	189	G10	215	LF4MAX	27	LSL	166	RDPS	220	SSL-FR	228	ULR-OT-HO	264	XE	298
CRXL	187	GL	38	LF4PRO	27	LSN	165	RECESSED ACCESSORIES	227	SSLRB	226	ULR-OT-XHO	264	XIT	299
CWLEZKTE	299	GL-12V	41	LF4PRO	33	LSP	168	REMOTES	104	ST19	216	ULR-IN-ADJ	267	XT-C-ADJ	299
CWS	195	GL-12V	273	LFCF	174	LS-REPL	284	RHN4X	303	ST360	159	ULR-RGBW	263	XT-CL	299
CXER	86	GNB	48	LFCD	33	LSS	164	RMS	113	ST64	216	ULS	265	XTCLN4X	299
CXES	86	GNBA	48	LFE	33	LSWN	283	RSL	189	STG	213	USB2	313	XT-CLWP	300
CXU	88	GPA	75	LFE-KN	30	LSWX	22	RSL	225	STL	85	UW	280	XT-CWP	300
DAB	77	GPA-2	312	LFE-TR	32	LTPV	119	RSL-ADJ	229	STP	21	VTA	70	XT-EL	297
DAB-SOL	78	GPC	76	FLD	273	LTRA	134	RSL-APD	229	T	311	VTU	70	XT-EM	297
DBEL	303	GPE	72	LFLV-12V	278	LTRAR	131	RSLC	189	T10	216	W1B	307	XTN4X	298
DELW	303	GPET	72	LFX	23	LTRB	131	RSL-FR	228	T12-EXZ-GS	212	W1C	307	XTSL	297
DLS	236	GPH	76	LFX MOUNTING	28	LTRC	132	RSL-GIM	229	T5-D	292	W1D	308	XTU	297
DLSE	235	GPL	75	LFX SHROUD	28	LTRD	132	RSL-IB	229	T5-E26	212	W2B	308	XTU-CL-EM	299
DLSF	236	GPS	313	LFXE	23	LTRG	130	RSL-TRM	226	T5-TYP	212	W2C	309	XT-WP	298
DLSN	236	GPX	73	LFX-KN	29	LTRG	133	SCE	136	T8-DIM	211	W2D	309	YM	313
DLST	235	GPX-CAT	74	LFXMAX	25	LTRI	132	SCLL	160	T8-ELV	212	W2X	309		

# NEED ADDITIONAL SERVICES?

## REVIEW THE BELOW LIST OF FLAT RATE SERVICES OFFERED BY WESTGATE

Add a part number from the below lists to your PO to request additional services.

### Optional Add-Ons:

PART#	SERVICE DESCRIPTION	2026 Terms
<a href="#">/SR-EXTW-3YR</a>	3 years Additional Warranty	Request A Quote
<a href="#">/SR-STRG-14D</a>	Additional 14days Storage*	Request A Quote
<a href="#">/SR-STRG-30D</a>	Additional 30days Storage*	Request A Quote
<a href="#">/SR-EXPED-LTL</a>	Expedited Pallet Delivery*	Request A Quote
<a href="#">/SR-SIGN-PKG</a>	Signature Required For FedEx/UPS Delivery	Request A Quote

\* Westgate offers up to 14 days of free storage hold for your orders.

\* \*Free freight is the standard speed is at Westgate's discretion.

### Manadatory Charges:

PART#	SERVICE DESCRIPTION	2026 Terms
<a href="#">/SR-RESI-D</a>	Residential Pallet Delivery fee*	Request A Quote
<a href="#">/SR-LIFT-G</a>	Lift Gate fee	Request A Quote
<a href="#">/SR-REDELIVERY</a>	Truck Re-delivery Fee	Request A Quote
<a href="#">/SR-WAIT-T</a>	Wait Fee At The Delivery Location	Request A Quote

\* The additional fee applies even if when the standard shipping is Prepaid by Westgate.

Westgate will send a new invoice referencing the original purchase order number when the additional freight charges occur after the initial invoice.

18  
YEARS

# WESTGATE

THE FUTURE IS HERE... AND IT'S QUITE BRIGHT!



Design Your  
Lighting Project!



Warranty Claims  
Made Easy



Build Your  
Custom Lighting

18  
YEARS

\$1

NO MINIMUMS ☉  
QUICK FREE SHIPPING 🚚  
FRIENDLY POLICIES 😊

Energy-Efficient Lighting  
Easier and More Profitable!



@WESTGATEMFG

WWW.WESTGATEMFG.COM