




Style Your Space with Perfection

Commercial Vanity Lights





MCT5

Half Circle Indoor Wall Sconce

FDLH-12-MCT5


Dimensions: 11.81" (W) x 5.94" (H)

Specifications: 12W | 960LM | 120V AC

2700K/3000K/3500K/4000K/5000K

Dimming: Dimmable Down to 10% Using a Standard TRIAC LED Dimmer

Available Colors:



Multi-CCT: Selectable with Switch on the LED board under the lens



10"
LSC-10-MCTP-BN



Dimensions:
4 3/4"(W) x 10"(H) x 2 1/2"(D)
Specifications:
9W/12W/15W | 1200LM |
3000K/4000K/5000K | 120V
AC 50/60Hz
Dimming:
TRIAC Dimming
Available Colors:



15"
LSC-15-MCTP-BN



Dimensions:
4 3/4"(W) x 15"(H) x 2 1/2"(D)
Specifications:
12W/18W/20W | 1600LM |
3000K/4000K/5000K | 120V
AC 50/60Hz
Dimming:
TRIAC Dimming
Available Colors:



18"
LSC-18-MCTP-BN



Dimensions:
4 3/4"(W) x 18"(H) x 2 1/2"(D)
Specifications:
15W/20W/25W | 2000LM |
3000K/4000K/5000K | 120V
AC 50/60Hz
Dimming:
TRIAC Dimming
Available Colors:



Modern Indoor Wall Sconce

Built-in multi-CCT switch
(3000K/4000K/5000K)
lets you easily customize
color temperature.





2ft. LED Vanity Light




LVL-2FT-MCT-DD

Dimensions: 24" (L) x 4" (W) x 3.5" (H)

Specifications: 20W | 2300LM | 120-277VAC 60Hz
3000K/4000K/5000K

Dimming: Dual Dimming: Triac Dimmable at 120V & 0-10V Dimming at 120-277V

Available Colors:



Ideal for restrooms, salons, locker rooms, hospitality suites, multi-family housing, etc.



Vanity Lights

with Slide-to-Center Wall Canopy

Adjustable multi-CCT switch lets you choose from 2700K to 5000K for perfect lighting.



14"
LVF-WS-MCT5-BN



Dimensions:
4 3/4"(W) x 14"(H) x 3"(D)
Specifications:
16W | 1360LM | 120V AC 50/60Hz
2700K/3000K/3500K/4000K/5000K
Dimming:
TRIAC Dimming (Dimmable Down to 5%
Compatible with Triac and ELV Dimmers)
Available Colors:



18"
LVF-18-MCT5-BN



Dimensions:
18"(W) x 3"(H) x 4 3/4"(D)
Specifications:
12W | 1020LM | 120V AC 50/60Hz
2700K/3000K/3500K/4000K/5000K
Dimming:
TRIAC Dimming (Dimmable Down to 5%
Compatible with Triac and ELV Dimmers)
Available Colors:



15"
LVF-24-MCT5-BN



Dimensions:
24"(W) x 3"(H) x 4 3/4"(D)
Specifications:
18W | 1360LM | 120V AC 50/60Hz
2700K/3000K/3500K/4000K/5000K
Dimming:
TRIAC Dimming (Dimmable Down to 5%
Compatible with Triac and ELV Dimmers)
Available Colors:



30"
LVF-30-MCT5-BN



Dimensions:
30"(W) x 3"(H) x 4 3/4"(D)
Specifications:
20W | 1600LM | 120V AC 50/60Hz
2700K/3000K/3500K/4000K/5000K
Dimming:
TRIAC Dimming (Dimmable Down to 5%
Compatible with Triac and ELV Dimmers)
Available Colors:



36"
LVF-36-MCT5-BN



Dimensions:
36"(W) x 3"(H) x 4 3/4"(D)
Specifications:
24W | 2000LM | 120V AC 50/60Hz
2700K/3000K/3500K/4000K/5000K
Dimming:
TRIAC Dimming (Dimmable Down to 5%
Compatible with Triac and ELV Dimmers)
Available Colors:



48"
LVF-48-MCT5-BN



Dimensions:
48"(W) x 3"(H) x 4 3/4"(D)
Specifications:
32W | 2700LM | 120V AC 50/60Hz
2700K/3000K/3500K/4000K/5000K
Dimming:
TRIAC Dimming (Dimmable Down to 5%
Compatible with Triac and ELV Dimmers)
Available Colors:





Model LVB LED Semi Flush Vanity Light



12" Brushed Nickel LVB-12-MCT-BN

Dimensions:
12" (L) x 4.7" (W) x 3.8" (H)
Specifications:
8W | 560LM | 3000K/4000K/5000K
120V
Dimming:
TRIAC Dimming
Available Colors:



12" Polished Chrome LVB-12-MCT-PC

Dimensions:
12" (L) x 4.7" (W) x 3.8" (H)
Specifications:
8W | 560LM | 3000K/4000K/5000K
120V
Dimming:
TRIAC Dimming
Available Colors:



18" Brushed Nickel LVB-18-MCT-BN

Dimensions:
18" (L) x 4.7" (W) x 3.12" (H)
Specifications:
12W | 840LM | 3000K/4000K/5000K
120V
Dimming:
TRIAC Dimming
Available Colors:



18" Polished Chrome LVB-18-MCT-PC

Dimensions:
18" (L) x 4.7" (W) x 3.12" (H)
Specifications:
12W | 840LM | 3000K/4000K/5000K
120V
Dimming:
TRIAC Dimming
Available Colors:



24" Brushed Nickel LVB-24-MCT-BN

Dimensions:
24" (L) x 4.7" (W) x 3.12" (H)
Specifications:
16W | 1440LM | 3000K/4000K/5000K
120V
Dimming:
TRIAC Dimming
Available Colors:



24" Polished Chrome LVB-24-MCT-PC

Dimensions:
24" (L) x 4.7" (W) x 3.12" (H)
Specifications:
16W | 1440LM | 3000K/4000K/5000K
120V
Dimming:
TRIAC Dimming
Available Colors:



36" Brushed Nickel LVB-36-MCT-BN

Dimensions:
36" (L) x 4.7" (W) x 3.12" (H)
Specifications:
24W | 1680LM | 3000K/4000K/5000K
120V
Dimming:
TRIAC Dimming
Available Colors:



36" Polished Chrome LVB-36-MCT-PC

Dimensions:
36" (L) x 4.7" (W) x 3.12" (H)
Specifications:
24W | 1680LM | 3000K/4000K/5000K
120V
Dimming:
TRIAC Dimming
Available Colors:



48" Brushed Nickel LVB-48-MCT-BN

Dimensions:
48" (L) x 4.7" (W) x 3.8" (H)
Specifications:
32W | 2240LM | 3000K/4000K/5000K
120V
Dimming:
TRIAC Dimming
Available Colors:



48" Polished Chrome LVB-48-MCT-PC

Dimensions:
48" (L) x 4.7" (W) x 3.8" (H)
Specifications:
32W | 2240LM | 3000K/4000K/5000K
120V
Dimming:
TRIAC Dimming
Available Colors:





LVC Series

Adjustable multi-CCT switch lets you choose from 2700K to 5000K for perfect lighting.



24"
LVC-24-MCT5-BN



Dimensions:

24"(W) x 4 3/4"(H)

Specifications:

16W | 1120LM | 120V AC 50/60Hz

2700K/3000K/3500K/4000K/5000K

Dimming:

TRIAC Dimming

Available Colors:



36"
LVC-36-MCT5-BN



Dimensions:

36"(W) x 4 3/4"(H)

Specifications:

24W | 1680LM | 120V AC 50/60Hz

2700K/3000K/3500K/4000K/5000K

Dimming:

TRIAC Dimming

Available Colors:




LED Vanity Lights with Cube PC Lens



Vanity Lights

with Tube PC

Adjustable multi-CCT switch lets you choose from 2700K to 5000K for perfect lighting.



14"
LVD-WS-MCT5-BN



Dimensions:

4.7"(W) x 14"(H) x 2.7"(D)

Specifications:

16W | 1360LM | 120V AC 50/60Hz
2700K/3000K/3500K/4000K/5000K

Dimming:

TRIAC Dimming (Dimmable Down to 5%
Compatible with Triac and ELV Dimmers)

Available Colors:



24"
LVD-24-MCT5-BN



Dimensions:

24"(W) x 2 1/4"(H)

Specifications:

16W | 1300LM | 120V AC 50/60Hz
2700K/3000K/3500K/4000K/5000K

Dimming:

TRIAC Dimming (Dimmable Down to 5%
Compatible with Triac and ELV Dimmers)

Available Colors:



36"
LVD-36-MCT5-BN



Dimensions:

36"(W) x 2 1/4"(H)

Specifications:

24W | 2000LM | 120V AC 50/60Hz
2700K/3000K/3500K/4000K/5000K

Dimming:

TRIAC Dimming (Dimmable Down to 5%
Compatible with Triac and ELV Dimmers)

Available Colors:



48"
LVD-48-MCT5-BN



Dimensions:

48"(W) x 2 1/4"(H)

Specifications:

32W | 2700LM | 120V AC 50/60Hz
2700K/3000K/3500K/4000K/5000K

Dimming:

TRIAC Dimming (Dimmable Down to 5%
Compatible with Triac and ELV Dimmers)

Available Colors:





Oval-Back 360° Modern Vanity Light



18"
LVO-18-MCT5-BN



Dimensions:

18"(W) x 3.2"(H) x 4.7"(D)

Specifications:

18W | 1260LM | 120V AC 50/60Hz
2700K/3000K/3500K/4000K/5000K

Dimming:

TRIAC Dimming (Dimmable Down to 5%
Compatible with Triac and ELV Dimmers)

Available Colors:



24"
LVO-24-MCT5-BN



Dimensions:

24"(W) x 3.2"(H) x 4.7"(D)

Specifications:

24W | 1680LM | 120V AC 50/60Hz
2700K/3000K/3500K/4000K/5000K

Dimming:

TRIAC Dimming (Dimmable Down to 5%
Compatible with Triac and ELV Dimmers)

Available Colors:



36"
LVO-36-MCT5-BN



Dimensions:

36"(W) x 3.2"(H) x 4.7"(D)

Specifications:

36W | 2520LM | 120V AC 50/60Hz
2700K/3000K/3500K/4000K/5000K

Dimming:


TRIAC Dimming (Dimmable Down to 5%
Compatible with Triac and ELV Dimmers)

Available Colors:





24" LVE-24-MCT-BN

**Dimensions:**

4 1/5"(H) x 24" (W) x 6"(D)

Specifications:

17W | 1760LM |


3000K/3500K/4000K | 120V AC
50/60Hz

Dimming:

TRIAC Dimming (Dimmable
Down to 5% Compatible with
Triac and ELV Dimmers)

Available Colors:

36" LVE-36-MCT-BN

**Dimensions:**

4 1/5"(H) x 36" (W) x 6"(D)

Specifications:

25W | 2560LM |


3000K/3500K/4000K | 120V AC
50/60Hz

Dimming:

TRIAC Dimming (Dimmable
Down to 5% Compatible with
Triac and ELV Dimmers)

Available Colors:

48" LVE-48-MCT-BN

**Dimensions:**

4 3/4"(H) x 48" (W) x 2 1/2"(D)

Specifications:

34W | 3500LM |

3000K/3500K/4000K | 120V AC
50/60Hz

Dimming:

TRIAC Dimming (Dimmable
Down to 5% Compatible with
Triac and ELV Dimmers)

Available Colors:

Vanity Light with PC Lens & Metal Rings

Built-in multi-CCT switch
3000K/3500K/4000K lets
you easily customize
color temperature.





Architectural LED Dual Glass Vanity Light

MCT₅

24"
LVA-24-MCT5-BN



Dimensions:

24"(W) x 5 3/4"(H)

Specifications:

20W | 1400LM | 120V AC 50/60Hz

2700K/3000K/3500K/4000K/5000K

Dimming:

TRIAC Dimming (Dimmable Down to 5%
Compatible with Triac and ELV Dimmers)

Available Colors:



36"
LVA-36-MCT5-BN



Dimensions:

36"(W) x 5 3/4"(H)

Specifications:


30W | 2100LM | 120V AC 50/60Hz

2700K/3000K/3500K/4000K/5000K

Dimming:

TRIAC Dimming (Dimmable Down to 5%
Compatible with Triac and ELV Dimmers)

Available Colors:



Ideal for restrooms, salons, locker rooms, hospitality suites, multi-family housing, etc.



Architectural LED Vanity Light with Square PC

MCT₅

24"
LVG-24-MCT5-BN

36"
LVG-36-MCT5-BN

Dimensions:

24"(W) x 4 1/3"(H)

Specifications:

18W | 1300LM | 120V AC 50/60Hz
2700K/3000K/3500K/4000K/5000K

Dimming:

TRIAC Dimming (Dimmable Down to 5%
Compatible with Triac and ELV Dimmers)

Available Colors:



Dimensions:

36"(W) x 4 1/3"(H)


Specifications:

30W | 2000LM | 120V AC 50/60Hz
2700K/3000K/3500K/4000K/5000K

Dimming:

TRIAC Dimming (Dimmable Down to 5%
Compatible with Triac and ELV Dimmers)

Available Colors:




Ideal for restrooms, salons, locker rooms, hospitality suites, multi-family housing, etc.



Vanity Lights

with Slide-to-Center
Wall Canopy

Adjustable multi-CCT
switch lets you choose
from 2700K to 5000K for
perfect lighting.



18"
LVJ-18-MCT5-BK



Dimensions:

18"(W) x 5.1"(H) x 2.2"(D)

Specifications:

18W | 1260LM | 120V AC 50/60Hz
2700K/3000K/3500K/4000K/5000K

Dimming:

TRIAC Dimming (Dimmable Down to 5%
Compatible with Triac and ELV Dimmers)

Available Colors:



18"
LVJ-18-MCT5-BN



Dimensions:

18"(W) x 5.1"(H) x 2.2"(D)

Specifications:

18W | 1260LM | 120V AC 50/60Hz
2700K/3000K/3500K/4000K/5000K

Dimming:

TRIAC Dimming (Dimmable Down to 5%
Compatible with Triac and ELV Dimmers)

Available Colors:



24"
LVJ-24-MCT5-BK



Dimensions:

24"(W) x 5.1"(H) x 2.2"(D)

Specifications:

24W | 1680LM | 120V AC 50/60Hz
2700K/3000K/3500K/4000K/5000K

Dimming:

TRIAC Dimming (Dimmable Down to 5%
Compatible with Triac and ELV Dimmers)

Available Colors:



24"
LVJ-24-MCT5-BN



Dimensions:

24"(W) x 5.1"(H) x 2.2"(D)

Specifications:

24W | 1680LM | 120V AC 50/60Hz
2700K/3000K/3500K/4000K/5000K

Dimming:

TRIAC Dimming (Dimmable Down to 5%
Compatible with Triac and ELV Dimmers)

Available Colors:



36"
LVJ-36-MCT5-BK



Dimensions:

36"(W) x 5.1"(H) x 2.2"(D)

Specifications:

36W | 2520LM | 120V AC 50/60Hz
2700K/3000K/3500K/4000K/5000K

Dimming:

TRIAC Dimming (Dimmable Down to 5%
Compatible with Triac and ELV Dimmers)

Available Colors:



36"
LVJ-36-MCT5-BN



Dimensions:

36"(W) x 5.1"(H) x 2.2"(D)

Specifications:

36W | 2520LM | 120V AC 50/60Hz
2700K/3000K/3500K/4000K/5000K

Dimming:

TRIAC Dimming (Dimmable Down to 5%
Compatible with Triac and ELV Dimmers)

Available Colors:





*PMMA Lens Vanity Light

Adjustable multi-CCT switch lets you choose from 2700K to 5000K for perfect lighting.



18" LVP-18-MCT5-BK

Dimensions:

18" (W) x 4 3/8" (H) 2 7/8" (D)

Specifications:

20W | 1400LM | 120V AC 50/60Hz
2700K/3000K/3500K/4000K/5000K

Dimming:

TRIAC Dimming (Dimmable Down to 5%
Compatible with Triac and ELV Dimmers)

Available Colors:



24" LVP-24-MCT5-BN

Dimensions:

24" (W) x 3" (H) x 4 3/4" (D)

Specifications:

25W | 1800LM | 120V AC 50/60Hz
2700K/3000K/3500K/4000K/5000K

Dimming:

TRIAC Dimming (Dimmable Down to 5%
Compatible with Triac and ELV Dimmers)

Available Colors:



18" LVP-18-MCT5-BN

Dimensions:

18" (W) x 4 3/8" (H) 2 7/8" (D)

Specifications:

20W | 1400LM | 120V AC 50/60Hz
2700K/3000K/3500K/4000K/5000K

Dimming:

TRIAC Dimming (Dimmable Down to 5%
Compatible with Triac and ELV Dimmers)

Available Colors:



36" LVP-36-MCT5-BK

Dimensions:

36" (W) x 4 3/8" (H) 2 7/8" (D)

Specifications:

30W | 3000LM | 120V AC 50/60Hz
2700K/3000K/3500K/4000K/5000K

Dimming:

TRIAC Dimming (Dimmable Down to 5%
Compatible with Triac and ELV Dimmers)

Available Colors:



24" LVP-24-MCT5-BK

Dimensions:

24" (W) x 3" (H) x 4 3/4" (D)

Specifications:

25W | 1800LM | 120V AC 50/60Hz
2700K/3000K/3500K/4000K/5000K

Dimming:

TRIAC Dimming (Dimmable Down to 5%
Compatible with Triac and ELV Dimmers)

Available Colors:



36" LVP-36-MCT5-BN

Dimensions:

36" (W) x 5.1" (H) x 2.2" (D)

Specifications:

30W | 3000LM | 120V AC 50/60Hz
2700K/3000K/3500K/4000K/5000K

Dimming:

TRIAC Dimming (Dimmable Down to 5%
Compatible with Triac and ELV Dimmers)

Available Colors:



*High-quality acrylic alternative offering excellent clarity, durability, and impact resistance.



Slim Rotatable Vanity Lights & Sconces



24" Brushed Nickel LVS-24-MCT5-BN

Dimensions:
24"(W) x 4"(H)
Specifications:
20W | 1400LM |
2700K/3000K/3500K/4000K/5000K
120V
Dimming:
TRIAC Dimming
Available Colors:



24" Black LVS-24-MCT5-BK

Dimensions:
24"(W) x 4"(H)
Specifications:
20W | 1400LM |
2700K/3000K/3500K/4000K/5000K
120V
Dimming:
TRIAC Dimming
Available Colors:



24" Brushed Brass LVS-24-MCT5-BB

Dimensions:
24"(W) x 4"(H)
Specifications:
20W | 1400LM |
2700K/3000K/3500K/4000K/5000K
120V
Dimming:
TRIAC Dimming
Available Colors:



36" Brushed Nickel LVS-36-MCT5-BN

Dimensions:
36"(W) x 4"(H)
Specifications:
30W | 2100LM |
2700K/3000K/3500K/4000K/5000K
120V
Dimming:
TRIAC Dimming
Available Colors:



36" Black LVS-36-MCT5-BK

Dimensions:
36"(W) x 4"(H)
Specifications:
30W | 2100LM |
2700K/3000K/3500K/4000K/5000K
120V
Dimming:
TRIAC Dimming
Available Colors:



36" Brushed Brass LVS-36-MCT5-BB

Dimensions:
36"(W) x 4"(H)
Specifications:
30W | 2100LM |
2700K/3000K/3500K/4000K/5000K
120V
Dimming:
TRIAC Dimming
Available Colors:



48" Brushed Nickel LVS-48-MCT5-BN

Dimensions:
48"(W) x 4"(H)
Specifications:
40W | 2800LM |
2700K/3000K/3500K/4000K/5000K
120V
Dimming:
TRIAC Dimming
Available Colors:



48" Black LVS-48-MCT5-BK

Dimensions:
48"(W) x 4"(H)
Specifications:
40W | 2800LM |
2700K/3000K/3500K/4000K/5000K
120V
Dimming:
TRIAC Dimming
Available Colors:



48" Brushed Brass LVS-48-MCT5-BB

Dimensions:
48"(W) x 4"(H)
Specifications:
40W | 2800LM |
2700K/3000K/3500K/4000K/5000K
120V
Dimming:
TRIAC Dimming
Available Colors:





21" Slim Rotatable Vanity Lights & Sconces



21" Brushed Nickel LVS-WS-21-MCT5-BN

Dimensions:

21"(W) x 4"(H) x 3 1/2"(D)

Specifications:

14W | 980LM |

2700K/3000K/3500K/4000K/5000K

120V

Dimming:

TRIAC Dimming

Available Colors:



21" Black LVS-WS-21-MCT5-BK

Dimensions:

21"(W) x 4"(H) x 3 1/2"(D)

Specifications:

14W | 980LM |

2700K/3000K/3500K/4000K/5000K

120V

Dimming:

TRIAC Dimming

Available Colors:



21" Brushed Brass LVS-WS-21-MCT5-BB

Dimensions:

21"(W) x 4"(H) x 3 1/2"(D)

Specifications:

14W | 980LM |

2700K/3000K/3500K/4000K/5000K

120V

Dimming:


TRIAC Dimming

Available Colors:





12" CWS-12-MCTP



Dimensions:

12"(H) x 9 8/9"(W) x 2"(D)

Specifications:

10W/15W/20W | 1700LM |

3000K/4000K/5000K | 120V

AC 50/60Hz

Dimming:

0~10V Dimming

Available Colors:



18" CWS-18-MCTP



Dimensions:

18"(H) x 9 8/9"(W) x 2"(D)

Specifications:

10W/15W/20W | 1700LM |

3000K/4000K/5000K | 120V

AC 50/60Hz


Dimming:

0~10V Dimming

Available Colors:



48" CWS-48-MCTP



Dimensions:

48"(H) x 9 8/9"(W) x 2"(D)

Specifications:

20W/30W/40W | 3400LM |

3000K/4000K/5000K | 120V

AC 50/60Hz

Dimming:

0~10V Dimming

Available Colors:



Indoor Wall Sconce & Suspended Lights

Built-in multi-CCT switch
(3000K/3500K/5000K)

lets you easily customize
color temperature.





Traditional LED Mirrors & Cabinets



28"
LMIR-18-2028-MCT-DF

Dimensions:

20"W X 28"H

Specifications:

35W | 3000K/4500K/6500K | 120V

Dimming:

Adjustable Color Temp. Dimming

36"
LMIR-18-2436-MCT-DF

Dimensions:

24"W X 36"H

Specifications:

44W | 3000K/4500K/6500K | 120V

Dimming:

Adjustable Color Temp. Dimming

40"
LMIR-18-2840-MCT-DF

Dimensions:

28"W X 40"H

Specifications:

48W | 3000K/4500K/6500K | 120V

Dimming:

Adjustable Color Temp. Dimming

28"
LMIR-36-2028-MCT-DF

Dimensions:

20"W X 28"H

Specifications:

31W | 3000K/4500K/6500K | 120V

Dimming:

Adjustable Color Temp. Dimming

36"
LMIR-36-2436-MCT-DF

Dimensions:

24"W X 36"H

Specifications:

39W | 3000K/4500K/6500K | 120V

Dimming:

Adjustable Color Temp. Dimming

36"
LMIR-36-4836-MCT-DF

Dimensions:

48"W X 36"H

Specifications:

50W | 3000K/4500K/6500K | 120V

Dimming:

Adjustable Color Temp. Dimming

32"
LMIR-MC18-2432-MCT-DF

Dimensions:

24"W X 32"H

Specifications:

35W | 2700K-6500K | 120V


Dimming:

Adjustable Color Temp. Dimming





5mm Copper Free Silver Mirror



24"
LMIR-18R-24D-MCT-DF

Dimensions:

24"(D) x 1.2"(W)


Specifications:

30W | 3000K/4500K/6500K | 120V

Dimming:

Adjustable Color Temp. Dimming

5mm Copper Free Silver Mirror



32"
LMIR-18R-32D-MCT-DF

Dimensions:

32"(D) x 1.2"(W)


Specifications:

48W | 3000K/4500K/6500K | 120V

Dimming:

Adjustable Color Temp. Dimming

5mm Copper Free Silver Mirror



40"
LMIR-18R-40D-MCT-DF

Dimensions:


1.5"(W) x 40"(D)

Specifications:

68W | 3000K/4500K/6500K | 120V

Dimming:

Adjustable Color Temp. Dimming



Round LED Mirrors

Built-in multi-CCT switch
(3000K/4500K/6500K)
lets you easily customize
color temperature.

