

LFX SERIES

LFX Series

FLOOD/AREA LIGHTS




**Adaptable. Durable.
Efficient.**

LFXMAX-LG SERIES

70W/100W/150W

LARGE MULTI POWER & CCT LFXMAX MAXIMUM-FEATURE AREA/FLOOD LIGHT

SENSOR, PHOTOCELL WITH ROTATABLE LENS, & 120-277V/480V



Rotatable Lens

*See Pg.3



Sensor-Ready with Pre-Installed Sensor Socket

Selectable Wattage & CCT

Adjust the power and color temperature to suit any environment.

7 Different Lens Types

Versatile lens options for various lighting needs.

Voltage Options

Compatible with 120-277V and 480V power sources.



LFXMAX-LG-SHROUD-H
REVERSIBLE SHROUD
11.31"(W) x 11.21"(H) x 5.07"(D)



LG, 120-277V

LFXMAX-LG-70-150W-MCTP-PSR FLOOD/AREA LIGHTS

70W/100W/150W | 145LM/W
3000K/4000K/5000K

16 4/5"(H) x 11 1/3"(W) x 2 3/4"(D)

LG, 480V

LFXMAX-LG-70-150W-MCTP-PSR-480V FLOOD/AREA LIGHTS

70W/100W/150W | 145LM/W
3000K/4000K/5000K


16 4/5"(H) x 11 1/3"(W) x 2 3/4"(D)

LFXMAX-XL SERIES

200W/250W/300W

XL MULTI POWER & CCT LFXMAX MAXIMUM-FEATURE AREA/FLOOD LIGHT

SENSOR, PHOTOCELL WITH ROTATABLE LENS, & 120-277V/480V



Rotatable Lens

*See Pg.3



Sensor-Ready with Pre-Installed Sensor Socket

Selectable Wattage & CCT

Adjust the power and color temperature to suit any environment.

7 Different Lens Types

Versatile lens options for various lighting needs.

Voltage Options

Compatible with 120-277V and 480V power sources.



LFXMAX-LG-SHROUD-H REVERSIBLE SHROUD
11.31"(W) x 11.21"(H) x 5.07"(D)



XL, 120-277V

LFXMAX-XL-200-300W-MCTP-PSR FLOOD/AREA LIGHTS

200W/250W/300W | 145LM/W
3000K/4000K/5000K
21 1/5"(H) x 14 2/5"(W) x 2 3/4"(D)

XL, 480V

LFXMAX-XL-200-300W-MCTP-PSR-480V FLOOD/AREA LIGHTS

200W/250W/300W | 145LM/W
3000K/4000K/5000K
21 1/5"(H) x 14 2/5"(W) x 2 3/4"(D)


LFXMAX LENS SERIES

LFXMAX ROTATABLE LENSES


TYPE LENSES FOR LFXMAX SERIES




TYPE LENSES:




LFXMAX-LG-LENS-T2M
LFXMAX-LG TYPE T2M LENS




LFXMAX-LG-LENS-T3M
LFXMAX-LG TYPE T3M LENS




LFXMAX-LG-LENS-T1S
LFXMAX-LG TYPE T1S LENS




LFXMAX-LG-LENS-T4M
LFXMAX-LG TYPE T4M LENS




LFXMAX-LG-LENS-T5M
LFXMAX-LG TYPE T5M LENS



LFXMAX-LG-LENS-AFR
LFXMAX-LG Type AFR LENS



LFXMAX-LG-LENS-T5W
LFXMAX-LG TYPE T5W LENS



LFXMAX-LG-LENS-TFTM
LFXMAX-LG TYPE TFTM LENS

LFX-LG SERIES

50W/80W/100W/150W

LARGE POWER-ADJUSTABLE FLOOD/AREA LIGHT

TYPE 3 LENS, SENSOR, PHOTOCELL OPTION, &
120-277V/480V



Lens Options

Equipped with Type V and Type IV lens options for versatile light distribution.

Power Range

Broad power range from 50W to 600W, suitable for various applications.

Sensor Option Available

Integrated sensor option for enhanced functionality.



Twist-Lock
Photocell



Bi-Level Motion
Sensor Option
Available

LG, 3000K

LFX-LG-50-150W-30K FLOOD/AREA LIGHTS

50W/80W/100W/150W | 140LM/W
3000K
11"(H) x 12-5/8"(W) x 3-3/8"(D)

LG, 4000K

LFX-LG-50-150W-40K FLOOD/AREA LIGHTS

50W/80W/100W/150W | 140LM/W
4000K
11"(H) x 12-5/8"(W) x 3-3/8"(D)

LG, 5000K

LFX-LG-50-150W-50K FLOOD/AREA LIGHTS

50W/80W/100W/150W | 140LM/W
5000K
11"(H) x 12-5/8"(W) x 3-3/8"(D)

LG, 480V, 5000K

LFX-LG-50-150W-50K-480V FLOOD/AREA LIGHTS

50W/80W/100W/150W | 140LM/W
5000K
11"(H) x 12-5/8"(W) x 3-3/8"(D)



Follow us @westgatemfg

LFX SERIES

877-805-2252
www.westgatemfg.com

LFX-XL SERIES

150W/200W/240W/300W

X-LARGE POWER-ADJUSTABLE FLOOD/AREA LIGHT

TYPE 3 LENS, SENSOR, PHOTOCELL OPTION, &
120-277V/480V



Shown with
Motion Sensor



Equipped with
Power Switch

Adjustable Mounting

Offers snap-on and bolt mounting options for easy installation by a single person.

Temperature Resilience

Operates effectively in extreme temperatures from -40°F to 104°F, ideal for various climates.

High Voltage Options

Available in 120-277V and 480V variants for wide power compatibility.

XL, 3000K

LFX-XL-150-300W-30K FLOOD/AREA LIGHTS

150W/200W/240W/300W | 145LM/W
3000K

19 5/8"(H) x 12-5/8"(W) x 3-3/4"(D)

XL, 4000K

LFX-XL-150-300W-40K FLOOD/AREA LIGHTS

150W/200W/240W/300W | 145LM/W
4000K

19 5/8"(H) x 12-5/8"(W) x 3-3/4"(D)

XL, 5000K

LFX-XL-150-300W-50K FLOOD/AREA LIGHTS

150W/200W/240W/300W | 145LM/W
5000K

19 5/8"(H) x 12-5/8"(W) x 3-3/4"(D)

XL, 5000K, 480V

LFX-XL-150-300W-50K-480V FLOOD/AREA LIGHTS

150W/200W/240W/300W | 145LM/W
5000K

19 5/8"(H) x 12-5/8"(W) x 3-3/4"(D)



Follow us @westgatemfg

LFX SERIES

877-805-2252
www.westgatemfg.com

LFX-SC SERIES

80W/100W/150W/200W/240W/300W

480V MULTI POWER & CCT PRE-INSTALLED SHORTING CAP - PHOTOCELL READY MODELS

SENSOR & PHOTOCELL OPTION



Lens Options

Equipped with Type V and Type IV lens options for versatile light distribution.

Power Range

Broad power range from 50W to 600W, suitable for various applications.

Sensor Option Available

Integrated sensor option for enhanced functionality.



Twist-Lock
Photocell



Bi-Level Motion
Sensor Option
Available

LARGE, 480V

LFX-LG-80-150W-MCTP-480V-SC FLOOD/AREA LIGHTS

80W/100W/150W | 145LM/W
3000K/4000K/5000K

11"(H) x 12-5/8"(W) x 3-3/8"(D)

X-LARGE, 480V

LFX-XL-200-300W-MCTP-480V-SC FLOOD/AREA LIGHTS

200W/240W/300W | 145LM/W
3000K/4000K/5000K

19 5/8"(H) x 12-5/8"(W) x 3-3/4"(D)



Follow us @westgatemfg

LFX SERIES

877-805-2252
www.westgatemfg.com

LFX-XXL SERIES


300W/400W/500W/600W

XX-LARGE POWER-ADJUSTABLE FLOOD/AREA LIGHT

TYPE 3 LENS, SENSOR, PHOTOCELL OPTION
READY, & 120-277V/480V



Twist-Lock
Photocell Option



Equipped with
Power Switch

Voltage Options

Available in 120-277V
and 480V.

Optimal Color Temperature

Set at 5000K for
bright, daylight-like
illumination.

High-Performance Optical Lens

Features high light
transmittance PC
that is anti-UV and
flame resistant.

Versatile Applications

Ideal for general site
lighting, alleys, loading
docks, doorways,
pathways, and parking
areas.

XXL, 5000K

LFX-XXL-300-600W-50K FLOOD/AREA LIGHTS

300W/400W/500W/600W | 140LM/W
5000K

25 5/8"(H) x 12-3/4"(W) x 3-3/8"(D)

XXL, 5000K, 480V

LFX-XXL-300-600W-50K-480V FLOOD/AREA LIGHTS

300W/400W/500W/600W | 140LM/W
5000K

25 5/8"(H) x 12-3/4"(W) x 3-3/8"(D)



Follow us @westgatemfg

LFX SERIES

877-805-2252
www.westgatemfg.com

LFXPRO-LG SERIES

50W/80W/100W/150W

LARGE MULTI POWER & CCT FLOOD/AREA LIGHTS

TYPE 3 LENS, SENSOR & PHOTOCELL OPTION
READY, COMPATIBLE WITH LFX MOUNTING
OPTIONS, & 120-277V

Size Versatility

Power range from 50W to 600W, ideal for larger area lighting needs.

Photocell Options

Choose between electronic or twist-lock photocells for automated lighting control.




Available in
Dark Bronze,
White, & Black
Finish



Mounting option
available

*See Pg. 15



Equipped with
Power Switch

LG, BRONZE

LFXPRO-LG-50-150W-MCTP FLOOD/AREA LIGHTS

50W/80W/100W/150W | 125LM/W
3000K/4000K/5000K/5700K
14 7/8"(L) x 12 5/8"(W) x 3 3/8"(H)

LG, WHITE

LFXPRO-LG-50-150W-MCTP-WH FLOOD/AREA LIGHTS

50W/80W/100W/150W | 125LM/W
3000K/4000K/5000K/5700K
14 7/8"(L) x 12 5/8"(W) x 3 3/8"(H)

BLACK

LFXPRO-LG-50-150W-MCTP-BK FLOOD/AREA LIGHTS

50W/80W/100W/150W | 125LM/W
3000K/4000K/5000K/5700K
14 7/8"(L) x 12 5/8"(W) x 3 3/8"(H)



Follow us @westgatemfg

LFX SERIES

877-805-2252
www.westgatemfg.com

LFXPRO-XL SERIES

150W/200W/240W/300W

X-LARGE MULTI POWER & CCT FLOOD/AREA LIGHTS


TYPE 3 LENS, SENSOR & PHOTOCELL OPTION
READY, COMPATIBLE WITH LFX MOUNTING
OPTION, & 120-277V



Available in
Dark Bronze,
White, & Black
Finish



Mounting option
available
*See Pg. 15



Equipped with
Power Switch

**Selectable
Wattages**

Flexible power settings
tailored to specific
lighting requirements.

**Effortless
Installation**

Snap-on and bolt
mounting options
designed for one-
person installations.

XL, BRONZE

LFXPRO-XL-150-300W-MCTP
FLOOD/AREA LIGHTS

150W/200W/240W/300W | 125LM/W
3000K/4000K/5000K/5700K
22 5/8"(L) x 12 5/8"(W) x 3 1/2"(H)

XL, WHITE

LFXPRO-XL-150-300W-MCTP-WH
FLOOD/AREA LIGHTS

150W/200W/240W/300W | 125LM/W
3000K/4000K/5000K/5700K
22 5/8"(L) x 12 5/8"(W) x 3 1/2"(H)

BLACK

LFXPRO-XL-150-300W-MCTP-BK
FLOOD/AREA LIGHTS

150W/200W/240W/300W | 125LM/W
3000K/4000K/5000K/5700K
22 5/8"(L) x 12 5/8"(W) x 3 1/2"(H)

LFXE-MD-KN SERIES

50W/80W/100W

MEDIUM MULTI POWER & CCT 1/2" KNUCKLE MOUNT FLOOD/AREA LIGHTS

TYPE 3 LENS, SENSOR, PHOTOCELL OPTION READY, & 120-277VAC/50-60 HZ



High-Performance Optical Lens

Features high light transmittance PC that is anti-UV and flame resistant.



Pre-Installed Photocell with ON/OFF Switch



ACC-WMA-30-BR
Can be used as a Billboard/Sign Light

Available in Dark Bronze, Black, & White Finish

Multi-CCT Power

Features a bottom switch for easy color temperature adjustments between 3000K, 4000K, and 5000K.



ACC-WMA-30-BR
Billboard/Sign Light
*See Pg. 30

MD, BRONZE

LFXE-MD-50-100W-MCTP-KN-P FLOOD/AREA LIGHTS

50W/80W/100W | 135LM/W
3000K/4000K/5000K
12 1/5"(H) x 9 6/7"(W) x 2 2/3"(D)

MD, BLACK

LFXE-MD-50-100W-MCTP-KN-P-BK FLOOD/AREA LIGHTS

50W/80W/100W | 135LM/W
3000K/4000K/5000K
12 1/5"(H) x 9 6/7"(W) x 2 2/3"(D)

MD, WHITE

LFXE-MD-50-100W-MCTP-KN-P-WH FLOOD/AREA LIGHTS

50W/80W/100W | 145LM/W
3000K/4000K/5000K
12 1/5"(H) x 9 6/7"(W) x 2 2/3"(D)

LFXE-MD-TR SERIES

50W/80W/100W

MEDIUM MULTI POWER & CCT ADJUSTABLE U-BRACKET MOUNT FLOOD/AREA LIGHTS

TYPE 3 LENS, SENSOR, PHOTOCELL OPTION READY, & 120-277VAC/50-60 HZ



Pre-Installed
Photocell with
ON/OFF Switch



U-Bracket Feature

Comes with a versatile 270° adjustable yoke mount for flexible installation and precise lighting direction.

Multi-CCT Power

Easily adjust color temperatures (3000K, 4000K, 5000K) with a switch on the fixture's bottom.

MD, BRONZE, U-BRACKET

LFXE-MD-50-100W-MCTP-TR-P FLOOD/AREA LIGHTS

50W/80W/100W | 145LM/W
3000K/4000K/5000K
12 1/5"(H) x 9 6/7"(W) x 2 2/3"(D)



Follow us @westgatemfg

LFX SERIES

877•805•2252
www.westgatemfg.com

LFXE-LG SERIES

80W/100W/150W

LARGE MULTI POWER & CCT FLOOD/AREA LIGHTS

TYPE 3 LENS, SENSOR & PHOTOCELL OPTION READY, COMPATIBLE WITH LFX MOUNTING OPTIONS, & 120-277V



Snap-on Mounting Option
*See Pg. 15



Pre-Installed Photocell with ON/OFF Switch



Multi-CCT Power Option

Easily adjust color temperatures (3000K, 4000K, 5000K) with a switch on the fixture's bottom.

User-Friendly Installation

Comes with snap-on and bolt mounting options, making it ideal for one-person installations (mounting options sold separately).

LG, 5000K
LFXE-LG-80-150W-50K-P
FLOOD/AREA LIGHTS
80W/100W/150W | 135LM/W
5000K
13 3/5"(W) x 14 1/2"(H) x 2 3/4"(D) 14 1/2"


LG, 3000K/4000K/5000K
LFXE-LG-80-150W-MCTP-P
FLOOD/AREA LIGHTS
80W/100W/150W | 135LM/W
3000K/4000K/5000K
12 5/8"(W) x 17-5/8"(H)

LFXE-XL SERIES

200W/240W/300W

X-LARGE MULTI POWER & CCT FLOOD/AREA LIGHTS

TYPE 3 LENS, SENSOR, PHOTOCELL OPTION READY, COMPATIBLE WITH LFX MOUNTING OPTIONS, & 120-277V



Durable Housing

Constructed from die-cast aluminum with a dark bronze powder coat finish for enhanced durability and corrosion resistance.





Horse Arena
LFXE-XL
Application

Wide Voltage Range

Compatible with 120~277V AC, 50/60 Hz.



Side View Shown
with U-Bracket



Pre-Installed
Photocell with
ON/OFF Switch

XL, 5000K

LFXE-XL-200-300W-50K-P FLOOD/AREA LIGHTS

200W/240W/300W | 135LM/W
5000K
26"(H) x 12 3/4"(W) x 5"(D)

XL, 3000K/4000K/5000K

LFXE-XL-200-300W-MCTP-P FLOOD/AREA LIGHTS

200W/240W/300W | 135LM/W
3000K/4000K/5000K
26"(H) x 12 3/4"(W) x 5"(D)



Follow us @westgatemfg

LFX SERIES


877-805-2252
www.westgatemfg.com

LF4PRO SERIES

50W/80W/100W/150W

MULTI POWER & CCT ARCHITECTURAL ROUND-BACK FLOOD LIGHTS

TYPE 3 LENS, SENSOR, PHOTOCELL OPTION READY, & 120-277V



Elegant Round-Back Design

Aesthetically pleasing with a sleek, modern round-back design that enhances any space.

Wide Voltage Range


Compatible with 120~277VAC for versatile power supply options.

Multi-CCT and Multi-Power

Bottom switches allow easy adjustment of color temperature (3000K-5700K) and wattage (50W-150W).



Sleek, Round-Back Design



Shroud & Wire Guard Option
*See Pg. 16

3000K/4000K/5000K/5700K

LF4PRO-50-150W-MCTP FLOOD/AREA LIGHTS

50W/80W/100W/150W | 125LM/W
3000K/4000K/5000K/5700K
12 3/5"(W) x 10 4/5"(H) x 4 1/4" (D)



Follow us @westgatemfg

LFX SERIES

877-805-2252
www.westgatemfg.com





MOUNTING OPTIONS

MULTIPLE COLOR OPTIONS

CHOOSE FROM ONE OF OUR PREMIUM COLORS WITH NO SET-UP FEE

Customizable Appearance

Available in multiple color options to match any aesthetic preference, the LFX Series offers versatile and stylish solutions for various architectural designs.



NOT COMPATIBLE WITH ALL MODELS, REFER TO SPEC SHEETS FOR COMPATIBILITY


MOUNTING OPTIONS

MOUNTING OPTIONS

COMPATIBLE WITH LFX SERIES

Enhanced Protection

The LFX series offers 18 mounting options, shrouds, and wire guards, enhancing fixture durability and protection against environmental elements and impacts.



LFX-ASA
ADJUSTABLE
STRAIGHT ARM
3 1/3" x 7 7/8"



LFX-EXT
STRAIGHT ARM
3 1/3" x 6 3/4" x 4 3/8"



LFX-YK
YOKE
5 3/4" x 6" x 2"



LFX-SF
SLIP FITTER
3 1/3" x 7 7/8"




LFX-AWB
ADJUSTABLE WALL
JUNCTION BOX
7 1/8" x 6 5/8" x 5 3/4"



LFX-TR-B
U BRACKET
13 1/2" x 12"



LFX-SF + LFX-PASF
POLE ADAPTER FOR
SLIP FITTER
6 1/8" x 3 1/4" x 3"




SHROUD OPTIONS

SHROUD OPTIONS



COMPATIBLE WITH LFX SERIES





LFX-SHROUD-A
HALF SHROUD
REVERSIBLE / CAN BE PAINTED
6 1/8" x 10 5/8" x 4 3/4"



LFX-SHROUD-B
HALF SHROUD
REVERSIBLE / CAN BE PAINTED
5 3/4" x 6" x 2"



LFX-SHROUD-D
FULL-GLARE SHROUD
CAN BE PAINTED
6 1/4" x 10 5/8" x 4 3/4"



LFX-SHROUD-E
FULL-GLARE SHROUD
CAN BE PAINTED
12 3/4" x 10 5/8" x 5 1/2"





LFX-SHROUD-F
HALF SHROUD
CAN BE PAINTED
12 5/8" x 10 5/8" x 5 1/2"



LFX-SHROUD-G
SHROUD
CAN BE PAINTED
12 3/4" x 10 5/8" x 5 1/2"



LFX-WG-A
WIRE GUARD
CAN BE PAINTED
13 1/2" x 12"



LFX-WG-B
WIRE GUARD
CAN BE PAINTED
12 3/4" x 10 5/8" x 5 1/2"

LFX-XS-KN SERIES

15 W

EXTRA SMALL FLOOD LIGHTS

TYPE 3 LENS, ADJUSTABLE KNUCKLE MOUNT, & 120-277V



90° Adjustable
1/2" Knuckle
Mount



XS, 3000K

LFX-XS-15W-30K-KN FLOOD/AREA LIGHTS

15W | 1950LM
3000K
6 3/8"(H) x 4 3/8"(W) x 1 3/4"(D)

XS, 4000K

LFX-XS-15W-40K-KN FLOOD/AREA LIGHTS

15W | 1950LM
4000K
6 3/8"(H) x 4 3/8"(W) x 1 3/4"(D)

XS, 5000K

LFX-XS-15W-50K-KN FLOOD/AREA LIGHTS

15W | 1950LM
5000K
6 3/8"(H) x 4 3/8"(W) x 1 3/4"(D)

**Compact and
Efficient Design**

Ideal for tight spaces with its small footprint and high lumen output, making it perfect for versatile applications.



Follow us @westgatemfg

LFX SERIES

877•805•2252
www.westgatemfg.com

LFX-SM-KN SERIES

10W/15W/20W/30W

SMALL MULTI POWER & CCT FLOOD LIGHTS

TYPE 3 LENS, ADJUSTABLE KNUCKLE MOUNT, & 120-277V



90° Adjustable
1/2" Knuckle
Mount



Available in
Black, White,
Bronze, or
Silver Finish

Selectable Multi-CCT & Multi-Power

Easily adjust between 3000K, 4000K, 5000K, and 5700K color temperatures and 10W, 15W, 20W, and 30W wattages for customizable lighting.

Robust Construction

Die-cast aluminum housing with durable powder coat finish for superior durability and environmental resistance.

SM, BRONZE, 3000K

LFX-SM-10-30W-30K-KN FLOOD/AREA LIGHTS

10W/15W/20W/30W | 130LM/W
3000K

9"(H) x 6 7/8"(W) x 2"(D)

SM, BRONZE, 4000K

LFX-SM-10-30W-40K-KN FLOOD/AREA LIGHTS

10W/15W/20W/30W | 130LM/W
4000K

9"(H) x 6 7/8"(W) x 2"(D)

SM, BRONZE, 5000K

LFX-SM-10-30W-50K-KN FLOOD/AREA LIGHTS

10W/15W/20W/30W | 130LM/W
5000K

9"(H) x 6 7/8"(W) x 2"(D)

SM, BRONZE, 30K/40K/50K/57K

LFX-SM-10-30W-MCTP-KN FLOOD/AREA LIGHTS

10W/15W/20W/30W | 130LM/W
30K/40K/50K/57K

9"(H) x 6 7/8"(W) x 2"(D)

SM, WHITE, 30K/40K/50K/57K

LFX-SM-10-30W-MCTP-KN-WH FLOOD/AREA LIGHTS

10W/15W/20W/30W | 130LM/W
30K/40K/50K/57K

9"(H) x 6 7/8"(W) x 2"(D)

SM, BLACK, 30K/40K/50K/57K

LFX-SM-10-30W-MCTP-KN-BK FLOOD/AREA LIGHTS

10W/15W/20W/30W | 130LM/W
30K/40K/50K/57K

9"(H) x 6 7/8"(W) x 2"(D)

SM, SILVER, 30K/40K/50K/57K

LFX-SM-10-30W-MCTP-KN-SV FLOOD/AREA LIGHTS

10W/15W/20W/30W | 130LM/W
30K/40K/50K/57K

9"(H) x 6 7/8"(W) x 2"(D)



Follow us @westgatemfg

LFX SERIES


877•805•2252
www.westgatemfg.com

LFX-MD-KN SERIES

15W/20W/30W/50W

MEDIUM MULTI POWER & CCT FLOOD LIGHTS

TYPE 3 LENS, ADJUSTABLE KNUCKLE MOUNT, & 120-277V



High Lumen Output

Provides up to 6350 lumens, delivering bright and efficient illumination.

90° Adjustable Mount

Provides flexible installation angles for precise light direction.

90° Adjustable
1/2" Knuckle
Mount

Available in
Black, White,
Bronze, or
Silver Finish

MD, BRONZE, 3000K

LFX-MD-15-50W-30K-KN FLOOD/AREA LIGHTS

15W/20W/30W/50W | 130LM/W
3000K

10"(H) x 8 3/4"(W) x 2"(D)

MD, BRONZE, 4000K

LFX-MD-15-50W-40K-KN FLOOD/AREA LIGHTS

10W/15W/20W/30W | 130LM/W
4000K

10"(H) x 8 3/4"(W) x 2"(D)

MD, BRONZE, 5000K

LFX-MD-15-50W-50K-KN FLOOD/AREA LIGHTS

10W/15W/20W/30W | 130LM/W
5000K

10"(H) x 8 3/4"(W) x 2"(D)

MD, BRONZE, 30K/40K/50K/57K

LFX-MD-15-50W-MCTP-KN FLOOD/AREA LIGHTS

15W/20W/30W/50W | 130LM/W
30K/40K/50K/57K

10"(H) x 8 3/4"(W) x 2 7/8"(D)

MD, WHITE, 30K/40K/50K/57K

LFX-MD-15-50W-MCTP-KN-WH FLOOD/AREA LIGHTS

15W/20W/30W/50W | 130LM/W
30K/40K/50K/57K

10"(H) x 8 3/4"(W) x 2 7/8"(D)

MD, BLACK, 30K/40K/50K/57K

LFX-MD-15-50W-MCTP-KN-BK FLOOD/AREA LIGHTS

15W/20W/30W/50W | 130LM/W
30K/40K/50K/57K

10"(H) x 8 3/4"(W) x 2 7/8"(D)

MD, SILVER, 30K/40K/50K/57K

LFX-MD-15-50W-MCTP-KN-SV FLOOD/AREA LIGHTS

15W/20W/30W/50W | 130LM/W
30K/40K/50K/57K

10"(H) x 8 3/4"(W) x 2 7/8"(D)

LFX-XS-TR SERIES

15 W

EXTRA SMALL MULTI POWER & CCT FLOOD LIGHTS

TYPE 3 LENS, U-BRACKET, & 120-277V



270° Adjustable Yoke Mount

Offers unparalleled flexibility in directing light precisely where it's needed, perfect for complex lighting setups.



270°
Adjustable
Yoke Mount
U-Bracket



Dimmable Feature

Supports 0~10V dimming for light control and energy savings.

Multi-CCT Power Option

Easily adjust color temperatures (3000K, 4000K, 5000K) with a switch on the fixture's bottom.

XS, 3000K

LFX-XS-15W-30K-TR FLOOD/AREA LIGHTS

15W | 1950LM
3000K

5 7/8"(H) x 5"(W) x 1 3/4"(D)

XS, 4000K

LFX-XS-15W-40K-TR FLOOD/AREA LIGHTS

15W | 1950LM
4000K

5 7/8"(H) x 5"(W) x 1 3/4"(D)

XS, 5000K

LFX-XS-15W-50K-TR FLOOD/AREA LIGHTS

15W | 1950LM
5000K

5 7/8"(H) x 5"(W) x 1 3/4"(D)



Follow us @westgatemfg

LFX SERIES

877•805•2252
www.westgatemfg.com

LFX-SM-TR SERIES

10W/15W/20W/30W

SMALL MULTI POWER & CCT FLOOD LIGHTS

TYPE 3 LENS, U-BRACKET, & 120-277V



Compact Design

The small size makes it uniquely versatile for various applications, fitting seamlessly into tight spaces while still providing powerful illumination.



270°
Adjustable
Yoke Mount
U-Bracket



Multi-CCT Power Option

Easily adjust color temperatures (3000K, 4000K, 5000K) with a switch on the fixture's bottom.

Advanced LED Technology

Uses high conductive aluminum LED board for optimal heat dissipation.

SM, 3000K

LFX-SM-10-30W-30K-TR FLOOD/AREA LIGHTS

10W/15W/20W/30W | 4080LM
3000K

8 1/2"(H) x 7 1/2"(W) x 2"(D)

SM, 5000K

LFX-SM-10-30W-50K-TR FLOOD/AREA LIGHTS

10W/15W/20W/30W | 4080LM
5000K

8 1/2"(H) x 7 1/2"(W) x 2"(D)

SM, 3000K/4000K/5000K

LFX-SM-10-30W-MCTP-TR FLOOD/AREA LIGHTS

10W/15W/20W/30W | 4080LM
3000K/4000K/5000K

8 1/2"(H) x 7 1/2"(W) x 2"(D)



Follow us @westgatemfg

LFX SERIES

877•805•2252
www.westgatemfg.com

LFX-MD-TR SERIES

15W/20W/30W/50W

MEDIUM MULTI POWER & CCT FLOOD LIGHTS

TYPE 3 LENS, U-BRACKET, & 120-277V



Compact Power

The medium-sized LFX-MD-TR combines a compact design and high performance with 270° adjustable U-bracket.

High Efficacy

Provides an impressive efficacy of 130 LPW for energy-efficient performance.

Multi-CCT Power Option

Easily adjust color temperatures (3000K, 4000K, 5000K) with a switch on the fixture's bottom.

MD, 3000K

LFX-MD-15-50W-30K-TR FLOOD/AREA LIGHTS

15W/20W/30W/50W | 6700LM
3000K

9 3/4"(H) x 9 3/8"(W) x 2"(D)

MD, 5000K

LFX-MD-15-50W-50K-TR FLOOD/AREA LIGHTS

15W/20W/30W/50W | 6700LM
5000K

9 3/4"(H) x 9 3/8"(W) x 2"(D)

MD, 3000K/4000K/5000K

LFX-MD-15-50W-MCTP-TR FLOOD/AREA LIGHTS

15W/20W/30W/50W | 6700LM
3000K/4000K/5000K

9 3/4"(H) x 9 3/8"(W) x 2"(D)



Follow us @westgatemfg

LFX SERIES

877•805•2252
www.westgatemfg.com

LF4-15W-KN SERIES

15 W

15 W LED ARCHITECTURAL ROUND-BACK FLOOD LIGHTS

ADJUSTABLE 1/2" KNUCKLE & 120-277V



Pre-Installed
1/2" Knuckle



Round-Back
Design

Adjustable Knuckle

The pre-installed 1/2" knuckle allows for precise aiming and flexibility in installation angles, ensuring optimal light distribution.

Consistent Color

Available in two color temperatures (3000K and 5000K) to match various functional requirements.

15W, 3000K

LF4-15W-30K-KN FLOOD/AREA LIGHTS

15W | 1900LM
3000K
4-3/4"(H) x 5-5/8"(W) x 2-5/8"(D)

15W, 5000K

LF4-15W-50K-KN FLOOD/AREA LIGHTS

15W | 1900LM
5000K
4-3/4"(H) x 5-5/8"(W) x 2-5/8"(D)



Follow us @westgatemfg

LFX SERIES

877•805•2252
www.westgatemfg.com

LF4-30W-KN SERIES

30 W

0-10V 30W DIMMABLE LED ARCHITECTURAL ROUND-BACK FLOOD LIGHTS

ADJUSTABLE 1/2" KNUCKLE & 120-277V



Broad Beam Angle

90° x 120° beam angle provides wide and uniform light distribution, ideal for architectural and landscape applications.

Low Input Current

Maximum input current of 0.38A ensures efficient power usage.



Pre-Installed
1/2" Knuckle



Round-Back
Design

Consistent Color

Available in two color temperatures (3000K and 5000K) to match various functional requirements.

30W, 3000K

LF4-30W-30K-D-KN FLOOD/AREA LIGHTS

30W | 4050LM
3000K
4-3/4"(H) x 5-5/8"(W) x 2-5/8"(D)

30W, 5000K

LF4-30W-50K-D-KN FLOOD/AREA LIGHTS

30W | 4050LM
5000K
4-3/4"(H) x 5-5/8"(W) x 2-5/8"(D)



Follow us @westgatemfg

LFX SERIES

877-805-2252
www.westgatemfg.com

LF4-50W-KN SERIES

50W

0-10V 50W DIMMABLE LED ARCHITECTURAL ROUND-BACK FLOOD LIGHTS

ADJUSTABLE 1/2" KNUCKLE & 120-277V



Pre-Installed
1/2" Knuckle



Round-Back
Design

High Performance

With a robust 50W output, this fixture delivers superior lighting for larger spaces, providing 6750 lumens for enhanced visibility.

Versatile Applications

Ideal for sites, alleys, docks, doorways, paths, and parking areas.

Adjustable Knuckle

Pre-installed 1/2" knuckle for precise light angling.

50W, 3000K

LF4-50W-30K-D-KN FLOOD/AREA LIGHTS

50W | 6750LM
3000K
9-3/8"(H) x 8-5/8"(W) x 3-1/2"(D)

50W, 5000K

LF4-50W-50K-D-KN FLOOD/AREA LIGHTS

50W | 6750LM
5000K
9-3/8"(H) x 8-5/8"(W) x 3-1/2"(D)



Follow us @westgatemfg

LFX SERIES

877•805•2252
www.westgatemfg.com

SMALL FLOOD SHROUD OPTIONS

SMALL FLOOD LIGHT SHROUD OPTIONS

COMPATIBLE WITH LFX & LF4 SMALL SERIES



KNUCKLE MOUNT
WITH HALF SHROUD



Durable Design

Enhance your lighting with our durable, versatile shroud accessories for LFX and LF4 Small Series, offering superior protection and glare reduction.



U-BRACKET
WITH HALF SHROUD



Reversible
Half Shroud



KNUCKLE MOUNT
WITH FULL GLARE SHROUD




LFX MOUNTING ARM

LFX MOUNTING ARM

18"/24"/30" FLOOD LIGHT WALL-MOUNTING ARM

White Finish

ACC-WMA-WH



ACC-WMA
Can be used for
Billboard/Sign
Lights

Black Finish

ACC-WMA-BK



Bronze Finish

ACC-WMA-BK




LFX WALL & POLE MOUNT

LFX WALL & POLE MOUNTS


20" WALL AND POLE MOUNTING ARM FOR FLOOD LIGHTS WITH A SLIP FITTER



Round Pole Mount



Square Pole Mount



Wall Mount

20" WALL & POLE MOUNT
ACC-WPM20

Enhanced Flexibility

The ACC-WPM20 offers a 20" mounting arm for flood lights, ensuring secure and adaptable installation on walls and poles.