


CMC SERIES COMMERCIAL INDOOR LIGHTING

CMC1L-MCT-BK
CMC1L-MCT-WH

MCT Multi Color Temperature (Selectable)



Shown with Suspended Cables (Not Incl.)

Avail Finish:




1" Cylinder, Pendant & Ceiling Cylinder Light, Aluminum Cylinder, White Aluminum Housing, Clear Glass Lens

Customer Name: _____

Project Name: _____

Note: _____

Type: _____



13 1/4"(H) X 4 3/4"(W) X 1 1/8"(D)

Features

- Multi CCT: Selectable Multi-CCT Switches on the back of the fixture(Dual Function)
- Triac Dimmable at 120V & 0-10V Dimming at 120-277V
- 7-Year Warranty
- Aluminum Base and Polycarbonate (PC) Lens

Technical Specifications

Electrical:

- Voltage: 120-277V
- Power Factor: >0.90
- THD: <20%
- Wattage: 10W
- Efficacy: 70 LPW

Mechanical:

- Aluminum Housing & Glass Lens
- Suspension Cable & Canopy Set Accessories Avail.
- Universal Swivel W/ Rod Kit Accessories Avail. Ambient Operating Temperature: -13°F to 113°F
- Rated life: 70,000 hrs
- IP Rating: IP40 suitable for damp locations

Lighting:

- Multi CCT: Selectable Multi-CCT Switches on the back of the fixture(Dual Function)
- Dimming: (Dual Function) Triac Dimmable at 120V & 1-10V Dimming at 120-277V
- Total Lumens: 700LM
- Color Temperatures: 3000K/ 4000K/ 5000K
- Color Rendering Index: CRI ≥ 80
- Beam Angle: 120°

Applications:

- 1" Cylinder, Pendant & Ceiling Cylinder Light, Aluminum Cylinder, White Aluminum Housing, Clear Glass Lens

Other Models:

- 6W | 450LM | CMC2-MCT-DT-WH
- 6W | 450LM | CMC2L-MCT-DT-WH
- 15W | 1125LM | CMC4-MCTP-DD-WH
- 75W | 2625LM | CMC6-MCTP-DD-WH
- 6W | 450LM | CMC2-MCT-DT-BK
- 6W | 450LM | CMC2L-MCT-DT-BK
- 15W | 1125LM | CMC4-MCTP-DD-BK
- 75W | 2625LM | CMC6-MCTP-DD-BK



Other Views:

BLACK:



Side View



Lens View



Back View

WHITE:



Side View



Lens View



Back View

Performance Table: CMC1L-MCT

MODEL NO.	Wattage	Voltage	Lumens	Color Temp.	LPW
CMC1L-MCT-BK	10W	120-277V	700LM	3000K	70
CMC1L-MCT-WH				4000K	
				5000K	

Sample Ordering

Model Color Temp. Housing

CMC1L - MCT -

WH = White
BK = Black

Accessories:

Blank = No Option For Accessories

CMC1-TRM-AG = 1In Ceiling Mount Cylinder Trim, Anodized Gold

CMC1-TRM-BN = 1In Ceiling Mount Cylinder Trim, Brushed Nickel

CMC-CS-8FT-WH = Suspension Cable & Canopy Set For CMC Series, 8Ft, 5-Wire, White

CMC-CS-8FT-BK = Suspension Cable & Canopy Set For CMC Series, 8Ft, 5-Wire, Black

CMC-SRK-218-5C-WH = Universal Swivel W/ Rod Kit, 18 Or 36 Inches, 5-Wire, White

CMC-SRK-218-5C-BK = Universal Swivel W/ Rod Kit, 18 Or 36 Inches, 5-Wire, Black

CMC-SRK-224-5C-WH = Universal Swivel W/ Rod Kit, 24 Or 48 Inches, 5-Wire, White

CMC-SRK-224-5C-BK = Universal Swivel W/ Rod Kit, 24 Or 48 Inches, 5-Wire, Black

CMC-JBCK-WH = Cylinder And Pendant Lighting J-Box Cover Canopy For Up To 4 Pipe Entries, Wh

CMC-JBCK-BK = Clinder And Pendant Liahting J-Box Cover Canopy For Up To 4 Pipe Entries, Bk

CMC-SRK-340-5C-WH = Universal Swivel W/ Rod Kit, 40 Or 80 Or 120 Inches, 5-Wire, White

CMC-SRK-340-5C-BK = Universal Swivel W/ Rod Kit, 40 Or 80 Or 120 Inches, 5-Wire, Black

CMC-OWCC = 5" OLD-WORK RECESSED CEILING CANOPY WITH JUNCTION BOX

ACCESSORIES:



CMC1-TRM-AG
Trim, Anodized Gold



CMC1-TRM-BN
Trim, Brushed Nickel



CMC-CS-8FT-BK
Suspension Cable &
Canopy Set For CMC
Series, 8Ft, 5-Wire, Black



CMC-CS-8FT-WH
Suspension Cable &
Canopy Set For CMC
Series, 8Ft, 5-Wire, White




CMC-JBCK-BK




CMC-JBCK-WH




ACCESSORIES:



CMC1L-MCT-BK+CMC-CS-8FT-BK
CMC1L-MCT-WH+CMC-CS-8FT-WH



CMC1L-MCT-BK+CMC-SRK-218-5C-BK
CMC1L-MCT-WH+CMC-SRK-218-5C-WH




CMC3-MCTP-DD-BK+CMC-CS-8FT-BK+CMC1-TRM-AG
CMC3-MCTP-DD-WH+CMC-CS-8FT-WH+CMC1-TRM-BN



Cylinder And Pendant Lighting
J-Box Cover Canopy For Up To 4
Pipe Entries

CMC-JBCK-BK
CMC-JBCK-WH



1 1/2"(H) X 5"(W) X 5"(D)

CMC1L-MCT-DT-BK+CMC-OWCC-BK+CMC-SRK-218-5C-BK+CMC1-TRM-AG
CMC1L-MCT-DT-WH+CMC-OWCC-WH+CMC-SRK-218-5C-WH+CMC1-TRM-AG

