

CMC SERIES

COMMERCIAL INDOOR LIGHTING

WESTGATE

THE FUTURE IS HERE...AND IT'S QUITE BRIGHT!

CMC1XL-MCT-BK

CMC1XL-MCT-WH



MCT Multi Color Temperature (Selectable)

Customer Name: _____

Project Name: _____


Note: _____

Type: _____



Shown with Suspended Cables (Not Incl.)

Avail Finish:



1" Cylinder, Pendant & Ceiling Cylinder Light, Aluminum Cylinder, White Aluminum Housing, Clear Glass Lens

19 1/4"(H) X 4 3/4"(W) X 1 1/8"(D)

Features

- Multi CCT: Selectable Multi-CCT Switches on the back of the fixture(Dual Function)
- Triac Dimmable at 120V & 0-10V Dimming at 120-277V
- 7-Year Warranty
- Aluminum Base and Polycarbonate (PC) Lens

Technical Specifications

Electrical:

- Voltage: 120-277V
- Power Factor: >0.90
- THD: <20%
- Wattage: 10W
- Efficacy: 70 LPW

Mechanical:

- Aluminum Housing & Glass Lens
- Suspension Cable & Canopy Set Accessories Avail.
- Universal Swivel W/ Rod Kit Accessories Avail. Ambient Operating Temperature: -13°F to 113°F
- Rated life: 70,000 hrs
- IP Rating: IP40 suitable for damp locations

Lighting:

- Multi CCT: Selectable Multi-CCT Switches on the back of the fixture(Dual Function)
- Dimming: (Dual Function) Triac Dimmable at 120V & 1-10V Dimming at 120-277V
- Total Lumens: 700LM
- Color Temperatures: 3000K/4000K/5000K
- Color Rendering Index: CRI ≥ 80
- Beam Angle: 120°

Applications:

- 1" Cylinder, Pendant & Ceiling Cylinder Light, Aluminum Cylinder, White Aluminum Housing, Clear Glass Lens

Other Models:

- | | | | |
|-------------------------------|--------------------------------|----------------------------------|----------------------------------|
| • 6W 450LM CMC2-MCT-DT-WH | • 6W 450LM CMC2L-MCT-DT-WH | • 15W 1125LM CMC4-MCTP-DD-WH | • 75W 2625LM CMC6-MCTP-DD-WH |
| • 6W 450LM CMC2-MCT-DT-BK | • 6W 450LM CMC2L-MCT-DT-BK | • 15W 1125LM CMC4-MCTP-DD-BK | • 75W 2625LM CMC6-MCTP-DD-BK |



Phone: (877) 805-2252 | Fax: (877) 805-2252
www.westgatemfg.com



WG-Z9-Z3-ZZ

Other Views:

BLACK:



Side View



Lens View



Back View

WHITE:



Side View



Lens View



Back View

Performance Table: CMC1XL-MCT

MODEL NO.	Wattage	Voltage	Lumens	Color Temp.	LPW
CMC1XL-MCT-BK	10W	120-277V	700LM	3000K	70
CMC1XL-MCT-WH				4000K 5000K	

Sample Ordering

Model Color Temp. Housing

CMC1XL - MCT -

WH = White
BK = Black

Accessories:

Blank = No Option For Accessories

CMC1-TRM-AG = 1In Ceiling Mount Cylinder Trim, Anodized Gold

CMC1-TRM-BN = 1In Ceiling Mount Cylinder Trim, Brushed Nickel

CMC-CS-8FT-WH = Suspension Cable & Canopy Set For CMC Series, 8Ft, 5-Wire, White

CMC-CS-8FT-BK = Suspension Cable & Canopy Set For CMC Series, 8Ft, 5-Wire, Black

CMC-SRK-218-5C-WH = Universal Swivel W/ Rod Kit, 18 Or 36 Inches, 5-Wire, White

CMC-SRK-218-5C-BK = Universal Swivel W/ Rod Kit, 18 Or 36 Inches, 5-Wire, Black

CMC-SRK-224-5C-WH = Universal Swivel W/ Rod Kit, 24 Or 48 Inches, 5-Wire, White

CMC-SRK-224-5C-BK = Universal Swivel W/ Rod Kit, 24 Or 48 Inches, 5-Wire, Black

CMC-JBCK-WH = Cylinder And Pendant Lighting J-Box Cover Canopy For Up To 4 Pipe Entries, Wh

CMC-JBCK-BK = Clinder And Pendant Liahting J-Box Cover Canopy For Up To 4 Pipe Entries, Bk

CMC-SRK-340-5C-WH = Universal Swivel W/ Rod Kit, 40 Or 80 Or 120 Inches, 5-Wire, White

CMC-SRK-340-5C-BK = Universal Swivel W/ Rod Kit, 40 Or 80 Or 120 Inches, 5-Wire, Black

CMC-OWCC = 5" OLD-WORK RECESSED CEILING CANOPY WITH JUNCTION BOX

ACCESSORIES:



CMC1-TRM-AG
Trim, Anodized Gold



CMC1-TRM-BN
Trim, Brushed Nickel



CMC-CS-8FT-BK
Suspension Cable &
Canopy Set For CMC
Series, 8Ft, 5-Wire, Black



CMC-CS-8FT-WH
Suspension Cable &
Canopy Set For CMC
Series, 8Ft, 5-Wire, White




CMC-JBCK-BK




CMC-JBCK-WH





ACCESSORIES:




CMC1XL-MCT-BK+CMC-CS-8FT-BK
CMC1XL-MCT-WH+CMC-CS-8FT-WH



CMC1XL-MCT-BK+CMC-SRK-218-5C-BK
CMC1XL-MCT-WH+CMC-SRK-218-5C-WH




CMC1XL-MCT-BK+CMC-CS-8FT-BK+CMC1-TRM-AG
CMC1XL-MCT-WH+CMC-CS-8FT-WH+CMC1-TRM-BN



Cylinder And Pendant Lighting
J-Box Cover Canopy For Up To 4
Pipe Entries

CMC-JBCK-BK
CMC-JBCK-WH



1 1/2"(H) X 5"(W) X 5"(D)

CMC1XL-MCT-DD-BK+CMC-OWCC-BK+CMC-SRK-218-5C-BK+CMC1-TRM-AG
CMC1XL-MCT-DD-WH+CMC-OWCC-WH+CMC-SRK-218-5C-WH+CMC1-TRM-AG

