

CMC SERIES COMMERCIAL INDOOR LIGHTING

CMC2L-MCT-DT-WH
CMC2L-MCT-DT-BK

MCT Multi Color Temperature (Selectable)



Shown With
Suspension cable

Avail Finish:





Customer Name: _____

Project Name: _____

Note: _____

Type: _____



12 4/5"(H) X 2 1/2"(W) X 2" (D)

2" Cylinder, Pendant & Ceiling Cylinder Light, Aluminum Cylinder, White Aluminum Housing, Clear Glass Lens

Features

- Aluminum Base and Polycarbonate (PC) Lens
- Dimming: Dimmable Down to 10% Using a Standard TRIAC LED Dimmer TRIAC logo
- 5-Year Warranty
- Multi CCT: Selectable Multi-CCT & Power Switches Located the back of the fixture

Technical Specifications

Electrical:

- Voltage: 120V, 60Hz
- Power Factor: >0.90
- THD: <20%
- Wattage: 6W
- Efficacy: 75 LPW

Mechanical:

- Aluminum Housing & Glass Lens
- Suspension Cable & Canopy Set Accessories Avail.
- Universal Swivel W/ Rod Kit Accessories Avail. Ambient Operating Temperature: -13°F to 113°F
- IP Rating: IP40 Suitable For Damp Locations
- 5-Year Warranty

Lighting:

- Dimming: Dimmable Down to 10% Using a Standard TRIAC LED Dimmer TRIAC logo
- Total Lumens: 450LM Max.
- Color Temperatures: MCT 3000K/4000K/5000K CCT Switchable
- Color Rendering Index: CRI ≥ 80
- Beam Angle: 40°

Applications:

- 2" Cylinder, Pendant & Ceiling Cylinder Light, Aluminum Cylinder, White Aluminum Housing, Clear Glass Lens

Other Models:

- 6W | 450LM | CMC2-MCT-DT-WH • 9W | 675LM | CMC3-MCTP-DD-WH • 15W | 1125LM | CMC4-MCTP-DD-WH • 75W | 2625LM | CMC6-MCTP-DD-WH
- 6W | 450LM | CMC2-MCT-DT-BK • 9W | 675LM | CMC3-MCTP-DD-BK • 15W | 1125LM | CMC4-MCTP-DD-BK • 75W | 2625LM | CMC6-MCTP-DD-BK




Other Views:

BLACK:



Side View



Lens View



Back View

WHITE:



Side View



Lens View



Back View

Performance Table: CMC2L-MCT-DT

MODEL NO.	Wattage	Voltage	Lumens	Color Temp.	LPW
CMC2L-MCT-DT-WH	6W	120V	450LM	3000K	75
CMC2L-MCT-DT-BK	6W		450LM	4000K 5000K	75

Sample Ordering

Model Color Temp. Dimming Housing

CMC2L - MCT - DT -

WH = White
BK = Black

Accessories:

Blank = No Option For Accessories

CMC2-TRM-AG = 2In Ceiling Mount Cylinder Trim, Anodized Gold

CMC2-TRM-BN = 2In Ceiling Mount Cylinder Trim, Brushed Nickel

CMC2-TRMWM-AG = 2In Ceiling Mount Cylinder Trim, Wide-Mouth Version, Anodized Gold

CMC2-TRMWM-BN = 2In Ceiling Mount Cylinder Trim, Wide-Mouth Version, Brushed Nickel

CMC2-HCDK-BK = 2In Ceiling Mount Cylinder Honeycomb Diffuser Kit, Black

CMC2-HCDK-AG = 2In Ceiling Mount Cylinder Honeycomb Diffuser Kit, Anodized Gold

CMC2-DS-BG = Decorative Shield Reflector Replacement For Lens Cap Of CMC2, Black Gold

CMC2-DS-WG = Decorative Shield Reflector Replacement For Lens Cap Of CMC2, White Gold

CMC2-DCR-BG = Decorative Cone Reflector Replacement For Lens Cap Of CMC2, Black Gold

CMC2-DCR-WG = Decorative Cone Reflector Replacement For Lens Cap Of CMC2, White Gold

CMC2-PS12-WG-KIT = CMC2 12In Pan Shade, White/Gold

CMC2-PS12-BG-KIT = CMC2 12In Pan Shade, Black/Gold

CMC2-PS14-WG-KIT = CMC2 14In Pan Shade, White/Gold

CMC2-PS14-BG-KIT = CMC2 14In Pan Shade, Black/Gold

CMC-CS-8FT-WH = Suspension Cable & Canopy Set For CMC Series, 8Ft, 5-Wire, White

CMC-CS-8FT-BK = Suspension Cable & Canopy Set For CMC Series, 8Ft, 5-Wire, Black

CMC-SRK-218-5C-WH = Universal Swivel W/ Rod Kit, 18 Or 36 Inches, 5-Wire, White

CMC-SRK-218-5C-BK = Universal Swivel W/ Rod Kit, 18 Or 36 Inches, 5-Wire, Black

CMC-SRK-224-5C-WH = Universal Swivel W/ Rod Kit, 24 Or 48 Inches, 5-Wire, White

CMC-SRK-224-5C-BK = Universal Swivel W/ Rod Kit, 24 Or 48 Inches, 5-Wire, Black

ACCESSORIES:



CMC2-TRM-AG
Trim, Anodized Gold



CMC2-TRM-BN
Trim, Brushed Nickel



CMC2-HCDK-BK
Honeycomb Diffuser
Kit, Black



CMC2-HCDK-AG
Honeycomb Diffuser Kit,
Anodized Gold




CMC-CS-8FT-BK
Suspension Cable &
Canopy Set For CMC
Series, 8Ft, 5-Wire, Black



CMC-CS-8FT-WH
Suspension Cable &
Canopy Set For CMC
Series, 8Ft, 5-Wire, White




ACCESSORIES:




5.12"(W)X8.98"(H)

CMC2L-MCT-DT-BK+CMC-CS-8FT-BK
CMC2L-MCT-DT-BK+CMC-CS-8FT-WH



5.12"(W)X36.98"(H)


CMC2L-MCT-DT-BK+CMC-SRK-218-5C-BK
CMC2L-MCT-DT-WH+CMC-SRK-218-5C-WH



5.12"(W)X8.98"(H)

12.01"(W)X4.92"(H)


CMC2L-MCT-DT-BK+CMC-CS-8FT-BK+CMC2-PS12-BG
CMC2L-MCT-DT-BK+CMC-CS-8FT-BK+CMC2-PS12-WG



5.12"(W)X8.98"(H)

14.02"(W)X4.92"(H)


CMC2L-MCT-DT-BK+CMC-CS-8FT-BK+CMC2-PS14-BG
CMC2L-MCT-DT-WH+CMC-CS-8FT-BK+CMC2-PS14-WG



5.12"(W)X36.98"(H)

12.01"(W)X4.92"(H)


CMC2L-MCT-DT-BK+CMC-SRK-218-5C-BK+CMC2-PS12-BG
CMC2L-MCT-DT-WH+CMC-SRK-218-5C-WH+CMC2-PS12-WG



5.12"(W)X36.98"(H)


14.02"(W)X4.92"(H)

CMC2L-MCT-DT-BK+CMC-SRK-218-5C-BK+CMC2-PS14-BG
CMC2L-MCT-DT-WH+CMC-SRK-218-5C-WH+CMC2-PS14-WG



5.12"(W)X36.98"(H)

2.65"(W)X9.65"(H)X7.14"(D)





5.12"(W)X36.98"(H)

3.94"(W)X3.15"(H)

CMC2L-MCT-DT-BK+CMC-SRK-218-5C-BK+CMC2-DCR-BG
CMC2L-MCT-DT-WH+CMC-SRK-218-5C-WH+CMC2-DCR-WG



CMC2L-MCT-DT-BK+CMC-SRK-218-5C-BK+CMC2-DS-BG
CMC2L-MCT-DT-WH+CMC-SRK-218-5C-WH+CMC2-DS-WG






5.12"(W)X36.98"(H)

CMC2L-MCT-DT-BK+CMC-SRK-218-5C-BK+CMC2-HCDK-AG
 CMC2L-MCT-DT-WH+CMC-SRK-218-5C-WH+CMC2-HCDK-BK



5.12"(W)X36.98"(H)

CMC2L-MCT-DT-BK+CMC-SRK-218-5C-BK+CMC2-TRM-AG
 CMC2L-MCT-DT-WH+CMC-SRK-218-5C-WH+CMC2-TRM-WG



5.12"(W)X8.98"(H)

CMC2L-MCT-DT-BK+CMC-CS-8FT-BK+CMC2-TRMWM-AG
 CMC2L-MCT-DT-WH+CMC-CS-8FT-WH+CMC2-TRMWM-BN

