


CMC SERIES COMMERCIAL INDOOR LIGHTING

CMC2XL-MCT-DD-WH
CMC2XL-MCT-DD-BK

MCT Multi Color Temperature (Selectable)



Shown with Suspended Cables (Not Incl.)

Avail Finish:





Customer Name: _____

Project Name: _____

Note: _____

Type: _____



2" Cylinder, Pendant & Ceiling Cylinder Light, Aluminum Cylinder, White Aluminum Housing, Clear Glass Lens

18"(H) X 2 1/2(W) X 2" (D)

Features

- Aluminum Base and Polycarbonate (PC) Lens
- Dimming: Dimmable Down to 10% Using a Standard TRIAC LED Dimmer TRIAC logo
- 7-Year Warranty
- Multi CCT: Selectable Multi-CCT Switches Located The Back Of The Fixture

Technical Specifications

Electrical:

- Voltage: 120V, 60Hz
- Power Factor: >0.90
- THD: <20%
- Wattage: 20W
- Efficacy: 83 LPW

Mechanical:

- Aluminum Housing & Glass Lens
- Suspension Cable & Canopy Set Accessories Avail.
- Universal Swivel W/ Rod Kit Accessories Avail. Ambient Operating Temperature: -13°F to 113°F
- Rated life: 70,000 hrs
- IP Rating: IP40 suitable for damp locations

Lighting:

- Multi CCT: Selectable Multi-CCT Switches Located The Back Of The Fixture
- Dimming: (Dual Function) Triac Dimmable at 120V & 0-10V Dimming at 120-277V
- Total Lumens: 1650LM Max.
- Color Temperatures: 3000K/4000K/5000K
- Color Rendering Index: CRI ≥ 80
- Beam Angle: 40°
- Rated Life: 70,000 hrs

Applications:

- 2" Cylinder, Pendant & Ceiling Cylinder Light, Aluminum Cylinder, White Aluminum Housing, Clear Glass Lens

Other Models:

- 6W | 450LM | CMC2-MCT-DT-WH
- 9W | 675LM | CMC3-MCTP-DD-WH
- 15W | 1125LM | CMC4-MCTP-DD-WH
- 75W | 2625LM | CMC6-MCTP-DD-WH
- 6W | 450LM | CMC2-MCT-DT-BK
- 9W | 675LM | CMC3-MCTP-DD-BK
- 15W | 1125LM | CMC4-MCTP-DD-BK
- 75W | 2625LM | CMC6-MCTP-DD-BK




Other Views:

BLACK:



Side View



Lens View



Back View

WHITE:



Side View



Lens View



Back View

Performance Table: CMC2XL-MCT-DD

MODEL NO.	Wattage	Voltage	Lumens	Color Temp.	LPW
CMC2XL-MCT-DD-WH	20W	120V	1650LM	3000K	83
CMC2XL-MCT-DD-BK				4000K	
				5000K	

Sample Ordering

Model Color Temp. Dimming Housing

CMC2XL - MCT - DD -

WH = White
BK = Black

Accessories:

Blank = No Option For Accessories

- CMC2-TRM-AG = 2In Ceiling Mount Cylinder Trim, Anodized Gold
- CMC2-TRM-BN = 2In Ceiling Mount Cylinder Trim, Brushed Nickel
- CMC2-TRMWM-AG = 2In Ceiling Mount Cylinder Trim, Wide-Mouth Version, Anodized Gold
- CMC2-TRMWM-BN = 2In Ceiling Mount Cylinder Trim, Wide-Mouth Version, Brushed Nickel
- CMC2-HCDK-BK = 2In Ceiling Mount Cylinder Honeycomb Diffuser Kit, Black
- CMC2-HCDK-AG = 2In Ceiling Mount Cylinder Honeycomb Diffuser Kit, Anodized Gold
- CMC2-DS-BG = Decorative Shield Reflector Replacement For Lens Cap Of CMC2, Black Gold
- CMC2-DS-WG = Decorative Shield Reflector Replacement For Lens Cap Of CMC2, White Gold
- CMC2-DCR-BG = Decorative Cone Reflector Replacement For Lens Cap Of CMC2, Black Gold
- CMC2-DCR-WG = Decorative Cone Reflector Replacement For Lens Cap Of CMC2, White Gold
- CMC2-PS12-WG-KIT = CMC2 12In Pan Shade, White/Gold
- CMC2-PS12-BG-KIT = CMC2 12In Pan Shade, Black/Gold
- CMC2-PS14-WG-KIT = CMC2 14In Pan Shade, White/Gold
- CMC2-PS14-BG-KIT = CMC2 14In Pan Shade, Black/Gold
- CMC-CS-8FT-WH = Suspension Cable & Canopy Set For CMC Series, 8Ft, 5-Wire, White
- CMC-CS-8FT-BK = Suspension Cable & Canopy Set For CMC Series, 8Ft, 5-Wire, Black
- CMC-SRK-218-5C-WH = Universal Swivel W/ Rod Kit, 18 Or 36 Inches, 5-Wire, White
- CMC-SRK-218-5C-BK = Universal Swivel W/ Rod Kit, 18 Or 36 Inches, 5-Wire, Black
- CMC-SRK-224-5C-WH = Universal Swivel W/ Rod Kit, 24 Or 48 Inches, 5-Wire, White
- CMC-SRK-224-5C-BK = Universal Swivel W/ Rod Kit, 24 Or 48 Inches, 5-Wire, Black
- CMC-JBCK-WH = Cylinder And Pendant Lighting J-Box Cover Canopy For Up To 4 Pipe Entries, Wh
- CMC-JBCK-BK = Cylinder And Pendant Lighting J-Box Cover Canopy For Up To 4 Pipe Entries, Bk
- CMC-SRK-340-5C-WH = Universal Swivel W/ Rod Kit, 40 Or 80 Or 120 Inches, 5-Wire, White
- CMC-SRK-340-5C-BK = Universal Swivel W/ Rod Kit, 40 Or 80 Or 120 Inches, 5-Wire, Black
- CMC-OWCC = 5" OLD-WORK RECESSED CEILING CANOPY WITH JUNCTION BOX

ACCESSORIES:



CMC2-TRMWM-AG



CMC2-TRMWM-BN



CMC2-DS-BG



CMC2-DS-WG



CMC2-DCR-BG



CMC2-DCR-WG



CMC2-TRM-AG



CMC2-TRM-BN



CMC2-HCDK-BK




CMC2-HCDK-AG



CMC-CS-8FT-BK



CMC-CS-8FT-WH




CMC-JBCK-BK




CMC-JBCK-WH




ACCESSORIES:




CMC2XL-MCT-DD-BK+CMC-CS-8FT-BK
CMC2XL-MCT-DD-WH+CMC-CS-8FT-WH




CMC2XL-MCT-DD-BK+CMC-SRK-218-5C-BK
CMC2XL-MCT-DD-WH+CMC-SRK-218-5C-WH




CMC2XL-MCT-DD-BK+CMC-CS-8FT-BK+CMC2-PS12-BG
CMC2XL-MCT-DD-WH+CMC-CS-8FT-WH+CMC2-PS12-WG



CMC2XL-MCT-DD-BK+CMC-CS-8FT-BK+CMC2-PS14-BG
CMC2XL-MCT-DD-WH+CMC-CS-8FT-BK+CMC2-PS14-WG



CMC2XL-MCT-DD-BK+CMC-SRK-218-5C-BK+CMC2-PS12-BG
CMC2XL-MCT-DD-WH+CMC-SRK-218-5C-BK+CMC2-PS12-WG



CMC2XL-MCT-DD-BK+CMC-SRK-218-5C-BK+CMC2-PS14-BG
CMC2XL-MCT-DD-WH+CMC-SRK-218-5C-WH+CMC2-PS14-WG





CMC2XL-MCT-DD-BK+CMC-SRK-218-5C-BK+CMC2-HCDK-AG
CMC2XL-MCT-DD-WH+CMC-SRK-218-5C-WH+CMC2-HCDK-BK



CMC2XL-MCT-DD-BK+CMC-CS-8FT-BK+CMC2-TRM-AG
CMC2XL-MCT-DD-WH+CMC-CS-8FT-WH+CMC2-TRM-BN



CMC2XL-MCT-DD-BK+CMC-CS-8FT-BK+CMC2-TRMWM-AG
CMC2XL-MCT-DD-WH+CMC-CS-8FT-WH+CMC2-TRMWM-BN



CMC2XL-MCT-DD-BK+CMC-SRK-218-5C-BK+CMC2-DCR-BG
CMC2XL-MCT-DD-WH+CMC-SRK-218-5C-WH+CMC2-DCR-BG



CMC2XL-MCT-DD-BK+CMC-SRK-218-5C-BK+CMC2-DS-BG
CMC2XL-MCT-DD-WH+CMC-SRK-218-5C-WH+CMC2-DS-WG



CMC2XL-MCT-DD-BK+CMC-OWCC-BK+CMC-SRK-218-5C-BK+CMC2-TRM-AG
CMC2XL-MCT-DD-WH+CMC-OWCC-WH+CMC-SRK-218-5C-WH+CMC2-TRM-AG

