

CMC SERIES COMMERCIAL INDOOR LIGHTING

CMC6HL-MCTP-DD-WH
CMC6HL-MCTP-DD-BK

MCTP Multi Color Temperature & Multi Power/Wattage (Selectable)





6" Cylinder, Pendant & Ceiling Cylinder Light, Aluminum Cylinder, White Aluminum Housing, Clear Glass Lens

Customer Name: _____

Project Name: _____

Note: _____

Type: _____



12"(H) X 5 3/4" (W) X 5 3/4" (D)

Features

- Multi CCT: Selectable Multi-CCT & Power Switches on the back of the fixture(Dual Function)
- Triac Dimmable at 120V & 0-10V Dimming at 120-277V
- 7-Year Warranty
- Aluminum Base and Glass Lens

Technical Specifications

Electrical:

- Voltage: 120-277V
- Power Factor: >0.90
- THD: <20%
- Wattage: 27W/36W/45W
- Efficacy: 80 LPW

Mechanical:

- Aluminum Housing & Glass Lens
- Suspension Cable & Canopy Set Accessories Avail.
- Universal Swivel W/ Rod Kit Accessories Avail. Ambient Operating Temperature: -13°F to 113°F
- Rated life: 70,000 hrs
- IP Rating: IP40 suitable for damp locations

Lighting:

- Dimming: (Dual Function) Triac Dimmable at 120V & 0-10V Dimming at 120-277V
- Total Lumens: 3600LM Max.
- Color Temperatures: 3000K/4000K/ 5000K
- Color Rendering Index: CRI ≥ 80
- Beam Angle: 25°

Applications:

- 6" Cylinder, Pendant & Ceiling Cylinder Light, Aluminum Cylinder, White Aluminum Housing, Clear Glass Lens

Other Models:

- 6W | 450LM | CMC2-MCT-DT-WH
- 6W | 450LM | CMC2L-MCT-DT-WH
- 9W | 675LM | CMC3-MCTP-DD-WH
- 15W | 1125LM | CMC4-MCTP-DD-WH
- 6W | 450LM | CMC2-MCT-DT-BK
- 6W | 450LM | CMC2L-MCT-DT-BK
- 9W | 675LM | CMC3-MCTP-DD-BK
- 15W | 1125LM | CMC4-MCTP-DD-BK





Black



White

Performance Table: CMC6HL-MCTP-DD

MODEL NO.	Wattage	Voltage	Lumens	Color Temp.	LPW
CMC6HL-MCTP-DD-WH	27W	120-277V	2160LM	3000K	80
CMC6HL-MCTP-DD-WH	36W		2880LM	4000K	
CMC6HL-MCTP-DD-BK	45W		3600LM	5000K	

Sample Ordering

Model **Color Temp.** **Dimming** **Housing**
 CMC6HL - MCTP - DD -
 WH = White
 BK = Black

Accessories:

- Blank = No Option For Accessories
- CMC6-TRM-AG = 6in Ceiling Mount Cylinder Trim, Anodized Gold
- CMC6-TRM-BN = 6in Ceiling Mount Cylinder Trim, Brushed Nickel
- CMC46-ULK = Uplight kit
- CMC6-WPCK-WH = CMC6 Weatherproof Conversion Kit For Cord Or Down-Rod, White
- CMC6-WPCK-BK = CMC6 Weatherproof Conversion Kit For Cord Or Down-Rod, Black
- CMC6-HCDK-BK = 6in Ceiling Mount Cylinder Honeycomb Diffuser Kit, Black
- CMC6-HCDK-AG = 6in Ceiling Mount Cylinder Honeycomb Diffuser Kit, Anodized Gold
- CMC-CS-8FT-WH = Suspension Cable & Canopy Set For CMC Series, 8Ft, 5-Wire, White
- CMC-CS-8FT-BK = Suspension Cable & Canopy Set For CMC Series, 8Ft, 5-Wire, Black
- CMC-SRK-218-5C-WH = Universal Swivel W/ Rod Kit, 18 Or 36 Inches, 5-Wire, White
- CMC-SRK-218-5C-BK = Universal Swivel W/ Rod Kit, 18 Or 36 Inches, 5-Wire, Black
- CMC-SRK-224-5C-WH = Universal Swivel W/ Rod Kit, 24 Or 48 Inches, 5-Wire, White
- CMC-SRK-224-5C-BK = Universal Swivel W/ Rod Kit, 24 Or 48 Inches, 5-Wire, Black
- CMC46-ULK = 5W 400LM 30K.40K/50K Up Light Kit
- CMC-JBCK-WH = Cylinder And Pendant Lighting J-Box Cover Canopy For Up To 4 Pipe Entries, Wh
- CMC-JBCK-BK = Clinder And Pendant Liahting J-Box Cover Canopy For Up To 4 Pipe Entries, Bk
- CMC-SRK-340-5C-WH = Universal Swivel W/ Rod Kit, 40 Or 80 Or 120 Inches, 5-Wire, White
- CMC-SRK-340-5C-BK = Universal Swivel W/ Rod Kit, 40 Or 80 Or 120 Inches, 5-Wire, Black
- CMC-OWCC = 5" OLD-WORK RECESSED CEILING CANOPY WITH JUNCTION BOX

Factory-Installed Option:

- Blank = No Option For Accessories
- OPT-EM-CMC46 = Emergency Backup with Extension Cylinder

ACCESSORIES:

- CMC6-TRM-AG: Trim, Anodized Gold
- CMC6-TRM-BN: Trim, Brushed Nickel
- CMC6-HCDK-BK: Honeycomb Diffuser Kit, Black
- CMC6-HCDK-AG: Honeycomb Diffuser Kit, Anodized Gold
- CMC-CS-8FT-BK: Suspension Cable & Canopy Set For CMC Series, 8Ft, 5-Wire, Black
- CMC-CS-8FT-WH: Suspension Cable & Canopy Set For CMC Series, 8Ft, 5-Wire, White
- CMC46-ULK: Shown with Up Light Kit
- CMC-JBCK-BK: Cylinder And Pendant Lighting J-Box Cover Canopy For Up To 4 Pipe Entries, BK
- CMC-JBCK-WH: Cylinder And Pendant Lighting J-Box Cover Canopy For Up To 4 Pipe Entries, WH


FACTORY-INSTALLED OPTION:



OPT-EM-CMC46




ACCESSORIES:




5.12" (W) X 8.98" (H)

CMC6-MCTP-DD-BK+CMC-CS-8FT-BK
CMC6-MCTP-DD-WH+CMC-CS-8FT-WH




5.12" (W) X 36.98" (H)

CMC6-MCTP-DD-BK+CMC-SRK-218-5C-BK
CMC6-MCTP-DD-WH+CMC-SRK-218-5C-WH




5.12" (W) X 36.98" (H)




5.87" (W) X 0.67" (H)

CMC6-MCTP-DD-BK+CMC-SRK-218-5C-BK+CMC6-WPCK-BK
CMC6-MCTP-DD-WH+CMC-SRK-218-5C-WH +CMC6-WPCK-WH




5.12" (W) X 8.98" (H)

CMC6-MCTP-DD-BK+CMC-CS-8FT-BK+CMC6-TRM-AG
CMC6-MCTP-DD-WH+CMC-CS-8FT-WH+CMC6-TRM-BN



5.12" (W) X 8.98" (H)



5.71" (W) X 1.26" (H) X 5.71" (D)

CMC6-MCTP-DD-BK+CMC-CS-8FT-BK+CWMC6-DL32
CMC6-MCTP-DD-WH+CMC-CS-8FT-WH+CWMC6-DL32




Cylinder And Pendant Lighting
J-Box Cover Canopy For Up To 4
Pipe Entries

CMC-JBCK-BK
CMC-JBCK-WH



Up Light Kit
CMC46-ULK



1 1/2"(H) X 5"(W) X 5"(D)

CMC6-MCTP-DD-BK+CMC-OWCC-BK+CMC-SRK-218-5C-BK+CMC6-TRM-AG
CMC6-MCTP-DD-WH+CMC-OWCC-WH+CMC-SRK-218-5C-WH+CMC6-TRM-AG

