

CMC SERIES

COMMERCIAL INDOOR LIGHTING

CMC8S-MCTP-DD-WH

CMC8S-MCTP-DD-BK

 Multi Color Temperature & Multi Power/Wattage (Selectable)

WESTGATE
THE FUTURE IS HERE...AND IT'S QUITE BRIGHT!





Customer Name: _____

Project Name: _____

Note: _____

Type: _____



The 8" Square Indoor Cylinder features a clean, modern design ideal for commercial and residential interiors. This fixture offers field-adjustable CCT, allowing flexibility in selecting the perfect color temperature for any space. Engineered for reliable performance and uniform illumination, it is well-suited for retail, hospitality, office, and architectural applications.

7 7/8"(H) X 5 1/2"(W)

Features

- Multi CCT: Selectable Multi-CCT & Power Switches on the back of the fixture
- 5-Year Warranty
- Aluminum Base and Glass Lens

Technical Specifications

Electrical:

- Voltage: 120-277V
- Power Factor: >0.90
- THD: <20%
- Wattage: 30W/40W/50W
- Efficacy: 80 LPW

Mechanical:

- Aluminum Housing & Glass Lens
- Swivel Rod Kit for Suspended Mounting Available
- Black, White & Silver Trim Accessories Available
- Ambient Operating Temperature: -13°F to 113°F
- IP Rating: IP40 suitable for damp locations
- 5-Year Warranty

Lighting:

- Multi CCT: Selectable Multi-CCT & Power Switches on the back of the fixture
- Dimming: 0-10V Dimming and TRAIC Dimming
- Total Lumens: 4000LM Max.
- Color Temperatures: 3000K/4000K/5000K
- Color Rendering Index: CRI \geq 80
- Beam Angle: 120°
- Rated life: 50,000 hrs

Applications:

- Ideal for commercial, retail, hospitality, and residential interiors requiring versatile architectural lighting. The 8" square indoor cylinder with adjustable CCT is well-suited for corridors, lobbies, offices, conference rooms, reception areas, and accent or general illumination. Its selectable color temperature makes it adaptable for evolving design needs and varied ambience requirements.



Phone: (877) 805-2252 | Fax: (877) 805-2252
www.westgatemfg.com



WG-12022025

Other Views:

BLACK:



Side View



Back View

WHITE:



Side View



Back View

Performance Table: CMC8S-MCTP-DD

MODEL NO.	Wattage	Voltage	Lumens	Color Temp.	LPW
CMC8S-MCTP-DD-WH	30W		2400LM	3000K	
CMC8S-MCTP-DD-BK	40W	120-277V	3200LM	4000K	
	50W		4000LM	5000K	80

Sample Ordering

Model Color Temp. Dimming Housing

CMC8S - MCTP - DD -

WH = White
BK = Black

Accessories:



Blank = No Option For Accessories

CMC8-REFL-BK = CMC8S Replacement Lens Black

CMC8-REFL-WH = CMC8S Replacement Lens White

CMC8-REFL-SIL = CMC8S Replacement Lens Silver

CMC-SRK-218-5C-WH = Universal Swivel W/ Rod Kit, 18 Or 36 Inches, 5-Wire, White

CMC-SRK-218-5C-BK = Universal Swivel W/ Rod Kit, 18 Or 36 Inches, 5-Wire, Black

CMC-SRK-224-5C-WH = Universal Swivel W/ Rod Kit, 24 Or 48 Inches, 5-Wire, White

CMC-SRK-224-5C-BK = Universal Swivel W/ Rod Kit, 24 Or 48 Inches, 5-Wire, Black

CMC-SRK-340-5C-WH = Universal Swivel W/ Rod Kit, 40 Or 80 Or 120 Inches, 5-Wire, White

CMC-SRK-340-5C-BK = Universal Swivel W/ Rod Kit, 40 Or 80 Or 120 Inches, 5-Wire,

CMC-JBCK-WH = Cylinder And Pendant Lighting J-Box Cover Canopy For Up To 4 Pipe Entries, Wh

CMC-JBCK-BK = Cylinder And Pendant Lighting J-Box Cover Canopy For Up To 4 Pipe Entries, Bk

CMC-CS-8FT-WH = Suspension Cable & Canopy Set For CMC Series, 8Ft, 5-Wire, White

CMC-CS-8FT-BK = Suspension Cable & Canopy Set For CMC Series, 8Ft, 5-Wire, Black

ACCESSORIES:



CMC8-REFL-BK CMC8-REFL-WH CMC8-REFL-SIL

FACTORY-INSTALLED OPTION:



OPT-EM-CMC8



Factory-Installed Option:



Blank = No Option For Accessories

OPT-EM-CMC8 = Internal Emergency Backup Battery





Cylinder And Pendant Lighting J-
Box Cover Canopy For Up To 4 Pipe
Entries

CMC-JBCK-BK
CMC-JBCK-WH

