


GNB SERIES Outdoor Lighting

GNBA-18-35W-MCTP-BK-P
GNBA-18-35W-MCTP-WH-P
GNBA-18-35W-MCTP-BR-P
GNBA-18-35W-MCTP-SIL-P

11" 3CCT ANGLED GOOSENECK BARN LIGHT WITH INTEGRATED PHOTOCELL
ARRIVES THIS SEASON

MCT Multi Color Temperature (Selectable)



19.16"(W) x 14.63"(H) x 11" (D)

The Dusk to Dawn Gooseneck Light is perfect for many general-purpose outdoor applications. All fixtures are installed with a DC Button photocell.

Features

- Back plate: Die-cast aluminum
- Polycarbonate Lens
- 7-Year Warranty
- Multi CCT, Switch is on bottom of Fixture

Technical Specifications

Electrical:

- Voltage: 120-277V AC 60Hz
- Wattage: 18W/26W/35W
- Power Factor: >0.90
- Efficacy: 150 LPW
- THD: <20%

Mechanical:

- Die-Cast ADC12 Aluminum Alloy, Outdoor Powder Coated
- Lens: High light Transmittance PC, Anti-UV and Fire Resistant
- DC Bottom Photocell Included
- Operating Temperature: -40°F to 104°F
- IP54, Wet Location
- 7-Year Warranty

Lighting:

- Dimming: 0-10V Dimming
- Total Lumens: 5250LM
- Multi CCT, Switch is on bottom of Fixture
- Color Temperatures: 3000K/4000K/5000K
- Color Rendering Index: CRI ≥ 70
- Beam Angle: 103.5°
- Rated life: 70,000 Hrs

Applications:

- Farms/Barns, Storage Sheds, Entryways/Pathways, Industrial Yards, Security, Building Perimeters, Area Lighting

WESTGATE
THE FUTURE IS HERE...AND IT'S QUITE BRIGHT!

Customer Name: _____



Project Name: _____

Note: _____


Type: _____



Photometrics: GNB-25W-MCT-BK-P



BUG Rating: B2-U2-G1



Other Views:

Black:



Side View



Lens View



Back View

White:



Side View



Lens View



Back View

Bronze:



Side View



Lens View



Back View

Silver:



Side View



Lens View



Back View



Performance Table: GNBA-18-35W-MCTP-P

MODEL NO.	Wattage	Voltage	Lumens	Color Temp.	BUG Rating	LPW
GNBA-18-35W-MCTP-BK-P GNBA-18-35W-MCTP-WH-P GNBA-18-35W-MCTP-BR-P GNBA-18-35W-MCTP-SIL-P	18W 26W 35W	120-277V	2700LM 3900LM 5250LM	3000K/4000K/5000K	B2-U2-G1	150

Sample Ordering

Model	Wattage	Color Temp.	Finish	Photocell
GNBA - 18 - 25W - MCT - - P				

Blank = No Option For Accessories
BK = BLACK
WH = WHITE
BR = BRONZE
SIL = SIL

Factory-Installed Options:

Blank = No Option For Accessories
OPT-EM-GNB = BACK BOX BATTERY

FACTORY-INSTALLED OPTION:



OPT-EM-GNB
 BACK BOX BATTERY BACKUP

