

GPA SERIES Outdoor Lighting

GPA-B32-80-150W-MCTP-BK

LED ACORN AREA LIGHT - WATTAGE & CCT SELECTABLE (FITS ON 3" OD PIPES/POLES)

MCTP Multi Color Temperature & Multi Power/Wattage (Selectable)



Customer Name: _____


Project Name: _____

Note: _____

Type: _____

LED Acorn Area Lights are decorative outdoor fixtures designed for pedestrian and area lighting. They feature a classic acorn-style globe combined with modern LED technology for high efficiency and long life. The acorn style complements historic or traditional architecture while delivering the performance needed for modern safety and illumination standards.

If needed, these fixtures can be paired with Westgate decorative poles (D1 Series) or compatible poles from other manufacturers to complete a full post-top lighting solution.



Features

- AL1060 Aluminum Hosing, Outdoor Powder Coating
- Multi CCT and Power: Selectable Switch Inside Of The Fixture

Technical Specifications

Electrical:

- Voltage: 100-277V AC 50/60Hz
- Wattage: 80W/100W/150W
- Power Factor: 0.9
- THD<20%
- Efficacy: 135LM/W

Mechanical:

- DC Button Photocell with ON/OFF Switch Included
- Housing: ADC12 diecast aluminum alloy with outdoor powder coating
- EPA Rating:
 - GPA-B32: 2.23 ft²
 - GPA-A37: 3.12 ft²
- UP/Down Light Control Switch
- FITS ON 3" OD PIPES/POLES
- Lens: High light transmittance polycarbonate (PC), anti-UV
- Waterproof sealing with weather-resistant silicone gaskets
- Operating temperature: -40°C to 40°C (-40°F to 104°F)
- IP65 rated, suitable for wet locations
- 5-year warranty

Lighting:


- Multi CCT and Power: Selectable Switch Inside Of The Fixture
- Lens: High Light Transmittance PC, anti-UV and Fire Resistant
- The uplight continuously consumes 10W. When the uplight is turned off, the power is redirected to the downlight
- LED: Lumileds 2835
- Total Lumens: 20250LM Max.
- Color Temperature: 3000K/4000K/5000K
- Color Rendering index: >70
- Beam Angle: Type V 360°
- Lifespan: 50000 Hrs.

Applications:


- Parks and recreational areas
- Pedestrian walkways and trails
- Downtown streetscapes and historic districts
- Plazas and courtyards
- Campus and municipal grounds
- Outdoor retail and lifestyle centers
- Parking lot perimeters



Photometrics: GPA-B32-80-150W-MCTP-BK



BUD Rating: B3-U5-G3



50W 5000K, Area 150'x150' Mounting Height: 9'

Other Views: GPA-B32-80-150W-MCTP-BK



Side View



Front View

Performance Table: GPA-B32-80-150W-MCTP-BK

MODEL NO.	Wattage	Voltage	Lumens	Color Temp.	BUG Rating	LPW
GPA-B32-80-150W-MCTP-BK	80W 100W 150W	120-277V	10800LM 13500LM 20250LM	3000K 4000K 5000K	B3-U5-G3	135

Sample Ordering

Model	Size	Watt	Max. Watt	Color Temp.	Finish
GPA	B32	80	150W	MCTP	BK

Accessories:

- Blank = No Option For Accessories
- POL-D1-ABK = D1 Series Pole Anchor Bolt Kit 9/16 (M14)
- POL-D1-BASECVR-BR = D1 Series Pole 2-Pc Cube Base Cover, Bronze
- POL-D1-BASECVR-BK = D1 Series Pole 2-Pc Cube Base Cover, Black
- GPA-B32-DC-BK = GPA-B32 Decorative Cage Accessory Kit - Black
- GPA-B32-DC-GD = GPA-B32 Decorative Cage Accessory Kit - Black And Gold
- GPA-B32-RTC-GD = GPA-A37 And GPA-B32 Replacement Top Cap - Gold
- GPAB-WM-REDUCER-BK = GPA-A37 And GPA-B32 Reducer Sleeve From 3In To 2.5In For Installatoin On 2In Poles





Fixture Shown With Pole





DECORATIVE 3-PIECE LIGHT POLE:

MODEL NO.	Descriptions
POL-D1-120-3PC-BK	120In Decorative Pole D1 Series, 3Pc, 2.36In Tenon, Black
POL-D1-144-3PC-BK	144In Decorative Pole D1 Series, 3Pc, 2.36In Tenon, Black






ACCESSORIES:



POL-D1-ABK

17.72" (H) x 9.84" (W) x 9.84" (D)



POL-D1-BASECVR-BR

10.24" (H) x 10.24" (W) x 5.12" (D)





GPA-B32 Shown With
GPA-B32-DC-BK



GPA-B32 Shown With
GPA-B32-DC-BK



GPA-B32 With DAB-PB-D
&
GPAB-WM-REDUCER-BK



GPA-B32 With DAB-WB-D
&
GPAB-WM-REDUCER-BK



GPA-B32-RTC-GD



GPA-B32-DC-GD
&
GPA-B32-RTC-GD



COLOR CHART: * Choose from one of our Premium Colors with no set-up fee.

Gloss:



SILVER METALLIC
70 GLOSS
T357-GR105



SILVER METALLIC
30 GLOSS
T353-GR06



DARK RED 90
GLOSS
P009-RD02



INTERNATIONAL
ORANGE 90
GLOSS
T009-OG26




SAFETY ORANGE
90 GLOSS
T009-OG01




YELLOW 90
GLOSS
T009-YL14



YELLOW 90
GLOSS
T009-YL01



TRAFFIC GREEN
70 GLOSS
T007-GN16



GREEN 70 GLOSS
T007-GN13



GREEN 60 GLOSS
C006-GN03



BLUE 90 GLOSS
T009-BL01



DARK BLUE 80
GLOSS
T008-BL20



RAL 8028 TERRA
BROWN 90 GLOSS
C209-BR358

Hammer:




WHITE HAMMER
T013-WH09




BEIGE HAMMER
T013-BG38



GREY HAMMER
C013-GR08



SILVER
HAMMERTONE
T064-GR05



BLACK HAMMER
T013-BK62



RED HAMMER
T013-RD15



GREEN HAMMER
T013-GN220



BLUE HAMMER
T013-BL468



BRONZE HAMMER
T012-BR161


Texture:



WHITE TEXTURE
C031-WH120



FLINT GRAY
TEXTURE
T243-GR522



BLACK TEXTURE
C241-BK109



RED TEXTURE
T241-RD129



BLUE TEXTURE
C241-BL544




OIL RUBBED
BRONZE TEXTURE
T291-BR251

Vein:



BLACK/WHITE
VEIN
T075-WH34



SILVER VEIN
T375-BK26



COPPER VEIN
EXTERIOR
T075-BK211



GOLD VEIN
T375-BK10



COPPER VEIN
T375-BK07

