

LCFF SERIES

RESIDENTIAL LIGHTING

LCFF-18-MCT5-BN

18" LED FABRIC DRUM

WESTGATE


THE FUTURE IS HERE...AND IT'S QUITE BRIGHT!

Customer Name: _____

Project Name: _____

Note: _____

Type: _____



18" x 5"

This drum-shaped flush mount has a linen diffuser to create a soft glow overhead. The fabric drum is just the light fixture to brighten up your entryway or living room in understated style.

Features

- Multi CCT (Selectable Switch on the LED Board)
- Brushed Nickel Finish
- 5-Year Warranty
- Multi CCT (Selectable Switch on back of the fixture)

Technical Specifications

Electrical:

- Voltage: 120V AC 50/60Hz
- Wattage: 35W
- Power Factor: >0.90
- Efficacy: 51 LPW

Mechanical:

- Brushed Nickel Finish
- Durable Punching Aluminum Housing with Translucent Diffuser
- Fabric Material: Burlap Sack Cloth
- Surface mount and Suspension Installation
- Smooth Polycarbonate and Fabric cover Delivers Smooth Lighting
- Maximum Ambient Temperature: 86°F to 104°F
- IP20 indoor only

Lighting:

- Dimming: TRIAC Dimming (Dimmable Down to 5% Compatible with Traic and ELV Dimmers)
- Total Lumens: 1800LM
- Color Temperatures: 2700K/3000K/3500K/4000K/5000K
- Multi CCT (Selectable Switch on back of the fixture)
- Color Rendering Index: CRI ≥ 90
- Beam Angle: 120°
- Rated life: 50,000 Hrs

Applications:

- This drum-shaped flush mount has a linen diffuser to create a soft glow overhead. The fabric drum is just the light fixture to brighten up your entryway or living room in understated style.

Other Models:

- 25W | 1400LM | LCFF-15-MCT5-BN
- 45W | 2100LM | LCFF-22-MCT5-BN





Phone: (877) 805-2252 | Fax: (877) 805-2252
www.westgatemfg.com




WG-ZY-Z1-2Z

Photometrics: LCFF-18-MCT5-BN




BUG Rating: B1-U3-G1



Other Views:



Side View



Front View



Back View

Performance Table: LCFF-18-MCT5-BN

MODEL NO.	Wattage	Voltage	Lumens	Color Temp.	BUG Rating	LPW
LCFF-18-MCT5-BN	35W	120V	1800LM	2700K/ 3000K/ 3500K/ 4000K/ 5000K	B1-U3-G1	51

Sample Ordering

Model	Size	Color Temp.	Finish
LCFF	18	MCT5	BN

Accessories:

Blank = No Option For Accessories

LCF-ROD-5-BN = 5in SUSPENSION ROD FOR CEILING FIXTURE SWIVEL CANOPY, Brushed Nickel
 LCF-ROD-12-BN = 12in SUSPENSION ROD FOR CEILING FIXTURE SWIVEL CANOPY, Brushed Nickel
 LCF-ROD-24-BN = 24in SUSPENSION ROD FOR CEILING FIXTURE SWIVEL CANOPY, Brushed Nickel
 LCF-ROD-36-BN = 36in SUSPENSION ROD FOR CEILING FIXTURE SWIVEL CANOPY, Brushed Nickel
 LCF-ROD-48-BN = 48in SUSPENSION ROD FOR CEILING FIXTURE SWIVEL CANOPY, Brushed Nickel
 LCF-CANOPY-S-BN = SWIVEL CEILING CANOPY FOR CEILING FIXTURES, Brushed Nickel
 LFCF-SK10-BN = 10FT 4LINE CANOPY SUSPENSION KIT FOR DECORATIVE LIGHTS, Brushed Nickel
 FML-ULK-MCT = 15W, 850LM, 30K/40K/50K UP LIGHT KIT

Accessories:



LCF-ROD-5-BN
LCF-CANOPY-S-BN
SHOWN WITH 5" ROD & CANOPY



LCF-ROD-12-BN
LCF-CANOPY-S-BN
SHOWN WITH 12" ROD & CANOPY



LCF-ROD-24-BN
LCF-CANOPY-S-BN
SHOWN WITH 24" ROD & CANOPY



LCF-ROD-36-BN
LCF-CANOPY-S-BN
SHOWN WITH 36" ROD & CANOPY



LCF-ROD-48-BN
LCF-CANOPY-S-BN
SHOWN WITH 48" ROD & CANOPY



LFCF-SK10
10FT 4LINE CANOPY SUSPENSION KIT
FOR DECORATIVE LIGHTS, Brushed Nickel

Example:

1. LCFF-18-MCT5-BN

(FOR LCFF 35W MCT5 FIXTURE 120V)

2. LCFF-18-MCT5-BN
LCF-ROD-5-BN



(FOR LCFF 35W MCT5 FIXTURE 120V)
(SUSPENSION ROD FOR CEILING FIXTURE SWIVEL CANOPY)



Rod & Canopy Drawings:




LCF-ROD-5-BN
LCF-CANOPY-S-BN
SHOWN WITH 5" ROD & CANOPY




LCF-CANOPY-S
SWIVEL CANOPY DIMENSION




LCF-ROD-12-BN
LCF-CANOPY-S-BN
SHOWN WITH 12" ROD & CANOPY




LCF-ROD-36-BN
LCF-CANOPY-S-BN
SHOWN WITH 36" ROD & CANOPY




LCF-ROD-24-BN
LCF-CANOPY-S-BN
SHOWN WITH 24" ROD & CANOPY




LCF-ROD-48-BN
LCF-CANOPY-S-BN
SHOWN WITH 48" ROD & CANOPY



LFCF-SK10
10FT 4LINE CANOPY SUSPENSION KIT
FOR DECORATIVE LIGHTS



Suspension Canopy Dimensions



FML-ULK-MCT
15W, 850LM, 30K/40K/50K UP LIGHT KIT

