

# LCFF SERIES

RESIDENTIAL LIGHTING

LCFF-18-MCT5-BR

18" LED FABRIC DRUM

# WESTGATE


THE FUTURE IS HERE...AND IT'S QUITE BRIGHT!

Customer Name: \_\_\_\_\_

Project Name: \_\_\_\_\_

Note: \_\_\_\_\_

Type: \_\_\_\_\_



18" x 5"

This drum-shaped flush mount has a linen diffuser to create a soft glow overhead. The fabric drum is just the light fixture to brighten up your entryway or living room in understated style.

## Features

- Multi CCT (Selectable Switch on the LED Board )
- Bronze Finish
- 5-Year Warranty
- Multi CCT (Selectable Switch on back of the fixture )

## Technical Specifications

### Electrical:

- Voltage: 120V AC 50/60Hz
- Wattage: 35W
- Power Factor: >0.90
- Efficacy: 51 LPW

### Mechanical:

- Bronze Finish
- Durable Punching Aluminum Housing with Translucent Diffuser
- Fabric Material: Burlap Sack Cloth
- Surface mount and Suspension Installation
- Smooth Polycarbonate and Fabric cover Delivers Smooth Lighting
- Maximum Ambient Temperature: 86°F to 104°F
- IP20 indoor only

### Lighting:

- Dimming: TRIAC Dimming (Dimmable Down to 5% Compatible with Traic and ELV Dimmers)
- Total Lumens: 1800LM
- Color Temperatures: 2700K/3000K/3500K/4000K/5000K
- Multi CCT (Selectable Switch on back of the fixture )
- Color Rendering Index: CRI ≥ 90
- Beam Angle: 120°
- Rated life: 50,000 Hrs

### Applications:

- This drum-shaped flush mount has a linen diffuser to create a soft glow overhead. The fabric drum is just the light fixture to brighten up your entryway or living room in understated style.

### Other Models:

- 25W | 1400LM | LCFF-15-MCT5-BR
- 45W | 2100LM | LCFF-22-MCT5-BR





Phone: (877) 805-2252 | Fax: (877) 805-2252  
www.westgatetmfg.com




WG-ZY-Z1-2Z

## Photometrics: LCFF-18-MCT5-BR




BUG Rating: B1-U3-G1




## Other Views:



Side View



Front View



Back View

## Performance Table: LCFF-18-MCT5-BR

MODEL NO.	Wattage	Voltage	Lumens	Color Temp.	BUG Rating	LPW
LCFF-18-MCT5-BR	35W	120V	1800LM	2700K/ 3000K/ 3500K/ 4000K/ 5000K	B1-U3-G1	51

## Sample Ordering

Model	Size	Color Temp.	Finish
LCFF	18	MCT5	BR

## Accessories:

Blank = No Option For Accessories

LCF-ROD-5-BR = 5in SUSPENSION ROD FOR CEILING FIXTURE SWIVEL CANOPY, Bronze  
 LCF-ROD-12-BR = 12in SUSPENSION ROD FOR CEILING FIXTURE SWIVEL CANOPY, Bronze  
 LCF-ROD-24-BR = 24in SUSPENSION ROD FOR CEILING FIXTURE SWIVEL CANOPY, Bronze  
 LCF-ROD-36-BR = 36in SUSPENSION ROD FOR CEILING FIXTURE SWIVEL CANOPY, Bronze  
 LCF-ROD-48-BR = 48in SUSPENSION ROD FOR CEILING FIXTURE SWIVEL CANOPY, Bronze  
 LCF-CANOPY-S-BR = SWIVEL CEILING CANOPY FOR CEILING FIXTURES, Bronze  
 LFCF-SK10-BR = 10FT 4LINE CANOPY SUSPENSION KIT FOR DECORATIVE LIGHTS, Bronze  
 FML-ULK-MCT = 15W, 850LM, 30K/40K/50K UP LIGHT KIT

## Accessories:



LCF-ROD-5-BR  
LCF-CANOPY-S-BR  
SHOWN WITH 5" ROD & CANOPY



LCF-ROD-12-BR  
LCF-CANOPY-S-BR  
SHOWN WITH 12" ROD & CANOPY



LCF-ROD-24-BR  
LCF-CANOPY-S-BR  
SHOWN WITH 24" ROD & CANOPY



LCF-ROD-36-BR  
LCF-CANOPY-S-BR  
SHOWN WITH 36" ROD & CANOPY



LCF-ROD-48-BR  
LCF-CANOPY-S-BR  
SHOWN WITH 48" ROD & CANOPY



LFCF-SK10  
10FT 4LINE CANOPY SUSPENSION KIT  
FOR DECORATIVE LIGHTS, Bronze

## Example:

1. LCFF-18-MCT5-BR

(FOR LCFF 35W MCT5 FIXTURE 120V)

2. LCFF-18-MCT5-BR

(FOR LCFF 35W MCT5 FIXTURE 120V)

LCF-ROD-5-BN



(SUSPENSION ROD FOR CEILING FIXTURE SWIVEL CANOPY)



# Rod & Canopy Drawings:




LCF-ROD-5-BR  
LCF-CANOPY-S-BR  
SHOWN WITH 5" ROD & CANOPY




LCF-CANOPY-S  
SWIVEL CANOPY DIMENSION




LCF-ROD-12-BR  
LCF-CANOPY-S-BR  
SHOWN WITH 12" ROD & CANOPY




LCF-ROD-36-BR  
LCF-CANOPY-S-BR  
SHOWN WITH 36" ROD & CANOPY





LCF-ROD-24-BR  
LCF-CANOPY-S-BR  
SHOWN WITH 24" ROD & CANOPY



LCF-ROD-48-BR  
LCF-CANOPY-S-BR  
SHOWN WITH 48" ROD & CANOPY



LFCF-SK10  
10FT 4LINE CANOPY SUSPENSION KIT  
FOR DECORATIVE LIGHTS, Bronze



FML-ULK-MCT  
15W, 850LM, 30K/40K/50K UP LIGHT KIT

