LW360 SERIES Outdoor Lighting

WESTGATE
THE FUTURE IS HERE...AND IT'S QUITE BRIGHT!

LW360-25W-MCT-G2
LED 360° ROTATABLE WALL PACK

Customer Name:
Project Name:
Note: | Type:



MCT
Selection:



6 1/2”(H) x 9 2/5”(W) x 5 7/8”(L)

Ideal for general site lighting, alleys, loading docks, doorway, pathway, and parking areas.

Features

- Three 1/2” Threaded Knockouts: 1 Bottom. 1 On Each
- Side
- Light Head rotates 350°
- Die-Cast Aluminum Housing With Powder Coat Finish
- MCT: Switch located inside the fixture
- 7-Year Warranty

Technical Specifications

Electrical:

- Voltage: 120-277V AC 50/60Hzv
- Wattage: 25W
- Power Factor: >0.95
- Efficacy: 130 LPW

Mechanical:

- Die-Cast Aluminum With Powder Coat Finish (Dark
- Bronze)
- Light Head rotates 350°
- Includes Mounting Hardware
- Operating Temperature: -40ºF -104ºF
- Five 1/2” Threaded Knockouts: 1 on Each Side, 1 on The Back
- 7-Year Warranty
- IP65, Suitable for Wet Locations

Lighting:

- Chip: Lumileds LEDs
- TIR Optic Lens - TYPE II
- Dimmable: 0~10V Dimming
- Total Lumens: 3250LM
- Color Temperatures: 3000K/ 4000K/ 5000K
- Color Rendering Index: CRI ≥ 80
- Beam Angle: 60º
- Rated life: 70,000 Hrs

Applications:

- General site Lighting
- Alleys
- Loading docks
- Doorways
- Pathways
- Parking areas

Other Models:

- 60W | 7800LM | LW360-60W-MCT-G2

DLC EXCEPT 30K | UL LISTED | IP65 | DIMMING 1-10V | WET LOCATION | 7 YEAR LIMITED WARRANTY

Phone: (877) 805-2252 | Fax: (877) 805-2252
www.westgatemfg.com

WG-Z9-Z9-2Z

Photometrics: LW360-25W-MCT-G2



BUG Rating: B2-U2-G0



Area 30'x 30' Mounting Height: 9'

Other Views:



Side View



Front View



Back View

Performance Table: LW360-25W-MCT-G2

MODEL NO.	Wattage	Voltage	Lumens	Color Temp.	BUG Rating	LPW
LW360-25W-MCT-G2	25W	120~277V	3250LM	3000K 4000K 5000K	B2-U2-G0	130

Sample Ordering

Model		Wattage		Color Temp.		Series
LW360	-	25W	-	MCT	-	G2

Accessory:

Blank = No Option For Accessories
LW360-SH1= SHROUD FOR LW360 SERIES, BRONZE FINISH (CAN BE PAINTED IN WHITE)

Factory-Installed Options:

Blank = No Option For Accessories
OPT-EM-LW360= EMERGENCY BACKUP BATTERY, BACK BOX
OPT-SEN-LW360-3MRLV-5= PROGRAMMABLE MICROWAVE BI-LEVEL
OPT-CLR-85= COLOR PAINT
OPT-LW360-PC-B = PHOTOCELL 120-277V
WEC-8RC = OPTIONAL REMOTE

ACCESSORY:



LW360-SH1

FACTORY-INSTALLED OPTIONS:



OPT-EM-LW360-LG



WEC-8RC



OPT-LW360-PC-B



OPT-SEN-LW360-3MRLV-5

COLOR CHART: * Choose from one of our Premium Colors with no set-up fee.

Gloss:


SILVER METALLIC
70 GLOSS
T357-GR105


SILVER METALLIC
30 GLOSS
T353-GR06


DARK RED 90
GLOSS
P009-RD02


INTERNATIONAL
ORANGE 90
GLOSS
T009-OG26


SAFETY ORANGE
90 GLOSS
T009-OG01


YELLOW 90
GLOSS
T009-YL14


YELLOW 90
GLOSS
T009-YL01


TRAFFIC GREEN
70 GLOSS
T007-GN16


GREEN 70 GLOSS
T007-GN13


GREEN 60 GLOSS
C006-GN03


BLUE 90 GLOSS
T009-BL01


DARK BLUE 80
GLOSS
T008-BL20


RAL 8028 TERRA
BROWN 90 GLOSS
C209-BR358

Hammer:

WHITE HAMMER
T013-WH09


BEIGE HAMMER
T013-BG38


GREY HAMMER
C013-GR08


SILVER
HAMMERTONE
T064-GR05


BLACK HAMMER
T013-BK62


RED HAMMER
T013-RD15


GREEN HAMMER
T013-GN220


BLUE HAMMER
T013-BL468


BRONZE HAMMER
T012-BR161

Texture:

WHITE TEXTURE
C031-WH120


FLINT GRAY
TEXTURE
T243-GR522


BLACK TEXTURE
C241-BK109


RED TEXTURE
T241-RD129


BLUE TEXTURE
C241-BL544


OIL RUBBED
BRONZE TEXTURE
T291-BR251

Vein:


BLACK/WHITE
VEIN
T075-WH34


SILVER VEIN
T375-BK26


COPPER VEIN
EXTERIOR
T075-BK211


GOLD VEIN
T375-BK10


COPPER VEIN
T375-BK07