

CMC SERIES

COMMERCIAL INDOOR LIGHTING

WESTGATE

THE FUTURE IS HERE...AND IT'S QUITE BRIGHT!

CMC3-RGBW-BK
CMC3-RGBW-WH

Customer Name: _____

Project Name: _____



Note: _____

Type: _____



Shown With
Suspension cable

Avail Finish:



3" Cylinder, Pendant & Ceiling Cylinder Light, Aluminum
Cylinder, White Aluminum Housing, Clear Glass Lens

9 3/4"(H) X 3 1/7"(W) X 3" (D)

Features

- Triac Dimmable at 120V & 0-10V Dimming at 120-277V
- 7-Year Warranty
- Aluminum Base and Polycarbonate (PC) Lens

Technical Specifications

Electrical:

- Voltage: 120-277V
- Power Factor: >0.90
- THD: <20%
- Wattage: 9W
- Efficacy: 61 LPW

Mechanical:

- Aluminum Housing & Glass Lens
- Suspension Cable & Canopy Set Accessories Avail.
- Universal Swivel W/ Rod Kit Accessories Avail. Ambient
Operating Temperature: -13°F to 113°F
- Rated life: 70,000 hrs
- IP Rating: IP40 suitable for damp locations

Lighting:

- Color Temperatures: RGBW Seletable Trough Phone App
- Dimming: (Dual Function) Triac Dimmable at 120V & 1-10V Dimming at 120-277V
- Total Lumens: 550LM
- Color Rendering Index: CRI ≥ 80
- Beam Angle: 120°

Applications:

- 3" Cylinder, Pendant & Ceiling Cylinder Light, Aluminum
Cylinder, White Aluminum Housing, Clear Glass Lens

Other Models:

- 6W | 300LM | CMC2L-RGBW-BK
- 6W | 300LM | CMC2L-RGBW-WH



Phone: (877) 805-2252 | Fax: (877) 805-2252
www.westgatemfg.com




WG-Z9-Z3-ZZ

Other Views:

BLACK:



Side View



Lens View



Back View

WHITE:



Side View



Lens View



Back View

Performance Table: CMC3-RGBW

MODEL NO.	Wattage	Voltage	Lumens	Color Temp.	LPW
CMC3-RGBW-BK	9W	120-277V	550LM	RGBW	61
CMC3-RGBW-WH					

Sample Ordering

Model Color Temp. Housing

CMC3 - RGBW -

WH = White
BK = Black

Accessories:

Blank = No Option For Accessories

CMC3-TRM-AG = 3In Ceiling Mount Cylinder Trim, Anodized Gold

CMC3-TRM-BN = 3In Ceiling Mount Cylinder Trim, Brushed Nickel

CMC3-HCDK-BK = 3In Ceiling Mount Cylinder Honeycomb Diffuser Kit, Black

CMC3-HCDK-AG = 3In Ceiling Mount Cylinder Honeycomb Diffuser Kit, Anodized Gold

CMC-CS-8FT-WH = Suspension Cable & Canopy Set For CMC Series, 8Ft, 5-Wire, White

CMC-CS-8FT-BK = Suspension Cable & Canopy Set For CMC Series, 8Ft, 5-Wire, Black

CMC-SRK-218-5C-WH = Universal Swivel W/ Rod Kit, 18 Or 36 Inches, 5-Wire, White

CMC-SRK-218-5C-BK = Universal Swivel W/ Rod Kit, 18 Or 36 Inches, 5-Wire, Black

CMC-SRK-224-5C-WH = Universal Swivel W/ Rod Kit, 24 Or 48 Inches, 5-Wire, White

CMC-SRK-224-5C-BK = Universal Swivel W/ Rod Kit, 24 Or 48 Inches, 5-Wire, Black

CMC-SRK-340-5C-WH = Universal Swivel W/ Rod Kit, 40 Or 80 Or 120 Inches, 5-Wire, White

CMC-SRK-340-5C-BK = Universal Swivel W/ Rod Kit, 40 Or 80 Or 120 Inches, 5-Wire, Black

CMC-OWCC = 5" OLD-WORK RECESSED CEILING CANOPY WITH JUNCTION BOX

ACCESSORIES:



CMC3-TRM-AG
Trim, Anodized Gold



CMC3-TRM-BN
Trim, Brushed Nickel



CMC3-HCDK-BK
Honeycomb Diffuser
Kit, Black



CMC3-HCDK-AG
Honeycomb Diffuser Kit,
Anodized Gold






CMC-CS-8FT-BK
Suspension Cable &
Canopy Set For CMC
Series, 8Ft, 5-Wire, Black



CMC-CS-8FT-WH
Suspension Cable &
Canopy Set For CMC
Series, 8Ft, 5-Wire, White






ACCESSORIES:



CMC3-MCTP-DD-BK+CMC-CS-8FT-BK
CMC3-MCTP-DD-WH+CMC-CS-8FT-WH


CMC3-MCTP-DD-BK+CMC-SRK-218-5C-BK
CMC3-MCTP-DD-WH+CMC-SRK-218-5C-WH




CMC3-MCTP-DD-BK+CMC-SRK-218-5C-BK+CMC3-HCDK-AG
CMC3-MCTP-DD-WH+CMC-SRK-218-5C-WH+CMC3-HCDK-BK



CMC3-MCTP-DD-BK+CMC-CS-8FT-BK+CMC3-TRM-AG
CMC3-MCTP-DD-WH+CMC-CS-8FT-WH+CMC3-TRM-BN



CMC3-MCTP-DD-BK+CMC-OWCC-BK+CMC-SRK-218-5C-BK+CMC3-TRM-AG
CMC3-MCTP-DD-WH+CMC-OWCC-WH+CMC-SRK-218-5C-WH+CMC3-TRM-AG



- For Setting Up The Light(s), Initial Internet Connection or Mobile Data Is Required.
- After the Initial Setup, Internet Connection is not Necessary Anymore. The lights Can Be Controlled with The Mobile App on The Phone or Tablet. Features Such as Dimming, Changing Colors, Lights Scenes, etc.
- Scheduling Feature Requires Internet Connection.
- Bluetooth Devices Need a Gateway (Sold Separately) In Order to Connect to WiFi Network (Internet)

