

# SCP SERIES Commercial Lighting

SCP-8FT-40-60W-MCTP-BK  
4FT DECORATIVE LINEAR DIRECT OR INDIRECT



**WESTGATE**  
THE FUTURE IS HERE...AND IT'S QUITE BRIGHT!

Customer Name: \_\_\_\_\_

Project Name: \_\_\_\_\_

Note: \_\_\_\_\_

Type: \_\_\_\_\_



Canopy Dimension: 23 3/5"(L) x 1 1/2"(W) x 2 1/3"(H)  
Fixture Dimension: 96"(L) x 1 1/2"(W) x 3 1/6"(H)

A modern decorative Euro-design suspended light suitable for conference tables, creative offices and department stores.

## Features

- LED Superior Architectural Lights
- Opal Polycarbonate Tube Lens - Direct Down Light, The fixture can be reversed to face up for indirect lighting
- Aluminum Housing With Sandy Black Finish
- MCTP: Multi Color Temperature and Power (Selectable, the switches are inside the Canopy)
- 5-Year Warranty

## Technical Specifications

### Electrical:

- Voltage: 120-277V AC 50/60Hz
- Wattage: 40W/50W/60W
- Power Factor: >0.95
- LPW: 75LM/W
- Total Harmonic Distortion: ≤19 %

### Mechanical:

- Aluminum Housing With Sandy Black Finish
- Two 10FT Adjustable Suspension Cables
- Opal Polycarbonate Tube Lens - Direct Down Light, The fixture can be reversed to face up for indirect lighting
- Operating Temperature: -22°F to +104°F
- IP Rating: IP20, Suitable for damp location
- 5-Year Warranty

### Lighting:

- Dimmable: 0~10V Dimming
- Total Lumens: 4500LM
- Color Temperatures: 3000K/3500K/4000K
- MCTP: Multi Color Temperature and Power (Selectable, the switches are inside the Canopy)
- Color Rendering Index: CRI ≥ 80
- 50,000 Hours Rated Life
- Beam Angle: 115°(H) x 109.6°(V)

### Applications:

- Ideal for offices, hotels, corridors, saloons, libraries, meeting rooms, conference halls, and the best solution for modern lighting solutions
- It can be used in any indoor applications

### Other Models:


- 60W | 4500LM | SCP-8FT-40-60W-MCTP




Phone: (877) 805-2252 | Fax: (877) 805-2252  
www.westgatemfg.com



## Photometrics: SCP-8FT-40-60W-MCTP



BUD Rating: B1-U2-G1



## Other Views:

Direct:



Lit View



Top View



Bottom View

Indirect:



Lit View



Top View



Bottom View

## Performance Table: SCP-8FT-40-60W-MCTP

MODEL NO.	Wattage	Voltage	Lumens	Color Temp.	BUG Rating	LPW
SCP-8FT-40-60W-MCTP	40W	120~277V	4500	3000K 3500K 4000K	B1-U2-G1	112
	50W					90
	60W					75



# Sample Ordering

Model	Size	Wattage	Wattage	Color Temp.
SCP	8FT	40	60W	MCTP

## Example:

1.SCP-8FT-40-60W-MCTP (For SCP 60W MCTP fixture 120-277V)  
 OPT-EM-SL1INT (EMERGENCY BACKUP INTERNAL BATTERY)

## Factory-Installed Options:

Blank = No Option For Accessories  
 OPT-EM-SL1INT = EMERGENCY BACKUP INTERNAL BATTERY  
 OPT-SEN-2US= ULTRASONIC BI-LEVEL DIMMING

## FACTORY-INSTALLED OPTIONS:



OPT-SEN-2US



OPT-EM-SL1INT

**Other model:** SCP-8FT-40-60W-MCTP-BK

Direct:



Lit View



Top View



Bottom View


Indirect:



Lit View



Top View



Bottom View

