TOL SERIES Outdoor Lighting




TOL-A2-1L-BK

TREE OF LIGHT, A NATURAL DESIGNER LIGHT STRUCTURE FOR OPEN AREAS

Customer Name:
Project Name:

Note: Type:



The Tree of Light is a stunning outdoor lighting solution that seamlessly blends nature-inspired design with modern functionality. This innovative structure mimics the organic form of a tree, providing ambient illumination for open spaces such as parks, plazas, and garden areas. Crafted with durable materials and energy-efficient LED technology, it offers a harmonious balance of aesthetics and performance, enhancing the atmosphere of any outdoor environment while ensuring long-lasting, sustainable lighting.







Features

Post topBlack

 Die-casting Aluminium and extruded Aluminium; Opal PC Lens

Technical Specifications

Electrical:

Voltage: 120-277VAC
Wattage: 25W Each Side
Power Factor: >0.9
Efficacy: 125 LPW

Mechanical:

 Die-casting Aluminium and extruded Aluminium; Opal PC Lens

• Corrosion Resistant Aluminum for Exterior

Operating Temperature: -40°F to 113°F

IP Rating: IP65, Wet Locations

7 Years Warranty

Lighting:

Lumens: 3125LM Max.

Color Temperatures: 3000K/4000K/5000K

Color Rendering Index: CRI ≥ 70
 Beam Angle : 180° Each Branch

Lifespan: 70000 Hours

Applications:

Squares

Street

Parks

Performance Table:

MODEL NO.	Wattage	Voltage	Lumens	Color Temp.	LPW
TOL-A2-1L-BK	25W Each Side	120~277V	9375LM	3000K 4000K 5000K	125

Sample Ordering


Model	Style	Housing
TOL -	A2-1L	– BK






DECORATIVE 3-PIECE LIGHT POLE:

MODEL NO.	Descriptions		
POL-D1-120-3PC-BK	120In Decorative Pole D1 Series, 3Pc, 2.36In Tenon, Black		
POL-D1-144-3PC-BK	144In Decorative Pole D1 Series, 3Pc, 2.36In Tenon, Black		





Accessories:

Blank = No Option For Accessories


POL-D1-ABK = D1 Series Pole Anchor Bolt Kit 9/16 (M14)

POL-D1-BASECVR-BR = D1 Series Pole 2-Pc Cube Base Cover, Bronze POL-D1-BASECVR-BK = D1 Series Pole 2-Pc Cube Base Cover, Black





ACCESSORIES:




POL-D1-ABK

17.72" (H) x 9.84" (W) x 9.84" (D)



POL-D1-BASECVR-BR POL-D1-BASECVR-BK



10.24" (H) x 10.24" (W) x 5.12" (D)

