

# TRE SERIES Commercial Lighting


TRE-15-25W-MCTP-36D-BK-BK  
TRE-15-25W-MCTP-36D-BK-WH  
BUILDER SERIES TRACK HEADS WITH EXT. DRIVERS, POWER AND CCT ADJUSTABLE

**MCTP** Multi Color Temperature & Multi Power/Wattage (Selectable)

Customer Name: \_\_\_\_\_

Project Name: \_\_\_\_\_

Note: \_\_\_\_\_ Type: \_\_\_\_\_



4.13" (W) x 5" (H) x 1.76" (D)

The Builder Series Track Heads: the ultimate versatile and efficient lighting solution designed to meet the diverse needs of modern lighting projects. With an array of adjustable features, elegant finishes, and superior performance, the Builder Series Track Heads are perfect for any space requiring high-quality, adaptable lighting.

## Features

- High Light Transmittance, Anti-UV and Fire Resistant PC Lens
- 7-Year Warranty
- Die-Cast Aluminum With Powder Coat Finish (Dark Bronze)
- Multi CCT and Power (Switches are inside fixture)

## Technical Specifications

### Electrical:

- Voltage: 120V AC 60Hz
- Wattage: 15W/20W/25W
- Power Factor: >0.95
- Efficacy: 84 LPW

### Mechanical:

- Twist-Lock Zhaga Socket Pre-Installed. See Motion Sensor Accessories
- Die-Cast Aluminum With Powder Coat Finish (Dark Bronze)
- High Light Transmittance, Anti-UV and Fire Resistant Shatterproof PC Lens
- Maximum Weight for each 2FT Track is 9 Lbs
- Maximum Load for each 2FT Track:
  - 15 Amp Circuit: 1800 Watts
  - 20 Amp Circuit: 2400 Watts
- Operating Temperature: -4°F to 104°F
- 7-Year Warranty

### Lighting:



- Multi CCT and Power (Switches are inside fixture)
- The Type III Distribution Is Used for Wide WalkWays, on Ramps and Entrance Roadways, As Well As Other Long, Narrow Lighting
- Total Lumens: 2100LM Max.
- Color Temperatures: 3000K/3500K/4000K
- Color Rendering Index: CRI ≥ 80
- Beam Angle: 36°
- Rated Life: 70,000 Hrs

### Applications:

- Retail Stores: Enhance product displays with adjustable lighting that draws attention and creates a welcoming shopping experience.
- Galleries and Museums: Showcase artwork with precision lighting that can be easily adjusted to suit different exhibits.
- Commercial Spaces: Provide flexible lighting solutions that can adapt to changing needs and layouts.



**Photometrics:** TRE-15-25W-MCTP-36D



Area 25'x 25' Mounting Height: 9'


**Other Views:**



Side View



Side View



Switch View

**Performance Table:** TRE-15-25W-MCTP-36D

MODEL NO.	Wattage	Voltage	Lumens	Color Temp.	BUG Rating	LPW
TRE-15-25W-MCTP-36D-BK	15W	120V	1260LM	3000K	B0-U0-G1	84
TRE-15-25W-MCTP-36DWH	20W		1680LM	3500K		
	25W		2100LM	4000K		

**Sample Ordering**

**Model Wattage. Wattage. Color TempBeam Angle Housing**

TRE - 15 - 25W - MCTP - 36D -

**Accessories:**

Blank = No Option For Accessories

- TR-2FT-BK = 2Ft 3-Wire Track, Black
- IR-2FT-WH = 2Ft 3-Wire Track, White
- IR-4FT-BK = 4Ft 3-Wire Track, Black
- TR-4FT-WH = 4Ft 3-Wire Track, White
- TR-6FT-BK = 6Ft 3-Wire Track, Black
- IR-6FT-WH = 6Ft 3-Wire Track, White
- TR-8FT-BK = 8Ft 3-Wire Track, Black
- TR-8FT-WH = 8Ft 3-Wire Track, White
- IR-LE-BK = 3-Wire Track Live End, Black
- IR-LE-WH = 3-Wire Track Live End, White
- IR-MC-BK = 3-Wire Track Mini Connector, Black
- IR-MC-WH = 3-Wire Track Mini Connector, White
- IR-SC- BK = 3-Wire Track Straight Connector, Black
- TR-SC-WH = 3-Wire Track Straight Connector, White
- TR-LC-BK = 3-Wire Track L Connector, Black
- TR-LC-WH = 3-Wire Track L Connector, White


**Accessories:**

Blank = No Option For Accessories


- TR-TC-BK = 3-Wire Track T Connector, Black
- TR-TC-WH = 3-Wire Track T Connector, White
- TR-XC-BK = 3-Wire Track X Connector, Black
- TR-XC-WH = 3-Wire Track X Connector, White
- TR-FLEXC-BK = 3-Wire Track Flex Connector, Black
- IR-FLEXC-WH = 3-Wire Track Flex Connector, White
- TR-FC-BK = 3-Wire Track Floating Canopy, Black
- TR-FC-WH = 3-Wire Track Floating Canopy, White
- TR-MONC-BK = 3-Wire Track Mono Canopy, Black
- IR-MONC-WH = 3-Wire Track Mono Canopy, White
- IR-JBEF-BK = 3-Wire Track J-Box End Feed Kit, Black
- TR-JBEF-WH = 3-Wire Track J-Box End Feed Kit, White
- TR-CCON-BK = 3-Wire Track Conduit Connector, Black
- TR-CCON-WH = 3-Wire Track Conduit Connector, White
- TR-EC-BK = 3-Wire Track End Cap, Black
- TR-EC-WH = 3-Wire Track End Cap, White
- TR-EXTCON-BK = 3-Wire Track To Track Extension Connector, Black
- IR-EXTCON-WH = 3-Wire Track To Track Extension Connector, White
- TR-PENDKIT-BK = 3-Wire Track 3Ft Pendant Wiring Kit, Black
- TR-PENDKIT-WH = 3-Wire Track 3Ft Pendant Wiring Kit, White




**Accessories:** TRD-30W-MCT5-36D




End Cap  
TR-EC-BK  
TR-EC-WH




Flexible Connector  
TR-FLEXC-BK  
TR-FLEXC-WH




L Connector  
TR-LC-BK  
TR-LC-WH




Live End Connector  
TR-LE-BK  
TR-LE-WH




X Connector  
TR-XC-BK  
TR-XC-WH




Mini Joiner  
TR-MC-BK  
TR-MC-WH




Monopoint Canopy  
TR-MONC-BK  
TR-MONC-WH



Stratght Connector  
TR-SC- BK  
TR-SC-WH




T Connector  
TR-TC-BK  
TR-TC-WH




Track Floating  
TR-FC-BK  
TR-FC-WH




Track  
TR-2FT-BK  
TR-2FT-WH  
TR-4FT-BK  
TR-4FT-WH  
TR-6FT-BK  
TR-6FT-WH  
TR-8FT-BK  
TR-8FT-WH



3-WIRE Track J-BOX  
Eed Feed Kit  
TR-JBEF-BK  
TR-JBEF-WH



Live End Connector  
with Box  
TR-CCON-BK  
TR-CCON-WH



Track to Track  
Extension  
Connector  
Extends 16" to 48"  
TR-EXTCON-BK  
TR-EXTCON-WH

