

TRK SERIES

ARCHITECTURAL INDOOR LIGHTING

TRK39-48-MCT5-D-BK
 TRK39-48-MCT5-D-WH

MCT


3-Light 48" H-Type LED Track Kit, 5CCT Selectable



Black



White



Technical Drawing: 5.5" (H) x 3.6" (W) x 2.2" (D)

- The TRK39-48-MCT5-D Series is a complete 48" H-Type LED track lighting kit supplied with three independently adjustable 9W track heads, floating canopy, end caps and mounting hardware. Each track head provides 810 lumens at 3000K with 93 CRI and selectable 2700K, 3000K, 3500K, 4000K or 5000K color temperature. Integrated concealed drivers, TRIAC/ELV dimming and 355° horizontal with 90° vertical adjustment provide a clean, flexible solution for retail displays, galleries, artwork, architectural features and commercial accent lighting.

Customer Name:

Project Name:

Note:

Type:

FEATURES:

- Complete 3-light track lighting kit
- 5CCT selectable for field-adjustable color temperature
- Three independently adjustable 9W LED track heads
- 355° horizontal and 90° vertical aiming
- Integrated concealed drivers for a clean fixture profile
- High 93 CRI for accurate color rendering
- TRIAC and ELV dimmable to 10%
- Compatible with standard H-Type 3-wire track systems
- ETL and cETL listed
- FCC compliant
- 5-year warranty
- Ideal for retail, galleries, displays, artwork and accent lighting

SPECIFICATIONS:

ELECTRICAL:

- 120VAC, 60 Hz
- 9W per track head, 27W total
- TRIAC dimming: 100% to 10%
- ELV dimming: 100% to 10%
- Power factor: ≥ 0.98
- THD: $\leq 20\%$
- Operating temperature: -4°F to 104°F
- Integrated driver concealed within each track head
- 50,000-hour rated lifespan

MECHANICAL:

- Aluminum, PC and copper construction
- Available finishes: Black and White
- H-Type 3-wire track system
- IP20 rated
- 48" track system
- Track head diameter: 2.2"
- Track head body length: 3.6"
- Approximate overall track head height: 5.7"
- Adjustable track heads allow independent aiming
- Complete kit weight: approximately 3.93 lbs.

LIGHTING:

- 5CCT selectable: 2700K / 3000K / 3500K / 4000K / 5000K
- 810 lumens per track head at 3000K
- 2,430 lumens total at 3000K
- 93 CRI
- 36° nominal beam angle
- COB LED light source
- PMMA lens
- 355° horizontal rotation and 90° vertical pivot
- Anti-glare optical design

PERFORMANCE TABLE


MODEL NO.	WATTAGE	LUMEN	COLOR TEMP	LPW
TRK39-48-MCT5-D-BK TRK39-48-MCT5-D-WH	3X9W	3X810LM	27K/30K/35K/40K/50K	90

TRACK KIT INCLUDES:

- (1) 48" H-Type 3-wire track
- (3) 9W 5CCT adjustable LED track heads
- (1) Floating canopy
- (2) End caps
- (2) Mounting hardware sets

ACCESSORIES

MODEL NO.	DESCRIPTION		IMAGE
TR-2FT-BK TR-2FT-WH	2' 3-wire track	TRACK KIT INCLUDES: • (1) 48" H-Type 3-wire track • (3) 9W 5CCT adjustable LED track heads • (1) Floating canopy • (2) End caps • (2) Mounting hardware sets	
TR-4FT-BK TR-4FT-WH	4' 3-wire track		
TR-6FT-BK TR-6FT-WH	6' 3-wire track		
TR-LE-BK TR-LE-WH	Live end connector		
TR-MC-BK TR-MC-WH	Mini connector		
TR-SC-BK TR-SC-WH	Straight connector		
TR-LC-BK TR-LC-WH	L connector		
TR-TC-BK TR-TC-WH	T connector		
TR-XC-BK TR-XC-WH	X connector		

MODEL NO.	DESCRIPTION	IMAGE
TR-FLEXC-BK TR-FLEXC-WH	Flex connector	
TR-FC-BK TR-FC-WH	Floating canopy	
TR-MONC-BK TR-MONC-WH	Mono canopy	
TR-JBEF-BK TR-JBEF-WH	J-box end feed kit	
TR-CCON-BK TR-CCON-WH	Conduit connector	
TR-EC-BK TR-EC-WH	End cap	
TR-EXTCON-BK TR-EXTCON-WH	Track extension connector	
TR-PENDKIT-BK TR-PENDKIT-WH	3' pendant wiring kit	
TR-LE-CL10A-BK TR-LE-CL10A-WH	Track live end with 10A current limiter	