TRS SERIES Commercial Lighting



TRS-20-30W-MCTPB-36D-WH TRS-20-30W-MCTPB-36D-BK

BUILDER SERIES TRACK HEADS WITH EXT. DRIVERS, POWER AND CCT ADJUSTABLE

MCTP Multi Color Temperature & Multi Power/Wattage (Selectable)



This versatile track lighting solution offers selectable wattage and CCT (Correlated Color Temperature) options, providing flexibility to meet various lighting needs. Available in both H-Type and J-Type configurations, with a convenient conversion kit to adapt between types, ensuring compatibility and ease of installation. Ideal for retail, gallery, and commercial applications where precise illumination control is essential.

eatures

- High Light Transmittance, Anti-UV and Fire Resistant PC Lens
- 7-Year Warranty

Technical Specifications


Electrical:

- Voltage: 120-277VAC 60Hz
- Wattage: 20W/25W/30W
- Power Factor: >0.95
- Efficacy: 90 LPW

Mechanical:

- Die-Cast Aluminum. Powder Coated Finish
- 90° vertical adjustment, 358° rotation
- Lens: Clear Tempered Glass Lens Secured To Housing • By Threaded Lens Cap
- Effortlessly installed into H-Type single-circuit track
- Operating Temperature: -4°F to 104°F
- 7-Year Warranty

Customer Name:



10.9" (W) x 4" (H) x 3.34" (D)

- Die-Cast Aluminum With Powder Coat Finish
- Multi CCT and Power (Switches are on back of the fixture)

Lighting:

- Dimming: Triac and ELV dimmable down to 10%. Flicker-Free Dimming. For Full List Of Dimmers Refer To The Dimmer Compatibility List
- Multi CCT (Switches Are On The Driver Box)
- Total Lumens: 2700LM
- Color Temperatures: 2700K/3000K/3500K/4000K/5000K
- Color Rendering Index: $CRI \ge 90$
- Beam Angle: 20°-50° Adjustable
- Rated Life: 70,000 Hrs


Applications:

- Retail Stores: Enhance product displays with adjustable lighting that draws attention and creates a welcoming shopping experience.
- Galleries and Museums: Showcase artwork with precision lighting that can be easily adjusted to suit different exhibits.
- Commercial Spaces: Provide flexible lighting solutions that can adapt to changing needs and layouts.






Photometrics: TRS-20-30W-MCTPB-36D



Other Views:




Area 25'x 25' Mounting Height: 9'



Performance Table: TRS-20-30W-MCTPB-36D

MODEL NO.	Wattage	Voltage	Lumens	Color Temp.	LPW
TRS-20-30W-MCTPB-36D-WH TRS-20-30W-MCTPB-36DBK	20W 25W 30W	120~277V	1800LM 2250LM 2700LM	2700K 3000K 3500K 4000K	90


Sample Ordering



WESTGATE



Accessories:



WESTGATE

TR-8FT-WH



3