

# WPMAX SERIES

LED OUTDOOR LIGHTING

**WESTGATE**  
THE FUTURE IS HERE...AND IT'S QUITE BRIGHT!

WPMAX-40-60W-MCTP  
WPMAX-40-60W-MCTP-BK  
WPMAX-40-60W-MCTP-SIL


MAX-FEATURE WALL PACK, LENS TYPE SELECTABLE TYPE 2, 3, 4  
**MCTP** Multi Color Temperature & Multi Power/Wattage (Selectable)

Customer Name: \_\_\_\_\_


Project Name: \_\_\_\_\_

Note: \_\_\_\_\_

Type: \_\_\_\_\_



Avail. Finishes:



8.3"(W) x 6.69"(H) x 5.43"(D)

A durable and energy-efficient outdoor lighting solution, designed with a cutoff lens to minimize glare and light pollution. Ideal for enhancing security and visibility in commercial, industrial, and residential applications while maintaining compliance with dark-sky regulations.

## Features

- ADC12 Aluminum Heat Sink, Outdoor Powder Coating
- Multi Color Temperature & Multi Power/Wattage (Switches are inside fixture)
- Adjustable throw (Narrow, Medium & Wide)
- Prismatic Borosilicate Glass Lens
- Photocell included

## Technical Specifications

### Electrical:

- Input Wattage: 40W/50W/60W
- Input Voltage: 120-277V AC 50/60Hz
- Input current: 0.6A
- Power factor: >0.9
- Efficacy: 135 LPW

### Mechanical:

- ADC12 Aluminum Heat Sink, Outdoor Powder Coating
- Photocell included
- Pre-Installed Sensor Socket: Single-Pin Audio Jack on the side of the fixture, Sensor Not Included
- Lens: Prismatic Borosilicate Glass Lens
- Same Footprint as Traditional HID Wall Packs
- Four 1/2" Hubs: 1 top, 1 on Each Side, 1 Rear
- Mounting: Wall Mounting
- Operating Temperature: -40°F ~ 122°F
- IP rating: IP65, Wet Locations
- 7-Year Warranty

### Lighting:

- Multi Color Temperature & Multi Power/Wattage (Switches are inside fixture)
- Dimming: 0-10V Dimming
- Multi Power & CCT (Switches are inside fixture)
- Adjustable throw (Narrow, Medium & Wide)
- Total Lumens: 8100LM Max.
- Color Temperature: 3000K/4000K/5000K
- CRI: >70
- Lifespan: 70000 Hrs.

### Applications:

- Entrance lighting, courtyard lighting;
- Industrial lighting, Outdoor landscape lighting;
- Building, The hotel;
- Wall lighting area and so on.






Phone: (877) 805-2252 | Fax: (877) 805-2252  
www.westgatemfg.com |



WG-08152025

# Photometrics: WPMAX-40-60W-MCTP



BUG Rating: B2-U3-G3


Area 60'x 65' Mounting Height: 9'

## Other Views:


Bronze:



Side View



Front View



Back View

Black:



Side View




Front View




Back View


Silver:



Side View



Front View



Back View

## Performance Table: WPMAX-40-60W-MCTP

| MODEL NO.             | Wattage | Voltage  | Lumens | Color Temp. | BUG Rating | LPW |
|-----------------------|---------|----------|--------|-------------|------------|-----|
| WPMAX-40-60W-MCTP     | 40W     | 120-277V | 5400LM | 3000K       | B2-U3-G3   | 135 |
| WPMAX-40-60W-MCTP-BK  | 50W     |          | 6750LM | 4000K       |            |     |
| WPMAX-40-60W-MCTP-SIL | 60W     |          | 8100LM | 5000K       |            |     |



# Sample Ordering

**Model**      **Min. Watt**      **Max. Watt**      **Watt/Color Temp.**      **Finish**

-  -  -  -

Blank = Bronze  
BK = Black  
SIL = Silver

## Factory-Installed Options:

- Blank = No Option For Accessories
- OPT-EM-WPMAX-60 = INTERNAL EMERGENCY BACKUP BATTERY
- OPT-WP-480V = CHANGE VOLTAGE
- OPT-SEN-3MRLV-5 = PROGRAMMABLE MICROWAVE (BI-LEVEL FOR 80W & UP)
- OPT-SEN-NLS-3MRLV-5 = WG NETWORK SENSOR
- OPT-SEN-KEILTON-3MRLV-5 = KEILTON NETWORK SENSOR
- OPT-TRS-T20 = TAMPER RESISTANT SCREW
- PT-PC-B = BUTTON
- OPT-CLR-85(BK/GR/SR/WH) = COLOR PAINT
- OPT-CLR-MC (260 SET UP FEE PER PROJECT) = COLOR PAINT
- WEC-8RC = REMOTE CONTROL

## FACTORY-INSTALLED OPTIONS:



OPT-EM-WPMAX-60



WEC-8RC      OPT-SEN-3MRLV-5


Narrow



Medium



Wide



**COLOR CHART:** \* Choose from one of our Premium Colors with no set-up fee.

**Gloss:**



SILVER METALLIC  
70 GLOSS  
T357-GR105



SILVER METALLIC  
30 GLOSS  
T353-GR06



DARK RED 90  
GLOSS  
P009-RD02



INTERNATIONAL  
ORANGE 90  
GLOSS  
T009-OG26



SAFETY ORANGE  
90 GLOSS  
T009-OG01



YELLOW 90  
GLOSS  
T009-YL14



YELLOW 90  
GLOSS  
T009-YL01



TRAFFIC GREEN  
70 GLOSS  
T007-GN16



GREEN 70 GLOSS  
T007-GN13



GREEN 60 GLOSS  
C006-GN03



BLUE 90 GLOSS  
T009-BL01



DARK BLUE 80  
GLOSS  
T008-BL20



RAL 8028 TERRA  
BROWN 90 GLOSS  
C209-BR358

**Hammer:**




WHITE HAMMER  
T013-WH09



BEIGE HAMMER  
T013-BG38



GREY HAMMER  
C013-GR08



SILVER  
HAMMERTONE  
T064-GR05




BLACK HAMMER  
T013-BK62



RED HAMMER  
T013-RD15



GREEN HAMMER  
T013-GN220



BLUE HAMMER  
T013-BL468



BRONZE HAMMER  
T012-BR161

**Texture:**



WHITE TEXTURE  
C031-WH120



FLINT GRAY  
TEXTURE  
T243-GR522




BLACK TEXTURE  
C241-BK109



RED TEXTURE  
T241-RD129



BLUE TEXTURE  
C241-BL544




OIL RUBBED  
BRONZE TEXTURE  
T291-BR251


**Vein:**



BLACK/WHITE  
VEIN  
T075-WH34



SILVER VEIN  
T375-BK26



COPPER VEIN  
EXTERIOR  
T075-BK211



GOLD VEIN  
T375-BK10



COPPER VEIN  
T375-BK07

