

# WPMX SERIES Outdoor Lighting

WPMX-24-40W-MCTP-SR

HALF-MOON WALL PACK-POWER & CCT ADJUSTABLE

**MCTP** Multi Color Temperature & Multi Power/Wattage (Selectable)

Customer Name: \_\_\_\_\_


Project Name: \_\_\_\_\_

Note: \_\_\_\_\_

Type: \_\_\_\_\_



Avail Finishes:



13" (W) x 6 8/9" (H) x 6 1/2" (D)

LED Wall Pack Light series can be widely used as Exterior or Interior LED lighting for Hotels, Garages, Commercial Buildings, Public areas, Schools and Hospitals, etc.

## Features

- High Light Transmittance, Anti-UV and Fire Resistant PC Lens
- 7-Year Warranty
- Die-Cast Aluminum With Powder Coat Finish (Dark Bronze)
- Multi CCT and Power (Switches are inside fixture)

## Technical Specifications

### Electrical:

- Voltage: 120-277VAC 60Hz
- Wattage: 24W/32W/40W
- Power Factor: >0.95
- Efficacy: 135 LPW

### Mechanical:

- DC Button Photocell with ON/OFF switch Included
- Die-Cast Aluminum With Powder Coat Finish
- High Light Transmittance, Anti-UV and Fire Resistant Shatterproof PC Lens
- Operating Temperature: -4°F to 104°F
- Full Cutoff, Dark Sky Compliant
- IP 65, Wet Location
- 7-Year Warranty

### Lighting:


- Dimming: 0~10V Dimmable
- Multi CCT and Power (Switches are inside fixture)
- The Type III Distribution Is Used for Wide Walkways, on Ramps and Entrance Roadways, As Well As Other Long, Narrow Lighting
- Total Lumens: 5400LM Max.
- Color Temperatures: 3000K/4000K/5000K
- Color Rendering Index: CRI ≥ 80
- Rated Life: 70,000 Hrs

### Applications:


- LED Wall Pack Light series can be widely used as Exterior or Interior LED lighting for Hotels, Garages, Commercial Buildings, Public areas, Schools and Hospitals, etc.



**Photometrics:** WPMX-24-40W-MCTP



BUD Rating: B0-U0-G1



Area 45'x 50' Mounting Height: 9'

**Other Views:**



Side View



Front View



Back View



Side View



Front View



Back View



Side View



Front View



Back View



Side View



Front View



Back View

**Performance Table:** WPMX-24-40W-MCTP

MODEL NO.	Wattage	Voltage	Lumens	Color Temp.	BUG Rating	LPW
WPMX-24-80W-MCTP-SR	24W	120~277V	3240LM	3000K	B0-U0-G1	135
WPMX-24-80W-MCTP-BK	32W		4320LM	4000K		
WPMX-24-80W-MCTP-SIL	40W		5400LM	5000K		
WPMX-24-80W-MCTP-WH						

**Sample Ordering**

Model    Wattage.    Wattage.    Color Temp.    Finishes

WPX - 24 - 40W - MCTP -

SR = Bronze  
BK = Black  
SIL = Silver  
WH = White

**Factory-Installed Options:**

- Blank = No Option For Accessories
- WEC-8RC = OPTIONAL REMOTE
- OPT-EM-WPMX-24 = INTERNAL BACK UP BATTERY
- OPT-CLR-85(BK/GR/SR/WH) = PAINT
- OPT-SEN-3MRLV-5 = PROGRAMMABLE MICROWAVE (BI-LEVEL FOR 80W)
- OPT-CLR-MC (260 SET UP FEE PER PROJECT) = PAINT
- OPT-TRS-T20 = TAMPER RESISTANT SCREW
- OPT-WP-480V = CHANGE VOLTAGE

**FACTORY-INSTALLED OPTIONS:**



OPT-PC-B



WEC-8RC



WEC-SEN-3MRLV-5



OPT-EM-WPMX-24



**COLOR CHART:** \* Choose from one of our Premium Colors with no set-up fee.

**Gloss:**



SILVER METALLIC  
70 GLOSS  
T357-GR105



SILVER METALLIC  
30 GLOSS  
T353-GR06



DARK RED 90  
GLOSS  
P009-RD02



INTERNATIONAL  
ORANGE 90  
GLOSS  
T009-OG26




SAFETY ORANGE  
90 GLOSS  
T009-OG01



YELLOW 90  
GLOSS  
T009-YL14



YELLOW 90  
GLOSS  
T009-YL01



TRAFFIC GREEN  
70 GLOSS  
T007-GN16



GREEN 70 GLOSS  
T007-GN13



GREEN 60 GLOSS  
C006-GN03



BLUE 90 GLOSS  
T009-BL01



DARK BLUE 80  
GLOSS  
T008-BL20



RAL 8028 TERRA  
BROWN 90 GLOSS  
C209-BR358

**Hammer:**




WHITE HAMMER  
T013-WH09



BEIGE HAMMER  
T013-BG38



GREY HAMMER  
C013-GR08



SILVER  
HAMMERTONE  
T064-GR05



BLACK HAMMER  
T013-BK62



RED HAMMER  
T013-RD15



GREEN HAMMER  
T013-GN220



BLUE HAMMER  
T013-BL468



BRONZE HAMMER  
T012-BR161

**Texture:**



WHITE TEXTURE  
C031-WH120



FLINT GRAY  
TEXTURE  
T243-GR522



BLACK TEXTURE  
C241-BK109



RED TEXTURE  
T241-RD129



BLUE TEXTURE  
C241-BL544



OIL RUBBED  
BRONZE TEXTURE  
T291-BR251

**Vein:**



BLACK/WHITE  
VEIN  
T075-WH34



SILVER VEIN  
T375-BK26



COPPER VEIN  
EXTERIOR  
T075-BK211



GOLD VEIN  
T375-BK10



COPPER VEIN  
T375-BK07

