

WESTGATE

THE FUTURE IS HERE... AND IT'S QUITE BRIGHT!

Commercial
Industrial
Residential
Architectural
Landscape
Solar
Decorative
Lamps
Recessed
Task
Controls
Smart
RGBW
Emergency

PRODUCTSHEET

2025 - Season 1 of 2

VALID 01/01/2025 UNTIL FURTHER NOTICE

WESTGATEMFG.COM | @WESTGATEMFG



WESTGATE

THE FUTURE IS HERE... AND IT'S QUITE BRIGHT!

Westgatemfg.com | @westgatemfg    

CATEGORIES:

OUTDOOR:



PAGE. 4

Wall Packs | Floods & Area Lights | Garage & Canopy Lights | Sign & Street Lights | Solar Lights | Security Lights | Bollards

INDUSTRIAL:



PAGE. 80

UFO & Linear High Bays | Vapor Lights | Hazardous Lights | Loading Docks | Corn Lamps

COMMERCIAL:



PAGE. 96

Panels & T-Bars | Troffers | Linear & Strip Lights | Suspended Lights | Wrap-Arounds | Commercial Recessed Lights | Track Lights | T8 Lamps | Cylinders | Vanities

RESIDENTIAL:



PAGE. 157

Trims | Fans & Lights | Flush Mounts | Disk Lights | Recessed Trims | Pendants | Lamps & String Lights

RIBBON:



PAGE. 187

Tapes | Sheets | 12 Volt | 24 Volt | Accessories

LANDSCAPE:



PAGE. 196

Directional Lights | Step Lights | Well Lights | Underwater Lights | Path Lights | Flood Lights
Transformers | Accessories

UNDER CABINET:



PAGE. 209

Liners | Receptacles | USB Ports | Puck Lights | Accessories

EXIT & EMERGENCY:



PAGE. 215

Combo Signs | Wet Location Signs | Edge-Lit Signs | Thermoplastic Signs | Decorative Signs | Lamp Heads
Vandal Shields | Battery Packs

See Controls On Each Section: Motion Sensors, Photocell, EM, Smart App Control



POLICIES

All transactions are subject to terms and conditions listed on Westgate website

WWW.WESTGATEMFG.COM/TERMS-AND-CONDITIONS

VALID 01/01/2025 UNTIL FURTHER NOTICE

This season's New Arrivals



BKRD SERIES
PAGE 10



LF4MAX SERIES
PAGE 18



GPX-SOL SERIES
PAGE 54



DAB-SOL SERIES
PAGE 57



BOL-G7 SERIES
PAGE 70



UHxmax SERIES
PAGE 80




UHXF SERIES
PAGE 84



ED23 SERIES
PAGE 94



LTRA SERIES
PAGE 103



HEX SERIES
PAGE 103



SCX-RGBW SERIES
PAGE 113



SCSL SERIES
PAGE 120



ST360 SERIES
PAGE 121



SCRH SERIES
PAGE 124



WCF SERIES
PAGE 125



FMHT SERIES
PAGE 171



FMLU SERIES
PAGE 172



LCFK SERIES
PAGE 176



LCFI SERIES
PAGE 177



OUTDOOR LIGHTING

THUNDER SERIES
OUTDOOR LIGHTING



LWAX-SM
White



LWAX-SM
Dark Bronze




LWAX-MD
Dark Bronze



LWAX-LG
Dark Bronze



Shown with Shroud



Mounting Options
Shown with LWAX-12W
(See page 74)

POWER & CCT-ADJUSTABLE CUTOFF WALL PACK, 120-277V TYPE 2 LENS

Dark Bronze & White



CATALOG NO.	DESCRIPTION				PKG. QTY.
LWAX-SM-12W-30K	12W	1500LM	3000K		12
LWAX-SM-12W-40K	12W	1500LM	4000K		12
LWAX-SM-12W-50K	12W	1500LM	5000K		12
LWAX-MD-30W-30K	30W	3900LM	3000K		4
LWAX-MD-30W-40K	30W	3900LM	4000K		4
LWAX-MD-30W-50K	30W	3900LM	5000K		4
LWAX-MD-20-50W-MCTP	20W/30W/40W/50W	125LM/W	30K/40K/50K/57K	MCTP	4
LWAX-LG-50-120W-MCTP	50W/80W/100W/120W	130LM/W	30K/40K/50K/57K	MCTP	2
LWAX-SM-12W-30K-WH	12W	1500LM	3000K		12
LWAX-SM-12W-50K-WH	12W	1500LM	5000K		12
LWA-SH1	Shroud For LWAX SM, Bronze				
LWA-SH2	Shroud For LWAX MD, Bronze				
LWA-SH3	Shroud For LWAX LG, Bronze				

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

SIZE	EM OPTION	DESCRIPTION	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
SM	OPT-EM-LWAX-SM	EXTERNAL BACK BOX	BUTTON	OPT-CLR-85(BK/GR/SR/WH)	OPT-SEN-3MRLV-5	PROGRAMMABLE MICROWAVE (BI-LEVEL)
MD	OPT-EM-LWAX-MD	INTERNAL	DESCRIPTION	OPT-CLR-MC (260 SET UP FEE PER PROJECT)	WEC-8RC	OPTIONAL REMOTE
LG	OPT-EM-LWAX-LG	INTERNAL	Tamper Resistant Screw			

FOR COLD-WEATHER EM OPTION SEE PAGE 221



LWAX-BK
Black




LWAX-WH
White



LWAX
Dark Bronze



Shown with
Shroud



Mounting Options
Shown with LWAX-12W
(See page 74)

GEN. 2 ADJUSTABLE WALL PACK, WATTAGE & CCT SELECT, WITH PHOTOCELL



CATALOG NO.	DESCRIPTION	PKG. QTY.
LWAX-SM-12W-30K-P	12W 1500LM 30K	12
LWAX-SM-12W-30K-P-WH	12W 1500LM 30K	12
LWAX-SM-12W-40K-P	12W 1500LM 40K	12
LWAX-SM-12W-50K-P	12W 1500LM 50K	12
LWAX-SM-12W-50K-P-WH	12W 1500LM 50K	12
LWAX-MD-30W-30K-P	30W 3900LM 30K	4
LWAX-MD-30W-40K-P	30W 3900LM 40K	4
LWAX-MD-30W-50K-P	30W 3900LM 50K	4
LWAX-MD-15-50W-MCTP-P	15W/20W/30W/50W 125LM/W 30K/40K/50K/57K	4
LWAX-MD-15-50W-MCTP-P-BK	15W/20W/30W/50W 125LM/W 30K/40K/50K/57K	4
LWAX-MD-15-50W-MCTP-P-WH	15W/20W/30W/50W 125LM/W 30K/40K/50K/57K	4
LWAX-LG-50-120W-MCTP-P	50W/80W/120W 130LM/W 30K/40K/50K/57K	2
LWAX-LG-50-120W-MCTP-P-BK	50W/80W/120W 130LM/W 30K/40K/50K/57K	2
LWAX-LG-50-120W-MCTP-P-WH	50W/80W/120W 130LM/W 30K/40K/50K/57K	2



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

SIZE	EM OPTION	DESCRIPTION	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
SM	OPT-EM-LWAX-SM	EXTERNAL BACK BOX	BUTTON	OPT-CLR-85(BK/GR/SR/WH)	OPT-SEN-3MRLV-5	PROGRAMMABLE MICROWAVE (BI-LEVEL)
MD	OPT-EM-LWAX-MD	INTERNAL	DESCRIPTION	OPT-CLR-MC (260 SET UP FEE PER PROJECT)	WEC-8RC	OPTIONAL REMOTE
LG	OPT-EM-LWAX-LG	INTERNAL	Tamper Resistant Screw			

FOR COLD-WEATHER EM OPTION SEE PAGE 221



LW360-25W
Bronze

LW360-40W
LW360-60W
LW360-80W
LW360-120W
Bronze

LW360-60W-MCTP-BK-G2
Black

LW360-25W-MCT-WH-G2
White

LW360-60W-MCT-WH-G2
White

Shown with
Extended EM Box
& Shroud

OUTDOOR
WALLPACKS

**LED 360° ROTATABLE WALL PACK, 120-277V
G2 SERIES OFFERS A LARGE, HINGED BACK BOX**



CATALOG NO.	DESCRIPTION	PKG. QTY.
LW360-25W-30K-G2	25W 3250LM 3000K Bronze	4
LW360-25W-40K-G2	25W 3250LM 4000K Bronze	4
LW360-25W-50K-G2	25W 3250LM 5000K Bronze	4
LW360-40W-30K-G2	40W 5200LM 3000K Bronze	4
LW360-40W-40K-G2	40W 5200LM 4000K Bronze	4
LW360-40W-50K-G2	40W 5200LM 5000K Bronze	4
LW360-60W-30K-G2	60W 7800LM 3000K Bronze	2
LW360-60W-40K-G2	60W 7800LM 4000K Bronze	2
LW360-60W-50K-G2	60W 7800LM 5000K Bronze	2
LW360-80W-30K-G2	80W 10400LM 3000K Bronze	2
LW360-80W-40K-G2	80W 10400LM 4000K Bronze	2
LW360-80W-50K-G2	80W 10400LM 5000K Bronze	2
LW360-120W-30K-G2	120W 15600LM 3000K Bronze	2
LW360-120W-40K-G2	120W 15600LM 4000K Bronze	2
LW360-120W-50K-G2	120W 15600LM 5000K Bronze	2
CCT-ADJUSTABLE LED 360° ROTATABLE WALL PACK, 120-277V MCT		
LW360-25W-MCT-G2	25W 3250LM 30K/40K/50K Bronze	4
LW360-60W-MCT-G2	60W 7800LM 30K/40K/50K Bronze	2
LW360-25W-MCT-WH-G2	25W 3250LM 30K/40K/50K White	4
LW360-60W-MCT-WH-G2	60W 7800LM 30K/40K/50K White	2
POWER & CCT-ADJUSTABLE LED 360° ROTATABLE WALL PACK, 120-277V MCTP		
LW360-60W-MCTP-G2	25W/40W/60W 130LM/W 30K/40K/50K Bronze	2
LW360-60W-MCTP-WH-G2	25W/40W/60W 130LM/W 30K/40K/50K White	2
LW360-60W-MCTP-BK-G2	25W/40W/60W 130LM/W 30K/40K/50K Black	2
LW360-SH1	Shroud For LW360 Series, Bronze Finish	-

FOR FACTORY OPTION SEE LW360 BELOW
FOR COLD-WEATHER EM OPTION SEE PAGE 221

LED ROTATABLE WALL PACKS, 120-277V



CATALOG NO.	DESCRIPTION	REPLACEMENT RANGE	WHILE SUPPLIES LAST	PKG. QTY.
LW360-60W-30K	60W 8100LM 3000K Bronze	200-300MH		2
LW360-80W-30K	80W 10800LM 3000K Bronze	250-400 MH		2
LW360-80W-40K	80W 10800LM 4000K Bronze	250-400 MH		2
LW360-25W-30K-WH	25W 3375LM 3000K White	100-150 MH		4
LW360-40W-50K-WH	40W 5400LM 5000K White	100-200 MH		4
LW360-SH1	Shroud For LW360 Series, Bronze Finish			-



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DE-	PAINT	SENSOR	DESCRIPTION
25W, 40W, 60W, 80W	OPT-EM-LW360 OPT-EM-LW360-LG	INTERNAL INTERNAL	OPT-LW360-PC-B	BUTTON	OPT-CLR-85(BK/GR/SR/WH) OPT-CLR-95(BK/GR/SR/WH) OPT-CLR-35-SHR (BK/GR/SR/WH) OPT-CLR-MC (260 SET UP FEE PER PROJECT)	OPT-SEN-LW360-3MRLV-5 WEC-8RC	PROGRAMMABLE MICROWAVE REMOTE CONTROL

FOR COLD-WEATHER EM OPTION SEE PAGE 221



WAX-MCTP
Bronze



WAX-MCTP-WH
White



Shown Installed
as Indirect Light



WAX-MCTP-BK
Black

SPEC SERIES MODERN ADJUSTABLE WALL PACK FOR



CATALOG NO.	DESCRIPTION	PKG. QTY.
WAX-20-40W-MCTP	20W/30W/40W 140LM/W 30K/40K/50K Bronze	1
WAX-20-40W-MCTP-WH	20W/30W/40W 140LM/W 30K/40K/50K White	1
WAX-20-40W-MCTP-BK	20W/30W/40W 140LM/W 30K/40K/50K Black	1
WAX-50-80W-MCTP	50W/65W/80W 140LM/W 30K/40K/50K Bronze	1
WAX-50-80W-MCTP-WH	50W/65W/80W 140LM/W 30K/40K/50K White	1
WAX-50-80W-MCTP-BK	50W/65W/80W 140LM/W 30K/40K/50K Black	1
WAX-90-120W-MCTP	90W/105W/120W 140LM/W 30K/40K/50K Bronze	1
WAX-90-120W-MCTP-WH	90W/105W/120W 140LM/W 30K/40K/50K White	1
WAX-90-120W-MCTP-BK	90W/105W/120W 140LM/W 30K/40K/50K Black	1

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
40W	OPT-EM-WAX-40	INTERNAL	OPT-PC-B	BUTTON	OPT-CLR-85(BK/GR/SR/WH)	OPT-SEN-3MRLV-5	PROGRAMMABLE MICROWAVE (BI-LEVEL FOR 80W)
80W	OPT-EM-WAX-80	INTERNAL			OPT-CLR-MC (260 SET UP FEE PER PROJECT)	WEC-8RC	REMOTE CONTROL
120W	OPT-EM-WAX-120	INTERNAL	480 V OPTION	DESCRIPTION			
	VANDAL RES.	DESCRIPTION	OPT-WP-480V	CHANGE VOLTAGE			
	OPT-TRS-T20	Tamper Resistant Screw					

FOR COLD-WEATHER EM OPTION SEE PAGE 221



FULL CUT-OFF WALL PACK, POWER AND CCT ADJUSTABLE /w PHOTOCELL



CATALOG NO.	DESCRIPTION	PKG. QTY.
WPCX-21-35W-MCTP	21W/28W/35W 135LM/W 30K/40K/50K	1
WPCX-36-60W-MCTP	36W/48W/60W 135LM/W 30K/40K/50K	1
WPCX-60-100W-MCTP	60W/80W/100W 135LM/W 30K/40K/50K	1

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
60W	OPT-EM-WPCX-60	INTERNAL	OPT-PC-B	BUTTON	OPT-CLR-85(BK/GR/SR/WH)	OPT-SEN-3MRLV-5	PROGRAMMABLE MICROWAVE (BI-LEVEL FOR 80W)
100W	OPT-EM-WPCX-100	INTERNAL			OPT-CLR-MC (260 SET UP FEE PER PROJECT)	WEC-8RC	REMOTE CONTROL
	VANDAL RES.	DESCRIPTION	480 V OPTION	DESCRIPTION		OPT-WPCX-TYPEII	TYPE II
	OPT-TRS-T20	Tamper Resistant	OPT-WP-480V	CHANGE VOLTAGE		OPT-WPCX-TYPEIV	TYPE IV



WPMX
Bronze



WHCX
Bronze



WALL PACK, POWER AND CCT ADJUSTABLE /W PHOTOCELL



CATALOG NO.	DESCRIPTION	PKG. QTY.
HALF-MOON WALL PACK-POWER & CCT ADJUSTABLE TYPE 3 LENS		
WPMX-24-40W-MCTP-SR	24W/32W/40W 135LM/W 30K/40K/50K	1
WPMX-48-80W-MCTP-SR	48W/64W/80W 135LM/W 30K/40K/50K	1
CYLINDER WALL PACK, POWER AND CCT ADJUSTABLE WITH CONTROLLED UP/DOWN LIGHTING		
WHCX-24-40W-MCTP	24W/32W/40W 145LM/W 30K/40K/50K	1
WHCX-48-80W-MCTP	48W/64W/80W 145LM/W 30K/40K/50K	1



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
WPMX-24W	OPT-EM-WPMX-24	INTERNAL	OPT-PC-B	BUTTON	OPT-CLR-85(BK/GR/SR/WH)	OPT-SEN-3MRLV-5	PROGRAMMABLE MICRO-WAVE (BI-LEVEL FOR 80W)
WPMX-48W	OPT-EM-WPMX-48	INTERNAL	OPT-CLR-MC (260 SET UP FEE PER PROJECT)			WEC-8RC	REMOTE CONTROL
	VANDAL.RES.	DESCRIPTION	480 V OPTION	DESCRIPTION			
	OPT-TRS-T20	Tamper Resistant Screw	OPT-WP-480V	CHANGE VOLTAGE			



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
WHCX-40W	OPT-EM-WHCX-40W	INTERNAL	OPT-PC-B	BUTTON	OPT-CLR-85(BK/GR/SR/WH)	OPT-SEN-3MRLV-5	PROGRAMMABLE MICRO-WAVE (BI-LEVEL FOR 80W)
WHCX-80W	OPT-EM-WHCX-80W	INTERNAL	OPT-CLR-MC (260 SET UP FEE PER PROJECT)			WEC-8RC	REMOTE CONTROL
	VANDAL.RES.	DESCRIPTION	480 V OPTION	DESCRIPTION			
	OPT-TRS-T20	Tamper Resistant Screw	OPT-WP-480V	CHANGE VOLTAGE			



WPX-24W



WPX-42W



WPX-80W



WPX-120W

SPEC SERIES X-GEN CUT-OFF WALL PACK (POWER & COLOR TEMP. TUNABLE)



120-277V

CATALOG NO.	DESCRIPTION	PKG. QTY.
WPX-24W-MCTP	12W/18W/24W 135LM/W 30K/40K/50K 10"W	4
WPX-42W-MCTP	11W/21W/32W/42W 135LM/W 30K/40K/50K 10"W	4
WPX-80W-MCTP	20W/40W/60W/80W 135LM/W 30K/40K/50K 12"W	2
WPX-120W-MCTP	80W/100W/120W 135LM/W 30K/40K/50K 12"W	1



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
42W	OPT-EM-WPX-42	INTERNAL	OPT-PC-B	BUTTON	OPT-CLR-85(BK/GR/SR/WH)	OPT-SEN-3MRLV-5	PROGRAMMABLE MICROWAVE (BI-LEVEL FOR 80W)
80W	OPT-EM-WPX-80	INTERNAL	OPT-CLR-MC (260 SET UP FEE PER PROJECT)			WEC-8RC	REMOTE CONTROL
	VANDAL.RES.	DESCRIPTION	480 V OPTION	DESCRIPTION			
	OPT-TRS-T20	Tamper Resistant Screw	OPT-WP-480V	CHANGE VOLTAGE			

FOR COLD-WEATHER EM OPTION SEE PAGE 221



LED CUTOFF WALL PACK, 120-277V, 14" (W) x 9 1/4" (H) x 8 1/4" (D)

TYPE 2 LENS



120-277V

CATALOG NO.	DESCRIPTION	PKG. QTY.
POWER & CCT-ADJUSTABLE VERSION MCTP		
LWPX-30-80W-MCTP	30W/40W/60W/80W 125LM/W 30K/40K/50K/57K	1
LED SINGLE POWER & CCT VERSION		
LWPX-50W-30K	50W 6600LM 3000K	1
LWPX-50W-40K	50W 6600LM 4000K	1
LWPX-50W-50K	50W 6600LM 5000K	1



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
50W	OPT-EM-LWPX-50	INTERNAL			OPT-CLR-85(BK/GR/SR/WH)		
80W	OPT-EM-LWPX-80	INTERNAL	OPT-PC-B	BUTTON	OPT-CLR-MC (260 SET UP FEE PER PROJECT)	OPT-SEN-3MRLV-5	PROGRAMMABLE MICRO-WAVE (BI-LEVEL FOR 80W)
	VANDAL RES.	DESCRIPTION	480 V OPTION	DESCRIPTION		WEC-8RC	REMOTE CONTROL
	OPT-TRS-T20	Tamper Resistant Screw	OPT-WP-480V	CHANGE VOLTAGE			



FOR COLD-WEATHER EM OPTION SEE PAGE 221



20% Non-Cutoff Ambient Light
80% Full-Cutoff Light

SPEC SERIES MODERN POWER & CCT ADJUSTABLE CUT-OFF WALL PACK

WITH 20% FRONT LIGHT & PHOTOCELL



CATALOG NO.	DESCRIPTION	PKG. QTY.
WPAX-100W-MCTP	60W/80W/100W 130LM/W 30K/40K/50K	2



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
All	OPT-EM-WPAX	INTERNAL	OPT-PC-B	BUTTON	N/A	OPT-SEN-3MRLV-5	PROGRAMMABLE MICROWAVE (BI-LEVEL FOR 80W)
	VANDAL RES.	DESCRIPTION	480 V OPTION	DESCRIPTION		WEC-8RC	REMOTE CONTROL
	OPT-TRS-T20	Tamper Resistant Screw	OPT-WP-480V	CHANGE VOLTAGE			



FOR COLD-WEATHER EM OPTION SEE PAGE 221

LED SEMI-CUTOFF VANDAL-PROOF WALL PACK, 120-277V

Dark Bronze



120-277V

CATALOG NO.	DESCRIPTION	REPLACEMENT RANGE	PKG. QTY.
LTW-50CW	50W 4400LM 5000K	150-250 MH	1
LTW-50NW	50W 4400LM 4000K	150-250 MH	1
LTW-50WW	50W 4400LM 3000K	150-250 MH	1



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL	OPT-EM-LTW	INTERNAL	OPT-PC-B	BUTTON	N/A	OPT-SEN-3MRLV-5	PROGRAMMABLE MICROWAVE BI-LEVEL
	480 V OPTION	DESCRIPTION	VANDAL RES.	DESCRIPTION		WEC-8RC	REMOTE CONTROL
	OPT-WP-480V	CHANGE VOLTAGE	OPT-TRS-T20	Tamper Resistant Screw			



BKH-10W

BKH-20W

Shown with EM

TRADITIONAL BULKHEADS, POWER & CCT SELECTABLE, WITH PHOTOCELL



CATALOG NO.	DESCRIPTION	PKG. QTY.
BKH-10W-MCTP-BK-P	6W/8W/10W 85LM/W 30K/40K/50K Black, 2.45" X 8.29" X 4.80"	8
BKH-10W-MCTP-BR-P	6W/8W/10W 85LM/W 30K/40K/50K Bronze, 2.45" X 8.29" X 4.80"	8
BKH-20W-MCTP-BK-P	12W/18W/20W 85LM/W 30K/40K/50K Black, 3.24" X 9.64" X 5.83"	6
BKH-20W-MCTP-BR-P	12W/18W/20W 85LM/W 30K/40K/50K Bronze, 3.24" X 9.64" X 5.83"	6

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	VANDAL RES.	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
20W	OPT-EM-BKH	INTERNAL	N/A	N/A	N/A	N/A	N/A



BKRD-15W-MCTP-BK-P
Black



BKRD-15W-MCTP-BR-P
Bronze



BKRF-15W-MCTP-BK-P
Black



BKRF-15W-MCTP-BR-P
Bronze

ROUND BULKHEADS, POWER & CCT SELECTABLE, WITH PHOTOCELL



CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER	PKG. QTY.
BKRD-15W-MCTP-BK-P	9W/12W/15W 85LM/W 30K/40K/50K Black		8
BKRD-15W-MCTP-BR-P	9W/12W/15W 85LM/W 30K/40K/50K Bronze		8
BKRF-15W-MCTP-BK-P	9W/12W/15W 85LM/W 30K/40K/50K Black		8
BKRF-15W-MCTP-BR-P	9W/12W/15W 85LM/W 30K/40K/50K Bronze		8

VANDAL-PROOF OUTDOOR WALL LIGHT, 3CCT



CATALOG NO.	DESCRIPTION	PKG. QTY.
WPV-12W-MCT-DT	12W 80LM/W 30K/40K/50K	6

LED VERSATILE WALL OR CEILING LIGHT, 120-277V



CATALOG NO.	DESCRIPTION	REPLACEMENT RANGE	PKG. QTY.
WMV-20W-50K	20W 2000LM 5000K 11.4"(L) X 4.5"(W) X 3.5"(H)	50-100 MH	6
WMV-20W-40K	20W 1900LM 4000K 11.4"(L) X 4.5"(W) X 3.5"(H)	50-100 MH	6
WMV-20W-30K	20W 1800LM 3000K 11.4"(L) X 4.5"(W) X 3.5"(H)	50-100 MH	6

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL	OPT-EM-WMV	INTERNAL	OPT-PC-B BUTTON	OPT-CLR-70(BK/GR/SR/WH)	OPT-SEN-3MRLV-5	PROGRAMMABLE MICROWAVE BI-LEVEL
	VANDAL RES.	DESCRIPTION		OPT-CLR-MC (260 SET UP FEE PER PROJECT)	WEC-3RC	REMOTE CONTROL
	OPT-TRS-T20	Tamper Resistant Screw				



WPFX-SM



WPFX-MD



WPFX-LG

BUILDER SERIES FLAT WALL PACK WITH PHOTOCELL, GLASS LENS AND VANDAL SCREWS

CATALOG NO.	DESCRIPTION	PKG. QTY.
WPFX-SM-15-40W-MCTP-P	15W/25W/40W 130LM/W 30K/40K/50K	1
WPFX-MD-20-40W-MCTP-P	20W/30W/40W 135LM/W 30K/40K/50K	1
WPFX-MD-40-80W-MCTP-P	40W/60W/80W 130LM/W 30K/40K/50K	1
WPFX-LG-80-120W-MCTP-P	80W/100W/120W 130LM/W 30K/40K/50K	1

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

SIZE	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
SM	OPT-EM-WPFX-SM	INTERNAL	OPT-PC-B	BUTTON	OPT-CLR-85(BK/GR/SR/WH)	OPT-SEN-3MRLV-5	PROGRAMMABLE MICROWAVE (BI-LEVEL FOR 80W)
MD	OPT-EM-WPFX-MD	INTERNAL			OPT-CLR-MC (260 SET UP FEE PER PROJECT)	WEC-8RC	REMOTE CONTROL
LG	OPT-EM-WPFX-LG	INTERNAL	480 V OPTION	DESCRIPTION			
	VANDAL RES.	DESCRIPTION	OPT-WP-480V	CHANGE VOLTAGE			
	OPT-TRS-T20	Tamper Resistant Screw					

FOR COLD-WEATHER EM OPTION SEE PAGE 221



WMXE-MD
Dark Bronze



WMXE-LG
Dark Bronze



WMXE-MD
Black



WMXE-LG
Black

BUILDER SERIES TRADITIONAL GLASS LENS WALL PACK WITH PHOTOCELL (PHOTOCELL DISCONNECT SWITCH) 480V OPTION

CATALOG NO.	DESCRIPTION	PKG. QTY.
-------------	-------------	-----------

POWER ADJUSTABLE BUILDER SERIES TRADITIONAL WALL PACK

WMXE-MD-25-65W-50K-P	25W/45W/65W 140LM/W 5000K	2
WMXE-MD-45-85W-50K-P	45W/65W/85W 140LM/W 5000K	2
WMXE-MD-80-120W-50K-P	80W/100W/120W 140LM/W 5000K	2

POWER & 3CCT ADJUSTABLE BUILDER SERIES TRADITIONAL WALL PACK

WMXE-MD-25-65W-MCTP-P	25W/45W/65W 140LM/W 3000K/4000K/5000K	2
WMXE-MD-45-85W-MCTP-P	45W/65W/85W 140LM/W 3000K/4000K/5000K	2
WMXE-MD-80-120W-MCTP-P	80W/100W/120W 140LM/W 3000K/4000K/5000K	2
WMXE-LG-100-150W-MCTP-P	100W/120W/150W 140LM/W 3000K/4000K/5000K	1
WMXE-MD-45-85W-MCTP-P-BK	45W/65W/85W 140LM/W 3000K/4000K/5000K	2
WMXE-LG-100-150W-MCTP-P-BK	100W/120W/150W 140LM/W 3000K/4000K/5000K	1

POWER & 3CCT ADJUSTABLE BUILDER SERIES TRADITIONAL WALL PACK WITH EMERGENCY BACKUP

WMXE-MD-25-65W-MCTP-P-EM	25W/45W/65W 140LM/W 30K/40K/50K	2
WMXE-MD-45-85W-MCTP-P-EM	45W/65W/85W 140LM/W 30K/40K/50K	2
WMXE-MD-80-120W-MCTP-P-EM	80W/100W/120W 140LM/W 30K/40K/50K	2
WMXE-LG-100-150W-MCTP-P-EM	100W/120W/150W 140LM/W 30K/40K/50K	1

FOR COLD-WEATHER EM OPTION SEE PAGE 221

LED NON-CUTOFF WALL PACKS, 120-277V

Dark Bronze

CATALOG NO.	DESCRIPTION	REPLACEMENT RANGE	PKG. QTY.
WML-HL-30W-30K	30W 4200LM 3000K	100-150 MH	4
WML-HL-60W-30K	60W 8700LM 3000K	175-250 MH	2
WML-HL-80W-30K	80W 11600LM 3000K	250-400 MH	2
WML-HL-100W-30K	100W 14800LM 3000K	250-400 MH	1

FOR COLD-WEATHER EM OPTION SEE PAGE 221 FOR SHIELD SEE WMX BELOW

LED NON-CUTOFF WALL PACKS WITH DIRECTIONAL OPTIC LENS, 120-277V

TYPE 3 LENS

CATALOG NO.	DESCRIPTION	REPLACEMENT RANGE	PKG. QTY.
WML2-28W-50K-HL-SM	28W 3780LM 5000K W:10"	100-150 MH	4
WML2-50W-50K-SM-D	50W 6000LM 5000K W:10"	100-200 MH	4
WML2-50W-30K-SM	50W 5500LM 3000K W:10"	100-200 MH	4
WML2-50W-30K-HL	48W 6000LM 3000K W:14-1/4"	175-250 MH	1



WMXMAX FULL CONTROL OF BEAM ANGLE, CCT, WATTS, PHOTOCELL



CATALOG NO.	DESCRIPTION
WMXMAX-40-60W-MCTPB	40W/50W/60W 135LM/W 30K/40K/50K
WMXMAX-50-80W-MCTPB	50W/60W/80W 135LM/W 30K/40K/50K
WMXMAX-80-120W-MCTPB	80W/100W/120W 135LM/W 30K/40K/50K



WMX-SM
Dark Bronze



WMX-MD
Dark Bronze



WMX-LG
Dark Bronze



Shield
For WMX Series

SPEC SERIES TRADITIONAL WALL PACK, GLASS LENS 480V OPTION



NO.	DESCRIPTION	PKG. QTY.
-----	-------------	-----------

SPEC SERIES TRADITIONAL WALL PACK, POWER ADJUSTABLE

WMX-SM-15-30W-30K	15W/20W/25W/30W 130LM/W 3000K	Replaces WML-HL-30W	4
WMX-SM-15-30W-40K	15W/20W/25W/30W 130LM/W 4000K	Replaces WML-HL-30W	4
WMX-SM-15-30W-50K	15W/20W/25W/30W 130LM/W 5000K	Replaces WML-HL-30W	4
WMX-MD-20-50W-30K	20/30W/40W/50W 130LM/W 3000K	Replaces WML-HL-50W	2
WMX-MD-20-50W-40K	20/30W/40W/50W 130LM/W 4000K	Replaces WML-HL-50W	2
WMX-MD-20-50W-50K	20/30W/40W/50W 130LM/W 5000K	Replaces WML-HL-50W	2
WMX-MD-20-80W-30K	20W/40W/60W/80W 130LM/W 3000K	Replaces WML-HL-60W TO 80W	2
WMX-MD-20-80W-40K	20W/40W/60W/80W 130LM/W 4000K	Replaces WML-HL-60W TO 80W	2
WMX-MD-20-80W-50K	20W/40W/60W/80W 130LM/W 5000K	Replaces WML-HL-60W TO 80W	2
WMX-LG-50-120W-30K	50W/80W/100W/120W 130LM/W 3000K	Replaces WML-HL-100W TO 120W	1
WMX-LG-50-120W-40K	50W/80W/100W/120W 130LM/W 4000K	Replaces WML-HL-100W TO 120W	1
WMX-LG-50-120W-50K	50W/80W/100W/120W 130LM/W 5000K	Replaces WML-HL-100W TO 120W	1

SPEC SERIES TRADITIONAL WALL PACK, POWER & CCT ADJUSTABLE

WMXPRO-SM-15-30W-MCTP	15W/20W/25W/30W 130LM/W 30K/40K/50K/57K		4
WMXPRO-MD-20-60W-MCTP	20W/30W/50W/60W 130LM/W 30K/40K/50K/57K		2
WMXPRO-MD-20-80W-MCTP	20W/40W/60W/80W 130LM/W 30K/40K/50K/57K		2
WMXPRO-LG-50-120W-MCTP	50W/80W/100W/120W 130LM/W 30K/40K/50K/57K		1

SPEC SERIES RC TUNABLE WALL PACKS (POWER & COLOR TEMP. TUNABLE)

WMX-MCTP-D	80W Max 9000LM Max 3000K-5700K		2
WMX-MCTP-D-WH	80W Max 9000LM Max 3000K-5700K		2
MCTP-RC1	Remote Control for Multi-Color Temp. & Power Outdoor Fixture (Required & One per projects)		

WML-SH2	Shield For WML 50W, 60W, 80W, 100W, WMX	-
WML-SH3	Shield For FOR WML 120W	-

FOR COLD-WEATHER EM OPTION SEE PAGE 221

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

SIZE	EM OPTION	DESCRIPTION	PHOTOCELL DESCRIPTION	PAINT	SENSOR	DESCRIPTION
SM	OPT-EM-WMX-SM	EXTERNAL BOX		OPT-CLR-85(BK/GR/SR/WH)	OPT-SEN-3MRLV-5	PROGRAMMABLE MICROWAVE BI-LEVEL
MD	OPT-EM-WMX-MD	INTERNAL	OPT-PC-B BUTTON	OPT-CLR-95(BK/GR/SR/WH)	WEC-8RC	REMOTE CONTROL
LG	OPT-EM-WMX-LG	INTERNAL		OPT-CLR-MC (260 SET UP FEE PER PROJECT)	480 V OPTION	DESCRIPTION
	VANDAL RES.	DESCRIPTION			OPT-WP-480V	CHANGE VOLTAGE
	OPT-TRS-T20	Tamper Resistant Screw				



LMW
Bronze

LMW-WH
White

LMW-BK
Black

Shown with EM

Shown with EM

Shown with Sensor

Shown with Sensor

LED MINI CUTOFF WALLPACK, 120-277V, 5" X 5"

See Below for bollard customization

Dark Bronze & White



CATALOG NO.	DESCRIPTION	PKG. QTY.
LMW-12W-30K	12W 1300LM 3000K Bronze	12
LMW-12W-40K	12W 1300LM 4000K Bronze	12
LMW-12W-50K	12W 1300LM 5000K Bronze	12
LMW-12W-30K-WH	12W 1300LM 3000K White	12
LMW-12W-40K-WH	12W 1300LM 4000K White	12
LMW-12W-50K-WH	12W 1300LM 5000K White	12
LMW-12W-30K-BK	12W 1320LM 3000K Black	12
LMW-12W-40K-BK	12W 1320LM 4000K Black	12
LMW-12W-50K-BK	12W 1320LM 5000K Black	12

POWER & CTT - ADJUSTABLE LED MINI CUTOFF WALLPACK, 120-277V, 5" X 5"


LMW-10-24W-MCTP-P	10W/15W/24W 110LM/W 30K/40K/50K Bronze	12
LMW-10-24W-MCTP-P-BK	10W/15W/24W 110LM/W 30K/40K/50K White	12
LMW-10-24W-MCTP-P-WH	10W/15W/24W 110LM/W 30K/40K/50K Black	12

FOR BOLLARD SETTINGS SEE PAGE 74



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL DESCRIP-	PAINT	SENSOR	DESCRIPTION
ALL	OPT-EM-LMW	EXTERNAL BACK BOX	OPT-PC-BI	N/A	OPT-SEN-LMW	PROGRAMMABLE MICROWAVE BI-LEVEL (ONLY 2" & 3")
	OPT-EM-LMW-WH	EXTERNAL BACK BOX	BUTTON		OPT-SEN-LMW-WH	PROGRAMMABLE MICROWAVE BI-LEVEL, WHITE (ONLY 2" & 3")
	0-10V DIM OPTION	DESCRIPTION				
	OPT-010DIM	0-10V Dimming				



WMS-S-50K-BR
WMS-S-30K-BR
Bronze

WMS-R-50K-BR
WMS-R-30K-BR
Bronze

WMS-S-50K-WH
WMS-S-30K-WH
White

WMS-R-50K-WH
WMS-R-30K-WH
White

Shown with EM

Shown with EM

LED WALL/STEP LIGHTS, 120-277V, 5" X 5"

Dark Bronze & White



CATALOG NO.	DESCRIPTION	PKG. QTY.
WMS-S-50K-BR	6W 660LM 5000K	24
WMS-S-30K-BR	6W 630LM 3000K	24
WMS-R-50K-BR	6W 660LM 5000K	24
WMS-R-30K-BR	6W 630LM 3000K	24
WMS-S-50K-WH	6W 660LM 5000K	24
WMS-S-30K-WH	6W 630LM 3000K	24
WMS-R-50K-WH	6W 660LM 5000K	24
WMS-R-30K-WH	6W 630LM 3000K	24

FOR BOLLARD SETTINGS SEE PAGE 74



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL DESCRIPTION	PAINT	SENSOR	DESCRIPTION
6W	OPT-EM-WMS	EXTERNAL BACK BOX	N/A	N/A	OPT-CLR-65(BK/GR/SR/WH)	PROGRAMMABLE MICROWAVE
6W	OPT-EM-WMS-WH	EXTERNAL BACK BOX			OPT-SEN-LMW	PROGRAMMABLE MICROWAVE, WHITE
POST ALL MODELS	OPT-EM-WMS-POST	POST MOUNT			OPT-SEN-LMW-WH	PROGRAMMABLE MICROWAVE, WHITE



STP-10X10



STP-10X3



STP-8X3

COMMERCIAL LARGE RECESSED WALL/STEP LIGHTS, 120-277V



CATALOG NO.	DESCRIPTION	PKG. QTY.
STP-10X10-MCTP-BK	10W/18W/25W 37LM/W 30K/40K/50K Black	4
STP-10X10-MCTP-GY	10W/18W/25W 37LM/W 30K/40K/50K Graphite RAL 7016	4
STP-10X3-MCT-BK	10W 47LM/W 30K/40K/50K Black	6
STP-10X3-MCT-GY	10W 47LM/W 30K/40K/50K Graphite RAL 7016	6
STP-8X3-MCTP-BK	10W/15W 31LM/W 30K/40K/50K Black	18
STP-8X3-MCTP-GY	10W/15W 31LM/W 30K/40K/50K Graphite RAL 7016	18



MODERN WALL PACK, 3CCT WITH PHOTOCELL



CATALOG NO.	DESCRIPTION	PKG. QTY.
DLW-15W-MCT-BK	15W 120LM/W 35W/40W/50K Black	10
DLW-15W-MCT-BR	15W 120LM/W 35W/40W/50K Bronze	10
DLW-15W-MCT-WH	15W 120LM/W 35W/40W/50K White	10



FOR EM OPTION SEE PAGE 220

MODERN LED SMALL (8.5") WALL PACK WITH PHOTOCELL, 120-277V

Dark Bronze & White



CATALOG NO.	DESCRIPTION	PKG. QTY.
SINGLE POWER & CCT LED SMALL NON-CUTOFF WALL PACK WITH PHOTOCELL		
LESW-15W-30K-P	15W 1675LM 3000K Bronze	10
LESW-15W-50K-P	15W 1875LM 5000K Bronze	10
LESW-20W-30K-P	20W 2300LM 3000K Bronze	10
LESW-20W-50K-P	20W 2500LM 5000K Bronze	10
LESW-15W-30K-P-WH	15W 1675LM 3000K White	10
LESW-15W-50K-P-WH	15W 1875LM 5000K White	10
LESW-20W-30K-P-WH	20W 2300LM 3000K White	10
LESW-20W-50K-P-WH	20W 2500LM 5000K White	10
POWER & CCT - ADJUSTABLE LED SMALL NON-CUTOFF WALL PACK WITH PHOTOCELL		
LESW-8-15W-MCTP-P	8W/12W/15W 135LM/W 30K/40K/50K Bronze	
LESW-8-15W-MCTP-WH	8W/12W/15W 135LM/W 30K/40K/50K White	
LESW-15-30W-MCTP-P	15W/20W/30W 135LM/W 3000K/4000K/5000K Bronze	10
LESW-15-30W-MCTP-P-WH	15W/20W/30W 135LM/W 3000K/4000K/5000K White	10



FOR EM OPTION SEE PAGE 220

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	VANDAL RES.	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL	OPT-EM-LESW	INTERNAL	OPT-TRS-T20	Tamper Resistant Screw	N/A	OPT-SEN-3MRLV-6 WEC-3RC	PROGRAMMABLE MICROWAVE BI-LEVEL REMOTE CONTROL

LED SMALL (11") WALL PACK WITH PHOTOCELL 120-277V TYPE 2 LENS



CATALOG NO.	DESCRIPTION	PKG. QTY.
POWER & CCT-ADJUSTABLE SMALL WALL PACK WITH PHOTOCELL		
LSWX-13-26W-MCTP-PC	13W/20W/26W 4231LM 30K/40K/50K Bronze	4
LSWX-13-26W-MCTP-PC-BK	13W/20W/26W 4231LM 30K/40K/50K Black	4
LSWX-13-26W-MCTP-PC-WH	13W/20W/26W 4231LM 30K/40K/50K White	4
POWER-ADJUSTABLE SMALL WALL PACK WITH PHOTOCELL		
LSWX-5-30W-30K-PC	5W/10W/20W/30W 124LM/W 3000K Bronze	6
LSWX-5-30W-40K-PC	5W/10W/20W/30W 124LM/W 4000K Bronze	6
LSWX-5-30W-50K-PC	5W/10W/20W/30W 124LM/W 5000K Bronze	6
SINGLE POWER AND CCT SMALL WALL PACK WITH PHOTOCELL		
LSWX-20W-30K-PC	20W 2450LM 3000K Bronze	6
LSWX-20W-50K-PC	20W 2450LM 5000K Bronze	6



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL DESCRIPTION	PAINT	SENSOR	DESCRIPTION	
ALL	OPT-EM-LSWX	INTERNAL	OPT-NOPC	REMOVE PHOTOCELL	N/A	OPT-SEN-SLPIR	EXTERNAL, SECURITY LIGHT TYPE
		VANDAL RES. DESCRIPTION					
		OPT-TRS-T20	Tamper Resistant Screw				

OUTDOOR
WALLPACKS

120-277V

120-277V



LFXE-MD-KN Dark Bronze LFXE-MD-KN-BK BLACK LFXE-MD-KN-WH WHITE LFXE-MD-TR Dark Bronze



Can be used as **BILBOARD/SIGN LIGHT**
Shown with ACC-WMA-30-BR (See page 24)



LFXE-LG
Dark Bronze



LFXE-XL
Dark Bronze

**BUILDER SERIES FLOOD/AREA LIGHTS WITH PHOTOCELL
TYPE 3 LENS (PHOTOCELL DISCONNECT SWITCH)**



CATALOG NO.	DESCRIPTION	PKG. QTY.
-------------	-------------	-----------

POWER & CCT ADJUSTABLE BUILDER SERIES FLOOD/AREA LIGHTS WITH PHOTOCELL MCTP

LFXE-MD-50-100W-MCTP-KN-P	50W/80W/100W 135LM/W 30K/40K/50K	4
LFXE-MD-50-100W-MCTP-KN-P-BK	50W/80W/100W 135LM/W 30K/40K/50K	4
LFXE-MD-50-100W-MCTP-KN-P-WH	50W/80W/100W 135LM/W 30K/40K/50K	4
LFXE-MD-50-100W-MCTP-TR-P	50W/80W/100W 135LM/W 30K/40K/50K	4

POWER & 3CCT ADJUSTABLE BUILDER SERIES FLOOD/AREA LIGHTS WITH PHOTOCELL (COMPATIBLE WITH LFX MOUNTING OPTIONS)

LFXE-LG-80-150W-50K-P	80W/100W/150W 135LM/W 5000K	1
LFXE-LG-80-150W-MCTP-P	80W/100W/150W 135LM/W 30K/40K/50K	1

POWER & 3CCT ADJUSTABLE BUILDER SERIES FLOOD/AREA LIGHTS WITH PHOTOCELL (COMPATIBLE WITH LFX MOUNTING OPTIONS)

LFXE-XL-200-300W-50K-P	200W/240W/300W 135LM/W 5000K	1
LFXE-XL-200-300W-MCTP-P	200W/240W/300W 135LM/W 30K/40K/50K	1

FOR OPT OPTION SEE PAGE 16.

FOR MOUNTING OPTIONS SEE PAGE 19. (LFX MOUNTING OPTIONS COMPATIBLE WITH LFXE-LG & LFXE-XL, LFXPRO, LFX, LF4PRO, LFXMAX)

FOR COLD-WEATHER EXTERNAL EM OPTION SEE PAGE 204



LFX-LG
Dark Bronze



LFX-XL
Dark Bronze



LFX-XXL
Dark Bronze

SPEC SERIES POWER-ADJUSTABLE FLOOD/AREA LIGHT, TYPE 3 LENS



CATALOG NO.	DESCRIPTION	PKG. QTY.
-------------	-------------	-----------

SPEC SERIES POWER-ADJUSTABLE FLOOD/AREA LIGHT, 120-277V

LFX-LG-50-150W-30K	50W/80W/100W/150W 140LM/W 3000K	1
LFX-LG-50-150W-40K	50W/80W/100W/150W 140LM/W 4000K	1
LFX-LG-50-150W-50K	50W/80W/100W/150W 140LM/W 5000K	1
LFX-XL-150-300W-30K	150W/200W/240W/300W 145LM/W 3000K	1
LFX-XL-150-300W-40K	150W/200W/240W/300W 145LM/W 4000K	1
LFX-XL-150-300W-50K	150W/200W/240W/300W 145LM/W 5000K	1
LFX-XXL-300-600W-50K	300W/400W/500W/600W 140LM/W 5000K	1

SPEC SERIES POWER-ADJUSTABLE FLOOD/AREA LIGHT, 480V

LFX-LG-50-150W-50K-480V	50W/80W/100W/150W 140LM/W 5000K	1
LFX-XXL-300-600W-50K-480V	300W/400W/500W/600W 140LM/W 5000K	1

FOR OPT OPTION SEE PAGE 16.

FOR MOUNTING OPTIONS SEE PAGE 19. (LFX MOUNTING OPTIONS COMPATIBLE WITH LFXE-LG & LFXE-XL, LFXPRO, LFX, LF4PRO, LFXMAX)

FOR COLD-WEATHER EXTERNAL EM OPTION SEE PAGE 221



LFX-LG
Dark Bronze

LFX-XL
Dark Bronze

LFX-XXL
Dark Bronze

SPEC SERIES POWER-ADJUSTABLE FLOOD/AREA LIGHT, PHOTOCELL READY, TYPE 3 LENS



ARRIVES THIS SEASON
CHECK & PRE-ORDER

CATALOG NO.	DESCRIPTION	PKG. QTY.
-------------	-------------	-----------

SPEC SERIES POWER-ADJUSTABLE FLOOD/AREA LIGHT, PHOTOCELL READY, 120-277V



LFX-LG-50-150W-30K-SC	50W/80W/100W/150W	140LM/W	3000K	1
LFX-LG-50-150W-40K-SC	50W/80W/100W/150W	140LM/W	4000K	1
LFX-LG-50-150W-50K-SC	50W/80W/100W/150W	140LM/W	5000K	1
LFX-XL-150-300W-30K-SC	150W/200W/240W/300W	145LM/W	3000K	1
LFX-XL-150-300W-40K-SC	150W/200W/240W/300W	145LM/W	4000K	1
LFX-XL-150-300W-50K-SC	150W/200W/240W/300W	145LM/W	5000K	1
LFX-XXL-300-600W-50K-SC	300W/400W/500W/600W	140LM/W	5000K	1

SPEC SERIES POWER-ADJUSTABLE FLOOD/AREA LIGHT, PHOTOCELL READY, 480V



LFX-LG-80-150W-MCTP-480V-SC	80W/100W/150W	145LM/W	30K/40K/50K	1
LFX-XL-200-300W-MCTP-480V-SC	200W/240W/300W	145LM/W	30K/40K/50K	1
LFX-XXL-300-600W-50K-480V-SC	300W/400W/500W/600W	140LM/W	5000K	1

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
LFX-LG	OPT-EM-LFX-LG	EXTERNAL	OPT-3MPC	ELECTRONIC	OPT-CLR-95(BK/GR/SR/WH)	OPT-SEN-3MR-3	PROGRAMMABLE MICRO-WAVE BI-LEVEL
LFX-XL	OPT-EM-LFX-XL	EXTERNAL BOX	OPT-LF3-PCK	TWIST-LOCK	OPT-CLR-MC	WEC-8RC	REMOTE CONTROL
	LENS OPTION	DESCRIPTION	OPT-LF3-PCK-480V	TWIST-LOCK	OPT-CLR-MC		
	OPT-LFX-LG-TYPEIV	TYPE IV	WIRES PULLED OUT	DESCRIPTION	(260 SET UP FEE PER PROJECT)		
	OPT-LFX-XL-TYPEIV	TYPE IV	OPT-010WPO	0-10V Dim. Wires Pulled Out			
	OPT-LFX-LG-TYPEV	TYPE V					
	OPT-LFX-XL-TYPEV	TYPE V					



LFXPRO-LG
Dark Bronze



LFXPRO-LG
White



LFXPRO-LG
Black



LFXPRO-XL
Dark Bronze



LFXPRO-XL
White



LFXPRO-XL
Black

SPEC PLUS POWER & CCT ADJUSTABLE FLOOD/AREA LIGHT, 120-277V TYPE 3 LENS



CATALOG NO.	DESCRIPTION	PKG. QTY.
-------------	-------------	-----------

LFXPRO-LG-50-150W-MCTP	50W/80W/100W/150W	125LM/W	30K/40K/50K/57K	1
LFXPRO-LG-50-150W-MCTP-WH	50W/80W/100W/150W	125LM/W	30K/40K/50K/57K	1
LFXPRO-LG-50-150W-MCTP-BK	50W/80W/100W/150W	125LM/W	30K/40K/50K/57K	1
LFXPRO-XL-150-300W-MCTP	150W/200W/240W/300W	125LM/W	30K/40K/50K/57K	1
LFXPRO-XL-150-300W-MCTP-WH	150W/200W/240W/300W	125LM/W	30K/40K/50K/57K	1
LFXPRO-XL-150-300W-MCTP-BK	150W/200W/240W/300W	125LM/W	30K/40K/50K/57K	1

FOR OPT OPTION SEE PAGE 16.

FOR MOUNTING OPTIONS SEE PAGE 19. (LFX MOUNTING OPTIONS COMPATIBLE WITH LFXE-LG & LFXE-XL, LFXPRO, LFX, LF4PRO, LFXMAX)

FOR COLD-WEATHER L EM OPTION SEE PAGE 221





Photocell & Sensor-Ready
Plug & Play

LFXMAX SPEC SIGNATURE MAXIMUM-FEATURE AREA/FLOOD LIGHT, SENSOR & PHOTOCELL READY, ROTATABLE LENS - TYPE 3 STANDARD



CATALOG NO.	DESCRIPTION	PKG. QTY.
LFXMAX-LG-70-150W-MCTP-PSR	70W/100W/150W 145LM/W 30K/40K/50K	1
LFXMAX-XL-200-300W-MCTP-PSR	200W/250W/300W 145LM/W 30K/40K/50K	1
LFXMAX-LG-70-150W-MCTP-PSR-480V	70W/100W/150W 145LM/W 30K/40K/50K	1
LFXMAX-XL-200-300W-MCTP-PSR-480V	200W/250W/300W 145LM/W 30K/40K/50K	1
LFXMAX-TR-A	LFMAX-LG TR U-Shaped Mounting Bracket	
LFXMAX-LG-SHROUD-H	LFMAX-LG Half Shroud	
LFXMAX-XL-SHROUD-H	LFMAX-XI Half Shroud	
FIELD-INSTALLED REPLACEMENT SNAP-IN LENSES FOR DISTRIBUTIONS		
LFXMAX-LG-LENS-T1S	LFMAX-LG Type T1S Lens	
LFXMAX-LG-LENS-T2M	LFMAX-LG Type T2M Lens	
LFXMAX-LG-LENS-T4M	LFMAX-LG Type T4M Lens	
LFXMAX-LG-LENS-T5M	LFMAX-LG Type T5M Lens	
LFXMAX-LG-LENS-TFTM	LFMAX-LG Type TFTM Lens	
LFXMAX-LG-LENS-AFR	LFMAX-LG Type AFR Lens	
LFXMAX-LG-LENS-T5W	LFMAX-LG Type T5W Lens	
LFXMAX-XL-LENS-T1S	LFMAX-XI Type T1S Lens	
LFXMAX-XL-LENS-T2M	LFMAX-XI Type T2M Lens	
LFXMAX-XL-LENS-T4M	LFMAX-XI Type T4M Lens	
LFXMAX-XL-LENS-T5M	LFMAX-XI Type T5M Lens	
LFXMAX-XL-LENS-TFTM	LFMAX-XI Type TFTM Lens	
LFXMAX-XL-LENS-AFR	LFMAX-XI Type AFR Lens	
LFXMAX-XL-LENS-T5W	LFMAX-XI Type T5W Lens	
PHOTOCELL & SENSOR ACCESSORIES FOR LFXMAX SERIES		
PC-TWIST	Twist Lock Photocell 1800W Tungston 120-277V Ac /1800W	
PC-TWIST-480V	Twist Lock Photocell 1800W Tungston 490V	
WEC-3PR-78-AJ-WH	PIR Sensor 1-Pin Audio Jack Contact 600W 40Ft 120-277V 0-10V Bi-Level & RC (Optional RC)	
WEC-3RC		
WEC-3PBT-78-AJ-WH	PIR Sensor 1-Pin Audio Jack Contact 600W 40Ft 120-277V 0-10V Bi-Level Bluetooth App Ready	



FOR COLD-WEATHER EM OPTION SEE PAGE 221

FOR OPT OPTION SEE PAGE 16.

FOR MOUNTING OPTIONS SEE PAGE 19. (LFX MOUNTING OPTIONS COMPATIBLE WITH LFXE-LG & LFXE-XL, LFXPRO, LFX, LF4PRO, LFXMAX)



LF4PRO
Dark Bronze



Shown with
LFX-SF Slip Fitter

SPEC SERIES POWER & CCT ADJUSTABLE ARCHITECTURAL ROUND-BACK FLOOD LIGHT, 120-277V



CATALOG NO.	DESCRIPTION	PKG. QTY.
LF4PRO-50-150W-MCTP	50W/80W/100W/150W 125LM/W 30K/40K/50K/57K	1

FOR COLD-WEATHER EM OPTION SEE PAGE 221
FOR OPT OPTION SEE PAGE 16.
FOR MOUNTING OPTIONS SEE PAGE 19 (LFX MOUNTING OPTIONS COMPATIBLE WITH LFXE-LG & LFXE-XL, LFXPRO, LFX, LF4PRO, LFXMAX)



LF4MAX SPEC SIGNATURE MAXIMUM-FEATURE ROUND-BACK FLOOD LIGHT WITH U BRACKET
FULL CONTROL OF BEAM ANGLE, CCT, WATTS, PHOTOCELL



CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER			PKG. QTY.
LF4MAX-SM-15-35W-MCTPB-TR-P	15W/25W/35W	140LM/W	30K/40K/50K	Bronze	1
LF4MAX-MD-20-50W-MCTPB-TR-P	20W/30W/50W	140LM/W	30K/40K/50K	Bronze	1
LF4MAX-MD-45-80W-MCTPB-TR-P	45W/60W/80W	140LM/W	30K/40K/50K	Bronze	1
LF4MAX-LG-75-150W-MCTPB-TR-P	75W/100W/150W	140LM/W	30K/40K/50K	Bronze	1
LF4MAX-XL-200-300W-MCTPB-TR-P	200W/240W/300W	140LM/W	30K/40K/50K	Bronze	1



LF4MAX-KN
Bronze



LF4MAX-KN-BK
Black



LF4MAX-KN-WH
White



Architectural Round-Back
Design

LF4MAX SPEC SIGNATURE MAXIMUM-FEATURE ROUND-BACK FLOOD LIGHT WITH KNUCKLE
FULL CONTROL OF BEAM ANGLE, CCT, WATTS, PHOTOCELL



CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER			PKG. QTY.
LF4MAX-SM-15-35W-MCTPB-KN-P	15W/25W/35W	140LM/W	30K/40K/50K	Bronze	1
LF4MAX-SM-15-35W-MCTPB-KN-P-BK	15W/25W/35W	140LM/W	30K/40K/50K	Black	1
LF4MAX-SM-15-35W-MCTPB-KN-P-WH	15W/25W/35W	140LM/W	30K/40K/50K	White	1
LF4MAX-MD-20-50W-MCTPB-KN-P	20W/30W/50W	140LM/W	30K/40K/50K	Bronze	1
LF4MAX-MD-20-50W-MCTPB-KN-P-BK	20W/30W/50W	140LM/W	30K/40K/50K	Black	1
LF4MAX-MD-20-50W-MCTPB-KN-P-WH	20W/30W/50W	140LM/W	30K/40K/50K	White	1
LF4MAX-MD-45-80W-MCTPB-KN-P	45W/60W/80W	140LM/W	30K/40K/50K	Bronze	1
LF4MAX-MD-45-80W-MCTPB-KN-P-BK	45W/60W/80W	140LM/W	30K/40K/50K	Black	1
LF4MAX-MD-45-80W-MCTPB-KN-P-WH	45W/60W/80W	140LM/W	30K/40K/50K	White	1
LF4MAX-LG-75-150W-MCTPB-P	75W/100W/150W	140LM/W	30K/40K/50K	Bronze	1
LF4MAX-LG-75-150W-MCTPB-P-BK	75W/100W/150W	140LM/W	30K/40K/50K	Black	1
LF4MAX-LG-75-150W-MCTPB-P-WH	75W/100W/150W	140LM/W	30K/40K/50K	White	1
LF4MAX-XL-200-300W-MCTPB-P	200W/240W/300W	140LM/W	30K/40K/50K	Bronze	1
LF4MAX-XL-200-300W-MCTPB-P-BK	200W/240W/300W	140LM/W	30K/40K/50K	Black	1
LF4MAX-XL-200-300W-MCTPB-P-WH	200W/240W/300W	140LM/W	30K/40K/50K	White	1



GPX-18-60W-MCTP-PWM
Pole/Wall Mount



GPX-18-60W-MCTP-SF
Slip fitter for 2-3/8" Pole
"POLE IS NOT INCL."



SPEC SERIES POWER & CCT- ADJUSTABLE AREA/FLOOD LIGHT

W/ PRE-INSTALLED MOUNTINGS, 120-277V, TYPE 5 LENS 7 DAYS LEAD TIME



DESCRIPTION	MOUNTING	PKG. QTY.
GPX-18-60W-MCTP-PWM 18W/30W/45W/60W 150LM/W 30K/40K/50K Pole/Wall Mount		1
GPX-18-60W-MCTP-SF 18W/30W/45W/60W 150LM/W 30K/40K/50K Slip fitter for 2-3/8" Poles/Piles		1

FOR GPX OPTIONS & ACCESSORIES SEE PAGE 54.

MOUNTING OPTIONS FOR LFX, LFXPRO, LF4PRO, LFXE, LFXMAX SERIES



LFX-SF (Bronze)

LFX-SF-WH (White)

LFX-SF-BK (Black)

Slip Fitter for LFX & LFX-XXL & LFXPRO & LFXMAX & LF4PRO & LFXE Series



LFX-EXT (Bronze)

LFX-EXT-WH (White)

LFX-EXT-BK (Black)

Straight Arm for LFX & LFX-XXL & LFXPRO & LFXMAX & LF4PRO & LFXE Series



LFX-ASA (Bronze)

LFX-ASA-WH (White)

LFX-ASA-BK (Black)

Adjustable Straight Arm for LFX & LFX-XXL & LFXPRO & LFXMAX & LF4PRO & LFXE Series



LFX-AWB (Bronze)

LFX-AWB-WH (White)

LFX-AWB-BK (Black)

Adjustable Wall Junction Box for LFX & LFX-XXL & LFXMAX & LFXPRO & LF4PRO & LFXE Series



LFX-YK (Bronze)

LFX-YK-WH (White)

LFX-YK-BK (Black)

Yoke for LFX & LFX-XXL & LFXPRO & LFXMAX & LF4PRO & LFXE Series



LFX-TR-A (Bronze)

LFX-TR-A-WH (White)

LFX-TR-A-BK (Black)

U Bracket for LFX & LFXPRO "LG" & LF4PRO & LFXE Series



LFX-TR-B (Bronze)

LFX-TR-B-WH (White)

LFX-TR-B-BK (Black)

U Bracket for LFX "XL" & LFX-XXL & LFXPRO "XL" & LFXE Series



LFX-PASF (Bronze)

LFX-PASF-WH (White)

LFX-PASF-BK (Black)

Pole Adapter for Slip Fitter for LFX & LFX-XXL & LFXMAX & LFXPRO & LF4PRO & LFXE Series

OUTDOOR AREA LIGHTS

PHOTOCELL FOR LFX SERIES

Microwave Photocell



OPT-3MPC

Twist-Lock Photocell Kit



OPT-LF3-PCK

OPT-LF3-PCK-480V

PHOTOCELL FOR LFXE SERIES



OPT-3MPC
COMPATIBLE WITH
EXT, ASA, SF MOUNTING

7-PIN SOCKET FOR SMART CONTROL RECEIVERS

RECEIVER NOT INCL.

SMART CONTROL RECEIVER SOCKET



OPT-TLS0C7P



LF-SHROUD-A
Dark Bronze
Reversible



LF-SHROUD-D
Dark Bronze



LF-SHROUD-B
Dark Bronze
Reversible



LF-SHROUD-E
Dark Bronze



LF-SHROUD-F
Dark Bronze



LF-SHROUD-G
Dark Bronze



LFX-WG-A
LFX-WG-B
LFXPRO-WG-A
LFXPRO-WG-B

SHROUD & WIRE GUARD FOR LFX, LFX PRO, LF4 PRO SERIES

CATALOG NO.	DESCRIPTION
LF-SHROUD-A	Half Shroud for LFX & LFXPRO "LG" & LF4PRO Series, Reversible (Back or Front)
LF-SHROUD-B	Half Shroud for LFX & LFXPRO "XL" Series, Reversible (Back or Front)
LF-SHROUD-F	Half Shroud for LFX "XXL" Series
LF-SHROUD-D	Full Shroud for LFX & LFXPRO "LG" & LF4PRO Series
LF-SHROUD-E	Full Shroud for LFX & LFXPRO "XL" Series
LF-SHROUD-G	Full Shroud for LFX "XXL" Series
LFX-WG-A	Wire Guard for LFX "LG" Series
LFX-WG-B	Wire Guard for LFX "XL" Series
LFXPRO-WG-A	Wire Guard for LFXPRO "LG" Series
LFXPRO-WG-B	Wire Guard for LFXPRO "XL" Series



LFE-15W
Dark Bronze



LFE-30W
Dark Bronze



LFE-50W
Dark Bronze



BUILDER SERIES COMPACT FLOOD LIGHTS, INCL. 3CCT VERSIONS WITH 1/2" KNUCKLE, 120V



CATALOG NO.	DESCRIPTION	PKG. QTY.
LFE-15W-30K-KN	15W 1600LM 3000K	48
LFE-15W-40K-KN	15W 1600LM 4000K	48
LFE-15W-50K-KN	15W 1600LM 5000K	48
3CCT VERSION COMPACT FLOOD LIGHTS MCT		
LFE-30W-MCT-KN	30W 3250LM 30K/40K/50K	24
LFE-50W-MCT-KN	50W 5250LM 30K/40K/50K	16
3CCT VERSION COMPACT FLOOD LIGHTS WITH MCT		
LFE-15W-MCT-KN-P	15W 1600LM 30K/40K/50K	48
LFE-30W-MCT-KN-P	30W 3250LM 30K/40K/50K	24
LFE-50W-MCT-KN-P	50W 5250LM 30K/40K/50K	16



LFX-XS
Dark Bronze



LFX-SM
Dark Bronze



LFX-SM
White



LFX-SM
Black



LFX-SM
Silver



LFX-MD
Dark Bronze



LFX-MD
White



LFX-MD
Black



LFX-MD
Silver

SPEC SERIES X-GEN. SMALL FLOOD LIGHTS

0-10V DIM., INCL. MULTI POWER & MULTI POWER + 3CCT (WITH KNUCKLE) 120-277V



CATALOG NO.	DESCRIPTION	PKG. QTY.
EXTRA SMALL FLOOD LIGHT		
LFX-XS-15W-30K-KN	15W 1950LM 3000K	18
LFX-XS-15W-40K-KN	15W 1950LM 4000K	18
LFX-XS-15W-50K-KN	15W 1950LM 5000K	18
POWER-ADJUSTABLE SMALL FLOOD LIGHT MP		
LFX-SM-10-30W-30K-KN	10W/15W/20W/30W 130LM/W 3000K	10
LFX-SM-10-30W-40K-KN	10W/15W/20W/30W 130LM/W 4000K	10
LFX-SM-10-30W-50K-KN	10W/15W/20W/30W 130LM/W 5000K	10
LFX-MD-15-50W-30K-KN	15W/20W/30W/50W 130LM/W 3000K	6
LFX-MD-15-50W-40K-KN	15W/20W/30W/50W 130LM/W 4000K	6
LFX-MD-15-50W-50K-KN	15W/20W/30W/50W 130LM/W 5000K	6
POWER & CCT-ADJUSTABLE SMALL FLOOD LIGHT MCTP		
LFX-SM-10-30W-MCTP-KN	10W/15W/20W/30W 130LM/W 30K/40K/50K/57K	6
LFX-SM-10-30W-MCTP-KN-WH	10W/15W/20W/30W 130LM/W 30K/40K/50K/57K	6
LFX-SM-10-30W-MCTP-KN-BK	10W/15W/20W/30W 130LM/W 30K/40K/50K/57K	6
LFX-SM-10-30W-MCTP-KN-SV	10W/15W/20W/30W 130LM/W 30K/40K/50K/57K	6
LFX-MD-15-50W-MCTP-KN	15W/20W/30W/50W 130LM/W 30K/40K/50K/57K	6
LFX-MD-15-50W-MCTP-KN-WH	15W/20W/30W/50W 130LM/W 30K/40K/50K/57K	6
LFX-MD-15-50W-MCTP-KN-BK	15W/20W/30W/50W 130LM/W 30K/40K/50K/57K	6
LFX-MD-15-50W-MCTP-KN-SV	15W/20W/30W/50W 130LM/W 30K/40K/50K/57K	6

OUTDOOR
FLOOD LIGHTS

LED FLOOD LIGHTS LF3 SERIES WITH KNUCKLE, 120-277V (NOT DIMMABLE)



CATALOG NO.	DESCRIPTION	REPLACEMENT RANGE	PKG. QTY.
LF3-50NW-KN	50W 6100LM 4000K Bronze	100-175 MH	6



LED FLOOD LIGHTS LF3 SERIES, 120-277V (1-10V DIMMABLE)

Dark Bronze



CATALOG NO.	DESCRIPTION	REPLACEMENT RANGE	PKG. QTY.
LF3-HL-30W-40K-D-KN	30W 3600LM 4000K 0-10V dimming	70-100 MH	1
LF3-HL-50W-30K-D-KN	50W 6100LM 3000K 0-10V dimming	100-175 MH	1
LF3-HL-50W-40K-D-KN	50W 6100LM 4000K 0-10V dimming	100-175 MH	1



LF4-15W-50K-KN
LF4-15W-30K-KN
Dark Bronze



LF4-30W-50K-D-KN
LF4-30W-30K-D-KN
Dark Bronze



LF4-50W-50K-D-KN
LF4-50W-30K-D-KN
Dark Bronze

SPEC SERIES LED ARCHITECTURAL ROUND-BACK FLOOD LIGHTS, 0-10V DIMMING 120-277V



CATALOG NO.	DESCRIPTION	PKG. QTY.
LF4-15W-50K-KN	15W 1900LM 5000K	12
LF4-15W-30K-KN	15W 1900LM 3000K	12
LF4-30W-50K-D-KN	30W 4050LM 5000K	6
LF4-30W-30K-D-KN	30W 4050LM 3000K	6
LF4-50W-50K-D-KN	50W 6750LM 5000K	6
LF4-50W-30K-D-KN	50W 6750LM 3000K	6

LED ARCHITECTURAL ROUND-BACK FLOOD LIGHTS, 120V-277V



CATALOG NO.	DESCRIPTION	REPLACEMENT RANGE	PKG. QTY.
LF4-12CW-KN	12W 1300LM 5000K	50-70 MH	12



LF4 with Half Shroud



LF3-HL with Half Shroud



LF4 with Full-Glare Shroud



LF3-HL with Full-Glare Shroud

SHROUD FOR LFX, LF3 & LF4 SMALL SERIES

CATALOG NO.	DESCRIPTION
LF4-SH1	Fits LF4-12W & 15W, LF4-12V-6W & 12W (Polycarbonate)
LF4-SH2	Fits LF4-30W, LF4-12V-24W & 30W (Polycarbonate)
LF4-SH3	Fits LF4-50W, LF4-12V-50W (Polycarbonate)
LF4-SH4	Fits LF4-80W & 100W, (Aluminum)
LF4-SH5	Fits LF4-150W (Aluminum)
LF3-SH1	Shroud for LFX-SM* & LF3-30W & LF3-HL-30W, Reversible, Aluminum
LF3-SH2	Shroud for LFX-SM-MCTP & LFX-MD & LF3-50W & LF3-HL-50W, Reversible, Aluminum
LF3-SH1FG	Full-Glare Shroud for LF3-30W & LF3-HL-30W & LF4-12W & LF4-30W, Aluminum
LF3-SH2FG	Full-Glare Shroud for LF3-50W & LF3-HL-50W & LF4-50W, Aluminum

OUTDOOR FLOOD LIGHTS



LFE-15W-30K-TR
LFE-15W-40K-TR
LFE-15W-50K-TR
Dark Bronze



LFE-15W-MCT-TR
LFE-30W-MCT-TR
Dark Bronze



LFE-50W-MCT-TR
Dark Bronze

BUILDER SERIES COMPACT FLOOD LIGHTS, INCL. 3CCT VERSIONS WITH U BRACKET, 120V



CATALOG NO.	DESCRIPTION	PKG. QTY.
LFE-15W-30K-TR	15W 1600LM 3000K	48
LFE-15W-40K-TR	15W 1600LM 4000K	48
LFE-15W-50K-TR	15W 1600LM 5000K	48
3CCT VERSION COMPACT FLOOD LIGHTS		
LFE-15W-MCT-TR	15W 1600LM 3000K/4000K/5000K	48
LFE-30W-MCT-TR	30W 3250LM 3000K/4000K/5000K	24
LFE-50W-MCT-TR	50W 5250LM 3000K/4000K/5000K	16
3CCT VERSION COMPACT FLOOD LIGHTS WITH U BRACKET		
LFE-15W-MCT-TR-P	15W 1600LM 3000K/4000K/5000K	48
LFE-30W-MCT-TR-P	30W 3250LM 3000K/4000K/5000K	24
LFE-50W-MCT-TR-P	50W 5250LM 3000K/4000K/5000K	16

**ARRIVES THIS SEASON
CHECK & PRE-ORDER**



LFX-XS
Dark Bronze



LFX-SM
Dark Bronze



LFX-MD
Dark Bronze

SPEC SERIES X-GEN. SMALL FLOOD LIGHTS

0-10V DIM., INCL. MULTI POWER & MULTI POWER + 3CCT (WITH U BRACKET) 120-277V



CATALOG NO.	DESCRIPTION	PKG. QTY.
EXTRA SMALL FLOOD LIGHT		
LFX-XS-15W-30K-TR	15W 1950LM 3000K	18
LFX-XS-15W-40K-TR	15W 1950LM 4000K	18
LFX-XS-15W-50K-TR	15W 1950LM 5000K	18
POWER-ADJUSTABLE SMALL FLOOD LIGHT		
LFX-SM-10-30W-30K-TR	10W/15W/20W/30W 130LM/W 3000K	10
LFX-SM-10-30W-50K-TR	10W/15W/20W/30W 130LM/W 5000K	10
LFX-MD-15-50W-30K-TR	15W/20W/30W/50W 130LM/W 3000K	10
LFX-MD-15-50W-50K-TR	15W/20W/30W/50W 130LM/W 5000K	10
POWER & CCT-ADJUSTABLE SMALL FLOOD LIGHT		
LFX-SM-10-30W-MCTP-TR	10W/15W/20W/30W 130LM/W 30K/40K/50K/57K	6
LFX-MD-15-50W-MCTP-TR	15W/20W/30W/50W 130LM/W 30K/40K/50K/57K	6

LED FLOOD LIGHTS LF3 SERIES WITH U BRACKET, 120-277V (NOT DIMMABLE)



CATALOG NO.	DESCRIPTION	WHILE SUPPLIES LAST	REPLACEMENT RANGE	PKG. QTY.
LF3-15NW-TR	15W 1700LM 4000K		50-70 MH	18
LF3-WH-30WW-TR	30W 3600LM 3000K White		70-100 MH	10
LF3-30NW-TR	30W 3600LM 4000K		70-100 MH	10
LF3-50NW-TR	50W 6100LM 4000K		100-175 MH	6

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
LFX-MD-KN & LFX-MD-TR	N/A	N/A	OPT-PC-BUM	BUTTON	N/A	N/A	N/A

OUTDOOR
FLOOD LIGHTS



LFE-80W-MCT-D
LFE-100W-MCT-D
Dark Bronze



Shown with
1/2in knuckle mounting option,
fits 80w and larger



Shown with
slip fitter mounting option,
fits 80w and larger



Shown with
bottom bracket mounting
option, fits 80w and larger

COMPACT FLOOD LIGHTS
3CCT VERSIONS, 120~277V, MOUNTING OPT. SOLD SEPARATELY



CATALOG NO.	DESCRIPTION	PKG. QTY.
LFE-80W-MCT-D	80W 10500LM 3000K/4000K/5000K	1
LFE-100W-MCT-D	100W 13000LM 3000K/4000K/5000K	1
LFE-KN	LFE 1/2in knuckle mounting option, fits 80w and larger	
LFE-SF	LFE slip fitter mounting option, fits 80w and larger	
LFE-YK	LFE bottom bracket mounting option, fits 80w and larger	



LF4PRO
Dark Bronze



Shown with
LFX-SF Slip Fitter

SPEC SERIES POWER & CCT ADJUSTABLE
ARCHITECTURAL ROUND-BACK FLOOD LIGHT, 120-277V



CATALOG NO.	DESCRIPTION	PKG. QTY.
LF4PRO-50-150W-MCTP	50W/80W/100W/150W 125LM/W 30K/40K/50K/57K	1

FOR MOUNTING OPTIONS SEE PAGE 19. (LFX MOUNTING OPTIONS COMPATIBLE WITH LFXE-LG & LFXE-XL, LFXPRO, LFX, LF4PRO, LFXMAX)



LFCO-50W-50K
Dark Bronze



LFCO-SA
Straight Arm



LFCO-SF
Slip Fitter



LFCO-TRI
(For 50W, 80W, 100W, 150W)
"U" Bracket

ECONOMY FLOOD/AREA LIGHT SERIES TYPE 3 LENSES

Dark Bronze



CATALOG NO.	DESCRIPTION	PKG. QTY.
LFCO-50W-40K	50W 6900LM 4000K	1

WHILE SUPPLIES LAST



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
UP TO 230W 300W	OPT-EM-0D2EXT OPT-EM-0D2EXT	EXTERNAL BOX EXTERNAL	OPT-3MPC OPT-010WPO	ELECTRONIC 0-10V Dim. Wires Pulled Out	OPT-CLR-95(BK/GR/ SR/WHJ (300W Only)	OPT-SEN-3MR-3 WEC-8RC	PROGRAMMABLE MI- CROWAVE BI-LEVEL REMOTE CONTROL



PSS3SVTZ
PSS4SVTZ
PSS5SVTZ
Dark Bronze

PRPT3
PRPT4
PRPT5
Dark Bronze

PSR4
Dark Bronze

LF-AD-SF
Dark Bronze

LF-AD-KNU
Dark Bronze

PSS4C
Dark Bronze

PSS3R
Dark Bronze

POLE/ADAPTER ACCESSORIES, BRONZE FINISH

CATALOG NO.	DESCRIPTION
PSS3SVTZ	3" square pole vertical tenon, 3", bronze. Goes inside 3" pole to accept 2" slip fitter.
PSS4SVTZ	4" square pole vertical tenon, 4", bronze. Goes inside 4" pole to accept 2" slip fitter.
PSS5SVTZ	5" square pole vertical tenon, 5", bronze. Goes inside 5" pole to accept 2" slip fitter.
PRPT3	Tenon adaptor, 3" round pole, to standard tenon, bronze
PRPT4	Tenon adaptor, 4" round pole, to standard tenon, bronze
PRPT5	Tenon adaptor, 5" round pole, to standard tenon, bronze
PSR4	Round to Square Adapter kit for 3", 4" and 5" round poles Separate gasket provided for each size pole.
LF-AD-SF	Slip onto pole top 2" Dim. fixture mounts directly on the side or top of the fixture
LF-AD-KNU	Fits over a standard tenon or bullhorn to adapt it to a 1/2" NPT threaded hub for knuckle fixtures
PSS4C	Pole cap polycarbonate
PSS3R	3" Center Bullhorn replacement cap



LF3-WMA
Dark Bronze

LFX-PASF
Dark Bronze

ACC-WM2
Dark Bronze

ACC-WM3
Dark Bronze

ACC-WM4
Dark Bronze

ACC-ACM
Dark Bronze

ACC-WMA

ACC-AWMA-GR
Grey

ACC-AWMA-BK
Black

ACC-AWMA-BR
Dark Bronze

ACC-WPM20
Dark Bronze

WALL MOUNT ACCESSORIES

CATALOG NO.	DESCRIPTION
LF3-WMA	Wall mount plate bronze
LFX-PASF	Pole Adapter for Slip Fitter for LFX & LFX-XXL & LFXMAX & LFXPRO & LF4PRO Series, bronze
LFX-PASF-WH	Pole Adapter for Slip Fitter for LFX & LFX-XXL & LFXMAX & LFXPRO & LF4PRO Series, white
LFX-PASF-BK	Pole Adapter for Slip Fitter for LFX & LFX-XXL & LFXMAX & LFXPRO & LF4PRO Series, black
ACC-WM2	Wall mount bracket 90° curve bronze with 2" tenon to be used with Westgate slip fitter fixtures(-SF)
ACC-WM3	Wall mount bracket 90° bronze with 2" tenon to be used with Westgate slip fitter fixtures(-SF)
ACC-WM4	Wall mount bracket bronze with 2" tenon to be used with Westgate slip fitter fixtures (-SF)
ACC-ACM	Angled Wall Mount Arm, 2-3/8In Dia., Bronze
ACC-WMA-30-WH	Flood Light Wall-Mount- ing Arm 30", White
ACC-WMA-24-WH	Flood Light Wall-Mount- ing Arm 24", White
ACC-WMA-18-WH	Flood Light Wall-Mount- ing Arm 18", White
ACC-WMA-30-BR	Flood Light Wall-Mount- ing Arm 30", Bronze
ACC-WMA-24-BR	Flood Light Wall-Mount- ing Arm 24", Bronze
ACC-WMA-18-BR	Flood Light Wall-Mount- ing Arm 18", Bronze
ACC-WMA-30-BK	Flood Light Wall-Mount- ing Arm 30", Black
ACC-WMA-24-BK	Flood Light Wall-Mount- ing Arm 24", Black
ACC-WMA-18-BK	Flood Light Wall-Mount- ing Arm 18", Black
ACC-AWMA-BR	Architectural Wall Mount Arm For Post Top Lights, 2-3/8In Dia., Bronze
ACC-AWMA-BK	Architectural Wall Mount Arm For Post Top Lights, 2-3/8In Dia., Black
ACC-AWMA-GR	Architectural Wall Mount Arm For Post Top Lights, 2-3/8In Dia., Grey
ACC-WPM20	20In Wall And Pole Mounting Arm For Flood Lights With A Slip Fitter



PT2-180-R
Dark Bronze




PT3-120
Dark Bronze



PT2-180-S
Dark Bronze



PT4-090
Dark Bronze



PT3-180
Dark Bronze



PT4-180
Dark Bronze

BULLHORNS ACCESSORIES, BRONZE FINISH

CATALOG NO. DESCRIPTION


- PT2-180-R** Double in-line at 180°, 1'(H), 3' between centers
- PT2-180-S** Square Pole Base Double in-line at 180°, 1'(H), 3' between centers, slips into 4" pole
- PT3-120** Triple at 120°, 1' (H), 3'-5" between centers, slips on 2-3/8" tenon
- PT3-180** Double in-line at 180°, 1'(H), 2'-7" between centers, slips on 2-3/8" pole
- PT4-090** Quad at 90° 1'(H), 2'-10" between centers, slips on 2-3/8" tenon
- PT4-180** Quad in-line at 180° 1(H), 2'-7", between centers, slips on 2-3/8" pole



PTA-190
Dark Bronze




PTA-290
Dark Bronze



PTA-2180
Dark Bronze



PTA-390
Dark Bronze



PTA-3120
Dark Bronze



PTA-490
Dark Bronze

BULLHORNS ACCESSORIES, BRONZE FINISH

CATALOG NO. DESCRIPTION

- PTA-190** 90 degree round pole tenon adapter for 1 fixture, slips into 2-3/8" pole
- PTA-290** 90 degree round pole tenon adapter for 2 fixture, slips into 2-3/8" pole
- PTA-2180** 180 degree round pole tenon adapter for 2 fixture, slips into 2-3/8" pole
- PTA-390** 90 degree round pole tenon adapter for 3 fixture, slips into 2-3/8" pole
- PTA-3120** 120 degree round pole tenon adapter for 3 fixture, slips into 2-3/8" pole
- PTA-490** 90 degree round pole tenon adapter for 4 fixture, slips into 2-3/8" pole



PSS4L1HTZ
Dark Bronze



PSS4T180HTZ
Dark Bronze



PSS4T90HTZ
Dark Bronze




PSS4TR90HTZ
Dark Bronze




PSS4Q90HTZ
Dark Bronze



PSS4Q90VTZ
Dark Bronze



PSS4TVTZ
Dark Bronze



PSS4TRVTZ
Dark Bronze

TENONS ACCESSORIES, BRONZE FINISH

CATALOG NO. DESCRIPTION

- PSS4L1HTZ** Square (single) horizontal tenon, bronze. goes inside 4" pole. No adaptor needed
- PSS4T180HTZ** Square (twin) horizontal tenon, 180°, bronze. goes inside 4" pole. No adaptor needed
- PSS4TR90HTZ** Square (triple) horizontal tenon, 90°, bronze. goes inside 4" pole. No adaptor needed
- PSS4T90HTZ** Square (twin) horizontal tenon, 90°, bronze. goes inside 4" pole. No adaptor needed
- PSS4Q90HTZ** Square (quad) horizontal tenon, 90°, bronze. Slips on 4" pole. (fits inside pole top)
- PSS4Q90VTZ** 4" 90° quad square vertical tenon. (fits inside pole top)
- PSS4TVTZ** Twin square vertical tenon for 4" square pole. Two 2-3/8" vertical tenons. (fits inside pole top)
- PSS4TRVTZ** Triple square vertical tenon for 4" square pole. Three 2-3/8" vertical tenons. (fits inside pole top)

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER



TYPE	CATALOG NO.	PAINT
WALL MOUNT/POLE/ADAPTER	LF3-WMA, ACC-WM2, ACC-WM3, ACC-WM4, PSS3SVTZ, PSS4SVTZ, PSS5SVTZ, PRPT3, PRPT4, PRPT5, PSR4, LF-AD-KNU, PSS4C	OPT-CLR-35(BK/GR/SR/WH)
BULLHORNS	PTA-190, PTA-290, PTA-2180, PTA-390, PTA-3120, PTA-490	OPT-CLR-35(BK/GR/SR/WH)
BULLHORNS	PT2-180-R, PT2-180-S, PT2-180, PT3-120, PT4-090, PT4-180	OPT-CLR-60(BK/GR/SR/WH)
TENONS	PSS4T180HTZ, PSS4T90HTZ, PSS4TR90HTZ, PSS4Q90HTZ	OPT-CLR-40(BK/GR/SR/WH)
TENONS	PSS4Q90VTZ, PSS4TVTZ, PSS4TRVTZ	OPT-CLR-75(BK/GR/SR/WH)



Can be used as **SIGN LIGHT**
Shown with ACC-WMA-30-BR
(See page 24)

Shown with optional
FLDVX-FS Flat Shroud



SPEC SERIES LED X-GEN BULLET FLOOD LIGHTS WITH LONG SHROUDS, 120-277V

CATALOG NO.	DESCRIPTION	PKG. QTY.
-------------	-------------	-----------

SPEC SERIES LED X-GEN BULLET FLOOD LIGHTS WITH LONG SHROUDS

FLDX-SM-15W-30K-BR	15w 1800LM 3000K	60°, Bronze	12
FLDX-SM-15W-30K-BK	15w 1800LM 3000K	60°, Black	12
FLDX-SM-15W-40K-BR	15w 1800LM 4000K	60°, Bronze	12
FLDX-SM-15W-40K-BK	15w 1800LM 4000K	60°, Black	12
FLDX-SM-15W-50K-BR	15w 1800LM 5000K	60°, Bronze	12
FLDX-SM-15W-50K-BK	15w 1800LM 5000K	60°, Black	12

POWER ADJUSTABLE SPEC SERIES LED X-GEN BULLET FLOOD LIGHTS WITH LONG SHROUDS **MP**

FLDX-MD-10-30W-30K-BR	10w/20w/30w 120LM/W 3000K	60°, Bronze	8
FLDX-MD-10-30W-30K-BK	10w/20w/30w 120LM/W 3000K	60°, Black	8
FLDX-MD-10-30W-40K-BR	10w/20w/30w 120LM/W 4000K	60°, Bronze	8
FLDX-MD-10-30W-40K-BK	10w/20w/30w 120LM/W 4000K	60°, Black	8
FLDX-MD-10-30W-50K-BR	10w/20w/30w 120LM/W 5000K	60°, Bronze	8
FLDX-MD-10-30W-50K-BK	10w/20w/30w 120LM/W 5000K	60°, Black	8

POWER & CCT ADJUSTABLE SPEC SERIES LED X-GEN BULLET FLOOD LIGHTS WITH LONG SHROUDS **MCTP**

FLDX-LG-10-30W-MCTP-BR	10w/20w/30w 120LM/W 3000K/4000K/5000K	60°, Bronze	4
FLDX-LG-10-30W-MCTP-BK	10w/20w/30w 120LM/W 3000K/4000K/5000K	60°, Black	4
FLDX-LG-30-50W-MCTP-BR	30w/40w/50w 120LM/W 3000K/4000K/5000K	35°, Bronze	4
FLDX-LG-30-50W-MCTP-BK	30w/40w/50w 120LM/W 3000K/4000K/5000K	35°, Black	4
FLDVX-FS-SM-BR	Flat Shroud For Sm Size Housing, Bronze		
FLDVX-FS-SM-BK	Flat Shroud For Sm Size Housing, Black		
FLDVX-FS-MD-BR	Flat Shroud For Md Size Housing, Bronze		
FLDVX-FS-MD-BK	Flat Shroud For Md Size Housing, Black		
FLDVX-FS-LG-BR	Flat Shroud For Lg Size Housing, Bronze		
FLDVX-FS-LG-BK	Flat Shroud For Lg Size Housing, Black		
FLDVX-SM-RL35	35-Degree Repl. Lens For Sm Size Housing		
FLDVX-MD-RL35	35-Degree Repl. Lens For Md Size Housing		
FLDVX-LG-RL35	35-Degree Repl. Lens For Lg Size Housing		
FLDVX-LG-RL60	60-Degree Repl. Lens For Lg Size Housing		



FLDXPRO-SM-BR Bronze FLDXPRO-SM-BK Black FLDXPRO-SM-WH White FLDXPRO-MD-BR Bronze FLDXPRO-MD-BK Black FLDXPRO-MD-WH White

SPEC SERIES POWER, CCT & BEAM ANGLE- ADJUSTABLE LED X-GEN BULLET FLOOD LIGHTS WITH INTEGRATED PHOTOCELL, 120-277V



CATALOG NO.	DESCRIPTION	PKG. QTY.
-------------	-------------	-----------

FLDXPRO-SM-5-15W-MCTPB-BR	5w/10w/15w 95LM/W 30K/40K/50K Bronze	4
FLDXPRO-SM-5-15W-MCTPB-BK	5w/10w/15w 95LM/W 30K/40K/50K Black	4
FLDXPRO-SM-5-15W-MCTPB-WH-P	5w/10w/15w 95LM/W 30K/40K/50K White	4
FLDXPRO-MD-10-30W-MCTPB-BR	10w/20w/30w 95LM/W 30K/40K/50K Bronze	4
FLDXPRO-MD-10-30W-MCTPB-BK	10w/20w/30w 95LM/W 30K/40K/50K Black	4
FLDXPRO-MD-10-30W-MCTPB-WH-P	10w/20w/30w 95LM/W 30K/40K/50K White	4



FLAG-POLE NARROW-BEAM FLOOD

CATALOG NO.	DESCRIPTION	PKG. QTY.
FLDF-84W-30K-BR	84W 9000LM 3000K Bronze	6
FLDF-84W-50K-BR	84W 9000LM 5000K Bronze	6
FLDF-84W-30K-BK	84W 9000LM 3000K Black	6
FLDF-84W-50K-BK	84W 9000LM 5000K Black	6



SPEC SERIES RGBW BLUETOOTH WESTGATE APP BULLET, 120-277V

CATALOG NO.	DESCRIPTION	PKG. QTY.
FLDX-MD-15W-RGBW-BT-BR FOR REMOTE CONTROL SEE PAGE 96	15W 720LM RGBW Bronze	4



BLUETOOTH WG APP COMPATIBLE RGBW FLOOD LIGHT, 60D LENS, 120-277V

CATALOG NO.	DESCRIPTION	PKG. QTY.
TC-FL-36W-RGBW-BT-BR FOR REMOTE CONTROL SEE PAGE 96	36W 824LM RGBW	4



LED GARDEN FLOOD LIGHTS, 120-277V

CATALOG NO.	DESCRIPTION	PKG. QTY.
GL-12W-30K-BR	12W 960LM 3000K Bronze	6
GL-12W-40K-BR	12W 960LM 4000K Bronze	6
GL-12W-50K-BR	12W 960LM 5000K Bronze	6
GL-24W-30K-BR	24W 1920LM 3000K Bronze	6
GL-24W-40K-BR	24W 1920LM 4000K Bronze	6
GL-24W-50K-BR	24W 1920LM 5000K Bronze	6



GL-MCTP-BR
Bronze



GL-MCTP-BK
Black



GL-MCTP-WH
White



MCTP-RC1
Required & One per projects

LED WHITE TUNABLE GARDEN FLOOD REMOTE SOLD SEPARATELY, 120-277V



CATALOG NO.	DESCRIPTION	PKG. QTY.
GL-MCTP-BK	20W MAX. 1400LM MAX. 3000K-5700K Black	6
GL-MCTP-BR	20W MAX. 1400LM MAX. 3000K-5700K Bronze	6
GL-MCTP-WH	20W MAX. 1400LM MAX. 3000K-5700K White	6
MCTP-RC1	Remote Control for Multi-Color Temp. & Power Outdoor Fixture (Required & One per projects)	-

120-277V

120-277V

120-277V

120-277V



120V GARDEN BULLET WITHOUT OR WITH SHROUD, INTEGRATED 3CCT

CATALOG NO.	DESCRIPTION
AD120-017-MCT-ORB	8W 700LM 30K/40K/50K 17"
AD120-017-MCT-BK	8W 700LM 30K/40K/50K 17"
AD120-017-MCT-WH	8W 700LM 30K/40K/50K 17"
AD120-018-MCT-ORB	8W 700LM 30K/40K/50K 18"
AD120-018-MCT-BK	8W 700LM 30K/40K/50K 18"

3RD GENERATION 3CCT FLOOD HEAD, 120-277V



CATALOG NO.	DESCRIPTION	PKG. QTY.
FLD3-13W-MCT-D-KN	13W 1820LM 3000K/4000K/5000K	12
FLD3-25W-MCT-D-KN	25W 3500LM 3000K/4000K/5000K	12

	FLD2-15W Bronze
	FLD2-28W Bronze
	FLD2-42W Bronze
	SHOWN WITH SHROUD

GARDEN AND FLAG BULLET LIGHT, 120-277V



CATALOG NO.	DESCRIPTION	REPLACEMENT RANGE	PKG. QTY.
FLD2-15W-30K-D-KN	15W 1900LM 3000K	50-70 MH	12
FLD2-15W-50K-D-KN	15W 1900LM 5000K	50-70 MH	12
FLD2-28W-30K-D-KN	28W 3500LM 3000K	70-100 MH	8
FLD2-28W-50K-D-KN	28W 3500LM 5000K	70-100 MH	8
FLD2-42W-30K-D-KN	42W 5200LM 3000K	100-175 MH	6
FLD2-42W-50K-D-KN	42W 5200LM 5000K	100-175 MH	6

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	WIRES PULLED OUT	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL MODELS	OPT-010WPO	0-10V Dim. Wires Pulled Out	N/A	N/A	N/A	N/A	N/A

Dark Bronze & White

WEATHERPROOF LED SQUARE FLOOD HEADS, 120V

CATALOG NO.	DESCRIPTION	PKG. QTY.
FLH-10W-30K-BR	10W 1000LM 3000K Bronze	12
FLH-10W-50K-BR	10W 1000LM 5000K Bronze	12
FLH-10W-30K-WH	10W 1000LM 3000K White	12
FLH-10W-50K-WH	10W 1000LM 5000K White	12

See page 222-225 for weather-proof boxes & covers

WEATHERPROOF LED ROUND FLOOD HEADS, 120V

CATALOG NO.	DESCRIPTION	PKG. QTY.
FLS-10W-30K-BR	10W 950LM 3000K BRONZE 100°	12
FLS-10W-50K-BR	10W 950LM 5000K BRONZE 100°	12
FLS-10W-30K-WH	10W 950LM 3000K WHITE 100°	12
FLS-10W-50K-WH	10W 950LM 5000K WHITE 100°	12
FLS-10W-30K-BK	10W 950LM 3000K BLACK 100°	12
FLS-10W-50K-BK	10W 950LM 5000K BLACK 100°	12

See page 222-225 for weather-proof boxes & covers

OUTDOOR

GARDEN LIGHTS

120V

120-277V

120-277V

120V

120V



FLVX-SM
Bronze

FLVX-SM
Black

FLVX-MD
Bronze

FLVX-MD
Black

FLVX-LG
Bronze

FLVX-LG
Black

Shown with optional
FLDVX-FS Flat Shroud



12V SPEC SERIES LED X-GEN BULLET FLOOD LIGHTS WITH LONG SHROUDS

CATALOG NO.	DESCRIPTION				PKG. QTY.
12V SPEC SERIES LED X-GEN BULLET FLOOD LIGHTS WITH LONG SHROUDS					
FLVX-SM-6W-30K-BR	6W	700LM	3000K	60°, Bronze	12
FLVX-SM-6W-30K-BK	6W	700LM	3000K	60°, Black	12
FLVX-SM-6W-40K-BR	6W	700LM	4000K	60°, Bronze	12
FLVX-SM-6W-40K-BK	6W	700LM	4000K	60°, Black	12
FLVX-SM-12W-30K-BR	12W	1400LM	3000K	60°, Bronze	12
FLVX-SM-12W-30K-BK	12W	1400LM	3000K	60°, Black	12
FLVX-SM-12W-40K-BR	12W	1400LM	4000K	60°, Bronze	12
FLVX-SM-12W-40K-BK	12W	1400LM	4000K	60°, Black	12
FLVX-MD-24W-30K-BR	24W	2900LM	3000K	60°, Bronze	8
FLVX-MD-24W-30K-BK	24W	2900LM	3000K	60°, Black	8
FLVX-MD-24W-40K-BR	24W	2900LM	4000K	60°, Bronze	8
FLVX-MD-24W-40K-BK	24W	2900LM	4000K	60°, Black	8
12V SPEC SERIES LED X-GEN BULLET FLOOD LIGHTS WITH LONG SHROUDS-POWER & CCT ADJUSTABLE					
FLVX-LG-30-50W-MCTP-BR	30W/40W/50W	95LM/W	30K/40K/50K	35°, Bronze	4
FLVX-LG-30-50W-MCTP-BK	30W/40W/50W	95LM/W	30K/40K/50K	35°, Black	4
FLDVX-FS-SM-BR	Flat Shroud For Sm Size Housing, Bronze				
FLDVX-FS-SM-BK	Flat Shroud For Sm Size Housing, Black				
FLDVX-FS-MD-BR	Flat Shroud For Md Size Housing, Bronze				
FLDVX-FS-MD-BK	Flat Shroud For Md Size Housing, Black				
FLDVX-SM-RL35	35-Degree Repl. Lens For Sm Size Housing				
FLDVX-MD-RL35	35-Degree Repl. Lens For Md Size Housing				
FLDVX-LG-RL60	60-Degree Repl. Lens For LG Size Housing				

12V



FLVXPRO-SM
Bronze

FLVXPRO-SM
Black

FLVXPRO-MD
Bronze

FLVXPRO-MD
Black

12V SPEC SERIES POWER, CCT & BEAM ANGLE- ADJUSTABLE LED X-GEN BULLET FLOOD LIGHTS WITH INTEGRATED PHOTOCELL

CATALOG NO.	DESCRIPTION				PKG. QTY.
FLVXPRO-SM-6-12W-MCTPB-BR	3W/6W/12W	90LM/W	30K/40K/50K		4
FLVXPRO-SM-6-12W-MCTPB-BK	3W/6W/12W	90LM/W	30K/40K/50K		4
FLVXPRO-MD-10-30W-MCTPB-BR	10W/20W/30W	90LM/W	30K/40K/50K		4
FLVXPRO-MD-10-30W-MCTPB-BK	10W/20W/30W	90LM/W	30K/40K/50K		4

12V



OUTDOOR
GARDEN
LIGHTS

12-VOLT AC/DC LED GARDEN FLOOD LIGHTS

12V

OUTDOOR

GARDEN LIGHTS



CATALOG NO.	DESCRIPTION	PKG. QTY.
GL-12V-12W-30K-BR	12W 960LM 3000K bronze Spike Incl.	6
GL-12V-12W-40K-BR	12W 960LM 4000K bronze Spike Incl.	6
GL-12V-12W-50K-BR	12W 960LM 5000K bronze Spike Incl.	6
GL-12V-24W-30K-BR	24W 1920LM 3000K bronze Spike Incl.	6
GL-12V-24W-40K-BR	24W 1920LM 4000K bronze Spike Incl.	6
GL-12V-24W-50K-BR	24W 1920LM 5000K bronze Spike Incl.	6



SPEC SERIES RGBW BLUETOOTH WESTGATE APP BULLET, 12V



CATALOG NO.	DESCRIPTION	PKG. QTY.
FLVX-MD-15W-RGBW-BT-BR	15W 720LM RGBW Bronze	4

FOR REMOTE CONTROL SEE PAGE 96

BLUETOOTH WG APP COMPATIBLE RGBW FLOOD LIGHT, 40D LENS, 12V



CATALOG NO.	DESCRIPTION	PKG. QTY.
TC-GL-12V-15W-RGBW-BT-BR	15W 405LM RGBW	6

FOR REMOTE CONTROL SEE PAGE 96

12V



BLUETOOTH WG APP COMPATIBLE RGBW FLOOD LIGHT, 60D LENS, 12V



CATALOG NO.	DESCRIPTION	PKG. QTY.
TC-FL-12V-36W-RGBW-BT-BR	36W 824LM RGBW	4

FOR REMOTE CONTROL SEE PAGE 96



SHOWN WITH SHROUD

12-VOLT AC (AC/DC ON 6W&12W) LED BULLET LANDSCAPE FLOOD LIGHT

12V

CATALOG NO.	DESCRIPTION	REPLACEMENT RANGE	PKG. QTY.
FLV12-6W-30K	6W 500LM 3000K SPIKE Incl. 35°	35-50 MR16	12
FLV12-6W-50K	6W 550LM 5000K SPIKE Incl. 35°	35-50 MR16	12
FLV12-12W-30K	12W 1200LM 3000K SPIKE Incl. 35°		12
FLV12-12W-50K	12W 1300LM 5000K SPIKE Incl. 35°		12
FLV12-24W-30K	24W 2200LM 3000K SPIKE Incl. 35°		12
FLV12-24W-50K	24W 2500LM 5000K SPIKE Incl. 35°		12
FLV12-32W-30K	32W 3200LM 3000K SPIKE Incl. 35°		12
FLV12-32W-50K	32W 3500LM 5000K SPIKE Incl. 35°		12

FOR SHROUDS SEE PAGE 75.



SHOWN WITH SHROUD

12-VOLT AC (AC/DC ON 6W&12W) INTEGRATED LED WALL WASH LIGHTS



CATALOG NO.	DESCRIPTION	PKG. QTY.
LF4-12V-6W-30K	6W 440LM 3000K BRONZE SPIKE Incl.	12
LF4-12V-6W-50K	6W 500LM 5000K BRONZE SPIKE Incl.	12
LF4-12V-12W-30K	12W 1080LM 3000K BRONZE SPIKE Incl.	12
LF4-12V-12W-50K	12W 1260LM 5000K BRONZE SPIKE Incl.	12
LF4-12V-24W-30K	24W 2155LM 3000K BRONZE SPIKE Incl.	6
LF4-12V-24W-50K	24W 2500LM 5000K BRONZE SPIKE Incl.	6
LF4-12V-30W-30K	30W 2700LM 3000K BRONZE SPIKE Incl.	6
LF4-12V-30W-50K	30W 3150LM 5000K BRONZE SPIKE Incl.	6
LF4-12V-50W-30K	50W 4500LM 3000K BRONZE SPIKE Incl.	6
LF4-12V-50W-50K	50W 5250LM 5000K BRONZE SPIKE Incl.	6

FOR SHROUDS SEE PAGE 75.

12V

OUTDOOR
GARDEN LIGHTS



LF12-KN
Bronze



LF12-G2-BK
Black



LF12-G2-ORB
Oil-rubbed bronze

12-VOLT AC/DC LED GARDEN LIGHT



CATALOG NO.	DESCRIPTION	PKG. QTY.
LF12-6W-27K-KN	6W 400LM 2700K KNUCKLE , SPIKE INCL. 45° COB WITH ALUM REFL.	40
LF12-6W-30K-KN	6W 400LM 3000K KNUCKLE , SPIKE INCL. 45° COB WITH ALUM REFL.	40
LF12-6W-40K-KN	6W 450LM 4000K KNUCKLE , SPIKE INCL. 45° COB WITH ALUM REFL.	40
LF12-6W-50K-KN	6W 450LM 5000K KNUCKLE , SPIKE INCL. 45° COB WITH ALUM REFL.	40
LF12-6W-RGBW-KN	6W 450LM RGB + 3000K KNUCKLE , SPIKE INCL. 45° COB WITH ALUM REFL.	40

12V

2ND GEN. 12-VOLT AC/DC LED GARDEN LIGHT

- LF12-G2-7W-MCT5-BK 7w 550LM 5CCT:27K/30K/35K/40K/50K
 - LF12-G2-7W-MCT5-ORB 7w 550LM 5CCT:27K/30K/35K/40K/50K
- NEEDS RGBW CONTROLLER SEE PAGE 202.



SMART CAMERA ACCESSORY WITH 1/2" KNUCKLE



CATALOG NO.	DESCRIPTION
SL-CAM-WH	Security Camera Wg App Enabled White
SL-CAM-BK	Security Camera Wg App Enabled Black
SL-CAM-BR	Security Camera Wg App Enabled Bronze



SLX-2H-BR-P
Bronze

SLX-2H-WH-P
White

SLX-2H-BK-P
Black

SLX-2H-BR-D
Bronze

SLX-2H-WH-D
White

SLX-2H-BK-D
Black

X-GEN ADVANCE SECURITY LIGHTS, WITH AND WITHOUT MOTION SENSOR
POWER AND CCT ADJUSTABLE, 120V



CATALOG NO.	DESCRIPTION	PKG. QTY.
X-GEN ADVANCE SECURITY LIGHTS WITH PIR SENSOR		
SLX-2H-MCTP-BR-P	16W-25W 130LM/W 30K/40K/50K Bronze	6
SLX-2H-MCTP-WH-P	16W-25W 130LM/W 30K/40K/50K White	6
SLX-2H-MCTP-BK-P	16W-25W 130LM/W 30K/40K/50K Black	6
NO-SENSOR DIMMABLE X-GEN ADVANCE SECURITY LIGHTS		
SLX-2H-MCTP-BR-D	16W-25W 130LM/W 30K/40K/50K Bronze	6
SLX-2H-MCTP-WH-D	16W-25W 130LM/W 30K/40K/50K White	6
SLX-2H-MCTP-BK-D	16W-25W 130LM/W 30K/40K/50K Black	6



SL-10W-BZ-P
Dark Bronze

SL-10W-WH-P
White

SL-20W-BZ-P
Dark Bronze

SL-20W-WH-P
White

SL-30W-BZ-P
Dark Bronze

SL-30W-WH-P
White

LED SECURITY LIGHTS WITH PIR SENSOR, 120VAC, 180° SENSOR, 100° BEAM ANGLE (120° 28W)

80% DIM (OR OFF) WHEN NO MOTION DETECTED, 120-277V



CATALOG NO.	DESCRIPTION	PKG. QTY.
SL-10W-MCT-BZ-P	10W 950LM 30K/40K/50K Bronze	8
SL-10W-MCT-WH-P	10W 950LM 30K/40K/50K White	8
SL-20W-50K-BZ-P	20W 1900LM 5000K Bronze	8
SL-20W-30K-BZ-P	20W 1900LM 3000K Bronze	8
SL-20W-MCT-BZ-P	20W 1900LM 3000K/4000K/5000K Bronze	8
SL-20W-30K-WH-P	20W 1900LM 3000K White	8
SL-20W-MCT-WH-P	20W 1900LM 3000K/4000K/5000K White	8
SL-30W-50K-BZ-P	30W 2800LM 5000K Bronze	8
SL-30W-30K-BZ-P	30W 2800LM 3000K Bronze	8
SL-30W-MCT-BZ-P	30W 2800LM 3000K/4000K/5000K Bronze	8
SL-30W-50K-WH-P	30W 2800LM 5000K White	8
SL-30W-30K-WH-P	30W 2800LM 3000K White	8
SL-30W-MCT-WH-P	30W 2800LM 3000K/4000K/5000K White	8

WITH SENSOR



SL-20W-WH-CAM
White

SL-20W-BK-CAM
Black

SL-20W-BR-CAM
Bronze

SL-30W-WH-CAM
White

SL-30W-BK-CAM
Black

SL-30W-BR-CAM
Bronze

3CCT SECURITY LIGHT WITH CAMERA - WG APP



CATALOG NO.	DESCRIPTION	PKG. QTY.
SL-20W-MCT-WH-CAM	20W 1900LM 30K/40K/50K White	1
SL-20W-MCT-BK-CAM	20W 1900LM 30K/40K/50K Black	1
SL-20W-MCT-BR-CAM	20W 1900LM 30K/40K/50K Bronze	1
SL-30W-MCT-WH-CAM	30W 2800LM 30K/40K/50K White	1
SL-30W-MCT-BK-CAM	30W 2800LM 30K/40K/50K Black	1
SL-30W-MCT-BR-CAM	30W 2800LM 30K/40K/50K Bronze	1
SL-CAM-WH	Security Camera Wg App Enabled White	
SL-CAM-BK	Security Camera Wg App Enabled Black	
SL-CAM-BR	Security Camera Wg App Enabled Bronze	

**ARRIVES THIS SEASON
CHECK & PRE-ORDER**



SL-10W-50K-BZ-D
SL-10W-30K-BZ-D
SL-10W-MCT-BZ-D
Dark Bronze



SL-10W-50K-WH-D
SL-10W-30K-WH-D
SL-10W-MCT-WH-D
White



SL-20W-50K-BZ-D
SL-20W-30K-BZ-D
SL-20W-MCT-BZ-D
Dark Bronze



SL-20W-50K-WH-D
SL-20W-MCT-WH-D
White



SL-30W-30K-BZ-D
SL-30W-MCT-BZ-D
Dark Bronze



SL-30W-50K-WH-D
SL-30W-30K-WH-D
SL-30W-MCT-WH-D
White

NO-SENSOR DIMMABLE LED FLOOD LIGHTS, 120V

(SEE BELOW FOR OPTIONAL MOTION SENSOR OR PHOTOCELL)



CATALOG NO.	DESCRIPTION	PKG. QTY.
SL-10W-50K-BZ-D	10W 950LM 5000K Bronze	8
SL-10W-30K-BZ-D	10W 950LM 3000K Bronze	8
SL-10W-MCT-BZ-D	10W 950LM 30K/40K/50K Bronze	8
SL-10W-50K-WH-D	10W 950LM 5000K White	8
SL-10W-30K-WH-D	10W 950LM 3000K White	8
SL-10W-MCT-WH-D	10W 950LM 30K/40K/50K White	8
SL-20W-50K-BZ-D	20W 1900LM 5000K Bronze	8
SL-20W-30K-BZ-D	20W 1900LM 3000K Bronze	8
SL-20W-MCT-BZ-D	20W 1900LM 3000K/4000K/5000K White	8
SL-20W-MCT-WH-D	20W 1900LM 3000K/4000K/5000K White	8
SL-30W-30K-BZ-D	30W 2800LM 3000K Bronze	8
SL-30W-MCT-BZ-D	30W 2800LM 3000K/4000K/5000K Bronze	8
SL-30W-50K-WH-D	30W 2800LM 5000K White	8
SL-30W-30K-WH-D	30W 2800LM 3000K White	8
SL-30W-MCT-WH-D	30W 2800LM 3000K/4000K/5000K White	8

NO SENSOR



SL-20W-50K-BZ
SL-20W-30K-BZ
SL-20W-50K-WH
SL-20W-30K-WH
Bronze/White



SL-28W-30K-BZ-P
SL-28W-50K-WH-P
SL-28W-30K-WH-P
Bronze/White



SL-28W-50K-BZ-D
SL-28W-30K-BZ-D
SL-28W-MCT-BZ-D
SL-28W-50K-WH-D
SL-28W-MCT-WH-D
Bronze/White



SL-40W-50K-BZ-D
SL-40W-30K-BZ-D
SL-40W-MCT-BZ-D
SL-40W-MCT-WH-D
Bronze/White

LED SQUARE HEAD SECURITY LIGHTS



CATALOG NO.	DESCRIPTION	PKG. QTY.
NON-DIMMABLE LED SECURITY LIGHTS WITHOUT SENSOR, BASE COMPATIBLE WITH 4" ROUND W/P BOXES, 120V		
SL-20W-30K-BZ	20W 2000LM 3000K Bronze	8
SL-20W-50K-BZ	20W 2000LM 5000K Bronze	8
SL-20W-30K-WH	20W 2000LM 3000K White	8
SL-20W-50K-WH	20W 2000LM 5000K White	8
LED SECURITY LIGHTS WITH PIR SENSOR, 180° SENSOR 80%, DIM (OR OFF) WHEN NO MOTION DETECTED, 120-277V		
SL-28W-30K-BZ-P	28W 3400LM 3000K Bronze	4
SL-28W-50K-WH-P	28W 3400LM 5000K White	4
SL-28W-30K-WH-P	28W 3400LM 3000K White	4
DIMMABLE LED FLOOD LIGHTS WITH OPTIONAL MOTION SENSOR OR PHOTOCELL, 120V		
SL-28W-50K-BZ-D	28W 3400LM 5000K Bronze	4
SL-28W-30K-BZ-D	28W 3400LM 3000K Bronze	4
SL-28W-MCT-BZ-D	28W 3400LM 3000K/4000K/5000K Bronze	4
SL-28W-50K-WH-D	28W 3400LM 5000K White	4
SL-28W-MCT-WH-D	28W 3400LM 3000K/4000K/5000K White	4
SL-40W-50K-BZ-D	40W 4800LM 5000K Bronze	4
SL-40W-30K-BZ-D	40W 4800LM 3000K Bronze	4
SL-40W-MCT-BZ-D	40W 4800LM 3000K/4000K/5000K Bronze	4
SL-40W-MCT-WH-D	40W 4800LM 3000K/4000K/5000K White	4

WITH SENSOR NO SENSOR

NO SENSOR

NO SENSOR

FOR PHOTOCELL & SENSOR SEE PAGES 75 & 77.




Crest & Westgate

LED WALL SCONCES

OUTDOOR

DECORATIVE WALL MOUNT

ALL MODELS PROVIDE UP/DOWN LIGHT




CRE

CATALOG NO.	WATTS (LUMENS)	TRIM		COLOR TEMPERATURE		FINISH	
		CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
CRE	10W (900LM)	01	Lunette	30K	3000K	BR	Bronze
CRE-MP MP	5W/10W/15W/20W	02	Aperture	40K	4000K	SIL	Silver
		03	Grasp	50K	5000K		
		04	Curve				
		05	Pen				
		06	Still				
		07	Passage				
		08	Crush				
		10	Burrow				
		51	Tunnel				
		52	Grille				



100-277V AC

Sample Ordering:



Alternatively, you may purchase Light Engines and Trims separately for your stock to offer various combinations.

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR
ALL	OPT-EM-CRE	INTERNAL	OPT-PC-B	120-277V	OPT-CLR-85(BK/GR/SR/WH)	DEPENDS ON MODEL-CALL

ADJUSTABLE BEAM ANGLE OUTDOOR/INDOOR DESIGNER WALL SCONCE, 120-277V

CATALOG NO.	DESCRIPTION	WATTS	LUMENS	TEMPERATURE	SHAPE	FINISH
CREA-56-MCTP-BR	14W/18W/24W	80LM/W	30K/40K/50K	Square	Bronze	
CREA-57-MCTP-BR	14W/18W/24W	80LM/W	30K/40K/50K	Round	Bronze	
CREA-56-MCTP-WH	14W/18W/24W	80LM/W	30K/40K/50K	Round	White	
CREA-57-MCTP-WH	14W/18W/24W	80LM/W	30K/40K/50K	Round	White	





WSX-20-40W-MCTP-HA
Horizontal Arm



WSX-20-40W-MCTP-SCH
45" Suspended Chain, Canopy, Cord



WSX-20-40W-MCTP-HAD
Decorative Horizontal Arm



WSX-20-40W-MCTP-HAD
Decorative Horizontal Arm
Antique Brass



WSX-20-40W-MCTP-45DA
45-Degree Arm



WSX-20-40W-MCTP-SRK-218
WSX-20-40W-MCTP-SRK-224



WSX-20-40W-MCTP-HLA
15" Long Horizontal Arm



Factory-Installed
Wire Guard Option
OPT-WSX-WG



WSX-20-40W-MCTP-HA
Shown with Optional White/
Alabaster Lenses - Standard is
Frosted - See Options Below

SPEC SERIES POWER & CCT- ADJUSTABLE

X-GEN SEASIDE LIGHT, 120-277V, (DIA: 10-3/4")

7 DAYS LEAD TIME



	DESCRIPTION	PKG. QTY.
WSX-20-40W-MCTP-HA	20W/30W/40W 100LM/W 30K/40K/50K Horizontal Arm	4
WSX-20-40W-MCTP-45DA	20W/30W/40W 100LM/W 30K/40K/50K 45-Degree Arm	1
WSX-20-40W-MCTP-HAD	20W/30W/40W 100LM/W 30K/40K/50K Decorative Horizontal Arm	1
WSX-20-40W-MCTP-HAD-AZ	20W/30W/40W 100LM/W 30K/40K/50K Decorative Horizontal Arm	1
WSX-20-40W-MCTP-HLA	20W/30W/40W 100LM/W 30K/40K/50K 15" Long Horizontal Arm	1
WSX-20-40W-MCTP-SCH	20W/30W/40W 100LM/W 30K/40K/50K 45" Suspended Chain, Canopy, Cord	1
WSX-20-40W-MCTP-SRK-218	20W/30W/40W 100LM/W 30K/40K/50K 18" or 36" Swivel Rod Kit	1
WSX-20-40W-MCTP-SRK-224	20W/30W/40W 100LM/W 30K/40K/50K 24" or 48" Swivel Rod Kit	1
WSX-RL-WH	WSX Original White Lens Replacement (Default Lens)	
WSX-RL-FR	WSX Optional Frosted Lens	
WSX-RL-AB	WSX Optional Alabaster Lens	



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL MODELS	OPT-EM-WSX	BACK BOX	OPT-PC-B	BUTTON	N/A	OPT-SEN-WSX	back box
	WIREGUARD	DESCRIPTION					
	OPT-WSX-WG	WIREGUARD					



WSO-20-40W-MCTP-HA
Horizontal Arm



WSO-20-40W-MCTP-HAD
Decorative Horizontal Arm



WSO-20-40W-MCTP-HAD-AZ
Decorative Horizontal Arm
Antique Brass

POWER & CCT- ADJUSTABLE OCEANSIDE LIGHT, 120-277V



CATALOG NO.	DESCRIPTION
WSO-20-40W-MCTP-HA	20W/30W/40W 100LM/W 30K/40K/50K Horizontal Arm
WSO-20-40W-MCTP-HAD	20W/30W/40W 100LM/W 30K/40K/50K Decorative Horizontal Arm
WSO-20-40W-MCTP-HAD-AZ	20W/30W/40W 100LM/W 30K/40K/50K Decorative Horizontal Arm



GNB-25W-MCT-BR-P
Bronze



GNB-40W-MCT-BR-P
Bronze



GNB-25W-MCT-WH-P
White



GNB-40W-MCT-WH-P
White



GNB-ARMKIT-ST18-BR
Bronze



GNB-ARMKIT-ST18-BK
Black



GNB-ARMKIT-ST18-WH
White



GNB-ARMKIT-HGN-BR
Bronze



GNB-ARMKIT-HGN-BK
Black



GNB-ARMKIT-HGN-WH
White

3CCT GOOSENECK BARN LIGHT WITH INTEGRATED PHOTOCELL



CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER	PKG. QTY.
GNB-25W-MCT-BR-P	25W 3000LM 3000K/4000K/5000K Bronze		2
GNB-25W-MCT-WH-P	25W 3000LM 3000K/4000K/5000K White		2
GNB-25W-MCT-BK-P	25W 3000LM 3000K/4000K/5000K Black		2
GNB-40W-MCT-BR-P	40W 4800LM 3000K/4000K/5000K Bronze		2
GNB-40W-MCT-WH-P	40W 4800LM 3000K/4000K/5000K White		2
GNB-40W-MCT-BK-P	40W 4800LM 3000K/4000K/5000K Black		2
GNB-ARMKIT-ST18-BR	GNB Field-Installed 18" Straight Arm - Bronze		
GNB-ARMKIT-ST18-BK	GNB Field-Installed 18" Straight Arm - Black		
GNB-ARMKIT-ST18-WH	GNB Field-Installed 18" Straight Arm - White		
GNB-ARMKIT-HGN-BR	GNB Field-Installed Horizontal Gooseneck Arm - Bronze		
GNB-ARMKIT-HGN-BK	GNB Field-Installed Horizontal Gooseneck Arm - Black		
GNB-ARMKIT-HGN-WH	GNB Field-Installed Horizontal Gooseneck Arm - White		

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL MODELS	OPT-EM-GNB	BACK BOX	N/A	N/A	N/A	N/A	N/A



WMA-UDL-MCTP-BK-D
Black



WMA-UDL-MCTP-BR-D
Bronze



WMA-UDL-MCTP-WH-D
White



WMA-UDL-MCTP-SIL-D
Silver

7" ARCHITECTURAL COMMERCIAL DESIGNER OUTDOOR CYLINDER, UP/DOWN CONTROLS



CATALOG NO.	DESCRIPTION	PKG. QTY.
WMA-UDL-MCTP-BK-D	18W/30W/45W/60W 110LM/W 27K/30K/35K/40K/50K Black	1
WMA-UDL-MCTP-BR-D	18W/30W/45W/60W 110LM/W 27K/30K/35K/40K/50K Bronze	1
WMA-UDL-MCTP-WH-D	18W/30W/45W/60W 110LM/W 27K/30K/35K/40K/50K White	1
WMA-UDL-MCTP-SIL-D	18W/30W/45W/60W 110LM/W 27K/30K/35K/40K/50K Silver	1

OUTDOOR DECORATIVE WALL MOUNT



WMC2-DL-BR
Bronze



WMC2-DL-BN
Brushed Nickel



WMC2-DL-WH
White



WMC2-DL-BK
Black



WMC2-UDL-BR
Bronze



WMC2-UDL-BN
Brushed Nickel



WMC2-UDL-WH
White



WMC2-UDL-BK
Black



WMC3-DL-BR
Bronze



WMC3-DL-BN
Brushed Nickel



WMC3-DL-WH
White



WMC3-DL-BK
Black



WMC3-UDL-BR
Bronze



WMC3-UDL-BN
Brushed Nickel



WMC3-UDL-WH
White



WMC3-UDL-BK
Black

2" & 3" CCT-ADJUSTABLE LED OUTDOOR CYLINDER LIGHTS, IP65



CATALOG NO.	DESCRIPTION	PKG. QTY.
2" LED CYLINDER LIGHTS, 120V (DOWN LIGHT) H: 8"		
WMC2-DL-MCT-BR-DT	6W 400LM 3000K/4000K/5000K 25° Bronze	12
WMC2-DL-MCT-BN-DT	6W 400LM 3000K/4000K/5000K 25° Brushed Nickel	12
WMC2-DL-MCT-WH-DT	6W 400LM 3000K/4000K/5000K 25° White	12
WMC2-DL-MCT-BK-DT	6W 400LM 3000K/4000K/5000K 25° Black	12
WMC2-DL-MCT-AZ-DT	6W 400LM 3000K/4000K/5000K 25° Antique Bronze	12
2" LED CYLINDER LIGHTS, 120V (UP/DOWN LIGHT) H: 10"		
WMC2-UDL-MCT-BR-DT	12W 800LM 3000K/4000K/5000K 25° Bronze	12
WMC2-UDL-MCT-BN-DT	12W 800LM 3000K/4000K/5000K 25° Brushed Nickel	12
WMC2-UDL-MCT-WH-DT	12W 800LM 3000K/4000K/5000K 25° White	12
WMC2-UDL-MCT-BK-DT	12W 800LM 3000K/4000K/5000K 25° Black	12
WMC2-UDL-MCT-AZ-DT	12W 800LM 3000K/4000K/5000K 25° Antique Bronze	12
3" LED CYLINDER LIGHTS, 120V (DOWN LIGHT) H: 6"		
WMC3-DL-MCT-BR-DT	9W 650LM 3000K/4000K/5000K 30° Bronze	12
WMC3-DL-MCT-BN-DT	9W 650LM 3000K/4000K/5000K 30° Brushed Nickel	12
WMC3-DL-MCT-WH-DT	9W 650LM 3000K/4000K/5000K 30° White	12
WMC3-DL-MCT-BK-DT	9W 650LM 3000K/4000K/5000K 30° Black	12
WMC3-DL-MCT-AZ-DT	9W 650LM 3000K/4000K/5000K 30° Antique Bronze	12
3" LED CYLINDER LIGHTS, 120V (UP/DOWN LIGHT) H: 10"		
WMC3-UDL-MCT-BR-DT	18W 1300LM 3000K/4000K/5000K 30° Bronze	12
WMC3-UDL-MCT-BN-DT	18W 1300LM 3000K/4000K/5000K 30° Brushed Nickel	12
WMC3-UDL-MCT-WH-DT	18W 1300LM 3000K/4000K/5000K 30° White	12
WMC3-UDL-MCT-BK-DT	18W 1300LM 3000K/4000K/5000K 30° Black	12
WMC3-UDL-MCT-AZ-DT	18W 1300LM 3000K/4000K/5000K 30° Antique Bronze	12

ACRYLIC DROP LENS FOR WMC

CWMC2-DL32	CMC2 And WMC2 32mm Acrylic Drop Lens
CWMC3-DL32	CMC3 And WMC3 32mm Acrylic Drop Lens

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

SIZE	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
2" & 3"	OPT-EM-WMC-EXT-BR	EXTERNAL BACK BOX	OPT-PC-BUM	BUTTON	N/A	OPT-SEN-WMC WEC-8RC	ONLY FOR 4" & UP REMOTE CONTROL
2" & 3"	OPT-EM-WMC-EXT-BN	EXTERNAL BACK BOX	277V OPTION	DESCRIPTION			
2" & 3"	OPT-EM-WMC-EXT-WH	EXTERNAL BACK BOX	OPT-277V	INTERNAL (ONLY FOR WMC DL UDL)			
2" & 3"	OPT-EM-WMC-EXT-BK	EXTERNAL BACK BOX					
4" & UP	OPT-EM-WMC	INTERNAL					



WMC-DL-BR
Bronze



WMC-DL-BN
Brushed Nickel



WMC-DL-WH
White



WMC-DL-BK
Black



WMC-UDL-BR
Bronze



WMC-UDL-BN
Brushed Nickel



WMC-UDL-WH
White



WMC-UDL-BK
Black

OUTDOOR

DECORATIVE
WALL MOUNT

4" CCT-ADJUSTABLE LED OUTDOOR CYLINDER LIGHTS, IP65



CATALOG NO.	DESCRIPTION	PKG. QTY.
4" LED CYLINDER LIGHTS, 120V (DOWN LIGHT) H: 8"		
WMC-DL-MCT-BR-DT	15w 1200LM 3000K/4000K/5000K 40° Bronze	6
WMC-DL-MCT-BN-DT	15w 1200LM 3000K/4000K/5000K 40° Brushed Nickel	6
WMC-DL-MCT-WH-DT	15w 1200LM 3000K/4000K/5000K 40° White	6
WMC-DL-MCT-BK-DT	15w 1200LM 3000K/4000K/5000K 40° Black	6
WMC-DL-MCT-AZ-DT	15w 1200LM 3000K/4000K/5000K 40° Antique Bronze	6
4" LED CYLINDER LIGHTS, 120V (UP/DOWN LIGHT) H: 12"		
WMC-UDL-MCT-BR-DT	30w 2400LM 3000K/4000K/5000K 40° Bronze	6
WMC-UDL-MCT-BN-DT	30w 2400LM 3000K/4000K/5000K 40° Brushed Nickel	6
WMC-UDL-MCT-WH-DT	30w 2400LM 3000K/4000K/5000K 40° White	6
WMC-UDL-MCT-BK-DT	30w 2400LM 3000K/4000K/5000K 40° Black	6
4" LED CYLINDER LIGHTS, 120-277V WITH PHOTOCELL (UP/DOWN LIGHT) H: 12"		
WMC4-UDL-MCTP-BR-DD-P	2x9w/2x12w /2x15w 80LM/W 30K/40K/50K 45° Bronze	6
WMC4-UDL-MCTP-BN-DD-P	2x9w/2x12w /2x15w 80LM/W 30K/40K/50K 45° Brushed Nickel	6
WMC4-UDL-MCTP-WH-DD-P	2x9w/2x12w /2x15w 80LM/W 30K/40K/50K 45° White	6
WMC4-UDL-MCTP-BK-DD-P	2x9w/2x12w /2x15w 80LM/W 30K/40K/50K 45° Black	6
WMC4-UDL-MCTP-AZ-DD-P	2x9w/2x12w /2x15w 2400LM 3000K/4000K/5000K 45° Antique Bronze	6

**ACRYLIC DROP LENS FOR WMC
WMC4-DL32**

WMC4 32mm Acrylic Drop Lens

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

SIZE	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
2" & 3"	OPT-EM-WMC-EXT-BR	EXTERNAL BACK BOX	OPT-PC-BUM	BUTTON	N/A	OPT-SEN-WMC WEC-8RC	ONLY FOR 4" & UP REMOTE CONTROL
2" & 3"	OPT-EM-WMC-EXT-BN	EXTERNAL BACK BOX	277V OPTION	DESCRIPTION			
2" & 3"	OPT-EM-WMC-EXT-WH	EXTERNAL BACK BOX	OPT-277V	INTERNAL (ONLY FOR WMC DL UDL)			
2" & 3"	OPT-EM-WMC-EXT-BK	EXTERNAL BACK BOX					
4" & UP	OPT-EM-WMC	INTERNAL					



6" & 8" CCT-ADJUSTABLE LED OUTDOOR CYLINDER LIGHTS, IP65



OUTDOOR
DECORATIVE
WALL MOUNT

CATALOG NO.	DESCRIPTION	PKG. QTY.
6" LED CYLINDER LIGHTS, 120-277V (DOWN LIGHT) H: 8"		
WMCL-DL-MCT-BR	20W 1600LM 3000K/4000K/5000K 45° Bronze	4
WMCL-DL-MCT-BN	20W 1600LM 3000K/4000K/5000K 45° Brushed Nickel	4
WMCL-DL-MCT-WH	20W 1600LM 3000K/4000K/5000K 45° White	4
WMCL-DL-MCT-BK	20W 1600LM 3000K/4000K/5000K 45° Black	4
WMCL-DL-MCT-AZ	20W 1600LM 3000K/4000K/5000K 45° Antique Bronze	4
6" LED CYLINDER LIGHTS, 120-277V (UP/DOWN LIGHT) H: 18"		
WMCL-UDL-MCT-BR	40W 3200LM 3000K/4000K/5000K 45° Bronze	4
WMCL-UDL-MCT-BN	40W 3200LM 3000K/4000K/5000K 45° Brushed Nickel	4
WMCL-UDL-MCT-WH	40W 3200LM 3000K/4000K/5000K 45° White	4
WMCL-UDL-MCT-BK	40W 3200LM 3000K/4000K/5000K 45° Black	4
6" LED CYLINDER LIGHTS, 120-277V WITH PHOTOCELL (UP/DOWN LIGHT) H: 18"		
WMC6-UDL-MCTP-BK-DD-P	2x12W/2x16W/2x20W 80LM/W 30K/40K/50K 45° Bronze	4
WMC6-UDL-MCTP-BR-DD-P	2x12W/2x16W/2x20W 80LM/W 30K/40K/50K 45° Brushed Nickel	4
WMC6-UDL-MCTP-BN-DD-P	2x12W/2x16W/2x20W 80LM/W 30K/40K/50K 45° White	4
WMC6-UDL-MCTP-WH-DD-P	2x12W/2x16W/2x20W 80LM/W 30K/40K/50K 45° Black	4
WMC6-UDL-MCTP-AZ-DD-P	2x12W/2x16W/2x20W 80LM/W 30K/40K/50K 45° Antique Bronze	4
8" LED CYLINDER LIGHTS, 120-277V (DOWN LIGHT) H: 10.1"		
WMC8-DL-MCT-BR-D	40W 3200LM 3000K/4000K/5000K 50° Bronze	4
WMC8-DL-MCT-BN-D	40W 3200LM 3000K/4000K/5000K 50° Brushed Nickel	4
WMC8-DL-MCT-WH-D	40W 3200LM 3000K/4000K/5000K 50° White	4
WMC8-DL-MCT-BK-D	40W 3200LM 3000K/4000K/5000K 50° Black	4
8" LED CYLINDER LIGHTS, 120-277V (UP/DOWN LIGHT) H: 10.1"		
WMC8-UDL-MCT-BR-D	40W 3200LM 3000K/4000K/5000K 50° Bronze	4
WMC8-UDL-MCT-BN-D	40W 3200LM 3000K/4000K/5000K 50° Brushed Nickel	4
WMC8-UDL-MCT-WH-D	40W 3200LM 3000K/4000K/5000K 50° White	4
WMC8-UDL-MCT-BK-D	40W 3200LM 3000K/4000K/5000K 50° Black	4

ACRYLIC DROP LENS FOR WMC
CWC6-DL32

CMC6 And WMC6 32mm Acrylic Drop Lens

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

SIZE	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
2" & 3"	OPT-EM-WMC-EXT-BR	EXTERNAL BACK BOX	OPT-PC-BUM	BUTTON	N/A	OPT-SEN-WMC	ONLY FOR 4" & UP
2" & 3"	OPT-EM-WMC-EXT-BN	EXTERNAL BACK BOX	277V OPTION	DESCRIPTION		WEC-8RC	REMOTE CONTROL
2" & 3"	OPT-EM-WMC-EXT-WH	EXTERNAL BACK BOX	OPT-277V	INTERNAL (ONLY FOR WMC DL UDL)			
2" & 3"	OPT-EM-WMC-EXT-BK	EXTERNAL BACK BOX					
4" & UP	OPT-EM-WMC	INTERNAL					

RGBW LED OUTDOOR CYLINDER LIGHTS, IP65



CATALOG NO.	DESCRIPTION	PKG. QTY.
4" LED ROUND CYLINDER LIGHTS, 120V (UP/DOWN LIGHT) H: 12"		
WMC-UDL-RGBW-BK	24W 1920LM RGBW 25° Black	6
WMC-UDL-RGBW-WH	24W 1920LM RGBW 25° White	6
4" LED SQUARE CYLINDER LIGHTS, 120V (UP/DOWN LIGHT) H: 10-1/4"		
WMC8-UDL-RGBW-BK	24W 1920LM RGBW 30° Black	6
WMC8-UDL-RGBW-WH	24W 1920LM RGBW 30° White	6

FOR REMOTE CONTROL SEE PAGE 96

ALL MODELS ARE AVAILABLE IN BRONZE, BRUSHED NICKEL, BLACK, & WHITE

OUTDOOR
DECORATIVE
WALL MOUNT



4" & 5" & 8" CCT-ADJUSTABLE LED SQUARE OUTDOOR CYLINDER LIGHTS, IP65

CATALOG NO.	DESCRIPTION				PKG. QTY.
4" LED SQUARE CYLINDER LIGHTS, 120V (DOWN LIGHT) H: 8"					
WMCS-DL-MCT-BR-DT	12W 960LM	3000K/4000K/5000K	30°	Bronze	6
WMCS-DL-MCT-BN-DT	12W 960LM	3000K/4000K/5000K	30°	Brushed Nickel	6
WMCS-DL-MCT-WH-DT	12W 960LM	3000K/4000K/5000K	30°	White	6
WMCS-DL-MCT-BK-DT	12W 960LM	3000K/4000K/5000K	30°	Black	6
4" LED SQUARE CYLINDER LIGHTS, 120V (UP/DOWN LIGHT) H: 10-1/4"					
WMCS-UDL-MCT-BR-DT	24W 1920LM	3000K/4000K/5000K	30°	Bronze	6
WMCS-UDL-MCT-BN-DT	24W 1920LM	3000K/4000K/5000K	30°	Brushed Nickel	6
WMCS-UDL-MCT-WH-DT	24W 1920LM	3000K/4000K/5000K	30°	White	6
WMCS-UDL-MCT-BK-DT	24W 1920LM	3000K/4000K/5000K	30°	Black	6
5" LED SQUARE CYLINDER LIGHTS, 120-277V (DOWN LIGHT) H: 8"					
WMCS5-DL-MCT-BR-DD	20W 1600LM	30K/40K/50K	30°	Bronze	6
WMCS5-DL-MCT-BN-DD	20W 1600LM	30K/40K/50K	30°	Brushed Nickel	6
WMCS5-DL-MCT-WH-DD	20W 1600LM	30K/40K/50K	30°	White	6
WMCS5-DL-MCT-BK-DD	20W 1600LM	30K/40K/50K	30°	Black	6
5" LED SQUARE CYLINDER LIGHTS, 120-277V (UP/DOWN LIGHT) H: 12"					
WMCS5-UDL-MCT-BR-DD	40W 3200LM	30K/40K/50K	30°	Bronze	6
WMCS5-UDL-MCT-BN-DD	40W 3200LM	30K/40K/50K	30°	Brushed Nickel	6
WMCS5-UDL-MCT-WH-DD	40W 3200LM	30K/40K/50K	30°	White	6
WMCS5-UDL-MCT-BK-DD	40W 3200LM	30K/40K/50K	30°	Black	6
8" LED SQUARE CYLINDER LIGHTS, 120-277V (UP/DOWN LIGHT) H:					
WMCS8-UDL-MCTD-BK-D	40W 80LM/W	30K/40K/50K		Black	1
WMCS8-UDL-MCTD-BR-D	40W 80LM/W	30K/40K/50K		Bronze	1
WMCS8-UDL-MCTD-WH-D	40W 80LM/W	30K/40K/50K		White	1
WMCS8-UDL-MCTD-SIL-D	40W 80LM/W	30K/40K/50K		Silver	1

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

SIZE	EM OPTION	DESCRIPTION	PHOTOCELL DESCRIPTION	PAINT	SENSOR	DESCRIPTION
4" & UP	OPT-EM-WMCS	INTERNAL	OPT-PC-B BUTTON	N/A	OPT-SEN-WMC WEC-8RC	PROGRAMMABLE MICROWAVE BI-LEVEL REMOTE CONTROL



WMQ5-UDL-MCTP-BK-P
Black



WMQ5-UDL-MCTP-BR-P
Bronze



WMQ5-UDL-MCTP-WH-P
White



WMQ5-UDL-MCTP-BN-P
Brushed Nickel

**UP-DOWN SELECTABLE CUBE WALL LIGHT,
POWER AND CCT ADJUSTABLE, 4.87" (L) x 4.87" (H) X 4.87" (W)**



CATALOG NO.	DESCRIPTION	PKG. QTY.
WMQ5-UDL-MCTP-BK-P	6W/12W/15W/18W 104LM/W 30K/40K/50K Black	6
WMQ5-UDL-MCTP-BR-P	6W/12W/15W/18W 104LM/W 30K/40K/50K Bronze	6
WMQ5-UDL-MCTP-WH-P	6W/12W/15W/18W 104LM/W 30K/40K/50K White	6
WMQ5-UDL-MCTP-BN-P	6W/12W/15W/18W 104LM/W 30K/40K/50K Brushed Nickel	6



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	VANDAL RES.	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL	OPT-EM-WMQ5-BK	BACK BOX	N/A	N/A	N/A	N/A	N/A
	OPT-EM-WMQ5-BR	BACK BOX					
	OPT-EM-WMQ5-WH	BACK BOX					
	OPT-EM-WMQ5-BN	BACK BOX					



LRS-TU-MCT5-DD-BK
Black



LRS-TU-MCT5-DD-BN
Brushed Nickel



LRS-TU-MCT5-DD-BR
Bronze



LRS-TU-MCT5-DD-WH
White

**UP/DOWN TUNNEL WALL SCONCE
RESIDENTIAL/COMMERCIAL DUAL DIMMING, 12"H X 5.5"W X 2-1/8" D**



CATALOG NO.	DESCRIPTION	PKG. QTY.
LRS-TU-MCT5-DD-BK	2X12W 1920LM 27K/30K/35K/40K/50K Black	6
LRS-TU-MCT5-DD-BN	2X12W 1920LM 27K/30K/35K/40K/50K Brushed Nickel	6
LRS-TU-MCT5-DD-BR	2X12W 1920LM 27K/30K/35K/40K/50K Bronze	6
LRS-TU-MCT5-DD-WH	2X12W 1920LM 27K/30K/35K/40K/50K White	6



LRS-R1-MCT5-DD-ORB
Oil-rubbed bronze



LRS-R2-MCT5-DD-ORB
Oil-rubbed bronze



LRS-T1-MCT5-DD-ORB
Oil-rubbed bronze



LRS-T2-MCT5-DD-ORB
Oil-rubbed bronze



LRS-S1-MCT5-DD-ORB
Oil-rubbed bronze



LRS-S2-MCT5-DD-ORB
Oil-rubbed bronze

DUAL-DIMMING MODERN RESIDENTIAL/COMMERCIAL WALL SCONCES



CATALOG NO.	DESCRIPTION
LRS R MODERN RESIDENTIAL/COMMERCIAL WALL SCONCES	
LRS-R1-MCT5-DD-ORB	20W 1500LM 27K/30K/35K/40K/50K 16"
LRS-R2-MCT5-DD-ORB	25W 1875LM 27K/30K/35K/40K/50K 24"
LRS T MODERN RESIDENTIAL/COMMERCIAL WALL SCONCES	
LRS-T1-MCT5-DD-ORB	20W 1500LM 27K/30K/35K/40K/50K 16"
LRS-T2-MCT5-DD-ORB	25W 1875LM 27K/30K/35K/40K/50K 24"
LRS S MODERN RESIDENTIAL/COMMERCIAL WALL SCONCES	
LRS-S1-MCT5-DD-ORB	20W 1500LM 27K/30K/35K/40K/50K 16"
LRS-S2-MCT5-DD-ORB	25W 1875LM 27K/30K/35K/40K/50K 24"

OUTDOOR
DECORATIVE
WALL MOUNT



DIE-CAST HIGH PERFORMANCE SELECTABLE 3CCT WALL PACK, PC LENS



CATALOG NO.	DESCRIPTION	PKG. QTY.
LRS-P1-MCT-BR	15W 975LM 30K/40K/50K Bronze, 10"H	8
LRS-P2-MCTP-BR	20W/25W/30W 70LM/W 30K/40K/50K Bronze, 15"H	4



OUTDOOR/INDOOR LED DECORATIVE WALL SCONCE



CATALOG NO.	DESCRIPTION
FULL-LENS WALL SCONCE, POWER & CCT-ADJUSTABLE	
LDSX-S-12-16W-MCTP-ORB	12W/14W/16W 100LM/W 30K/40K/50K 8" Oil-Rubbed Bronze
LDSX-L-18-22W-MCTP-ORB	18W/20W/22W 100LM/W 30K/40K/50K 14" Oil-Rubbed Bronze

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
LDS	OPT-EM-LDS		OPT-PC-B1	BUTTON	N/A	OPT-SEN-LDS-BR	PROGRAMMABLE MICROWAVE BI-LEVEL
LDSX-S	OPT-EM-LDSX-S		277V OPTION	DESCRIPTION		OPT-SEN-LDS-GY	PROGRAMMABLE MICROWAVE BI-LEVEL
LDSX-L	OPT-EM-LDSX-L		OPT-277V-LDS	EXTERNAL BOX		WEC-8RC	OPTIONAL REMOTE




OUTDOOR/INDOOR LED DECORATIVE WALL SCONCE



CATALOG NO.	DESCRIPTION	PKG. QTY.
10" OUTDOOR/INDOOR LED DECORATIVE WALL SCONCE, 120V (10" WIDE) MCT5		
LDSW-MCT5-ORB	12W 1200LM 27K/30K/35K/40K/50K Oil-Rubbed Bronze	6
LDSW-MCT5-SIL	12W 1200LM 27K/30K/35K/40K/50K Silver	6
10" OUTDOOR/INDOOR LED DECORATIVE WALL SCONCE, 120V (8.7" WIDE) MCT5		
LDSS-MCT5-ORB	12W 1200LM 27K/30K/35K/40K/50K Oil-Rubbed Bronze	6

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	277V OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
LDSW, LDSS	N/A	N/A	OPT-PC-B1	BUTTON	N/A	N/A	N/A



OUTDOOR
DECORATIVE
WALL MOUNT

OUTDOOR/INDOOR LED DECORATIVE WALL SCONCE



CATALOG NO.	DESCRIPTION				PKG. QTY.
10" OUTDOOR/INDOOR LED DECORATIVE WALL SCONCE, 120V (7" WIDE)					
LDS-MCT5-DT-ORB	15W	980LM	27K/30K/35K/40K/50K	Oil-Rubbed Bronze	4
LDS-MCT5-DT-SIL	15W	980LM	27K/30K/35K/40K/50K	Silver	4
LDS-MCT5-DT-BK	15W	980LM	27K/30K/35K/40K/50K	Black	4
RGB WG APP OR REMOTE CONTROL 7" OUTDOOR/INDOOR LED DECORATIVE WALL SCONCE, 120V (7" WIDE)					
LDS-RGBW-BK	15W	980LM	5CCT AND RGB	Black	4
10" OUTDOOR/INDOOR LED DECORATIVE WALL SCONCE WITH PIR SENSOR, 120V (7" WIDE)					
LDS-MCT5-DT-PIR-ORB	15W	980LM	27K/30K/35K/40K/50K	Oil-Rubbed Bronze	4
LDS-MCT5-DT-PIR-SIL	15W	980LM	27K/30K/35K/40K/50K	Silver	4
LDS-MCT5-DT-PIR-BK	15W	980LM	27K/30K/35K/40K/50K	Black	4
18" OUTDOOR/INDOOR LED DECORATIVE WALL SCONCE, 120-277V (6" WIDE)					
LDSL-MCT-D-BZ	20W	1500LM	3000K/4000K/5000K	Bronze	6
LDSL-MCT-D-SIL	20W	1500LM	3500K/4000K/5000K	Silver	6
LDSL-MCT-D-BK	20W	1500LM	3500K/4000K/5000K	Black	6
24" OUTDOOR/INDOOR LED DECORATIVE WALL SCONCE, 120-277V (6" WIDE)					
LDSXL-MCT-DD-ORB	25W	1800LM	30K/40K/50K	Oil-Rubbed Bronze	4
LDSXL-MCT-DD-SIL	25W	1800LM	30K/40K/50K	Silver	4
LDSXL-MCT-DD-BK	25W	1800LM	30K/40K/50K	Black	4
18" OUTDOOR/INDOOR LED DECORATIVE WALL SCONCE, 120-277V					
LDSC-18-MCTP-DD-ORB	15W/20W/25W	80LM/W	30K/40K/50K	Oil-Rubbed Bronze	4
LDSC-18-MCTP-DD-SIL	15W/20W/25W	80LM/W	30K/40K/50K	Silver	4
LDSC-18-MCTP-DD-BK	15W/20W/25W	80LM/W	30K/40K/50K	Black	4
24" OUTDOOR/INDOOR LED DECORATIVE WALL SCONCE, 120-277V					
LDSC-24-MCTP-DD-ORB	20W/25W/30W	80LM/W	30K/40K/50K	Oil-Rubbed Bronze	4
LDSC-24-MCTP-DD-SIL	20W/25W/30W	80LM/W	30K/40K/50K	Silver	4
LDSC-24-MCTP-DD-BK	20W/25W/30W	80LM/W	30K/40K/50K	Black	4

LDSXL DIMMING: (DUAL FUNCTION) TRIAC DIMMABLE AT 120V & 0-10V DIMMING AT 120-277V

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
LDS	OPT-EM-LDS		OPT-PC-B1	BUTTON	N/A	OPT-SEN-LDS-BR	PROGRAMMABLE MICROWAVE BI-LEVEL
LDSX-S	OPT-EM-LDSX-S		277V OPTION	DESCRIPTION		OPT-SEN-LDS-GY	PROGRAMMABLE MICROWAVE BI-LEVEL
LDSX-L	OPT-EM-LDSX-L		OPT-277V-LDS	EXTERNAL BOX		WEC-BRC	OPTIONAL REMOTE

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
LDSL	OPT-EM-LDSL	INTERNAL	OPT-PC-B	BUTTON	N/A	N/A	N/A
LDSXL	OPT-EM-LDSXL	INTERNAL					
LDSXL	OPT-EM-LDSXL-277V	INTERNAL					



LRS-J1S-MCT-C90-BK
Black



LRS-J1S-MCT-C90-BN
Brushed-Nickel



LRS-J1S-MCT-C90-BR
Bronze



LRS-J-MCT-C90-BK
Black



LRS-J-MCT-C90-BN
Brushed-Nickel



LRS-J-MCT-C90-BR
Bronze

MODEL J ARCHITECTURAL OUTDOOR/INDOOR LED WALL LIGHTS
120V, SOLID ACRYLIC LENS



CATALOG NO.	DESCRIPTION	PKG. QTY.
-------------	-------------	-----------

1-SIDE DECORATIVE OUTDOOR WALL LIGHT

LRS-J1S-MCT-C90-BK	10W 700LM 3000K/4000K/5000K Black	10
LRS-J1S-MCT-C90-BR	10W 700LM 3000K/4000K/5000K Bronze	10
LRS-J1S-MCT-C90-BN	10W 700LM 3000K/4000K/5000K Brushed-Nickel	10

2-SIDES DECORATIVE OUTDOOR WALL LIGHT

LRS-J-MCT-C90-BK	20W 1400LM 3000K/4000K/5000K Black	10
LRS-J-MCT-C90-BR	20W 1400LM 3000K/4000K/5000K Bronze	10
LRS-J-MCT-C90-BN	20W 1400LM 3000K/4000K/5000K Brushed-Nickel	10



LRS-E-MCT-C90-BK
Black



LRS-E-MCT-C90-MGBR
Marine Grade Bronze



LRS-E-MCT-C90-WH
White



LRS-F-MCT-C90-BK
Black



LRS-F-MCT-C90-MGBR
Marine Grade Bronze



LRS-F-MCT-C90-WH
White



LRS-F-RGBW-BK
Black



LRS-G-MCT-C90-BK
Black



LRS-G-MCT-C90-MGBR
Marine Grade Bronze



LRS-G-MCT-C90-WH
White




LRS-H-MCT-C90-BK
Black



LRS-H-MCT-C90-MGBR
Marine Grade Bronze



LRS-H-MCT-C90-WH
White



LRS-H-RGBW-BK
Black

ARCHITECTURAL OUTDOOR/INDOOR LED WALL LIGHTS, 120V



CATALOG NO.	DESCRIPTION	PKG. QTY.
-------------	-------------	-----------

ROUND MODEL E ARCHITECTURAL OUTDOOR/INDOOR LED WALL LIGHTS, 120V

LRS-E-MCT-C90-BK	12W 650LM 3000K/4000K/5000K Black	12
LRS-E-MCT-C90-WH	12W 650LM 3000K/4000K/5000K White	12
LRS-E-MCT-C90-MGBR	12W 650LM 3000K/4000K/5000K Marine Grade Bronze	12

ROUND MODEL F ARCHITECTURAL OUTDOOR/INDOOR LED WALL LIGHTS, 120V

LRS-F-MCT-C90-BK	12W 650LM 3000K/4000K/5000K Black	12
LRS-F-MCT-C90-WH	12W 650LM 3000K/4000K/5000K White	12
LRS-F-MCT-C90-MGBR	12W 650LM 3000K/4000K/5000K Marine Grade Bronze	12

RGB WG APP OR REMOTE CONTROL 7" ROUND MODEL F ARCHITECTURAL OUTDOOR/INDOOR LED WALL LIGHTS, 120V



LRS-F-RGBW-BK	12W 650LM 5CCT AND RGB Black	12
---------------	------------------------------	----

SQUARE MODEL G ARCHITECTURAL OUTDOOR/INDOOR LED WALL LIGHTS, 120V

LRS-G-MCT-C90-BK	12W 650LM 3000K/4000K/5000K Black	12
LRS-G-MCT-C90-WH	12W 650LM 3000K/4000K/5000K White	12
LRS-G-MCT-C90-MGBR	12W 650LM 3000K/4000K/5000K Marine Grade Bronze	12

SQUARE MODEL H ARCHITECTURAL OUTDOOR/INDOOR LED WALL LIGHTS, 120V

LRS-H-MCT-C90-BK	12W 650LM 3000K/4000K/5000K Black	12
LRS-H-MCT-C90-WH	12W 650LM 3000K/4000K/5000K White	12
LRS-H-MCT-C90-MGBR	12W 650LM 3000K/4000K/5000K Marine Grade Bronze	12

RGB WG APP OR REMOTE CONTROL 6" SQUARE MODEL H ARCHITECTURAL OUTDOOR/INDOOR LED WALL LIGHTS, 120V



LRS-H-RGBW-BK	12W 650LM 5CCT AND RGB Black	12
---------------	------------------------------	----

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
LRS-E, LRS-F	OPT-EM-LRS-R-BK	BACK BOX	OPT-PC-LRS-RBK	EXTERNAL BOX	N/A	OPT-277V-LRS-R	EXTERNAL BOX
LRS-G, LRS-H, LRS-J, LRS-J1S	OPT-EM-LRS-S-BK	BACK BOX	OPT-PC-LRS-RMGBR	EXTERNAL BOX	N/A	OPT-277V-LRS-S	EXTERNAL BOX
LRS-E, LRS-F	OPT-EM-LRS-R-WH	BACK BOX	OPT-PC-LRS-RWH	EXTERNAL BOX			
LRS-G, LRS-H	OPT-EM-LRS-S-WH	BACK BOX	OPT-PC-LRS-SBK	EXTERNAL BOX			
LRS-E, LRS-F	OPT-EM-LRS-R-MGBR	BACK BOX	OPT-PC-LRS-SMGBR	EXTERNAL BOX			
LRS-G, LRS-H	OPT-EM-LRS-S-MGBR	BACK BOX	OPT-PC-LRS-SWH	EXTERNAL BOX			
LRS-J, LRS-J1S	OPT-EM-LRS-S-BR	BACK BOX					
LRS-J, LRS-J1S	OPT-EM-LRS-S-BN	BACK BOX					



LVW-100-MCT-ORB
5.25"(D) x 2.66"(H)



LVW-110-MCT-ORB
3.12"(W) x 3.40"(H) x 3.71"(D)



LVW-110-UD-MCT-ORB
3.71"(W) x 4.12"(H) x 5.20"(D)



LVW-115-MCT-ORB
5.25"(D) x 3.75"(H)




LVW-200-MCT-ORB
5.20"(SQ) x 2.66"(H)



LVW-210-MCT-ORB
3.75"(W) x 4.12"(H) x 3.4"(D)



LVW-210-UD-MCT-ORB
3.75"(W) x 4.12"(H) x 5.20"(D)



LVW-215-MCT-ORB
5.25"(SQ) x 4.33"(H)



LVW-250-MCT-ORB
5.75"(W) x 5.75"(H) x 2.25"(D)



LVW-300-MCT-ORB
LVW-300-MCT-WH
7"(W) x 5"(H) x 2.25"(D)



LVW-310-MCT-ORB
LVW-310-MCT-WH
7.50"(W) x 4.20"(H) x 2"(D)

12V SELECTABLE CCT LED MINI WALL SCONCES



12V

CATALOG NO.	DESCRIPTION
LVW-100-MCT-ORB	3W 200LM 30K/40K/50K Oil-Rubbed Bronze
LVW-110-MCT-ORB	3W 200LM 30K/40K/50K Oil-Rubbed Bronze
LVW-110-UD-MCT-ORB	6W 400LM 30K/40K/50K Oil-Rubbed Bronze
LVW-115-MCT-ORB	3W 200LM 30K/40K/50K Oil-Rubbed Bronze
LVW-200-MCT-ORB	3W 200LM 30K/40K/50K Oil-Rubbed Bronze
LVW-210-MCT-ORB	3W 200LM 30K/40K/50K Oil-Rubbed Bronze
LVW-210-UD-MCT-ORB	6W 400LM 30K/40K/50K Oil-Rubbed Bronze
LVW-215-MCT-ORB	3W 200LM 30K/40K/50K Oil-Rubbed Bronze
LVW-250-MCT-ORB	6W 400LM 30K/40K/50K Oil-Rubbed Bronze
LVW-300-MCT-ORB	6W 400LM 30K/40K/50K Oil-Rubbed Bronze
LVW-300-MCT-WH	6W 400LM 30K/40K/50K White
LVW-310-MCT-ORB	6W 400LM 30K/40K/50K Oil-Rubbed Bronze
LVW-310-MCT-WH	6W 400LM 30K/40K/50K White



LRS-A-MCT-PC
Dark Bronze



LRS-B-40K-PC
LRS-B-MCT-PC
Dark Bronze



LRS-C-MCT-D
Dark Bronze



LRS-PV-MCT-DD
Oil-Rubbed Bronze



LRS-PV-RGBW
Oil-Rubbed Bronze



LRS-D-30K-D
LRS-D-40K-D
Dark Bronze



LRS-L-MCT5-BK
Black



LRS-S-MCT5-ORB
Oil-Rubbed Bronze



LRS-SWG-MCT5-ORB
Oil-Rubbed Bronze

LED RESIDENTIAL LANTERNS, 120V



CATALOG NO.	DESCRIPTION	PKG. QTY.
12" OUTDOOR/INDOOR CEILING LIGHT, 120-277V	LRS-PV-MCT-DD 25W 1920LM 30K/40K/50K 12", Oil-Rubbed Bronze	4
RGB WG APP OR REMOTE CONTROL 13" OUTDOOR/INDOOR CEILING LIGHT, 120-277V	LRS-PV-RGBW 25W 1920LM 5CCT AND RGB 13", Oil-Rubbed Bronze	4
LED RESIDENTIAL LANTERNS WITH PHOTOCELL, 120V	LRS-A-MCT-PC 12W 1150LM 3000K/4000K/5000K	6
	LRS-B-40K-PC 6W 550LM 4000K WHILE SUPPLIES LAST	12
	LRS-B-MCT-PC 6W 550LM 3000K/4000K/5000K	12
LED DIMMABLE RESIDENTIAL LIGHTS, 120V	LRS-C-MCT-D 12W 1100LM 3000K/4000K/5000K	6
	LRS-D-30K-D 12W 1100LM 3000K WHILE SUPPLIES LAST	6
	LRS-D-40K-D 12W 1100LM 4000K WHILE SUPPLIES LAST	6
LED OUTDOOR LARGE WALL LANTERN, 120V 5CCT (12.40 X 8.80 X 8.80)	LRS-L-MCT5-BK 12W 1200LM 27K/30K/35K/40K/50K Black 12.4"X8.8"X8.8"	6
LED SEASIDE OUTDOOR WALL LANTERN, 120V 5CCT (10.50 X 8.70 X 8.70)	LRS-S-MCT5-ORB 12W 1200LM 27K/30K/35K/40K/50K Oil-Rubbed Bronze	4
LED SEASIDE OUTDOOR WALL LANTERN WITH WIREGUARD, 120V 5CCT (11.00 X 8.75 X 10.35)	LRS-SWG-MCT5-ORB 12W 1200LM 27K/30K/35K/40K/50K Oil-Rubbed Bronze	4

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
LRS-L, LRS-S, LRS-SWG	N/A	N/A	OPT-PC-B	BUTTON	N/A	N/A	N/A
LRS-PV	OPT-EM-LRS-PV	N/A					

OUTDOOR
DECORATIVE
WALL MOUNT



LRS-NI-MCT-P-ORB
13" Oil-Rubbed Bronze



LRS-MI-MCT-P-ORB
10" Oil-Rubbed Bronze



LRS-M2-MCT-P-ORB
10" Oil-Rubbed Bronze



Shown with
Optional
Bubble Glass



Shown with
Optional
Crackled Glass



LRS-V
Oil-rubbed bronze

RESIDENTIAL LANTERNS WITH PHOTOCELL, CCT SELECTABLE



CATALOG NO.	DESCRIPTION	PKG. QTY.
10" MODEL M RESIDENTIAL LANTERNS WITH PHOTOCELL, CCT SELECTABLE		
LRS-M1-MCT-P-ORB	12W 500LM 30K/40K/50K With Frosted Lens & Ornament guard	6
LRS-M2-MCT-P-ORB	12W 500LM 30K/40K/50K With Frosted Lens & Outer Clear Glass	6
LRS-M-RL-FG	Replacement Default Frosted Lens For LRS-M Series	
LRS-M-RL-BG	Replacement Bubble Glass Lens For LRS-M Series	
LRS-M-RL-CG	Replacement Crackled Glass Lens For LRS-M Series	
13" MODEL N RESIDENTIAL LANTERNS WITH PHOTOCELL, CCT SELECTABLE		
LRS-NI-MCT-P-ORB	20W 850LM 30K/40K/50K With Frosted Lens & Outer Clear Glass	4
LRS-N-RL-FG	Replacement Default Frosted Lens For LRS-N Series	
LRS-N-RL-BG	Replacement Bubble Glass Lens For LRS-N Series	
LRS-N-RL-CG	Replacement Crackled Glass Lens For LRS-N Series	

MODEL V DIE-CAST MODERN WALL SCONCES

LRS-V-MCT-P-ORB 12W 500LM 30K/40K/50K



LRS-O
Bronze

Can be Installed
as Uplight



LRS-CR2-MCT-BR
Bronze



LRS-WS-12
Bronze



LRS-WS-18
Bronze




LRS-K-24-MCT5-BR
Bronze

DIE-CAST MODERN WALL SCONCES, SELECTABLE 3CCT



CATALOG NO.	DESCRIPTION	PKG. QTY.
MODEL O DIE-CAST MODERN WALL SCONCES - UP LIGHT OR DOWN LIGHT INSTALLATION		
LRS-O1-MCT-BR	6W 420LM 30K/40K/50K Bronze, 5" H	10
LRS-O2-MCT-BR	9W 630LM 30K/40K/50K Bronze, 6" H	10
LRS-O3-MCT-BR	12W 840LM 30K/40K/50K Bronze, 8" H	10
MODEL CR DIE-CAST MODERN WALL SCONCES		
LRS-CR2-MCT-BR	2x6W 840LM 30K/40K/50K Bronze, 6" H	8
MODEL WS DIE-CAST MODERN WALL SCONCES		
LRS-WS-12-MCT5-BR	20W 1000LM 27K/30K/35K/40K/50K Bronze, 12" H	10
LRS-WS-18-MCT5-BR	30W 1500LM 27K/30K/35K/40K/50K Bronze, 18" H	10
MODEL K DIE-CAST MODERN WALL SCONCES		
LRS-K-24-MCT5-BR	24W 700LM 27K/30K/35K/40K/50K Bronze, 24" H	8

OUTDOOR
DECORATIVE
WALL MOUNT



OUTDOOR
DECORATIVE
WALL MOUNT

WALL CUBE WITH ADJ. BEAM ANGLE UP/DOWN LIGHTS, OUTDOOR, 5CCT



CATALOG NO.	DESCRIPTION	PKG. QTY.
LRS-Q-MCT5-BR	15W 800LM 27K/30K/35K/40K/50K Bronze	10
LRS-Q-MCT5-BK	15W 800LM 27K/30K/35K/40K/50K Black	10
LRS-Q-MCT5-WH	15W 800LM 27K/30K/35K/40K/50K White	10



LRS-MC-MCT5-P-BK
Black



LRS-MC-MCT5-P-WH
Bronze



LRS-MC-MCT5-P-BN
Brushed Nickel



LRS-MC-MCT5-P-BR
Bronze

MINI-CONE OUTDOOR WALL SCONCE WITH PHOTOCELL, 5" HEIGHT, 5CCT



CATALOG NO.	DESCRIPTION	PKG. QTY.
LRS-MC-MCT5-P-BK	10W 700LM 27K/30K/35K/40K/50K Black	10
LRS-MC-MCT5-P-WH	10W 700LM 27K/30K/35K/40K/50K White	10
LRS-MC-MCT5-P-BN	10W 700LM 27K/30K/35K/40K/50K Brushed nickel	10
LRS-MC-MCT5-P-BR	10W 700LM 27K/30K/35K/40K/50K Bronze	10



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	VANDAL RES.	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL	OPT-EM-LRS-MC	EXTERNAL BACK BOX	N/A	N/A	N/A	N/A	N/A



WESTGATE SMART APP COMPATIBLE RGBW SERIES



OUTDOOR
WG SMART
RGBW



TC-FL-36W-RGBW-BT-BR
Round Flood Light



TC-FL-72W-RGBW-BT-BK
Round Flood Light



TC-FLS-96W-RGBW-BT-BK
Square Flood Light



TC-WW-36W-RGBW-BT-BK
TC-WW-72W-RGBW-BT-BK
4' Wall Wash



DMX-FL-SH1
Shield only



DMX-FLS-SH1
Shield only



DMX-FLS-SHFG1
Shield only



DMX-WW-SH2
Shield only



WEC-2UGW-WIFI



WESTGATE SMART APP COMPATIBLE RGBW SERIES

CATALOG NO.	DESCRIPTION	PKG. QTY.
TC-FL-36W-RGBW-BT-BR	36W RGBW Bronze Round Flood Light	1
TC-FL-72W-RGBW-BT-BK	72W RGBW Black Round Flood Light	1
TC-WW-36W-RGBW-BT-BK	36W RGBW Black Linear Light	1
TC-WW-72W-RGBW-BT-BK	72W RGBW Black Linear Light	1
TC-FLS-96W-RGBW-BT-BK	96W RGBW Black Square Flood Light	1
DMX-FL-SH1	Half Glare Shield for TC-FL-72W & DMX-FL-72W	
DMX-WW-SH2	Half Glare Shield for TC-WW-36W/72W & DMX-WW-36W	
DMX-FLS-SH1	Half Glare Shield for TC-FLS-96W & DMX-FLS-36W/72W/96W	
DMX-FLS-SHFG1	Full Glare Shield for TC-FL-96W & DMX-FL-36W/72W/96W	
WEC-2UGW-WIFI	Bluetooth to WiFi Gateway for full remote access and programming, also needed for scheduling	

FOR REMOTE CONTROL SEE PAGE 96



WMC-UDL-RGBW-BK
Black



WMC-UDL-RGBW-WH
White



WMCS-UDL-RGBW-BK
Black



WMCS-UDL-RGBW-WH
White

RGBW LED OUTDOOR CYLINDER LIGHTS, IP65



CATALOG NO.	DESCRIPTION	PKG. QTY.
4" LED ROUND CYLINDER LIGHTS, 120V (UP/DOWN LIGHT) H: 12"		
WMC-UDL-RGBW-BK	24W 1920LM RGBW 25° Black	6
WMC-UDL-RGBW-WH	24W 1920LM RGBW 25° White	6
4" LED SQUARE CYLINDER LIGHTS, 120V (UP/DOWN LIGHT) H: 10-1/4"		
WMCS-UDL-RGBW-BK	24W 1920LM RGBW 30° Black	6
WMCS-UDL-RGBW-WH	24W 1920LM RGBW 30° White	6

FOR REMOTE CONTROL SEE PAGE 96



DMX 512 COMPATIBLE RGBW SERIES

SPECIAL ORDER FOR PROJECTS - MINIMUM 3 MONTHS LEAD TIME

DMX Controller & Cables Needed.

In a DMX lighting setup, Lights need to be connected with cables. The cables can be "daisy chained" so that each light can plug into the one before it instead of all lights plugging into the DMX board itself.



DMX-FL-36W-RGBW-BT-BK
Round Flood Light



DMX-FL-72W-RGBW-BT-BK
Round Flood Light



DMX-FLS-96W-RGBW-BT-BK
Square Flood Light



DMX-WW-36W-RGBW-BT-BK
DMX-WW-72W-RGBW-BT-BK
Wall Wash



DMX-FL-SH1
Shield only



DMX-FLS-SHFG1
Shield only



DMX-WW-SH2
Shield only



DMX-FLS-SH2
Shield only



DMX-3PIN-EXT

DMX 512 COMPATIBLE RGBW SERIES




CATALOG NO.	DESCRIPTION	PKG. QTY.
DMX-FL-36W-RGBW-BT-BK	36W RGBW Black Round Flood Light	1
DMX-FL-72W-RGBW-BT-BK	72W RGBW Black Round Flood Light	1
DMX-FLS-96W-RGBW-BT-BK	96W RGBW Black Square Flood Light	1
DMX-WW-36W-RGBW-BT-BK	36W RGBW Black Linear Light	1
DMX-WW-72W-RGBW-BT-BK	72W RGBW Black Linear Light	1
DMX-FL-SH1	Half Glare Shield for TC-FL-72W & DMX-FL-72W	
DMX-WW-SH2	Half Glare Shield for TC-WW-36W/72W & DMX-WW-36W	
DMX-FLS-SH1	Half Glare Shield for TC-FLS-96W & DMX-FLS-36W/72W/96W	
DMX-FLS-SHFG1	Full Glare Shield for TC-FL-96W & DMX-FL-36W/72W/96W	
DMX-3PIN-5FT-EXT	Dmx512 3-Pin Outdoor Extension Cord 5 Feet	
DMX-3PIN-10FT-EXT	Dmx512 3-Pin Outdoor Extension Cord 10 Feet	



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	GROUP OPTION	DESCRIPTION	VANDAL RES.	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL	OPT-DMX-GROUP	Change fixture address to create light groups	N/A	N/A	N/A	N/A	N/A



SPEC SERIES X GEN. RGB STADIUM LIGHTS, DMX512 CONTROLLED - SPECIAL ORDER



CATALOG NO.	DESCRIPTION	PKG. QTY.
SFX-G9-500W-45D-RGB	500W RGB	1
SFX-G9-800W-45D-RGB	800W RGB	1



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	GROUP OPTION	DESCRIPTION	VANDAL RES.	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL	OPT-DMX-GROUP	Change fixture address to create light groups	N/A	N/A	N/A	N/A	N/A



Flood Light Wall-Mounting Arm
30In/24in/18in, Black/White
See page 24



LOHB-C
Surface/Ceiling Mounting conversion
Bracket w/screw holes in base, (set
of 2)



LOHB-H-2FT
2Ft. Surface Mounting
conversion yoke, Steel
(Also need LOHB-G)



LOHB-G
Side by side fixture coupling
Also used with LOHB-G
Surf. Mt. Bracket (set of 2)



OUTDOOR
GARDEN
LIGHTS

LED OUTDOOR SIGN LIGHTS WITH 1/2" ADJUSTABLE KNUCKLES, 120-277V



CATALOG NO.	DESCRIPTION	REPLACEMENT RANGE	PKG. QTY.
LOHB-2FT-50W-30K	50W 6500LM 3000K	150-250MH	4
LOHB-2FT-50W-50K	50W 6700LM 5000K	150-250MH	4
LOHB-4FT-120W-30K	120W 15300LM 3000K	200-400MH	1
LOHB-4FT-120W-50K	120W 15600LM 5000K	200-400MH	1
LOHB-4FT-120W-30K-WH	120W 15300LM 3000K	200-400MH White	1
LOHB-4FT-120W-50K-WH	120W 15600LM 5000K	200-400MH White	1



SPEC SERIES SOLAR SIGN AND BILLBOARD LIGHTS



CATALOG NO.	DESCRIPTION	PKG. QTY.
SOLS-1FT-MCT	5W 500LM 3000K/6000K 1FT	18
SOLS-2FT-60K	10W 1000LM 6000K 2FT	9
SOLS-4FT-60K	20W 2000LM 6000K 4FT	4

LED WORK LIGHT S-HOOK, USB CABLE & ADAPTOR INCL.



CATALOG NO.	DESCRIPTION
WL-EZCG-10W-50K	10W 300-600LM 5000K
WL-EZCG-SOLP	Solar panel 10 ft. cord & magnetic base



3IN1 LED WORK LIGHT(WORK LIGHT/SOS LIGHT/POWER BANK) USB CABLE INCL.

CATALOG NO.	DESCRIPTION
WL-3IN1-10W	10W 400LM 6000K



Retail Packaging - MOQ 1 Master Carton of 10



LRX-36-60W-MCTP-P



LRX-72-120W-MCTP-TL



Shown with Arm Included

BUILDER SERIES POWER & COLOR-TEMP. SELECTABLE DUSK-TO-DAWN BARN/AREA LIGHT, 120-277V (Photocell & Arm Incl.)



CATALOG NO.	DESCRIPTION	PKG. QTY.
LRX-36-60W-MCTP-P	36W/42W/60W 130LM/W 3000K/4000K/5000K	4
LRX-72-120W-MCTP-TL	72W/96W/120W 130LM/W 3000K/4000K/5000K	4

SPEC SERIES POWER & CCT DUSK-TO-DAWN BARN/AREA LIGHT 120-277V (NEMA Photocell & Arm Incl.)



CATALOG NO.	DESCRIPTION	PKG. QTY.
LRX-20-50W-MCTP	20W/30W/40W/50W 130LM/W 30K/40K/50K/57K	2
LRX-50-120W-MCTP	50W/80W/100W/120W 130LM/W 30K/40K/50K/57K	1



HIGH-OUTPUT DUAL-SELECTABLE VAPOR-TIGHT WITH ADJ. ANGLE



CATALOG NO.	DESCRIPTION	PKG. QTY.
VTA-15-30W-MCTP	15W/20W/30W 110LM/W 30K/40K/50K	6

RGBW VAPOR-TIGHT WITH ADJ. ANGLE W/ PHOTOCELL




CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER
VTA-12-20W-RGBWW-P	12W/16W/20W 100LM/W RGBW	



LED UNIVERSAL VAPOR LIGHTS, (ALL MOUNTING OPTIONS IN ONE BOX) 120-277V, IP65 NEMA 3R



CATALOG NO.	DESCRIPTION	PKG. QTY.
VTU-12W-30K	12W 840LM 3000K	2
VTU-12W-50K	12W 900LM 5000K	2
VTU-20W-30K	20W 1685LM 3000K	2
VTU-20W-50K	20W 1785LM 5000K	2



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL DESCRIPTION	PAINT	SENSOR	DESCRIPTION	
ALL	OPT-EM-VTU	INTERNAL	OPT-PC-B	BUTTON	OPT-CLR-85(BK/GR/SR/WH)	OPT-SEN-3MRLV-5 WEC-8RC	PROGRAMMABLE MICROWAVE BI-LEVEL REMOTE CONTROL



TOL-YOSEMITE

Tree of Lite - **Yosemite**
Black/Bronze
(Shown with pole-POL series) see next page

TOL SEQUOIA

Tree of Lite - **Sequoia**
Black/Bronze
(Shown with pole-POL series) see next page

TOL-KINGS

Tree of Lite - **Kings**
Black/Bronze
(Shown with pole-POL series) see next page

TOL-JOSHUA

Tree of Lite - **Joshua**
Black/Bronze
(Shown with pole-POL series) see next page

TOL-REDWOOD

Tree of Lite - **Redwood**
Black/Bronze
(Shown with pole-POL series) see next page



TOL-A1-1L
Black/Bronze



TOL-A2-1L
Black/Bronze



TOL-A2-3L
Black/Bronze



TOL-A3-3L
Black/Bronze



TOL-A4-4L
Black/Bronze

TREE OF LIGHT, A NATURAL DESIGNER LIGHT STRUCTURE FOR OPEN AREAS



CATALOG NO.	DESCRIPTION	PKG. QTY.
TOL-YOSEMITE-BR	75w 125LM/W 30K/40K/50K Bronze	1
TOL-SEQUOIA-BR	100w 125LM/W 30K/40K/50K Bronze	1
TOL-KINGS-BR	150w 125LM/W 30K/40K/50K Bronze	1
TOL-JOSHUA-BR	225w 125LM/W 30K/40K/50K Bronze	1
TOL-REDWOOD-BR	275w 125LM/W 30K/40K/50K Bronze	1
TOL-YOSEMITE-BK	75w 125LM/W 30K/40K/50K Black	1
TOL-SEQUOIA-BK	100w 125LM/W 30K/40K/50K Black	1
TOL-KINGS-BK	150w 125LM/W 30K/40K/50K Black	1
TOL-JOSHUA-BK	225w 125LM/W 30K/40K/50K Black	1
TOL-REDWOOD-BK	275w 125LM/W 30K/40K/50K Black	1
TOL-A1-1L-BR	25w 125LM/W 30K/40K/50K Bronze	1
TOL-A2-1L-BR	25w 125LM/W 30K/40K/50K Bronze	1
TOL-A2-3L-BR	75w 125LM/W 30K/40K/50K Bronze	1
TOL-A3-3L-BR	75w 125LM/W 30K/40K/50K Bronze	1
TOL-A4-4L-BR	100w 125LM/W 30K/40K/50K Bronze	1
TOL-A1-1L-BK	25w 125LM/W 30K/40K/50K Black	1
TOL-A2-1L-BK	25w 125LM/W 30K/40K/50K Black	1
TOL-A2-3L-BK	75w 125LM/W 30K/40K/50K Black	1
TOL-A3-3L-BK	75w 125LM/W 30K/40K/50K Black	1
TOL-A4-4L-BK	100w 125LM/W 30K/40K/50K Black	1



DECORATIVE 3-PIECE LIGHT POLE

CATALOG NO.	DESCRIPTION
POL-D1-120-3PC-BK	120In Decorative Pole D1 Series, 3Pc, 2.36In Tenon, Black
POL-D1-120-3PC-BR	120In Decorative Pole D1 Series, 3Pc, 2.36In Tenon, Bronze
POL-D1-144-3PC-BK	144In Decorative Pole D1 Series, 3Pc, 2.36In Tenon, Black
POL-D1-144-3PC-BR	144In Decorative Pole D1 Series, 3Pc, 2.36In Tenon, Bronze
POL-D1-ABK	D1 Series Pole Anchor Bolt Kit 9/16 (M14)
POL-D1-BASECVR-BR	D1 Series Pole 2-Pc Cube Base Cover, Bronze
POL-D1-BASECVR-BK	D1 Series Pole 2-Pc Cube Base Cover, Black



POWER & CCT- ADJUSTABLE GARDEN POST-TOP LIGHTS, 120-277V



CATALOG NO.	DESCRIPTION
POWER & CCT- ADJUSTABLE GARDEN POST-TOP LIGHTS, 120-277V (FITS ON 3" OD PIPES/POLES)	
GPE-40-60W-MCTP	40W/50W/60W 130LM/W 30K/40K/50K Bronze
GPE-60-100W-MCTP	60W/80W/100W 130LM/W 30K/40K/50K Bronze
GPE-60-100W-MCTP-BK	60W/80W/100W 130LM/W 30K/40K/50K Black
GPE-30-25-REDUCER	GPE Neck Reducer from 3" Inner Diameter to 2.5"
POWER & CCT- ADJUSTABLE GARDEN POST-TOP LIGHTS, 120-277V, (FITS ON 2-3/8" OD PIPES/POLES) 7 DAYS LEAD TIME	
GPET-40-60W-MCTP	40W/50W/60W 130LM/W 30K/40K/50K Bronze
GPET-60-100W-MCTP	60W/80W/100W 130LM/W 30K/40K/50K Bronze



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
GPE	OPT-EM-GPE	INTERNAL	OPT-3MPC	ELECTRONIC	OPT-CLR-95(BK/GR/SR/WH)	OPT-SEN-3MR-3	BI-LEVEL MICROWAVE
GPET	OPT-EM-GPET	INTERNAL				WEC-8RC	REMOTE CONTROL



GPX-A1
Single Arm
for 2-3/8" Poles
"POLE IS NOT INCL."



GPX-A2
Twin Arm
for 2-3/8" Poles
"POLE IS NOT INCL."



GPX-PWM
Pole/Wall Mount



GPX-SF
Slip fitter
for 2-3/8" Poles
"POLE IS NOT INCL."



GPX-BM
Bell Mount
for 2-3/8" Poles
"POLE IS NOT INCL."



GPX-CM
Ceiling Mount



GPX-PM75
Pipe Mount
with 3/4" Hub
"STEM IS NOT INCL."



GPX-CAT
Catenary
Suspension Mount
"SUSP. CABLE IS NOT INCL."



GPX-SOLAR-A1
Single Arm
for 2-3/8" Poles
"POLE IS NOT INCL."



GPX-SOLAR-PWM
Pole/Wall Mount
"POLE IS NOT INCL."



GPX-SOLAR-SF
Slip fitter
for 2-3/8" Poles
"POLE IS NOT INCL."

SPEC SERIES POWER & CCT- ADJUSTABLE AREA/FLOOD LIGHT Bronze Finish
120-277V, TYPE 5 LENS (TYPE 2 & TYPE 3 LENS ALSO AVAILABLE) 7 DAYS LEAD TIME



DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER	MOUNTING	PKG. QTY.
GPX-18-60W-MCTP-A1	18W/30W/45W/60W 150LM/W 30K/40K/50K	Single Arm for 2-3/8" Poles	1
GPX-18-60W-MCTP-A2	18W/30W/45W/60W 150LM/W 30K/40K/50K	Twin Arm for 2-3/8" Poles	1
GPX-18-60W-MCTP-PWM	18W/30W/45W/60W 150LM/W 30K/40K/50K	Pole/Wall Mount	1
GPX-18-60W-MCTP-SF	18W/30W/45W/60W 150LM/W 30K/40K/50K	Slip fitter for 2-3/8" Poles	1
GPX-18-60W-MCTP-BM	18W/30W/45W/60W 150LM/W 30K/40K/50K	Bell Mount for 2-3/8" Poles	1
GPX-18-60W-MCTP-CM	18W/30W/45W/60W 150LM/W 30K/40K/50K	Ceiling Mount	1
GPX-18-60W-MCTP-PM75	18W/30W/45W/60W 150LM/W 30K/40K/50K	Pipe Mount with 3/4" Hub	1
GPX-18-60W-MCTP-CAT	18W/30W/45W/60W 150LM/W 30K/40K/50K	Catenary Suspension Mount	1
GPX-22-75W-MCTP-A1	22W/37W/56W/75W 150LM/W 40K/50K	Single Arm for 2-3/8" Poles	1
GPX-22-75W-MCTP-A2	22W/37W/56W/75W 150LM/W 40K/50K	Twin Arm for 2-3/8" Poles	1
GPX-22-75W-MCTP-PWM	22W/37W/56W/75W 150LM/W 40K/50K	Pole/Wall Mount	1
GPX-22-75W-MCTP-SF	22W/37W/56W/75W 150LM/W 40K/50K	Slip fitter for 2-3/8" Poles	1
GPX-22-75W-MCTP-BM	22W/37W/56W/75W 150LM/W 40K/50K	Bell Mount for 2-3/8" Poles	1
GPX-22-75W-MCTP-CM	22W/37W/56W/75W 150LM/W 40K/50K	Ceiling Mount	1
GPX-22-75W-MCTP-PM75	22W/37W/56W/75W 150LM/W 40K/50K	Pipe Mount with 3/4" Hub	1
GPX-22-75W-MCTP-CAT	22W/37W/56W/75W 150LM/W 40K/50K	Catenary Suspension Mount	1
GPX-90-150W-MCTP-A1	90W/120W/150W 150LM/W 30K/40K/50K	Single Arm for 2-3/8" Poles	1
GPX-90-150W-MCTP-A2	90W/120W/150W 150LM/W 30K/40K/50K	Twin Arm for 2-3/8" Poles	1
GPX-90-150W-MCTP-PWM	90W/120W/150W 150LM/W 30K/40K/50K	Pole/Wall Mount	1
GPX-90-150W-MCTP-SF	90W/120W/150W 150LM/W 30K/40K/50K	Slip fitter for 2-3/8" Poles	1
GPX-90-150W-MCTP-BM	90W/120W/150W 150LM/W 30K/40K/50K	Bell Mount for 2-3/8" Poles	1
GPX-90-150W-MCTP-CM	90W/120W/150W 150LM/W 30K/40K/50K	Ceiling Mount	1
GPX-90-150W-MCTP-PM75	90W/120W/150W 150LM/W 30K/40K/50K	Pipe Mount with 3/4" Hub	1
GPX-90-150W-MCTP-CAT	90W/120W/150W 150LM/W 30K/40K/50K	Catenary Suspension Mount	1

SPEC SERIES POWER & CCT- ADJUSTABLE SOLAR AREA/FLOOD LIGHT

GPX-10W-SOLAR-A1	10W	1700LM 30K/40K/50K	Single Arm for 2-3/8" Poles	1
GPX-10W-SOLAR-PWM	10W	1700LM 30K/40K/50K	Pole/Wall Mount	1
GPX-10W-SOLAR-SF	10W	1700LM 30K/40K/50K	Slip fitter for 2-3/8" Poles	1

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL	OPT-EM-GPX	INTERNAL	OPT-3MPC	ELECTRONIC	OPT-CLR-95(BK/GR/SR/WH)	OPT-SEN-3MR-3	BI-LEVEL MICROWAVE
	LENS OPTION	DESCRIPTION	480V OPTION	DESCRIPTION		WEC-8RC	REMOTE CONTROL
	OPT-GPX-LENS-TYPE2S	TYPE 2S	OPT-WP-480V	CHANGE VOLTAGE			
	OPT-GPX-LENS-TYPE3S	TYPE 3S					
	OPT-GPX-150W-LENS-TYPE3S	TYPE 3S					
	OPT-GPX-LENS-FL	FROSTED GLASS LENS					



Shown with
ACC-AWMA-BK

OUTDOOR
PEDESTRIAN
LIGHTS

SPEC SERIES 17" MODERN LUCITE POST TOP, POWER & CCT- ADJUSTABLE



CATALOG NO.	DESCRIPTION	PKG. QTY.
GPL-18-60W-MCTP	18W/30W/45W/60W 140LM/W 30K/40K/50K	1

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL	OPT-EM-GPL	INTERNAL	OPT-LF3-PCK	BUTTON	N/A	OPT-SEN-3MRLV-5 WEC-8RC	PROGRAMMABLE MICROWAVE BI-LEVEL REMOTE CONTROL



Shown With
Frosted Lens



GPE-30-25-REDUCER



GPE-SH

SPEC SERIES 24" X 14" SQ COACH POST TOP, POWER & CCT- ADJUSTABLE

(FITS ON 3" OD PIPES/POLES) Black Finish



CATALOG NO.	DESCRIPTION	PKG. QTY.
GPC-60-100W-MCTP	60W/80W/100W 90LM/W 3000K/4000K/5000K (Open Design)	1
GPC-SH	GPC House-Side Glare Shield	
GPE-30-25-REDUCER	Neck Reducer from 3" Inner Diameter to 2.5"	

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	WALL MOUNT	SENSOR	DESCRIPTION
ALL	OPT-EM-GPC	INTERNAL	OPT-LF3-PCK	BUTTON	OPT-GPC-AWM	OPT-SEN-3MRLV-5	PROGRAMMABLE MICROWAVE BI-LEVEL
	FROSTED GLASS	DESCRIPTION	PC LENS	DESCRIPTION	PENDANT MOUNT	WEC-8RC	REMOTE CONTROL
	OPT-GPC-GSF	4 SIDE	OPT-GPC-PCLF	FROSTED	OPT-GPC-APM		
	OPT-GPC-GBF	BOTTOM ONLY	OPT-GPC-PCLC	CLEAR			



Shown with
ACC-AWMA-BK



MODERN TOP-HAT POST-TOP AREA LIGHT WITH INDIRECT LIGHT SOURCE, CCT & WATTAGE SELECT FITS ON 2-3/8" POLES, SEE OPTION FOR 3" POLES BELOW


OUTDOOR
PEDESTRIAN
LIGHTS

CATALOG NO.	DESCRIPTION	PKG. QTY.
GPH-12-40W-MCTP-BK	12W/20W/30W/40W 100LM/W 30K/40K/50K 22" Dia X 20" H	1
GPH-12-40W-MCTP-BR	12W/20W/30W/40W 100LM/W 30K/40K/50K 22" Dia X 20" H	1
GPH-12-40W-MCTP-GY	12W/20W/30W/40W 100LM/W 30K/40K/50K 22" Dia X 20" H	1



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	3IN POLE ENTRY OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL MODELS	OPT-GPH-3IN-BK OPT-GPH-3IN-BR OPT-GPH-3IN-GY	3IN POLE ENTRY Black 3IN POLE ENTRY Bronze 3IN POLE ENTRY Gray	N/A	N/A	N/A	N/A	N/A



DESIGNER AREA BELL LIGHT SYSTEM (PHOTOCELL DISCONNECT SWITCH), SENSOR READY

CATALOG NO.	DESCRIPTION	PKG. QTY.
DAB-A16-50-100W-MCTP-SR	50W/80W/100W 130LM/W 30K/40K/50K 16" TYPE III	1
DAB-B20-50-100W-MCTP-SR	50W/80W/100W 130LM/W 30K/40K/50K 20" TYPE III	1
DAB-B23-80-150W-MCTP-SR	80W/100W/150W 130LM/W 30K/40K/50K 23" TYPE III 3 MONTHS LEAD TIME	1
DAB-C25-50-100W-MCTP-BK	50W/80W/100W 140LM/W 30K/40K/50K 25" TYPE V	1
DAB-C25-100-200W-MCTP-BK	100W/150W/200W 140LM/W 30K/40K/50K 25" TYPE V	1
DAB-BA	DAB Bell Arm For Mounting On Single Or Double Pole Adapters, Black	
DAB-BA-CCK	DAB Decorative Clip Kit For Two Dab-Ba Bell Arms, Two Clips	
DAB-PB-B	DAB Decorative Straight Pole Bracket Model B, For Flat Or Round Poles, Black	
DAB-WB-A	DAB Straight Wall Bracket Model A, Black	
DAB-PA2-1	DAB 2 Inches Pole Adapter For 1 Bell Arm, Black	
DAB-PA2-2	DAB 2 Inches Pole Adapter For 2 Bell Arms, Black	
DAB-PA3-1	DAB 3 Inches Pole Adapter For 1 Bell Arm, Black	
DAB-PA3-2	DAB 3 Inches Pole Adapter For 2 Bell Arms, Black	
DAB-PA4-1	DAB 4 Inches Pole Adapter For 1 Bell Arm, Black	
DAB-PA4-2	DAB 4 Inches Pole Adapter For 2 Bell Arms, Black	
DAB-WB-C	DAB Bent Decorative Wall Bracket Model C, Black	



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL ARM	OPT-EM-DAB	INTERNAL	OPT-LF3-PCK	BUTTON	OPT-CLR-95(BK/GR/SR/WH) OPT-CLR-35(BK/GR/SR/WH)	FIELD-INSTALLED SENSOR OPTION	SEE ABOVE



DAB-SOL-A16 16"



DAB-SOL-B20 20"



DAB-SOL-B23 23"



DAB-SOL-PA3-1



DAB-SOL-PA3-2



DAB-SOL-PA4-1



DAB-SOL-PA4-2



DAB-SOL-PA5-1



DAB-SOL-PA5-2



DAB-SOL-MOD-50W



DAB-SOL-A16 + DAB-SOL-MOD-50W +
DAB-SOL-PA3-1




DAB-SOL-B20 + DAB-SOL-MOD-50W +
DAB-SOL-PA5-2

SOLAR DESIGNER AREA BELL LIGHT SYSTEM


CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER	PKG. QTY.
DAB-SOL-A16-50W-MCT	50W 160LM/W 30K/40K/50K 16" Black		1
DAB-SOL-B20-50W-MCT	50W 160LM/W 30K/40K/50K 20" Black		1
DAB-SOL-B23-50W-MCT	50W 160LM/W 30K/40K/50K 23" Black		1
DAB-SOL-MOD-50W	Solar Power Engine And Panel, 50W Maximum Fixture Power, With 32In Mast		
DAB-SOL-PA3-1	3 Inches Pole-Top Adapter For 1 Solar Bell-Light Arm + Solar Engine Mast		
DAB-SOL-PA4-1	4 Inches Pole-Top Adapter For 1 Solar Bell-Light Arm + Solar Engine Mast		
DAB-SOL-PA5-1	5 Inches Pole-Top Adapter For 1 Solar Bell-Light Arm + Solar Engine Mast		
DAB-SOL-PA3-2	3 Inches Pole-Top Adapter For 2 Solar Bell-Light Arms + Solar Engine Mast		
DAB-SOL-PA4-2	4 Inches Pole-Top Adapter For 2 Solar Bell-Light Arms + Solar Engine Mast		
DAB-SOL-PA5-2	5 Inches Pole-Top Adapter For 2 Solar Bell-Light Arms + Solar Engine Mast		



PML-S-MCT-ORB
Oil-Rubbed Bronze



PML-M-MCT-ORB
Oil-Rubbed Bronze



PML-L-MCT-ORB
Oil-Rubbed Bronze



Shown with optional Honey Color
Glass Lens (Field-installed)



PML-R-MCT-BR
Bronze



PML-V-MCT-ORB
Oil-Rubbed Bronze



PML-MCT-BK
Black



PML-BASE-BK
Black

SELECTABLE CCT PIER-MOUNT LIGHTS, 120-277V



CATALOG NO.	DESCRIPTION	PKG. QTY.
SELECTABLE CCT PIER-MOUNT LIGHTS, 120-277V		
PML-S-MCT-ORB	12W 345LM 30K/40K/50K Oil-Rubbed Bronze, 8"W	6
PML-M-MCT-ORB	15W 430LM 30K/40K/50K Oil-Rubbed Bronze, 12"W	4
PML-L-MCT-ORB	18W 460LM 30K/40K/50K Oil-Rubbed Bronze, 16"W	4
PML-S-HGLK	PML-S Honey Color Glass Replacement Lens Kit	
PML-M-HGLK	PML-M Honey Color Glass Replacement Lens Kit	
PML-L-HGLK	PML-L Honey Color Glass Replacement Lens Kit	
SELECTABLE CCT PIER-MOUNT LIGHTS, 120-277V		
PML-R-MCT-BR	12W 840LM 30K/40K/50K Bronze, 9"Dia	4
PML-BASE-R-BK	Decorative Round Post And Pier Mounting Base, Black	
PML-BASE-R-ORB	Decorative Round Post And Pier Mounting Base, Oil-Rubbed Bronze	
SELECTABLE CCT PIER-MOUNT LIGHTS, 120V		
PML-V-MCT-ORB	12W 1500LM 30K/40K/50K Oil-Rubbed Bronze	
SELECTABLE CCT PIER-MOUNT LIGHTS, 120V		
PML-MCT-BK	12W 1200LM 3000K/4000K/5000K Black	
PML-BASE-BK	Decorative Pier Mount Base For Post Top Lights - Black	



HAZARDOUS LOCATION FLOOD/HIGHBAY LIGHTS, CLASS 1, DIV. 2



OUTDOOR
SPECIALTY
LED

DURALUMENS	CATALOG NO.	DESCRIPTION	PKG. QTY.
120-277V	HAZARDOUS LOCATION FLOOD/HIGHBAY LIGHTS, 120-277V CLASS 1, DIV. 2		
	EXPF-30W-50K	30W 4200LM 5000K	1
	EXPF-60W-50K	60W 8400LM 5000K	1
	EXPF-100W-50K	100W 14000LM 5000K	1
	EXPF-180W-60K	180W 20700LM 6000K	1
	EXPF-240W-50K	240W 21000LM 5000K	1
	LF-AD-SF-GY	Slips Onto Pole Top 2" Dim. Fixture Mounts Directly On The Side Or	-
	ROUND HAZARDOUS LOCATION FLOOD/HIGHBAY LIGHTS, 120-277V CLASS 1, DIV. 2		
	EXPR-30W-50K	30W 146 LM/W 5000K	2
	EXPR-60W-50K	60W 143 LM/W 5000K	2
	EXPR-100W-50K	100W 153 LM/W 5000K	1
	EXPR-150W-50K	150W 155 LM/W 5000K	1
	EXPR-30-60W-WGF	Flat Wire Guard For EXPR 30W To 60W	
	EXPR-100-150W-WGF	Flat Wire Guard For EXPR 100W To 150W	
	EXPR-30-60W-LD	Dome Lens For EXPR 30W To 60W	
EXPR-100-150W-LD	Dome Lens For EXPR 100W To 150W		
EXPR-30-60W-WGD	Dome Wire Guard For EXPR 30W To 60W		
EXPR-100-150W-WGD	Dome Wire Guard For EXPR 100W To 150W		
EXPR-30-60W-LU	U- shape Jelly-Jar Lens For EXPR 30W To 60W		
EXPR-30-60W-WGU	U- shape Jelly-Jar Wire Guard For EXPR 30W To 60W		
480V 120-277V	HAZARDOUS LOCATION FLOOD/HIGHBAY LIGHTS, 120-277V CLASS 1, DIV. 2		
	EXPL-40W-50K	40W 135 LM/W 5000K	1
	EXPL-80W-50K	80W 135 LM/W 5000K	1
	EXPL-120W-50K	120W 130 LM/W 5000K	1
	HAZARDOUS LOCATION ROUND FLOOD/HIGHBAY LIGHTS, 480V CLASS 1, DIV. 2		
	EXPR-150W-50K-480V	150W 150 LM/W 5000K	1
	HAZARDOUS LOCATION LINEAR FLOOD/HIGHBAY LIGHTS, 480V CLASS 1, DIV. 2		
	EXPL-80W-50K-480V	80W 135 LM/W 5000K	1



SHOWN WITH
OPTIONAL
SLIP FITTER

GENERATION 7 STADIUM LIGHTS, 120-277V OR 277-480V



CATALOG NO.	DESCRIPTION	PKG. QTY.
GENERATION 7 STADIUM LIGHTS, 120-277V		
SFX-G7-200-500W-45D-50K	200W/300W/400W/500W 150LM/W 5000K	1
SFX-G7-700-1000W-45D-50K	700W/800W/900W/1000W 150LM/W 5000K	1
GENERATION 7 STADIUM LIGHTS, 277-480V		
SFX-G7-200-500W-45D-50K-480V	200W/300W/400W/500W 150LM/W 5000K	1
SFX-G7-700-1000W-45D-50K-480V	700W/800W/900W/1000W 150LM/W 5000K	1
SFX-G7-1400-1700W-45D-50K-480V	1400W/1500W/1600W/1700W 150LM/W 5000K	1
SFX-G7-2100-2400W-45D-50K-480V	2100/2200/2300/2400W 140LM/W 5000K	1
SFX-G7-SF	Slip Fitter/Pole Adapter For SFX-G7	

SHOWN WITH
OPTIONAL
SHROUD



SPEC SERIES NEW GEN. LED STADIUM FLOOD LIGHTS - ALSO SUITABLE FOR BUILDING FACADES



CATALOG NO.	DESCRIPTION	PKG. QTY.
SFX-G9-600W-30D-50K	600W 150LM/W 5000K	1
SFX-G9-SH1	Shroud for 600W	
SFX-POINTER	LED Laser Aiming Device	

*COMPATIBLE WITH SFX-G7-SF

SPEC SERIES X GEN. RGB STADIUM LIGHTS, DMX512 CONTROLLED - SPECIAL ORDER



CATALOG NO.	DESCRIPTION	PKG. QTY.
SFX-G9-500W-45D-RGB	500W RGB	1
SFX-G9-800W-45D-RGB	800W RGB	1

SHOWN WITH
OPTIONAL
SHROUD



HIGH-LUMEN HIGH-MAST ROADWAY LIGHT 90DAYS LEAD TIME



CATALOG NO.	DESCRIPTION
HML-60-200W-XXK-CLR	High-Mast 60W To 200W, 120-277V, Specify 3 Watt Stops, Specify CCT, Specify Bk Or Gy
HML-90-300W-XXK-CLR	High-Mast 90W To 300W, 120-277V, Specify 3 Watt Stops, Specify CCT, Specify Bk Or Gy
HML-135-450W-XXK-CLR	High-Mast 135W To 450W, 120-277V, Specify 3 Watt Stops, Specify CCT, Specify Bk Or Gy
HML-150-500W-XXK-CLR	High-Mast 150W To 500W, 120-277V, Specify 3 Watt Stops, Specify CCT, Specify Bk Or Gy
HML-180-600W-XXK-CLR	High-Mast 180W To 600W, 120-277V, Specify 3 Watt Stops, Specify CCT, Specify Bk Or Gy
HML-225-750W-XXK-CLR	High-Mast 225W To 750W, 120-277V, Specify 3 Watt Stops, Specify CCT, Specify Bk Or Gy
HML-300-1000W-XXK-CLR	High-Mast 300W To 1000W, 120-277V, Specify 3 Watt Stops, Specify CCT, Specify Bk Or Gy
HML-360-1200W-XXK-CLR	High-Mast 360W To 1200W, 120-277V, Specify 3 Watt Stops, Specify CCT, Specify Bk Or Gy
HML-60-200W-XXK-CLR-480V	High-Mast 60W To 200W, 277-480V, Specify 3 Watt Stops, Specify CCT, Specify Bk Or Gy
HML-90-300W-XXK-CLR-480V	High-Mast 90W To 300W, 277-480V, Specify 3 Watt Stops, Specify CCT, Specify Bk Or Gy
HML-135-450W-XXK-CLR-480V	High-Mast 135W To 450W, 277-480V, Specify 3 Watt Stops, Specify CCT, Specify Bk Or Gy
HML-150-500W-XXK-CLR-480V	High-Mast 150W To 500W, 277-480V, Specify 3 Watt Stops, Specify CCT, Specify Bk Or Gy
HML-180-600W-XXK-CLR-480V	High-Mast 180W To 600W, 277-480V, Specify 3 Watt Stops, Specify CCT, Specify Bk Or Gy
HML-225-750W-XXK-CLR-480V	High-Mast 225W To 750W, 277-480V, Specify 3 Watt Stops, Specify CCT, Specify Bk Or Gy
HML-300-1000W-XXK-CLR-480V	High-Mast 300W To 1000W, 277-480V, Specify 3 Watt Stops, Specify CCT, Specify Bk Or Gy
HML-360-1200W-XXK-CLR-480V	High-Mast 360W To 1200W, 277-480V, Specify 3 Watt Stops, Specify CCT, Specify Bk Or Gy
HML-SH1-CLR	HML High-Mast Glare Shield For Up To 750W Version, Specify Bk Or Gy
HML-SCK	HML High-Mast NEMA Socket And Shorting Cap Pre-Installed



SOLF Shown with Adjustable Slip Filter for Poles up to 2-3/4" O.D.



SOLF Shown with Square Pole Mount



SOLF Shown with Round Pole Mount



SOLF Shown with Wall Mount

LED SOLAR ROADWAY/FLOOD LIGHTS **PROGRAMMABLE- Default Settings**
15 second after the zone is cleared the light goes down to 40%
NO WIRING, INCL. INTELLIGENT CONTROLS, 1 DAY CHARGE 3 DAY OPR., LiFePo4 5YR. BATTERY




CATALOG NO.	DESCRIPTION	PKG. QTY.
SOLF-17W-50K	8W LED 200LM/W LED 17W 1600LM 5000K	1
SOLF-36W-50K	20W LED 200LM/W LED 36W 4000LM 5000K	1
SOLF-54W-50K	30W LED 200LM/W LED 54W 6000LM 5000K	1
SOLF-SFA	Adjustable Slip Filter for Poles up to 2-3/4" O.D.	-
SOLF-WM-17W	Wall Mount for SOLF-17W	-
SOLF-WM-36W/54W	Wall Mount for SOLF-36W & 54W	-
SOLF-PMR-17W	Round Pole Mount for SOLF-17W	-
SOLF-PMR-36W/54W	Round Pole Mount for SOLF-36W & 54W	-
SOLF-PMS-17W	Square Pole Mount for SOLF-17W	-
SOLF-PMS-36W/54W	Square Pole Mount for SOLF-36W & 54W	-
SOLF-RC	Remote Control for SOLF Series	-



Shown with Pole/Wall Mount Arm, Sold Separately



Shown with Pole-Top Mount (2" Poles), Sold Separately



SOLA-RC

ROADWAY AND AREA SPLIT SOLAR LIGHTS, WITH ADVANCED CONTROLLER
REMOTE SOLAR PANEL INCL. WITH FIXTURE (WALL & POLE MOUNTING OPTIONS AVAIL. SOLD SEPARATELY)



CATALOG NO.	DESCRIPTION	PKG. QTY.
SOLA-SPLT-15W-50K	15W 2250LM 5000K	1
SOLA-SPLT-30W-50K	30W 4500LM 5000K	1
SOLA-SPLT-PM	Pole Mounting Arm For Split Solar Lights	-
SOLA-SPLT-WM	Wall Mounting Arm For Split Solar Lights	-
SOLA-RC	Sola Solar Light Remote Control Unit - One Per Project	-



SOLA-5W-50K-WA
20" Pole/Wall Mount Arm Included



Shown Back Side



SOLA-RC

**ROADWAY AND AREA SOLAR LIGHTS, WITH ADVANCED CONTROLLER
INTEGRATED SOLAR PANEL, 20" WALL/POLE MOUNT ARM INCL.**



CATALOG NO.	DESCRIPTION	PKG. QTY.
SOLA-5W-50K-WA	5W 750LM 5000K	1
SOLA-RC	Sola Solar Light Remote Control Unit - One Per Project	



SOLF-RC



SOLN Shown with **SOLN-PMRS** Round & Square Pole Mounting Accessory



SOLN Shown with **SOLN-SFA** Slip Fitter Mounting Accessory



SOLN Shown with **SOLN-WM** Wall Mounting Arm



POWERFUL HIGH-LUMEN SMART INTEGRATED SOLAR STREET AND FLOOD LIGHT



CATALOG NO.	DESCRIPTION	PKG. QTY.
SOLN-30W-50K	30W 6000LM 3000K	1
SOLN-30W-30K	30W 6000LM 5000K	1
SOLN-50W-50K	50W 10000LM 3000K	1
SOLN-50W-30K	50W 10000LM 5000K	1
SOLN-70W-50K	70W 14000LM 3000K	1
SOLN-70W-30K	70W 14000LM 5000K	1
SOLN-WM	SOLN Wall Mounting Accessory	
SOLN-SFA	SOLN Series Slip Fitter Mounting Accessory	
SOLN-PMRS	SOLN Round And Square Pole Mounting Accessory	
SOLF-RC	Remote Control for SOLN Series (One Per Project)	



Shown with Slip Fitter

Shown with Wall Mounting Arm - 12-3/4" Length for 50W & above

Shown with Half Shroud (Reversible), See Factory-Installed option below

Shown with Full Shroud, See Factory-Installed option below

ACC-AWM-GR

LED STREET/ROADWAY LIGHTS

w/NEMA TWIST-LOCK PHOTOCELL SOCKET, (SHORTING CAP INCL.) FOR PHOTOCELL SEE PAGE 75



CATALOG NO.	DESCRIPTION	PKG. QTY.
STL4-15-50W-30K	15W/20W/30W/50W 145LM/W 3000K	1
STL4-15-50W-40K	15W/20W/30W/50W 145LM/W 4000K	1
STL4-15-50W-50K	15W/20W/30W/50W 145LM/W 5000K	1
STL4-30-100W-30K	30W/50W/80W/100W 145LM/W 3000K	1
STL4-30-100W-40K	30W/50W/80W/100W 145LM/W 4000K	1
STL4-30-100W-50K	30W/50W/80W/100W 145LM/W 5000K	1
STL4-50-150W-30K	50W/80W/100W/150W 140LM/W 3000K	1
STL4-50-150W-40K	50W/80W/100W/150W 145LM/W 4000K	1
STL4-50-150W-50K	50W/80W/100W/150W 140LM/W 5000K	1
STL4-80-200W-30K	80W/100W/150W/200W 140LM/W 3000K	1
STL4-80-200W-40K	80W/100W/150W/200W 145LM/W 4000K	1
STL4-80-200W-50K	80W/100W/150W/200W 140LM/W 5000K	1
STL4-30-100W-30K-480V	30W/50W/80W/100W 140LM/W 3000K	1
STL4-30-100W-40K-480V	30W/50W/80W/100W 145LM/W 4000K	1
STL4-30-100W-50K-480V	30W/50W/80W/100W 140LM/W 5000K	1
STL4-50-150W-30K-480V	50W/80W/100W/150W 140LM/W 3000K	1
STL4-50-150W-40K-480V	50W/80W/100W/150W 145LM/W 4000K	1
STL4-50-150W-50K-480V	50W/80W/100W/150W 140LM/W 5000K	1
STL4-80-200W-30K-480V	80W/100W/150W/200W 140LM/W 3000K	1
STL4-80-200W-40K-480V	80W/100W/150W/200W 145LM/W 4000K	1
STL4-80-200W-50K-480V	80W/100W/150W/200W 140LM/W 5000K	1
STL4-SF	STL4 Series Street Light Slip Fitter	
STL2-WMA	Wall Mounting Arm - 12-3/4" Length for 50W & above	
ACC-AWM-GR	Angled Corner Wall Mount Arm, 2-3/8In Dia, Grey	



Shown with Wall Mounting Arm - 12-3/4" Length for 50W & above



Shown with Half Shroud (Reversible), See Factory-Installed option below



Shown with Full Shroud, See Factory-Installed option below

LED STREET/ROADWAY LIGHTS

w/NEMA TWIST-LOCK PHOTOCELL SOCKET, (SHORTING CAP INCL.) FOR PHOTOCELL SEE PAGE 75



CATALOG NO.	DESCRIPTION	WHILE SUPPLIES LAST	REPLACEMENT RANGE	PKG. QTY.
STL2-30W-50K	30W 3900LM 5000K		100-277V	5
STL3-50W-50K	50W 6750LM 5000K		100-277V	1
STL3-50W-30K-L	50W 6750LM 3000K 18.2"(L) x 9"(W) x 4.5"(H)		100-277V	1
STL3-50W-50K-L	50W 6750LM 5000K 18.2"(L) x 9"(W) x 4.5"(H)		100-277V	1
STL2-80W-30K	80W 10800LM 3000K		100-277V	1
STL2-100W-30K	100W 13500LM 3000K		100-277V	1
STL3-100W-50K	100W 13500LM 5000K		100-277V	1
STL2-WMA	Wall Mounting Arm - 12-3/4" Length for 50W & above			-



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	SHROUD	DESCRIPTION	PHOTOCELL DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL MODEL	OPT-STL-SH-CW OPT-STL-SH-FG	HALF SHROUD FULL SHROUD	N/A N/A	OPT-CLR-95(BK/GR/SR/WH)	N/A	N/A



SPEC SERIES LED ADJUSTABLE CANOPY/PARKING LIGHTS, 120-277V

Bronze & White



OUTDOOR
CANOPY &
GARAGE

CATALOG NO.	DESCRIPTION	PKG. QTY.
SPEC SERIES LED ADJUSTABLE CANOPY/PARKING LIGHTS, 120-277V WHILE SUPPLIES LAST		
CDX-35W-35K-BR	35W 4600LM 3500K Bronze 10.6" (L) x 10.6" (W) x 4-1/2" (H)	2
CDX-35W-35K-WH	35W 4600LM 3500K White 10.6" (L) x 10.6" (W) x 4-1/2" (H)	2
CDX-35W-40K-BR	35W 4600LM 4000K Bronze 10.6" (L) x 10.6" (W) x 4-1/2" (H)	2
CDX-35W-40K-WH	35W 4600LM 4000K White 10.6" (L) x 10.6" (W) x 4-1/2" (H)	2
CDX-35W-50K-BR	35W 4600LM 5000K Bronze 10.6" (L) x 10.6" (W) x 4-1/2" (H)	2
CDX-35W-50K-WH	35W 4600LM 5000K White 10.6" (L) x 10.6" (W) x 4-1/2" (H)	2
CDX-55W-35K-BR	55W 7250LM 3500K Bronze 10.6" (L) x 10.6" (W) x 4-1/2" (H)	2
CDX-55W-35K-WH	55W 7250LM 3500K White 10.6" (L) x 10.6" (W) x 4-1/2" (H)	2
CDX-55W-40K-BR	55W 7250LM 4000K Bronze 10.6" (L) x 10.6" (W) x 4-1/2" (H)	2
CDX-55W-40K-WH	55W 7250LM 4000K White 10.6" (L) x 10.6" (W) x 4-1/2" (H)	2
CDX-55W-50K-BR	55W 7250LM 5000K Bronze 10.6" (L) x 10.6" (W) x 4-1/2" (H)	2
CDX-55W-50K-WH	55W 7250LM 5000K White 10.6" (L) x 10.6" (W) x 4-1/2" (H)	2
SPEC SERIES POWER & CCT- ADJUSTABLE LED ADJUSTABLE CANOPY/PARKING LIGHTS, 120-277V MCTP		
CDX-35-55W-MCTP-BR	35W/45W/55W 120LM/W 30K/40K/50K	
CDX-35-55W-MCTP-WH	35W/45W/55W 120LM/W 30K/40K/50K	

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
35W	OPT-EM-CDX-35	INTERNAL	OPT-PC-B	BUTTON	OPT-CLR-95(BK/GR/SR/WH)	OPT-SEN-2MDR-36	PROGRAMMABLE MICROWAVE BI-LEVEL
55W	OPT-EM-CDX-55	INTERNAL					WEC-3RC
	VANDAL RES.	DESCRIPTION					
	OPT-TRS-T20	Tamper Resistant Screw					



POWER-ADJUSTABLE CANOPY LIGHT, 120-277V (WET LOCATION)

Dark Bronze



CATALOG NO.	DESCRIPTION	PKG. QTY.
CDLX-SM-5-25W-30K	5W/10W/15W/25W 120LM/W 3000K 8"X8"X3"	6
CDLX-SM-5-25W-40K	5W/10W/15W/25W 120LM/W 4000K 8"X8"X3"	6
CDLX-SM-5-25W-50K	5W/10W/15W/25W 120LM/W 5000K 8"X8"X3"	6
CDLX-MD-15-45W-30K	15W/25W/35W/45W 120LM/W 3000K 10"X10"X3.63"	4
CDLX-MD-15-45W-40K	15W/25W/35W/45W 120LM/W 4000K 10"X10"X3.63"	4
CDLX-MD-15-45W-50K	15W/25W/35W/45W 120LM/W 5000K 10"X10"X3.63"	4
CDLX-LG-30-80W-30K	30W/40W/60W/80W 120LM/W 3000K 14"X14"X4"	2
CDLX-LG-30-80W-40K	30W/40W/60W/80W 120LM/W 4000K 14"X14"X4"	2
CDLX-LG-30-80W-50K	30W/40W/60W/80W 120LM/W 5000K 14"X14"X4"	2

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

SIZE	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION	
SM	OPT-EM-CDLX-SM	INTERNAL	OPT-PC-B	BUTTON	OPT-CLR-95(BK/GR/SR/WH)	OPT-SEN-2MD-35	PROGRAMMABLE MICROWAVE BI-LEVEL	
MD	OPT-EM-CDLX-MD	INTERNAL					WEC-3RC	OPTIONAL REMOTE CONTROL
LG	OPT-EM-CDLX-LG	INTERNAL						
	VANDAL RES.	DESCRIPTION	480V OPTIONS	DESCRIPTION				
	OPT-TRS-T20	Tamper Resistant Screw	OPT-480V-CDLX-80	480V				



Sensor-Ready
Plug & Play For CAX

ANGLED-BEAM GARAGE CANOPY, CCT AND WATTAGE SELECTABLE, SENSOR READY    

CATALOG NO.	DESCRIPTION	PKG. QTY.
CAX-20-45W-MCTP-SR	20W/30W/45W 140LM/W 30K/40K/50K	8
CAX-30-60W-MCTP-SR	30W/45W/60W 140LM/W 30K/40K/50K	8
CAX-40-75W-MCTP-SR	40W/60W/75W 140LM/W 30K/40K/50K	8
CAX-60-90W-MCTP-SR	60W/75W/90W 140LM/W 30K/40K/50K	8
WEC-3MR-72-TLB-BK-3PIN	600W Max, Zhaga 12-24VDC Microwave Sensor, Black, With Base (Optional Remote Control WEC-3RC)	
WEC-3MBT-72-TLB-BK-3PIN	600W Max, Zhaga 12-24VDC Microwave Sensor, Bluetooth App Ready, Black, With Base (Optional Remote Control WEC-3RC)	
WEC-3PR-72-TLB-WH-3PIN	600W Max, Zhaga 12-24VDC PIR Sensor, White, With Base (Optional Remote Control WEC-3RC)	

 **FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL DESCRIPTION	PAINT	SENSOR	DESCRIPTION
45W & 60W	OPT-EM-CAX-40-60	INTERNAL	OPT-PC-B BUTTON	OPT-CLR-95(BK/GR/SR/WH)	FIELD-INSTALLED SENSOR OPTION SEE ABOVE	
75W & 90W	OPT-EM-CAX-75-90	INTERNAL				
	VANDAL RES. OPT-TRS-T20	DESCRIPTION Tamper Resistant Screw				




OPTIONAL FROSTED LENS, FIELD REPLACE

LED GARAGE/CANOPY LIGHTS, 120-277V (WET LOCATION)



CATALOG NO.	DESCRIPTION	REPLACEMENT RANGE	PKG. QTY.
CGL-40W-50K-D	40W 5200LM 5000K 9" (L) x 9" (W) x 4-1/2" (H) 100-150 MH		4
CGL-40W-40K-D	40W 5200LM 4000K 9" (L) x 9" (W) x 4-1/2" (H) 100-150 MH		4
CGL-55W-50K-D	55W 7100LM 5000K 9" (L) x 9" (W) x 4-1/2" (H) 150-200 MH		4
CGL-55W-40K-D	55W 7100LM 4000K 9" (L) x 9" (W) x 4-1/2" (H) 150-200 MH		4
CGL-75W-50K-D	75W 9700LM 5000K 10" (L) x 10" (W) x 5" (H) 250-320 MH		2
CGL-75W-40K-D	75W 9700LM 4000K 10" (L) x 10" (W) x 5" (H) 250-320 MH		2
CGL-100W-50K-D	100W 13000LM 5000K 10" (L) x 10" (W) x 5" (H) 350-400 MH		2
CGL-100W-40K-D	100W 13000LM 4000K 10" (L) x 10" (W) x 5" (H) 350-400 MH		2
CGL-FL1	Frosted Replacement Lens for CGL-40W & 55W		
CGL-FL2	Frosted Replacement Lens for CGL-75W & 100W		

 **FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL DESCRIPTION	PAINT	SENSOR	DESCRIPTION
40W & 55W	OPT-EM-CGL-40-55	INTERNAL	OPT-PC-B BUTTON	OPT-CLR-95(BK/GR/SR/WH)	OPT-SEN-2MDR-36	PROGRAMMABLE MICROWAVE BI-LEVEL
75W & 100W	OPT-EM-CGL-75-100	INTERNAL				
	VANDAL RES. OPT-TRS-T20	DESCRIPTION Tamper Resistant Screw				



Up Light View



Sensor-Ready Plug & Play

X-GEN GARAGE LIGHT WITH UPLIGHT, POWER AND CCT ADJUSTABLE, SENSOR READY    

CATALOG NO.	DESCRIPTION	PKG. QTY.
CXU-18-60W-MCTP-SR	18W/30W/45W/60W 9900LM 30K/40K/50K White	1
CXU-30-100W-MCTP-SR	30W/50W/75W/100W 16500LM 30K/40K/50K White	1

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	VANDAL RES.	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL	OPT-EM-CXU-60	INTERNAL	N/A	N/A	N/A	N/A	N/A
	OPT-EM-CXU-100	INTERNAL					



CXES-10-30W
Bronze



CXES-30-60W
Bronze



CXES-40-80W
Bronze



CXES--WH
White



CXER-40-80W
Bronze



CXER-30-50W
Bronze



CXER-40-80W-WH
White



CXER-30-50W-WH
White



Sensor-Ready

Plug & Play For CXER Only

BUILDER SERIES NEW CONCEPT GARAGE AND CEILING LIGHTS
POWER & CCT ADJUSTABLE, DAMP LOCATION



CATALOG NO.	DESCRIPTION	PKG. QTY.
-------------	-------------	-----------

SQUARE NEW CONCEPT GARAGE AND CEILING LIGHTS, POWER & CCT ADJUSTABLE, DAMP LOCATION

CXES-10-30W-MCTP	10W/20W/30W 130LM/W 30K/40K/50K	4
CXES-30-60W-MCTP	30W/45W/60W 130LM/W 30K/40K/50K	2
CXES-40-80W-MCTP	40W/60W/80W 130LM/W 30K/40K/50K	2
CXES-10-30W-MCTP-WH	10W/20W/30W 130LM/W 30K/40K/50K	4
CXES-30-60W-MCTP-WH	30W/45W/60W 130LM/W 30K/40K/50K	2
CXES-40-80W-MCTP-WH	40W/60W/80W 130LM/W 30K/40K/50K	2
withEM CXES-10-30W-MCTP-EM	10W/20W/30W 130LM/W 30K/40K/50K	4
withEM CXES-30-60W-MCTP-EM	30W/45W/60W 130LM/W 30K/40K/50K	2
withEM CXES-40-80W-MCTP-EM	40W/60W/80W 130LM/W 30K/40K/50K	2

ROUND NEW CONCEPT GARAGE AND CEILING LIGHTS, POWER & CCT ADJUSTABLE, DAMP LOCATION

CXER-30-50W-MCTP-SR	30W/40W/50W 135LM/W 30K/40K/50K (SENSOR-READY)	4
CXER-40-80W-MCTP-SR	40W/60W/80W 135LM/W 30K/40K/50K (SENSOR-READY)	2
CXER-30-50W-MCTP-SR-WH	30W/40W/50W 135LM/W 30K/40K/50K (SENSOR-READY)	4
CXER-40-80W-MCTP-SR-WH	40W/60W/80W 135LM/W 30K/40K/50K (SENSOR-READY)	2
withEM CXER-30-50W-MCTP-SR-EM	30W/40W/50W 135LM/W 30K/40K/50K (SENSOR-READY)	4
withEM CXER-40-80W-MCTP-SR-EM	40W/60W/80W 135LM/W 30K/40K/50K (SENSOR-READY)	2
withEM CXER-30-50W-MCTP-SR-EM-WH	30W/40W/50W 135LM/W 30K/40K/50K (SENSOR-READY)	4
withEM CXER-40-80W-MCTP-SR-EM-WH	40W/60W/80W 135LM/W 30K/40K/50K (SENSOR-READY)	2

WEC-3MR-72-TLB-BK 600W Max, Zhaga 12-24VDC Microwave Sensor, Black, With Base (Optional Remote Control WEC-3RC)

WEC-3MBT-72-TLB-BK 600W Max, Zhaga 12-24VDC Microwave Sensor, Bluetooth App Ready, Black, With Base (Optional Remote Control WEC-3RC)

WEC-3PR-72-TLB-WH 600W Max, Zhaga 12-24VDC PIR Sensor, White, With Base (Optional Remote Control WEC-3RC)



POWER-ADJUSTABLE SURFACE-MOUNT CANOPY LIGHT, 120-277V



CATALOG NO.	DESCRIPTION	PKG. QTY.
GSX-SRFC-80-150W-50K	80W/100W/120W/150W 140LM/W 5000K	1

OUTDOOR
CANOPY &
GARAGE



POWER-ADJUSTABLE RECESSED GAS STATION CANOPY LIGHT, 120-277V



CATALOG NO.	DESCRIPTION	PKG. QTY.
GSX-RECS-80-150W-50K	80W/100W/120W/150W 140LM/W 5000K	1

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL MODELS	OPT-EM-GSX	MUST MOUNT ABOVE	N/A	N/A	N/A	OPT-3PDR-52 WEC-3RC	BI-LEVEL MICROWAVE REMOTE CONTROL




SPEC SERIES POWER & CCT- ADJUSTABLE GARAGE LIGHT, 120-277V, TYPE 5 LENS

7 DAYS LEAD TIME



DESCRIPTION	MOUNTING	PKG. QTY.
GPX-18-60W-MCTP-CM 18W/30W/45W/60W 150LM/W 30K/40K/50K Ceiling Mount		1
GPX-18-60W-MCTP-PM75 18W/30W/45W/60W 150LM/W 30K/40K/50K Pipe Mount with 3/4" Hub		1

FOR GPX OPTIONS & ACCESSORIES SEE PAGE 54.



BOLLARD POST SYSTEM FOR FLOOD LIGHTS

CATALOG NO.	DESCRIPTION	PKG. QTY.
BPS-BASE-2FT	Bollard Pole System 2Ft Base	2
BPS-BASE-3FT	Bollard Pole System 3Ft Base	2
BPS-BASE-5FT	Bollard Pole System 5Ft Base	2
BPS-LH1	Bollard Pole System Single Lamp Holder Section 1Ft With 1/2" Hub	4
BPS-LH2	Bollard Pole System Double Lamp Holder Section 1Ft With 1/2" Hubs	4
BPS-EP-1FT	Bollard Pole System 1Ft Extension Pole	4
BPS-EP-2FT	Bollard Pole System 2Ft Extension Pole	4
BPS-LHT	Bollard Pole System Top Cap Lamp Holder With 1/2" Hub	50



SOLAR G4 MODULAR BOLLARD SYSTEM

CATALOG NO.	DESCRIPTION	PKG. QTY.
BOL-G4-301-SOLAR-40K-BK	3W 130LM/W 4000K Black Head	1
BOL-G4-301-SOLAR-40K-BR	3W 130LM/W 4000K Bronze Head	1
BOL-G4-SHAFT-14-BK	G4 Bollard Shaft 14 Inch, Black	
BOL-G4-SHAFT-14-BR	G4 Bollard Shaft 14 Inch, Bronze	
BOL-G4-SHAFT-30-BK	G4 Bollard Shaft 30 Inch, Black	
BOL-G4-SHAFT-30-BR	G4 Bollard Shaft 30 Inch, Bronze	
BOL-G4-ABK-R	G4 Bollard Round Anchor Bolts & Mounting Plate	
BOL-G4-GSH-01-BK	G4 Bollard Round Anchor Bolts & Mounting Plate, Black	
BOL-G4-GSH-01-BR	G4 Bollard Round Anchor Bolts & Mounting Plate, Bronze	
BOL-G4-SOLAR-RC	Remote Control, Required 1 Per Projects	

FOR OPT OPTION SEE PAGE 72.



BOL-G4-201 + BOL-G4-SHAFT

G4 MODULAR BOLLARD SYSTEM



Shown with GFCI Shaft



BOL-G4-ABK-R
Anchor Bolts & Mounting Plate



HEAD, SHAFT, & ANCHOR BOLTS SET

SOLD SEPARATELY



CATALOG NO.	DESCRIPTION	PKG. QTY.
BOL-G4-201-MCTP-BK	7w/14w/22w 110LM/W 30K/40K/50K Black Head	1
BOL-G4-201-MCTP-BR	7w/14w/22w 110LM/W 30K/40K/50K Bronze Head	1
BOL-G4-SHAFT-14-BK	G5 Bollard Shaft 14 Inch, Black	
BOL-G4-SHAFT-14-BR	G5 Bollard Shaft 14 Inch, Bronze	
BOL-G4-SHAFT-30-BK	G5 Bollard Shaft 30 Inch, Black	
BOL-G4-SHAFT-30-BR	G5 Bollard Shaft 30 Inch, Bronze	
BOL-G4-SHAFT-30-GFCI-BK	G4 Bollard Shaft 30 Inch With GFCI Outlet Compartment, Black	
BOL-G4-SHAFT-30-GFCI-BR	G4 Bollard Shaft 30 Inch With GFCI Outlet Compartment, Bronze	
BOL-G4-ABK-R	G4 Bollard Round Anchor Bolts & Mounting Plate	
BOL-G4-GSH-01-BK	Glare Shield Accessory - Black	
BOL-G4-GSH-01-BR	Glare Shield Accessory - Bronze	

FOR OPT OPTION SEE PAGE 72.



BOL-G5-101

BOL-G5-SHAFT



BOL-G5-401

BOL-G5-SHAFT



BOL-G5-ABK-R
Anchor Bolts & Mounting Plate



HEAD, SHAFT, & ANCHOR BOLTS SET

SOLD SEPARATELY



WESTGATE MODERN MODULAR BOLLARD SYSTEM G5

CATALOG NO.	DESCRIPTION	PKG. QTY.
BOL-G5-101-MCTP-BK	8w/13w/18w/25w 130LM/W 30K/40K/50K Head	1
BOL-G5-101-MCTP-BR	8w/13w/18w/25w 130LM/W 30K/40K/50K Head	1
BOL-G5-401-MCTP-BK	5w/8w/12w/15w 130LM/W 30K/40K/50K Head	1
BOL-G5-401-MCTP-BR	5w/8w/12w/15w 130LM/W 30K/40K/50K Head	1
BOL-G5-SHAFT-14-BK	G5 Bollard Shaft 14 Inch, Black	
BOL-G5-SHAFT-14-BR	G5 Bollard Shaft 14 Inch, Bronze	
BOL-G5-SHAFT-33-BK	G5 Bollard Shaft 33 Inch, Black	
BOL-G5-SHAFT-33-BR	G5 Bollard Shaft 33 Inch, Bronze	
BOL-G5-ABK-R	G5 Bollard Round Anchor Bolts & Mounting Plate	
BOL-G5-GSH-01	G5 Bollard 180-Degree Glare Shield	

FOR OPT OPTION SEE PAGE 72.



BOL-G5-ABK-R
Anchor Bolts
& Mounting Plate



HEAD, SHAFT, & ANCHOR BOLTS SET
SOLD SEPARATELY



SOLAR WESTGATE MODERN MODULAR BOLLARD SYSTEM G5

CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER	PKG. QTY.
BOL-G5-SOLAR-MCT-BK	4w 600LM 30K/40K/50K Head		1
BOL-G5-SOLAR-MCT-BR	4w 600LM 30K/40K/50K Head		1
BOL-G5-SHAFT-14-BK	G5 Bollard Shaft 14 Inch, Black		
BOL-G5-SHAFT-14-BR	G5 Bollard Shaft 14 Inch, Bronze		
BOL-G5-SHAFT-33-BK	G5 Bollard Shaft 33 Inch, Black		
BOL-G5-SHAFT-33-BR	G5 Bollard Shaft 33 Inch, Bronze		
BOL-G5-ABK-R	G5 Bollard Round Anchor Bolts & Mounting Plate		
BOL-G5-GSH-01	G5 Bollard 180-Degree Glare Shield		

FOR OPT OPTION SEE PAGE 72.



HEAD
SOLD SEPARATELY

SHAFT
Avail. in:
9" / 14"
19" / 31"
SOLD SEPARATELY



ANCHOR BOLTS & MOUNTING PLATE
SOLD SEPARATELY

G7 EXTERNAL-LOUVER MODULAR BOLLARD SYSTEM



CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER	PKG. QTY.
BOL-G7-100D-MCTP-BK	10W/18W/25W 100LM/W 30K/40K/50K		1
BOL-G7-100D-MCTP-BR	10W/18W/25W 100LM/W 30K/40K/50K		1
BOL-G7-100D-MCTP-SIL	10W/18W/25W 100LM/W 30K/40K/50K		1
BOL-G7-SHAFT-31-BK	BOL-G7 Shaft 31in, Black		
BOL-G7-SHAFT-31-BR	BOL-G7 Shaft 31in, Bronze Ral8019		
BOL-G7-SHAFT-31-SIL	BOL-G7 Shaft 31in, Silver Ral9006		
BOL-G7-SHAFT-19-BK	BOL-G7 Shaft 19in, Black		
BOL-G7-SHAFT-19-BR	BOL-G7 Shaft 19in, Bronze Ral8019		
BOL-G7-SHAFT-19-SIL	BOL-G7 Shaft 19in, Silver Ral9006		
BOL-G7-SHAFT-14-BK	BOL-G7 Shaft 14in, Black		
BOL-G7-SHAFT-14-BR	BOL-G7 Shaft 14in, Bronze Ral8014		
BOL-G7-SHAFT-14-SIL	BOL-G7 Shaft 14in, Silver Ral9006		
BOL-G7-SHAFT-9-BK	BOL-G7 Shaft 9in, Black		
BOL-G7-SHAFT-9-BR	BOL-G7 Shaft 9in, Bronze Ral8019		
BOL-G7-SHAFT-9-SIL	BOL-G7 Shaft 9in, Silver Ral9006		
BOL-G7-ABK	BOL-G7 Anchor Bolt Kit		

FOR OPT OPTION SEE PAGE 72.



OUTDOOR
GARDEN LIGHTS

WESTGATE MODULAR BOLLARD SYSTEM G2



CATALOG NO.	DESCRIPTION	PKG. QTY.
BOL-G2-102F-MCTP-BK	14W/19W/24W 125LM/W 30K/40K/50K Head	4
BOL-G2-102F-MCTP-BR	14W/19W/24W 125LM/W 30K/40K/50K Head	4
BOL-G2-103F-MCTP-BK	14W/19W/24W 125LM/W 30K/40K/50K Head	4
BOL-G2-103F-MCTP-BR	14W/19W/24W 125LM/W 30K/40K/50K Head	4
BOL-G2-107F-MCTP-BK	14W/19W/24W 125LM/W 30K/40K/50K Head	4
BOL-G2-107F-MCTP-BR	14W/19W/24W 125LM/W 30K/40K/50K Head	4
BOL-G2-103D-MCTP-BK	14W/19W/24W 125LM/W 30K/40K/50K Head	4
BOL-G2-103D-MCTP-BR	14W/19W/24W 125LM/W 30K/40K/50K Head	4
BOL-G2-107D-MCTP-BK	14W/19W/24W 125LM/W 30K/40K/50K Head	4
BOL-G2-107D-MCTP-BR	14W/19W/24W 125LM/W 30K/40K/50K Head	4
BOL-G2-118-MCTP-BK	14W/19W/24W 125LM/W 30K/40K/50K Head	4
BOL-G2-118-MCTP-BR	14W/19W/24W 125LM/W 30K/40K/50K Head	4
BOL-G2-135-MCTP-BK	12W/18W/20W 125LM/W 30K/40K/50K Head	4
BOL-G2-135-MCTP-BR	14W/19W/24W 125LM/W 30K/40K/50K Head	4
BOL-G2-140-MCTP-BK	14W/19W/24W 125LM/W 30K/40K/50K Head	4
BOL-G2-140-MCTP-BR	14W/19W/24W 125LM/W 30K/40K/50K Head	4
BOL-G2-SHAFT-31-BK	G2 Bollard Shaft 31 Inch, Black	
BOL-G2-SHAFT-31-BR	G2 Bollard Shaft 31 Inch, Bronze	
BOL-G2-SHAFT-19-BK	G2 Bollard Shaft 19 Inch, Black	
BOL-G2-SHAFT-19-BR	G2 Bollard Shaft 19 Inch, Bronze	
BOL-G2-SHAFT-14-BK	G2 Bollard Shaft 14 Inch, Black	
BOL-G2-SHAFT-14-BR	G2 Bollard Shaft 14 Inch, Bronze	
BOL-G2-SHAFT-9-BK	G2 Bollard Shaft 9 Inch, Black	
BOL-G2-SHAFT-9-BR	G2 Bollard Shaft 9 Inch, Bronze	
BOL-G2-ABK-R	G2 Bollard Round Replacement Anchor Bolts & Mounting Plate	
BOL-G2-102F-CR-WH	G2 Bollard Head 102F Replacement Cone Reflector, White	
BOL-G2-103-LAK-BK	G2 Bollard Louver Kit For Model 103, Black	
BOL-G2-103-LAK-BR	G2 Bollard Louver Kit For Model 103, Bronze	
BOL-R-ACC-FL	Field-installed replacement frosted lens	



BOL-502-9-MCT
Black/Bronze



BOL-502-32-MCT
Black/Bronze



BOL-502-ABK
Anchor Bolts
& Mounting Plate

RECTANGULAR PATH-LIGHT BOLLARD, 3 CCT, 4-3/4" X 3-3/8"



CATALOG NO.	DESCRIPTION	PKG. QTY.
BOL-502-9-MCT-BK	10w 100LM/W 30K/40K/50K 9in Black	1
BOL-502-9-MCT-BR	10w 100LM/W 30K/40K/50K 9in Bronze	1
BOL-502-32-MCT-BK	10w 100LM/W 30K/40K/50K 32in Black	1
BOL-502-32-MCT-BR	10w 100LM/W 30K/40K/50K 32in Bronze	1
BOL-502-ABK	BOL-502 Series Anchor Bolt Kit	

FOR OPT OPTION SEE BELOW.



BOL-505-26-MCT
Black/Bronze



BOL-505-40-MCT
Black/Bronze



BOL-605-ABK
Anchor Bolts
& Mounting Plate

ROUND PATH-LIGHT BOLLARD, 4-3/4" DIA.



CATALOG NO.	DESCRIPTION	PKG. QTY.
BOL-505-26-MCT-BK	15w 100LM/W 30K/40K/50K 26in Black	1
BOL-505-26-MCT-BR	15w 100LM/W 30K/40K/50K 26in Bronze	1
BOL-505-40-MCT-BK	15w 100LM/W 30K/40K/50K 40in Black	1
BOL-505-40-MCT-BR	15w 100LM/W 30K/40K/50K 40in Bronze	1
BOL-505-ABK	BOL-505 Series Anchor Bolt Kit	

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	GFCI OPTION	DESCRIPTION	VANDAL RES.	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL MODELS	OPT-BOL-GFCI	GFCI	OPT-TRS-T20	Tamper Resistant Screw	N/A	N/A	N/A



BOL-602-40-S-MCTP
Black/Bronze



BOL-602-26-S-MCTP
Black/Bronze



BOL-602-40-S-RGBW
Black



BOL-602-ABK
Anchor Bolts
& Mounting Plate



SQUARE BOLLARD LONG LENS, POWER AND CCT ADJUSTABLE

CATALOG NO.	DESCRIPTION	PKG. QTY.
SQUARE BOLLARD LONG LENS, POWER AND CCT ADJUSTABLE		
BOL-602-40-S-MCTP-BK	10w/18w/25w 100LM/W 35K/40K/50K 40in Black	1
BOL-602-40-S-MCTP-BR	10w/18w/25w 100LM/W 35K/40K/50K 40in Bronze	1
BOL-602-26-S-MCTP-BK	10w/18w/25w 100LM/W 35K/40K/50K 26in Black	1
BOL-602-26-S-MCTP-BR	10w/18w/25w 100LM/W 35K/40K/50K 26in Bronze	1

WG SMART APP COMPATIBLE RGBW SQUARE BOLLARD LONG LENS, POWER AND CCT ADJUSTABLE

BOL-602-40-S-RGBW-BK	34W	RGBW	40in Black
BOL-602-40-S-RGBW-BR	34W	RGBW	40in Bronze
BOL-602-ABK	BOL-602 Anchor Bolts And Mounting Plate		

FOR REMOTE CONTROL SEE PAGE 96 FOR OPT OPTION SEE PAGE 72.



BOL-608-32-S-MCTP
Black/Bronze



BOL-608-26-S-MCTP
Black/Bronze



BOL-608-ABK
Anchor Bolts
& Mounting Plate



BOL-608RD-41-MCTP
Black/Bronze



BOL-608RD-16-MCTP
Black/Bronze



BOL-608R-ABK
Anchor Bolts
& Mounting Plate


SQUARE OR ROUND BOLLARD OPEN DESIGN, POWER AND CCT ADJUSTABLE

CATALOG NO.	DESCRIPTION	PKG. QTY.
SQUARE BOLLARD OPEN DESIGN, POWER AND CCT ADJUSTABLE, 6-3/4" X 6-3/4"		
BOL-608-32-S-MCTP-BK	10w/18w/25w 100LM/W 30K/40K/50K 32in Black	1
BOL-608-32-S-MCTP-BR	10w/18w/25w 100LM/W 30K/40K/50K 32in Bronze	1
BOL-608-26-S-MCTP-BK	10w/18w/25w 100LM/W 30K/40K/50K 26in Black	1
BOL-608-26-S-MCTP-BR	10w/18w/25w 100LM/W 30K/40K/50K 26in Bronze	1
BOL-608-ABK	BOL-608-S Anchor Bolts And Mounting Plate	
ROUND BOLLARD OPEN DESIGN, POWER AND CCT ADJUSTABLE, 4-1/3"		
BOL-608RD-41-MCTP-BK	10w/18w/25w 100LM/W 30K/40K/50K 4in Black	1
BOL-608RD-41-MCTP-BR	10w/18w/25w 100LM/W 30K/40K/50K 4in Bronze	1
BOL-608RD-16-MCTP-BK	10w/18w/25w 100LM/W 30K/40K/50K 16in Black	1
BOL-608RD-16-MCTP-BR	10w/18w/25w 100LM/W 30K/40K/50K 16in Bronze	1
BOL-608R-ABK	BOL-608R Anchor Bolts And Mounting Plate	

FOR OPT OPTION SEE PAGE 72.

POST FOR WMS, LMW, LWA-12W, LWAX-12W SERIES

CATALOG NO. DESCRIPTION



WMS-POST1-18	18" One side optional Post, Bronze Finish
WMS-POST2-18	18" Two side optional Post, Bronze Finish
WMS-POST1-36	36" One side optional Post, Bronze Finish
WMS-POST2-36	36" Two side optional Post, Bronze Finish

BOLLARD CUSTOMIZATION

CATALOG NO.	POST SIZE		FIXTURES PER POLE		COLOR TEMPERATURE		FINISH DESCRIPTION	
	CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
WMS-S	18	18 Inch	1	1 Sided	30K	3000K	BR	Bronze
WMS-R	36	36 Inch	2	2 Sided	40K	4000K	WH	White
LMW					50K	5000K		

For more information on each fixture model, refer to: LWA-12 page 4-5, LMW page 13, WMS page 13.



BOL-44-R-L-C-MCTP-BK
Black



BOL-42-R-L-C-MCTP-BK
Black



BOL-42-S-C-C-MCTP-BK
Black



Anchor Bolts
& Mounting Plate
Included

7 DAYS LEAD TIME

ALL MODELS ARE AVAILABLE IN BRONZE & BLACK

ROUND AND SQUARE BOLLARD, 120-277VAC, (ADJUSTABLE POWER 14-24W & CCT 30K/40K/50K)



CATALOG NO.	DESCRIPTION	WHILE SUPPLIES LAST	PKG. QTY.
BOL-44-R-L-C-MCTP-BK	Bollard 44In Round Dome Top Louver Clear Lens, Black,, 6" Dia		1
BOL-42-R-L-C-MCTP-BK	Bollard 42In Round Flat Top Louver Clear Lens, Black,, 6" Dia		1
BOL-42-S-C-C-MCTP-BK	Bollard 42In Square Flat Top Cone Clear Lens, Black,, 6" SQ		1
BOL-42-S-C-C-MCTP-BR	Bollard 42In Square Flat Top Cone Clear Lens, Bronz,, 6" SQ		1

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL MODELS	OPT-EM-BOL	INTERNAL SHIELD OPTION DESCRIPTION	OPT-PC-B	BUTTON	OPT-CRL-95(BK/GR/SR/WH)	OPT-SEN-WMC	MICROWAVE BI-LEVEL
	OPT-BOL-SHI	Shield					



LINEAR ARCHITECTURAL INGROUND LIGHTS, 3CCT



CATALOG NO.	DESCRIPTION
CIGL-9-MCT	5W 420LM 30K/40K/57K
CIGL-20-MCT	10W 860LM 30K/40K/57K
CIGL-40-MCT	24W 2256LM 30K/40K/57K

FIXTURE
ACCESSORIES



LF-THREAD
1/2" hub adaptor for fixtures with trunnion bracket (on fixtures up to 50W)



WRC-3-BRZ
Weatherproof cover with three (3) 1/2" hubs



SPS-75
4" SQ. Swivel-type cover & 3/4" hub with 1/2" reducer



HB-HOOK
High Bay 2-1/2" heavy-duty Zinc Alloy hook with 1/2" steel locknut, set screw, cable bushing

SHROUDS



REVERSIBLE

LF4-SH1 Fits LF4-12W & 15W, LF4-12V-6W & 12W (Polycarbonate)

LF4-SH2 Fits LF4-30W, LF4-12V-24W & 30W (Polycarbonate)

LF4-SH3 Fits LF4-50W, LF4-12V-50W (Polycarbonate)

LF4-SH4 Fits LF4-80W & 100W, (Aluminum)

LF4-SH5 Fits LF4-150W (Aluminum)



LF3-SH1FG
Full-Glare Shrouds for LF4 12W, 30W

LF3-SH2FG
Full-Glare Shrouds for LF4 50W

LF3 Full-Glare Shrouds compatible with LF4 Series



FL-SH1 Fits FLD2-15W, FLV12-6W

FL-SH2 Fits FLD2-28W, FLV12-12W & 24W

FL-SH3 Fits FLD2-42W, FLV12-32W

FL-SH4 Fits FLD2-50W

PHOTOCONTROLS



PC-1
PC-1H



PC-1S



PC-2S



PC-B
PC-BU



PC-BP



PC-BUM



PC-TLSC



PC-TLSOC-3PIN



PC-TLSOC-7PIN



PC-TWIST
PC-TWIST-480V



LF3-PCK
LF3-PCK-480V



SL-PC



WEC-3MPC-GY



WEC-3MPCN

PHOTOCONTROLS FOR OUTDOOR

CATALOG NO.	DESCRIPTION
PC-1	120V Stem Mount 1800W Photocell
PC-1H	277V Stem Mount 1800W Photocell
PC-1S	Photocell Swivel Arm 120V , 1000W
PC-2S	Swivel Photocell , 120Vac , 1800W
PC-B	Button Photocell , 120Vac , 500W
PC-BU	Button Photocell, 120-277Vac , 500W
PC-BP	Photocell With 1-Gauge Stainless Steel Plate And Gasket , 120Vac , 500W
PC-BUM	Mini Button Photocell, 120-277Vac , 500W
PC-TLSC	Twist Lock Shorting Cap For Photocell Socket
PC-TLSOC-3PIN	3-Pin Socket Twist Lock For Smart Control Systems
PC-TLSOC-7PIN	7-Pin Socket Twist Lock For Smart Control Systems
PC-TWIST	Twist Lock Photocell 1800W Tungeston 120-277V Ac /1800W
PC-TWIST-480V	Twist Lock Photocell 1800W Tungeston 490V
LF3-PCK	Twist-Lock Photocell Kit, 120-277V
LF3-PCK-480V	Twist-Lock Photocell Kit, 480V
SL-PC	Micro Button Photocell, 120/277V, 40W
WEC-3MPC-GY	Microwave IP67 Photocell With 1/2" Thread, Gray
WEC-3MPCN	Ultra-Violet Photocell, 120-277V 1/2in NPT Size

SURGE PROTECTOR

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

TYPE	CATALOG NO.	DESCRIPTION
OUTDOOR FIXTURES	OPT-SP-10KV	Factory Installed, 10KV surge protector



OUTDOOR
MOTION
SENSORS

MOTION SENSORS FOR OUTDOOR See Compatible Sensor list in Description



CATALOG NO.	DESCRIPTION
LLHB-SENB	Galvanized Steel Sensor Mounting Bracket
LLHB-SMB	Motion Sensor Mounting Box For Linear High Bay Fixtures
SL-HPIR-BZ	Bronze 240°, 350W Max Load
SL-HPIR-WH	White 240°, 350W Max Load
SL-PIR-BZ	Bronze 180°, 350W Max Load
SL-PIR-WH	White 180°, 350W Max Load
WEC-2ADP	Ac To Dc Adapter Module For Ant-4
WEC-2CPDR-3	600W Max, 0-10V PIR 120-277V Ceiling Sensor Dip & Rc (Optional Remote Control WEC-3RC)
WEC-2DLH-22	600W Max, 0-10V Daylight Harvesting Module, White
WEC-2MD-33	600W Max, 0-10V Mw 120-277V Low-Ceiling Sensor Dip
WEC-2MD-35	600W Max, 0-10V Mw 120-277V Sensor Dip, White
WEC-2MDR-27	12-24Vdc Internal Microwave Sensor For Strip Lights (Optional Remote Control WEC-3RC)
WEC-2MDR-33	600W Max, Microwave Sensor For Linear Strip Lights With Dip (Optional Remote Control WEC-2RC-33)
WEC-2MDRH-36	120-277 Vac Split Microwave Sensor, Bi-Level, Daylight Havest, Dip And Rc (Optional Remote Control WEC-3RC)
WEC-2MD-TRIAC	Triac Bi-Level Microwave Sensor 120V, Clear
WEC-2MRHB2	600W Max, 0-10V Microwave Highbays Sensor Kit (Optional Remote Control WEC-7RC)
WEC-2P-44	600W Max, 0-10V PIR 6-24Vdc Troffer Sensor Dip
WEC-2P-58	600W Max, 0n/Off PIR 120-277V Highbay Sensor
WEC-2PR-28-AJ-SOCKET	12-24Vdc 1-Pin 2.5Mm Socket For Audio-Jack Panel And Troffer Sensor
WEC-2PR-28-AJ-WH	PIR Sensor 1-Pin Audio Jack Contact 600W 40Ft 120-277V 0-10V Bi-Level & RC (Optional RC WEC-3RC)
WEC-3MDR-42	600W Max, 0-10V Mw 120-277V Sensor Dip & Rc (Optional Remote Control WEC-3RC)
WEC-3MR-3-BR	600W Max, Microwave IP67 Sensor, 1/2" Thread, Bronze (Optional Remote Control WEC-8RC)
WEC-3MR-3-WH	600W Max, Microwave IP67 Sensor, 1/2" Thread, White (Optional Remote Control WEC-8RC)
WEC-3MR-45	600W Max, 0-10V Mw 120-277V IP66 Highbay Sensor & Rc (Optional Remote Control WEC-3RC)
WEC-3MR-48	600W Max, 0-10V Mw 120-277V IP66 Metal Knuckle Sensor Dip & Rc (Optional Remote Control WEC-3RC)
WEC-3MR-4-BR	600W Max, 90-Degree IP67 Microwave Sensor, Bronze (Optional Remote Control WEC-8RC)
WEC-3MR-4-WH	600W Max, 90-Degree IP67 Microwave Sensor, White (Optional Remote Control WEC-8RC)
WEC-3MR-72-TLB-BK	600W Max, Zhaga 12-24VDC Microwave Sensor, Rc Ready, Black, With Base (Optional Remote Control WEC-3RC)
WEC-3MRLV-5-BR	600W Max, 0-10V Microwave, 120-277V - Bronze (Optional Remote Control WEC-8RC)
WEC-3MRLV-5-CLR	600W Max, 0-10V Microwave, 120-277V - Clear (Optional Remote Control WEC-8RC)
WEC-3MRLV-5-GY	600W Max, 0-10V Microwave, 120-277V - Gray (Optional Remote Control WEC-8RC)
WEC-3MRLV-5-WH	600W Max, 0-10V Microwave, 120-277V - White (Optional Remote Control WEC-8RC)
WEC-3MRLV-6	IP65 120-277 Vac Split Microwave Sensor, Bi-Level, Dip And Rc (Optional RC WEC-3RC)
WEC-3MRLV-6-BR	IP65 120-277 Vac Split Microwave Sensor, Bi-Level, Dip And Rc, Bronze (Optional RC WEC-3RC)
WEC-3MRLV-6-GY	IP65 120-277 Vac Split Microwave Sensor, Bi-Level, Dip And Rc, Gray (Optional RC WEC-3RC)
WEC-3PDR-48-480V	120V-480V Pir Ip65 Bi-Level Motion Sensor, Remote Capable (Optional Remote Control WEC-3RC)
WEC-3PDR-52	600W Max, 0-10V PIR 120-277V Sensor Dip & Rc (Optional Remote Control WEC-3RC)
WEC-3PDR-58-BR	600W Max, 0-10V PIR IP65 120-277V Sensor Dip And Rc , Bronze (Optional Remote Control WEC-3RC)
WEC-3PDR-58-WH	600W Max, 0-10V PIR IP65 120-277V Sensor Dip And Rc , Bronze (Optional Remote Control WEC-3RC)
WEC-3PR-60	600W Max, 0-10V PIR 120-277V Ip66 Knuckle Sensor Dip & Rc (Optional Remote Control WEC-3RC)
WEC-3PR-72-TLB-WH	600W Max, Zhaga 12-24VDC PIR Sensor, Rc Ready, White, With Base (Optional Remote Control WEC-3RC)
WEC-3PR-78-AJ-WH	PIR Sensor 1-Pin Audio Jack Contact 600W 40Ft 120-277V 0-10V Bi-Level & RC (Optional RC WEC-3RC)
WEC-AJ-SA	12-24Vdc Swivel Arm For 3.5Mm Plug-In 1-Pin Audio-Jack Sensors
WEC-AJ-SOCKET	12-24Vdc 1-Pin Audio Jack Sensor Receptacle Socket 1/2In Npt
WEC-ON50-BR	Sensor Mounting Offset Nipple, 1/2 Inch Size , Bronze
WEC-ON50-WH	Sensor Mounting Offset Nipple, 1/2 Inch Size , White
YM183-W	Occupancy Pir Sensor, 180°, 30Ft (720Ft), 120V 800/1200W Max, Single Pole, Neutral Req.
YM2108-T-W	Vacancy & Occupancy Pir Sensor, 180°, 25Ft (600Ft), 120V 600/1000W Max, 3-Way, Neutral Req.
YM2108-W	Vacancy & Occupancy Pir Sensor, 180°, 30Ft (720Ft), 120V 800/1200W Max, Single Pole, Neutral Req.



WEC-2BT-28-AJ-WH



WEC-3PBT-78-AJ-WH



WEC-3MDBTH-36



WEC-2MDBTH-36



WEC-3MBT-72-TLB-BK
WEC-3MBT-72-WH



WEC-3PBT-72-WH



WEC-2UGW-WIFI

OUTDOOR
MOTION
SENSORS

BLUETOOTH APP READY - MOTION SENSORS FOR OUTDOOR



CATALOG NO.	DESCRIPTION
WEC-2BT-28-AJ-WH	PIR Sensor 1-Pin Audio Jack Contact 600W 40Ft 120-277V 0-10V Bi-Level Bluetooth App Ready
WEC-3PBT-78-AJ-WH	PIR Sensor 1-Pin Audio Jack Contact 600W 40Ft 120-277V 0-10V Bi-Level Bluetooth App Ready
WEC-3MDBTH-36	Split Microwave Sensor For Outdoor Bluetooth Mesh, , Bluetooth App Ready
WEC-2MDBTH-36	Split Microwave Sensor For Indoor Bluetooth Mesh, , Bluetooth App Ready
WEC-3MBT-72-TLB-BK	600W Max, Zhaga 12-24VDC Microwave Sensor, Bluetooth App Ready , Black, With Base
WEC-3MBT-72-WH	Microwave Sensor Zhaga Base Bluetooth Mesh, Bluetooth App Ready
WEC-3PBT-72-WH	Pir Sensor Zhaga Base Bluetooth Mesh, , Bluetooth App Ready
WEC-2UGW-WIFI	Industrial Gateway With Multi-Signal Input - Wifi Output



WEC-2RC



WEC-3RC



WEC-8RC



WEC-2RC-33

REMOTE CONTROL FOR MOTION SENSORS (FOR COMPATIBILITY, SEE PREVIOUS PAGE)

CATALOG NO.	DESCRIPTION
WEC-8RC	Remote Control For WEC-3MR-4 & WEC-3MR-3
WEC-2RC	Remote Control For WEC-2MD-36, Silver
WEC-3RC	Remote Control For Motion Sensors
WEC-2RC-33	Remote Control For WEC-2MDR-33 Motion Sensor

OUTDOOR
SMART CONTROL



WEC-MOD-010V-BT
WEC-MOD-010V-WIFI
WEC-MOD-TR-WIFI

WEC-MOD-WIFI-RC
(WORKS WITH WIFI MODULES ONLY)
NOT WITH BLUETOOTH MODULE OR SWITCHES

The WEC-MOD installed on a 0~10V or Triac fixture to control the luminaries via WIFI, BT or a remote control.

WESTGATE SMART LIGHTING CONTROL MODULES - 1/2" KNUCKLE




CATALOG NO.	DESCRIPTION
WEC-MOD-010V-BT	WG Smart Lighting Control Module 1000W 0-10V Bluetooth IP65
WEC-MOD-010V-WIFI	WG Smart Lighting Control Module 1000W 0-10V Wifi IP65
WEC-MOD-TR-WIFI	WG Smart Lighting Control Module 300W Triac Wifi IP65
WEC-MOD-WIFI-RC	WG Smart Remote Control Compatible With Wifi Lighting Modules



WEC-SW-PB1-010V-BT
WEC-SW-PB1-TR-WIFI

This stand-alone "wall dimmer" functions similarly to traditional wall switches by directly wiring to the fixture.

WESTGATE SMART LIGHTING CONTROL SWITCHES
SWITCHES WORK AS STAND ALONE OR WITH WESTGATE APP.



CATALOG NO.	DESCRIPTION
WEC-SW-PB1-010V-BT	WG Smart Push Button Wall Switch 1000W 0-10V Bluetooth + Wall Plate
WEC-SW-PB1-TR-WIFI	WG Smart Push Button Wall Switch 300W Triac Wifi + Wall Plate

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

CATALOG NO.	DESCRIPTION
OPT-EM-CW2EXT	COLD-WEATHER EXTERNAL EMERGENCY POWER SUPPLY 27W FACTORY OPTION
OPT-EM-CW2INT	COLD-WEATHER INTERNAL EMERGENCY POWER SUPPLY 27W FACTORY OPTION
OPT-EM-CW1INT	COLD-WEATHER INTERNAL EMERGENCY POWER SUPPLY 18W FACTORY OPTION

10KV SURGE PROTECTION MODULE UI1449

CATALOG NO.	DESCRIPTION
SPI0KV	100-300V 10Kv 8A Surge Protection Module UI1449
SPI0KV-480V	480V 10Kv Surge Protection Device UI1449



OUTDOOR
EV
CHARGER

EV CHARGER, 48-AMP ADJUSTABLE POWER



CATALOG NO.

DESCRIPTION

EVC-A-48A-MP-BT Level 2 EV Charger 48A Selectable Power, Westgate App Enabled

INDUSTRIAL LIGHTING



UHXMAX-WH
White



UHXMAX-BK
Black



WEC-3RC

WEC-3PR-78-AJ-WH
WEC-3PBT-78-AJ-WH

Sensor-Ready
Plug & Play



UHXMAX-SMB




UHXMAX-PCR



UHXMAX-PCC



UHXMAX-ALR



UHXMAX-WG

MAX-FEATURE UFO - POWER & CCT & BEAM ADJUSTABLE - SENSOR-READY **MCTP** **WET** **LOCATION** **DIMMING** **0-10V** **UL** **LISTED**

CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER	PKG. QTY.
UHXMAX-70-150W-MCTPB-SR	70w/110w/150w 140LM/W 30K/40K/50K Black		1
UHXMAX-70-150W-MCTPB-SR-WH	70w/110w/150w 140LM/W 30K/40K/50K White		1
UHXMAX-120-200W-MCTPB-SR	120w/160w/200w 140LM/W 30K/40K/50K Black		1
UHXMAX-120-200W-MCTPB-SR-WH	120w/160w/200w 140LM/W 30K/40K/50K White		1
UHXMAX-180-240W-MCTPB-SR	180w/200w/240w 140LM/W 30K/40K/50K Black		1
UHXMAX-180-240W-MCTPB-SR-WH	180w/200w/240w 140LM/W 30K/40K/50K White		1
UHXMAX-200-300W-MCTP-SR	200w/240w/300w 140LM/W 30K/40K/50K Black		1
UHXMAX-SMB-A	UHXMAX 70-150W & 200-300W Surface-Mounting Bracket Black		
UHXMAX-SMB-A-WH	UHXMAX 70-150W & 200-300W Surface-Mounting Bracket White		
UHXMAX-SMB-B	UHXMAX 120-200W & 180-240W Surface-Mounting Bracket Black		
UHXMAX-SMB-B-WH	UHXMAX 120-200W & 180-240W Surface-Mounting Bracket White		
UHXMAX-PCR-A-90D	UHXMAX 70-150W 90D Pc Reflector		
UHXMAX-PCC-A	UHXMAX 70-150W Reflector Bottom Pc Cover		
UHXMAX-PCR-B-90D	UHXMAX 120-200W & 180-240W 90D Pc Reflector		
UHXMAX-PCC-B	UHXMAX 120-200W & 180-240W Reflector Bottom Pc Cover		
UHXMAX-ALR-A-90D	UHXMAX 70-150W 90D Aluminum Reflector		
UHXMAX-ALR-B-90D	UHXMAX 120-200W & 180-240W 90D Aluminum Reflector		
UHXMAX-WG-A	UHXMAX 70-150W Wireguard		
UHXMAX-WG-B	UHXMAX 120-200W & 180-240W Wireguard		
WEC-3PR-78-AJ-WH	PIR Sensor 1-Pin Audio Jack Contact 600W 40Ft 120-277V 0-10V Bi-Level & RC (Optional RC WEC-3RC)		
WEC-3PBT-78-AJ-WH	PIR Sensor 1-Pin Audio Jack Contact 600W 40Ft 120-277V 0-10V Bi-Level Bluetooth App Ready		



UHX
Black



UHX
White




HB-RING



HB-EB-50/75



UHX-SMB



UHX-WG



UHX-SA-5075



UHX-ALR
UHX-ALRW



UHX-PCR



UHX-PCPD



UHX-PCC



UHX-FL



UHX-SC



SCL-GS210
SCL-GS220

SPEC SERIES NEW GENERATION - UFO HIGHBAY, 120-277V



CATALOG NO.	DESCRIPTION	PKG. QTY.
UHX-150W-MP-50K	50W/80W/100W/150W 140LM/W 5000K Black MP	1
UHX-150W-MP-40K	50W/80W/100W/150W 140LM/W 4000K Black MP	1
UHX-230W-MP-50K	100W/150W/200W/230W 140LM/W 5000K Black MP	1
UHX-150W-MCTP	50W/80W/100W/150W 125LM/W 30K/40K/50K/57K Black MCTP	1
UHX-230W-MCTP	100W/150W/200W/230W 125LM/W 30K/40K/50K/57K Black MCTP	1
UHX-150W-MCTP-WH	50W/80W/100W/150W 125LM/W 30K/40K/50K/57K White MCTP	1
UHX-230W-MCTP-WH	100W/150W/200W/230W 125LM/W 30K/40K/50K/57K White MCTP	1
HB-RING	Highbay top ring adapter, 1/2in	
HB-EB-50/75	UFO top threaded hub expansion bushing from 1/2" to 3/4"	
UHX-SMB	Surface Mounting Yoke Bracket For 100W To 300W	
UHX-WG-A	Wire Guard, Fits On Fixtures 150W (MP & MCTP) & 230W (MP Only)	
UHX-WG-B	Wire Guard, Fits On Fixtures 230W (MCTP Only) & 300W MP	
UHX-ALR-A	60° Alum. Reflector For 150W (MP & MCTP) & 230W (MP Only)	
UHX-ALR-B	60° Alum. Reflector For 230W (MCTP Only) & 300W MP	
UHX-ALRW-A	90° Alum. Reflector For 150W (MP & MCTP) & 230W (MP Only)	
UHX-ALRW-B	90° Alum. Reflector For 230W (MCTP Only) & 300W MP	
UHX-PCR-A	Prismatic PC Reflector For 150W (MP & MCTP) & 230W (MP Only)	
UHX-PCR-B	Prismatic PC Reflector For 230W (MCTP Only) & 300W MP	
UHX-PCDC	PC Drop Lens Cover For PC Reflectors (Not for Alum. Reflectors), Fits All Sizes	
UHX-PCC	PC Bottom Cover For PC Reflectors (Not for Alum. Reflectors), Fits All Sizes	
UHX-SC	Safety Cable	
SCL-GS210	Heavy-Duty Adjustable 5/64" 10 Ft. Suspension Kit With Loop Gripper & Hook(1)	
SCL-GS220	Heavy-Duty Adjustable 5/64" 20 Ft. Suspension Kit With Loop Gripper & Hook(1)	
UHX-FL-A	Replacement Frosted PC Lens For UHX-150W-MP only	
UHX-FL-B	Replacement Frosted PC Lens For UHX-150W-MCTP & UHX-230W-MP only	
UHX-FL-C	Replacement Frosted PC Lens For 230W-MCTP & 300W	
UHX-CL-A	Replacement Clear Lens For Up To 150W	
UHX-CL-B	Replacement Clear Lens For 230W-MP (NOT FOR 230W-MCTP)	
UHX-CL-C	Replacement Clear Lens For 230W-MCTP & 300W	
UHX-SA-5075	1/2in Stem-mounting adapter with cable passage with 3/4in bushing	



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PLUG IN CORD	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL	OPT-EM-UHX	ON TOP	OPT-HBC-125TL-BK	8FT, 15A, 125V,16/3TL,BLK	N/A	OPT-SEN-UHX	MICROWAVE
	WIRE CABLE OPTION	DESCRIPTION	OPT-HBC-125TL-WH	8FT, 15A, 125V,16/3TL,WHT			
	OPT-HBC-5WR-20FT-BK	5-WIRE CABLE	OPT-HBC-277TL-BK	8FT, 15A, 277V,16/3TL,BLK			
			OPT-HBC-277TL-WH	8FT, 15A, 277V,16/3TL,WHT			
			OPT-HBC-125SB-BK	10FT, 15A, 125V,18/3STR,BLK			
			OPT-HBC-125SB-WH	10FT, 15A, 125V,18/3STR,WHT			



UHX-SR
Black



UHX-SR
White



Sensor-Ready
Plug & Play

INDUSTRIAL
HIGHBAY

SPEC SERIES UFO HIGHBAY - SENSOR READY SERIES



CATALOG NO.	DESCRIPTION	PKG. QTY.
MP UHX-150W-MP-40K-SR	50W/80W/100W/150W 140LM/W 4000K Black	1
MP UHX-150W-MP-50K-SR	50W/80W/100W/150W 140LM/W 5000K Black	1
MP UHX-230W-MP-40K-SR	100W/150W/200W/230W 140LM/W 4000K Black	1
MP UHX-230W-MP-50K-SR	100W/150W/200W/230W 140LM/W 5000K Black	1
MP UHX-300W-MP-50K-SR	150W/200W/230W/300W 140LM/W 5000K Black	1
MCTP UHX-150W-MCTP-SR	50W/80W/100W/150W 125LM/W 30K/40K/50K/57K Black	1
MCTP UHX-150W-MCTP-WH-SR	50W/80W/100W/150W 125LM/W 30K/40K/50K/57K White	1
MCTP UHX-230W-MCTP-SR	100W/150W/200W/230W 130LM/W 30K/40K/50K/57K Black	1
MCTP UHX-230W-MCTP-WH-SR	100W/150W/200W/230W 130LM/W 30K/40K/50K/57K White	1
WEC-3MR-72-TLB-BK	600W Max, Zhaga 12-24VDC Microwave Sensor, Black, With Base (Optional Remote Control WEC-3RC)	
WEC-3MBT-72-TLB-BK	600W Max, Zhaga 12-24VDC Microwave Sensor, Bluetooth App Ready, Black, With Base (Optional Remote Control WEC-3RC)	
WEC-3PR-72-TLB-WH	600W Max, Zhaga 12-24VDC PIR Sensor, White, With Base (Optional Remote Control WEC-3RC)	

FOR FACTORY-INSTALLED OPTIONS AND ACCESSORIES SEE UHX BELOW PAGE 81



SPEC SERIES NEW GENERATION - UFO HIGHBAY, 480V 7 DAYS LEAD TIME



CATALOG NO.	DESCRIPTION	PKG. QTY.
MP UHX-150W-MP-50K-480V	50W/80W/100W/150W 160LM/W 5000K Black	1
MP UHX-230W-MP-50K-480V	100W/150W/200W/230W 160LM/W 5000K Black	1
MP UHX-300W-MP-50K-480V	150W/200W/240W/300W 160LM/W 5000K Black	1
MCTP UHX-150W-MCTP-480V	50W/80W/100W/150W 125LM/W 30K/40K/50K/57K Black	1
MCTP UHX-230W-MCTP-480V	100W/150W/200W/230W 125LM/W 30K/40K/50K/57K Black	1
MCTP UHX-150W-MCTP-WH-480V	50W/80W/100W/150W 125LM/W 30K/40K/50K/57K White	1
MCTP UHX-230W-MCTP-WH-480V	100W/150W/200W/230W 125LM/W 30K/40K/50K/57K White	1

480V

FOR FACTORY-INSTALLED OPTIONS AND ACCESSORIES SEE UHX BELOW PAGE 81



UHXE-80-150W-MCTP4-SR
UHXE-165-220W-MCTP4-SR
Black



UHXE-80-150W-MCTP4-SR-WH
UHXE-165-220W-MCTP4-SR-WH
Bronze



HB-RING



HB-EB-50/75



UHX-SA-5075



UHX-SC



SHOWN WITH
UHXE-SMB



Sensor-Ready
Plug & Play



SHOWN WITH
UHXE-RPMB



SHOWN WITH
UHXE-PCR-A-90D
UHXE-PCR-B-90D




SHOWN WITH
UHXE-PCR-A-60D
UHXE-PCR-B-60D



UHXE-PCC-A
UHXE-PCC-B

BUILDER SERIES POWER AND CCT- ADJUSTABLE
UFO HIGHBAY, 120-277V (SENSOR-READY)



CATALOG NO.	DESCRIPTION	PKG. QTY.
UHXE-80-150W-MCTP4-SR	80W/110W/150W 140LM/W 30K/35K/40K/50K Black	1
UHXE-165-220W-MCTP4-SR	165W/190W/220W 140LM/W 30K/35K/40K/50K Black	1
UHXE-80-150W-MCTP4-SR-WH	80W/110W/150W 140LM/W 30K/35K/40K/50K White	1
UHXE-165-220W-MCTP4-SR-WH	165W/190W/220W 140LM/W 30K/35K/40K/50K White	1
UHXE-SMB	UHXE Surface Mounting U Bracket, Black	
UHXE-RPMB	UHXE 1-FT Rigid Pipe Stand with Canopy for Hard Surface (not Swivel)	
UHXE-PCR-A-90D	UHXE-80-150W 90-Degree PC Reflector	
UHXE-PCR-A-60D	UHXE-80-150W 60-Degree PC Reflector	
UHXE-PCR-B-90D	UHXE-165-220W 90-Degree PC Reflector	
UHXE-PCR-B-60D	UHXE-165-220W 60-Degree PC Reflector	
UHXE-PCC-A	UHXE-80-150W Bottom Cover For Pc Reflector, Fits Both 60D 90D	
UHXE-PCC-B	UHXE-165-220W Bottom Cover For Pc Reflector, Fits Both 60D 90D	
HB-RING	Highbay top ring adapter, 1/2in	
HB-EB-50/75	UFO top threaded hub expansion bushing from 1/2" to 3/4"	
UHX-SC	Safety Cable	
UHX-SA-5075	1/2in Stem-mounting adapter with cable passage with 3/4in bushing	
WEC-3MR-72-TLB-BK	600W Max, Zhaga 12-24VDC Microwave Sensor, Black, With Base (Optional Remote Control WEC-3RC)	
WEC-3MBT-72-TLB-BK	600W Max, Zhaga 12-24VDC Microwave Sensor, Bluetooth App Ready, Black, With Base (Optional Remote Control WEC-3RC)	
WEC-3PR-72-TLB-WH	600W Max, Zhaga 12-24VDC PIR Sensor, White, With Base (Optional Remote Control WEC-3RC)	



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PLUG-IN CORD	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL 120-277V	OPT-EM-UHXE	ON TOP	OPT-HBC-125TL-BK	8FT, 15A, 125V.16/3TL.BLK	N/A	SENSOR READY	SEE ABOVE TABLE
			OPT-HBC-125TL-WH	8FT, 15A, 125V.16/3TL.WHT			
			OPT-HBC-277TL-BK	8FT, 15A, 277V.16/3TL.BLK			
			OPT-HBC-277TL-WH	8FT, 15A, 277V.16/3TL.WHT			
			OPT-HBC-125SB-BK	10FT, 15A, 125V.18/3STR.BLK			
			OPT-HBC-125SB-WH	10FT, 15A, 125V.18/3STR.WHT			



Sensor-Ready Plug & Play see page 76-77

IP69 UFO HIGH BAY FOR FOOD AND CHEMICAL FACILITIES - SENSOR-READY



CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER	PKG. QTY.
UHXF-100-150W-MCTP-SR	100W/120W/150W	145LM/W 30K/40K/50K	1
UHXF-150-240W-MCTP-SR	150W/200W/240W	145LM/W 30K/40K/50K	1

ECONOMY HIGH BAY LAMP & SOCKET, ADJUSTABLE ANGLE (UFO ALTERNATIVE)



CATALOG NO.	DESCRIPTION	PKG. QTY.
UHL-100W-50K	100W 12000LM 5000K Black	18
UHL-150W-50K	150W 18000LM 5000K Black	8
ELB-18150-B	20W MAX, 175VDC, LI-ION 4000MAH BATTERY	



HIGH LUMEN LED MINI HIGH BAY, 120-277 VAC, PC REFLECTOR INCLUDED



CATALOG NO.	DESCRIPTION	PKG. QTY.
LHB2-50W-50K	50W 6750LM 5000K 8-1/4" Dia X 5-1/2"(H), Black	1
LHB2-50W-50K-WH	50W 6750LM 5000K 8-1/4" Dia X 5-1/2"(H), White	1
LHB2-50W-40K-WH	50W 6750LM 4000K 8-1/4" Dia X 5-1/2"(H), White	1
LHB2-50W-30K-WH	50W 6750LM 3000K 8-1/4" Dia X 5-1/2"(H), White	1



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PLUG IN CORD	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL 120-277V	OPT-EM-LHB2	ULHB-HBMK	OPT-HBC-125TL-BK	8FT, 15A, 125V,16/3TL,BLK	N/A	OPT-SEN-ULHB	ULHB-SK
			OPT-HBC-125TL-WH	8FT, 15A, 125V,16/3TL,WHT			
			OPT-HBC-277TL-BK	8FT, 15A, 277V,16/3TL,BLK			
			OPT-HBC-277TL-WH	8FT, 15A, 277V,16/3TL,WHT			
			OPT-HBC-125SB-BK	10FT, 15A, 125V,18/3STR,BLK			
			OPT-HBC-125SB-WH	10FT, 15A, 125V,18/3STR,WHT			



4FT X 2 MAGNETIC RETROFIT STRIP KIT WITH EXT. DRIVER- POWER & CCT ADJUSTABLE



CATALOG NO.	DESCRIPTION	PKG. QTY.
RMS-4FT-35W-MCTP	20W/28W/35W 140LM/W 27K/30K/35K/40K/50K	10
RMS-4FT-LENS	4FT X 2 Frosted Lens Kit For 4FT RMS Magnetic Retrofit Kit	



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	VANDAL RES.	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL	OPT-EM-RMS	EXTERNAL BACK BOX	N/A	N/A	N/A	N/A	N/A



PREMIUM STRIP-LIGHT LED RETROFIT KIT WITH LENS



CATALOG NO.	DESCRIPTION	PKG. QTY.
SLRP-4FT-20-40W-MCTP	20W/30W/40W 127LM/W 35K/40K/50K	4
SLRP-8FT-40-80W-MCTP	40W/60W/80W 127LM/W 35K/40K/50K	4



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	VANDAL RES.	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL	OPT-EM-SLRP-4	EXTERNAL BACK BOX	N/A	N/A	N/A	N/A	N/A
	OPT-EM-SLRP-8	EXTERNAL BACK BOX					



LLHC-80-150W-MCTP
White



ADJUSTABLE LENSES



Wireguard



Sensor-Ready Plug & Play see page 76-77 (one Sensor per Fixture)

BUILDER SERIES POWER & CCT- ADJUSTABLE COMPACT LINEAR HIGHBAY

	DESCRIPTION	PKG. QTY.
LLHC-80-150W-MCTP	80W/110W/150W 150LM/W 30K/35K/40K/50K 10"(H) X 14 2/3"(W) X 1 8/9"(D)	1
LLHC-165-220W-MCTP	165W/190W/220W 150LM/W 30K/35K/40K/50K 10"(H) X 23"(W) X 1 8/9"(D)	1
LLHC-80-150W-MCTP-SR	80W/110W/150W 150LM/W 30K/35K/40K/50K SENSOR READY	1
LLHC-165-220W-MCTP-SR	165W/190W/220W 150LM/W 30K/35K/40K/50K SENSOR READY	1
LLHC-WG1	LLHC Wireguard for 150W	
LLHC-WG2	LLHC Wireguard for 220W	




FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PLUG IN CORD	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL	OPT-EM-LLHC	EXTERNAL	OPT-HBC-125TL-WH	8FT, 15A, 125V,WHITE	N/A	N/A	N/A
			OPT-HBC-277TL-WH	8FT, 15A, 277V,WHITE			
			OPT-HBC-125SB-WH	10FT, 15A, 125V,18/35TR,WHT			



LHCX lens change



Shown with Wireguard & Surface-mounting kit



Sensor-Ready Plug & Play

X-GENERATION COMPACT LINEAR HIGHBAY, SENSOR READY
POWER & CCT SELECT, 90DX90D LENS




CATALOG NO.	DESCRIPTION
LHCX-110-150W-MCTP-SR	110W/130W/150W 140LM/W 30K/40K/50K 14.17" X 11.00" X 1.77"
LHCX-165-215W-MCTP-SR	165W/180W/215W 140LM/W 30K/40K/50K 18.11" X 11.81" X 1.77"
LHCX-255-320W-MCTP-SR	255W/290W/320W 140LM/W 30K/40K/50K 23.03" X 11.81" X 1.77"
LHCX-SMK	Surface-mounting Kit
LHCX-WG1	Wireguard For 150W Max Model
LHCX-WG2	Wireguard For 215W Max Model
LHCX-WG3	Wireguard For 320W Max Model
LHCX-PM75	LHCX Pendant Mounting Accessory, 3/4in Hole On Top And Two 1/2in KO
LHCX-LENS-150W-45X90	LHCX 110-150W Size Special Narrow-Aisle Lens Kit 45Dx90D
LHCX-LENS-215W-45X90	LHCX 165-215W Size Special Narrow-Aisle Lens Kit 45Dx90D
LHCX-LENS-320W-45X90	LHCX 255-320W Size Special Narrow-Aisle Lens Kit 45Dx90D
LHCX-LENS-150W-110X110	LHCX 110-150W Size Special Wide-Angle Lens Kit 110Dx110D
LHCX-LENS-215W-110X110	LHCX 165-215W Size Special Wide-Angle Lens Kit 110Dx110D
LHCX-LENS-320W-110X110	LHCX 255-320W Size Special Wide-Angle Lens Kit 110Dx110D
LHCX-LENS-150W-65X65	LHCX 110-150W Size Special Medium-Angle Lens Kit 65Dx65D
LHCX-LENS-215W-65X65	LHCX 165-215W Size Special Medium-Angle Lens Kit 65Dx65D
LHCX-LENS-320W-65X65	LHCX 255-320W Size Special Medium-Angle Lens Kit 65Dx65D
WEC-3MR-72-TLB-BK	600W Max, Zhaga 12-24VDC Microwave Sensor, Black, With Base (Optional Remote Control WEC-3RC)
WEC-3MBT-72-TLB-BK	600W Max, Zhaga 12-24VDC Microwave Sensor, Bluetooth App Ready, Black, With Base (Optional Remote Control WEC-3RC)
WEC-3PR-72-TLB-WH	600W Max, Zhaga 12-24VDC PIR Sensor, White, With Base (Optional Remote Control WEC-3RC)



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	VANDAL RES.	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL	OPT-EM-LHCX-150	EM	N/A	N/A	N/A	N/A	N/A
	OPT-EM-LHCX-215	EM					
	OPT-EM-LHCX-320	EM					

LED LINEAR HIGH BAY ACCESSORIES

CATALOG NO.	DESCRIPTION
 ELB-2048-EXTR	Field-installed emergency driver, Input voltage: 100-277AC, Output voltage: 12V-48VDC, Output power: 20W (Max), Emergency operation: ≥90 mins., Recharge: 24 Hrs.
CH-1212	Steel jack chain, 100ft., 12GA, (Meets weight requirements for Linear High Bays)
CH-1010	Steel jack chain, 100ft., 10GA
SCL-GSY10	Adjustable 10 Ft. 1/16", 1.5mm SusPension Kit With Y-Connector & Loop Grip & Hooks(2)
SCL-GSY20	Adjustable 20 Ft. 1/16", 1.5mm SusPension Kit With Y-Connector & Loop Grip & Hooks(2)
LH-SCREW	Steel flat hanger screw with single hole, 1/4" x 3"

LED LINEAR HIGH BAY, FIXTURE HANGERS INCL., SUSPENSION CABLE NOT INCL.



CATALOG NO.	DESCRIPTION	PKG. QTY.
LED LINEAR HIGH BAY, 120-277V		
 LLHB-120W-40K-D	100W 15500LM 4000K Frosted lens, 4FTx11-1/4"	1
LLHB-180W-50K-D	150W 23250LM 5000K Frosted lens, 4FTx15-7/8"	1
LLHB-180W-40K-D	150W 23250LM 4000K Frosted lens, 4FTx15-7/8"	1
LLHB-240W-MP-50K-D	240W Max. 150LM/W 4000K Frosted lens, 4FTx20-1/2"	1
LLHB-240W-MP-40K-D	240W Max. 150LM/W 5000K Frosted lens, 4FTx20-1/2"	1
LED LINEAR HIGH BAY, 480V (7DAYS LEAD TIME)		
 LLHB-120W-50K-D-480V	100W 15500LM 5000K Frosted lens, 4FTx11-1/4"	1
LLHB-120W-40K-D-480V	100W 15500LM 4000K Frosted lens, 4FTx11-1/4"	1
LLHB-180W-50K-D-480V	150W 23250LM 5000K Frosted lens, 4FTx15-7/8"	1
LLHB-180W-40K-D-480V	150W 23250LM 4000K Frosted lens, 4FTx15-7/8"	1
LLHB-240W-MP-50K-D-480V	240W Max. 150LM/W 5000K Frosted lens, 4FTx20-1/2"	1
LLHB-240W-MP-40K-D-480V	240W Max. 150LM/W 4000K Frosted lens, 4FTx20-1/2"	1

Updated higher lumens at lower wattages. Per industry standards, Lumens are reported without frosted lens (Removable).
FOR SUSPENSION ACCESSORIES SEE PAGES 132 TO 135



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	CLEAR LENS	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL	OPT-EM-LLHB	MOUNTED ON TOP	OPT-LLHB-CL-120/180	120W & 180W	OPT-CLR-95(BK/GR/SR/WH)	OPT-2P-58	PIR SENSOR (Not remote capable)
	FLEX WHIP	DESCRIPTION	OPT-LLHB-CL-240	240W		OPT-SEN-3MR-4-WH	PROGRAMMABLE MICROWAVE
	OPT-FWH-63	6FT 3-Wire Whip	UP LIGHT	DESCRIPTION		WEC-8RC	OPTIONAL REMOTE
	OPT-FWH-65	6FT 5-Wire Whip	OPT-LLHB-ULM-4FT-40W	500W & ABOVE	SURF. OPTION	PLUG IN CORD	DESCRIPTION
	OPT-FWH-66	6FT 6-Wire Whip	OPT-LLHB-ULM-4FT-60W	500W & ABOVE	OPT-LLHB-SMK	OPT-HBC-125TL-WH	8FT, 15A, 125V, WHITE
					SURGE PROTECTOR	OPT-HBC-277TL-WH	8FT, 15A, 277V, WHITE
					OPT-SP-10KV	OPT-HBC-125SB-WH	10FT, 15A, 125V, 18/35STR, WHT

SPEC SERIES 4TH GENERATION OF LINEAR HIGH BAYS, 120-277V



CATALOG NO.	DESCRIPTION	WHILE SUPPLIES LAST	PKG. QTY.
 LLHB4-50W-40K-D	50W 7750LM 4000K	1FT. X 13.75	1
LLHB4-50W-50K-D	50W 7750LM 5000K	1FT. X 13.75	1
LLHB4-500W-50K-D	500W 62500LM 5000K	4FT. X 23.20	1

FOR SUSPENSION ACCESSORIES SEE PAGES 132 TO 135



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIP-	UP LIGHT	DESCRIPTION	SURF. OPTION	SENSOR	DESCRIPTION
50W TO 150W	OPT-EM-LLHB4-50-150	EXTERNAL	OPT-LLHB-ULM-2FT-20W	150W & ABOVE	OPT-LLHB4-SMK	OPT-SEN-LLHB4	MICROWAVE BI-LEVEL
200W TO 500W	OPT-EM-LLHB4-200-500	INTERNAL	OPT-LLHB-ULM-2FT-40W	150W & ABOVE	FLEX WHIP	PLUG IN CORD	DESCRIPTION
	SURGE PROTECTOR	DESCRIP-	OPT-LLHB-ULM-4FT-40W	500W & ABOVE	OPT-FWH-63	OPT-HBC-125TL-WH	8FT, 15A, 125V, WHITE
	OPT-SP-10KV	120-277V	OPT-LLHB-ULM-4FT-60W	500W & ABOVE	OPT-FWH-65	OPT-HBC-277TL-WH	8FT, 15A, 277V, WHITE
	OPT-SP-10KV-480V	480V			OPT-FWH-66	OPT-HBC-125SB-WH	10FT, 15A,

4Ft



LLHB4-MCTP
LLHB4-MP (200W TO 500W)
White

2Ft



LLHB4-50W
LLHB4-MP (100W TO 150W)
White



OPT-LLHB4-SMK


4Ft



LLHB4-MCTP-BK
Black



LLHB4-100W-WG



LLHB4-RODKIT



Sensor-Ready
Plug & Play

SPEC SERIES 4TH GENERATION OF LINEAR HIGH BAYS - SENSOR READY



480V 480V 120-277V 120-277V

CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER	PKG. QTY.
4TH GENERATION OF LINEAR HIGH BAYS, 120-277V SENSOR READY			
LLHB4-50W-40K-D-SR	50W	155LM/W 4000K	1
LLHB4-50W-50K-D-SR	50W	155LM/W 5000K	1
POWER ADJUSTABLE 4TH GENERATION OF LINEAR HIGH BAYS, 120-277V SENSOR READY MP			
LLHB4-100W-MP-40K-D-SR	50W/80W/100W	155LM/W 4000K	1
LLHB4-100W-MP-50K-D-SR	50W/80W/100W	155LM/W 5000K	1
LLHB4-150W-MP-40K-D-SR	80W/110W/150W	155LM/W 4000K	1
LLHB4-150W-MP-50K-D-SR	80W/110W/150W	155LM/W 5000K	1
LLHB4-200W-MP-40K-D-SR	100W/150W/200W	155LM/W 4000K	1
LLHB4-200W-MP-50K-D-SR	100W/150W/200W	155LM/W 5000K	1
LLHB4-300W-MP-40K-D-SR	150W/225W/300W	155LM/W 4000K	1
LLHB4-300W-MP-50K-D-SR	150W/225W/300W	155LM/W 5000K	1
LLHB4-410W-MP-50K-D-SR	200W/300W/410W	155LM/W 5000K	1
LLHB4-500W-MP-50K-D-SR	250W/400W/500W	155LM/W 5000K	1
POWER & CCT ADJUSTABLE 4TH GENERATION OF LINEAR HIGH BAYS, 120-277V SENSOR READY MCTP			
LLHB4-80-150W-MCTP-SR	80W/110W/150W	155LM/W 35K/40K/50K	1
LLHB4-80-150W-MCTP-SR-BK	80W/110W/150W	155LM/W 35K/40K/50K	1
4TH GENERATION OF LINEAR HIGH BAYS, 480V SENSOR READY			
LLHB4-50W-40K-D-SR-480V	50W	155LM/W 4000K	1
LLHB4-50W-50K-D-SR-480V	50W	155LM/W 5000K	1
POWER ADJUSTABLE 4TH GENERATION OF LINEAR HIGH BAYS, 480V SENSOR READY MP			
LLHB4-100W-MP-40K-D-SR-480V	50W/80W/100W	155LM/W 4000K	1
LLHB4-100W-MP-50K-D-SR-480V	50W/80W/100W	155LM/W 5000K	1
LLHB4-150W-MP-40K-D-SR-480V	80W/110W/150W	155LM/W 4000K	1
LLHB4-150W-MP-50K-D-SR-480V	80W/110W/150W	155LM/W 5000K	1
LLHB4-200W-MP-40K-D-SR-480V	100W/150W/200W	155LM/W 4000K	1
LLHB4-200W-MP-50K-D-SR-480V	100W/150W/200W	155LM/W 5000K	1
LLHB4-300W-MP-40K-D-SR-480V	150W/225W/300W	155LM/W 4000K	1
LLHB4-300W-MP-50K-D-SR-480V	150W/225W/300W	155LM/W 5000K	1
LLHB4-410W-MP-50K-D-SR-480V	200W/300W/410W	155LM/W 5000K	1
LLHB4-500W-MP-50K-D-SR-480V	250W/400W/500W	155LM/W 5000K	1
POWER & CCT ADJUSTABLE 4TH GENERATION OF LINEAR HIGH BAYS, 480V SENSOR READY MCTP			
LLHB4-80-150W-MCTP-SR-480V	80W/110W/150W	155LM/W 35K/40K/50K	1
LLHB4-80-150W-MCTP-SR-BK-480V	80W/110W/150W	155LM/W 35K/40K/50K	1

FOR FACTORY-INSTALLED OPTIONS SEE NEXT PAGE, FOR SUSPENSION ACCESSORIES SEE PAGES 132 TO 135



4Ft
LLHB4-MCTP
LLHB4-MP (200W TO 500W)
White



2Ft
LLHB4-MP (100W TO 150W)
White




OPT-LLHB4-SMK



4Ft
LLHB4-MCTP-BK
Black



LLHB4-100W-WG



LLHB4-RODKIT

SPEC SERIES 4TH GENERATION OF LINEAR HIGH BAYS



ATLALOG NO.	DESCRIPTION	PKG. QTY.
POWER & CCT ADJUSTABLE 4TH GENERATION OF LINEAR HIGH BAYS, 120-277V MCTP		
LLHB4-80-150W-MCTP	80W/110W/150W 125LM/W 35K/40K/50K	1
LLHB4-80-150W-MCTP-BK	80W/110W/150W 125LM/W 35K/40K/50K	1
POWER ADJUSTABLE 4TH GENERATION OF LINEAR HIGH BAYS, 120-277V MP		
LLHB4-100W-MP-40K-D	50W/80W/100W 155LM/W 4000K 2FT. X 13.77	1
LLHB4-100W-MP-50K-D	50W/80W/100W 155LM/W 5000K 2FT. X 13.77	1
LLHB4-150W-MP-40K-D	80W/110W/150W 155LM/W 4000K 2FT. X 17.75	1
LLHB4-150W-MP-50K-D	80W/110W/150W 155LM/W 5000K 2FT. X 17.75	1
LLHB4-200W-MP-40K-D	100W/150W/200W 155LM/W 4000K 4FT. X 13.75	1
LLHB4-200W-MP-50K-D	100W/150W/200W 155LM/W 5000K 4FT. X 13.75	1
LLHB4-300W-MP-40K-D	150W/225W/300W 155LM/W 4000K 4FT. X 17.75	1
LLHB4-300W-MP-50K-D	150W/225W/300W 155LM/W 5000K 4FT. X 17.75	1
LLHB4-410W-MP-50K-D	200W/300W/410W 130LM/W 5000K 4FT. X 23.20	1
LLHB4-500W-MP-50K-D	250W/400W/500W 120LM/W 5000K 4FT. X 23.20	1
POWER & CCT ADJUSTABLE 4TH GENERATION OF LINEAR HIGH BAYS, 480V (7DAYS LEAD TIME) MCTP		
LLHB4-80-150W-MCTP-480V	80W/110W/150W 125LM/W 35K/40K/50K	1
LLHB4-80-150W-MCTP-BK-480V	80W/110W/150W 125LM/W 35K/40K/50K	1
POWER ADJUSTABLE 4TH GENERATION OF LINEAR HIGH BAYS, 480V (7DAYS LEAD TIME) MP		
LLHB4-100W-MP-40K-D-480V	50W/80W/100W 155LM/W 4000K 2FT. X 13.77	1
LLHB4-100W-MP-50K-D-480V	50W/80W/100W 155LM/W 5000K 2FT. X 13.77	1
LLHB4-150W-MP-40K-D-480V	80W/110W/150W 155LM/W 4000K 2FT. X 17.75	1
LLHB4-150W-MP-50K-D-480V	80W/110W/150W 155LM/W 5000K 2FT. X 17.75	1
LLHB4-200W-MP-40K-D-480V	100W/150W/200W 155LM/W 4000K 4FT. X 13.75	1
LLHB4-200W-MP-50K-D-480V	100W/150W/200W 155LM/W 5000K 4FT. X 13.75	1
LLHB4-300W-MP-40K-D-480V	150W/225W/300W 155LM/W 4000K 4FT. X 17.75	1
LLHB4-300W-MP-50K-D-480V	150W/225W/300W 155LM/W 5000K 4FT. X 17.75	1
LLHB4-410W-MP-50K-D-480V	200W/300W/410W 130LM/W 5000K 4FT. X 23.20	1
LLHB4-500W-MP-50K-D-480V	250W/400W/500W 120LM/W 5000K 4FT. X 23.20	1
LLHB4-100W-WG	Wire Guard for 100W	-
LLHB4-RODKIT	Rod kit 3-1/4" Dia X 40" H and 1/2" Thread	-

FOR SUSPENSION ACCESSORIES SEE PAGES 132 TO 135
Per industry standards, Lumens are reported without frosted lens (Removable).



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIP-	UP LIGHT	DESCRIPTION	SURF. OPTION	SENSOR	DESCRIPTION
50W TO 150W	OPT-EM-LLHB4-50-150	EXTERNAL	OPT-LLHB-ULM-2FT-20W	150W & ABOVE	OPT-LLHB4-SMK	OPT-SEN-LLHB4	MICROWAVE BI-LEVEL
200W TO 500W	OPT-EM-LLHB4-200-500	INTERNAL	OPT-LLHB-ULM-2FT-40W	150W & ABOVE	FLEX WHIP	PLUG IN CORD	DESCRIPTION
	SURGE PROTECTOR	DESCRIP-	OPT-LLHB-ULM-4FT-40W	500W & ABOVE	OPT-FWH-63	OPT-HBC-125TL-WH	8FT, 15A, 125V, WHITE
	OPT-SP-10KV	120-277V	OPT-LLHB-ULM-4FT-60W	500W & ABOVE	OPT-FWH-65	OPT-HBC-277TL-WH	8FT, 15A, 277V, WHITE
	OPT-SP-10KV-480V	480V			OPT-FWH-66	OPT-HBC-125SB-WH	10FT, 15A, 125V, 18/3STR, WHT



Sensor-Ready Plug & Play see page 76-77 (one Sensor per Fixture)

INDUSTRIAL
VAPOR &
HIGHBAY

IP69 2-FOOT LINEAR HIGH BAY FOR FOOD AND CHEMICAL FACILITIES



CATALOG NO.	DESCRIPTION	PKG. QTY.
LLHBF-80-160W-MCTP-SR	80W/120W/160W 150LM/W 40K/45K/50K SENSOR READY	1
LLHBF-120-200W-MCTP-SR	120W/160W/200W 150LM/W 40K/45K/50K SENSOR READY	1



LTPV-SLC

LTPV-EC-SR

LTPV-SLC-SR



Sensor-Ready Plug & Play see page 76-77(one Sensor per Fixture)

BUILDER SERIES MODULAR LINEAR VAPOR TIGHT, QUICK CONNECT, TRI-PROOF: WATER, DUST & IMPACT RESISTANCE



CATALOG NO.	DESCRIPTION	PKG. QTY.
LTPV-2FT-18W-MCTP-D	10W/15W/18W 130LM/W 30K/40K/50K SENSOR READY	9
LTPV-4FT-36W-MCTP-D	20W/28W/36W 130LM/W 30K/40K/50K SENSOR READY	9
LTPV-8FT-70W-MCTP-D	55W/60W/70W 140LM/W 30K/40K/50K SENSOR READY	9
LTPV-SLC	LTPV Seamless Coupling Channel With Connection Cable	10
LTPV-SLC-SR	LTPV Seamless Coupling Channel Sensor-Ready	10
LTPV-EC-SR	LTPV Sensor-Ready Endcap	10



LVTE-2FT



LVTE-4FT



LVTE-8FT



LVTE-4FT-100-135W-MCTP



LLVT-8FT-65W-40K-D
LLVT-8FT-65W-50K-D
LLVT-8FT-100W-40K-D
LLVT-8FT-100W-50K-D

INDUSTRIAL
VAPOR &
HIGHBAY

BUILDER SERIES LINEAR VAPOR-TIGHT FIXTURES, CCT & WATTAGE SELECTABLE



CATALOG NO.	DESCRIPTION	PKG. QTY.
LVTE-2FT-15-25W-MCTP	15W/17W/20W/25W 140LM/W 35K/40K/50K 4.25"	4
LVTE-4FT-20-35W-MCTP	20W/28W/36W 140LM/W 35K/40K/50K 4.25"	4
LVTE-4FT-30-46W-MCTP	30W/38W/46W 140LM/W 35K/40K/50K 4.25"	4
LVTE-4FT-30-60W-MCTP	30W/45W/66W 140LM/W 35K/40K/50K 4.25"	4
LVTE-8FT-45-65W-MCTP	45W/55W/65W 140LM/W 35K/40K/50K 4.25"	1
LVTE-8FT-65-110W-MCTP	65W/75W/90W/110W 140LM/W 35K/40K/50K 4.25"	1
LVTE-4FT-100-135W-MCTP	100W/120W/135W 150LM/W 35K/40K/50K 10.25	1
LVTE-4FT-150-200W-MCTP	150W/175W/200W 150LM/W 35K/40K/50K 10.25	1
LVTE-4FT-200-245W-MCTP	200W/230W/245W 150LM/W 35K/40K/50K 14.25	1
BUILDER SERIES LINEAR VAPOR-TIGHT FIXTURES WITH SENSOR & EMERGENCY BACKUP, CCT & WATTAGE SELECTABLE		
LVTE-2FT-15-25W-MCTP-EM-SEN	15W/17W/20W/25W 140LM/W 35K/40K/50K	4
LVTE-4FT-20-35W-MCTP-EM-SEN	20W/28W/35W 140LM/W 35K/40K/50K	4
LVTE-4FT-30-46W-MCTP-EM-SEN	30W/38W/46W 140LM/W 35K/40K/50K	4
LVTE-4FT-30-60W-MCTP-EM-SEN	30W/45W/60W 140LM/W 35K/40K/50K	4
LVTE-8FT-45-65W-MCTP-EM-SEN	45W/55W/65W 140LM/W 35K/40K/50K	1
LVTE-8FT-65-110W-MCTP-EM-SEN	65W/75W/90W/110W 140LM/W 35K/40K/50K	1
LVTE-4FT-100-135W-MCTP-EM-SEN	100W/120W/135W 150LM/W 35K/40K/50K	1
LVTE-4FT-150-200W-MCTP-EM-SEN	150W/175W/200W 150LM/W 35K/40K/50K	1
LVTE-4FT-200-245W-MCTP-EM-SEN	200W/230W/255W 150LM/W 35K/40K/50K	1
4.75" WIDE LED LINEAR VAPOR LIGHT		
LLVT-8FT-65W-40K-D	65W 8450LM 4000K	1
LLVT-8FT-65W-50K-D	65W 8450LM 5000K	1
LLVT-8FT-100W-40K-D	100W 13000LM 4000K	1
LLVT-8FT-100W-50K-D	100W 13000LM 5000K	1

4.75" WIDE

2Ft



LLVT-2FT



6-1/4" WIDE
POLYCARBONATE IP65

4Ft



LLVT-4FT

LED TRADITIONAL LINEAR VAPOR LIGHT, 120-277V

OPAL PC LENS, SS CLAMPS



120-277V

CATALOG NO.	DESCRIPTION	PKG. QTY.
6-1/4" WIDE POLYCARBONATE LED LINEAR VAPOR LIGHT		
LLVT-2FT-25W-MCTP-D	15W/20W/25W 130LM/W 35K/40K/50K	6
LLVT-2FT-RL	2FT REPLACEMENT LENS	-
6-3/4" WIDE POLYCARBONATE LED LINEAR VAPOR LIGHT		
LLVT-4FT-40W-MCTP-D	20W/30W/40W 130LM/W 3500K/4000K/5000K	6
LLVT-4FT-75W-MCT-D	75W 9375LM 3500K/4000K/5000K	6
LLVT-4FT-75W-MCTP-D	40W/60W/75W 130LM/W 3500K/4000K/5000K	6

FOR FACTORY-INSTALLED OPTIONS SEE LLVT OPTIONS, FOR SUSPENSION ACCESSORIES SEE PAGES 132 TO 135

4Ft



LLVT-4FT



14-1/2" WIDE
POLYCARBONATE IP65

*LED LINEAR VAPOR LIGHT (100-150W)

CLEAR PC LENS, SS CLAMPS

*SHOWN WITH CLEAR LENS (INCLUDED)



120-277V

CATALOG NO.	DESCRIPTION	PKG. QTY.
LLVT-4FT-100W-MCTP-D	50W/80W/100W 130LM/W 35K/40K/50K 52" X 14.5"	1
LLVT-4FT-150W-MCTP-D	80/110/150W 130LM/W 35K/40K/50K 52" X 14.5"	1
LLVT-4FT-200W-MCTP-D	100W/150W/200W 130LM/W 35K/40K/50K 52" X 14.5"	1
LLVT-4FT-RL2T	OPTIONAL REPLACEMENT FROSTED LENS FOR LLVT	-

FOR SUSPENSION ACCESSORIES SEE PAGES 132 TO 135



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DES	PLUG IN CORD	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
25W to 46W	OPT-EM-LLVT-25-46	INTERNAL	OPT-HBC-125TL-WH	8FT, 15A, 125V, WHITE	N/A	OPT-SEN-2MDR-36	PROGRAMMABLE MICROWAVE BI-LEVEL
65W to 155W	OPT-EM-LLVT-65-155	INTERNAL	OPT-HBC-277TL-WH	8FT, 15A, 277V, WHITE	N/A	WEC-3RC	OPTIONAL RC
	SURGE PROTECTOR	DES	OPT-HBC-125SB-WH	10FT, 15A, 125V/18/3STR, WHT			
	OPT-SP-10KV	120-277V	PHOTOCELL	DESCRIPTION			
	OPT-SP-10KV-480V	480V	OPT-PC-B	BUTTON			



4ft

LLVT-4FT-100W-MCT-D-480V
LLVT-4FT-150W-MCT-D-480V

4ft



LLVT-4FT-40W-MCT-D-480V
LLVT-4FT-75W-MCT-D-480V

8ft



LLVT-8FT-65W-50K-D-480V
LLVT-8FT-65W-40K-D-480V
LLVT-8FT-100W-50K-D-480V
LLVT-8FT-100W-40K-D-480V



LED LINEAR VAPOR LIGHT, 480V 7 DAYS LEAD TIME

CATALOG NO.	DESCRIPTION	PKG. QTY.
4ft	6-3/4" WIDE POLYCARBONATE LED LINEAR VAPOR LIGHT, 480V	
	LLVT-4FT-40W-MCT-D-480V 40W 5000LM 35K/40K/50K MCT	6
	LLVT-4FT-75W-MCT-D-480V 75W 9375LM 35K/40K/50K MCT	6
4ft	14-1/2" WIDE POLYCARBONATE LED LINEAR VAPOR LIGHT, 480V	
	LLVT-4FT-100W-MCT-D-480V 100W 13500LM 35K/40K/50K MCT	1
	LLVT-4FT-150W-MCT-D-480V 150W 20250LM 35K/40K/50K MCT	1
8ft	3" WIDE LED LINEAR VAPOR LIGHT, 480V	
	LLVT-8FT-65W-50K-D-480V 65W 8450LM 5000K	1
	LLVT-8FT-65W-40K-D-480V 65W 8450LM 4000K	1
	LLVT-8FT-100W-50K-D-480V 100W 13000LM 5000K	1
	LLVT-8FT-100W-40K-D-480V 100W 13000LM 4000K	1



FOR SUSPENSION ACCESSORIES SEE PAGES 132 TO 135

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DES	PLUG IN CORD	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
25W to 46W	OPT-EM-LLVT-25-46	INTERNAL	OPT-HBC-125TL-WH	8FT, 15A, 125V,WHITE	N/A	OPT-SEN-2MDR-36	PROGRAMMABLE MICROWAVE BI-LEVEL
65W to 155W	OPT-EM-LLVT-65-155	INTERNAL	OPT-HBC-277TL-WH	8FT, 15A, 277V,WHITE	N/A	WEC-3RC	OPTIONAL RC
	SURGE PROTECTOR	DES	OPT-HBC-125SB-WH	10FT, 15A, 125V,18/3STR,WHT			
	OPT-SP-10KV	120-277V	PHOTOCELL	DESCRIPTION			
	OPT-SP-10KV-480V	480V	OPT-PC-B	BUTTON			



LDL-R-30W-60K-A40



LDL-R-60W-60K-A40



LDL-S-50W-60K-B40R



LDL-R-E26-A40

LOADING DOCK LIGHTS

CATALOG NO.	DESCRIPTION	PKG. QTY.
LDL-R-30W-60K-A40	30W 3300LM 6000K	2
LDL-R-60W-60K-A40	60W 6600LM 6000K	2
LDL-S-50W-60K-B40R	50W 7000LM 6000K	2
LDL-R-E26-A40	Loading Dock For Par Lamps With 1ft Wp Connector And 40In Bracket	



LED 180 DEGREE FLAT HID RETROFIT LAMP



CATALOG NO.	DESCRIPTION	REPLACEMENT RANGE	PKG. QTY.
CL-FLT-75W-50K-E39	75W WHILE SUPPLIES LAST 9000LM 5000K 11.7"(L) x 5.5"(W) x 3.4"(H)	150-320 MH	8
CL-FLT-115W-50K-E39	115W WHILE SUPPLIES LAST 13570LM 5000K 11.7"(L) x 5.5"(W) x 3.4"(H)	320-400 MH	8
POWER & CTT - ADJUSTABLE LED 180 DEGREE FLAT HID RETROFIT LAMP			
CL-FLT-54-75W-50K-E39	54W/63W/75W 150LM/W 5000K 11.7"(L) x 5.5"(W) x 3.4"(H)	150-320 MH	8
CL-FLT-75-115W-50K-E39	75W/97W/115W 150LM/W 5000K 11.7"(L) x 5.5"(W) x 3.4"(H)	320-400 MH	8



POWER & CCT SWITCHES



CL-EHL-12-27W-MCTP-E26
CL-EHL-36-54W-MCTP-E39
CL-EHL-80-120W-MCTP-E39



CL-EHL
(12W TO 27W)



CL-EHL
(36W TO 54W)



CL-EHL
(75W TO 120W)



Internal Driver
CL-HL
(200W TO 300W)



External Driver
CL-HL-200W-EXTR
CL-HL-200W-480W



HIGH-LUMEN LED CORN LAMP, 100-277V AC

CATALOG NO.	DESCRIPTION	PKG. QTY.
-------------	-------------	-----------

POWER & CCT ADJUSTABLE HIGH-LUMEN LED CORN LAMP, 100-277V AC



CL-EHL-12-27W-MCTP-E26	27MAX	150LM/W	30K/40K/50K	E26 H: 6.69" X D: 2.36"	24
CL-EHL-36-54W-MCTP-E39	54MAX	150LM/W	30K/40K/50K	E39 H: 9.84" X D: 3.34"	12
CL-EHL-80-120W-MCTP-E39	120MAX	150LM/W	30K/40K/50K	E39 H: 11.14" X D: 5.11"	6
CL-EHL-80-120W-MCTP-EX39	80W/100W/120W	135LM/W	30K/40K/50K	E39 H: 11.14" X D: 5.11"	6

HIGH-LUMEN LED CORN LAMP, 100-277V AC, DLC EXCEPT E26



CL-EHL-12W-30K-E26	12W	1500LM	3000K	E26 H: 4.90" X D: 2.36" 30-50MH	24
CL-EHL-12W-50K-E26	12W	1860LM	5000K	E26 H: 4.90" X D: 2.36" 30-50MH	24
CL-EHL-18W-30K-E26	18W	2250LM	3000K	E26 H: 5.70" X D: 2.36" 50-60MH	24
CL-EHL-18W-50K-E26	18W	2610LM	5000K	E26 H: 5.70" X D: 2.36" 50-60MH	24
CL-EHL-27W-30K-E26	27W	3375LM	3000K	E26 H: 6.69" X D: 2.36" 50-70MH	24
CL-EHL-27W-50K-E26	27W	4185LM	5000K	E26 H: 6.69" X D: 2.36" 50-70MH	24
CL-EHL-36W-30K-E26	36W	4500LM	3000K	E26 H: 7.55" X D: 3.34" 50-100MH	12
CL-EHL-36W-50K-E26	36W	5580LM	5000K	E26 H: 7.55" X D: 3.34" 50-100MH	12
CL-EHL-36W-30K-E39	36W	4500LM	3000K	E39 H: 8.30" X D: 3.34" 50-100MH	12
CL-EHL-36W-50K-E39	36W	5580LM	5000K	E39 H: 8.30" X D: 3.34" 50-100MH	12
CL-EHL-45W-30K-E39	45W	5625LM	3000K	E39 H: 9.84" X D: 3.34" 70-100MH	12
CL-EHL-45W-50K-E39	45W	6975LM	5000K	E39 H: 9.84" X D: 3.34" 70-100MH	12
CL-EHL-54W-30K-E39	54W	6750LM	3000K	E39 H: 9.84" X D: 3.34" 70-125MH	12
CL-EHL-54W-50K-E39	54W	8370LM	5000K	E39 H: 9.84" X D: 3.34" 70-125MH	12
CL-EHL-75W-30K-E39	75W	9375LM	3000K	E39 H: 9.84" X D: 5.11" 70-125MH	6
CL-EHL-75W-50K-E39	75W	11625LM	5000K	E39 H: 9.84" X D: 5.11" 70-125MH	6
CL-EHL-100W-30K-E39	100W	12500LM	3000K	E39 H: 10.31" X D: 5.11" 70-175MH	6
CL-EHL-100W-50K-E39	100W	15500LM	5000K	E39 H: 10.31" X D: 5.11" 70-175MH	6
CL-EHL-120W-30K-E39	120W	15600LM	3000K	E39 H: 11.14" X D: 5.11" 200-400MH	6
CL-EHL-120W-50K-E39	120W	17400LM	5000K	E39 H: 11.14" X D: 5.11" 200-400MH	6
CL-HL-200W-50K-E39	200W	28000LM	5000K	E39 H: 14.25" X D: 5.75" 600MH	6
CL-HL-240W-50K-E39	240W	34800LM	5000K	E39 H: 13.15" X D: 5.50" 800W HID	6
CL-HL-300W-50K-E39	300W	43500LM	5000K	E39 H: 13.15" X D: 5.50" 800W HID	6
CL-HL-200W-50K-E39-EXTR	200W	28000LM	5000K	E39 H: 14.25" X D: 5.75" 600MH	4
480V CL-HL-200W-50K-E39-480V	200W	28000LM	5000K	E39 H: 14.25" X D: 5.75" 600MH	4
CL-EHL-75W-30K-EX39	75W	135LM/W	3000K	EX39 H: 9.84" X D: 5.11" 70-125MH	6
CL-EHL-75W-50K-EX39	75W	135LM/W	5000K	EX39 H: 9.84" X D: 5.11" 70-125MH	6
CL-EHL-100W-30K-EX39	100W	135LM/W	3000K	EX39 H: 10.31" X D: 5.11" 70-175MH	6
CL-EHL-100W-50K-EX39	100W	135LM/W	5000K	EX39 H: 10.31" X D: 5.11" 70-175MH	6
CL-EHL-120W-30K-EX39	120W	135LM/W	3000K	EX39 H: 11.14" X D: 5.11" 200-400MH	6
CL-EHL-120W-50K-EX39	120W	135LM/W	5000K	EX39 H: 11.14" X D: 5.11" 200-400MH	6

480V



E26-ENLARGER ENLARGES E26 (MED.), BASE TO BE USED IN E39 (MOGUL) SOCKET
E39-REDUCER REDUCES E39 (MOGUL), BASE TO BE USED IN E26 (MED.) SOCKET

NOTE: FOR 125W OR BELOW: IF USED IN ENCLOSED FIXTURE, CHECK SPEC SHEET FOR MINIMUM SPACE REQUIRED
FOR 200W OR ABOVE: DO NOT USE THE LAMPS IN ENCLOSED FIXTURES
THE DIMENSION OF THE EXTERNAL DRIVER FOR 200-EXTR & 480V LAMPS IS 9.5"X2.5"X1.5"

HIGH-LUMEN LED CORN LAMP WITH UP LIGHT, 100-277V AC



CATALOG NO.	DESCRIPTION	WHILE SUPPLIES LAST	REPLACEMENT RANGE	PKG. QTY.
-------------	-------------	---------------------	-------------------	-----------



CL-HL-27W-30K-E26	27W	3510LM	3000K E26 H: 7.13" X D: 3.74"	50-70MH	12
CL-HL-45W-30K-E39	45W	5850LM	3000K E39 H: 10.20" X D: 3.74"	70-100MH	12
CL-HL-75W-30K-E39	75W	9750LM	3000K E39 H: 12.17" X D: 3.74"	70-125MH	12
CL-HL-100W-30K-E39	100W	13000LM	3000K E39 H: 9.88" X D: 5.75"	70-175MH	6
E26-ENLARGER	ENLARGES E26 (MED.), BASE TO BE USED IN E39 (MOGUL) SOCKET				6
E39-REDUCER	REDUCES E39 (MOGUL), BASE TO BE USED IN E26 (MED.) SOCKET				6



HID-STYLE FILAMENT LAMP - 120-277V - GLASS LENS



CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER	PKG. QTY.
ED23-20W-40K-C-E26	20W 3500LM 4000K E26 Medium Base		10
ED23-20W-50K-C-E26	20W 3500LM 5000K E26 Medium Base		10
ED23-20W-40K-C-EX39	20W 3500LM 4000K E39 Mogul Base		10
ED23-20W-50K-C-EX39	20W 3500LM 5000K E39 Mogul Base		10
ED28-40W-40K-C-EX39	40W 7200LM 4000K E39 Mogul Base		10
ED28-40W-50K-C-EX39	40W 7200LM 5000K E39 Mogul Base		10
ED37-55W-40K-C-EX39	55W 10010LM 4000K E39 Mogul Base		10
ED37-55W-50K-C-EX39	55W 10010LM 5000K E39 Mogul Base		10

LED 180 DEGREE FLAT HID RETROFIT LAMP



CATALOG NO.	DESCRIPTION	PKG. QTY.
CL-FLT-36-54W-50K-E39	36W/45W/54W 150LM/W 5000K Flat	6
CL-FLTW-54-75W-50K-E39	54W/63W/75W 150LM/W 5000K Adjustable	6
CL-FLTW-75-110W-50K-E39	75W/97W/110W 150LM/W 5000K Adjustable	6



HIGH-PERFORMANCE HIGH BAY LAMP, POWER & CCT ADJUSTABLE



CATALOG NO.	DESCRIPTION	PKG. QTY.
HBL-80-120W-MCT-E39	80W/100W/120W 150LM/W 30K/40K/50K E39 Mogul Base	4
HBL-120-160W-MCT-E39	120W/140W/160W 150LM/W 30K/40K/50K E39 Mogul Base	4



LED HIGH POWER LAMPS, 120-277V



CATALOG NO.	DESCRIPTION	PKG. QTY.
HPL-16W-30K-E26	16W 2000LM 3000K E26 Medium Base WHILE SUPPLIES LAST	20
HPL-20W-30K-E26	20W 2500LM 3000K E26 Medium Base	20
HPL-20W-50K-E26	20W 2500LM 5000K E26 Medium Base	20
HPL-24W-30K-E26	24W 3000LM 3000K E26 Medium Base WHILE SUPPLIES LAST	20
HPL-32W-30K-E26	32W 4000LM 3000K E26 Medium Base	20
HPL-34W-30K-E26	34W 4250LM 3000K E26 Medium Base	12
HPL-34W-50K-E26	34W 4250LM 5000K E26 Medium Base	12
HPL-HB-60W-50K-E39	60W 6480LM 5000K E39 Mogul Base WHILE SUPPLIES LAST	4
HPL-HB-75W-50K-E39	75W 8100LM 5000K E39 Mogul Base WHILE SUPPLIES LAST	4
HPL-HB-100W-50K-E39	100W 12500LM 5000K E39 Mogul Base WHILE SUPPLIES LAST	4
HPL-HB-R1	Optional PC Reflector for HPL-HB-60W	12
HPL-HB-R2	Optional PC Reflector for HPL-HB-75W	8
HPL-HB-R3	Optional PC Reflector for HPL-HB-120W & HPL-HB-140W	8





2WIRE ECONOMY CONSTRUCTION STRING LIGHT



CATALOG NO.	DESCRIPTION	PKG. QTY.
CL-CONST-50FT-50W-2WIRE	5X10W 6000LM 5000K 50FT	1
CL-CONST-100FT-50W-2WIRE	10X10W 12000LM 5000K 100FT	1

LED CONSTRUCTION / TEMPORARY LIGHT WITH SOCKET FOR LINKING MULTIPLE UNITS



CATALOG NO.	DESCRIPTION	EQUIVALENCY	PKG. QTY.
CL-CONST-40W-50K	40W 4800LM 5000K 6FT CORD WITH 15A 3 PRONG STRAIGHT BLADE PLUG	400 MH	1
CL-CONST-100W-50K	100W 12000LM 5000K 6FT CORD WITH 15A 3 PRONG STRAIGHT BLADE PLUG	400 MH	1



COMMERCIAL INDOOR LIGHTING



LED BACKLIT PANEL LIGHT, 100-277VAC

MCTP: MULTI COLOR TEMPERATURE & MULTI POWER



CATALOG NO.	DESCRIPTION	PKG. QTY.
2X2 LPNG-2X2-4KLM-27K-D	40W 3800LM 2700K	4
2X2 LPNG-2X2-MCTP4 MCTP	20/30/40W 3000K/3500K/4000K/5000K	4
2X4 LPNG-2X4-4KLM-50K-D	40W 4200LM 5000K WHILE SUPPLIES LAST	4
2X4 LPNG-2X4-5KLM-50K-D	50W 5250LM 5000K WHILE SUPPLIES LAST	4
2X4 LPNG-2X4-5KLM-35K-D	50W 5140LM 3500K WHILE SUPPLIES LAST	4
2X4 LPNG-2X4-MCTP4 MCTP	30/40/50W 3000K/3500K/4000K/5000K	4
2X4 LPNG-2X4-6KLM-50K-D	60W 6600LM 5000K	4
2X4 LPNG-2X4-6KLM-40K-D	60W 6600LM 4000K	4
2X4 LPNG-2X4-6KLM-35K-D	60W 6300LM 3500K	4
2X4 LPNG-2X4-7KLM-50K-D	60W 7920LM 5000K	4
2X4 LPNG-2X4-7KLM-40K-D	60W 7920LM 4000K	4
2X4 LPNG-2X4-7KLM-35K-D	60W 7560LM 3500K	4
1X4 LPNG-1X4-MCTP MCTP	20/30/40W 3500K/4000K/5000K	4
1X4 LPNG-1X4-MCTP4 MCTP	20/30/40W 3000K/3500K/4000K/5000K	4

COMMERCIAL FLAT PANELS

RGBW LED PANEL LIGHTS, WESTGATE APP OR REMOTE CONTROL




CATALOG NO.	DESCRIPTION	PKG. QTY.
LPNG-2X2-RGBW	35W 4375LM RGBW	4
LPNG-2X4-RGBW	40W 5000LM RGBW	2
TC-RGBW-RC	Westgate App Compatible Remote Control For LPNG-RGBW	

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	FLEX WHIP	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL	OPT-EM-LPNG	EXTERNAL	OPT-FWH-63	6FT 3-Wire Whip	OPT-CLR-LPNG	OPT-SEN-2MDR-36	PROGRAMMABLE MICROWAVE BI-LEVEL
	PLUG IN CORD	DESCRIPTION	OPT-FWH-65	6FT 5-Wire Whip		WEC-3RC	REMOTE CONTROL
	OPT-HBC-125TL-BK	8FT, 15A, 125V, BLACK	OPT-FWH-66	6FT 6-Wire Whip			
	OPT-HBC-277TL-BK	8FT, 15A, 277V, BLACK					
	OPT-HBC-125SB-BK	10FT, 15A, 125V, 18/3STR, BLCK					

ACCESSORIES FOR PANEL LIGHTS

CATALOG NO.	DESCRIPTION
LPNG-SRFC-2X2	Surface mounting kit for 2X2 panel EXCLUSIVE SCREWLESS DESIGN
LPNG-SRFC-2X4	Surface mounting kit for 2X4 panel EXCLUSIVE SCREWLESS DESIGN
LPNG-SRFC-1X4	Surface mounting kit for 1X4 panel EXCLUSIVE SCREWLESS DESIGN
LTRE-2X2-SMK	Designer Surface mounting kit for 2X2 panel
LTRE-2X4-SMK	Designer Surface mounting kit for 2X4 panel
LTRE-1X4-SMK	Designer Surface mounting kit for 1X4 panel
SCL-GSY10	Adj. 10FT 1/16" double suspension kit with Y end and heavy-duty locking hook, loop gripper on top
SCL-GSY20	Adj. 20FT 1/16" double suspension kit with Y end and heavy-duty locking hook, loop gripper on top
LPNG-RMK-1X4	1x4' Recessed Mounting Flange Kit for installation in hard ceilings and surfaces
LPNG-RMK-2X2	2x2' Recessed Mounting Flange Kit for installation in hard ceilings and surfaces
LPNG-RMK-2X4	2x4' Recessed Mounting Flange Kit for installation in hard ceilings and surfaces
ELB-2048-EXTR	Field-installed emergency ballast; Input voltage: 100-277VAC, 50-60Hz; Input power: 4.8W (max); Output voltage: 12V-48VDC; Output power: 20W (max) Emergency operation: ≥90 mins.; Use w/ up to 60W LED fixtures; 20% lumens required by UL in power failure for FACTORY-INSTALLED OPTION see above.
LPNG-EMMB	Emergency Battery Mounting Bracket for 2x2 & 2x4 Panels-Allows backup unit installation on top of panel(Recommended for EM Installations on 2X2 & 2X4)
LPNG-EMMB-1X4	Emergency Battery Mounting Bracket for 1X4 Panels-Allows backup unit installation on top of panel




Sensor-Ready Plug & Play

PREMIUM FLAT PANELS, 125 LM/W, POWER AND WATTAGE SELECTABLE



CATALOG NO.	DESCRIPTION	PKG. QTY.
PREMIUM FLAT PANELS, 125 LM/W, POWER AND WATTAGE SELECTABLE		
LPNP-2X2-4KLM-MCTP	20W/30W/35W 125LM/W 35K/40K/50K WHILE SUPPLIES LAST	4
LPNP-1X4-4KLM-MCTP	20W/30W/35W 125LM/W 35K/40K/50K	4
LPNP-2X4-5KLM-MCTP	30W/35W/40W 125LM/W 35K/40K/50K WHILE SUPPLIES LAST	4
PREMIUM FLAT PANELS, 125 LM/W, POWER AND WATTAGE SELECTABLE, SENSOR READY		
LPNP-2X2-MCTP-SR	19W/25W/32W 125LM/W 35K/40K/50K	4
LPNP-1X4-MCTP-SR	19W/25W/32W 125LM/W 35K/40K/50K	4
LPNP-2X4-MCTP-SR	24W/32W/40W 125LM/W 35K/40K/50K	4



Shown with Drywall (Sheet Rock) kit

SLOT RECESSED COMMERCIAL LINEAR LIGHTS, 6" WIDE, CCT & WATTAGE SELECT




CATALOG NO.	DESCRIPTION	PKG. QTY.
SRL6-2FT-MCTP	10W/15W/20W 110LM/W 35K/40K/50K	6
SRL6-4FT-MCTP	20W/30W/40W 110LM/W 35K/40K/50K	6
SRL6-8FT-MCTP	40W/60W/80W 110LM/W 35K/40K/50K	6
SRL6-2FT-DWK	2Ft 6In Slot Recessed Linear Light Drywall Mounting Kit	
SRL6-4FT-DWK	4Ft 6In Slot Recessed Linear Light Drywall Mounting Kit	
SRL6-8FT-DWK	8Ft 6In Slot Recessed Linear Light Drywall Mounting Kit	



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

SIZE	EM OPTION	DESCRIPTION	VANDAL RES.	DESCRIPTION	PAINT	SENSOR DESCRIPTION
2FT, 4FT	OPT-EM-SRL6	EXTERNAL	N/A	N/A	N/A	N/A N/A
	OPT-EM-SRL6-8FT	EXTERNAL				



Ships disassembled for easy on-site handling

GEN 2 FRAME LIGHT KIT 4-PIECE VER. FOR EASY HANDLING, WATTAGE & CCT WITH GRID-MOUNT DRIVER BOX



CATALOG NO.	DESCRIPTION	PKG. QTY.
TGLK-1X4-MCTP	17W/26W/36W 110LM/W 35W/40W/50K	8
TGLK-2X2-MCTP	17W/26W/36W 110LM/W 35W/40W/50K	8
TGLK-2X4-MCTP	25W/35W/45W 110LM/W 35W/40W/50K	8



T-BAR GRID LIGHT (FRAME LIGHT) REMOTE DRIVER

MCTP: MULTI COLOR TEMPERATURE & MULTI POWER



CATALOG NO.	DESCRIPTION	PKG. QTY.
TGL-2X2-MCTP	27W/35W/40W 150LM/W 3500K/4000K/5000K	10
TGL-2X4-MCTP	35W/45W/54W 150LM/W 3500K/4000K/5000K	10
ELB-TBAR1	T-BAR BRACKET FOR MOUNTING THE REMOTE DRIVER	-



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	FLEX WHIP	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL MODELS	OPT-EM-TGL EXTERNAL	OPT-FWH-63 OPT-FWH-65 OPT-FWH-66	N/A	N/A	N/A
		6FT 3-Wire Whip 6FT 5-Wire Whip 6FT 6-Wire Whip			



SINGLE CCT T-BAR GRID LIGHTS



CATALOG NO.	DESCRIPTION	PKG. QTY.
TGL-2X4-30K	60W 6000LM 3000K	10

WHILE SUPPLIES LAST



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	FLEX WHIP	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL MODELS	OPT-EM-TGL EXTERNAL	OPT-FWH-63 OPT-FWH-65 OPT-FWH-66	N/A	N/A	N/A
		6FT 3-Wire Whip 6FT 5-Wire Whip 6FT 6-Wire Whip			

COMMERCIAL
T-BAR & PANELS

5CCT EDGE-LESS ARCHITECTURAL FLUSH MOUNT



CATALOG NO.	DESCRIPTION	PKG. QTY.
FEL-1X2-MCT5	30W 2100LM 27K/30K/35K/40K/50K	3
FEL-1X4-MCT5	60W 4200LM 27K/30K/35K/40K/50K	3



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	VANDAL RES.	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL	OPT-EM-FEL-1X2	INTERNAL	N/A	N/A	N/A	N/A	N/A
	OPT-EM-FEL-1X4	INTERNAL					

POWER & CCT ADJUSTABLE LED SURFACE MOUNT PANELS



CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER	PKG. QTY.
LPSB-1X4-26-40W-MCTP5-D	26W/32W/40W 110LM/W 30K/35K/40K/50K/65K		1
LPSB-2X2-26-40W-MCTP5-D	26W/32W/40W 110LM/W 30K/35K/40K/50K/65K		1
LPSB-2X4-32-50W-MCTP5-D	26W/32W/40W 110LM/W 30K/35K/40K/50K/65K		1

POWER & CCT ADJUSTABLE INTERNAL-DRIVER LED SURFACE/RECESSED MOUNT PANELS



CATALOG NO.	DESCRIPTION	PKG. QTY.
LPS-2X2-20-40W-MCTP-D	20W/33W/40W 100LM/W 30K/40K/50K	1
LPS-2X4-30-50W-MCTP-D	30W/40W/50W 100LM/W 30K/40K/50K	1
LPS-1X4-20-40W-MCTP-D	20W/33W/40W 100LM/W 30K/40K/50K	1

INTERNAL-DRIVER LED SURFACE MOUNT PANELS, (1X4 & LARGER CAN BE RECESS MOUNTED)



CATALOG NO.	DESCRIPTION	PKG. QTY.
LPS-S4-50K-D	10W 700LM 5000K 4" Square 120VAC	20
LPS-S4-40K-D	10W 700LM 4000K 4" Square 120VAC	20
LPS-S4-30K-D	10W 700LM 3000K 4" Square 120VAC	20
LPS-S6-50K-D	12W 900LM 5000K 6" Square 120VAC	20
LPS-S6-40K-D	12W 900LM 4000K 6" Square 120VAC	20
LPS-S6-30K-D	12W 900LM 3000K 6" Square 120VAC	20
LPS-S8-50K-D	16W 1280LM 5000K 8" Square 120VAC	20
LPS-S8-40K-D	16W 1280LM 4000K 8" Square 120VAC	20
LPS-S8-30K-D	16W 1280LM 3000K 8" Square 120VAC	20
LPS-1X1-50K-D	18W 1700LM 5000K 1' X 1' 120-277VAC	16
LPS-1X1-40K-D	18W 1700LM 4000K 1' X 1' 120-277VAC	16
LPS-1X1-30K-D	18W 1700LM 3000K 1' X 1' 120-277VAC	16
LPS-1X2-50K-D	25W 2500LM 5000K 1' X 2' 120-277VAC	8
LPS-1X2-40K-D	25W 2500LM 4000K 1' X 2' 120-277VAC	8
LPS-1X2-30K-D	25W 2500LM 3000K 1' X 2' 120-277VAC	8
LPS-1X4-40K-D	40W 4000LM 4000K 1' X 4' 120-277VAC WHILE SUPPLIES LAST	1
LPS-2X2-50K-D	40W 4400LM 5000K 2' X 2' 120-277VAC WHILE SUPPLIES LAST	1
LPS-2X2-30K-D	40W 4400LM 3000K 2' X 2' 120-277VAC	1
LPS-2X4-50K-D	50W 5500LM 5000K 2' X 4' 120-277VAC WHILE SUPPLIES LAST	1
LPS-JBOX	Junction Box for 1X4, 2X2, 2X4 LPS T-Bar installation	

1X1
1X2
1X4
2X2
2X4



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	FLEX WHIP	DESCRIPTION	EM OPTION	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL MODELS	OPT-FWH-63	6FT 3-Wire Whip	OPT-EM-LPS	EXTERNAL	N/A	N/A	N/A
	OPT-FWH-65	6FT 5-Wire Whip					
	OPT-FWH-66	6FT 6-Wire Whip					



SHOWN WITH
SURFACE MOUNTING
KIT (SMK)

**SPEC SERIES LED SELECTABLE COLOR TEMP.
& WATTAGE TROFFERS, AC 100-277V**

**NO PARTIAL
MUST BUY IN QTY OF TWO**



CATALOG NO.	DESCRIPTION	PKG. QTY.
LTRE-2X2-MCTP	26W, 32W, 40W 125LM/W 3500K, 4000K, 5000K	2
LTRE-2X4-MCTP	32W, 40W, 50W 125LM/W 3500K, 4000K, 5000K	2
LTRE-1X4-MCTP	26W, 32W, 40W 125LM/W 3500K, 4000K, 5000K	2
LTRE-2X2-SMK	Surface mounting kit for LTRE-2X2	-
LTRE-2X4-SMK	Surface mounting kit for LTRE-2X4	-
LTRE-1X4-SMK	Surface mounting kit for LTRE-1X4	-

FOR RECESSED MOUNTING FLANGE KIT (LPNG-RMK) SEE PAGE NO. 96

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	FLEX WHIP	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL MODELS	OPT-EM-LTRE	MOUNTED ON TOP	OPT-FWH-63	6FT 3-Wire Whip	N/A	OPT-SEN-2MDR-36	PROGRAMMABLE MICROWAVE BI-LEVEL
	Ribbed LENS OPTION	DESCRIPTION	OPT-FWH-65	6FT 5-Wire Whip		WEC-3RC	REMOTE CONTROL
	OPT-2X2-RL	Ribbed LENS FOR 2X2	OPT-FWH-66	6FT 6-Wire Whip			
	OPT-2X4-RL	Ribbed LENS FOR 2X4					



**BUILDER SERIES POWER & CCT- ADJUSTABLE STACK TROFFER
REQUIRES 1 MINUTE ASSEMBLY**

**NO PARTIAL
MUST BUY IN PKG. QTY.**



CATALOG NO.	DESCRIPTION	PKG. QTY.
LTRS-2X2-MCTP	25W/35W/36W/40W 125LM/W 3500K/4000K/5000K	6
LTRS-2X4-MCTP	30W/40W/45W/50W 125LM/W 3500K/4000K/5000K	6
LTRS-1X4-MCTP	25W/35W/36W/40W 125LM/W 3500K/4000K/5000K	4



ELB-18150-B Field-Installed Battery Back Up: 20W MAX, 175VDC, Li-ion 4000mAh

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	FLEX WHIP	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL MODELS	OPT-EM-LTRS	EXTERNAL	OPT-FWH-63	6FT 3-Wire Whip	OPT-CLR-LPNG	OPT-SEN-2MDR-36	MICROWAVE BI-LEVEL
	PLUG IN CORD	DESCRIPTION	OPT-FWH-65	6FT 5-Wire Whip		WEC-3RC	REMOTE CONTROL
	OPT-HBC-125TL-BK	8FT, 15A, 125V, BLACK	OPT-FWH-66	6FT 6-Wire Whip			
	OPT-HBC-277TL-BK	8FT, 15A, 277V, BLACK					
	OPT-HBC-125SB-BK	10FT, 15A, 125V, 18/3STR, BLACK					

**SPEC SERIES ARCHITECTURAL TROFFER, BACK-LIT LED DESIGN
POWER & CCT SELECTABLE**

**NO PARTIAL
MUST BUY IN QTY OF FOUR**



CATALOG NO.	DESCRIPTION	PKG. QTY.
LTRB-2X2-MCTP	25W/30W/35W 110LM/W 35K/40K/50K	4
LTRB-2X4-MCTP	30W/40W/50W 110LM/W 35K/40K/50K	4
LTRB-1X4-MCTP	25W/30W/35W 110LM/W 35K/40K/50K	4



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	FLEX WHIP	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL MODELS	OPT-EM-LTRB	EXTERNAL	OPT-FWH-63	6FT 3-Wire Whip	OPT-CLR-LPNG	OPT-SEN-2MDR-36	MICROWAVE BI-LEVEL
	PLUG IN CORD	DESCRIPTION	OPT-FWH-65	6FT 5-Wire Whip		WEC-3RC	REMOTE CONTROL
	OPT-HBC-125TL-BK	8FT, 15A, 125V, BLACK	OPT-FWH-66	6FT 6-Wire Whip			
	OPT-HBC-277TL-BK	8FT, 15A, 277V, BLACK					
	OPT-HBC-125SB-BK	10FT, 15A, 125V, 18/3STR, BLACK					

COMMERCIAL
TROFFERS

SPEC SERIES LED SELECTABLE COLOR TEMP. & WATTAGE DUAL LENS TROFFER LIGHTS



CATALOG NO.	DESCRIPTION	PKG. QTY.
LTRD-2X2-MCTP	25W/30W/35W 125LM/W 3500K/4000K/5000K	1
LTRD-2X4-MCTP	30W/40W/50W 125LM/W 3500K/4000K/5000K	1

TO SURFACE MOUNT, SELECT LTRC-SMK KITS FROM THE LTRC SERIES ABOVE




FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	FLEX WHIP	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL MODELS	OPT-EM-LTRD	MOUNTED ON TOP	OPT-FWH-63	6FT 3-Wire Whip	N/A	OPT-SEN-2MDR-36	PROGRAMMABLE MICROWAVE BI-LEVEL
			OPT-FWH-65	6FT 5-Wire Whip		WEC-3RC	REMOTE CONTROL
			OPT-FWH-66	6FT 6-Wire Whip			



ARCHITECTURAL ADVANCED BLADE DESIGN TROFFER WATTAGE & CCT SELECTABLE

CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER	PKG. QTY.
LTRL-2X2-MCTP4	30W/40W/50W 115LM/W 30K/35K/40K/50K		1
LTRL-2X4-MCTP4	50W/60W/72W 115LM/W 30K/35K/40K/50K		1



PREMIUM CURVED INDIRECT TROFFER, POWER AND CCT ADJUSTABLE



CATALOG NO.	DESCRIPTION	PKG. QTY.
LTRC-2X2-MCTP	25W/30W/40W 125LM/W 35K/40K/50K	4
LTRC-2X4-MCTP	30W/40W/50W 125LM/W 35K/40K/50K	2



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	FLEX WHIP	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL MODELS	OPT-EM-LTRC	MOUNTED ON TOP	OPT-FWH-63	6FT 3-Wire Whip	N/A	OPT-SEN-2MDR-36	PROGRAMMABLE MICROWAVE BI-LEVEL
			OPT-FWH-65	6FT 5-Wire Whip		WEC-3RC	REMOTE CONTROL
			OPT-FWH-66	6FT 6-Wire Whip			

ARCHITECTURAL ADVANCED EDGE-LIT WING DESIGN TROFFER WATTAGE & CCT SELECTABLE



CATALOG NO.	DESCRIPTION	PKG. QTY.
LTRW-2X2-MCTP4	24W/36W 115LM/W 30K/35K/40K/50K	1
LTRW-2X4-MCTP4	42W/50W 115LM/W 30K/35K/40K/50K	1



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	FLEX WHIP	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL MODELS	OPT-EM-LTRW	MOUNTED ON TOP	OPT-FWH-63	6FT 3-Wire Whip	N/A	OPT-SEN-2MDR-36	PROGRAMMABLE MICROWAVE BI-LEVEL
			OPT-FWH-65	6FT 5-Wire Whip		WEC-3RC	REMOTE CONTROL
			OPT-FWH-66	6FT 6-Wire Whip			

ARCHITECTURAL SLOPED-LENS TROFFER, POWER & CCT SELECTABLE



CATALOG NO.	DESCRIPTION	PKG. QTY.
LTRM-2X2-MCTP	25W/30W/36W 125LM/W 35K/40K/50K	1
LTRM-2X4-MCTP	40W/45W/50W 125LM/W 35K/40K/50K	1
LTRM-1X4-MCTP	25W/30W/36W 125LM/W 35K/40K/50K	1



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	FLEX WHIP	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL MODELS	OPT-EM-LTRM	MOUNTED ON TOP	OPT-FWH-63	6FT 3-Wire Whip	N/A	OPT-SEN-2MDR-36	PROGRAMMABLE MICROWAVE BI-LEVEL
			OPT-FWH-65	6FT 5-Wire Whip		WEC-3RC	REMOTE CONTROL
			OPT-FWH-66	6FT 6-Wire Whip			

COMMERCIAL
TROFFERS



ARCHITECTURAL RECESSED PANEL LIGHT, WATTAGE & CCT SELECTABLE



CATALOG NO.	DESCRIPTION	PKG. QTY.
LTRR-2X2-MCTP4	24W/35W/40W 110LM/W 30K/35K/40K/50K	1
LTRR-2X4-MCTP4	30W/40W/50W 110LM/W 30K/35K/40K/50K	1



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	FLEX WHIP	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL MODELS	OPT-EM-LTRR	MOUNTED ON TOP	OPT-FWH-63	6FT 3-Wire Whip	N/A	OPT-SEN-2MDR-36	PROGRAMMABLE MICROWAVE BI-LEVEL
			OPT-FWH-65	6FT 5-Wire Whip		WEC-3RC	REMOTE CONTROL
			OPT-FWH-66	6FT 6-Wire Whip			



ARCHITECTURAL GRILLE TROFFER, WATTAGE & CCT SELECTABLE



CATALOG NO.	DESCRIPTION	PKG. QTY.
LTRG-2X2-MCTP	24W/28W/36W 120LM/W 35K/40K/50K	1
LTRG-1X4-MCTP	24W/28W/36W 120LM/W 35K/40K/50K	1
LTRG-2X4-MCTP	30W/40W/50W 120LM/W 35K/40K/50K	1



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	FLEX WHIP	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL MODELS	OPT-EM-LTRG	MOUNTED ON TOP	OPT-FWH-63	6FT 3-Wire Whip	N/A	OPT-SEN-2MDR-36	PROGRAMMABLE MICROWAVE BI-LEVEL
			OPT-FWH-65	6FT 5-Wire Whip		WEC-3RC	REMOTE CONTROL
			OPT-FWH-66	6FT 6-Wire Whip			



APERTURE GRILLE TROFFER, WATTAGE & CCT SELECTABLE



CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER	PKG. QTY.
LTRA-1X4-MCTP	20W/25W/30W/40W 125LM/W 35K/40K/50K		1
LTRA-2X2-MCTP	20W/25W/30W/40W 125LM/W 35K/40K/50K		1
LTRA-2X4-MCTP	30W/40W/50W/60W 125LM/W 35K/40K/50K		1


FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	FLEX WHIP	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL MODELS	OPT-EM-LTRA	MOUNTED ON TOP	OPT-FWH-63 OPT-FWH-65 OPT-FWH-66	6FT 3-Wire Whip 6FT 5-Wire Whip 6FT 6-Wire Whip	N/A	OPT-SEN-2MDR-36 WEC-3RC	PROGRAMMABLE MICROWAVE BI-LEVEL REMOTE CONTROL

PREMIUM IP65 CLEANROOM PANEL, POWER AND CCT ADJUSTABLE



CATALOG NO.	DESCRIPTION	PKG. QTY.
LPCR-2X2-MCTP	25W/30W/40W 125LM/W 35K/40K/50K	2
LPCR-2X4-MCTP	30W/40W/50W 125LM/W 35K/40K/50K	1
LPCR-1X4-MCTP	25W/30W/40W 125LM/W 35K/40K/50K	2



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	FLEX WHIP	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL MODELS	OPT-EM-LPCR	MOUNTED ON TOP	OPT-FWH-63 OPT-FWH-65 OPT-FWH-66	6FT 3-Wire Whip 6FT 5-Wire Whip 6FT 6-Wire Whip	N/A	OPT-SEN-2MDR-36 WEC-3RC	PROGRAMMABLE MICROWAVE BI-LEVEL REMOTE CONTROL

PREMIUM HIGH-LUMEN RETROFIT FLAT PANEL

NO PARTIAL
MUST BUY IN PKG. QTY.

CATALOG NO.	DESCRIPTION	PKG. QTY.
LRP-HL-2X2-MCTP	16W/20W/24W 125LM/W 35K/40K/50K	2
LRP-HL-2X4-MCTP	24W/30W/40W 125LM/W 35K/40K/50K	2



PREMIUM HIGH-LUMEN RETROFIT TROFFER-POWER & CCT ADJUSTABLE

NO PARTIAL
MUST BUY IN PKG. QTY.

CATALOG NO.	DESCRIPTION	PKG. QTY.
LRT-HL-2X2-MCTP	15W/20W/25W 125LM/W 35K/40K/50K	2
LRT-HL-2X4-MCTP	30W/40W/50W 125LM/W 35K/40K/50K	2



HEX CAR SHOP DECORATIVE LIGHT KIT WITH FRAME 96in X 190in




CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER	PKG. QTY.
HEX-96X190-534W-65K-UNIV	534W 130LM/W 6500K		1



BUILDER SERIES POWER & CCT- ADJUSTABLE LINEAR LIGHT



CATALOG NO.	DESCRIPTION	PKG. QTY.
SCE-4FT-40W-MCTP-D	30W/35W/40W 110LM/W 3500K/4000K/5000K White	8
SCE-4FT-40W-MCTP-D-BK	30W/35W/40W 110LM/W 3500K/4000K/5000K Black	8
SCE-4FT-40W-MCTP-D-SIL	30W/35W/40W 110LM/W 3500K/4000K/5000K Silver	8
SCE-6FT-50W-MCTP-D	40W/45W/50W 110LM/W 3500K/4000K/5000K White	6
SCE-6FT-50W-MCTP-D-BK	40W/45W/50W 110LM/W 3500K/4000K/5000K Black	6
SCE-6FT-50W-MCTP-D-SIL	40W/45W/50W 110LM/W 3500K/4000K/5000K Silver	6
SCE-8FT-70W-MCTP-D	50W/60W/72W 110LM/W 35K/40K/50K White	
SCE-8FT-70W-MCTP-D-BK	50W/60W/72W 110LM/W 35K/40K/50K Black	
SCE-8FT-70W-MCTP-D-SIL	50W/60W/72W 110LM/W 35K/40K/50K Silver	
SCE-ULM-4FT-MCTP-D	4Ft SCE Series Uplight Module 35/40/50K Transfers 30% Power To Top	
SCE-ULM-6FT-MCTP-D	6Ft SCE Series Uplight Module 35/40/50K Transfers 30% Power To Top	
SCE-ULM-8FT-MCTP-D	8Ft SCE Series Uplight Module 35/40/50K Transfers 30% Power To Top	
SCE-SB	SCE Series Straight Linking Bracket - Creates a Seamless Connection	
SCE-TB	SCE Series T Linking Bracket	
SCE-LB	SCE Series L Linking Bracket	
SCE-XB	SCE Series X Linking Bracket	
SCE-SB-BK	SCE Series Straight Linking Bracket -Seamless Connection, Black	
SCE-TB-BK	SCE Series T Linking Bracket, Black	
SCE-LB-BK	SCE Series L Linking Bracket, Black	
SCE-XB-BK	SCE Series X Linking Bracket, Black	
SCE-SB-SIL	SCE Series Straight Linking Bracket -Seamless Connection, Silver	
SCE-TB-SIL	SCE Series T Linking Bracket, Silver	
SCE-LB-SIL	SCE Series L Linking Bracket, Silver	
SCE-XB-SIL	SCE Series X Linking Bracket, Silver	
SCE-WM-KIT-SIL	Wall-Mount Brkt, Field-Installed, Use 2 For 4Ft And 6Ft, 3 For 8Ft, Silver	



FOR SUSPENSION KIT SEE PAGES 132 TO 135

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL MODELS	OPT-EM-SCE	INTERNAL	N/A	N/A	N/A	N/A	N/A



Surface Mounted

SCX4-IP66-SUR-4FT-40-80W-MCTP
SCX4-IP66-SUR-8FT-80-160W-MCTP



Wall Mounted

SCX4-IP66-ACPT-6FT
SCX4-IP66-ACPT-10FT

SCX4-IP66-JUMP-6IN
SCX4-IP66-JUMP-12IN



Suspended

SCX4-IP66-SUS-4FT-40-80W-MCTP
SCX4-IP66-SUS-8FT-80-160W-MCTP

Rod Kit Sold Separately

POWER & CCT- ADJUSTABLE LINEAR LIGHT, 120-277V, IP66 WET LOCATION



CATALOG NO.	DESCRIPTION	PKG. QTY.
SCX4-IP66-SUR-4FT-40-80W-MCTP	40W/60W/80W 105LM/W 35K/40K/50K Surface Mounted	4
SCX4-IP66-SUR-8FT-80-160W-MCTP	80W/120W/160W 105LM/W 35K/40K/50K Surface Mounted	2
SCX4-IP66-SUS-4FT-40-80W-MCTP	40W/60W/80W 105LM/W 35K/40K/50K Suspended	4
SCX4-IP66-SUS-8FT-80-160W-MCTP	80W/120W/160W 105LM/W 35K/40K/50K Suspended	2
SCX4-IP66-ACPT-6FT	SCX4-IP66 6Ft Ac Pigtail With Female Wet Loc. Connector	
SCX4-IP66-ACPT-10FT	SCX4-IP66 10Ft Ac Pigtail With Female Wet Loc. Connector	
SCX4-IP66-JUMP-6IN	SCX4-IP66 6In Ac Jump Cable With Male And Female Wet Loc. Connector	
SCX4-IP66-JUMP-12IN	SCX4-IP66 12In Ac Jump Cable With Male And Female Wet Loc. Connector	
SCX4-IP66-CB	SCX4-IP66 Coupling Bracket	
SCX4-IP66-RODKIT-18IN	SCX4-IP66 18In Suspension Rod Kit	
SCX4-IP66-RODKIT-24IN	SCX4-IP66 24In Suspension Rod Kit	
SCX4-IP66-SCBK	SCX4-IP66 Bracket Set For Suspension With Aircraft Cable	


FOR SUSPENSION KIT (SCL-GS210 & SCL-GS220) SEE PAGES 133




SCXA2-4FT-40W-MCTP-BB
UGR25 50D FULL OPTIC




SCXA2-4FT-40W-MCTP-CD-BB
UGR25 50D COMBINED DISTRIBUTION
OPTIC + PC LENS



SCXA2-4FT-40W-MCTP-WW
UGR25 50D FULL OPTIC



SCXA2-4FT-40W-MCTP-CD-WW
UGR25 50D COMBINED DISTRIBUTION
OPTIC + PC LENS



SCX2-TRACK-H

ARCHITECTURAL 2" OPTIC & COMBINED-DISTRIBUTION LINEAR WITH MULTIPLE APERTURE OPTIONS



CATALOG NO.	DESCRIPTION	PKG. QTY.
SCXA2-2FT-20W-MCTP-CD-BB	10W/15W/20W 100LM/W 30K/35K/40K 7.5" Optic Ends	1
SCXA2-2FT-20W-MCTP-CD-WW	10W/15W/20W 100LM/W 30K/35K/40K 7.5" Optic Ends	1
SCXA2-4FT-40W-MCTP-CD-BB	20W/30W/40W 100LM/W 30K/35K/40K 7.5" Optic Ends	6
SCXA2-4FT-40W-MCTP-CD-WW	20W/30W/40W 100LM/W 30K/35K/40K 7.5" Optic Ends	6
SCXA2-6FT-60W-MCTP-CD-BB	40W/50W/60W 100LM/W 30K/35K/40K 15" Optic Ends	4
SCXA2-6FT-60W-MCTP-CD-WW	40W/50W/60W 100LM/W 30K/35K/40K 15" Optic Ends	4
SCXA2-8FT-80W-MCTP-CD-BB	60W/70W/80W 100LM/W 30K/35K/40K 23" Optic Ends	4
SCXA2-8FT-80W-MCTP-CD-WW	60W/70W/80W 100LM/W 30K/35K/40K 23" Optic Ends	4
SCXA2-2FT-20W-MCTP-BB	10W/15W/20W 100LM/W 30K/35K/40K	1
SCXA2-2FT-20W-MCTP-WW	10W/15W/20W 100LM/W 30K/35K/40K	1
SCXA2-4FT-40W-MCTP-BB	20W/30W/40W 100LM/W 30K/35K/40K	6
SCXA2-4FT-40W-MCTP-WW	20W/30W/40W 100LM/W 30K/35K/40K	6
SCXA2-6FT-60W-MCTP-BB	40W/50W/60W 100LM/W 30K/35K/40K	4
SCXA2-6FT-60W-MCTP-WW	40W/50W/60W 100LM/W 30K/35K/40K	4
SCXA2-8FT-80W-MCTP-BB	60W/70W/80W 100LM/W 30K/35K/40K	4
SCXA2-8FT-80W-MCTP-WW	60W/70W/80W 100LM/W 30K/35K/40K	4
SCX2-TRACK-H-BK	SCXA2 Tack Light Socket End Extension H-Type Black	
SCX2-TRACK-H-WH	SCXA2 Tack Light Socket End Extension H-Type White	
SCXA2-BCP-4FT-BK	SCXA2 4Ft Blank Cover-Plate Accessory Black	
SCXA2-BCP-6FT-BK	SCXA2 6Ft Blank Cover-Plate Accessory Black	
SCXA2-BCP-8FT-BK	SCXA2 8Ft Blank Cover-Plate Accessory Black	
SCXA2-BCP-4FT-WH	SCXA2 4Ft Blank Cover-Plate Accessory White	
SCXA2-BCP-6FT-WH	SCXA2 6Ft Blank Cover-Plate Accessory White	
SCXA2-BCP-8FT-WH	SCXA2 8Ft Blank Cover-Plate Accessory White	
SCXA2-OLS-50D-BK	SCXA2 Replacement Standard Optic Lens 50D 8in Long, Black	
SCXA2-OLS-50D-WH	SCXA2 Replacement Standard Optic Lens 50D 8in Long, White	
SCXA2-RLS-UGR10-50D-BK	SCXA2 UGR10 50D Reflector Accessory Black	
SCXA2-RLS-UGR10-70D-BK	SCXA2 UGR10 70D Reflector Accessory Black	
SCXA2-RLS-UGR10-50D-WH	SCXA2 UGR10 50D Reflector Accessory White	
SCXA2-RLS-UGR10-70D-WH	SCXA2 UGR10 70D Reflector Accessory White	


COMMERCIAL
LINEAR
LIGHTS

UGR OPTIC LENS




CATALOG NO.

OPT-SCXA2-4FT-WH-50D	UGR Less Than 10, 50D Optic, White
OPT-SCXA2-4FT-WH-70D	UGR Less Than 10, 70D Optic, White
OPT-SCXA2-4FT-BK-50D	UGR Less Than 10, 50D Optic, Black
OPT-SCXA2-4FT-BK-70D	UGR Less Than 10, 70D Optic, Black
OPT-SCXA2-6FT-WH-50D	UGR Less Than 10, 50D Optic, White
OPT-SCXA2-6FT-WH-70D	UGR Less Than 10, 70D Optic, White
OPT-SCXA2-6FT-BK-50D	UGR Less Than 10, 50D Optic, Black
OPT-SCXA2-6FT-BK-70D	UGR Less Than 10, 70D Optic, Black
OPT-SCXA2-8FT-WH-50D	UGR Less Than 10, 50D Optic, White
OPT-SCXA2-8FT-WH-70D	UGR Less Than 10, 70D Optic, White
OPT-SCXA2-8FT-BK-50D	UGR Less Than 10, 50D Optic, Black
OPT-SCXA2-8FT-BK-70D	UGR Less Than 10, 70D Optic, Black



SCXA-4FT-40W-MCTP-BB
UGR25 50D FULL OPTIC



SCXA-4FT-40W-MCTP-CD-BB
UGR25 50D COMBINED DISTRIBUTION
OPTIC + PC LENS



SCXA-4FT-40W-MCTP-WW
UGR25 50D FULL OPTIC



SCXA-4FT-40W-MCTP-CD-WW
UGR25 50D COMBINED DISTRIBUTION
OPTIC + PC LENS

COMMERCIAL
LINEAR
LIGHTS

ARCHITECTURAL 2-3/4" OPTIC & COMBINED-DISTRIBUTION LINEAR WITH MULTIPLE APERTURE OPTIONS












CATALOG NO.	DESCRIPTION	PKG. QTY.
SCXA-2FT-20W-MCTP-CD-BB	10W/15W/20W 100LM/W 30K/35K/40K 7.5" Optic Ends	1
SCXA-2FT-20W-MCTP-CD-WW	10W/15W/20W 100LM/W 30K/35K/40K 7.5" Optic Ends	1
SCXA-4FT-40W-MCTP-CD-BB	20W/30W/40W 100LM/W 30K/35K/40K 7.5" Optic Ends	6
SCXA-4FT-40W-MCTP-CD-WW	20W/30W/40W 100LM/W 30K/35K/40K 7.5" Optic Ends	6
SCXA-6FT-60W-MCTP-CD-BB	40W/50W/60W 100LM/W 30K/35K/40K 15" Optic Ends	4
SCXA-6FT-60W-MCTP-CD-WW	40W/50W/60W 100LM/W 30K/35K/40K 15" Optic Ends	4
SCXA-8FT-80W-MCTP-CD-BB	60W/70W/80W 100LM/W 30K/35K/40K 23" Optic Ends	4
SCXA-8FT-80W-MCTP-CD-WW	60W/70W/80W 100LM/W 30K/35K/40K 23" Optic Ends	4
SCXA-2FT-20W-MCTP-BB	10W/15W/20W 100LM/W 30K/35K/40K	1
SCXA-2FT-20W-MCTP-WW	10W/15W/20W 100LM/W 30K/35K/40K	1
SCXA-4FT-40W-MCTP-BB	20W/30W/40W 100LM/W 30K/35K/40K	6
SCXA-4FT-40W-MCTP-WW	20W/30W/40W 100LM/W 30K/35K/40K	6
SCXA-6FT-60W-MCTP-BB	40W/50W/60W 100LM/W 30K/35K/40K	4
SCXA-6FT-60W-MCTP-WW	40W/50W/60W 100LM/W 30K/35K/40K	4
SCXA-8FT-80W-MCTP-BB	60W/70W/80W 100LM/W 30K/35K/40K	4
SCXA-8FT-80W-MCTP-WW	60W/70W/80W 100LM/W 30K/35K/40K	4
SCXA-BCP-2FT-BK	2Ft (Also 4Ft) Blank Cover-Plate Accessory To Replace Center Pc Lens, Black	
SCXA-BCP-2FT-WH	2Ft (Also 4Ft) Blank Cover-Plate Accessory To Replace Center Pc Lens, White	
SCXA-BCP-4FT-BK	4Ft (Also 6Ft 8Ft) Blank Cover-Plate Accessory To Replace Center Pc Lens, Black	
SCXA-BCP-4FT-WH	4Ft (Also 6Ft 8Ft) Blank Cover-Plate Accessory To Replace Center Pc Lens, White	
SCXA-OLS-40D-BK	Replacement Optic Lens 40D 6In Long, Black	
SCXA-OLS-40D-WH	Replacement Optic Lens 40D 6In Long, White	
SCX-TRACK-H-BK	Scx Track Light Socket End Extension H-Type, Black	
SCX-TRACK-H-WH	Scx Track Light Socket End Extension H-Type, White	
SCXA-OLS-60D-BK	Replacement Standard Optic Lens 60D 6In Long, Black	
SCXA-OLS-60D-WH	Replacement Standard Optic Lens 60D 6In Long, White	

*MCT4: MULTI COLOR TEMPERATURE
(3000K, 3500K, 4000K, 5000K)

SCX 2-3/4" (Linkable) 	REGRESSED 2-3/4" 7 DAYS LEAD TIME 	LOUVER 2-3/4" (Linkable) 7 DAYS LEAD TIME 	WHITE LOUVER 2-3/4" (Linkable) 7 DAYS LEAD TIME 	DIAM 2-3/4" 7 DAYS LEAD TIME  ARRIVES THIS SEASON CHECK & PRE-ORDER
---	--	--	---	---

SCX-1FT-10W-MCT4-D	SCX-1FT-10W-MCT4-D-REG	SCX-1FT-10W-MCT4-D-LUV	SCX-1FT-10W-MCT4-D-LUV-WH	SCX-1FT-10W-MCT4-D-DIAM
SCX-2FT-20W-MCT4-D	SCX-2FT-20W-MCT4-D-REG	SCX-2FT-20W-MCT4-D-LUV	SCX-2FT-20W-MCT4-D-LUV-WH	SCX-2FT-20W-MCT4-D-DIAM
SCX-3FT-30W-MCT4-D	SCX-3FT-30W-MCT4-D-REG	SCX-3FT-30W-MCT4-D-LUV	SCX-3FT-30W-MCT4-D-LUV-WH	SCX-3FT-30W-MCT4-D-DIAM
SCX-4FT-40W-MCT4-D	SCX-4FT-40W-MCT4-D-REG	SCX-4FT-40W-MCT4-D-LUV	SCX-4FT-40W-MCT4-D-LUV-WH	SCX-4FT-40W-MCT4-D-DIAM
SCX-6FT-60W-MCT4-D	SCX-6FT-60W-MCT4-D-REG	SCX-6FT-60W-MCT4-D-LUV	SCX-6FT-60W-MCT4-D-LUV-WH	SCX-6FT-60W-MCT4-D-DIAM
SCX-8FT-80W-MCT4-D	SCX-8FT-80W-MCT4-D-REG	SCX-8FT-80W-MCT4-D-LUV	SCX-8FT-80W-MCT4-D-LUV-WH	SCX-8FT-80W-MCT4-D-DIAM


 UPLIGHT FOR SCX SERIES AND THEIR VARIANTS				
2FT	3FT	4FT	6FT	8FT
OPT-SCX-ULM-2FT-8W-MCT4	OPT-SCX-ULM-3FT-12W-MCT4	OPT-SCX-ULM-4FT-16W-MCT4	OPT-SCX-ULM-6FT-24W-MCT4	OPT-SCX-ULM-8FT-32W-MCT4

MODULES FOR SCX SERIES				
6in Module  SCX-6IN-MCT4	9in Module  SCX-9IN-MCT4	L Module  SCX-L-MCT4	T Module  SCX-T-MCT4	X Module  SCX-X-MCT4
Inside Corner Module  SCX-IC-MCT4	Outside Corner Module  SCX-OC-MCT4	Y Module  SCX-Y-MCT4	120° Corner  SCX-C120-MCT4	C60 Module  SCX-C60-MCT4


COMMERCIAL
LINEAR
LIGHTS

DROP LENS 2-3/4"	SOLID PMMA LENS 2-3/4"	INDIRECT 2-3/4"	IDL 2-3/4"	SCXFIF & 2F L FIXTURE
7 DAYS LEAD TIME 		7 DAYS LEAD TIME 	7 DAYS LEAD TIME 	


SCX-1FT-10W-MCT4-D-DL	SCX-2FT-20W-MCT4-DLP	SCX-2FT-20W-MCT4-D-IND	SCX-2FT-20W-MCT-D-IDL	SCX-1LFT-20W-MCT4		
SCX-2FT-20W-MCT4-D-DL	N/A	SCX-3FT-30W-MCT4-D-IND	SCX-3FT-30W-MCT-D-IDL	SCX-L2FT-40W-MCT4		
SCX-3FT-30W-MCT4-D-DL	SCX-4FT-40W-MCT4-DLP	SCX-4FT-40W-MCT4-D-IND	SCX-4FT-40W-MCT-D-IDL	SCX 2F Y FIXTURE 		
SCX-4FT-40W-MCT4-D-DL	N/A	SCX-6FT-60W-MCT4-D-IND	SCX-6FT-60W-MCT-D-IDL	SCX-Y2FT-60W-MCT4-D		
SCX-6FT-60W-MCT4-D-DL	N/A	SCX-8FT-80W-MCT4-D-IND	SCX-8FT-80W-MCT-D-IDL	UPLIGHT OPT-SCX-ULM-L2FT-16W-MCT4		
SCX-8FT-80W-MCT4-D-DL		 SHOWN WITH SUSPENSION KIT SCL-3CS10 ADJ. 10FT 1/16in TRIPLE-CABLE SUSPENSION CANOPY KIT WITH KEYHOLE END CONNECTORS (NO CORD INCL.)				
UPLIGHT	UPLIGHT				OPT-SCX-ULM-2FT-8W-MCT4	OPT-SCX-ULM-2FT-8W-MCT4
OPT-SCX-ULM-3FT-12W-MCT4	N/A					
OPT-SCX-ULM-4FT-16W-MCT4	OPT-SCX-ULM-4FT-16W-MCT4					
OPT-SCX-ULM-6FT-24W-MCT4	N/A					
OPT-SCX-ULM-8FT-32W-MCT4	N/A					OPT-SCX-ULM-Y2FT-24W-MCT4



MADE USING SCX + L CORNERS



SCX-L2FT-40W-MCT4 INSTALLED



MADE USING SCX + C120 CORNERS



SCX-Y2FT-60W-MCT4 INSTALLED


COMMERCIAL
LINEAR LIGHTS

*MCT4: MULTI COLOR TEMPERATURE
(3000K, 3500K, 4000K, 5000K)



SCX

SUPERIOR ARCHITECTURAL
SEAMLESS LINKABLE LINEAR LIGHTING SYSTEM



SCX MODELS	SCX 2-3/4" (Linkable)	LOUVER 2-3/4" (Linkable)	DROP LENS 2-3/4"
1FT BLACK 10W & 110LM/W	SCX-1FT-10W-MCT4-D-BK	N/A	N/A
2FT BLACK 20W & 110LM/W	SCX-2FT-20W-MCT4-D-BK	SCX-2FT-20W-MCT4-D-LUV-BK	SCX-2FT-20W-MCT4-D-DL-BK
3FT BLACK 30W & 110LM/W	SCX-3FT-30W-MCT4-D-BK	SCX-3FT-30W-MCT4-D-LUV-BK	SCX-3FT-30W-MCT4-D-DL-BK
4FT BLACK 40W & 110LM/W	SCX-4FT-40W-MCT4-D-BK	SCX-4FT-40W-MCT4-D-LUV-BK	SCX-4FT-40W-MCT4-D-DL-BK
6FT BLACK 60W & 110LM/W	SCX-6FT-60W-MCT4-D-BK	SCX-6FT-60W-MCT4-D-LUV-BK	SCX-6FT-60W-MCT4-D-DL-BK
8FT BLACK 80W & 110LM/W	SCX-8FT-80W-MCT4-D-BK	SCX-8FT-80W-MCT4-D-LUV-BK	SCX-8FT-80W-MCT4-D-DL-BK

COMMERCIAL
LINEAR
LIGHTS

⚙️ UPLIGHT FOR SCX BLACK SERIES AND THEIR VARIANTS				
2FT	3FT	4FT	6FT	8FT
OPT-SCX-ULM-2FT-8W-MCT4	OPT-SCX-ULM-3FT-12W-MCT4	OPT-SCX-ULM-4FT-16W-MCT4	OPT-SCX-ULM-6FT-24W-MCT4	OPT-SCX-ULM-8FT-32W-MCT4

MODULES FOR SCX BLACK SERIES				
<p>6in Module</p>  <p>SCX-6IN-MCT4-BK</p>	<p>9in Module</p>  <p>SCX-9IN-MCT4-BK</p>	<p>L Module</p>  <p>SCX-L-MCT4-BK</p>	<p>T Module</p>  <p>SCX-T-MCT4-BK</p>	<p>X Module</p>  <p>SCX-X-MCT4-BK</p>
<p>Inside Corner Module</p>  <p>SCX-IC-MCT4-BK</p>	<p>Y Module</p>  <p>SCX-Y-MCT4-BK</p>	<p>120° Corner</p>  <p>SCX-C120-MCT4-BK</p>	<p>C60 Module</p>  <p>SCX-C60-MCT4-BK</p>	

*MCT4: MULTI COLOR TEMPERATURE
(3000K, 3500K, 4000K, 5000K)



SCX

SUPERIOR ARCHITECTURAL
SEAMLESS LINKABLE LINEAR LIGHTING SYSTEM



SCX 4FT. Only

SCX4 4" (Linkable)	WHITE LOUVER 4" (Linkable)	IDL 4"	WALLWASH 4"
	7 DAYS LEAD TIME 	7 DAYS LEAD TIME 	7 DAYS LEAD TIME

1FT 10W & 110LM/W	SCX4-1FT-10W-MCT4-D	SCX4-1FT-10W-MCT4-D-LUV-WH	N/A	N/A
2FT 20W & 110LM/W	SCX4-2FT-20W-MCT4-D	SCX4-2FT-20W-MCT4-D-LUV-WH	SCX4-2FT-20W-MCT-D-IDL	SCX4-2FT-20W-MCT4-WSH
3FT 30W & 110LM/W	SCX4-3FT-30W-MCT4-D	SCX4-3FT-30W-MCT4-D-LUV-WH	SCX4-3FT-30W-MCT-D-IDL	SCX4-3FT-30W-MCT4-WSH
4FT 40W & 110LM/W	SCX4-4FT-40W-MCT4-D	SCX4-4FT-40W-MCT4-D-LUV-WH	SCX4-4FT-40W-MCT-D-IDL	SCX4-4FT-40W-MCT4-WSH
6FT 60W & 110LM/W	SCX4-6FT-60W-MCT4-D	SCX4-6FT-60W-MCT4-D-LUV-WH	SCX4-6FT-60W-MCT-D-IDL	N/A
8FT 80W & 110LM/W	SCX4-8FT-80W-MCT4-D	SCX4-8FT-80W-MCT4-D-LUV-WH	SCX4-8FT-80W-MCT-D-IDL	N/A

COMMERCIAL
LINEAR
LIGHTS

UPLIGHT FOR SCX4 SERIES AND THEIR VARIANTS				
2FT	3FT	4FT	6FT	8FT
OPT-SCX-ULM-2FT-8W-MCT4	OPT-SCX-ULM-3FT-12W-MCT4	OPT-SCX-ULM-4FT-16W-MCT4	OPT-SCX-ULM-6FT-24W-MCT4	OPT-SCX-ULM-8FT-32W-MCT4

MODULES FOR SCX4 SERIES				
L Module SCX4-L-MCT4	T Module SCX4-T-MCT4	X Module SCX4-X-MCT4	Inside Corner SCX4-IC-MCT4	

SCX

SUPERIOR ARCHITECTURAL
SEAMLESS LINKABLE LINEAR LIGHTING SYSTEM



1FT 10W & 110LM/W	SCX2-1FT-10W-MCT4-D	SCX2-1FT-10W-MCT4-D-TR	N/A	N/A
2FT 20W & 110LM/W	SCX2-2FT-20W-MCT4-D	SCX2-2FT-20W-MCT4-D-TR	SCX6-2FT-20-30W-MCTP	SCX6-2FT-20-30W-MCTP-LUV-WH
3FT 30W & 110LM/W	SCX2-3FT-30W-MCT4-D	SCX2-3FT-30W-MCT4-D-TR	SCX6-3FT-30-45W-MCTP	SCX6-3FT-30-45W-MCTP-LUV-WH
4FT 40W & 110LM/W	SCX2-4FT-40W-MCT4-D	SCX2-4FT-40W-MCT4-D-TR	SCX6-4FT-40-60W-MCTP	SCX6-4FT-40-60W-MCTP-LUV-WH
6FT 60W & 110LM/W	SCX2-6FT-60W-MCT4-D	SCX2-6FT-60W-MCT4-D-TR	SCX6-6FT-60-90W-MCTP	SCX6-6FT-60-90W-MCTP-LUV-WH
8FT 80W & 110LM/W	SCX2-8FT-80W-MCT4-D	SCX2-8FT-80W-MCT4-D-TR	SCX6-8FT-80-120W-MCTP	SCX6-8FT-80-120W-MCTP-LUV-WH

⚙️ UPLIGHT FOR SCX2 SERIES AND THEIR VARIANTS				
2FT	3FT	4FT	6FT	8FT
OPT-SCX-ULM-2FT-8W-MCT4	OPT-SCX-ULM-3FT-12W-MCT4	OPT-SCX-ULM-4FT-16W-MCT4	OPT-SCX-ULM-6FT-24W-MCT4	OPT-SCX-ULM-8FT-32W-MCT4

⚙️ UPLIGHT FOR SCX6 SERIES AND THEIR VARIANTS				
2FT	3FT	4FT	6FT	8FT
OPT-SCX6-ULM-2FT-8W-MCT4	OPT-SCX6-ULM-3FT-12W-MCT4	OPT-SCX6-ULM-4FT-16W-MCT4	OPT-SCX6-ULM-6FT-24W-MCT4	OPT-SCX6-ULM-8FT-32W-MCT4

MODULES FOR SCX2 & SCX6 SERIES

L Module SCX2-L-MCT4	T Module SCX2-T-MCT4	X Module SCX2-X-MCT4	Inside Corner Module SCX2-IC-MCT4	Outside Corner Module SCX2-OC-MCT4
C60 Module SCX2-C60-MCT4	L Module SCX6-L-MCTP	T Module SCX6-T-MCTP	X Module SCX6-X-MCTP	Inside Corner Module SCX6-IC-MCTP

COMMERCIAL
LINEAR
LIGHTS

SCX


SUPERIOR ARCHITECTURAL
SEAMLESS LINKABLE LINEAR LIGHTING SYSTEM

SCO SERIES	SCXT-DL 1" DROP LENS	SCXT-FL 1" FLAT LENS	SCXR (Linkable)	SCXR LOUVER (Linkable)
 <p>4ft MCT</p> <p>MCT: MULTI COLOR TEMPERATURE (3500K, 4000K, 5000K)</p>	 <p>MCTP</p> <p>See Page 114 for More Info</p> <p><small>ORDER ONE DRIVER PER FIXTURE (NOT INCLUDED)</small></p>	 <p>MCTP</p> <p>See Page 114 for More Info</p> <p><small>ORDER ONE DRIVER PER FIXTURE (NOT INCLUDED)</small></p>	 <p>MCT4</p>	 <p>MCT4</p> <p>ARRIVES THIS SEASON CHECK & PRE-ORDER</p>

SCO-4FT-40W-MCT-BB	SCXT-2FT-10-20W-MCTP-D-DL	SCXT-2FT-10-20W-MCTP-D-FL	SCXR-2FT-20W-MCT4-D	SCXR-2FT-20W-MCT4-D-LUV
 <p>4ft</p>	SCXT-4FT-20-40W-MCTP-D-DL	SCXT-4FT-20-40W-MCTP-D-FL	SCXR-4FT-40W-MCT4-D	SCXR-4FT-40W-MCT4-D-LUV
SCO-4FT-40W-MCT-WB	SCXT-8FT-40-80W-MCTP-D-DL	SCXT-8FT-40-80W-MCTP-D-FL	SCXR-8FT-80W-MCT4-D	SCXR-8FT-80W-MCT4-D-LUV
<p>7 DAYS LEAD TIME</p>  <p>4ft</p>	<p>UPLIGHT FOR SCXT-DL</p> <p>OPT-SCXT-ULM-2FT-MCTP</p>	<p>UPLIGHT FOR SCXT-FL</p> <p>OPT-SCXT-ULM-2FT-MCTP</p>	<p>SCXR -BK(Linkable)</p> 	<p>SCXR-BK LOUVER (Linkable)</p>
SCO-4FT-40W-MCT-WW	OPT-SCXT-ULM-4FT-MCTP	OPT-SCXT-ULM-4FT-MCTP	SCXR-2FT-20W-MCT4-D-BK	N/A
<p>7 DAYS LEAD TIME</p>  <p>4ft</p>	OPT-SCXT-ULM-8FT-MCTP	OPT-SCXT-ULM-8FT-MCTP	SCXR-4FT-40W-MCT4-D-BK	N/A
SCO-4FT-40W-MCT-BW	<p>SCXT-DL 2FT L FIXTURE</p>  <p>MCTP</p> <p><small>ORDER ONE DRIVER PER FIXTURE (NOT INCLUDED)</small></p>	<p>SCXT-FL 2FT L FIXTURE</p>  <p>MCTP</p> <p><small>ORDER ONE DRIVER PER FIXTURE (NOT INCLUDED)</small></p>	SCXR-8FT-80W-MCT4-D-BK	N/A
	SCXT-L2FT-20-40W-MCTP-D-DL	SCXT-L2FT-20-40W-MCTP-D-FL	<p>UPLIGHT FOR SCXR</p> <p>OPT-SCX-ULM-4FT-16W-MCT4</p>	<p>UPLIGHT FOR SCXR</p> <p>OPT-SCX-ULM-4FT-16W-MCT4</p>
			OPT-SCX-ULM-8FT-32W-MCT4	OPT-SCX-ULM-8FT-32W-MCT4
			CORNER OPTION	CORNER OPTION
				
			SCXR-LNL	SCXR-LNL

SCXR ACCESSORIES


CATALOG NO.	DESCRIPTION
SCXR-LK-1FT-GRILL	SCXR 1ft Section PC Louver Kit Without Lens
SCXR-LK-1FT-LENSONROLL	SCXR 1ft Film On Roll Of 853Ft, Must Use With SCXR-LK



WG SMART APP COMPATIBLE SCX LINEAR LIGHTS




CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER	PKG. QTY.
SCX-1FT-RGBWW-BT	10W 110LM/W RGB		6
SCX-2FT-RGBWW-BT	20W 110LM/W RGB		6
SCX-3FT-RGBWW-BT	30W 110LM/W RGB		6
SCX-4FT-RGBWW-BT	40W 110LM/W RGB		6
SCX-6FT-RGBWW-BT	60W 110LM/W RGB		4
SCX-8FT-RGBWW-BT	80W 110LM/W RGB		4
OPT-SCX-ULM-2FT-RGB	SCX 2Ft Rgb Uplight Module And Film		
OPT-SCX-ULM-3FT-RGB	SCX 3Ft Rgb Uplight Module And Film		
OPT-SCX-ULM-4FT-RGB	SCX 4Ft Rgb Uplight Module And Film		
OPT-SCX-ULM-6FT-RGB	SCX 6Ft Rgb Uplight Module And Film		
OPT-SCX-ULM-8FT-RGB	SCX 8Ft Rgb Uplight Module And Film		




SCX & SCX2 & SCX4 FIELD-INSTALLED FLANGED RECESSED MOUNT DRYWALL KIT

CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER
SCX-FMRK-1FT	SCX-1Ft Field-Installed Flanged Recessed Mount Drywall Kit	
SCX-FMRK-2FT	SCX-2Ft Field-Installed Flanged Recessed Mount Drywall Kit	
SCX-FMRK-3FT	SCX-3Ft Field-Installed Flanged Recessed Mount Drywall Kit	
SCX-FMRK-4FT	SCX-4Ft Field-Installed Flanged Recessed Mount Drywall Kit	
SCX-FMRK-6FT	SCX-6Ft Field-Installed Flanged Recessed Mount Drywall Kit	
SCX-FMRK-8FT	SCX-8Ft Field-Installed Flanged Recessed Mount Drywall Kit	
SCX2-FMRK-1FT	SCX2-1Ft Field-Installed Flanged Recessed Mount Drywall Kit	
SCX2-FMRK-2FT	SCX2-2Ft Field-Installed Flanged Recessed Mount Drywall Kit	
SCX2-FMRK-3FT	SCX2-3Ft Field-Installed Flanged Recessed Mount Drywall Kit	
SCX2-FMRK-4FT	SCX2-4Ft Field-Installed Flanged Recessed Mount Drywall Kit	
SCX2-FMRK-6FT	SCX2-6Ft Field-Installed Flanged Recessed Mount Drywall Kit	
SCX2-FMRK-8FT	SCX2-8Ft Field-Installed Flanged Recessed Mount Drywall Kit	
SCX4-FMRK-1FT	SCX4-1Ft Field-Installed Flanged Recessed Mount Drywall Kit	
SCX4-FMRK-2FT	SCX4-2Ft Field-Installed Flanged Recessed Mount Drywall Kit	
SCX4-FMRK-3FT	SCX4-3Ft Field-Installed Flanged Recessed Mount Drywall Kit	
SCX4-FMRK-4FT	SCX4-4Ft Field-Installed Flanged Recessed Mount Drywall Kit	
SCX4-FMRK-6FT	SCX4-6Ft Field-Installed Flanged Recessed Mount Drywall Kit	
SCX4-FMRK-8FT	SCX4-8Ft Field-Installed Flanged Recessed Mount Drywall Kit	



2-4in SCX FIELD-INSTALLED MUD-IN FLANGE-LESS RECESSED MOUNT KIT

CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER
SCX-MIFK-1FT	2-4In SCX-1Ft Field-Installed Mud-In Flange-Less Recessed Mount Kit	
SCX-MIFK-2FT	2-4In SCX-2Ft Field-Installed Mud-In Flange-Less Recessed Mount Kit	
SCX-MIFK-3FT	2-4In SCX-3Ft Field-Installed Mud-In Flange-Less Recessed Mount Kit	
SCX-MIFK-4FT	2-4In SCX-4Ft Field-Installed Mud-In Flange-Less Recessed Mount Kit	
SCX-MIFK-6FT	2-4In SCX-6Ft Field-Installed Mud-In Flange-Less Recessed Mount Kit	
SCX-MIFK-8FT	2-4In SCX-8Ft Field-Installed Mud-In Flange-Less Recessed Mount Kit	



SCXT INSTALLED ON T-BAR CEILING
DRIVER MOUNTED ON TOP




SCXT SUSPENDED




2 SCXT-L2FT INSTALLED
ON T-BAR CEILING

With T-BAR clips, ready to install on the grid
Can also be suspended or surface mounted
Can be linked (with endcaps on, not seamless) coupling bracket incl.
With remote driver box, avail. 40W & 80W (sold separately) do not exceed max wattage of driver
Each fixture supplied with 6FT RJ11 cable, which plugs into the driver box
Driver box has 4 RJ11 Female sockets

EXTERNAL DRIVER (ORDER SEPARATELY)



SCXT-DRVK-RJ11-20W
SCXT-DRVK-RJ11-40W
SCXT-DRVK-RJ11-80W
ORDER ONE DRIVER PER FIXTURE
(NOT INCLUDED)



SCXT-TGRID-DSP1



SCXT-CMP-RJ11-6FT
SCXT-CMP-RJ11-8FT
SCXT-CMP-RJ11-12FT
SCXT-CMP-RJ11-24FT



SCXT-RJ11-COUPPL

1" WIDE LINEAR SERIES FOR DIRECT T-GRID MOUNTING OR SUSPENSION, POWER & CCT ADJ.



CATALOG NO.	DESCRIPTION
SCXT-2FT-10-20W-MCTP-D-DL	20W 110LM/W 30K/35K/40K 2FT, Drop Lens, Can Adj. to 75% or 50%
SCXT-4FT-20-40W-MCTP-D-DL	40W 110LM/W 30K/35K/40K 4FT, Drop Lens, Can Adj. to 75% or 50%
SCXT-8FT-40-80W-MCTP-D-DL	80W 110LM/W 30K/35K/40K 8FT, Drop Lens, Can Adj. to 75% or 50%
SCXT-L2FT-20-40W-MCTP-D-DL	40W 110LM/W 30K/35K/40K 2FT. L-Shape, Drop Lens, Can Adj. to 75% or 50%
SCXT-2FT-10-20W-MCTP-D-FL	20W 110LM/W 30K/35K/40K 2FT, Flat Lens, Can Adj. to 75% or 50%
SCXT-4FT-20-40W-MCTP-D-FL	40W 110LM/W 30K/35K/40K 4FT, Flat Lens, Can Adj. to 75% or 50%
SCXT-8FT-40-80W-MCTP-D-FL	80W 110LM/W 30K/35K/40K 8FT, Flat Lens, Can Adj. to 75% or 50%
SCXT-L2FT-20-40W-MCTP-D-FL	40W 110LM/W 30K/35K/40K 2FT. L-Shape, Flat Lens, Can Adj. to 75% or 50%
OPT-SCXT-ULM-2FT-MCTP	2Ft Uplighting Factory-Installed Adder Option - Directs 30% Of Power To Up
OPT-SCXT-ULM-4FT-MCTP	4Ft Uplighting Factory-Installed Adder Option - Directs 30% Of Power To Up
OPT-SCXT-ULM-8FT-MCTP	8Ft Uplighting Factory-Installed Adder Option - Directs 30% Of Power To Up
SCXT-DRVK-RJ11-20W	SCXT Series 20W Driver Kit With Power & CCT Selection Switches
SCXT-DRVK-RJ11-40W	SCXT Series 40W Driver Kit With Power & CCT Selection Switches
SCXT-DRVK-RJ11-80W	SCXT Series 80W Driver Kit With Power & CCT Selection Switches
SCXT-TGRID-DSP1	SCXT Series T-Grid Driver Support Platform For Up To 80W Driver Kit
SCXT-CMP-RJ11-6FT	Comm. Multi-Purp. Extension Cable With RJ11 Ends - 6Ft
SCXT-CMP-RJ11-8FT	Comm. Multi-Purp. Extension Cable With RJ11 Ends - 8Ft
SCXT-CMP-RJ11-12FT	Comm. Multi-Purp. Extension Cable With RJ11 Ends - 12Ft
SCXT-CMP-RJ11-24FT	Comm. Multi-Purp. Extension Cable With RJ11 Ends - 24Ft
SCXT-RJ11-COUPPL	RJ11 Coupling Female To Female

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
SCXT	OPT-EM-SCXT	EXTERNAL	N/A	N/A	OPT-CLR-SCXT-2FT(BK/GR/SR/WH) OPT-CLR-SCXT-4FT(BK/GR/SR/WH) OPT-CLR-SCXT-8FT(BK/GR/SR/WH) OPT-CLR-SCXT-L2FT(BK/GR/SR/WH)	N/A	N/A



SHOWN WITH
RECESSED MOUNTING FLANGES
SEE OPTION ON PAGE 118



SHOWN WITH
SUSPENSION KIT



SCL-4CS10

ADJ. 10FT 1/16in QUAD CABLE SUSP.
CANOPY KIT, KEYHOLE CONNECTORS
(NO CORD INCL.)

2.75IN SCX 2X2 & 2X4 LINEAR LIGHT

CATALOG NO.	DESCRIPTION	PKG. QTY.
SCX-2X2-40-80W-MCTP	40W/60W/80W 110LM/W 30K/35K/40K/50K	1
SCX-2X4-60-120W-MCTP	60W/90W/120W 110LM/W 30K/35K/40K/50K	1





1 QUARTER CIRCLE
SHOWN WITH SUSPENSION KITS



CREATED WITH 4 QUARTER CIRCLES



CREATED WITH 4 QUARTER CIRCLES
SHOWN WITH SUSPENSION KIT



SCL-3CS10

ADJ. 10FT 1/16in TRIPLE-CABLE
SUSPENSION CANOPY KIT WITH
KEYHOLE END CONNECTORS
(NO CORD INCL.)



SCX QUARTER OF CIRCLE 4CCT

CATALOG NO.	DESCRIPTION	PKG. QTY.
SCXC-Q24-10W-MCT4	10W 1100LM 30K/35K/40K/50K 24"	1
SCXC-Q36-20W-MCT4	20W 2200LM 30K/35K/40K/50K 36"	1
SCXC-Q48-25W-MCT4	25W 2750LM 30K/35K/40K/50K 48"	1



HIGH-OUTPUT ROUND LINEAR CHANDELIER, UP/DOWN LIGHT WITH SEPARATE CONTROLS, POWER AND CCT ADJUSTABLE



CATALOG NO.	DESCRIPTION	PKG. QTY.
SRC-D24UD-MCTP-BK	40W/80W 65LM/W 30K/35K/40K Black	1
SRC-D24UD-MCTP	40W/80W 65LM/W 30K/35K/40K	1
SRC-D36UD-MCTP-BK	80W/120W 65LM/W 30K/35K/40K Black	1
SRC-D36UD-MCTP	80W/120W 65LM/W 30K/35K/40K	1
SRC-D48UD-MCTP-BK	120W/160W 65LM/W 30K/35K/40K Black	1
SRC-D48UD-MCTP	120W/160W 65LM/W 30K/35K/40K	1





FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	VANDAL RES.	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL	OPT-EM-SRC	INTERNAL	N/A	N/A	N/A	N/A	N/A

SCX CUSTOM DESIGN QUOTES - CALL

we can do SCX custom design quotes. Please call for more info.





WALL MOUNTING WITH 5 INCH ARMS (ADD-ON OPTION, DOES NOT INCLUDE FIXTURE)

CATALOG NO. DESCRIPTION

ADD THIS OPTION TO THE FIXTURE AND WALL MOUNTING ARMS WITH WALL CANOPY WILL BE INSTALLED ON BACK OF FIXTURE. THE LENGTH OF EACH ARM IS 5". CONNECTION CABLES WILL ENTER THE FIXTURE THROUGH ONE OF THE ARMS. ON YOUR PURCHASE ORDER SPECIFY THE POSITION OF YOUR WIRE ENTRY FROM THE WALL AND THE ARM WILL BE INSTALLED ON THE BACK ACCORDINGLY.

OPT-SCX-WMA-1FT	1FT
OPT-SCX-WMA-2FT	2FT
OPT-SCX-WMA-3FT	3FT
OPT-SCX-WMA-4FT	4FT
OPT-SCX-WMA-6FT	6FT
OPT-SCX-WMA-8FT	8FT




WALL MOUNTING (ADD-ON OPTION, DOES NOT INCLUDE FIXTURE)

CATALOG NO. DESCRIPTION

ADD THIS OPTION TO THE FIXTURE AND WALL MOUNTING BRACKETS WILL BE INSTALLED ON BACK OF FIXTURE. CONNECTION CABLES WILL ENTER THE FIXTURE THROUGH ONE OF THESE WALL-MOUNTING BRACKETS. ON YOUR PURCHASE ORDER SPECIFY THE POSITION OF YOUR WIRE ENTRY FROM THE WALL AND THE BRACKETS WILL BE INSTALLED ON THE BACK ACCORDINGLY.

OPT-SCX-WM-1FT	1FT
OPT-SCX-WM-2FT	2FT
OPT-SCX-WM-3FT	3FT
OPT-SCX-WM-4FT	4FT
OPT-SCX-WM-6FT	6FT
OPT-SCX-WM-8FT	8FT
OPT-SCXR-WM-4FT	4FT
OPT-SCXR-WM-8FT	8FT



SURFACE MOUNTING

DESCRIPTION

YOU DO NOT NEED TO ORDER ANY ACCESSORIES. SCREW AND ANCHOR KIT PROVIDED WITH EACH FIXTURE CAN BE USED TO FASTEN THE FIXTURE DIRECTLY TO THE HARD SURFACE THROUGH THE HOLES ON TOP OF THE FIXTURE.

NOT APPLICABLE TO INDIRECT SERIES



SCX CONTINUOUS FLEXIBLE LENS 25FT OR 100FT

CATALOG NO. DESCRIPTION

SCX-FLEXLENS-25FT	25FT
SCX-FLEXLENS-100FT	100FT
SCX2-FLEXLENS-25FT	25FT
SCX2-FLEXLENS-100FT	100FT
SCX4-FLEXLENS-25FT	25FT
SCX4-FLEXLENS-100FT	100FT


SUSPENSION ROD KITS

CATALOG NO. DESCRIPTION



SCL-RS-12	12 INCH	Set of 2
SCL-RS-18	18 INCH	Set of 2
SCL-RS-24	24 INCH	Set of 2
SCL-RS-36	36 INCH	Set of 2
SCL-RS-48	48 INCH	Set of 2

NOT APPLICABLE TO INDIRECT, SCXR SERIES



SCX INSTALLED ACOUSTIC OPTIONS

CATALOG NO. DESCRIPTION

OPT-SCX-AK-2FT-9MM-HY2204	2FT
OPT-SCX-AK-4FT-9MM-HY2204	4FT
OPT-SCX-AK-6FT-9MM-HY2204	6FT
OPT-SCX-AK-8FT-9MM-HY2204	8FT
OPT-SCX-AK-2FT-9MM-HY2210	2FT
OPT-SCX-AK-4FT-9MM-HY2210	4FT
OPT-SCX-AK-6FT-9MM-HY2210	6FT
OPT-SCX-AK-8FT-9MM-HY2210	8FT
OPT-SCX4-AK-2FT-9MM-HY2204	2FT
OPT-SCX4-AK-4FT-9MM-HY2204	4FT
OPT-SCX4-AK-6FT-9MM-HY2204	6FT
OPT-SCX4-AK-8FT-9MM-HY2204	8FT
OPT-SCX4-AK-2FT-9MM-HY2210	2FT
OPT-SCX4-AK-4FT-9MM-HY2210	4FT
OPT-SCX4-AK-6FT-9MM-HY2210	6FT
OPT-SCX4-AK-8FT-9MM-HY2210	8FT



SCX-WK01



SCX2-WK02



MAPLE



WALNUT




FRENCH
OAK



EBONY

WOOD TRIMS

CATALOG NO.	DESCRIPTION
OPT-SCX2-WK02-2FT-MAPLE	2FT -MAPLE FINISH
OPT-SCX2-WK02-4FT-MAPLE	4FT -MAPLE FINISH
OPT-SCX2-WK02-6FT-MAPLE	6FT -MAPLE FINISH
OPT-SCX2-WK02-8FT-MAPLE	8FT -MAPLE FINISH
OPT-SCX2-WK02-2FT-WALNUT	2FT -WALNUT FINISH
OPT-SCX2-WK02-4FT-WALNUT	4FT -WALNUT FINISH
OPT-SCX2-WK02-6FT-WALNUT	6FT -WALNUT FINISH
OPT-SCX2-WK02-8FT-WALNUT	8FT -WALNUT FINISH
OPT-SCX2-WK02-2FT-FREOAK	2FT -FRENCH OAK FINISH
OPT-SCX2-WK02-4FT-FREOAK	4FT -FRENCH OAK FINISH
OPT-SCX2-WK02-6FT-FREOAK	6FT -FRENCH OAK FINISH
OPT-SCX2-WK02-8FT-FREOAK	8FT -FRENCH OAK FINISH
OPT-SCX2-WK02-2FT-EBONY	2FT -EBONY FINISH
OPT-SCX2-WK02-4FT-EBONY	4FT -EBONY FINISH
OPT-SCX2-WK02-6FT-EBONY	6FT -EBONY FINISH
OPT-SCX2-WK02-8FT-EBONY	8FT -EBONY FINISH
OPT-SCX-WK01-2FT-MAPLE	2FT -MAPLE FINISH
OPT-SCX-WK01-4FT-MAPLE	4FT -MAPLE FINISH
OPT-SCX-WK01-6FT-MAPLE	6FT -MAPLE FINISH
OPT-SCX-WK01-8FT-MAPLE	8FT -MAPLE FINISH
OPT-SCX-WK01-2FT-WALNUT	2FT -WALNUT FINISH
OPT-SCX-WK01-4FT-WALNUT	4FT -WALNUT FINISH
OPT-SCX-WK01-6FT-WALNUT	6FT -WALNUT FINISH
OPT-SCX-WK01-8FT-WALNUT	8FT -WALNUT FINISH
OPT-SCX-WK01-2FT-FREOAK	2FT -FRENCH OAK FINISH
OPT-SCX-WK01-4FT-FREOAK	4FT -FRENCH OAK FINISH
OPT-SCX-WK01-6FT-FREOAK	6FT -FRENCH OAK FINISH
OPT-SCX-WK01-8FT-FREOAK	8FT -FRENCH OAK FINISH
OPT-SCX-WK01-2FT-EBONY	2FT -EBONY FINISH
OPT-SCX-WK01-4FT-EBONY	4FT -EBONY FINISH
OPT-SCX-WK01-6FT-EBONY	6FT -EBONY FINISH
OPT-SCX-WK01-8FT-EBONY	8FT -EBONY FINISH



COLOR OF YOUR CHOICE

CATALOG NO.

ADD THIS OPTION TO THE FIXTURE AND SPECIFY YOUR DESIRED COLOR ON YOUR PURCHASE ORDER OR PROVIDE A SWATCH TO MATCH. FOR PAINTED FLANGED FIXTURES OR OPTIONAL ROD MOUNTING SET PLEASE ALSO ADD THE RELEVANT OPTION BELOW FOR EACH FIXTURE.

- OPT-CLR-SCX-1FT(BK/GR/SR/WH)
- OPT-CLR-SCX-2FT(BK/GR/SR/WH)
- OPT-CLR-SCX-3FT(BK/GR/SR/WH)
- OPT-CLR-SCX-4FT(BK/GR/SR/WH)
- OPT-CLR-SCX-6FT(BK/GR/SR/WH)
- OPT-CLR-SCX-8FT(BK/GR/SR/WH)
- OPT-CLR-SCX-FMR(BK/GR/SR/WH)
- OPT-CLR-SCX-RODSET(BK/GR/SR/WH)
- OPT-CLR-SCX-CORNERS(BK/GR/SR/WH)
- OPT-CLR-SCL-RS(BK/GR/SR/WH)

BLUE OR GREEN OR PURPLE ACCENT UPLIGHT

CATALOG NO.

ADD THIS OPTION TO THE UPLIGHT OPTION TO GET BLUE OR GREEN ACCENT UPLIGHT. (UPLIGHT OPTION MUST BE INCLUDED)

- OPT-SCX-ULM-BU Blue
- OPT-SCX-ULM-GR Green
- OPT-SCX-ULM-PU Purple

REDUCED WATTAGE/LUMENS (SPECIFY)

CATALOG NO.

- OPT-SCX-WTD-2FT Wattage-Tunable Driver 2FT 10/15/20W
- OPT-SCX-WTD-3FT Wattage-Tunable Driver 3FT 15/22.5/30W
- OPT-SCX-WTD-4FT Wattage-Tunable Driver 4FT 20/30/40W
- OPT-SCX-WTD-6FT Wattage-Tunable Driver 6FT 30/45/60W
- OPT-SCX-WTD-8FT Wattage-Tunable Driver 8FT 40/60/80W

WALL MOUNTING WITH 5 INCH ARMS (ADD-ON OPTION, DOES NOT INCLUDE FIXTURE)

CATALOG NO. DESCRIPTION


ADD THIS OPTION TO THE FIXTURE AND WALL MOUNTING ARMS WITH WALL CANOPY WILL BE INSTALLED ON BACK OF FIXTURE. THE LENGTH OF EACH ARM IS 5". CONNECTION CABLES WILL ENTER THE FIXTURE THROUGH ONE OF THE ARMS. ON YOUR PURCHASE ORDER SPECIFY THE POSITION OF YOUR WIRE ENTRY FROM THE WALL AND THE ARM WILL BE INSTALLED ON THE BACK ACCORDINGLY.

- OPT-SCX-WMA-1FT 1FT
- OPT-SCX-WMA-2FT 2FT
- OPT-SCX-WMA-3FT 3FT
- OPT-SCX-WMA-4FT 4FT
- OPT-SCX-WMA-6FT 6FT
- OPT-SCX-WMA-8FT 8FT

DEDICATED WIRING FOR UPLIGHT CONTROL

CATALOG NO. DESCRIPTION

- OPT-SCX-ULC-2FT-MCT4 2FT
- OPT-SCX-ULC-3FT-MCT4 3FT
- OPT-SCX-ULC-4FT-MCT4 4FT
- OPT-SCX-ULC-6FT-MCT4 6FT
- OPT-SCX-ULC-8FT-MCT4 8FT




RECESSED MOUNT WITH FLANGE (ADD-ON OPTION, DOES NOT INCLUDE FIXTURE)

CATALOG NO. DESCRIPTION

ADD THIS OPTION TO THE FIXTURE AND THE FIXTURE WILL BE EQUIPPED WITH A 1/2" WIDE FLANGE ON FOUR SIDES. ADVANCED DESIGN TOGGLE STYLE BRACKETS WILL ALSO BE PROVIDED, TO ADJUST AND HOLD THE FIXTURE AGAINST DRYWALL OR OTHER HARD CEILING FROM THE TOP.
WHEN LINKING TO ANOTHER FIXTURE OR CORNER MODULE, CALL US OR SEND A COPY OF YOUR PLAN ALONG WITH YOUR PO AND FLANGES WILL BE REMOVED ON THOSE ENDS THAT NEED TO MAKE A SEAMLESS CONNECTIONS.

OPT-SCX-FMR-1FT	1FT
OPT-SCX-FMR-2FT	2FT
OPT-SCX-FMR-3FT	3FT
OPT-SCX-FMR-4FT	4FT
OPT-SCX-FMR-6FT	6FT
OPT-SCX-FMR-8FT	8FT
OPT-SCX-FMR-L	L
OPT-SCX-FMR-T	T
OPT-SCX-FMR-X	X
OPT-SCX-FMR-Y	Y
OPT-SCX-FMR-IC	INSIDE CORNER
OPT-SCX2-FMR-1FT	1FT
OPT-SCX2-FMR-2FT	2FT
OPT-SCX2-FMR-3FT	3FT
OPT-SCX2-FMR-4FT	4FT
OPT-SCX2-FMR-6FT	6FT
OPT-SCX2-FMR-8FT	8FT
OPT-SCX2-FMR-L	L
OPT-SCX2-FMR-T	T
OPT-SCX2-FMR-X	X
OPT-SCX2-FMR-Y	Y
OPT-SCX2-FMR-IC	INSIDE CORNER
OPT-SCX4-FMR-1FT	1FT
OPT-SCX4-FMR-2FT	2FT
OPT-SCX4-FMR-3FT	3FT
OPT-SCX4-FMR-4FT	4FT
OPT-SCX4-FMR-6FT	6FT
OPT-SCX4-FMR-8FT	8FT
OPT-SCX4-FMR-L	L
OPT-SCX4-FMR-T	T
OPT-SCX4-FMR-X	X
OPT-SCX4-FMR-Y	Y
OPT-SCX4-FMR-IC	INSIDE CORNER
OPT-SCX6-FMR-1FT	1FT
OPT-SCX6-FMR-2FT	2FT
OPT-SCX6-FMR-3FT	3FT
OPT-SCX6-FMR-4FT	4FT
OPT-SCX6-FMR-6FT	6FT
OPT-SCX6-FMR-8FT	8FT
OPT-SCX6-FMR-L	L
OPT-SCX6-FMR-T	T
OPT-SCX6-FMR-X	X
OPT-SCX6-FMR-Y	Y
OPT-SCX6-FMR-IC	INSIDE CORNER
OPT-SCX-FMR-2X2	2X2
OPT-SCX-FMR-2X4	2X4

NOT APPLICABLE TO INDIRECT, SCXR SERIES




FLANGELESS RECESS MOUNT IN DRYWALL (MUD-IN) (ADD-ON OPTION, DOES NOT INCLUDE FIXTURE)

CATALOG NO. DESCRIPTION

ORDER THIS OPTION AND THE FIXTURE WILL BE EQUIPPED WITH MUD-IN BRACKETS ON ALL FOUR SIDES, MOUNTED AT 1/16" FROM THE LENS SURFACE (SPECIFY IF OTHER SPACING IS NEEDED).
WHEN LINKING TO ANOTHER FIXTURE OR CORNER FIXTURE MODULE CALL US OR SEND A COPY OF YOUR PLAN ALONG WITH YOUR PO AND FLANGES WILL BE REMOVED ON THOSE ENDS THAT NEED TO MAKE A SEAMLESS CONNECTION.

OPT-SCX-MIF-1FT	1FT
OPT-SCX-MIF-2FT	2FT
OPT-SCX-MIF-3FT	3FT
OPT-SCX-MIF-4FT	4FT
OPT-SCX-MIF-6FT	6FT
OPT-SCX-MIF-8FT	8FT
OPT-SCX-MIF-2X2	2X2
OPT-SCX-MIF-2X4	2X4
OPT-SCX-MIF-L	L
OPT-SCX-MIF-T	T
OPT-SCX-MIF-X	X
OPT-SCX-MIF-Y	Y
OPT-SCX-MIF-IC	INSIDE CORNER

NOT APPLICABLE TO INDIRECT, SCXR SERIES



FLANGELESS RECESSED INSTALLATION IN WOOD CEILING

DESCRIPTION

YOU DO NOT NEED TO ORDER ANY ACCESSORIES.

MAKE RECESSED PREPARATIONS BY INSTALLING A HORIZONTAL PLANK OF WOOD ON TOP OF THE WOOD CEILING AT RECESSED HEIGHT OF 3-3/8".

SCREW AND ANCHOR KIT PROVIDED WITH EACH FIXTURE CAN BE USED TO FASTEN THE TOP OF THE FIXTURE TO THE WOOD PLANK THROUGH THE HOLES ON TOP OF THE FIXTURE.

YOU CAN ALSO INSTALL VERTICAL WOOD BOARDS ON TOP OF THE CEILING AT THE EDGE OF THE OPENING AND OPEN THE FIXTURE AND PUT SCREWS THROUGH THE SIDES OF THE FIXTURE HOUSING TO FASTEN IT TO THE WOOD BOARDS.

NOT APPLICABLE TO INDIRECT, SCXR SERIES

SCX TRIAC DIMMING

CATALOG NO.

OPT-SCX-1FT-TRIAC	SCX, SCX2, SCX4 1FT TRIAC DIMMING
OPT-SCX-2FT-TRIAC	SCX, SCX2, SCX4 2FT TRIAC DIMMING
OPT-SCX-3FT-TRIAC	SCX, SCX2, SCX4 3FT TRIAC DIMMING
OPT-SCX-4FT-TRIAC	SCX, SCX2, SCX4 4FT TRIAC DIMMING
OPT-SCX-6FT-TRIAC	SCX, SCX2, SCX4 6FT TRIAC DIMMING
OPT-SCX-8FT-TRIAC	SCX, SCX2, SCX4 8FT TRIAC DIMMING



NOT APPLICABLE TO INDIRECT, SCXR SERIES


T-BAR INSTALLATION (ADD-ON OPTION, DOES NOT INCLUDE FIXTURE)

CATALOG NO.	DESCRIPTION
ADD THIS OPTION TO THE FIXTURE AND 1/2" WIDE FLANGES WILL BE INSTALLED ON THE TWO LONG SIDES OF THE FIXTURE. THE TWO ENDS OF THE FIXTURE WILL FALL ONTO THE T-BAR GRIDS AND WILL BE SUPPORTED THIS WAY. THE T-BAR TILES ON THE TWO SIDES OF THE FIXTURE MUST BE CUT TO ALLOW FOR THE WIDTH OF THE FIXTURE. THE TILES WILL FALL ONTO AND BE SUPPORTED BY THE FLANGES ON BOTH SIDES OF THE FIXTURE. IF YOU PLAN TO SUPPORT THE FIXTURE BY THE GRIDS ON THREE SIDES AND TILE ON ONE SIDE, CALL US OR SPECIFY ON YOUR PO AND FLANGE WILL BE INSTALLED ONLY ON ONE SIDE OF THE FIXTURE. TO PROVIDE SAFETY AND SUPPORT FROM THE BEAMS ABOVE THE T-BAR CEILING ORDER 10FT OR 20FT AIRCRAFT SUSPENSION KITS BELOW.	
OPT-SCX-TBAR-1FT	1FT
OPT-SCX-TBAR-2FT	2FT
OPT-SCX-TBAR-4FT	4FT
OPT-SCX-TBAR-6FT	6FT
OPT-SCX-TBAR-8FT	8FT
OPT-SCX-TBAR-2X2	2X2
OPT-SCX-TBAR-2X4	2X4
OPT-FWH-63	6FT 3-WIRE FLEX WHIP
OPT-FWH-65	6FT 5-WIRE FLEX WHIP
OPT-FWH-66	6FT 6-WIRE FLEX WHIP
SCL-GS10	ADJ. 10FT 1/16in DOUBLE SUSPENSION CABLE WITH SINGLE KEYHOLE CONN., LOOP GRIPPER ON TOP
SCL-GS20	ADJ. 20FT 1/16in DOUBLE SUSPENSION CABLE WITH SINGLE KEYHOLE CONN., LOOP GRIPPER ON TOP
SCL-GSY110	ADJ. 10FT 1/16IN SINGLE SUSPENSION CABLE WITH Y HOOK ENDS, LOOP GRIPPER ON TOP
SCL-GSY120	ADJ. 20FT 1/16IN SINGLE SUSPENSION CABLE WITH Y HOOK ENDS, LOOP GRIPPER ON TOP




EMERGENCY BATTERY BACKUP

CATALOG NO.	DESCRIPTION
ADD THIS OPTION FOR 90-MINUTE BATTERY BACKUP INSTALLATION. IF ORDERING A SERIES OF THIS FIXTURE TO LINK, CALL US OR SPECIFY ON YOUR PURCHASE ORDER, ON WHICH FIXTURES TO INSTALL THE BACKUP AND WHERE YOU WOULD LIKE THE TEST BUTTONS.	
OPT-EM-SCX	1FT, 2FT, 3FT, 4FT, 6FT
OPT-EM-SCX-8FT	8FT
OPT-EM-SCX2	1FT, 2FT, 3FT, 4FT, 6FT
OPT-EM-SCX2-8FT	8FT
OPT-EM-SCX4	1FT, 2FT, 3FT, 4FT, 6FT
OPT-EM-SCX4-8FT	8FT
OPT-EM-SCX6	2FT, 3FT, 4FT, 6FT
OPT-EM-SCX6-8FT	8FT
OPT-EM-SCX-2X2-2X4	2X2, 2X4



MICROWAVE BI-LEVEL MOTION SENSORS

CATALOG NO.	DESCRIPTION
THIS OPTION INSTALLS AN ADVANCED MOTION SENSOR THAT WILL TURN THE LIGHTS ON WHEN THE AREA IS OCCUPIED. WHEN THE AREA IS CLEARED, AFTER A PRESET HOLD TIME OF 5 SECONDS OR MORE, THE LIGHTS ARE DIMMED TO A STANDBY LEVEL OF 30% OR MORE. IF STILL NO MOTION IS DETECTED, AFTER THE STANDBY PERIOD, THE LIGHTS ARE TURNED OFF. ALL SETTINGS ARE PROGRAMMABLE WITH A REMOTE CONTROL.	
OPT-SEN-SCX-3MRLV-5	PROGRAMMABLE MICROWAVE BI-LEVEL
OPT-SEN-SCXR	PROGRAMMABLE MICROWAVE BI-LEVEL FOR SCXR
WEC-8RC	OPTIONAL REMOTE CONTROL FOR SENSOR
OPT-SEN-2US-DAYLIGHT INTERNAL FOR ALL MODELS	ULTRASONIC BI-LEVEL DIMMING (REMOTE NOT NEEDED) DAYLIGHT SENSOR
OPT-SEN-SCX2	PROGRAMMABLE MICROWAVE BI-LEVEL
OPT-SEN-SCX4	PROGRAMMABLE MICROWAVE BI-LEVEL
OPT-SEN-SCX6	PROGRAMMABLE MICROWAVE BI-LEVEL
SCX-UVC-12W	SCX ANTIVIRUS UVC SECTION 12w 280nm UV LIGHT WITH REVERSE-LOGIC SENSOR
WEC-3RC	OPTIONAL REMOTE CONTROL FOR SENSOR



ARCHITECTURAL SLIM UP&DOWN LINEAR LIGHT - POWER & CCT SELECTABLE




COMMERCIAL
SUSPENDED
LIGHTS

CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER	PKG. QTY.
SCSL-UD-4FT-MCTP	20W/23W/26W/29W	90LM/W 30K/35K/40K White	6
SCSL-UD-4FT-MCTP-BK	20W/23W/26W/29W	90LM/W 30K/35K/40K Black	6
SCSL-UD-6FT-MCTP	30W/34W/37W/40W	90LM/W 30K/35K/40K White	4
SCSL-UD-6FT-MCTP-BK	30W/34W/37W/40W	90LM/W 30K/35K/40K Black	4
SCSL-UD-8FT-MCTP	40W/46W/52W/60W	90LM/W 30K/35K/40K White	4
SCSL-UD-8FT-MCTP-BK	40W/46W/52W/60W	90LM/W 30K/35K/40K Black	4
SCSL-UD-AP-4FT-MCTP	20W/23W/26W/29W	90LM/W 30K/35K/40K	6
SCSL-UD-AP-4FT-MCTP-BK	20W/23W/26W/29W	90LM/W 30K/35K/40K	6
SCSL-UD-AP-6FT-MCTP	30W/34W/37W/40W	90LM/W 30K/35K/40K	4
SCSL-UD-AP-6FT-MCTP-BK	30W/34W/37W/40W	90LM/W 30K/35K/40K	4
SCSL-UD-AP-8FT-MCTP	40W/46W/52W/60W	90LM/W 30K/35K/40K	4
SCSL-UD-AP-8FT-MCTP-BK	40W/46W/52W/60W	90LM/W 30K/35K/40K	4
SCSL-REC	SCSL Rounded End Cap		
SCSL-REC-BK	SCSL Rounded End Cap, Black		
SCSL-CEC	SCSL Coupling End Cap		
SCSL-CEC-BK	SCSL Coupling End Cap, Black		



Direct Light



Indirect Light

EURO-DESIGN DIE-CAST SUSPENDED LINEAR LIGHT,
POWER & CCT SELECTABLE DIRECT OR INDIRECT - REVERSIBLE



CATALOG NO.	DESCRIPTION	PKG. QTY.
SCP-4FT-20-30W-MCTP	20W/25W/30W 80LM/W 3000K/3500K/4000K	12
SCP-8FT-40-60W-MCTP	40W/50W/60W 80LM/W 3000K/3500K/4000K	12
SCP-4FT-20-30W-MCTP-BK	20W/25W/30W 80LM/W 3000K/3500K/4000K	12
SCP-8FT-40-60W-MCTP-BK	40W/50W/60W 80LM/W 3000K/3500K/4000K	12

FOR FACTORY-INSTALLED OPTIONS SEE BELOW SCPL PAGE 123



POWER & CCT- ADJUSTABLE LINEAR TUBE DECORATIVE SUSP. LIGHT



CATALOG NO.	DESCRIPTION	PKG. QTY.
SDTL-4FT-20-30W-MCTP	20W/25W/30W 105LM/W 30K/35K/40K White	4
SDTL-6FT-25-50W-MCTP	25W/40W/50W 105LM/W 30K/35K/40K White	4
SDTL-8FT-40-60W-MCTP	40W/50W/60W 105LM/W 30K/35K/40K White	4
SDTL-4FT-20-30W-MCTP-BK	20W/25W/30W 105LM/W 30K/35K/40K Black	4
SDTL-6FT-25-50W-MCTP-BK	25W/40W/50W 105LM/W 30K/35K/40K Black	4
SDTL-8FT-40-60W-MCTP-BK	40W/50W/60W 105LM/W 30K/35K/40K Black	4

COMMERCIAL
SUSPENDED LIGHTS



Can be Installed Vertically

SUSPENDED 360D COMMERCIAL TUBE LIGHTS, WATTAGE & CCT SELECTABLE



CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER	PKG. QTY.
ST360-2FT-MCTP-DD	17W/19W/21W/23W 80LM/W 30K/35K/40K		1
ST360-3FT-MCTP-DD	25W/27W/29W/31W 80LM/W 30K/35K/40K		1
ST360-4FT-MCTP-DD	33W/35W/37W/39W 80LM/W 30K/35K/40K		1
ST360-6FT-MCTP-DD	50W/54W/58W/62W 80LM/W 30K/35K/40K		1
ST360-8FT-MCTP-DD	66W/70W/74W/78W 80LM/W 30K/35K/40K		1



POWER & CCT-ADJUSTABLE LED SUSPENDED FRAME FIXTURES, 120-277V



CATALOG NO.	DESCRIPTION	PKG. QTY.
SFL-4FT-60W-MCTP	40W/50W/60W 7000LM 30K/35K/40K White	4
SFL-4FT-60W-MCTP-BK	40W/50W/60W 7000LM 30K/35K/40K Black	4
SFL-4FT-60W-MCTP-GD	40W/50W/60W 7000LM 30K/35K/40K Gold	4



LED PARABOLIC SUSPENDED DOWN LIGHT, 120-277V

Aluminum Finish



CATALOG NO.	DESCRIPTION	PKG. QTY.
SCLP-4FT-40W-MCT-D	40W 4600LM 3500K/4000K/5000K MCT	2
SCLT-4FT-40W-50K-D	40W 4600LM 5000K WHILE SUPPLIES LAST	2
SCLT-4FT-40W-40K-D	40W 4600LM 4000K WHILE SUPPLIES LAST	2
SCLT-4FT-40W-MCT-D	40W 4600LM 3500K/4000K/5000K MCT	2
SCLP-CB	COUPLING BRACKET	-

COMMERCIAL
SUSPENDED
LIGHTS



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	UP LIGHT	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL MODELS	OPT-EM-AC2EXT	EXTERNAL	OPT-SLCP-ULK	UP LIGHT 20W, MCT	N/A	OPT-SLCP-SURF	SURFACE-MOUNT




LED PARABOLIC SUSPENDED PERH. BASKET & LOUVER UP/DOWN LIGHT, 120-277V

White



CATALOG NO.	DESCRIPTION	PKG. QTY.
SCLP-UD-4FT-60W-MCT-D	40W/20W 4400LM/2100LM 3500K/4000K/5000K MCT	1
SCLP-UD-CB	COUPLING BRACKET	-

SUSPENSION KIT & CABLE NOT INCLUDED SEE PAGES 132 TO 135, FOR FACTORY-INSTALLED OPTIONS SEE PAGE 123



LED LINEAR SUSPENDED PERFORATED BASKET LIGHT (UP/DOWN)

White



CATALOG NO.	DESCRIPTION	PKG. QTY.
SCLL-UD-4FT-60W-50K-D	40W/20W OR 60W 4400LM/2100LM 5000K	1
SCLL-UD-4FT-60W-40K-D	40W/20W OR 60W 4400LM/2100LM 4000K	1
SCLL-UD-4FT-60W-35K-D	40W/20W OR 60W 4400LM/2100LM 3500K	1
SCLL-CB	COUPLING BRACKET	-

SUSPENSION KIT & CABLE NOT INCLUDED SEE PAGES 132 TO 135, FOR FACTORY-INSTALLED OPTIONS SEE PAGE 123

4Ft



SCPP-DEC

LED SUSPENDED 2/3 LOUVER & PERF. CENTER BASKET LIGHT (UP/DOWN)



CATALOG NO.	DESCRIPTION	PKG. QTY.
SCPP-UD-4FT-60W-50K-D	40W/20W OR 60W 4400LM/2100LM 5000K	1
SCPP-UD-4FT-60W-40K-D	40W/20W OR 60W 4400LM/2100LM 4000K	1
SCPP-UD-4FT-60W-35K-D	40W/20W OR 60W 4400LM/2100LM 3500K	1
SCPP-DEC	DECORATIVE END CAP FOR SCPP	-

SUSPENSION KIT & CABLE NOT INCLUDED SEE PAGES 132 TO 135, FOR FACTORY-INSTALLED OPTIONS SEE SCPL-UD BELOW
COUPLING CLIPS INCLUDED

4Ft



SCLP-UD-CB

White

LED SUSPENDED 2/3 PERFORATED BASKETLIGHT (UP/DOWN)



CATALOG NO.	DESCRIPTION	PKG. QTY.
SCPL-UD-4FT-60W-50K-D	40W/20W OR 60W 4400LM/2100LM 5000K	1
SCPL-UD-4FT-60W-40K-D	40W/20W OR 60W 4400LM/2100LM 4000K	1
SCPL-UD-4FT-60W-35K-D	40W/20W OR 60W 4400LM/2100LM 3500K	1
SCPL-UD-4FT-60W-MCT-D	60W 4400LM/2100LM 35K/40K/50K	1
SCLP-UD-CB	COUPLING BRACKET	-

SUSPENSION KIT & CABLE NOT INCLUDED SEE PAGES 132 TO 135

COMMERCIAL
SUSPENDED
LIGHTS



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	UP/DOWN LIGHT	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
All	OPT-EM-SLIINT	INTERNAL	OPT-SCL-LMT-35K OPT-SCL-LMT-40K OPT-SCL-LMT-50K	UP/DOWN LIGHT MODULE	OPT-CLR-100 (BK/GR/SR/WH)	OPT-SEN-2US INTERNAL FOR ALL MODELS BI-LEVEL DIMMING (REMOTE NOT NEEDED) WEC-3RC	ULTRASONIC REMOTE CONTROL

4Ft



LED SUSPENDED UP/DOWN CLEAR PANEL LIGHT, 120-277V (SUSPENSION & CORD NOT INCL.)



CATALOG NO.	DESCRIPTION	PKG. QTY.
SPL-4FT-40W-50K-D	40W 2100LM/2100LM 5000K	2
SPL-4FT-40W-40K-D	40W 2100LM/2100LM 4000K	2
SPL-4FT-40W-MCT-D	40W 2100LM/2100LM 3500K/4000K/5000K	2

SEE PAGES 132 TO 135 FOR SUSPENSION & CORD



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL MODELS	OPT-EM-SPL	EXTERNAL	N/A	N/A	N/A	N/A	N/A



LED ARCHITECTURAL ROUND SUSPENDED DOWN LIGHT,
(WITH UP LIGHT OPTION, SEE FACTORY-INSTALLED OPTIONS BELOW)



CATALOG NO.	DESCRIPTION	PKG. QTY.
LED ARCHITECTURAL ROUND SUSPENDED DOWN LIGHT, 24" DIA, 6FT HEIGHT		
SCR-24D-40K-D	50W 5197LM 4000K WHILE SUPPLIES LAST	1
SCR-24D-MCTP-D	30W/40W/50W 60LM/W 3000K/3500K/4000K	1
SCR-24D-MCTP-SMB	Surface Mounting Bracket For SCR-24D-MCTP-D	
LED ARCHITECTURAL ROUND SUSPENDED DOWN LIGHT, 32" DIA,		
SCR-32D-MCTP-D	40W/60W/80W 110LM/W 30K/35K/40K	1
LED ARCHITECTURAL ROUND SUSPENDED DOWN LIGHT, 48" DIA,		
SCR-48D-MCTP-D	60W/80W/100W 110LM/W 30K/35K/40K	1

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	UPLIGHT OPTION	DESCRIPTION	EM OPTION	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL MODELS	OPT-SCR-ULK	120V Installation Only	OPT-EM-SCR	EXTERNAL	N/A	OPT-SEN-2MDR-36 WEC-3RC	PROGRAMMABLE MICROWAVE BI-LEVEL REMOTE CONTROL



18" HOLLOW CIRCLE PENDANT WITH UPLIGHT



CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER	PKG. QTY.
SCRH-UD-18-MCT5-DD-WH	30W 50LM/W 27K/30K/35K/40K/50K White		1
SCRH-UD-18-MCT5-DD-BK	30W 50LM/W 27K/30K/35K/40K/50K Black		1
SCRH-UD-24-MCT5-DD-WH	40W 50LM/W 27K/30K/35K/40K/50K White		1
SCRH-UD-24-MCT5-DD-BK	40W 50LM/W 27K/30K/35K/40K/50K Black		1
SCRH-UD-36-MCT5-DD-WH	80W 50LM/W 27K/30K/35K/40K/50K White		1
SCRH-UD-36-MCT5-DD-BK	80W 50LM/W 27K/30K/35K/40K/50K Black		1

LED SUSPENDED UP/DOWN CLEAR ROUND PANEL LIGHT, 22" DIA., 6FT HEIGHT




CATALOG NO.	DESCRIPTION	PKG. QTY.
SRPL-40W-35K-D	40W 2100LM/2100LM 3500K WHILE SUPPLIES LAST	1
SRPL-40W-40K-D	40W 2100LM/2100LM 4000K WHILE SUPPLIES LAST	1
SRPL-40W-50K-D	40W 2100LM/2100LM 5000K WHILE SUPPLIES LAST	1
SRPL-40W-MCT-D	40W 2100LM/2100LM 3500K/4000K/5000K MCT5	1



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL MODELS	OPT-EM-SRPL	INTERNAL	N/A	N/A	N/A	OPT-SEN-2MDR-36 WEC-3RC	PROGRAMMABLE MICROWAVE BI-LEVEL REMOTE CONTROL



POB-UD-4FT-60W-40K-D



POB-F-3FT-40W



POB-HB-3FT-50W



POB-VB-3FT-56W

PATIENT OVERBED HEALTHCARE LIGHT WITH PULL CHAIN AND INDICATOR LIGHT

FOR FACTORY-INSTALLED EM OPTIONS SEE PAGE 123



CATALOG NO.	DESCRIPTION	PKG. QTY.
POB-UD-4FT-60W-40K-D	20W UP 40W DOWN 6900LM 4000K	4
POB-F-3FT-40W	20W UP 20W DOWN 2800LM 27K/30K/40K	4
POB-HB-3FT-56W	20W UP 36W DOWN 2800LM 27K/30K/40K	4
POB-VB-3FT-56W	20W UP 36W DOWN 2800LM 27K/30K/40K	4

COMMERCIAL
SUSPENDED LIGHTS




3FT FLAT WALL LIGHT, SEPARATE UP AND DOWN CONTROLS - DUAL DIMMING



CATALOG NO.	DESCRIPTION	PKG. QTY.
WCF-UD-EFT-36W-MCTP-DD-BK	36W 2800LM 27K/30K/40K Black	1
WCF-UD-EFT-36W-MCTP-DD-WH	36W 2800LM 27K/30K/40K White	1

**ARRIVES THIS SEASON
CHECK & PRE-ORDER**



LED LOUVER WALL LIGHTS (UP/DOWN) FOR FACTORY-INSTALLED EM OPTIONS SEE PAGE 123




CATALOG NO.	DESCRIPTION	PKG. QTY.
WCLP-UD-2FT-25W-MCT-D	25W 2750LM 3000K/4000K/5000K 2FT	1
WCLP-UD-4FT-50W-MCT-D	50W 5500LM 3000K/4000K/5000K 4FT	1



LED PERFORATED WALL LIGHTS (UP/DOWN) FOR FACTORY-INSTALLED EM OPTIONS SEE PAGE 123



CATALOG NO.	DESCRIPTION	PKG. QTY.
WCPL-UD-2FT-25W-MCT-D	25W 2750LM 3000K/4000K/5000K 2FT	1
WCPL-UD-4FT-50W-MCT-D	50W 5500LM 3000K/4000K/5000K 4FT	1



SCL-TBTC-WN




LSS-CB2
LSS-CB2-BK




SCL-CSY1-6FT




SCL-CSY1P-6FT



SCL-CSY1P-6FT-NC



SCL-GSY10



SCL-GSY20

SPEC SERIES HIGH-LUMEN CCT & POWER ADJUSTABLE LINEAR STRIP



CATALOG NO.	DESCRIPTION	PKG QTY.
LSS-2FT-25W-MCTP	15W/17W/20W/25W 130LM/W 35K/40K/50K	6
LSS-4FT-34W-MCTP	24W/27W/30W/34W 130LM/W 35K/40K/50K	6
LSS-4FT-46W-MCTP	29W/34W/39W/46W 130LM/W 35K/40K/50K	6
LSS-8FT-90W-MCTP	85W/75W/65W/55W 130LM/W 35K/40K/50K	6
LSS-2FT-25W-MCTP-BK	15W/17W/20W/25W 130LM/W 35K/40K/50K Black	6
LSS-4FT-46W-MCTP-BK	29W/34W/39W/46W 130LM/W 35K/40K/50K Black	6
LSS-8FT-90W-MCTP-BK	85W/75W/65W/55W 130LM/W 35K/40K/50K Black	6
LSS-CB2	Alignment Bracket for long runs	
LSS-CB2-BK	Alignment Bracket for long runs, Black Finish	
SCL-CSY1-6FT	Adj. 6Ft 1/16In, 1.5mm Single Suspension 5In Canopy Set With Y Double Keyhole End Connectors, Non Power Side	
SCL-CSY1P-6FT	Adj. 6Ft 1/16In, 1.5mm Single Suspension 5In Canopy Set With Y Double Keyhole End Connectors, Power Side With SjtW18/5 White Cord	
SCL-CSY1P-6FT-NC	Adj. 6Ft 1/16In, 1.5mm Single Suspension 5In Canopy Set With Y Double Keyhole End Connector	
SCL-GSY10	Adjustable 10 Ft. 1/16", 1.5mm Suspension Kit With Y-Connector & Loop Grip & Hooks(2)	
SCL-GSY20	Adjustable 20 Ft. 1/16", 1.5mm Suspension Kit With Y-Connector & Loop Grip & Hooks(2)	
SCL-TBTC-WN	T-Bar Track Clip With Washer And Wing Nut	



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PLUG IN CORD	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
2FT & 3FT	OPT-EM-LSS-23	INTERNAL	OPT-HBC-125TL-WH	8FT, 15A, 125V, WHITE	N/A	OPT-SEN-2US	ULTRASONIC
4FT	OPT-EM-LSS-4	INTERNAL	OPT-HBC-277TL-WH	8FT, 15A, 277V, WHITE		INTERNAL FOR ALL MODELS	BI-LEVEL DIMMING
8FT	OPT-EM-LSS-8	INTERNAL	OPT-HBC-125SB-WH	10FT, 15A, 125V, 18/3STR, WHT		WEC-3RC	(REMOTE NOT NEEDED)
	FLEX WHIP	DESCRIPTION				OPT-2P-58	OPTIONAL RC
	OPT-FWH-63	6FT 3-Wire Whip					PIR SENSOR (Not remote capable)
	OPT-FWH-65	6FT 5-Wire Whip					




BUILDER SERIES NARROW STRIP, 120-277VAC

CATALOG NO.	DESCRIPTION	PKG. QTY.
NARROW STRIP, 120-277VAC		
LSN-2FT-20W-MCT-D	20W 2600LM 3500K/4000K/5000K	8
LSN-4FT-32W-35K-D	32W 4160LM 3500K	8
LSN-4FT-32W-40K-D	32W 4160LM 4000K	8
LSN-4FT-32W-50K-D	32W 4160LM 5000K	8
LSN-4FT-40W-35K-D	40W 5200LM 3500K	8
LSN-4FT-40W-40K-D	40W 5200LM 4000K	8
LSN-4FT-40W-50K-D	40W 5200LM 5000K	8
LSN-4FT-40W-MCTP-D	25W/30W/40W 130LM/W 3500K/4000K/5000K	8
LSN-4FT-40W-MCTP5-D	25W/30W/40W 130LM/W 30K/35K/40K/50K/60K	8
LSN-8FT-64W-40K-D	64W 8320LM 4000K	4
LSN-8FT-64W-50K-D	64W 8320LM 5000K	4
LSN-8FT-50W-MCTP-D	30W/40W/50W 130LM/W 3500K/4000K/5000K	4
LSN-8FT-80W-MCTP-D	50W/64W/80W 130LM/W 3500K/4000K/5000K	4
LSN-8FT-80W-MCTP5-D	50W/64W/80W 130LM/W 30K/35K/40K/50K/60K	5
NARROW STRIP WITH SENSOR (SENSOR CAN BE DISCONNECTED), 120-277VAC		
LSN-2FT-20W-MCT-D-SEN	20W 2600LM 3500K/4000K/5000K	8
LSN-4FT-40W-MCTP-D-SEN	25W/30W/40W 130LM/W 3500K/4000K/5000K	8
LSN-8FT-80W-MCTP-D-SEN	50W/64W/80W 130LM/W 3500K/4000K/5000K	4
NARROW STRIP WITH SENSOR (SENSOR CAN BE DISCONNECTED) & EMERGENCY BACKUP, 120-277VAC		
LSN-2FT-20W-MCT-D-EM-SEN	20W 2600LM 3500K/4000K/5000K	8
LSN-4FT-40W-MCTP-D-EM-SEN	25W/30W/40W 130LM/W 3500K/4000K/5000K	8
LSN-8FT-80W-MCTP-D-EM-SEN	50W/64W/80W 130LM/W 3000K/4000K/5000K	4
LSN-CB	Alignment Bracket for long runs	
LSN-2FT-WG	Wire Guard Kit For 2ft LSN Strip Light	
LSN-4FT-WG	Wire Guard Kit For 4ft OR Set of 2 For 8 ft LSN Strip Light	
SCL-TBTC-WN	T-Bar Track Clip With Washer And Wing Nut	
WEC-3RC	Remote Control For Motion Sensors (For Sensor Fixtures)	
SCL-CSY1-6FT	Adj. 6Ft 1/16In, 1.5mm Single Suspension 5In Canopy Set With Y Double Keyhole End Connectors, Non Power Side	
SCL-CSY1P-6FT	Adj. 6Ft 1/16In, 1.5mm Single Suspension 5In Canopy Set With Y Double Keyhole End Connectors, Power Side With SjtW18/5 White Cord	
SCL-CSY1P-6FT-NC	Adj. 6Ft 1/16In, 1.5mm Single Suspension 5In Canopy Set With Y Double Keyhole End Connector	
SCL-GSY10	Adjustable 10 Ft. 1/16", 1.5mm Suspension Kit With Y-Connector & Loop Grip & Hooks(2)	
SCL-GSY20	Adjustable 20 Ft. 1/16", 1.5mm Suspension Kit With Y-Connector & Loop Grip & Hooks(2)	

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PLUG IN CORD	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
2FT & 3FT	OPT-EM-LSN-23	INTERNAL	OPT-HBC-125TL-WH	8FT, 15A, 125V, WHITE	N/A	OPT-SEN-2US	ULTRASONIC
4FT	OPT-EM-LSN-4	INTERNAL	OPT-HBC-277TL-WH	8FT, 15A, 277V, WHITE		INTERNAL FOR ALL MODELS	BI-LEVEL DIMMING
8FT	OPT-EM-LSN-8	INTERNAL	OPT-HBC-125SB-WH	10FT, 15A, 125V, 18/3STR, WHT		WEC-3RC	(REMOTE NOT NEEDED)
	OPT-FWH-63	6FT 3-Wire Whip				OPT-2P-58	OPTIONAL RC
	OPT-FWH-65	6FT 5-Wire Whip					PIR SENSOR (Not remote capable)

COMMERCIAL STRIP LIGHTS



SPEC SERIES LED STRIP LIGHT, 120-277V, (FOR SENSOR MODELS: SENSOR CAN BE DISCONNECTED)



	CATALOG NO.	DESCRIPTION	PKG. QTY.
2 Ft	LSL-2FT-20W-35K-D	20W 2100LM 3500K 2FT	1
	LSL-2FT-20W-40K-D	20W 2100LM 4000K 2FT	1
	LSL-2FT-20W-50K-D	20W 2100LM 5000K 2FT	1
3 Ft	LSL-2FT-20W-MCT-D	20W 2270LM 35K/40K/50K 2FT	1
	LSL-3FT-30W-MCT-D	30W 3150LM 35K/40K/50K 3FT	1
	LSL-4FT-40W-35K-D	40W 4200LM 3500K 4FT	1
4 Ft	LSL-4FT-40W-40K-D	40W 4200LM 4000K 4FT	1
	LSL-4FT-40W-50K-D	40W 4200LM 5000K 4FT	1
	LSL-4FT-40W-MCT-D	40W 4200LM 35K/40K/50K 4FT	1
6 Ft	LSL-6FT-60W-MCT-D	60W 7300LM 35K/40K/50K 6FT	1
	LSL-8FT-80W-40K-D-A	80W 8400LM 4000K 8FT Split Version, Req. 5min Assembly	1
	LSL-8FT-80W-50K-D-A	80W 8400LM 5000K 8FT Split Version, Req. 5min Assembly	1
8 Ft	LSL-8FT-80W-40K-D	80W 8400LM 4000K 8FT	1
	LSL-8FT-80W-50K-D	80W 8400LM 5000K 8FT	1
	LSL-8FT-80W-MCT-D	80W 8400LM 35K/40K/50K 8FT	1
8 Ft	LSL-8FT-84W-40K-D-HL	84W 11000LM 4000K 8FT High-Lumen	1
	LSL-8FT-84W-50K-D-HL	84W 11000LM 5000K 8FT High-Lumen	1
	LSL-8FT-84W-MCT-D-HL	84W 11000LM 35K/40K/50K 8FT High-Lumen	1
QUICK SHIP	LSL-2FT-20W-MCT-D-SEN	20W 2100LM 35K/40K/50K 2FT With Sensor	1
	LSL-4FT-40W-MCT-D-SEN	40W 4200LM 35K/40K/50K 4FT With Sensor	1
	LSL-8FT-80W-MCT-D-SEN	80W 8400LM 35K/40K/50K 8FT With Sensor	1
QUICK SHIP	LSL-2FT-20W-MCT-D-EM-SEN	20W 2100LM 35K/40K/50K 2FT With Sensor & EM	1
	LSL-4FT-40W-MCT-D-EM-SEN	40W 4200LM 35K/40K/50K 4FT With Sensor & EM	1
	LSL-8FT-80W-MCT-D-EM-SEN	80W 8400LM 35K/40K/50K 8FT With Sensor & EM	1
	LSL-2FT-WG	Wire Guard Kit For 2Ft. Strip Light	
	LSL-4FT-WG	Wire Guard Kit For 4Ft. Strip Light	
	LSL-4FT-WK	Shop Wings For 4Ft. Strip Light, Use 2 Kits For Lsl-8Ft	
	SCL-TBTC-WN	T-Bar Track Clip With Washer And Wing Nut	
	SCL-TBC-WN	T-Bar Clip With Suspension Hole On Top, Wing Nut And Washer Incl	
	LSL-CB	Alignment Bracket for long runs	
	SCL-CSY1-6FT	Adj. 6Ft 1/16In, 1.5mm Single Suspension 5In Canopy Set With Y Double Keyhole End Connectors, Non Power Side	
	SCL-CSY1P-6FT	Adj. 6Ft 1/16In, 1.5mm Single Suspension 5In Canopy Set With Y Double Keyhole End Connectors, Power Side With SjtW18/5 White Cord	
	SCL-CSY1P-6FT-NC	Adj. 6Ft 1/16In, 1.5mm Single Suspension 5In Canopy Set With Y Double Keyhole End Connector	
	SCL-GSY10	Adjustable 10 Ft. 1/16", 1.5mm Suspension Kit With Y-Connector & Loop Grip & Hooks(2)	
	SCL-GSY20	Adjustable 20 Ft. 1/16", 1.5mm Suspension Kit With Y-Connector & Loop Grip & Hooks(2)	
	WEC-3RC	Remote Control For Motion Sensors (For Sensor Fixtures)	

FOR FACTORY-INSTALLED OPTIONS SEE NEXT PAGE

(SAME FOOTPRINT AS STANDARD 4' 2L FLUOR. STRIPS)



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PLUG IN CORD	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
2FT & 3FT	OPT-EM-LSL-23	INTERNAL	OPT-HBC-125TL-WH	8FT, 15A, 125V,WHITE	N/A	OPT-SEN-2US	ULTRASONIC
4FT	OPT-EM-LSL-4	INTERNAL	OPT-HBC-277TL-WH	8FT, 15A, 277V,WHITE		INTERNAL FOR ALL MODELS	BI-LEVEL DIMMING
8FT	OPT-EM-LSL-8	INTERNAL	OPT-HBC-125SB-WH	10FT, 15A, 125V,18/3STR,WHT		WEC-3RC	(REMOTE NOT NEEDED)
	OPT-FWH-63	6FT 3-Wire Whip				OPT-2P-58	OPTIONAL RC PIR SENSOR (Not remote capable)
	OPT-FWH-65	6FT 5-Wire Whip					

2Ft



4Ft



Add EM and/or Sensor Options to use as Stairwell Fixtures

2FT & 4FT POWER & CCT ADJUSTABLE LINEAR CORNER CORRIDOR



CATALOG NO.	DESCRIPTION	PKG. QTY.
LCL-2FT-20W-MCTP	10W/15W/20W 115LM/W 3500K/4000K/5000K	6
LCL-4FT-40W-MCTP	20W/30W/40W 115LM/W 3500K/4000K/5000K	6
POWER & CCT ADJUSTABLE LINEAR CORNER CORRIDOR WITH BI-LVL SENSOR & EMERGENCY BACKUP		
LCL-2FT-20W-MCTP-EM-SEN	10W/15W/20W 115LM/W 35K/40K/50K	6
LCL-4FT-40W-MCTP-EM-SEN	20W/30W/40W 115LM/W 35K/40K/50K	6



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PLUG IN CORD	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL MODELS	OPT-EM-LCL	INTERNAL	OPT-HBC-125TL-WH	8FT, 15A, 125V,WHITE	N/A	OPT-SEN-2US	ULTRASONIC
			OPT-HBC-277TL-WH	8FT, 15A, 277V,WHITE		INTERNAL FOR ALL MODELS	BI-LEVEL DIMMING
			OPT-HBC-125SB-WH	10FT, 15A, 125V,18/3STR,WHT		WEC-3RC	(REMOTE NOT NEEDED)
						OPT-2P-58	OPTIONAL RC

LED 4FT. 2-LAMP STRIP RETROFIT KIT



CATALOG NO.	DESCRIPTION	PKG. QTY.
SLR-4FT-40W-50K-D	40W 4400LM 5000K 4FT.	12



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL MODELS	OPT-EM-SLR	INTERNAL	N/A	N/A	N/A	OPT-SEN-2MDR-36	PROGRAMMABLE MICROWAVE BI-LEVEL
						WEC-3RC	REMOTE CONTROL

4Ft



8Ft



4FT. & 8FT. LED-READY STRIP LIGHTS - DIRECT AC INPUT 120-277V FOR TYPE B (AC) T8 (CAN ALSO BE USED AS 4FT 1L OR 8FT 2L) WITHOUT LAMP

CATALOG NO.	DESCRIPTION	PKG. QTY.
LRLS-4FT-2L-6PK	4FT 2 LAMPS (Not Included)	6
LRLS-8FT-T4L-6PK	8FT 4 LAMPS (Not Included)	6



LRSL SERIES WITH CLEAR OR FROSTED LED T8 LAMPS



CATALOG NO.	DESCRIPTION	PKG. QTY.
LRSL-4FT-2L-6PK-40K-C	18W 2200LM 4000K per lamp 4FT 2 LAMPS (Inc)	6
LRSL-8FT-T4L-6PK-40K-C	18W 2200LM 4000K per lamp 8FT 4 LAMPS (Inc)	6
LRSL-4FT-2L-6PK-50K-C	18W 2200LM 5000K per lamp 4FT 2 LAMPS (Inc)	6
LRSL-8FT-T4L-6PK-50K-C	18W 2200LM 5000K per lamp 8FT 4 LAMPS (Inc)	6
LRSL-4FT-2L-6PK-40K-F	18W 2200LM 4000K per lamp 4FT 2 LAMPS (Inc)	6
LRSL-8FT-T4L-6PK-40K-F	18W 2200LM 4000K per lamp 8FT 4 LAMPS (Inc)	6
LRSL-4FT-2L-6PK-50K-F	18W 2200LM 5000K per lamp 4FT 2 LAMPS (Inc)	6
LRSL-8FT-T4L-6PK-50K-F	18W 2200LM 5000K per lamp 8FT 4 LAMPS (Inc)	6

LED SHOP LIGHT, 120V WITH PLUG-IN CORD



CATALOG NO.	DESCRIPTION	PKG. QTY.
LSP-4FT-40W-40K	40W 4400LM 4000K WITH ADJUSTABLE SUSPENSION CABLE	4

LED STANDARD WRAP-AROUND FIXTURE, 120-277V



CATALOG NO.	DESCRIPTION	PKG. QTY.
WAS-4FT-42W-35K-D	42W 4400LM 3500K 4FT	1
WAS-4FT-42W-40K-D	42W 4400LM 4000K 4FT	1
WAS-4FT-42W-50K-D	42W 4400LM 5000K 4FT	1
WAS-4FT-MCTP	22W/30W/38W 130LM/W 30K/40K/50K 4FT	1

FOR FACTORY-INSTALLED OPTIONS SEE WA BELOW



SPEC SERIES LED ARCHITECTURAL WRAP-AROUND LIGHT



CATALOG NO.	DESCRIPTION	PKG. QTY.
SPEC SERIES LED ARCHITECTURAL WRAP-AROUND LIGHT		
WA-2FT-25W-35K-D	25W WHILE SUPPLIES LAST 2750LM 3500K 2FTx8.2"	5
WA-2FT-25W-50K-D	25W WHILE SUPPLIES LAST 2750LM 5000K 2FTx8.2"	5
WA-2FT-25W-MCT-D	25W WHILE SUPPLIES LAST 2800LM 35K/40K/50K MCT 2FTx8.2"	
SPEC SERIES CCT ADJUSTABLE LED ARCHITECTURAL WRAP-AROUND LIGHT MCT		
WA-4FT-30W-MCT-D	30W WHILE SUPPLIES LAST 3200LM 3500K/4000K/5000K 4FTx8.2"	
SPEC SERIES POWER & CCT ADJUSTABLE LED ARCHITECTURAL WRAP-AROUND LIGHT MCTP		
WA-2FT-10-20W-MCTP	10W/15W/20W 110LM/W 35K/40K/50K 4FTx8.2"	
WA-4FT-20-40W-MCTP	20W/30W/40W 110LM/W 35K/40K/50K 4FTx8.2"	

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL MODELS	OPT-EM-WA	INTERNAL	N/A	N/A	N/A	OPT-2P-58 OPT-SEN-2MDR-36 WEC-3RC	PIR SENSOR (Not remote capable) PROGRAMMABLE MICROWAVE BI-LEVEL REMOTE CONTROL

COMMERCIAL
STRIP & WRAP
AROUND



BUILDER SERIES LED ECONOMY WRAP-AROUND FIXTURES, 5.4" WIDE

MCTP*: MULTI COLOR TEMPERATURE & MULTI POWER

	CATALOG NO.	DESCRIPTION	PKG. QTY.
	LED ECONOMY WRAP-AROUND FIXTURES, 0-10V DIMMING		
4Ft	WAE-4FT-30K-D	40W 3000K	6
	WAE-4FT-40K-D	40W 4000K	6
	WAE-4FT-50K-D	40W 5000K	6
	CCT ADJUSTABLE LED ECONOMY WRAP-AROUND FIXTURES, 0-10V & TRIAC DIMMING		
2Ft	WAE-2FT-MCT-DD	20W 3000K/4000K/5000K 120-277V	6
4Ft	WAE-4FT-MCT-DD	40W 3000K/4000K/5000K 120-277V	6
	POWER & CCT ADJUSTABLE LED ECONOMY WRAP-AROUND FIXTURE		
4Ft	WAE-4FT-40-65W-MCTP-DD	40W/50W/65W 30K/40K/50K	
8Ft	WAE-8FT-MCTP-DD	48W/64W/80W 27K/30K/35K/40K/50K	1
	POWER & CCT ADJUSTABLE LED ECONOMY WRAP-AROUND FIXTURE WITH REMOTE CONTROL		
4Ft	WAE-4FT-MCTP	40W Max. 2700K-5000K Remote Control incl.	6
	CCT ADJUSTABLE LED ECONOMY WRAP-AROUND FIXTURES WITH SENSOR (SENSOR CAN BE DISCONNECTED), 0-10V & TRIAC DIMMING		
	WAE-2FT-MCT-DD-SEN	20W 3000K/4000K/5000K	
	WAE-4FT-MCT-DD-SEN	40W 3000K/4000K/5000K	
	WAE-8FT-MCTP-DD-SEN	48W/64W/80W 27K/30K/35K/40K/50K	1
	WEC-3RC	Remote Control For Motion Sensors (For Sensor Fixtures)	
	CCT ADJUSTABLE LED ECONOMY WRAP-AROUND FIXTURES WITH SENSOR (SENSOR CAN BE DISCONNECTED) & EMERGENCY BACKUP, 0-10V & TRIAC DIMMING		
	WAE-2FT-MCT-DD-EM-SEN	20W 3000K/4000K/5000K	
	WAE-4FT-MCT-DD-EM-SEN	40W 3000K/4000K/5000K	
	WAE-8FT-MCTP-DD-EM-SEN	48W/64W/80W 27K/30K/35K/40K/50K	1
	WEC-3RC	Remote Control For Motion Sensors (For Sensor Fixtures)	
2Ft	CCT ADJUSTABLE LED ECONOMY WRAP-AROUND FIXTURES, TRIAC DIMMING WHILE SUPPLIES LAST		
	WAE-2FT-MCT-DT	20W 3000K/4000K/5000K	6



BUILDER SERIES LED ECONOMY WIDE (10") WRAP-AROUND FIXTURES

CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER	PKG. QTY.
WAEW-4FT-30-50W-MCTP-D	30W/40W/50W 120LM/W 30K/40K/50K		4
WAEW-4FT-30-50W-MCTP-D-SEN	30W/40W/50W 120LM/W 30K/40K/50K		4
WAEW-4FT-30-50W-MCTP-D-EM-SEN	30W/40W/50W 120LM/W 30K/40K/50K		4

LINEAR PUFF FIXTURE, SELECTABLE POWER & CCT, DUAL DIMMING TRIAC & 0-10V

CATALOG NO.	DESCRIPTION
LPF-2FT-MCT-DD	25W 2250LM 30K/40K/50K 2FT
LPF-4FT-MCT-DD	40W 3600LM 30K/40K/50K 4FT

COMMERCIAL
WRAP AROUND

GRIP & SUSPENSION ACCESSORIES



SCL-CSK-6FT

ADJ. 6FT 1/16in SUSPENSION CANOPY COMPLETE KIT FOR BOTH SIDES WITH KEYHOLE END CONNECTORS



SCL-CS1-6FT

ADJ. 6FT 1/16in, 1.5mm SINGLE SUSPENSION 5in CANOPY SET WITH KEYHOLE END CONNECTOR, NON-POWER SIDE



SCL-CS1P-6FT

ADJ. 6FT 1/16in, 1.5mm SINGLE SUSPENSION 5in CANOPY SET WITH KEYHOLE END CONNECTOR, POWER SIDE WITH SJTW18/5 WHITE CORD



SCL-CS1P-6FT-NC

ADJ. 6FT 1/16in, 1.5mm SINGLE SUSPENSION 5in CANOPY SET WITH KEYHOLE END CONNECTOR, POWER SIDE WITHOUT CORD

COMPATIBLE SERIES

- SCX (SINGLE KEYHOLE)
- LSL, LSS ("Y" END & HOOK OR "Y" END & TOGGLE)
- SCLP, SCPL-UD, SCLL, SCPP, SCX6 ("Y" END & KEYHOLE)
- 2FT, 3FT, 4FT FIXTURES NEED 2 SUSPENSION CABLES (2 ON ENDS)
- 6FT & 8FT FIXTURES NEED 3 SUSPENSION CABLES (1 IN CENTER, 2 ON ENDS)



SCL-CS1-6FT-BK

BLACK ADJ. 6FT 1/16in, 1.5mm SINGLE SUSPENSION 5in CANOPY SET WITH KEYHOLE END CONNECTOR, NON-POWER SIDE



SCL-CS1P-6FT-BK

BLACK ADJ. 6FT 1/16in, 1.5mm SINGLE SUSPENSION 5in CANOPY SET WITH KEYHOLE END CONNECTOR, POWER SIDE WITH SJTW18/5 BLACK CORD



SCL-CS1P-6FT-NC-BK

BLACK ADJ. 6FT 1/16in, 1.5mm SINGLE SUSPENSION 5in CANOPY SET WITH KEYHOLE END CONNECTOR, POWER SIDE WITHOUT CORD



SCL-CS1-12FT

ADJ. 12FT 1/16in, 1.5mm SINGLE SUSPENSION 5in CANOPY SET WITH KEYHOLE END CONNECTOR, NON-POWER SIDE



SCL-CS1P-12FT

ADJ. 12FT 1/16in, 1.5mm SINGLE SUSPENSION 5in CANOPY SET WITH KEYHOLE END CONNECTOR, POWER SIDE WITH CORD



SCL-CS1P-12FT-NC

ADJ. 12FT 1/16in, 1.5mm SINGLE SUSPENSION 5in CANOPY SET WITH KEYHOLE END CONNECTOR, POWER SIDE WITHOUT CORD



SCL-CS1-12FT-BK

BLACK ADJ. 12FT 1/16in, 1.5mm SINGLE SUSPENSION 5in CANOPY SET WITH KEYHOLE END CONNECTOR, NON-POWER SIDE



SCL-CS1P-12FT-BK

BLACK ADJ. 12FT 1/16in, 1.5mm SINGLE SUSPENSION 5in CANOPY SET WITH KEYHOLE END CONNECTOR WITH CORD



SCL-CS1P-12FT-NC-BK

BLACK ADJ. 12FT 1/16in, 1.5mm SINGLE SUSPENSION 5in CANOPY SET WITH KEYHOLE END CONNECTOR WITHOUT CORD



SCL-CSQ1-6FT

ADJ. 6FT 1/16in, 1.5mm SINGLE SQUARE SUSPENSION 5in CANOPY SET WITH KEYHOLE END CONNECTOR, NON-POWER SIDE



SCL-CSQ1P-6FT

ADJ. 6FT 1/16in, 1.5mm SINGLE SQUARE SUSPENSION 5in CANOPY SET WITH KEYHOLE END CONNECTOR, POWER SIDE, WITH CORD



SCL-CSQ1P-6FT-NC

ADJ. 6FT 1/16in, 1.5mm SINGLE SQUARE SUSPENSION 5in CANOPY SET WITH KEYHOLE END CONNECTOR, POWER SIDE, WITHOUT CORD



SCL-CSQ1-12FT

ADJ. 12FT 1/16in, 1.5mm SINGLE SQUARE SUSPENSION 5in CANOPY SET WITH KEYHOLE END CONNECTOR, NON-POWER SIDE



SCL-CSQ1P-12FT

ADJ. 12FT 1/16in, 1.5mm SINGLE SQUARE SUSPENSION 5in CANOPY SET WITH KEYHOLE END CONNECTOR, POWER SIDE, WITH CORD



SCL-CSQ1P-12FT-NC

ADJ. 12FT 1/16in, 1.5mm SINGLE SQUARE SUSPENSION 5in CANOPY SET WITH KEYHOLE END CONNECTOR, POWER SIDE, WITHOUT CORD



SCL-CSQ1-6FT-BK

ADJ. 6FT 1/16in, 1.5mm SINGLE SQUARE SUSPENSION 5in CANOPY SET WITH KEYHOLE END CONNECTOR, NON-POWER SIDE, BLACK



SCL-CSQ1P-6FT-BK

ADJ. 6FT 1/16in, 1.5mm SINGLE SQUARE SUSPENSION 5in CANOPY SET WITH KEYHOLE END CONNECTOR, POWER SIDE, WITH CORD, BLACK



SCL-CSQ1P-6FT-NC-BK

ADJ. 6FT 1/16in, 1.5mm SINGLE SQUARE SUSPENSION 5in CANOPY SET WITH KEYHOLE END CONNECTOR, POWER SIDE, WITHOUT CORD, BLACK



SCL-CSQ1-12FT-BK

ADJ. 12FT 1/16in, 1.5mm SINGLE SQUARE SUSPENSION 5in CANOPY SET WITH KEYHOLE END CONNECTOR, NON-POWER SIDE, BLACK



SCL-CSQ1P-12FT-BK

ADJ. 12FT 1/16in, 1.5mm SINGLE SQUARE SUSPENSION 5in CANOPY SET WITH KEYHOLE END CONNECTOR, POWER SIDE, WITH CORD, BLACK



SCL-CSQ1P-12FT-NC-BK

ADJ. 12FT 1/16in, 1.5mm SINGLE SQUARE SUSPENSION 5in CANOPY SET WITH KEYHOLE END CONNECTOR, POWER SIDE, WITHOUT CORD, BLACK



SCL-CS1M-6FT

ADJ. 6FT 1/16in, 1.5mm SINGLE SUSPENSION 2in CANOPY SET WITH KEYHOLE END CONNECTOR, NON-POWER SIDE



SCL-CS1MP-6FT

ADJ. 6FT 1/16in, 1.5mm SINGLE SUSPENSION 2in CANOPY SET WITH KEYHOLE END CONNECTOR, POWER SIDE WITH SJTW18/5 WHITE CORD



SCL-CS1M-6FT-BK

ADJ. 6FT 1/16in, 1.5mm SINGLE SUSPENSION 2in CANOPY SET WITH KEYHOLE END CONNECTOR, NON-POWER SIDE, BLACK



SCL-CS1MP-6FT-BK

ADJ. 6FT 1/16in, 1.5mm SINGLE SUSPENSION 2in CANOPY SET WITH KEYHOLE END CONNECTOR, POWER SIDE WITH SJTW18/5 WHITE CORD, BLACK



OPT-SCL-XLENGTH

LABOR CHARGE FOR CUSTOM CABLE LENGTH, SPECIFY DESIRED LENGTH IN PO. MUST PURCHASE SUFFICIENT ROLLS OF AIRCRAFT CABLE SEE PAGE 134

GRIP & SUSPENSION ACCESSORIES



SCL-CSY1-6FT

ADJ. 6FT 1/16in, 1.5mm SINGLE SUSPENSION 5in CANOPY SET WITH Y DOUBLE KEYHOLE END CONNECTORS, NON-POWER SIDE



SCL-CSY1P-6FT

ADJ. 6FT 1/16in, 1.5mm SINGLE SUSPENSION 5in CANOPY SET WITH Y DOUBLE KEYHOLE END CONNECTORS, POWER SIDE WITH SJTW18/5 WHITE CORD



SCL-CSY1P-6FT-NC

ADJ. 6FT 1/16in, 1.5mm SINGLE SUSPENSION 5in CANOPY SET WITH Y DOUBLE KEYHOLE END CONNECTORS



SCL-3CS10

ADJ. 10FT 1/16in, 1.5mm TRIPLE-CABLE SUSPENSION 5in CANOPY KIT WITH KEYHOLE END & CONNECTORS, CABLE BUSHING, 9" DIA., NO CORD INCL.



SCL-GTY10

ADJUSTABLE 1/16" 10 FT., 1.5mm SUSPENSION KIT WITH LOOP GRIPPER & TOGGLE ENDS(2)




SCL-GTY20

ADJUSTABLE 1/16" 20 FT., 1.5mm SUSPENSION KIT WITH LOOP GRIPPER & TOGGLE ENDS(2)



SCL-GTY210

HEAVY-DUTY ADJUSTABLE 5/64" 10 FT., 2mm SUSPENSION KIT WITH LOOP GRIPPER & TOGGLE ENDS(2)




SCL-GTY220

HEAVY-DUTY ADJUSTABLE 5/64" 20 FT., 2mm SUSPENSION KIT WITH LOOP GRIPPER & TOGGLE ENDS(2)



SCL-GSY10

ADJUSTABLE 10 FT. 1/16", 1.5mm SUSPENSION KIT WITH Y-CONNECTOR & LOOP GRIP & HOOKS(2)




SCL-GSY20

ADJUSTABLE 20 FT. 1/16", 1.5mm SUSPENSION KIT WITH Y-CONNECTOR & LOOP GRIP & HOOKS(2)




SCL-GSY210

ADJ. 10FT 1/16IN, 1.5mm SINGLE SUSPENSION CABLE WITH Y HOOK ENDS, LOOP GRIPPER ON TOP (ORDER 3 FOR 8FT.)(1)




SCL-GSY220

ADJ. 20FT 1/16IN, 1.5mm SINGLE SUSPENSION CABLE WITH Y HOOK ENDS, LOOP GRIPPER ON TOP (ORDER 3 FOR 8FT.)(1)



SCL-GS10

ADJ. 10FT 1/16IN, 1.5mm DOUBLE SUSPENSION CABLE WITH SINGLE KEYHOLE CONN., LOOP GRIPPER ON TOP(2)




SCL-GS20

ADJ. 20FT 1/16IN, 1.5mm DOUBLE SUSPENSION CABLE WITH SINGLE KEYHOLE CONN., LOOP GRIPPER ON TOP(2)



SCL-GS210

HEAVY-DUTY ADJUSTABLE 5/64" 10 FT., 2mm SUSPENSION KIT WITH LOOP GRIPPER & HOOK(1)



SCL-GS220

HEAVY-DUTY ADJUSTABLE 5/64" 20 FT., 2mm SUSPENSION KIT WITH LOOP GRIPPER & HOOK(1)



CMC-SRK-218-5C-WH

Universal Swivel W/ Rod Kit, 18 Or 26 Inches, 5-Wire, White



CMC-SRK-218-5C-BK

Universal Swivel W/ Rod Kit, 18 Or 26 Inches, 5-Wire, Black



CMC-SRK-224-5C-WH

Universal Swivel W/ Rod Kit, 24 Or 48 Inches, 5-Wire, White



CMC-SRK-224-5C-BK

Universal Swivel W/ Rod Kit, 24 Or 48 Inches, 5-Wire, Black



SCL-CSR-12FT

Adj. 12Ft Rectangular Canopy With Two Aircraft Cables For Linear Fixtures Up To 6Ft Long



SCL-CSR-12FT-BK

Adj. 12Ft Rectangular Canopy With Two Aircraft Cables For Linear Fixtures Up To 6Ft Long, Black



SCL-WRCL-14

1/4in GALVANIZED MALLEABLE IRON WIRE ROPE CLIP



SCL-TBJJ-14-4

1/4 X 4 INCH JAW TO JAW TURN-BUCKLE GALVANIZED STEEL



SCL-WRCL-DUPLEX

5/32in 4mm DUPLEX 2-POST WIRE ROPE CLIP CABLE CLAMP



SCL-PEP-M8

PAD EYE PLATE STAPLE HOOK, SIZE M8, 2in X 1.5in STAINLESS



SCL-ASC-4MM-250FT

5/32in 4mm DIA. EXTRA DUTY GALVANIZED AIRCRAFT CABLE / WIRE ROPE 250FT ROLL



SCL-WRTH-14

1/4in GALVANIZED WIRE ROPE THIMBLE

GRIP & SUSPENSION ACCESSORIES



SCL-6FT-SJTW18/5

WHITE 6 FT. CORD, SJTW 18 AWG 5-CONDUCT (WH/BK/GN/PU/GY)



SCL-6FT-SJTW18/6

WHITE 6 FT. CORD, SJTW 18 AWG 6-CONDUCT (WH/BK/GN/PU/GY + RED FOR EMERGENCY))



SCL-6FT-SJTW18/5-BK

BLACK 12 FT. CORD, SJTW 18 AWG 5-CONDUCT (WH/BK/GN/PU/GY)



SCL-6FT-SJTW18/6-BK

BLACK 12 FT. CORD, SJTW 18 AWG 6-CONDUCT (WH/BK/GN/PU/GY + RED FOR EMERGENCY)



SCL-12FT-SJTW18/5

WHITE 12 FT. CORD, SJTW 18 AWG 5-CONDUCT (WH/BK/GN/PU/GY)



SCL-12FT-SJTW18/6

WHITE 12 FT. CORD, SJTW 18 AWG 6-CONDUCT (WH/BK/GN/PU/GY + RED FOR EMERGENCY)



SCL-12FT-SJTW18/5-BK

BLACK 12 FT. CORD, SJTW 18 AWG 5-CONDUCT (WH/BK/GN/PU/GY)



SCL-12FT-SJTW18/6-BK

BLACK 12 FT. CORD, SJTW 18 AWG 6-CONDUCT (WH/BK/GN/PU/GY + RED FOR EMERGENCY)



SCL-100FT-SJTW18/5

WHITE 100 FT. CORD, SJTW 18 AWG 5-CONDUCT (WH/BK/GN/PU/GY)



SCL-100FT-SJTW18/6

WHITE 100 FT. CORD, SJTW 18 AWG 6-CONDUCT (WH/BK/GN/PU/GY + RED FOR EMERGENCY)



SCL-100FT-SJTW18/5-BK

BLACK 100 FT. CORD, SJTW 18 AWG 5-CONDUCT (WH/BK/GN/PU/GY)



SCL-100FT-SJTW18/6-BK

BLACK 100 FT. CORD, SJTW 18 AWG 6-CONDUCT (WH/BK/GN/PU/GY + RED FOR EMERGENCY)



SCL-6FT-AWM18/5-CLR

6FT CORD, SJTW 18 AWM 5-CONDUCTOR, CLEAR



SCL-12FT-AWM18/5-CLR

12FT CORD, SJTW 18 AWM 5-CONDUCTOR, CLEAR



SCL-100FT-AWM18/5-CLR

100FT CORD, SJTW 18 AWM 5-CONDUCTOR, CLEAR



SCL-ASC-50FT

1/16IN 50FT ROLL STEEL AIRCRAFT SUSPENSION CABLE



SCL-ASC-100FT

1/16IN 100FT ROLL STEEL AIRCRAFT SUSPENSION CABLE



SCL-ASC-500FT

1/16" 500 FT. STEEL AIRCRAFT SUSPENSION CABLE



SCL-ASC-1000FT

1/16" 1000 FT. STEEL AIRCRAFT SUSPENSION CABLE



FWH-6FT-16/3

6FT 16AWG 3-WIRE FLEX FIXTURE WHIP, STR. & 90D 1/2" CONN.



FWH-6FT-16/5

6FT 16AWG 5-WIRE FLEX FIXTURE WHIP, STR. & 90D 1/2" CONN.



FWH-6FT-16/6

6FT 16AWG 6-WIRE FLEX FIXTURE WHIP, STR. & 90D 1/2" CONN.



SCL-LCB-BK

LOCKING 3/8": DIA. CABLE BUSHING FOR CANOPY SETS, BLACK



SCL-LCB

LOCKING 3/8": DIA. CABLE BUSHING FOR CANOPY SETS

COMMERCIAL
SUSPENSION
ACCESSORIES

GRIP & SUSPENSION ACCESSORIES



FML-SK6

6FT ADJUSTABLE SUSPENSION KIT, 2-WIRE CLEAR CABLE INCL.



LFCF-SK10-BR

10FT 4-LINE CANOPY SUSPENSION KIT FOR DECORATIVE LIGHTS, 2-WIRE CLEAR CABLE INCL., BRONZE



LFCF-SK10-BN

10FT 4-LINE CANOPY SUSPENSION KIT FOR DECORATIVE LIGHTS, 2-WIRE CLEAR CABLE INCL., BRUSHED NICKEL



SCL-4CS10

ADJ. 10FT 1/16in QUAD CABLE SUSP. CANOPY KIT, KEYHOLE CONNECTORS (NO CORD INCL.)



SCL-ABCQ2K

2in SQUARE NON-POWERFEED SIDE CANOPY CONVERSION KIT



SCL-ABCQ2K-BK

2in SQUARE NON-POWERFEED SIDE CANOPY CONVERSION KIT - BLACK



SCL-ABC2K

2IN NON-POWERFEED SIDE CANOPY CONVERSION KIT



SCL-ABC2K-BK

2IN NON-POWERFEED SIDE CANOPY CONVERSION KIT - BLACK



SCL-ABCH

5IN AUXILIARY BLANK CANOPY WITH CORD GRIP



SCL-ABC

5IN AUXILIARY BLANK CANOPY FOR SUSPENSION CABLES



SCL-ABCH-BK

5IN AUXILIARY BLANK CANOPY WITH CORD GRIP - BLACK



SCL-ABC-BK

5IN AUXILIARY BLANK CANOPY FOR SUSPENSION CABLES - BLACK



SCL-ABCQ

AUXILIARY SQUARE BLANK CANOPY FOR SUSPENSION CABLES



SCL-ABCQH

AUXILIARY SQUARE BLANK CANOPY FOR SUSPENSION CABLES WITH CABLE HOLE AND CORD GRIP



SCL-ACSE

AIRCRAFT CABLE STOPPER END



SCL-AH

HEAVY-DUTY AUXILIARY HOOK FOR UP TO 1/16" AIRCRAFT CABLES



SCL-TG1420

AUXILIARY TOP GRIPPER SIDE EXIT WITH 1/4-20 THREAD FOR 1/16IN AIRCRAFT CABLE



SCL-AYC

AUXILIARY Y CONNECTOR FOR AIRCRAFT SUSPENSION CABLE, 1/16"



SCL-AKHC

AUXILIARY KEYHOLE CONNECTOR FOR AIRCRAFT SUSPENSION CABLE, 1/16"



SCL-CTB

CANOPY SET TOP BRACKET FOR MOUNTING ON JUNCTION BOX OR CEILING- 1/4-20



SCL-TBC-WN

T-BAR CLIP WITH SUSPENSION HOLE ON TOP, WING NUT AND WASHER INCL.



SCL-TBTC-WN

T-BAR TRACK CLIP WITH WASHER AND WING NUT



SCL-AUC

AUXILIARY UNIVERSAL SURFACE CONNECTOR FOR 1/6 IN AIRCRAFT SUSPENSION CABLE



SCL-CMC

AUXILIARY CEILING-MOUNT CONNECTOR FOR 1/16in AIRCRAFT SUSPENSION CABLES



SCL-YCK

ADJ. 1/16in Y CONVERSION SUSPENSION CABLE WITH TOGGLE ENDS



SCL-TGS1420

ADJ. SWIVEL TOP GRIP REPLACEMENT CONNECTOR TO ADAPT SCL-CS SERIES TO SLOPE CEILINGS



SCL-ALG

AUXILIARY LOOP GRIP FOR AIRCRAFT SUSPENSION CABLE, 1/16"



Shown with Drop Lens

1.6" ARCHITECTURAL CEILING CYLINDERS WITH INTERNAL DRIVERS INCL. CLEAR & FORSTED LENSES

COMMERCIAL
CYLINDER
LIGHTS

CATALOG NO.	DESCRIPTION
CMC1L-MCT-WH	10W 700LM 30K/40K/50K 12" H
CMC1L-MCT-BK	10W 700LM 30K/40K/50K 12" H
CMC1XL-MCT-WH	10W 700LM 30K/40K/50K 18" H
CMC1XL-MCT-BK	10W 700LM 30K/40K/50K 18" H
CMCS1XL-MCT-DT-WH	9W 630LM 30K/40K/50K 18" H SQUARE
CMCS1XL-MCT-DT-BK	9W 630LM 30K/40K/50K 18" H SQUARE
CMC1-TRM-BN	1in Cylinder Trim, Brushed Nickel
CMC1-TRM-AG	1in Cylinder Trim, Anodized Gold
CMC1-DL15	CMC1 15mm Acrylic Drop Lens
SUSPENSION ACCESSORIES FOR CMC SERIES	
CMC-CS-8FT-WH	Suspension Cable & Canopy Set For CMC Series, 8Ft, 5-Wire, White
CMC-CS-8FT-BK	Suspension Cable & Canopy Set For CMC Series, 8Ft, 5-Wire, Black
CMC-SRK-218-5C-WH	Universal Swivel W/ Rod Kit, 18 Or 36 Inches, 5-Wire, White
CMC-SRK-218-5C-BK	Universal Swivel W/ Rod Kit, 18 Or 36 Inches, 5-Wire, Black
CMC-SRK-224-5C-WH	Universal Swivel W/ Rod Kit, 24 Or 48 Inches, 5-Wire, White
CMC-SRK-224-5C-BK	Universal Swivel W/ Rod Kit, 24 Or 48 Inches, 5-Wire, Black
CMC-SRK-340-5C-WH	Universal Swivel W/ Rod Kit, 40 Or 80 Or 120 Inches, 5-Wire, White
CMC-SRK-340-5C-BK	Universal Swivel W/ Rod Kit, 40 Or 80 Or 120 Inches, 5-Wire, Black



Shown with Drop Lens

INCL. CLEAR & FORSTED LENSES

3" ARCHITECTURAL CEILING CYLINDERS

CATALOG NO.	DESCRIPTION
CMC3-MCTP-DD-WH	5W/7W/9W 75LM/W 30K/40K/50K 3"D X 9.7"H 120-277V, 25°
CMC3-MCTP-DD-BK	5W/7W/9W 75LM/W 30K/40K/50K 3"D X 9.7"H 120-277V, 25°
CMC3-TRM-AG	3in Cylinder Trim, Anodized Gold
CMC3-TRM-BN	3in Cylinder Trim, Brushed Nickel
CMC3-HCDK-BK	3in Cylinder Honeycomb Diffuser Kit, Black
CMC3-HCDK-AG	3in Cylinder Honeycomb Diffuser Kit, Anodized Gold
CWMC3-DL32	CMC3 And WMC3 32Mm Acrylic Drop Lens
SUSPENSION ACCESSORIES FOR CMC SERIES	
CMC-CS-8FT-WH	Suspension Cable & Canopy Set For CMC Series, 8Ft, 5-Wire, White
CMC-CS-8FT-BK	Suspension Cable & Canopy Set For CMC Series, 8Ft, 5-Wire, Black
CMC-SRK-218-5C-WH	Universal Swivel W/ Rod Kit, 18 Or 36 Inches, 5-Wire, White
CMC-SRK-218-5C-BK	Universal Swivel W/ Rod Kit, 18 Or 36 Inches, 5-Wire, Black
CMC-SRK-224-5C-WH	Universal Swivel W/ Rod Kit, 24 Or 48 Inches, 5-Wire, White
CMC-SRK-224-5C-BK	Universal Swivel W/ Rod Kit, 24 Or 48 Inches, 5-Wire, Black
CMC-SRK-340-5C-WH	Universal Swivel W/ Rod Kit, 40 Or 80 Or 120 Inches, 5-Wire, White
CMC-SRK-340-5C-BK	Universal Swivel W/ Rod Kit, 40 Or 80 Or 120 Inches, 5-Wire, Black



2" ARCHITECTURAL CEILING CYLINDERS WITH INTERNAL DRIVERS

INCL. CLEAR & FORSTED LENSES **MCT** EM Capable **DAMP** LOCATION **CEI** US

CATALOG NO.	DESCRIPTION	REF.
CMC2-MCT-DT-WH	6W 450LM 30K/40K/50K 9"H 120V, 40°	1
CMC2-MCT-DT-BK	6W 450LM 30K/40K/50K 9"H 120V, 40°	2
CMC2L-MCT-DT-WH	6W 450LM 30K/40K/50K 12"H 120V, 40°	3
CMC2L-MCT-DT-BK	6W 450LM 30K/40K/50K 12"H 120V, 40°	4
CMC2XL-MCT-DD-BK	20W 1500LM 30K/40K/50K 18"H 120-277V	5
CMC2XL-MCT-DD-WH	20W 1500LM 30K/40K/50K 18"H 120-277V	6
CMCS2L-MCT-DT-WH	6W 450LM 30K/40K/50K 12"H SQUARE	7
CMCS2L-MCT-DT-BK	6W 450LM 30K/40K/50K 12"H SQUARE	8
CMCS2XL-MCT-DT-WH	20W 1500LM 30K/40K/50K 18"H SQUARE	9
CMCS2XL-MCT-DT-BK	20W 1500LM 30K/40K/50K 18"H SQUARE	10
CMCS2XXL-MCT-DT-WH	20W 1500LM 30K/40K/50K 24"H SQUARE	11
CMCS2XXL-MCT-DT-BK	20W 1500LM 30K/40K/50K 24"H SQUARE	12
CMC2-TRM-AG	2in Cylinder Trim, Anodized Gold	13
CMC2-TRM-BN	2in Cylinder Trim, Brushed Nickel	14
CMC2-TRMWM-AG	Decorative Wide-Mouth Replacement Lens Cap for CMC2, Anodized Gold	15
CMC2-TRMWM-BN	Decorative Wide-Mouth Replacement Lens Cap for CMC2, Brushed Nickel	16
CMC2-HCDK-BK	2in Cylinder Honeycomb Diffuser Kit, Black	17
CMC2-HCDK-AG	2in Cylinder Honeycomb Diffuser Kit, Anodized Gold	18
CMC2-DS-BG	Decorative Shield Reflector Replacement For Lens Cap Of CMC2, Black Gold	19
CMC2-DS-WG	Decorative Shield Reflector Replacement For Lens Cap Of CMC2, White Gold	20
CMC2-DCR-BG	Decorative Cone Reflector Kit for CMC2, Black Gold	21
CMC2-DCR-WG	Decorative Cone Reflector Kit for CMC2, White Gold	22
CMC2-PS12-WG-KIT	CMC2 12in Pan Shade, White/Gold	23
CMC2-PS12-BG-KIT	CMC2 12in Pan Shade, Black/Gold	24
CMC2-PS14-WG-KIT	CMC2 14in Pan Shade, White/Gold	25
CMC2-PS14-BG-KIT	CMC2 14in Pan Shade, Black/Gold	26
CMC2-MLA-BK	Decorative Middle Light Accessory Fits All CMC2, Black	27
CMC2-MLA-WH	Decorative Middle Light Accessory Fits All CMC2, White	28
CWMC2-DL32	CMC2 And WMC2 32Mm Acrylic Drop Lens	29

SUSPENSION ACCESSORIES FOR CMC SERIES

CMC-CS-8FT-WH	Suspension Cable & Canopy Set For CMC Series, 8Ft, 5-Wire, White	30
CMC-CS-8FT-BK	Suspension Cable & Canopy Set For CMC Series, 8Ft, 5-Wire, Black	31
CMC-SRK-218-5C-WH	Universal Swivel W/ Rod Kit, 18 Or 36 Inches, 5-Wire, White	32
CMC-SRK-218-5C-BK	Universal Swivel W/ Rod Kit, 18 Or 36 Inches, 5-Wire, Black	33
CMC-SRK-224-5C-WH	Universal Swivel W/ Rod Kit, 24 Or 48 Inches, 5-Wire, White	34
CMC-SRK-224-5C-BK	Universal Swivel W/ Rod Kit, 24 Or 48 Inches, 5-Wire, Black	35
CMC-SRK-340-5C-WH	Universal Swivel W/ Rod Kit, 40 Or 80 Or 120 Inches, 5-Wire, White	36
CMC-SRK-340-5C-BK	Universal Swivel W/ Rod Kit, 40 Or 80 Or 120 Inches, 5-Wire, Black	37

2IN TILT HEAD INDOOR CYLINDER, CCT- ADJUSTABLE

MCT EM Capable **DAMP** LOCATION **CEI** US

CATALOG NO.	DESCRIPTION	REF.
CMC2L-ADJ-MCT-DT-BK	6W 400LM 30K/40K/50K Black	6
CMC2L-ADJ-MCT-DT-WH	6W 400LM 30K/40K/50K White	6





4" ARCHITECTURAL CEILING CYLINDERS

INCL. CLEAR & FORSTED LENSES



Shown with Up Light Kit

CATALOG NO.	DESCRIPTION	REF.
-------------	-------------	------

4" ROUND ARCHITECTURAL CEILING CYLINDERS

CMC4-MCTP-DD-WH	9W/12W/15W 75LM/W 30K/40K/50K 9.6"H 120-277V, 40°	1
CMC4-MCTP-DD-BK	9W/12W/15W 75LM/W 30K/40K/50K 9.6"H 120-277V, 40°	2
CMC4HL-MCTP-DD-WH	24W/32W/40W 80LM/W 30K/40K/50K 10"H HIGH-LUMEN	3
CMC4HL-MCTP-DD-BK	24W/32W/40W 80LM/W 30K/40K/50K 10"H HIGH-LUMEN	4
CMC4S-MCTP-DD-WH	9W/12W/15W 76LM/W 30K/40K/50K 5"H	5
CMC4S-MCTP-DD-BK	9W/12W/15W 76LM/W 30K/40K/50K 5"H	6

4" SQUARE ARCHITECTURAL CEILING CYLINDERS

CMCS4-MCTP-DD-WH	21W/28W/35W 80LM/W 30K/40K/50K 10"H	7
CMCS4-MCTP-DD-BK	21W/28W/35W 80LM/W 30K/40K/50K 10"H	8
CMCS4S-MCTP-DD-WH	9W/12W/15W 76LM/W 30K/40K/50K 5"H	9
CMCS4S-MCTP-DD-BK	9W/12W/15W 76LM/W 30K/40K/50K 5"H	10
CMC46-ULK	5W 400LM 30K/40K/50K UP LIGHT KIT	11
CMC-JBCK-WH	Cylinder And Pendant Lighting J-Box Cover Canopy For Up To 4 Pipe Entries, Wh	12
CMC-JBCK-BK	Cylinder And Pendant Lighting J-Box Cover Canopy For Up To 4 Pipe Entries, Bk	13
CMC4-TRM-AG	4in Cylinder Trim, Anodized Gold	14
CMC4-TRM-BN	4in Cylinder Trim, Brushed Nickel	15
CMC4-HCDK-BK	4in Cylinder Honeycomb Diffuser Kit, Black	16
CMC4-HCDK-AG	4in Cylinder Honeycomb Diffuser Kit, Anodized Gold	17
CMC4-FS14-WG-KIT	CMC4 14in Flat Shade, White/Gold	18
CMC4-FS14-BG-KIT	CMC4 14in Flat Shade, Black/Gold	19
CMC4-FS14-WS-KIT	CMC4 14in Flat Shade, White/Silver	20
CMC4-FS14-BS-KIT	CMC4 14in Flat Shade, Black/Silver	21
CMC4-DS14-WG-KIT	CMC4 14in Dome Shade, White/Gold	22
CMC4-DS14-BG-KIT	CMC4 14in Dome Shade, Black/Gold	23
CMC4-DS14-WS-KIT	CMC4 14in Dome Shade, White/Silver	24
CMC4-DS14-BS-KIT	CMC4 14in Dome Shade, Black/Silver	25
CMC4-PCR-KIT	12in Dia. Prismatic Pc Highbay Reflector Kit For CMC4	26
CMC4-WPCK-WH	CMC4 Weatherproof Conversion Kit For Cord Or Down-Rod, White	27
CMC4-WPCK-BK	CMC4 Weatherproof Conversion Kit For Cord Or Down-Rod, Black	28
CMCS4-WPCK-WH	CMCS4 Weatherproof Conversion Kit For Cord Or Down-Rod, White	29
CMCS4-WPCK-BK	CMCS4 Weatherproof Conversion Kit For Cord Or Down-Rod, Black	30
CMC4-SNA-BK	Snoot Accessory For CMC4 Round Reduces Beam Angle To 25D, Black	31
CMC4-SNA-WH	Snoot Accessory For CMC4 Round Reduces Beam Angle To 25D, White	32
CMC4-SH9-BK	9in Wide Shade For CMC4 And CMC4S, Black	33
CMC4-SH9-WH	9in Wide Shade For CMC4 And CMC4S, White	34
CMC4-DL32	WMC 4in 32Mm Acrylic Drop Lens	35

SUSPENSION ACCESSORIES FOR CMC SERIES

CMC-CS-8FT-WH	Suspension Cable & Canopy Set For CMC Series, 8Ft, 5-Wire, White	36
CMC-CS-8FT-BK	Suspension Cable & Canopy Set For CMC Series, 8Ft, 5-Wire, Black	37
CMC-SRK-218-5C-WH	Universal Swivel W/ Rod Kit, 18 Or 36 Inches, 5-Wire, White	38
CMC-SRK-218-5C-BK	Universal Swivel W/ Rod Kit, 18 Or 36 Inches, 5-Wire, Black	39
CMC-SRK-224-5C-WH	Universal Swivel W/ Rod Kit, 24 Or 48 Inches, 5-Wire, White	40
CMC-SRK-224-5C-BK	Universal Swivel W/ Rod Kit, 24 Or 48 Inches, 5-Wire, Black	41
CMC-SRK-340-5C-WH	Universal Swivel W/ Rod Kit, 40 Or 80 Or 120 Inches, 5-Wire, White	42
CMC-SRK-340-5C-BK	Universal Swivel W/ Rod Kit, 40 Or 80 Or 120 Inches, 5-Wire, Black	43



POWER & CCT- ADJUSTABLE 4IN INDOOR CYLINDER

CATALOG NO.	DESCRIPTION
-------------	-------------



TILT HEAD 4IN INDOOR CYLINDER, POWER & CCT- ADJUSTABLE	
CMC4-ADJ-MCTP-DD-BK	12W/16W/20W 80LM/W 30K/40K/50K Black 6
CMC4-ADJ-MCTP-DD-WH	12W/16W/20W 80LM/W 30K/40K/50K White 6
GIMBAL HEAD 4IN INDOOR CYLINDER, POWER & CCT- ADJUSTABLE	
CMC4-GIM-MCTP-DD-BK	12W/16W/20W 80LM/W 30K/40K/50K Black 6
CMC4-GIM-MCTP-DD-WH	12W/16W/20W 80LM/W 30K/40K/50K White 6



Shown with Drop Lens



CMC6S
SHORT MODELS



CMC-JBCK-BK BLACK
CMC-JBCK-WH WHITE



Shown with Up Light Kit

COMMERCIAL
CYLINDER
LIGHTS

6" ARCHITECTURAL CEILING CYLINDERS

CATALOG NO.	DESCRIPTION
-------------	-------------

6" ROUND ARCHITECTURAL CEILING CYLINDERS

CMC6-MCTP-DD-WH	21W/28W/35W 75LM/W 30K/40K/50K 8.74"H 120-277V, 25°
CMC6-MCTP-DD-BK	21W/28W/35W 75LM/W 30K/40K/50K 8.74"H 120-277V, 25°
CMC6S-MCTP-DD-WH	18W/24W/30W 80LM/W 30K/40K/50K 6.75"H
CMC6S-MCTP-DD-BK	18W/24W/30W 80LM/W 30K/40K/50K 6.75"H
CMC46-ULK	5W 400LM 30K/40K/50K UP LIGHT KIT
CMC-JBCK-WH	Cylinder And Pendant Lighting J-Box Cover Canopy For Up To 4 Pipe Entries, Wh
CMC-JBCK-BK	Cylinder And Pendant Lighting J-Box Cover Canopy For Up To 4 Pipe Entries, Bk
CMC6-TRM-AG	6in Cylinder Trim, Anodized Gold
CMC6-TRM-BN	6in Cylinder Trim, Brushed Nickel
CMC6-WPCK-WH	CMC6 Weatherproof Conversion Kit For Cord Or Down-Rod, White
CMC6-WPCK-BK	CMC6 Weatherproof Conversion Kit For Cord Or Down-Rod, Black
CMC6-HCDK-AG	6in Cylinder Honeycomb Diffuser Kit, Anodized Gold
CMC6-HCDK-BK	6in Cylinder Honeycomb Diffuser Kit, Black
CWMC6-DL32	CMC6 And WMC6 32Mm Acrylic Drop Lens

SUSPENSION ACCESSORIES FOR CMC SERIES

CMC-CS-8FT-WH	Suspension Cable & Canopy Set For CMC Series, 8Ft, 5-Wire, White
CMC-CS-8FT-BK	Suspension Cable & Canopy Set For CMC Series, 8Ft, 5-Wire, Black
CMC-SRK-218-5C-WH	Universal Swivel W/ Rod Kit, 18 Or 36 Inches, 5-Wire, White
CMC-SRK-218-5C-BK	Universal Swivel W/ Rod Kit, 18 Or 36 Inches, 5-Wire, Black
CMC-SRK-224-5C-WH	Universal Swivel W/ Rod Kit, 24 Or 48 Inches, 5-Wire, White
CMC-SRK-224-5C-BK	Universal Swivel W/ Rod Kit, 24 Or 48 Inches, 5-Wire, Black
CMC-SRK-340-5C-WH	Universal Swivel W/ Rod Kit, 40 Or 80 Or 120 Inches, 5-Wire, White
CMC-SRK-340-5C-BK	Universal Swivel W/ Rod Kit, 40 Or 80 Or 120 Inches, 5-Wire, Black





9" ARCHITECTURAL CEILING CYLINDERS

INCL. CLEAR & FORSTED LENSES



COMMERCIAL
CYLINDER
LIGHTS

CATALOG NO.	DESCRIPTION
CMC9-MCTP-D-BK	60W/70W/80W 80LM/W 30K/40K/50K 10"H 120-277V, 60°
CMC9-MCTP-D-WH	60W/70W/80W 80LM/W 30K/40K/50K 10"H 120-277V, 60°
CMC9-EC-BK	Decorative Extension Cylinder Black, Adds 5"H
CMC9-EC-WH	Decorative Extension Cylinder White, Adds 5"H
CMC9-HCDK-BK	9in Cylinder Honeycomb Diffuser Kit, Black
CMC9-REFL-BK	Inside-Black Reflector
CMC9-REFL-WH	Inside-White Reflector
CMC9-WBK-BK	CMC9 Wall Bracket Kit And Conversion Top To IP65, Black
CMC9-WBK-WH	CMC9 Wall Bracket Kit And Conversion Top To IP65, White
CMC9-WPCK-BK	CMC9-Weatherproof Conversion Kit For Cord Or Down-Rod, Black
CMC9-WPCK-WH	CMC9-Weatherproof Conversion Kit For Cord Or Down-Rod, White

SUSPENSION ACCESSORIES FOR CMC SERIES

CMC-CS-8FT-WH	Suspension Cable & Canopy Set For CMC Series, 8Ft, 5-Wire, White
CMC-CS-8FT-BK	Suspension Cable & Canopy Set For CMC Series, 8Ft, 5-Wire, Black
CMC-SRK-218-5C-WH	Universal Swivel W/ Rod Kit, 18 Or 36 Inches, 5-Wire, White
CMC-SRK-218-5C-BK	Universal Swivel W/ Rod Kit, 18 Or 36 Inches, 5-Wire, Black
CMC-SRK-224-5C-WH	Universal Swivel W/ Rod Kit, 24 Or 48 Inches, 5-Wire, White
CMC-SRK-224-5C-BK	Universal Swivel W/ Rod Kit, 24 Or 48 Inches, 5-Wire, Black
CMC-SRK-340-5C-WH	Universal Swivel W/ Rod Kit, 40 Or 80 Or 120 Inches, 5-Wire, White
CMC-SRK-340-5C-BK	Universal Swivel W/ Rod Kit, 40 Or 80 Or 120 Inches, 5-Wire, Black

8IN SQUARE INDOOR CYLINDER, CCT- ADJUSTABLE



CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER
-------------	-------------	--



CMCS8-MCT-D-BK	40W 80LM/W 30K/40K/50K Black
CMCS8-MCT-D-WH	40W 80LM/W 30K/40K/50K White


FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	TRACK PENDANT CONVERSION	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
1', 2' 3"	N/A	N/A	OPT-CMC-TRACK-WH	TRACK PENDANT	N/A	N/A	N/A
1', 2' 3"	N/A	N/A	OPT-CMC-TRACK-BK	CONVERSION			
4" & 6"	OPT-EM-CMC46	INTERNAL	OPT-CMC-TRACK-H-WH	3.3FT TRACK PENDANT			
9" white	OPT-EM-CMC9-WH	Extension Cylinder - White	OPT-CMC-TRACK-H-BK	CONVERSION, H-TYPE			
9" black	OPT-EM-CMC9-BK	Extension Cylinder - Black					

CMC RGBW CYLINDER LIGHTS, PENDANT OR SURFACE MOUNT, APP CONTROLLED



CATALOG NO.	DESCRIPTION	PKG. QTY.
CMC2L-RGBW-BK	6W 300LM 27K-50K + RGB Black	6
CMC2L-RGBW-WH	6W 300LM 27K-50K + RGB White	6
CMC3-RGBW-BK	9W 550LM 27K-50K + RGB Black	6
CMC3-RGBW-WH	9W 550LM 27K-50K + RGB White	6
CMC4-RGBW-BK	15W 900LM 27K-50K + RGB Black	6
CMC4-RGBW-WH	15W 900LM 27K-50K + RGB White	6
CMC6-RGBW-BK	20W 1200LM 27K-50K + RGB Black	8
CMC6-RGBW-WH	20W 1200LM 27K-50K + RGB White	8



X-GEN WATTAGE & CCT ADJ. LED T8 GLASS LAMPS - TYPE A+B (A/C OR BALLAST) - NO POWER SELECT WITH BALLAST

NO PARTIAL/MUST SHIP CASE QTY.



CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER	PKG. QTY.
4FT T8-EZX-4FT-12-18W-MCTP-F	12W/15W/18W 130LM/W	27K/30K/35K/40K/50K	12
T8-EZX-4FT-12-18W-MCTP-S	12W/15W/18W 130LM/W	27K/30K/35K/40K/50K	12

X-GEN LED T8 PC+ALUM. SHATTER-PROOF LAMPS, TYPE A+B FOR A/C OR BALLAST

NO PARTIAL/MUST SHIP CASE QTY.



CATALOG NO.	DESCRIPTION	PKG. QTY.
2FT T8-EZX-PRO-2FT-10W-40K-C	10W 1300LM 4000K Clear, G13, Type A & B	25
T8-EZX-PRO-2FT-10W-40K-F	10W 1300LM 4000K Frosted, G13, Type A & B	25
T8-EZX-PRO-2FT-10W-50K-C	10W 1300LM 5000K Clear, G13, Type A & B	25
T8-EZX-PRO-2FT-10W-50K-F	10W 1300LM 5000K Frosted, G13, Type A & B	25
T8-EZX-PRO-4FT-12W-40K-F	12W 1560LM 4000K Frosted, G13, Type A & B	25
4FT T8-EZX-PRO-4FT-12W-50K-F	12W 1560LM 5000K Frosted, G13, Type A & B	25
T8-EZX-PRO-4FT-18W-40K-C	18W 2340LM 4000K Clear, G13, Type A & B	25
T8-EZX-PRO-4FT-18W-40K-F	18W 2340LM 4000K Frosted, G13, Type A & B	25
T8-EZX-PRO-4FT-18W-50K-C	18W 2340LM 5000K Clear, G13, Type A & B	25
T8-EZX-PRO-4FT-18W-50K-F	18W 2340LM 5000K Frosted, G13, Type A & B	25

X-GEN 3CCT LED T8 GLASS LAMPS

3 COLOR-TEMPERATURES IN ONE LAMP TYPE A+B (A/C OR BALLAST)

NO PARTIAL/MUST SHIP CASE QTY.



CATALOG NO.	DESCRIPTION	PKG. QTY.
2FT T8-EZX-MCT-GS-2FT-8W-C	8W 1216LM 35K/40K/50K Clear, G13, Type A & B	12
T8-EZX-MCT-GS-2FT-8W-F	8W 1216LM 35K/40K/50K Frosted, G13, Type A & B	12
3FT T8-EZX-MCT-GS-3FT-12W-C	12W 1500LM 35K/40K/50K Clear, G13, Type A & B	12
T8-EZX-MCT-GS-3FT-12W-F	12W 1500LM 35K/40K/50K Frosted, G13, Type A & B	12
4FT T8-EZX-MCT-GS-4FT-15W-C	15W 1875LM 35K/40K/50K Clear, G13, Type A & B	12
T8-EZX-MCT-GS-4FT-15W-F	15W 1875LM 35K/40K/50K Frosted, G13, Type A & B	12

X-GEN SELECTABLE-POWER LED T8 GLASS LAMPS, TYPE B FOR DIRECT A/C (BALLAST OVERRIDE)

NO PARTIAL/MUST SHIP CASE QTY.



CATALOG NO.	DESCRIPTION	PKG. QTY.
4FT T8-EZX-TB-4FT-12-18W-50K-F	12W/15W/18W 120LM/W 5000K Frosted, G13, Type B	12
T8-EZX-TB-4FT-12-18W-50K-C	12W/15W/18W 120LM/W 5000K Clear, G13, Type B	12
T8-EZX-TB-4FT-12-18W-40K-F	12W/15W/18W 120LM/W 4000K Frosted, G13, Type B	12
T8-EZX-TB-4FT-12-18W-40K-C	12W/15W/18W 120LM/W 4000K Clear, G13, Type B	12

U-SHAPED T8 EZ6 LED GLASS LAMPS

NO PARTIAL/MUST SHIP CASE QTY.



CATALOG NO.	DESCRIPTION	PKG. QTY.
U Lamp T8-EZ6-U2F-15W-41K-C	15W 2100LM 4100K Ballast Compatible Or 100-277 Ac	10
T8-EZ6-U2F-15W-41K-F	15W 2000LM 4100K Ballast Compatible Or 100-277 Ac	10
T8-EZ6-U2F-15W-50K-C	15W 2100LM 5000K Ballast Compatible Or 100-277 Ac	10
T8-EZ6-U2F-15W-50K-F	15W 2000LM 5000K Ballast Compatible Or 100-277 Ac	10

U-SHAPED T8 LED PLASTIC/ALUMINUM LAMPS

Works 3 ways: 1) With existing electronic ballast 2) A/C direct one end 3) A/C direct 2 ends

NO PARTIAL/MUST SHIP CASE QTY.






CATALOG NO.	DESCRIPTION	WHILE SUPPLIES LAST	PKG. QTY.
U Lamp T8-U2F-EZ3-15W-41K-C	15W 1450LM 4100K BALLAST COMPATIBLE OR 100-277 AC		10
T8-U2F-EZ3-15W-50K-C	15W 1500LM 5000K BALLAST COMPATIBLE OR 100-277 AC		10

NEW GEN. - TYPE A + B (DOUBLE UL) 2FT. 3FT. & 4FT. LED T8-EZ6 **GLASS LAMPS, 180°(CLEAR) & 240° (FROSTED) Beam Angle, ELECTRONIC BALLASTS (TYPE A), ALSO WORK WITH A/C DIRECT (120-277V) ONE END OR BOTH ENDS (TYPE B)**

NO PARTIAL/MUST SHIP CASE QTY.




CATALOG NO.	DESCRIPTION	PKG. QTY.
2FT 	T8-EZ6-GS-2FT-10W-30K-C 10W 1250LM 3000K Clear, G13, Type A & B	12 & 36
	T8-EZ6-GS-2FT-10W-30K-F 10W 1200LM 3000K Frosted, G13, Type A & B	12 & 36
	T8-EZ6-GS-2FT-10W-35K-C 10W 1250LM 3500K Clear, G13, Type A & B	12 & 36
	T8-EZ6-GS-2FT-10W-35K-F 10W 1200LM 3500K Frosted, G13, Type A & B	12 & 36
	T8-EZ6-GS-2FT-10W-40K-C 10W 1250LM 4000K Clear, G13, Type A & B	12 & 36
	T8-EZ6-GS-2FT-10W-40K-F 10W 1200LM 4000K Frosted, G13, Type A & B	12 & 36
	T8-EZ6-GS-2FT-10W-50K-C 10W 1250LM 5000K Clear, G13, Type A & B	12 & 36
	T8-EZ6-GS-2FT-10W-50K-F 10W 1200LM 5000K Frosted, G13, Type A & B	12 & 36
3FT 	T8-EZ6-GS-3FT-12W-40K-C 12W 1600LM 4000K Clear, G13, Type A & B	12 & 36
	T8-EZ6-GS-3FT-12W-40K-F 12W 1560LM 4000K Frosted, G13, Type A & B	12 & 36
	T8-EZ6-GS-3FT-12W-50K-C 12W 1600LM 5000K Clear, G13, Type A & B	12 & 36
	T8-EZ6-GS-3FT-12W-50K-F 12W 1560LM 5000K Frosted, G13, Type A & B	12 & 36
4FT 	T8-EZ6-GS-4FT-15W-30K-C 15W 1875LM 3000K Clear, G13, Type A & B	12 & 36
	T8-EZ6-GS-4FT-15W-30K-F 15W 1800LM 3000K Frosted, G13, Type A & B	12 & 36
	T8-EZ6-GS-4FT-15W-35K-C 15W 1875LM 3500K Clear, G13, Type A & B	12 & 36
	T8-EZ6-GS-4FT-15W-35K-F 15W 1800LM 3500K Frosted, G13, Type A & B	12 & 36
	T8-EZ6-GS-4FT-15W-40K-C 15W 1875LM 4000K Clear, G13, Type A & B	12 & 36
	T8-EZ6-GS-4FT-15W-40K-F 15W 1800LM 4000K Frosted, G13, Type A & B	12 & 36
	T8-EZ6-GS-4FT-15W-50K-C 15W 1875LM 5000K Clear, G13, Type A & B	12 & 36
	T8-EZ6-GS-4FT-15W-50K-F 15W 1800LM 5000K Frosted, G13, Type A & B	12 & 36
4FT 	T8-EZ6-GS-4FT-18W-30K-C 18W 2250LM 3000K Clear, G13, Type A & B	12 & 36
	T8-EZ6-GS-4FT-18W-30K-F 18W 2160LM 3000K Frosted, G13, Type A & B	12 & 36
	T8-EZ6-GS-4FT-18W-35K-C 18W 2250LM 3500K Clear, G13, Type A & B	12 & 36
	T8-EZ6-GS-4FT-18W-35K-F 18W 2160LM 3500K Frosted, G13, Type A & B	12 & 36
	T8-EZ6-GS-4FT-18W-40K-C 18W 2250LM 4000K Clear, G13, Type A & B	12 & 36
	T8-EZ6-GS-4FT-18W-40K-F 18W 2160LM 4000K Frosted, G13, Type A & B	12 & 36
	T8-EZ6-GS-4FT-18W-50K-C 18W 2250LM 5000K Clear, G13, Type A & B	12 & 36
	T8-EZ6-GS-4FT-18W-50K-F 18W 2160LM 5000K Frosted, G13, Type A & B	12 & 36

4FT. T8 GLASS LAMPS

WORKS WITH A/C DIRECT (120-277V) ONE END OR BOTH ENDS (TYPE B) NO PARTIAL/MUST SHIP CASE QTY.




CATALOG NO.	DESCRIPTION	PKG. QTY.
4FT 	T8-4FT-TYPB-17W-40K-F 17W 2200LM 4000K FROSTED	12 & 36
	T8-4FT-TYPB-17W-40K-C 17W 2200LM 4000K CLEAR	12 & 36
	T8-4FT-TYPB-17W-50K-F 17W 2200LM 5000K FROSTED	12 & 36
	T8-4FT-TYPB-17W-50K-C 17W 2200LM 5000K CLEAR	12 & 36
	T8-4FT-TYPB-14W-40K-F 14W 1800LM 4000K FROSTED	13 & 36
	T8-4FT-TYPB-10.5WHL-40K-F 10.5W 1700LM 4000K FROSTED	12 & 36
	T8-4FT-TYPB-10.5WHL-40K-C 10.5W 1700LM 4000K CLEAR	12 & 36

4FT. T8 LED GLASS LAMPS DIMMABLE DIRECT A/C (one end N+L)


NO PARTIAL/MUST SHIP CASE QTY.



CATALOG NO.	DESCRIPTION	PKG. QTY.
4FT 	T8-4FT-DIM-18W-35K-C 18W 1900LM 3500K 90-140VAC, CLEAR	12 & 36
	T8-4FT-DIM-18W-35K-F 18W 1900LM 3500K 90-140VAC, FROSTED	12 & 36
	T8-4FT-DIM-18W-50K-F 18W 2150LM 5000K 90-140VAC, FROSTED	12 & 36

NEW GEN HIGH LUMEN 4FT. LED T8 GLASS LAMPS DIMMABLE DIRECT A/C (ONE END N+L)

NO PARTIAL/MUST SHIP CASE QTY.



CATALOG NO.	DESCRIPTION	PKG. QTY.
4FT T8-HL-4FT-DIM-18W-40K-C	18W 2250LM 4000K Clear	12 & 36
T8-HL-4FT-DIM-18W-40K-F	18W 2160LM 4000K Frosted	12 & 36
T8-HL-4FT-DIM-18W-50K-C	18W 2250LM 5000K Clear	12 & 36
T8-HL-4FT-DIM-18W-50K-F	18W 2160LM 5000K Frosted	12 & 36

8FT. SPLIT VERSION LED T8 LAMPS, TYPE B

NO PARTIAL/MUST SHIP CASE QTY.



CATALOG NO.	DESCRIPTION	PKG. QTY.
8FT T8-HL-8FT-SPLIT-42W-40K-C	42W 6000LM 4000K Clear	18
T8-HL-8FT-SPLIT-42W-40K-F	42W 5500LM 4000K Frosted	18
T8-HL-8FT-SPLIT-42W-50K-C	42W 6000LM 5000K Clear	18
T8-HL-8FT-SPLIT-42W-50K-F	42W 5500LM 5000K Frosted	18
T8-R17D-CONV	R17D Conversion kit	

8FT. LED T8 LAMPS, TYPE B DIRECT A/C 100-277V (TWO ENDS)

NO PARTIAL/MUST SHIP CASE QTY.



CATALOG NO.	DESCRIPTION	PKG. QTY.
8FT T8-HL-8FT-40W-40K-C	40W 4600LM 4000K Clear	20
T8-HL-8FT-40W-40K-F	40W 4400LM 4000K Frosted	20
T8-HL-8FT-40W-50K-C	40W 4600LM 5000K Clear	20
T8-HL-8FT-40W-50K-F	40W 4400LM 5000K Frosted	20

T12 X-GEN SELECTABLE-CCT LED LAMPS, TYPE A+B FOR A/C OR BALLAST

NO PARTIAL/MUST SHIP CASE QTY.



CATALOG NO.	DESCRIPTION	PKG. QTY.
T12-EZX-MCT-GS-4FT-16W-F	16W 2000LM 30K/40K/50K/65K Frosted, G13, Type B	20

4FT. LED T5 GLASS LAMPS, TYPE A+B, WORK WITH DIRECT A/C OR BALLAST



CATALOG NO.	DESCRIPTION	PKG. QTY.
4FT T5-EZ6-GS-4FT-24W-40K-F	24W 3000LM 4000K Frosted	12 & 36
T5-EZ6-GS-4FT-24W-50K-F	24W 3000LM 4000K Frosted	12 & 36

4FT. LED T5 GLASS LAMPS

NO PARTIAL/MUST SHIP CASE QTY.

CATALOG NO.	DESCRIPTION	PKG. QTY.
4FT T5-TYPA-27W-40K-F	27W 3200LM 4000K FROSTED	40
T5-TYPA-27W-50K-F	27W 3200LM 5000K FROSTED	40
T5-TYPB-25W-40K-F	25W 3200LM 4000K FROSTED	40

5FT. & 6FT. LED REFRIGERATOR LAMPS



CATALOG NO.	DESCRIPTION	PKG. QTY.
5FT T-RFG-5FT-22W-50K-C	22W 3100LM 5000K CLEAR	25
6FT T-RFG-6FT-30W-50K-C	30W 4200LM 5000K CLEAR	25

LED SIGN TUBE - 360° - R17D ENDS - SINGLE/DOUBLE ENDED

NO PARTIAL/MUST SHIP CASE QTY.



CATALOG NO.	DESCRIPTION	PKG. QTY.
T8HO-R17D-4FT-65K-360D	21W 125LM/W 6500K	25
T8HO-R17D-5FT-65K-360D	26W 125LM/W 6500K	25
T8HO-R17D-6FT-65K-360D	31W 125LM/W 6500K	25
T8HO-R17D-7FT-65K-360D	37W 125LM/W 6500K	25
T8HO-R17D-8FT-65K-360D	42W 125LM/W 6500K	25

LED EMERGENCY DRIVER FOR ALL T8 LAMPS



CATALOG NO.	DESCRIPTION
ELB-18150-B	Field-installed emergency ballast for all T8 Lamps; Input voltage: 100-277VAC, 50-60Hz; Output: 18W Maximum for 90 minutes

COMMERCIAL
T8
LAMPS



ROUND & OPEN RECESSED LIGHT



SQUARE & OPEN RECESSED LIGHT



ROUND & WALL WASH RECESSED LIGHT



SQUARE & WALL WASH RECESSED LIGHT



CRLC-TRM-6 Round Trim Open



CRLC-TRM-6-WH Round Trim Open



CRLC-TRM-6-RG Round Trim Open



CRLC-TRM-6A Round Trim Wall Wash



CRLC-TRM-6S Square Trim Open



CRLC-TRM-6SA Square Trim Wall Wah

Haze finish & White ring White finish & White ring Rose Gold & White ring Haze finish & White ring Haze finish & White ring Haze finish & White ring

**ARRIVES THIS SEASON
CHECK & PRE-ORDER**

LED COMMERCIAL RECESSED LIGHT
(CLIP-ON/SNAP-IN) WITH OR WITHOUT HOUSING



WATTS	LUMENS
15W	1200-1275LM
20W	1600-1720LM

15W ENGINE

20W ENGINE

40W MAX ENGINE

60W MAX ENGINE

MCT₃

CRLC-EGN-15W-50K-D

MCT₃

CRLC-EGN-20W-50K-D
CRLC-EGN-20W-MCTP-D

27W/34W/40W & 30K/35K/40K
MCT₃

CRLC-EGN-40W-MCTP-D

40W/50W/60W & 30K/35K/40K
MCT₃

CRLC-EGN-60W-MCTP-D

15W RECESSED LIGHT

20W RECESSED LIGHT

40W RECESSED LIGHT

60W RECESSED LIGHT

4" ROUND TRIM		4" ROUND RECESSED LIGHT		4" SQUARE TRIM		4" SQUARE RECESSED LIGHT				
HAZE FINISH & WHITE RING	OPEN	CRLC-TRM-4	→	CRLC4-15W-50K-D	→	CRLC4-20W-MCTP-D	→	CRLC4-40W-MCTP-D	→	CRLC4-60W-MCTP-D
	WALL WASH	CRLC-TRM-4A	→	CRLC4-15W-50K-A-D	→	CRLC4-20W-50K-A-D CRLC4-20W-MCTP-A-D	→	CRLC4-40W-MCTP-A-D	→	CRLC4-60W-MCTP-A-D
	OPEN	CRLC-TRM-4-WH	→	CRLC4-15W-50K-D-WH	→	CRLC4-20W-50K-D-WH CRLC4-20W-MCTP-D-WH	→	CRLC4-40W-MCTP-D-WH	→	CRLC4-60W-MCTP-D-WH
	WALL WASH	CRLC-TRM-4A-WH	→	CRLC4-15W-50K-A-D-WH	→	CRLC4-20W-50K-A-D-WH CRLC4-20W-MCTP-A-D-WH	→	CRLC4-40W-MCTP-A-D-WH	→	CRLC4-60W-MCTP-A-D-WH
ROSE GOLD	OPEN	CRLC-TRM-4-RG	→	CRLC4-15W-50K-D-RG	→	CRLC4-20W-50K-D-RG CRLC4-20W-MCTP-D-RG	→	CRLC4-40W-MCTP-D-RG	→	CRLC4-60W-MCTP-D-RG
	OPEN	CRLC-TRM-4S	→	CRLC4-15W-50K-S-D	→	CRLC4-20W-50K-S-D CRLC4-20W-MCTP-S-D	→	CRLC4-40W-MCTP-S-D	→	CRLC4-60W-MCTP-S-D
	WALL WASH	CRLC-TRM-4SA	→	CRLC4-15W-50K-SA-D	→	CRLC4-20W-50K-SA-D CRLC4-20W-MCTP-SA-D	→	CRLC4-40W-MCTP-SA-D	→	CRLC4-60W-MCTP-SA-D
	OPEN	CRLC-TRM-4S-WH	→	CRLC4-15W-50K-S-D-WH	→	CRLC4-20W-50K-S-D-WH CRLC4-20W-MCTP-S-D-WH	→	CRLC4-40W-MCTP-S-D-WH	→	CRLC4-60W-MCTP-S-D-WH
WALL WASH	CRLC-TRM-4SA-WH	→	CRLC4-15W-50K-SA-D-WH	→	CRLC4-20W-50K-SA-D-WH CRLC4-20W-MCTP-SA-D-WH	→	CRLC4-40W-MCTP-SA-D-WH	→	CRLC4-60W-MCTP-SA-D-WH	

LED COMMERCIAL RECESSED LIGHT
(CLIP-ON/SNAP-IN) WITH OR WITHOUT HOUSING



WATTS	LUMENS
15W	1200-1275LM
20W	1600-1720LM

15W ENGINE

20W ENGINE

40W MAX ENGINE

60W MAX ENGINE



6" ROUND TRIM		6" ROUND RECESSED LIGHT	15W RECESSED LIGHT	20W RECESSED LIGHT	40W RECESSED LIGHT	60W RECESSED LIGHT	
HAZE FINISH & WHITE RING	OPEN		CRLC-TRM-6	CRLC6-15W-MCT-D	CRLC6-20W-MCTP-D	CRLC6-40W-MCTP-D	CRLC6-60W-MCTP-D
	WALL WASH	CRLC-TRM-6A	CRLC6-15W-50K-A-D CRLC6-15W-MCT-A-D	CRLC6-20W-50K-A-D CRLC6-20W-MCTP-A-D	CRLC6-40W-MCTP-A-D	CRLC6-60W-MCTP-A-D	
WHITE FINISH & WHITE RING	OPEN	CRLC-TRM-6-WH	CRLC6-15W-MCT-D-WH	CRLC6-20W-MCTP-D-WH	CRLC6-40W-MCTP-D-WH	CRLC6-60W-MCTP-D-WH	
	WALL WASH	CRLC-TRM-6A-WH	CRLC6-15W-50K-A-D-WH CRLC6-15W-MCT-A-D-WH	CRLC6-20W-50K-A-D-WH CRLC6-20W-MCTP-A-D-WH	CRLC6-40W-MCTP-A-D-WH	CRLC6-60W-MCTP-A-D-WH	
ROSE GOLD	OPEN	CRLC-TRM-6-RG	CRLC6-15W-50K-D-RG CRLC6-15W-MCT-D-RG	CRLC6-20W-50K-D-RG CRLC6-20W-MCTP-D-RG	CRLC6-40W-MCTP-D-RG	CRLC6-60W-MCTP-D-RG	
6" SQUARE TRIM	HAZE FINISH & WHITE RING	OPEN	CRLC-TRM-6S	CRLC6-15W-50K-S-D CRLC6-15W-MCT-S-D	CRLC6-20W-50K-S-D CRLC6-20W-MCTP-S-D	CRLC6-40W-MCTP-S-D	CRLC6-60W-MCTP-S-D
		WALL WASH	CRLC-TRM-6SA	CRLC6-15W-50K-SA-D CRLC6-15W-MCT-SA-D	CRLC6-20W-50K-SA-D CRLC6-20W-MCTP-SA-D	CRLC6-40W-MCTP-SA-D	CRLC6-60W-MCTP-SA-D
WHITE FINISH & WHITE RING	OPEN	CRLC-TRM-6S-WH	CRLC6-15W-50K-S-D-WH CRLC6-15W-MCT-S-D-WH	CRLC6-20W-50K-S-D-WH CRLC6-20W-MCTP-S-D-WH	CRLC6-40W-MCTP-S-D-WH	CRLC6-60W-MCTP-S-D-WH	
	WALL WASH	CRLC-TRM-6SA-WH	CRLC6-15W-50K-SA-D-WH CRLC6-15W-MCT-SA-D-WH	CRLC6-20W-50K-SA-D-WH CRLC6-20W-MCTP-SA-D-WH	CRLC6-40W-MCTP-SA-D-WH	CRLC6-60W-MCTP-SA-D-WH	
8" ROUND TRIM	HAZE FINISH & WHITE RING	OPEN	CRLC-TRM-8	CRLC8-15W-MCT-D	CRLC8-20W-MCTP-D	CRLC8-40W-MCTP-D	CRLC8-60W-MCTP-D
	WHITE FINISH & WHITE RING	OPEN	CRLC-TRM-8-WH	CRLC8-15W-MCT-D-WH	CRLC8-20W-MCTP-D-WH	CRLC8-40W-MCTP-D-WH	CRLC8-60W-MCTP-D-WH
	ROSE GOLD FINISH & WHITE RING	OPEN	CRLC-TRM-8-RG	CRLC8-15W-MCT-D-RG	CRLC8-20W-MCTP-D-RG	CRLC8-40W-MCTP-D-RG	CRLC8-60W-MCTP-D-RG
10" ROUND TRIM	HAZE FINISH & WHITE RING	OPEN	CRLC-TRM-10	CRLC10-15W-MCT-D	CRLC10-20W-MCTP-D	CRLC10-40W-MCTP-D	CRLC10-60W-MCTP-D
	WHITE FINISH & WHITE RING	OPEN	CRLC-TRM-10-WH	CRLC10-15W-MCT-D-WH	CRLC10-20W-MCTP-D-WH	CRLC10-40W-MCTP-D-WH	CRLC10-60W-MCTP-D-WH
	ROSE GOLD FINISH & WHITE RING	OPEN	CRLC-TRM-10-RG	CRLC10-15W-MCT-D-RG	CRLC10-20W-MCTP-D-RG	CRLC10-40W-MCTP-D-RG	CRLC10-60W-MCTP-D-RG

COMMERCIAL
RECESSED

MOUNTING PLATE WITH BRACKETS AND J-BOX

CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER
-------------	-------------	--



CRLC-468-RIBH-JB CRLC Series Mounting Plate With Brackets And J-Box 4/6/8 in
CRLCS-46-RIBH-JB CRLC Square Mounting Plate With Brackets And J-Box 4/6 in



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL MODELS	OPT-EM-CRLC	EXTERNAL	N/A	N/A	N/A	N/A	N/A

LED COMMERCIAL RECESSED LIGHT, 120-277V

HAZE



WHILE SUPPLIES LAST

CODE	TRIM DESCRIPTION	WATTS		COLOR TEMP		WATT
		CODE	DESCRIPTION	CODE	DESCRIPTION	
CRL4	4" LED Commercial trim only, 4 inches	27W	1950LM	30K	3000K	27W:
		40W	2387LM	40K	4000K	
		54W	2834LM	50K	5000K	
CRL6	6" LED Commercial trim only, 6 inches	18W	1639LM	30K	3000K	18W:
		27W	2387LM	40K	4000K	
		40W	3447LN	50K	5000K	
CRL8	8" LED Commercial trim only, 8 inches	18W	1639LM	30K	3000K	18W:
		27W	2387LM	40K	4000K	
		40W	3447LN	50K	5000K	
CRL10	10" LED Commercial trim only, 10 inches	18W	1639LM	30K	3000K	18W:
		27W	2387LM	40K	4000K	
		40W	3447LN	50K	5000K	



Shown with Housing (Not Incl., See Below)

SEE NEXT PAGE FOR HOUSING

Sample Order:

CRL6-27W-40K



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL MODELS	OPT-EM-CRL	EXTERNAL	N/A	N/A	N/A	N/A	N/A

SPEC SERIES COMMERCIAL RECESS LIGHT, POWER AND CCT ADJUSTABLE




CATALOG NO.	DESCRIPTION
CRLX4-14-27W-MCTP	14W/20W/27W 80LM/W 30K/35K/40K 4" MCTP
CRLX6-18-40W-MCTP	18W/27W/40W 85LM/W 30K/35K/40K 6" MCTP
CRLX6-50-80W-MP-30K	50W/65W/80W 85LM/W 3000K 6" MP
CRLX6-50-80W-MP-40K	50W/65W/80W 85LM/W 4000K 6" MP
CRLX6-50-80W-MP-50K	50W/65W/80W 85LM/W 5000K 6" MP
CRLX8-18-40W-MCTP	18W/27W/40W 85LM/W 30K/35K/40K 8" MCTP
CRLX8-50-80W-MP-30K	50W/65W/80W 85LM/W 3000K 8" MP
CRLX8-50-80W-MP-40K	50W/65W/80W 85LM/W 4000K 8" MP
CRLX8-50-80W-MP-50K	50W/65W/80W 85LM/W 5000K 8" MP
CRLX10-18-40W-MCTP	18W/27W/40W 85LM/W 30K/35K/40K 10" MCTP
CRLX10-50-80W-MP-30K	50W/65W/80W 85LM/W 3000K 10" MP
CRLX10-50-80W-MP-40K	50W/65W/80W 85LM/W 4000K 10" MP
CRLX10-50-80W-MP-50K	50W/65W/80W 85LM/W 5000K 10" MP

SEE NEXT PAGE FOR HOUSING












Back View ENGINE + TRIM

LED COMMERCIAL RECESSED LIGHT HOUSINGS

CATALOG NO.	DESCRIPTION	PKG. QTY.
 CRL-HSG-4	Commercial Recessed Light Housings, 4"	2
CRL-HSG-6	Commercial Recessed Light Housings, 6"	2
CRL-HSG-8	Commercial Recessed Light Housings, 8"	2
CRL-HSG-10	Commercial Recessed Light Housings, 10"	2
CRL-BH	Bar Hanger For Commercial Recessed Housings	

BUILDER SERIES COMMERCIAL RECESS LIGHT, POWER AND CCT ADJUSTABLE **MCTP**

CATALOG NO.	DESCRIPTION
 CRLE4-5-12W-MCTP-WH	5W/7W/12W 100LM/W 30K/40K/50K 4"
CRLE6-7-18W-MCTP-WH	7W/10W/18W 100LM/W 30K/40K/50K 6"
 CRLE6-H0-25-40W-MCTP-WH	25W/30W/40W 100LM/W 30K/40K/50K 6", High-Output
CRLE8-10-22W-MCTP-WH	10W/15W/22W 100LM/W 30K/40K/50K 8"
 CRLE8-H0-34-52W-MCTP-WH	34W/42W/52W 100LM/W 30K/40K/50K 8", High-Output
CRLE10-20-32W-MCTP-WH	20W/25W/32W 100LM/W 30K/40K/50K 10"
 CRLE10-H0-26-40W-MCTP-WH	26W/32W/40W 100LM/W 30K/40K/50K 10", High-Output
 CRLE-RI-TBAR-UNV	Snap-In Comm. Recessed Light Universal TBAR Plate
CRLE-RI-UNV	Snap-In Comm. Recessed Light Universal Rough-In Plate
 CRLE4-TRM-BK	4" Snap-In Comm. Recessed Light 4In Black Trim + Ring Set
CRLE4-TRM-BN	4" Snap-In Comm. Recessed Light 4In Brushed Nickel Trim + Ring Set
 CRLE6-TRM-BK	6" Snap-In Comm. Recessed Light 6In Black Trim + Ring Set
CRLE6-TRM-BN	6" Snap-In Comm. Recessed Light 6In Brushed Nickel Trim + Ring Set
 CRLE8-TRM-BK	8" Snap-In Comm. Recessed Light 8In Black Trim + Ring Set
CRLE8-TRM-BN	8" Snap-In Comm. Recessed Light 8In Brushed Nickel Trim + Ring Set
 CRLE10-TRM-BK	10" Snap-In Comm. Recessed Light 10In Black Trim + Ring Set
CRLE10-TRM-BN	10" Snap-In Comm. Recessed Light 10In Brushed Nickel Trim + Ring Set




FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL MODELS	OPT-EM-CRLE	EXTERNAL	N/A	N/A	N/A	N/A	N/A

LED COMMERCIAL SLIM CANLESS RECESSED REGRESSED BAFFLE LIGHTS 120-277V, 0-10V DIMMING



CATALOG NO.	DESCRIPTION	PKG. QTY.
 RSLC6-BF-30K	15W 1200LM 3000K 6"	12
RSLC6-BF-40K	15W 1200LM 4000K 6"	12
RSLC8-BF-30K	18W 1440LM 3000K 8"	12
RSLC6-BF-MCT5	15W 1200LM 27K/30K/35K/40K/50K 6"	
RSLC8-BF-MCT5	18W 1440LM 27K/30K/35K/40K/50K 8"	
RSL-BF-EXT-6FT	RSL-BF 6FT. DC extension cord	-
RSL-BF-EXT-10FT	RSL-BF 10FT. DC extension cord	-
RSL-BF-EXT-20FT	RSL-BF 20FT. DC extension cord	-



HALF CIRCLE INDOOR WALL SCNCE, 5CCT



CATALOG NO.	DESCRIPTION	PKG. QTY.
FDLH-12-MCT5	12W 960LM 27K/30K/35K/40K/50K	6

COMMERCIAL
VANITY LIGHTS



LSC-10-MCTP-BN
Brushed Nickel



LSC-15-MCTP-BN
Brushed Nickel



LSC-18-MCTP-BN
Brushed Nickel

MODERN INDOOR WALL SCNCE, POWER AND CCT ADJUSTABLE



CATALOG NO.	DESCRIPTION	PKG. QTY.
LSC-10-MCTP-BN	9W/12W/15W 80LM/W 30K/40K/50K Brushed Nickel	6
LSC-15-MCTP-BN	12W/18W/20W 80LM/W 30K/40K/50K Brushed Nickel	6
LSC-18-MCTP-BN	15W/20W/25W 80LM/W 30K/40K/50K Brushed Nickel	6



LED VANITY LIGHT, 120-277VAC



CATALOG NO.	DESCRIPTION	PKG. QTY.
LVL-2FT-MCT-DD	20W 2200LM 30K/40K/50K	
LVL-2FT-17W-30K	17W 1900LM 3000K WHILE SUPPLIES LAST	3
LVL-2FT-17W-40K	17W 1900LM 4000K	3

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	ROCKER SWITCH OPTION	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL MODELS	OPT-EM-LVL	INTERNAL	OPT-VL-RS-BK	BOX	N/A	OPT-SEN-2MDR-36 WEC-3RC	PROGRAMMABLE MICROWAVE BI-LEVEL REMOTE CONTROL




LVF-WS-MCT5-BN

BULDER SERIES VANITY LIGHTS WITH SLIDE-TO-CENTER WALL CANOPY



CATALOG NO.	DESCRIPTION
LVF-18-MCT5-BN	12W 1020LM 27K/30K/35K/40K/50K 18" Brushed Nickel
LVF-24-MCT5-BN	16W 1360LM 27K/30K/35K/40K/50K 24" Brushed Nickel
LVF-30-MCT5-BN	20W 1600LM 27K/30K/35K/40K/50K 30" Brushed Nickel
LVF-36-MCT5-BN	24W 2000LM 27K/30K/35K/40K/50K 36" Brushed Nickel
LVF-48-MCT5-BN	32W 2700LM 27K/30K/35K/40K/50K 48" Brushed Nickel
LVF-WS-MCT5-BN	16W 1360LM 27K/30K/35K/40K/50K 14" Brushed Nickel



COMMERCIAL
VANITY
LIGHTS

MODEL LVB LED SEMI-FLUSH VANITY LIGHT, 3CCT, PC LENS, 120V

FOR FACTORY OPTION BOX SEE LVE BELOW



CATALOG NO.	DESCRIPTION
LVB-12-MCT-BN	8W 560LM 30K/40K/50K Brushed-Nickel, 12"
LVB-12-MCT-PC	8W 560LM 30K/40K/50K Polished-Chrome, 12"
LVB-18-MCT-BN	12W 840LM 30K/40K/50K Brushed-Nickel, 18"
LVB-18-MCT-PC	12W 840LM 30K/40K/50K Polished-Chrome, 18"
LVB-24-MCT-BN	16W 1440LM 30K/40K/50K Brushed-Nickel, 24"
LVB-24-MCT-PC	16W 1440LM 30K/40K/50K Polished-Chrome, 24"
LVB-36-MCT-BN	24W 1680LM 30K/40K/50K Brushed-Nickel, 36"
LVB-36-MCT-PC	24W 1680LM 30K/40K/50K Polished-Chrome, 36"
LVB-48-MCT-BN	32W 2240LM 30K/40K/50K Brushed-Nickel, 48"
LVB-48-MCT-PC	32W 2240LM 30K/40K/50K Polished-Chrome, 48"



MODEL LVC ARCHITECTURAL LED MULTI COLOR-TEMPERATURE VANITY LIGHT WITH CUBE PC LENS, 120V

FOR FACTORY OPTION BOX SEE LVE BELOW



CATALOG NO.	DESCRIPTION	PKG. QTY.
LVC-24-MCT5-BN	16W 1120LM 27K/30K/35K/40K/50K Brushed Nickel 24"	10
LVC-36-MCT5-BN	24W 1680LM 27K/30K/35K/40K/50K Brushed Nickel 36"	10



LVD-WS-MCT5-BN

MODEL LVD ARCHITECTURAL LED MULTI COLOR-TEMPERATURE VANITY LIGHT WITH TUBE PC, 120V

FOR FACTORY OPTION BOX SEE LVE BELOW



CATALOG NO.	DESCRIPTION	PKG. QTY.
LVD-24-MCT5-BN	16W 1300LM 27K/30K/35K/40K/50K Brushed Nickel 24"	10
LVD-36-MCT5-BN	24W 2000LM 27K/30K/35K/40K/50K Brushed Nickel 36"	10
LVD-48-MCT5-BN	32W 2700LM 27K/30K/35K/40K/50K Brushed Nickel 48"	10
LVD-WS-MCT5-BN	16W 1360LM 27K/30K/35K/40K/50K Brushed Nickel 14"	

COMMERCIAL

VANITY LIGHTS



OVAL-BACK 360° MODERN VANITY LIGHT



CATALOG NO.	DESCRIPTION	PKG. QTY.
LVO-18-MCT5-BN	18W 1260LM 27K/30K/35K/40K/50K Brushed Nickel 18"	10
LVO-24-MCT5-BN	24W 1680LM 27K/30K/35K/40K/50K Brushed Nickel 24"	6
LVO-36-MCT5-BN	36W 2520LM 27K/30K/35K/40K/50K Brushed Nickel 36"	4



MODEL LVE MULTI COLOR-TEMPERATURE VANITY LIGHT (3CCT), WITH PC LENS AND METAL RINGS, 120V



CATALOG NO.	DESCRIPTION	PKG. QTY.
LVE-24-MCT-BN	17W 1760LM 3000K/3500K/4000K Brushed Nickel 24"	1
LVE-36-MCT-BN	25W 2560LM 3000K/3500K/4000K Brushed Nickel 36"	1
LVE-48-MCT-BN	34W 3500LM 3000K/3500K/4000K Brushed Nickel 48"	1



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	277V OPTION	DESCRIPTION	ROCKER SWITCH OPTION	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL	OPT-277V	INTERNAL	OPT-VL-RS-BK	BOX	N/A	N/A	N/A



MODEL LVA ARCHITECTURAL LED DUAL GLASS MULTI COLOR-TEMPERATURE VANITY LIGHT, 120V

FOR FACTORY OPTION BOX SEE LVE BELOW



CATALOG NO.	DESCRIPTION	PKG. QTY.
LVA-24-MCT5-BN	20W 1400LM 27K/30K/35K/40K/50K Brushed Nickel 24"	1
LVA-36-MCT5-BN	30W 2100LM 27K/30K/35K/40K/50K Brushed Nickel 36"	1



MODEL LVG ARCHITECTURAL LED MULTI COLOR-TEMPERATURE VANITY LIGHT WITH SQUARE PC LENS, 120V

FOR FACTORY OPTION BOX SEE LVE BELOW



CATALOG NO.	DESCRIPTION	PKG. QTY.
LVG-24-MCT5-BN	18W 1300LM 27K/30K/35K/40K/50K Brushed Nickel 24"	10
LVG-36-MCT5-BN	30W 2000LM 27K/30K/35K/40K/50K Brushed Nickel 36"	10

COMMERCIAL
VANITY LIGHTS



LVS-24
LVS-36
LVS-48




LVS-WS-21

SPEC SERIES SLIM ROTATABLE VANITY LIGHTS AND SCONCES, 120V



CATALOG NO.	DESCRIPTION	PKG. QTY.
LVS-24-MCT5-BN	20W 1400LM 27K/30K/35K/40K/50K 24" Brushed Nickel	10
LVS-24-MCT5-BK	20W 1400LM 27K/30K/35K/40K/50K 24" Black	10
LVS-24-MCT5-BB	20W 1400LM 27K/30K/35K/40K/50K 24" Brushed Brass	10
LVS-36-MCT5-BN	30W 2100LM 27K/30K/35K/40K/50K 36" Brushed Nickel	10
LVS-36-MCT5-BK	30W 2100LM 27K/30K/35K/40K/50K 36" Black	10
LVS-36-MCT5-BB	30W 2100LM 27K/30K/35K/40K/50K 36" Brushed Brass	10
LVS-48-MCT5-BN	40W 2800LM 27K/30K/35K/40K/50K 48" Brushed Nickel	10
LVS-48-MCT5-BK	40W 2800LM 27K/30K/35K/40K/50K 48" Black	10
LVS-48-MCT5-BB	40W 2800LM 27K/30K/35K/40K/50K 48" Brushed Brass	10
LVS-WS-21-MCT5-BN	14W 980LM 27K/30K/35K/40K/50K 21" Brushed Nickel	10
LVS-WS-21-MCT5-BK	14W 980LM 27K/30K/35K/40K/50K 21" Black	10
LVS-WS-21-MCT5-BB	14W 980LM 27K/30K/35K/40K/50K 21" Brushed Brass	10



CWS-12-MCTP

CWS-18-MCTP

CWS-48-MCTP
Show with DWA Accessories

CWS-48-MCTP-DWA
Comes with suspension cables

COMMERCIAL AND WAITING-ROOM INDOOR WALL SCNCE AND SUSPENDED LIGHTS

CATALOG NO.	DESCRIPTION	PKG. QTY.
CWS-12-MCTP	10W/15W/20W 85LM/W 30K/35K/40K	1
CWS-18-MCTP	10W/15W/20W 85LM/W 30K/35K/40K	1
CWS-48-MCTP	20W/30W/40W 85LM/W 30K/35K/40K	1



LMIR-18-2028-MCT-DF
LMIR-18-2436-MCT-DF
LMIR-18-2840-MCT-DF



LMIR-36-2028-MCT-DF
LMIR-36-2436-MCT-DF



LMIR-18R-24D-MCT-DF
LMIR-18R-32D-MCT-DF
LMIR-18R-40D-MCT-DF



LMIR-54-2840-MCT-DF



LMIR-MC18-2432-MCT-DF

SPEC SERIES LED MIRRORS AND CABINET, ADJUSTABLE COLOR TEMP., DIMMING, WITH DEFOGGER FEATURE, (ALL SPECIAL SIZES AVAIL. BY SPECIAL ORDER)



CATALOG NO.	DESCRIPTION	W X H	PKG. QTY.
SQUARE LED MIRRORS AND CABINET			
LMIR-18-2028-MCT-DF	35W 3000K/4500K/6500K	20"W X 28"H	1
LMIR-18-2436-MCT-DF	44W 3000K/4500K/6500K	24"W X 36"H	1
LMIR-36-2028-MCT-DF	31W 3000K/4500K/6500K	20"W X 28"H	1
LMIR-36-2436-MCT-DF	39W 3000K/4500K/6500K	24"W X 36"H	1
LMIR-54-2840-MCT-DF	48W 3000K/4500K/6500K	28"W X 40"H	1
LMIR-MC18-2432-MCT-DF	35W 2700K-6500K	24"W X 32"H	1
ROUND LED MIRRORS AND CABINET			
LMIR-18R-24D-MCT-DF	30W 30K/45K/65K	24"	1
LMIR-18R-32D-MCT-DF	48W 30K/45K/65K	32"	1
LMIR-18R-40D-MCT-DF	68W 30K/45K/65K	40"	1



With Pull Chain

WFL-112-PC-3B-52-MCT-WH-WH
White and White blades



With Pull Chain

WFL-112-PC-3B-52-MCT-BK-BK
Black and Black blades



With Pull Chain

WFL-112-PC-3B-52-MCT-BN-RWS
Brush Nickel and Reversible
Rosewood/Silver blades



With Pull Chain

WFL-113-PC-5B-52-MCT-WH-WH
White and White blades



With Pull Chain

WFL-113-PC-5B-52-MCT-BN-RWBK
Brush Nickel and Reversible
Black/Rosewood blades



With Pull Chain

WFL-115-PC-3B-52-MCT-WH-WH
White and White blades



With Pull Chain

WFL-115-PC-3B-52-MCT-BK-BK
Black and Black blades



With Pull Chain

WFL-115-PC-3B-52-MCT-BN-RWS
Brush Nickel and Reversible
Rosewood/Silver blades



With wall switch

WFL-116-WS-3B-52-30K-WH-WH
White and White blades



With wall switch

WFL-116-WS-3B-52-30K-BK-BK
Black and Black blades



With wall switch

WFL-116-WS-3B-52-30K-BN-RWS
Brush Nickel and Reversible
Rosewood/Silver blades



With Pull Chain

WFL-107-PC-5B-52-WH-WH
White and White blades



With Pull Chain

WFL-107-PC-5B-52-BN-RWSO
Brush Nickel and Reversible
Rosewood/Silver oak



With Pull Chain

WFL-105-PC-5B-52-WH-WH
White and White blades



With Pull Chain

WFL-105-PC-5B-52-SN-RWSO
Satin Nickel and Reversible
Rosewood /Silver oak



With Pull Chain

WFL-103-PC-5B-52-WH-WH
White and White blades



With Pull Chain

WFL-103-PC-5B-52-BN-RWSO
Brush Nickel and Reversible
Rosewood/Silver oak



With wall switch

WFL-118-WS-4B-52-30K-WH-WH
White and White blades



With wall switch

WFL-118-WS-4B-52-30K-BK-BK
Black and Black blades



With wall switch

WFL-118-WS-4B-52-30K-BN-S
Brush Nickel/Silver Blades



With Remote Control

WF-318WP-RC-3B-52-BR-WA
Bronze And Walnut Blades



With wall switch

WFL-117DL-WS-4B-52-30K-BK-BK
Black and Black blades

WESTGATE CEILING FANS


CATALOG NO.	DESCRIPTION	PKG. QTY.
WFL-112-PC-3B-52-MCT-WH-WH	20W 1750LM 30K/40K/50K White and White blades	1
WFL-112-PC-3B-52-MCT-BK-BK	20W 1750LM 30K/40K/50K Black and Black blades	1
WFL-112-PC-3B-52-MCT-BN-RWS	20W 1750LM 30K/40K/50K Brush Nickel and Reversible Rosewood/Silver blades	1
WFL-113-PC-5B-52-MCT-WH-WH	20W 1750LM 30K/40K/50K White and White blades	1
WFL-113-PC-5B-52-MCT-BN-RWBK	20W 1750LM 30K/40K/50K Brush Nickel and Reversible Black/Rosewood blades	1
WFL-115-PC-3B-52-MCT-WH-WH	20W 1750LM 30K/40K/50K White and White blades	1
WFL-115-PC-3B-52-MCT-BK-BK	20W 1750LM 30K/40K/50K Black and Black blades	1
WFL-115-PC-3B-52-MCT-BN-RWS	20W 1750LM 30K/40K/50K Brush Nickel and Reversible Rosewood/Silver blades	1
WFL-116-WS-3B-52-30K-WH-WH	19W 1600LM 3000K White and White blades	1
WFL-116-WS-3B-52-30K-BK-BK	19W 1600LM 3000K Black and Black blades	1
WFL-116-WS-3B-52-30K-BN-RWS	19W 1600LM 3000K Brush Nickel and Reversible Rosewood/Silver blades	1
WFL-107-PC-5B-52-WH-WH	9W*2 800LM*2 3000K White and White blades	1
WFL-107-PC-5B-52-BN-RWSO	9W*2 800LM*2 3000K Brush Nickel and Reversible Rosewood/Silver oak	1
WFL-105-PC-5B-52-WH-WH	7W*3 600LM*3 3000K White and White blades	1
WFL-105-PC-5B-52-SN-RWSO	7W*3 600LM*3 3000K Satin Nickel and Reversible Rosewood /Silver oak	1
WFL-103-PC-5B-52-WH-WH	7W*3 600LM*3 3000K White and White blades	1
WFL-103-PC-5B-52-BN-RWSO	7W*3 600LM*3 3000K Brush Nickel and Reversible Rosewood/Silver oak	1
WFL-118-WS-4B-52-30K-WH-WH	19W 1600LM 3000K White and White blades	1
WFL-118-WS-4B-52-30K-BK-BK	19W 1600LM 3000K Black and Black blades	1
WFL-118-WS-4B-52-30K-BN-S	19W 1600LM 3000K Brush Nickel/Silver Blades	1
WF-318WP-RC-3B-52-BR-WA	- - - Bronze And Walnut Blades	1
WFL-117DL-WS-4B-52-30K-BK-BK	19W 1600LM 3000K Black and Black blades	1

COMMERCIAL
CEILING
FANS



CEILING FAN EXTENSION DOWNROD

CATALOG NO.	DESCRIPTION
WF-DR-12-BN	Ceiling Fan Extension Downrod 12in, Brush Nickel
WF-DR-18-BN	Ceiling Fan Extension Downrod 18in, Brush Nickel
WF-DR-24-BN	Ceiling Fan Extension Downrod 24in, Brush Nickel
WF-DR-36-BN	Ceiling Fan Extension Downrod 36in, Brush Nickel
WF-DR-12-BK	Ceiling Fan Extension Downrod 12in, Black
WF-DR-18-BK	Ceiling Fan Extension Downrod 18in, Black
WF-DR-24-BK	Ceiling Fan Extension Downrod 24in, Black
WF-DR-36-BK	Ceiling Fan Extension Downrod 36in, Black
WF-DR-12-WH	Ceiling Fan Extension Downrod 12in, White
WF-DR-18-WH	Ceiling Fan Extension Downrod 18in, White
WF-DR-24-WH	Ceiling Fan Extension Downrod 24in, White
WF-DR-36-WH	Ceiling Fan Extension Downrod 36in, White



LED TRACK LIGHTS, 120V *(Fit Halo® and compatible tracks and accessories)*



CATALOG NO.	DESCRIPTION	WHILE SUPPLIES LAST
TR1-R-10W-WH-40K	10W 691LM 4000K WHITE 25° LED ADJ. CYLINDER	
TR1-R-10W-WH-50K	10W 702LM 5000K WHITE 25° LED ADJ. CYLINDER	
TR1-S-10W-WH-30K	10W 681LM 3000K WHITE 25° LED ADJ. SQUARE	
TR1-S-10W-WH-40K	10W 706LM 4000K WHITE 25° LED ADJ. SQUARE	
TR1-S-10W-WH-50K	10W 732LM 5000K WHITE 25° LED ADJ. SQUARE	
TR1-S-10W-BK-30K	10W 681LM 3000K BLACK 25° LED ADJ. SQUARE	
TR1-S-10W-BK-40K	10W 706LM 4000K BLACK 25° LED ADJ. SQUARE	

COMMERCIAL TRACK LIGHTS



TRE-5-15W-MCTP-36D-BK
Black



TRE-15-25W-MCTP-36D-BK
Black



TRE-25-35W-MCTP-36D-BK
Black



Shown with **TRE26-BK**
Black



TRE-5-15W-MCTP-36D-WH
White



TRE-15-25W-MCTP-36D-WH
White



TRE-25-35W-MCTP-36D-WH
White



Shown with **TRE26-WH**
White

BUILDER SERIES TRACK HEADS WITH EXT. DRIVERS, POWER AND CCT ADJUSTABLE, 120V



CATALOG NO.	DESCRIPTION	PKG. QTY.
TRE-5-15W-MCTP-36D-BK	5W/10W/15W 84LM/W 30K/35K/40K Black	20
TRE-5-15W-MCTP-36D-WH	5W/10W/15W 84LM/W 30K/35K/40K White	20
TRE-15-25W-MCTP-36D-BK	15W/20W/25W 84LM/W 30K/35K/40K Black	12
TRE-15-25W-MCTP-36D-WH	15W/20W/25W 84LM/W 30K/35K/40K White	12
TRE-25-35W-MCTP-36D-BK	25W/30W/35W 84LM/W 30K/35K/40K Black	10
TRE-25-35W-MCTP-36D-WH	25W/30W/35W 84LM/W 30K/35K/40K White	10
TRE26-BK	3.5In Modern Par-Lamp Track Head 120V 3-Wire, Black	
TRE26-WH	3.5In Modern Par-Lamp Track Head 120V 3-Wire, White	



TRD-8W-MCT5-36D-BK
Black

TRD-12W-MCT5-36D-BK
Black

TRD-20W-MCT5-36D-BK
Black

TRD-30W-MCT5-36D-BK
Black

SPEC SERIES DIE-CAST TRACK HEADS 5CCT, 120V



CATALOG NO.	DESCRIPTION	PKG. QTY.
TRD-8W-MCT5-36D-BK	8W 720LM 27K/30K/35K/40K/50K Black	40
TRD-8W-MCT5-36D-WH	8W 720LM 27K/30K/35K/40K/50K White	40
TRD-12W-MCT5-36D-BK	12W 1080LM 27K/30K/35K/40K/50K Black	24
TRD-12W-MCT5-36D-WH	12W 1080LM 27K/30K/35K/40K/50K White	24
TRD-20W-MCT5-36D-BK	20W 1800LM 27K/30K/35K/40K/50K Black	16
TRD-20W-MCT5-36D-WH	20W 1800LM 27K/30K/35K/40K/50K White	16
TRD-30W-MCT5-36D-BK	30W 2700LM 27K/30K/35K/40K/50K Black	16
TRD-30W-MCT5-36D-WH	30W 2700LM 27K/30K/35K/40K/50K White	16
TRD-8W-LENS-15D	TRD 8W Replacement Lens 15-Degree	
TRD-8W-LENS-25D	TRD 8W Replacement Lens 25-Degree	
TRD-8W-LENS-55D	TRD 8W Replacement Lens 55-Degree	
TRD-12W-LENS-15D	TRD 12W Replacement Lens 15-Degree	
TRD-12W-LENS-25D	TRD 12W Replacement Lens 25-Degree	
TRD-12W-LENS-55D	TRD 12W Replacement Lens 55-Degree	
TRD-20W-LENS-15D	TRD 20W Replacement Lens 15-Degree	
TRD-20W-LENS-25D	TRD 20W Replacement Lens 25-Degree	
TRD-20W-LENS-60D	TRD 20W Replacement Lens 60-Degree	
TRD-30W-LENS-12D	TRD 30W Replacement Lens 12-Degree	
TRD-30W-LENS-24D	TRD 30W Replacement Lens 24-Degree	
TRD-30W-LENS-60D	TRD 30W Replacement Lens 60-Degree	

COMMERCIAL
TRACK LIGHTS



TRS-10-20W-BK
Black



TRS-10-20W-WH
White



TRS-20-30W-BK
Black




TRS-20-30W-WH
White

STANDARD TRACK HEAD SERIES, WATTAGE & CCT SELECT, H-TYPE TO J-TYPE CONV. KIT AVAIL., 120V




CATALOG NO.	DESCRIPTION	PKG. QTY.
STANDARD TRACK HEAD SERIES, WATTAGE & CCT SELECT		
BEAM ANGLE: 36°		
TRS-10-20W-MCTP-36D-WH	10W/15W/20W 90LM/W 27K/30K/35K/40K/50K White	20
TRS-10-20W-MCTP-36D-BK	10W/15W/20W 90LM/W 27K/30K/35K/40K/50K Black	20
TRS-20-30W-MCTP-36D-WH	20W/25W/30W 90LM/W 27K/30K/35K/40K/50K White	20
TRS-20-30W-MCTP-36D-BK	20W/25W/30W 90LM/W 27K/30K/35K/40K/50K Black	20
STANDARD TRACK HEAD SERIES, WATTAGE & CCT & BEAM ANGLE SELECT		
BEAM ANGLE: 20°-50°		
TRS-10-20W-MCTPB-36D-WH	10W/15W/20W 90LM/W 27K/30K/35K/40K/50K White	20
TRS-10-20W-MCTPB-36D-BK	10W/15W/20W 90LM/W 27K/30K/35K/40K/50K Black	20
TRS-20-30W-MCTPB-36D-WH	20W/25W/30W 90LM/W 27K/30K/35K/40K/50K White	20
TRS-20-30W-MCTPB-36D-BK	20W/25W/30W 90LM/W 27K/30K/35K/40K/50K Black	20
TRS-H-J-WH	H-Type To J-Type Connector Head Converter for TRS Series, White	
TRS-H-J-BK	H-Type To J-Type Connector Head Converter for TRS Series, Black	




TR-2FT
TR-4FT
TR-6FT
TR-8FT

White OR Black




TR-LE

White OR Black




TR-MC

White OR Black




TR-SC

White OR Black




TR-LC

White OR Black




TR-TC

White OR Black




TR-XC

White OR Black




TR-FLEXC

White OR Black




TR-FC

White OR Black




TR-MONC

White OR Black




TR-JBEF

White OR Black



TR-CCON

White OR Black



TR-EC

White OR Black

2 Included with each track



TR-EXTCON

White OR Black

TRACK ACCESSORIES

CATALOG NO.	DESCRIPTION
TR-2FT-BK	2Ft 3-Wire Track, Black
TR-2FT-WH	2Ft 3-Wire Track, White
TR-4FT-BK	4Ft 3-Wire Track, Black
TR-4FT-WH	4Ft 3-Wire Track, White
TR-6FT-BK	6Ft 3-Wire Track, Black
TR-6FT-WH	6Ft 3-Wire Track, White
TR-8FT-BK	8Ft 3-Wire Track, Black
TR-8FT-WH	8Ft 3-Wire Track, White
TR-LE-BK	3-Wire Track Live End, Black
TR-LE-WH	3-Wire Track Live End, White
TR-MC-BK	3-Wire Track Mini Connector, Black
TR-MC-WH	3-Wire Track Mini Connector, White
TR-SC-BK	3-Wire Track Straight Connector, Black
TR-SC-WH	3-Wire Track Straight Connector, White
TR-LC-BK	3-Wire Track L Connector, Black
TR-LC-WH	3-Wire Track L Connector, White
TR-TC-BK	3-Wire Track T Connector, Black
TR-TC-WH	3-Wire Track T Connector, White
TR-XC-BK	3-Wire Track X Connector, Black
TR-XC-WH	3-Wire Track X Connector, White
TR-FLEXC-BK	3-Wire Track Flex Connector, Black
TR-FLEXC-WH	3-Wire Track Flex Connector, White
TR-FC-BK	3-Wire Track Floating Canopy, Black
TR-FC-WH	3-Wire Track Floating Canopy, White
TR-MONC-BK	3-Wire Track Mono Canopy, Black
TR-MONC-WH	3-Wire Track Mono Canopy, White
TR-JBEF-BK	3-Wire Track J-Box End Feed Kit, Black
TR-JBEF-WH	3-Wire Track J-Box End Feed Kit, White
TR-CCON-BK	3-Wire Track Conduit Connector, Black
TR-CCON-WH	3-Wire Track Conduit Connector, White
TR-EC-BK	3-Wire Track End Cap, Black
TR-EC-WH	3-Wire Track End Cap, White
TR-EXTCON-BK	3-Wire Track To Track Extension Connector, Black
TR-EXTCON-WH	3-Wire Track To Track Extension Connector, White

RESIDENTIAL LIGHTING

BUILDER SERIES ECO SHALLOW PC DOB RECESS TRIM, 5CCT SELECTABLE



CATALOG NO.	DESCRIPTION	
 RDDF4-MCT5	6.5W 650LM 27K/30K/40K/50K/60K 4"	BAFFLE
 RDDF6-MCT5	10W 1000LM 27K/30K/40K/50K/60K 6"	BAFFLE
RDDS4-MCT5	6.5W 650LM 27K/30K/40K/50K/60K 4"	SMOOTH
RDDS6-MCT5	10W 1000LM 27K/30K/40K/50K/60K 6"	SMOOTH

2" ROUND COMPOSITE RECESSED TRIM, SMOOTH



CATALOG NO.	DESCRIPTION
 RDPS2-MCT5	7W 600LM 27K/30K/35K/40K/50K

BUILDER PLUS ENVIRONMENTAL SERIES PC 5CCT SELECTABLE LED RECESSED LIGHT TRIM- COMPOSITE SERIES



CATALOG NO.	DESCRIPTION	PKG. QTY.
 RDPF4-MCT5	10W 800LM 27K/30K/35K/40K/50K 4" BAFFLE	12
 RDPF6-MCT5	13W 1040LM 27K/30K/35K/40K/50K 6" BAFFLE	8
RDPS4-MCT5	10W 800LM 27K/30K/35K/40K/50K 4" SMOOTH	12
RDPS6-MCT5	13W 1040LM 27K/30K/35K/40K/50K 6" SMOOTH	8


2" ADJUSTABLE ROUND COMPOSITE RECESSED TRIM



CATALOG NO.	DESCRIPTION
 RDPS2-ADJ-MCT5	7W 600LM 27K/30K/35K/40K/50K

BUILDER PLUS ENVIRONMENTAL SERIES PC 5CCT SELECTABLE ADJUSTABLE-HEAD LED RECESSED LIGHT TRIMS



CATALOG NO.	DESCRIPTION	PKG. QTY.
 RDPF4-ADJ-MCT5	10W 800LM 27K/30K/35K/40K/50K 4"	12
RDPF6-ADJ-MCT5	11W 880LM 27K/30K/35K/40K/50K 6"	8

BUILDER PLUS ENVIRONMENTAL SERIES PC 5CCT+3 POWER-LEVEL SELECTABLE LED RECESSED LIGHT TRIM- COMPOSITE SERIES



CATALOG NO.	DESCRIPTION	PKG. QTY.
 RDPF4-MCTP	8W/10W/13W 80LM/W 27K/30K/35K/40K/50K 4" BAFFLE	12
 RDPF6-MCTP	10W/13W/17W 80LM/W 27K/30K/35K/40K/50K 6" BAFFLE	8
RDPS4-MCTP	8W/10W/13W 80LM/W 27K/30K/35K/40K/50K 4" SMOOTH	12
RDPS6-MCTP	10W/13W/17W 80LM/W 27K/30K/35K/40K/50K 6" SMOOTH	8

RESIDENTIAL RECESSED TRIMS

SPEC SERIES LED RECESSED TRIM SERIES 3", 4", 5/6" 5CCT SELECTABLE



CATALOG NO.	DESCRIPTION	PKG. QTY.
SMOOTH METAL LED RECESSED TRIM SERIES 4" & 5/6" SELECTABLE 5CCT [JA8]		
RDL4-ST-MCT5	10W 700LM 27K/30K/35K/40K/50K 4" WET	24
RDL4-ST-MCT5-ORB	10W 700LM 27K/30K/35K/40K/50K 4" WET	24
RDL4-ST-MCT5-BK	10W 700LM 27K/30K/35K/40K/50K 4" WET	24
RDL6-ST-MCT5	15W 1275LM 27K/30K/35K/40K/50K 5/6"	16
RDL6-ST-MCT5-ORB	15W 1275LM 27K/30K/35K/40K/50K 5/6"	16
RDL6-ST-MCT5-BK	15W 1275LM 27K/30K/35K/40K/50K 5/6"	16
BAFFLE METAL LED RECESSED TRIM SERIES 4" & 5/6" SELECTABLE 5CCT [JA8]		
RDL4-BF-MCT5	10W 700LM 27K/30K/35K/40K/50K 4"	24
RDL4-BF-MCT5-ORB	10W 700LM 27K/30K/35K/40K/50K 4"	24
RDL4-BF-MCT5-BK	10W 700LM 27K/30K/35K/40K/50K 4"	24
RDL6-BF-MCT5	15W 1275LM 27K/30K/35K/40K/50K 5/6"	16
RDL6-BF-MCT5-ORB	15W 1275LM 27K/30K/35K/40K/50K 5/6"	16
RDL6-BF-MCT5-BK	15W 1275LM 27K/30K/35K/40K/50K 5/6"	16
SPEC PLUS & WESTGATE SIGNATURE LED RECESSED TRIM SERIES 3", 4", 5/6" SELECTABLE 5CCT [JA8]		
RDL3-MCT5-WP	7W 560LM 27K/30K/35K/40K/50K 3"	20
RDL4-MCT5-WP	8W 650LM 27K/30K/35K/40K/50K 4"	20
RDL6-MCT5-WP	14W 1140LM 27K/30K/35K/40K/50K 5/6"	20
WESTGATE SIGNATURE ADJUSTABLE BAFFLE METAL LED RECESSED TRIM SERIES 4" & 5/6" SELECTABLE 5CCT [JA8]		
RDL4-ADJ-MCT5	8W 650LM 27K/30K/35K/40K/50K 4"	12
RDL6-ADJ-MCT5	11W 900LM 27K/30K/35K/40K/50K 5/6"	8

RESIDENTIAL

RECESSED TRIMS

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
UP TO 19W	OPT-EM-RDL	EXTERNAL	N/A	N/A	N/A	N/A	N/A



RDMF4-MCT5
White



RDMF4-MCT5-BK
Black



RDMF4-MCT5-ORB
Oil-Rubbed Bronze



RDMF6-MCT5
White



RDMF6-MCT5-BK
Black






RDMF6-MCT5-ORB
Oil-Rubbed Bronze

WESTGATE SIGNATURE DEEP BAFFLE RETROFIT METAL LED RECESSED TRIM 5CCT





CATALOG NO.	DESCRIPTION	PKG. QTY.
RDMF4-MCT5	6W/7W/9.5W 550LM/650W/800LM 27K/30K/35K/40K/50K White	10
RDMF4-MCT5-BK	6W/7W/9.5W 550LM/650W/800LM 27K/30K/35K/40K/50K Black	10
RDMF4-MCT5-ORB	6W/7W/9.5W 550LM/650W/800LM 27K/30K/35K/40K/50K Oil-rubbed bronze	10
RDMF6-MCT5	8W/10W/13W 750LM/900W/1100LM 27K/30K/35K/40K/50K White	10
RDMF6-MCT5-BK	8W/10W/13W 750LM/900W/1100LM 27K/30K/35K/40K/50K Black	10
RDMF6-MCT5-ORB	8W/10W/13W 750LM/900W/1100LM 27K/30K/35K/40K/50K Oil-rubbed bronze	10

LED BAFFLE AND SMOOTH RECESSED TRIMS (CLIP-ON RDL-BF & RDL-ST)

	CATALOG NO.	DESCRIPTION
	RDL4-BF-TRMB-BK	RDL4-BF series color trim, baffle, black finish
	RDL4-BF-TRMB-BN	RDL4-BF series color trim, baffle, brushed nickel finish
	RDL4-BF-TRMB-ORB	RDL4-BF series color trim, baffle, oil-rubbed bronze finish
	RDL4-BF-TRMB-GD	RDL4-BF series color trim, baffle, Specular Gold
	RDL6-BF-TRMB-BK	RDL6-BF series color trim, baffle, black finish
	RDL6-BF-TRMB-BN	RDL6-BF series color trim, baffle, brushed nickel
	RDL6-BF-TRMB-ORB	RDL6-BF series color trim, baffle, oil-rubbed bronze finish
	RDL6-BF-TRMB-GD	RDL6-BF series color trim, baffle, Specular Gold
	RDL4-BF-TRMS-BK	RDL4-BF series color trim, smooth, black finish
	RDL4-BF-TRMS-BN	RDL4-BF series color trim, smooth, brushed nickel
	RDL4-BF-TRMS-WH	RDL4-BF series color trim, smooth, white finish
	RDL4-BF-TRMS-ORB	RDL4-BF series color trim, smooth, oil-rubbed bronze finish
	RDL4-BF-TRMS-GD	RDL4-BF series color trim, smooth, Specular Gold
	RDL6-BF-TRMS-BK	RDL6-BF series color trim, smooth, black finish
	RDL6-BF-TRMS-BN	RDL6-BF series color trim, smooth, brushed nickel
	RDL6-BF-TRMS-WH	RDL6-BF series color trim, smooth, white finish
	RDL6-BF-TRMS-ORB	RDL6-BF series color trim, smooth, oil-rubbed bronze finish
	RDL6-BF-TRMS-GD	RDL6-BF series color trim, smooth, Specular Gold



LED SQUARE TRIMS 4", 5/6"

	CATALOG NO.	DESCRIPTION	PKG. QTY.
	SMOOTH LED SQUARE TRIMS 4", 5/6"		
	SDL4-MCT5	10W 650LM 27K/30K/35K/40K/50K 4" MCT5	24
	SDL6-MCT5	15W 1155LM 27K/30K/35K/40K/50K 5/6" MCT5	16
	BAFFLE LED SQUARE TRIMS 4", 5/6"		
	SDL4-BF-27K	10W 600LM 2700K 4" WHILE SUPPLIES LAST	24
	SDL4-BF-30K	10W 650LM 3000K 4" WHILE SUPPLIES LAST	24
	SDL4-BF-50K	10W 700LM 5000K 4" WHILE SUPPLIES LAST	24
	SDL4-BF-MCT5	10W 700LM 27K/30K/35K/40K/50K 4" MCT5	24
	SDL6-BF-27K	16.5W 1073LM 2700K 5/6"	16
	SDL6-BF-30K	16.5W 1100LM 3000K 5/6"	16
	SDL6-BF-41K	16.5W 1150LM 4100K 5/6"	16
	SDL6-BF-50K	16.5W 1200LM 5000K 5/6"	16
	SDL6-BF-MCT5	15W 1155LM 27K/30K/35K/40K/50K 5/6" MCT5	16



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
UP TO 19W	OPT-EM-SDL	EXTERNAL	N/A	N/A	N/A	N/A	N/A

2" SQUARE COMPOSITE RECESSED TRIM, SMOOTH



CATALOG NO.	DESCRIPTION
SDPS2-MCT5	7W 600LM 27K/30K/35K/40K/50K



WG SMART APP COMPATIBLE RGBW SMOOTH RECESSED LIGHT TRIM – ROUND, 120V

CATALOG NO.	DESCRIPTION	PKG. QTY.
TC-RDPS4-10W-RGBW-WIFI	10W 650LM RGBW 4" E26 Base	12
TC-RDPS6-13W-RGBW-WIFI	13W 850LM RGBW 6" E26 Base	8



12V LOW-VOLTAGE LED REPLACEMENT TRIMS FOR MR16 HOUSINGS

CATALOG NO.	DESCRIPTION	PKG. QTY.
RDL4-BF-MCT5-12V	11W 77LM 27K/30K/35K/40K/50K 4"	24
RDL4-ST-MCT5-12V	11W 77LM 27K/30K/35K/40K/50K 4"	24



J-BOX DIRECT-MOUNT RECESSED LIGHT, FITS 3-0 AND 4-0 OCTAGON BOXES

CATALOG NO.	DESCRIPTION	PKG. QTY.
RDJ4-MCT5	10W 700LM 27K/30K/35K/40K/50K 4"	20
RDJ4-TRM-BK	4 inch magnetic trim for RDJ4, Black	



SPEC PLUS SERIES SINGLE CCT LED TRIMS 3", 4", 5/6" E26 included in the box (JA8-E-2016 COMPLIANT)

CATALOG NO.	DESCRIPTION	WHILE SUPPLIES LAST	PKG. QTY.
RDL3-27K-WP	9W 540LM 2700K 3"		20
RDL3-41K-WP	9W 540LM 4100K 3"		20
RDL3-50K-WP	9W 540LM 5000K 3"		20
RDL4-27K-WP	12W 650LM 2700K 4"		12
RDL4-30K-WP	12W 700LM 3000K 4"		12
RDL4-35K-WP	12W 725LM 3500K 4"		12
RDL4-50K-WP	12W 800LM 5000K 4"		12
RDL4-65K-WP	12W 850LM 6500K 4"		12
RDL6-27K-WP	19W 1200LM 2700K 5/6"		8
RDL6-30K-WP	19W 1250LM 3000K 5/6"		8
RDL6-35K-WP	19W 1275LM 3500K 5/6"		8
RDL6-41K-WP	19W 1300LM 4100K 5/6"		8
RDL6-50K-WP	19W 1350LM 5000K 5/6"		8
RDL6-65K-WP	19W 1400LM 6500K 5/6"		8
RDL4-BF-27K	10W 650LM 2700K 4"		24
RDL4-BF-30K	10W 680LM 3000K 4"		24
RDL4-BF-30K-ORB	10W 680LM 3000K 4" Oil-Rubbed Bronze		24
RDL4-BF-35K	10W 720LM 3500K 4"		24
RDL4-BF-41K	10W 746LM 4100K 4"		24
RDL4-BF-50K	10W 761LM 5000K 4"		24
RDL6-BF-35K	18W 1280LM 3500K 5/6"		16
RDL4-ADJ-27K	10W 650LM 2700K 4"		12
RDL4-ADJ-30K	10W 650LM 4"		12
RDL4-ADJ-41K	10W 650LM 4100K 4"		12
RDL4-ADJ-50K	10W 650LM 5000K 4"		12
RDL6-ADJ-50K	13W 900LM 5000K 5/6"		8

SMOOTH

ADJUSTABLE EYEBALL BAFFLE



RESIDENTIAL

RECESSED TRIMS



LED RECESSED HOUSINGS



CATALOG NO.	DESCRIPTION
HL2R-ICAT	2In Led (TP24) Remodel Recessed Housing ICAT UL
HL2DW-ICAT	2In Led (TP24) Double-Wall Recessed Housing ICAT UL
HL3R-ICAT	3In Led (TP24) Remodel Recessed Housing ICAT UL
HL3-ICAT	3In Led (TP24) Recessed Housing ICAT UL
HL4R-ICAT	4In Led (TP24) Remodel Recessed Housing ICAT UL
HL4DW-ICAT	4In Led (TP24) Double-Wall Recessed Housing ICAT UL
HL4-ICAT	4In Led (TP24) Recessed Housing ICAT UL
HL4RS-ICAT	4In Led (TP24) Shallow Remodel Recessed Housing ICAT UL
HL4S-ICAT	4In Led (TP24) Shallow Recessed Housing ICAT UL
HL6R-ICAT	6In Led (TP24) Remodel Recessed Housing ICAT UL
HL6-ICAT	6In Led (TP24) Recessed Housing ICAT UL
HL6RS-ICAT	6In Led (TP24) Shallow Remodel Recessed Housing ICAT UL
HL6S-ICAT	6In Led (TP24) Shallow Recessed Housing ICAT UL

AIRTIGHT LED RECESSED LIGHT HOUSING

NO PARTIAL/MUST SHIP CASE QTY.

CATALOG NO.	DESCRIPTION	PKG. QTY.
ICF4SJBB	4" Fire-Rated Junction Box With Bar Hangers For Surface Mount Down Lights	24
ICF4SJBP	4" Fire-Rated Junction Box Housing For Led Surface Mount Down Lights & J-Box Recessed Lights	6
ICFAL-4	4" Fire-Rated Ic New Construction Led Recessed Housing	4
ICFAL-6	6" Fire-Rated Ic New Construction Led Recessed Housing	4

FOR FACTORY-INSTALLED OPTIONS SEE SDL4 & 6 BELOW

FIRE-RATED RECESSED HOUSINGS GEN. 2, IC & AT, CONFROM TO UL263 & UL1598



CATALOG NO.	DESCRIPTION	PKG. QTY.
FR-HL4-AT	4in 2hr Fire-Rated Recessed Housing New Const.	4
FR-HL6-AT	6in 2hr Fire-Rated Recessed Housing New Const.	4

FIRE-RATED (2 HR) SLIM WAFER CANLESS RECESSED LIGHT



CATALOG NO.	DESCRIPTION	PKG. QTY.
RSL4-MCT5-FR	9W 630LM 27K/30K/35K/40K/50K 4"	24
SSL4-MCT5-FR	9W 630LM 27K/30K/35K/40K/50K 4"	24
RSL6-MCT5-FR	12W 840LM 27K/30K/35K/40K/50K 6"	24
SSL6-MCT5-FR	12W 840LM 27K/30K/35K/40K/50K 6"	24

RSL G2 SECOND GENERATION SLIM CANLESS WAFER LIGHTS, 5CCT



CATALOG NO.	DESCRIPTION	PKG. QTY.
RSL4-G2-MCT5	10W 700LM 27K/30K/35K/40K/50K 4" White	20
RSL4-G2-MCT5-BK	10W 700LM 27K/30K/35K/40K/50K 4" Black	20
RSL4-G2-MCT5-ORB	10W 700LM 27K/30K/35K/40K/50K 4" Oil-Rubbed Bronze	20
RSL6-G2-MCT5	12W 1000W 27K/30K/35K/40K/50K 6" White	20
RSL6-G2-MCT5-BK	12W 1000W 27K/30K/35K/40K/50K 6" Black	20
RSL6-G2-MCT5-ORB	12W 1000W 27K/30K/35K/40K/50K 6" Oil-Rubbed Bronze	20

With External J-Box Included, No need for Housing

CANLESS SLIM LIGHTS, DIM-TO-WARM



CATALOG NO.	DESCRIPTION	PKG. QTY.
RSL4-D2W	11W 700LM DIM TO WARM 22-40K	12
RSL6-D2W	12W 900LM DIM TO WARM 22-40K	12



LED 5CCT ULTRA SLIM CANLESS RECESSED LIGHTS 3", 4", 6", 8" & 12", 120V



CATALOG NO.	DESCRIPTION	PKG. QTY.
LED 5CCT ULTRA SLIM ROUND RECESSED LIGHTS		
RSL3-MCT5	6W 400LM 27K/30K/35K/40K/50K 3"	24
RSL3-MCT5-BN	6W 400LM 27K/30K/35K/40K/50K 3"	24
RSL3-MCT5-ORB	6W 400LM 27K/30K/35K/40K/50K 3"	24
RSL4-MCT5	9W 630LM 27K/30K/35K/40K/50K 4"	24
RSL4-MCT5-ORB	9W 630LM 27K/30K/35K/40K/50K 4"	24
RSL6-MCT5	15W 1125LM 27K/30K/35K/40K/50K 6"	24
RSL6-MCT5-ORB	15W 1125LM 27K/30K/35K/40K/50K 6"	24
RSL8-MCT5	18W 1350LM 27K/30K/35K/40K/50K 8"	24
RSL10-MCT5	20W 1500LM 27K/30K/35K/40K/50K 10"	24
RSL12-MCT5	24W 1800LM 27K/30K/35K/40K/50K 12"	24
LED 5CCT BAFFLE ULTRA SLIM ROUND RECESSED LIGHTS		
RSL4-BF-MCT5	9W 650LM 27K/30K/35K/40K/50K 4"	12
RSL6-BF-MCT5	15W 1200LM 27K/30K/35K/40K/50K 6"	12
RSL6-BF-EXT-6FT-MCT5	6 FT Extension Cord for RSL-BF	-
RSL-BF-EXT-10FT-MCT5	10 FT Extension Cord for RSL-BF	-
RSL-BF-EXT-20FT-MCT5	20 FT Extension Cord for RSL-BF	-
LED 5CCT ULTRA SLIM SQUARE RECESSED LIGHTS		
SSL4-MCT5	9W 630LM 27K/30K/35K/40K/50K 4"	24
SSL6-MCT5	15W 1125LM 27K/30K/35K/40K/50K 6"	24
SSL12-MCT5	24W 1800LM 27K/30K/35K/40K/50K 12"	24
RSL-EXT-10FT-MCT	10 Ft. Extension Cable for use with all MCT Slim Lights	

With External J-Box Included, No need for Housing



RESIDENTIAL RECESSED TRIMS

WG SMART APP COMPATIBLE RGBW ULTRA SLIM CANLESS RECESSED LIGHTS - ROUND, 120V



CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER	PKG. QTY.
TC-RSL4-RGBW	9W 630LM RGBW 4"		24
TC-RSL6-RGBW	12W 840LM RGBW 6"		24



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
UP TO 19W	OPT-EM-RSL	EXTERNAL	N/A	N/A	N/A	N/A	N/A

LED 5CCT ADJUSTABLE ULTRA SLIM ROUND-BACK CANLESS RECESSED LIGHTS



CATALOG NO.	DESCRIPTION	PKG. QTY.
SSLRB4-MCT5	9W 630LM 27K/30K/35K/40K/50K 4"	24
SSLRB6-MCT5	15W 1125LM 27K/30K/35K/40K/50K 6"	24



With External J-Box Included, No need for Housing

WET LOCATION LED 5CCT SLIM CANLESS RECESSED LIGHTS, 120V










CATALOG NO.	DESCRIPTION	PKG. QTY.
RSL3-MCT5-WP	6W 400LM 27K/30K/35K/40K/50K 3"	24
RSL4-MCT5-WP	9W 630LM 27K/30K/35K/40K/50K 4"	24
RSL6-MCT5-WP	15W 1125LM 27K/30K/35K/40K/50K 6"	24
RSL8-MCT5-WP	18W 1350LM 27K/30K/35K/40K/50K 8"	24
RSL10-MCT5-WP	20W 1500LM 27K/30K/35K/40K/50K 10"	24
RSL12-MCT5-WP	24W 1800LM 27K/30K/35K/40K/50K 12"	24







With External J-Box Included, No need for Housing


LED ULTRA SLIM RECESSED LIGHT ACCESSORIES

	CATALOG NO.	DESCRIPTION
	RSL3-RI	3" Round Rough-in Plate, 26" Long
	RSL4-RI	4" Round Rough-in Plate, 26" Long
	RSL4-RI-13	4" Round Rough-in Plate, 13" Long
	RSL6-RI	6" Round Rough-in Plate, 26" Long
	RSL6-RI-13	6" Round Rough-in Plate, 13" Long
	RSL8-RI	8" Round Rough-in Plate, 26" Long
	RSL12-RI	12" Round Rough-in Plate, 26" Long
	SSL4-RI	4" Square Rough-in Plate, 26" Long
	SSL6-RI	6" Square Rough-in Plate, 26" Long
	SSL12-RI	12" Square Rough-in Plate, 26" Long
	RSL-346-RIBH	3", 4", 6" (Adjustable) Round Galvanized plate with Bar Hangers
	SSL-346-RIBH	3", 4", 6" (Adjustable) Square Galvanized plate with Bar Hangers
	RSL4-GR	Goof ring for 4in lights with butterfly wings
	RSL6-GR	Goof ring for 6in lights with butterfly wings
	RSL8-GR	Goof ring for 8in lights with butterfly wings
	RSL10-GR	Goof ring for 10in lights with butterfly wings
	RSL12-GR	Goof ring for 12in lights with butterfly wings
	RSL4-VB	4" Vapor Barrier For Slim Recessed Lights
	RSL6-VB	6" Vapor Barrier For Slim Recessed Lights

LED ULTRA SLIM RECESSED TRIMS (CLIP ON RSL & SSL SLIM LIGHTS)


	CATALOG NO.	DESCRIPTION
	RSL4-TRM-BK	4" Black Clip-on Trim
	RSL4-TRM-ORB	4" Oil-rubbed Bronze Clip-on Trim
	RSL4-TRM-CU	4" Copper Clip-on Trim
	RSL4-TRM-BZ	4" Bronze Clip-on Trim
	RSL4-TRM-BN	4" Brushed Nickel Clip-on Trim
	RSL4-TRM-CH	4" Chrome Clip-on Trim
	SSL4-TRM-BK	4" Black Clip-on Trim
	SSL4-TRM-ORB	4" Oil-rubbed Bronze Clip-on Trim
	SSL4-TRM-CU	4" Copper Clip-on Trim
	SSL4-TRM-BZ	4" Bronze Clip-on Trim
	SSL4-TRM-BN	4" Brushed Nickel Clip-on Trim
	SSL4-TRM-CH	4" Chrome Clip-on Trim
	RSL6-TRM-BK	6" Black Clip-on Trim
	RSL6-TRM-ORB	6" Oil-rubbed Bronze Clip-on Trim
	RSL6-TRM-CU	6" Copper Clip-on Trim
	RSL6-TRM-BZ	6" Bronze Clip-on Trim
	RSL6-TRM-BN	6" Brushed Nickel Clip-on Trim
	RSL6-TRM-CH	6" Chrome Clip-on Trim
	SSL6-TRM-BK	6" Black Clip-on Trim
	SSL6-TRM-ORB	6" Oil-rubbed Bronze Clip-on Trim
	SSL6-TRM-CU	6" Copper Clip-on Trim
	SSL6-TRM-BZ	6" Bronze Clip-on Trim
	SSL6-TRM-BN	6" Brushed Nickel Clip-on Trim
	SSL6-TRM-CH	6" Chrome Clip-on Trim

LED ROUND BACK RECESSED TRIMS (COMPATIBLE WITH SSLRB SERIES ONLY)

	CATALOG NO.	DESCRIPTION
	SSLRB4-TRM-BK	4 inch square trim for SSLRB4, black
	SSLRB4-TRM-BN	4 inch square trim for SSLRB4, brushed nickel
	SSLRB4-TRM-ORB	4 inch square trim for SSLRB4, oil-rubbed bronze
	SSLRB6-TRM-BK	6 inch square trim for SSLRB6, black
	SSLRB6-TRM-BN	6 inch square trim for SSLRB6, brushed nickel
	SSLRB6-TRM-ORB	6 inch square trim for SSLRB6, oil-rubbed bronze

ADJUSTABLE FIRE-RATED SLIM CANLESS RECESSED LIGHT, 5CCT



CATALOG NO.	DESCRIPTION	PKG. QTY.
 RSL4-ADJ-MCT5-FR	9W 630LM 27K/30K/35K/40K/50K	24
RSL6-ADJ-MCT5-FR	12W 840LM 27K/30K/35K/40K/50K	12

NEW GENERATION OF ADJUSTABLE ANGLE CANLESS LIGHT




CATALOG NO.	DESCRIPTION	PKG. QTY.
 RSL4-ADJ-G2-MCT5	9W 630LM 27K/30K/35K/40K/50K	24
RSL6-ADJ-G2-MCT5	12W 840LM 27K/30K/35K/40K/50K	24

With External J-Box Included
No need for Housing

LED 5CCT ADJUSTABLE ULTRA SLIM CANLESS RECESSED LIGHTS




CATALOG NO.	DESCRIPTION	PKG. QTY.
 RSL4-ADJ-MCT5	9W 700LM 27K/30K/35K/40K/50K 4"	24

With External J-Box Included
No need for Housing


WET LOCATION ADJUSTABLE LED 5CCT SLIM CANLESS RECESSED LIGHTS, 120V



CATALOG NO.	DESCRIPTION	PKG. QTY.
 RSL4-ADJ-MCT5-WP	9W 630LM 27K/30K/35K/40K/50K 4"	24
RSL6-ADJ-MCT5-WP	15W 1125LM 27K/30K/35K/40K/50K 6"	24

4" LED GIMBAL (EYEBALL) ROUND CANLESS RECESSED SNAP-IN LIGHT



CATALOG NO.	DESCRIPTION	PKG. QTY.
 RSL4-GIM-MCT5	10W 800LM 27K/30K/35K/40K/50K 4"	24

4" LED 5CCT ADJUSTABLE PULL-DOWN ULTRA SLIM CANLESS RECESSED LIGHT




CATALOG NO.	DESCRIPTION	PKG. QTY.
 RSL4-APD-MCT5	10W 700LM 27K/30K/35K/40K/50K 4"	12

With External J-Box Included. No need for Housing


SLIM SNAP-IN CANLESS RECESSED LIGHTS WITH J-BOX, 5CCT



CATALOG NO.	DESCRIPTION	PKG. QTY.
 RSL4-JB-MCT5	10W 650LM 27K/30K/35K/40K/50K 4"	24
RSL6-JB-MCT5	12W 1000LM 27K/30K/35K/40K/50K 6"	24

LED COMMERCIAL SLIM CANLESS RECESSED REGRESSED BAFFLE LIGHTS 120-277V, 0-10V DIMMING







CATALOG NO.	DESCRIPTION	PKG. QTY.
 RSLC6-BF-30K	15W 1200LM 3000K 6"	12
RSLC6-BF-40K	15W 1200LM 4000K 6"	12
RSLC8-BF-30K	18W 1440LM 3000K 8"	12
RSLC6-BF-MCT5	15W 1200LM 27K/30K/35K/40K/50K 6"	-
RSLC8-BF-MCT5	18W 1440LM 27K/30K/35K/40K/50K 8"	-
RSL-BF-EXT-6FT	RSL-BF 6FT. DC extension cord	-
RSL-BF-EXT-10FT	RSL-BF 10FT. DC extension cord	-
RSL-BF-EXT-20FT	RSL-BF 20FT. DC extension cord	-

RESIDENTIAL RECESSED TRIMS

SINGLE CCT LED ULTRA SLIM CANLESS RECESSED LIGHTS 3", 4", 6", 8" & 12" 120V




CATALOG NO.	DESCRIPTION	WHILE SUPPLIES LAST	PKG. QTY.
 RSL3-27K	6W 400LM 2700K 3"		24
 RSL4-30K-BN	9W 630LM 3000K 4" Brushed Nickel		24
 RSL6-30K-BN	15W 1125LM 3000K 6" Brushed Nickel		24
 SSL6-27K	15W 1125LM 2700K 6"		24
SSL6-30K	15W 1125LM 3000K 6"		24
SSL6-40K	15W 1125LM 4000K 6"		24

FOR FACTORY OPTION SEE RSL-MCT5 ABOVE


LED ADJUSTABLE ULTRA SLIM CANLESS RECESSED LIGHT



CATALOG NO.	DESCRIPTION	WHILE SUPPLIES LAST	PKG. QTY.
 RSL4-ADJ-40K	9W 700LM 4000K 4"		24
RSL4-ADJ-50K	9W 700LM 5000K 4"		24
RSL6-ADJ-30K	12W 900LM 3000K 6"		24

4" SINGLE CCT LED ADJUSTABLE PULL-DOWN ULTRA SLIM CANLESS RECESSED LIGHTS



CATALOG NO.	DESCRIPTION	PKG. QTY.
 RSL4-APD-50K	12W 700LM 5000K 4"	12

With External J-Box Included. No need for Housing

RESIDENTIAL RECESSED TRIMS

CANLESS DEEP RECESS LIGHT, DIM TO WARM



CATALOG NO.	DESCRIPTION
 RDL4S-BF-D2W-WH	12W 1050LM DIM TO WARM 22-40K
 RDL6S-BF-D2W-WH	14W 1200LM DIM TO WARM 22-40K



CANLESS DEEP BAFFLE RECESSED LIGHTS



CATALOG NO.	DESCRIPTION	PKG. QTY.
 RDL4S-BF-MCT5-WH	12W 1050LM 27K/30K/35K/40K/50K White	20
 RDL4S-BF-MCT5-BK	12W 1050LM 27K/30K/35K/40K/50K Black	20
 RDL4S-BF-MCT5-ORB	12W 1050LM 27K/30K/35K/40K/50K Oil-rubbed bronze	20
 RDL6S-BF-MCT5-WH	14W 1200LM 27K/30K/35K/40K/50K White	20
 RDL6S-BF-MCT5-BK	14W 1200LM 27K/30K/35K/40K/50K Black	20
 RDL6S-BF-MCT5-ORB	14W 1200LM 27K/30K/35K/40K/50K Oil-rubbed bronze	20

MINI LINEAR OPTIC-LIGHT FIXTURES, SNAP IN 5CCT




CATALOG NO.	DESCRIPTION	PKG. QTY.
 LDLS-6-MCT5	11W 600LM 27K/30K/35K/40K/50K	20
 LDLS-12-MCT5	18W 1200LM 27K/30K/35K/40K/50K	20

With External J-Box Included. No need for Housing


1" HIGH-OUTPUT LOW-GLARE CANLESS RECESSED LIGHTS, ROUND & SQUARE



CATALOG NO.	DESCRIPTION	
 RDL1S-ST-MCT5-BK	8W 600LM 27K/30K/35K/40K/50K	Black
RDL1S-ST-MCT5-WH	8W 600LM 27K/30K/35K/40K/50K	White
SDL1S-ST-MCT5-BK	8W 600LM 27K/30K/35K/40K/50K	Black
SDL1S-ST-MCT5-WH	8W 600LM 27K/30K/35K/40K/50K	White
RSL-1-RIBH	1in (Adjustable) Galvanized Mounting Plate with Bar Hangers	


RDL1S 1" ARCHITECTURAL CANLESS LIGHT 5CCT



CATALOG NO.	DESCRIPTION	PKG. QTY.
 RDL1S-ADJ-MCT5	6W 350LM 27K/30K/35K/40K/50K	24

2" LED CANLESS RECESSED LIGHTS (Baffle)(JA8-E-2016 COMPLIANT)



CATALOG NO.	DESCRIPTION	PKG. QTY.
 RDL2S-BF-40K-WH	8W 600LM 4000K Round WHILE SUPPLIES LAST	18
RDL2S-BF-50K-WH	8W 600LM 5000K Round WHILE SUPPLIES LAST	18
RDL2S-BF-MCT-WH	8W 600LM 3000K/4000K/5000K Round MCT5	18
SDL2S-BF-27K-WH	8W 600LM 2700K Square WHILE SUPPLIES LAST	18
SDL2S-BF-40K-WH	8W 600LM 4000K Square WHILE SUPPLIES LAST	18
SDL2S-BF-50K-WH	8W 600LM 5000K Square WHILE SUPPLIES LAST	18
SDL2S-BF-MCT-WH	8W 600LM 3000K/4000K/5000K Square MCT5	18
RSL-346-RIBH	3", 4", 6" (Adjustable) Galvanized plate with Bar Hangers	
RDL2S-TRIM-ST-WH	Smooth Reflector Trim For RDL2S-BF, White	
SDL2S-TRIM-ST-WH	Smooth Reflector Trim For SDL2S-BF, White	

HIGH-LUMEN DIE-CAST LED SNAP-IN CANLESS RECESSED LIGHTS SMOOTH AND BAFFLE TRIMS INCL.



CATALOG NO.	DESCRIPTION	PKG. QTY.
 RDL2S-SB-MCT5-BK	9W 600LM 27K/30K/35K/40K/50K 2" Round, Black	20
 RDL4S-SB-MCT5-WH	15W 1350LM 27K/30K/35K/40K/50K 4" Round, White	20
RDL4S-SB-MCT5-BK	15W 1350LM 27K/30K/35K/40K/50K 4" Round, Black	20
 SDL2S-SB-MCT5-BK	9W 600LM 27K/30K/35K/40K/50K 2" Square, Black	20
 SDL4S-SB-MCT5-WH	15W 1350LM 27K/30K/35K/40K/50K 4" Square, White	20
ASDL4S-SB-MCT5-BK	15W 1350LM 27K/30K/35K/40K/50K 4" Square, Black	20

3" LED ADJUSTABLE (EYEBALL) ROUND CANLESS RECESSED LIGHT



CATALOG NO.	DESCRIPTION	PKG. QTY.
 RDL3S-ADJ-MCT5-WH	7W 700LM 27K/30K/35K/40K/50K Round	20


3" LED ADJUSTABLE (EYEBALL) CANLESS RECESSED LIGHTS (JA8-E-2016 COMPLIANT)



CATALOG NO.	DESCRIPTION	PKG. QTY.
 RDL3S-ADJ-40K-WH	8W 600LM 4000K Round WHILE SUPPLIES LAST	18
SDL3S-ADJ-27K-WH	8W 600LM 2700K Square	18
SDL3S-ADJ-30K-WH	8W 600LM 3000K Square	18
SDL3S-ADJ-40K-WH	8W 600LM 4000K Square	18
SDL3S-ADJ-50K-WH	8W 600LM 5000K Square	18
RSL-346-RIBH	3", 4", 6" (Adjustable) Galvanized plate with Bar Hangers	

LED EMERGENCY DRIVER FOR ALL RECESSED TRIMS



CATALOG NO.	DESCRIPTION
 ELB-0895	Field-installed emergency ballast for all LED recessed trims; Input voltage: 100-277VAC, 50-60Hz; Output: 8W Maximum for 90 minutes



LED ARCHITECTURAL TRIMLESS RECESSED LIGHTS - 4"



CATALOG NO.	WATTAGE	COLOR TEMPERATURES	SHAPE	TRIM FINISH
LRD-TL	10W 10W	MCT5 27K/30K/35K/40K/50K	4R 4S ROUND SQUARE	WH WHITE BK BLACK C CLEAR MG MATTE GOLD HZ MATTE SILVER

SAMPLE ORDERING:

LRD-TL-10W-MCT5-4S-BK
FOR SEPARATE LIGHT ENGINE & TRIM PART NUMBERS, PLEASE SEE THE SPEC SHEETS

**4" (3-1/4" Actual)
COMPLETE
ITEM CODE**



WHITE

ENGINE

ONLY 10W ENGINE



HOUSING



ROUND TRIMS



**COMPLETE
ITEM CODE**



WHITE

ENGINE

ONLY 10W ENGINE



HOUSING



SQUARE TRIMS



LED ARCHITECTURAL WINGED RECESSED LIGHTS - 3" & 4"



CATALOG NO.	WATTAGE	COLOR TEMPERATURES	TRIM (ADJUSTBLE)	TRIM FINISH
LRD	7W 7W 10W 10W	MCT5 27K/30K/35K/40K/50K	3WTR 3" OPEN TRIM 3WTRPH 3" PIN HOLE TRIM 3WTRSL 3" SLOT TRIM 4WTR 4" OPEN TRIM 4WTRPH 4" PIN HOLE TRIM 4WTRSL 4" SLOT TRIM	WH WHITE (ALL TRIMS) BK BLACK (ALL TRIMS) C CLEAR (OPEN TRIMS ONLY) MG MATTE GOLD (OPEN TRIMS ONLY) HZ MATTE SILVER (OPEN TRIMS ONLY) ABK BLACK ON BLACK (OPEN TRIMS ONLY)

SAMPLE ORDERING:

LRD-7W-MCT5-3WTR-MG

FOR SEPARATE LIGHT ENGINE & TRIM PART NUMBERS, PLEASE SEE THE SPEC SHEETS



3" (2-1/8" Actual) Open

3" (2-1/8" Actual) Slot



LED ARCHITECTURAL MULTIPLE-TRIM RECESSED LIGHTS



CATALOG NO.	WATTAGE	COLOR TEMPERATURES	TRIM (ADJUSTBLE)	TRIM FINISH
LRD	10W 10W	MCT5 27K/30K/35K/40K/50K	WTM1 SINGLE SLOT TRIM WTM2 DOUBLE SLOT TRIM WTM3 TRIPLE SLOT TRIM	WH WHITE

SAMPLE ORDERING:

LRD-10W-MCT5-WTM1-WH

FOR SEPARATE LIGHT ENGINE & TRIM PART NUMBERS, PLEASE SEE THE SPEC SHEETS

LRD-FGL

Frosted Glass Lens For LRD Series



SINGLE TRIM



DOUBLE TRIM



TRIPLE TRIM

RESIDENTIAL
RECESSED
TRIMS

BUILDER SERIES 6" LED ECONOMY DISC LIGHT, 120V



CATALOG NO.	DESCRIPTION	PKG. QTY.
DLSE6-40K	15W 900LM 4000K	20
DLSE6-50K	15W 900LM 5000K	20

BUILDER SERIES 4" & 6" LED 5CCT DISK LIGHT ECONOMY DISC LIGHT (JA8-E-2019 COMPLIANT)



CATALOG NO.	DESCRIPTION	PKG. QTY.
DLSE4-MCT5	10W 630LM 27K/30K/35K/40K/50K 4" White	30
DLSE4-MCT5-BR	10W 630LM 27K/30K/35K/40K/50K 4" Bronze	30
DLSE6-MCT5	15W 1000LM 27K/30K/35K/40K/50K 6" White	24
DLSE6-MCT5-BR	15W 1000LM 27K/30K/35K/40K/50K 6" Bronze	24
DLSE6-MCT5-BN	15W 1000LM 27K/30K/35K/40K/50K 6" Brushed Nickel	24

BUILDER SERIES LED ECONOMY DISK LIGHT WITH PIR MOTION SENSOR



CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER	PKG. QTY.
DLSE4-MCT5-PIR	10W 630LM 27K/30K/35K/40K/50K 4"		30
DLSE6-MCT5-PIR	15W 1000LM 27K/30K/35K/40K/50K 6"		24

WG SMART APP COMPATIBLE RGBW BUILDER SERIES LED ECONOMY DISK LIGHT



CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER	PKG. QTY.
DLSE6-RGBW	15W 1000LM 27K/30K/35K/40K/50K 6"		24

BUILDER SERIES 4" & 6" LED MULTI-CCT ECONOMY DISK LIGHT (JA8-E-2019 COMPLIANT)



CATALOG NO.	DESCRIPTION	WHILE SUPPLIES LAST	PKG. QTY.
DLSE4-MCT	9W 540LM 3000K/4000K/5000K 4" White		20
DLSE6-40K	15W 900LM 4000K 6" White		20
DLSE6-50K	15W 900LM 5000K 6" White		20
DLSE6-MCT-BN	15W 1000LM 3000K/4000K/5000K 6" Brushed Nickel		20

LED DISC LIGHT 4" & 6" 120V (J-BOX MOUNTING)(JA8-E-2016 COMPLIANT)



CATALOG NO.	DESCRIPTION	WHILE SUPPLIES LAST	PKG. QTY.
DLSN4-50K	10W 600LM 5000K		20
DLSN6-27K	15W 1000LM 2700K		20
DLSN6-30K	15W 1000LM 3000K		20
DLSN6-50K	15W 1000LM 5000K		20

ARCHITECTURAL FLAT SURFACE DISK LIGHTS, 5CCT



CATALOG NO.	DESCRIPTION
DLSF4-MCT5	12W 1080LM 27K/30K/35K/40K/50K
DLSF6-MCT5	14W 1350LM 27K/30K/35K/40K/50K

RESIDENTIAL
DISC LIGHTS

SPEC SERIES 3CCT HIGH-PERFORMANCE DISC LIGHTS, 120V

DIE CAST ALUMINUM, ALL MOUNTING OPTIONS INCL.



CATALOG NO.	DESCRIPTION	PKG. QTY.
DLS4-MCT	9W 540LM 3000K/4000K/5000K 4"	20
DLS6-MCT	15W 900LM 3000K/4000K/5000K 6"	20
DLS6-MCT-BN	15W 900LM 3000K/4000K/5000K 6" BRUSHED NICKEL	20
DLS6-MCT-BR	15W 900LM 3000K/4000K/5000K 6" BRONZE	20
DLS8-MCT	20W 1200LM 3000K/4000K/5000K 8"	10
DLS10-MCT	25W 1500LM 3000K/4000K/5000K 10"	10
DLS12-MCT	30W 1800LM 3000K/4000K/5000K 12"	5

SPEC SERIES HIGH-PERFORMANCE DISC LIGHTS, 120V

DIE CAST ALUMINUM, ALL MOUNTING OPTIONS INCL.



CATALOG NO.	DESCRIPTION	PKG. QTY.
DLS4-27K	9W 550-600LM 2700K 4"	20
DLS4-30K	9W 550-600LM 3000K 4"	20
DLS4-41K	9W 550-600LM 4000K 4"	20
DLS4-50K	9W 550-600LM 5000K 4"	20
DLS6-30K	15W 950-1000LM 3000K 6"	20
DLS6-41K	15W 950-1000LM 4000K 6"	20
DLS6-30K-BR	15W 950-1000LM 3000K BRONZE 6"	20
DLS6-30K-BN	15W 950-1000LM 3000K BRUSHED NICKEL 6"	20

SPECS SERIES HIGH-PERFORMANCE DIE-CAST

DISK LIGHTS, 277V



CATALOG NO.	DESCRIPTION	PKG. QTY.
DLS6-MCT-277V	15W 900LM 3000K/4000K/5000K 6"	20
DLS12-MCT-277V	30W 1800LM 3000K/4000K/5000K 12"	5

SPECS SERIES HIGH-PERFORMANCE DIE-CAST

DISK LIGHTS WITH PIR MOTION SENSOR



CATALOG NO.	DESCRIPTION	PKG. QTY.
DLS4-MCT-PIR	9W 540LM 3000K/4000K/5000K 4"	20
DLS6-MCT-PIR	15W 900LM 3000K/4000K/5000K 6"	20
DLS8-MCT-PIR	20W 1200LM 3000K/4000K/5000K 8"	10
DLS10-MCT-PIR	25W 1500LM 3000K/4000K/5000K 10"	10
DLS12-MCT-PIR	30W 1800LM 3000K/4000K/5000K 12"	5

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
DLS6, DLS6E, DLSN6	OPT-EM-DLS6	MOUNT IN EXTENDED BASE	OPT-PC-DLS6	Photocell	N/A	N/A	N/A
DLS8	OPT-EM-DLS8	MOUNT IN EXTENDED BASE	OPT-PC-DLS8	Photocell			
DLS10	OPT-EM-DLS10	MOUNT IN EXTENDED BASE	OPT-PC-DLS10	Photocell			
DLS12	OPT-EM-DLS12	MOUNT IN EXTENDED BASE	OPT-PC-DLS12	Photocell			
DLS6-277V	OPT-EM-DLS6-277V	MOUNT IN EXTENDED BASE	OPT-PC-DLS6-277V	Photocell			
DLS12-277V	OPT-EM-DLS12-277V	MOUNT IN EXTENDED BASE	OPT-PC-DLS12-277V	Photocell			

LED 5CCT DOME FLUSH MOUNT



CATALOG NO.	DESCRIPTION	PKG. QTY.
FMD-11-MCT5-BN	20W 1500LM 27K/30K/35K/40K/50K Brushed Nickel 11"	8
FMD-11-MCT5-ORB	20W 1500LM 27K/30K/35K/40K/50K Oil-Rubbed Bronze 11"	8
FMD-11-MCT5-WH	20W 1500LM 27K/30K/35K/40K/50K White 11"	8
FMD-13-MCT5-BN	24W 1800LM 27K/30K/35K/40K/50K Brushed Nickel 13"	8
FMD-13-MCT5-ORB	24W 1800LM 27K/30K/35K/40K/50K Oil-Rubbed Bronze 13"	8
FMD-13-MCT5-WH	24W 1800LM 27K/30K/35K/40K/50K White 13"	8

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
FMD-11	OPT-EM-FMD11	EXTERNAL BOX	N/A	N/A	N/A	OPT-SEN-2US	ULTRASONIC
FMD-13	OPT-EM-FMD11-BN	EXTERNAL BOX				INTERNAL FOR ALL MODELS	BI-LEVEL DIMMING (REMOTE NOT NEEDED)
	OPT-EM-FMD11-ORB	EXTERNAL BOX				OPT-SEN-2USRC	OPTIONAL RC
	OPT-EM-FMD13	EXTERNAL BOX					
	OPT-EM-FMD13-BN	EXTERNAL BOX					
	OPT-EM-FMD13-ORB	EXTERNAL BOX					

LED 5CCT DOUBLE RING FLUSH MOUNT, 120V



CATALOG NO.	DESCRIPTION	PKG. QTY.
FDL-10-MCT5	12W 900LM 27K/30K/35K/40K/50K 10"	8
FDL-12-MCT5	16W 1200LM 27K/30K/35K/40K/50K 12"	8
FDL-12-MCT5-BK	16W 1200LM 27K/30K/35K/40K/50K 12"	8
FDL-14-MCT5	20W 1500LM 27K/30K/35K/40K/50K 14"	8
FDL-14-MCT5-BK	20W 1500LM 27K/30K/35K/40K/50K 14"	8
FDL-16-MCT5	24W 1800LM 27K/30K/35K/40K/50K 16"	8
FDL-18-MCT	30W 2200LM 3000K/4000K/5000K 18"	5
FDL-SFK	Semi-Flush Accessory Kit For Fdl Flush-Mount Series	
FDL-SFK-BK	Semi-Flush Accessory Kit For Fdl Flush-Mount Series, Bk	



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
FDL-10	OPT-EM-FDL-10	MOUNT IN EXTENDED BASE	OPT-PC-FM	BUTTON WITH AUXILIARY BASE	N/A	OPT-SEN-2US	ULTRASONIC
FDL-12	OPT-EM-FDL-12	MOUNT IN EXTENDED BASE	277V OPTION	DESCRIPTION		INTERNAL FOR	BI-LEVEL DIMMING
FDL-14	OPT-EM-FDL-14	MOUNT IN EXTENDED BASE	OPT-277V-FDL-10	EXTERNAL BOX		ALL MODELS	(REMOTE NOT NEEDED)
FDL-16	OPT-EM-FDL-16	MOUNT IN EXTENDED BASE	OPT-277V-FDL-12	EXTERNAL BOX		WEC-3RC	REMOTE CONTROL
FDL-18	OPT-EM-FDL-18	INTERNAL	OPT-277V-FDL-14	EXTERNAL BOX			
			OPT-277V-FDL-16	EXTERNAL BOX			
			OPT-277V-FDL-18	INTERNAL			



LED 5CCT SINGLE RING FLUSH MOUNT

RESIDENTIAL

SURFACE MOUNT

CATALOG NO.	DESCRIPTION	PKG. QTY.
FSL-11-MCT5	16W 1200LM 27K/30K/35K/40K/50K 11"	8
FSL-11-MCT5-GD	16W 1200LM 27K/30K/35K/40K/50K 11"	8
FSL-13-MCT5	20W 1500LM 27K/30K/35K/40K/50K 13"	8
FSL-13-MCT5-GD	20W 1500LM 27K/30K/35K/40K/50K 13"	8
FSL-15-MCT5	24W 1800LM 27K/30K/35K/40K/50K 15"	8
FSL-15-MCT5-GD	24W 1800LM 27K/30K/35K/40K/50K 15"	8



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
FSL-11	OPT-EM-FSL-11	MOUNT IN EXTENDED BASE	OPT-PC-FM	BUTTON WITH AUXILIARY BASE	N/A	OPT-SEN-2US	ULTRASONIC
FSL-13	OPT-EM-FSL-13	MOUNT IN EXTENDED BASE	277V OPTION	DESCRIPTION		INTERNAL FOR	BI-LEVEL DIMMING
FSL-15	OPT-EM-FSL-15	MOUNT IN EXTENDED BASE	OPT-277V-FSL-11	EXTERNAL BOX		ALL MODELS	(REMOTE NOT NEEDED)
			OPT-277V-FSL-13	EXTERNAL BOX		WEC-3RC	REMOTE CONTROL
			OPT-277V-FSL-15	EXTERNAL BOX			



LED 5CCT CLOUD FIXTURES, 120V

CATALOG NO.	DESCRIPTION	PKG. QTY.
FCRB-11HL-MCT5	20W 1500LM 27K/30K/35K/40K/50K 11" DIA	8
FCRB-14-MCT5	20W 1500LM 27K/30K/35K/40K/50K 14" DIA	8
FCRB-16-MCT5	20W 1500LM 27K/30K/35K/40K/50K 16" DIA	8



LED 5CCT CLOUD FIXTURE WITH PRE-INSTALLED SENSOR, 120V



CATALOG NO.	DESCRIPTION	PKG. QTY.
FCRB-16-MCT5-SEN	20W 1400LM 27K/30K/35K/40K/50K 16" DIA	8



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
FCRB-11	OPT-EM-FCRB-11	MOUNT IN EXTENDED BASE	OPT-PC-FM	BUTTON WITH AUXILIARY BASE	N/A	OPT-SEN-2US	ULTRASONIC
FCRB-14	OPT-EM-FCRB-14	MOUNT IN EXTENDED BASE	277V OPTION	DESCRIPTION		INTERNAL FOR	BI-LEVEL DIMMING
FCRB-16	OPT-EM-FCRB-16	MOUNT IN EXTENDED BASE	OPT-277V-FCRB-11	EXTERNAL BOX		ALL MODELS	(REMOTE NOT NEEDED)
			OPT-277V-FCRB-14	EXTERNAL BOX		WEC-3RC	REMOTE CONTROL
			OPT-277V-FCRB-16	EXTERNAL BOX			


LED 5CCT CLOUD FIXTURES, 120V



CATALOG NO.	DESCRIPTION	PKG. QTY.
 FCR-11-MCT5	16W 1200LM 27K/30K/35K/40K/50K 11" DIA	8
FCR-14-MCT5	24W 1800LM 27K/30K/35K/40K/50K 14" DIA	8

LED 5CCT CLOUD FIXTURES, 120V



CATALOG NO.	DESCRIPTION	PKG. QTY.
 FCS-11HL-MCT5	20W 1500LM 27K/30K/35K/40K/50K 11" DIA	8
FCS-13-MCT5	20W 1800LM 27K/30K/35K/40K/50K 13" DIA	8

LED CLOUD FIXTURES, 120V



CATALOG NO.	DESCRIPTION	PKG. QTY.
 FCS-11-12W-40K	15W 1100LM 4000K 11" DIA	2



SHOWN WITH EM



SHOWN WITH EM



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
FCR-11	OPT-EM-FCR11	INTERNAL	OPT-PC-FM	BUTTON WITH AUXILIARY BASE	N/A	OPT-SEN-2US	ULTRASONIC
FCR-14	OPT-EM-FCR14	INTERNAL	277V OPTION	DESCRIPTION		INTERNAL FOR ALL MODELS	BI-LEVEL DIMMING (REMOTE NOT NEEDED)
FCS11, FCS11HL	OPT-EM-FCS11	INTERNAL	OPT-277V-FCR-11	EXTERNAL BOX		OPT-SEN-2USRC	OPTIONAL RC
FCS14	OPT-EM-FCS14	INTERNAL	OPT-277V-FCS-11	EXTERNAL BOX			
FCS13	OPT-EM-FCS13	INTERNAL	OPT-277V-FCS-11HL	EXTERNAL BOX			
			OPT-277V-FCS-13	EXTERNAL BOX			



FMHT-WH
White



FMHT-BK
Black



FMHR-WH
White



FMHR-BK
Black

FLUSH MOUNT FIXTURES - 120V



CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER	PKG. QTY.
-------------	-------------	--	-----------

FREE FORM FLUSH MOUNT FIXTURES - 120V

FMHT-16-MCT5-WH	20W 1400LM 27K/30K/35K/40K/50K White	1
FMHT-16-MCT5-BK	20W 1400LM 27K/30K/35K/40K/50K Black	1
FMHT-20-MCT5-WH	30W 2100LM 27K/30K/35K/40K/50K White	1
FMHT-20-MCT5-BK	30W 2100LM 27K/30K/35K/40K/50K Black	1
FMHT-24-MCT5-WH	40W 2800LM 27K/30K/35K/40K/50K White	1
FMHT-24-MCT5-BK	40W 2800LM 27K/30K/35K/40K/50K Black	1

ROUND FLUSH MOUNT FIXTURES - 120V

FMHR-15-MCT5-WH	20W 1400LM 27K/30K/35K/40K/50K White	1
FMHR-15-MCT5-BK	20W 1400LM 27K/30K/35K/40K/50K Black	1
FMHR-19-MCT5-WH	30W 2100LM 27K/30K/35K/40K/50K White	1
FMHR-19-MCT5-BK	30W 2100LM 27K/30K/35K/40K/50K Black	1
FMHR-23-MCT5-WH	30W 2100LM 27K/30K/35K/40K/50K White	1
FMHR-23-MCT5-BK	30W 2100LM 27K/30K/35K/40K/50K Black	1



FMLU-R12-MCT5-BK
Black



FMLU-R12-MCT5-WH
White

12" FLUSH-MOUNT LIGHT WITH UPLIGHT, 5CCT



CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER	PKG. QTY.
FMLU-R12-MCT5-BK	25W 1600LM 27K/30K/35K/40K/50K 12" Black		6
FMLU-R12-MCT5-WH	25W 1600LM 27K/30K/35K/40K/50K 12" White		6

5CCT EDGE-LESS ARCHITECTURAL FLUSH MOUNT

CATALOG NO.	DESCRIPTION	PKG. QTY.
FEL-R6-MCT5	10W 700LM 27K/30K/35K/40K/50K	20
FEL-R8-MCT5	15W 1050LM 27K/30K/35K/40K/50K	10
FEL-R10-MCT5	20W 1400LM 27K/30K/35K/40K/50K	10
FEL-R12-MCT5	25W 1750LM 27K/30K/35K/40K/50K	5
FEL-R14-MCT5	30W 2100LM 27K/30K/35K/40K/50K	5



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	VANDAL RES.	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL	OPT-EM-FEL-R6 OPT-EM-FEL-R8 OPT-EM-FEL-R10 OPT-EM-FEL-R12 OPT-EM-FEL-R14	INTERNAL INTERNAL INTERNAL INTERNAL INTERNAL	N/A	N/A	N/A	N/A	N/A

SLIM DOUBLE-RING FLUSH MOUNT, 5CCT



CATALOG NO.	DESCRIPTION	PKG. QTY.
FDLS-12-MCT5	20W 1500LM 27K/30K/35K/40K/50K	8
FDLS-14-MCT5	24W 1800LM 27K/30K/35K/40K/50K	8



BUILDER COMPOSITE SERIES DECORATIVE FLUSH MOUNT FIXTURES

120V 5CCT E26 VER. INCL. (EXCEPT R12) RECESS ACCESSORIES



CATALOG NO.	DESCRIPTION	PKG. QTY.
FMLE-R5-MCT5-E26	9W 650LM 27K/30K/35K/40K/50K 5"	20
FMLE-R7-MCT5-E26	14W 1100LM 27K/30K/35K/40K/50K 7"	20
FMLE-R9-MCT5-E26	17W 1300LM 27K/30K/35K/40K/50K 9"	10
FMLE-R12-MCT5	21W 1500LM 27K/30K/35K/40K/50K 12"	5



CONTRACTOR-FRIENDLY SNAP-IN FLUSH MOUNT SERIES, 5CCT

E26 VER. INCL. RECESS ACCESSORIES



CATALOG NO.	DESCRIPTION	PKG. QTY.
CONTRACTOR-FRIENDLY SNAP-IN FLUSH MOUNT SERIES, 5CCT, 120V		
FMLS-R5-MCT5-DT	11W 680LM 27K/30K/35K/40K/50K	12
FMLS-R7-MCT5-DT	14W 900LM 27K/30K/35K/40K/50K	12
FMLS-R9-MCT5-DT	20W 1300LM 27K/30K/35K/40K/50K	8
FMLS-R11-MCT5-DT	25W 1650LM 27K/30K/35K/40K/50K	8
DUAL-DIMMING CONTRACTOR-FRIENDLY SNAP-IN FLUSH MOUNT SERIES, 5CCT AVAIL. WITH SLIM, 120-2		
FMLS-R7-MCT5-DD	14W 1000LM 27K/30K/35K/40K/50K	12
FMLS-R9-MCT5-DD	20W 1600LM 27K/30K/35K/40K/50K	8
QUICK SHIP FMLS-R7-MCT5-DD-EM	14W 1000LM 27K/30K/35K/40K/50K	8
QUICK SHIP FMLS-R9-MCT5-DD-EM	20W 1600LM 27K/30K/35K/40K/50K	8



WG SMART APP COMPATIBLE RGBW FLUSH MOUNT FIXTURES, 120V



CATALOG NO.	DESCRIPTION	PKG. QTY.
TC-FML-8-14W-RGBW-WIFI	14W 980LM RGBW	20
TC-FML-10-17W-RGBW-WIFI	17W 1190LM RGBW	20
TC-FML-12-22W-RGBW-WIFI	22W 1540LM RGBW	20
TC-FML-14-26W-RGBW-WIFI	26W 1820LM RGBW	20



FLUSH MOUNT SERIES, UGR<19 LOW-GLARE



CATALOG NO.	DESCRIPTION	PKG. QTY.
FML-R6-MCT5-UGR	11W 700LM 27K/30K/35K/40K/50K 6"	20
FML-R8-MCT5-UGR	14W 980LM 27K/30K/35K/40K/50K 8"	10
FML-R10-MCT5-UGR	17W 1190LM 27K/30K/35K/40K/50K 10"	10
FML-R12-MCT5-UGR	22W 1540LM 27K/30K/35K/40K/50K 12"	10
FML-R14-MCT5-UGR	26W 1820LM 27K/30K/35K/40K/50K 14"	5
FML-R16-MCT5-UGR	30W 2100LM 27K/30K/35K/40K/50K 16"	5
FML-R18-MCT5-UGR	35W 2450LM 27K/30K/35K/40K/50K 18"	3
FML-R20-MCT5-UGR	40W 2800LM 27K/30K/35K/40K/50K 20"	3
FML-R22-MCT5-UGR	45W 3150LM 27K/30K/35K/40K/50K 22"	3



SPEC SERIES ARCHITECTURAL DIE-CAST FLUSH MOUNT FIXTURES, 120V, 3CCCT



CATALOG NO.	DESCRIPTION	PKG. QTY.
FML-R6-MCT	11W 660LM 30K/40K/50K 6"	20
FML-R8-MCT	14W 840LM 30K/40K/50K 8"	10
FML-R10-MCT	17W 1020LM 30K/40K/50K 10"	10
FML-R18-MCT	30W 2100LM 30K/40K/50K 18"	5
FML-ULK-MCT	15W 850LM 30K/40K/50K UP LIGHT KIT FOR 18" & 22" FML SERIES	
FML-RK-712	7" OR 12" ROD KIT FOR FML FOR 18" & 22" FML SERIES	
FML-SK6	6FT ADJUSTABLE SUSPENSION KIT FOR 18" & 22" FML SERIES	



SHOWN WITH EM BASE



SHOWN WITH FML-SK6



SHOWN WITH FML-RK-712



SHOWN WITH FML-ULK-MCT

ARCHITECTURAL FLUSH MOUNT SURFACE FIXTURES, 120V



CATALOG NO.	DESCRIPTION	PKG. QTY.
FML-R6-11W-50K	11W 550LM 5000K 6" DIAMETER	20
FML-R8-14W-50K	14W 750LM 5000K 8" DIAMETER	10
FML-S6-11W-30K	11W 550LM 3000K 6" X 6"	20
FML-S6-11W-50K	11W 550LM 5000K 6" X 6"	20
FML-S8-14W-30K	14W 750LM 3000K 8" X 8"	20
FML-S10-17W-30K	17W 950LM 3000K 10" X 10"	20



FML COLOR TRIMS (CLIP ON)

CATALOG NO.	DESCRIPTION
FML-R6-TRM-BK	6" ROUND TRIM FOR FML-R6 SERIES, BLACK FINISH
FML-R6-TRM-BN	6" ROUND TRIM FOR FML-R6 SERIES, BRUSHED NICKEL FINISH
FML-R6-TRM-BR	6" ROUND TRIM FOR FML-R6 SERIES, BRONZE FINISH
FML-R8-TRM-BK	8" ROUND TRIM FOR FML-R6 SERIES, BLACK FINISH
FML-R8-TRM-BN	8" ROUND TRIM FOR FML-R6 SERIES, BRUSHED NICKEL FINISH
FML-R8-TRM-BR	8" ROUND TRIM FOR FML-R6 SERIES, BRONZE FINISH
FML-R10-TRM-BK	10" ROUND TRIM FOR FML-R6 SERIES, BLACK FINISH
FML-R10-TRM-BN	10" ROUND TRIM FOR FML-R6 SERIES, BRUSHED NICKEL FINISH
FML-R10-TRM-BR	10" ROUND TRIM FOR FML-R6 SERIES, BRONZE FINISH



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
FML-R6	OPT-EM-FML-R6	MOUNT IN EXTENDED BASE	OPT-PC-FML8	BUTTON	N/A	N/A	N/A
FML-R8	OPT-EM-FML-R8	MOUNT IN EXTENDED BASE	OPT-PC-FML10	BUTTON			
FML-R10	OPT-EM-FML-R10	MOUNT IN EXTENDED BASE	277V OPTION	DESCRIPTION			
FML-R12	OPT-EM-FML-R12	MOUNT IN EXTENDED BASE	OPT-277V-FML-R8	EXTERNAL BOX			
FML-R14	OPT-EM-FML-R14	MOUNT IN EXTENDED BASE	OPT-277V-FML-R10	EXTERNAL BOX			
FML-R16	OPT-EM-FML-R16	MOUNT IN EXTENDED BASE					
FML-R18	OPT-EM-FML-R18	MOUNT IN EXTENDED BASE					
FML-R20	OPT-EM-FML-R20	MOUNT IN EXTENDED BASE					
FML-R22	OPT-EM-FML-R22	MOUNT IN EXTENDED BASE					

RESIDENTIAL SURFACE MOUNT



LCFF



SHOWN WITH
ROD & CANOPY



SHOWN WITH
SUSPENSION KIT
& CANOPY



LCFF-WS

LED 5CCT INTEGRATED LED FABRIC DRUM



CATALOG NO.	DESCRIPTION	PKG. QTY.
LCFF-15-MCT5-BR	25W 1400LM 27K/30K/35K/40K/50K 15" Bronze	2
LCFF-18-MCT5-BR	35W 1800LM 27K/30K/35K/40K/50K 18" Bronze	2
LCFF-22-MCT5-BR	45W 2100LM 27K/30K/35K/40K/50K 22" Bronze	2
LCFF-15-MCT5-BN	25W 1400LM 27K/30K/35K/40K/50K 15" Brushed Nickel	2
LCFF-18-MCT5-BN	35W 1800LM 27K/30K/35K/40K/50K 18" Brushed Nickel	2
LCFF-22-MCT5-BN	45W 2100LM 27K/30K/35K/40K/50K 22" Brushed Nickel	2
INTEGRATED LED MODERN WALL SCONCE		
LCFF-WS-WH	10W 500LM 27K/30K/35K/40K/50K White	5
LCFF-WS-BR	10W 500LM 27K/30K/35K/40K/50K Bronze	5
LCFF-WS-BN	10W 500LM 27K/30K/35K/40K/50K Brushed Nickel	5
LCF-ROD-5-BR	5In Suspension Rod For Ceiling Fixture Swivel Canopy, Bronze	
LCF-ROD-12-BR	12In Suspension Rod For Ceiling Fixture Swivel Canopy, Bronze	
LCF-ROD-24-BR	24In Suspension Rod For Ceiling Fixture Swivel Canopy, Bronze	
LCF-ROD-36-BR	36In Suspension Rod For Ceiling Fixture Swivel Canopy, Bronze	
LCF-ROD-48-BR	48In Suspension Rod For Ceiling Fixture Swivel Canopy, Bronze	
LCF-ROD-5-BN	5In Suspension Rod For Ceiling Fixture Swivel Canopy, Brushed Nickel	
LCF-ROD-12-BN	12In Suspension Rod For Ceiling Fixture Swivel Canopy, Brushed Nickel	
LCF-ROD-24-BN	24In Suspension Rod For Ceiling Fixture Swivel Canopy, Brushed Nickel	
LCF-ROD-36-BN	36In Suspension Rod For Ceiling Fixture Swivel Canopy, Brushed Nickel	
LCF-ROD-48-BN	48In Suspension Rod For Ceiling Fixture Swivel Canopy, Brushed Nickel	
LCF-CANOPY-S-BR	Swivel Ceiling Canopy For Ceiling Fixtures, Bronze	
LCF-CANOPY-S-BN	Swivel Ceiling Canopy For Ceiling Fixtures, Brushed Nickel	
LFCF-SK10-BR	10Ft 4Line Canopy Suspension Kit For Decorative Lights, Bronze	
LFCF-SK10-BN	10Ft 4Line Canopy Suspension Kit For Decorative Lights, Brushed Nickel	
FML-ULK-MCT	15W, 850Lm, 30K/40K/50K Up Light Kit	

ARRIVES THIS SEASON
CHECK & PRE-ORDER

RESIDENTIAL

PENDANT LIGHTS



MODERN 3CCT FLUSH MOUNT DRUM



CATALOG NO.	DESCRIPTION	PKG. QTY.
FCD-13-MCT-BG	25W 2350LM 3000K/4000K/5000K 13" Black/Gold	5
FCD-16-MCT-BG	30W 2800LM 3000K/4000K/5000K 16" Black/Gold	5



SHOWN WITH MODIFICATION ACCESSORY

5CCT INTEGRATED LED MODERN CONE PENDANT LIGHTS, 12" DAI.- 5FT ADJ. CORD



CATALOG NO.	DESCRIPTION	PKG. QTY.
LCFC-MCT5-BK	25W 1300LM 27K/30K/35K/40K/50K Black	2
LCFC-MCT5-WH	25W 1300LM 27K/30K/35K/40K/50K White	2
LCFC-BF-ACC-GD	LCFC Pendant Modification Accessory, Electroplated Gold	
LCFC-BF-ACC-BN	LCFC Pendant Modification Accessory, Brushed Nickel	



NORDIC DESIGN PENDANT WITH LEATHER STRAP, INTEGRATED 5CCT LED - 10FT ADJ. CORD



CATALOG NO.	DESCRIPTION	PKG. QTY.
LCFN-MCT5-WH	25W 1400LM 27K/30K/35K/40K/50K White	2
LCFN-MCT5-BK	25W 1400LM 27K/30K/35K/40K/50K Black	2



SHOWN WITH WIRE GUARD BLACK

SHOWN WITH WIRE GUARD WHITE

12" INTEGRATED LED VINTAGE PENDANT LIGHTS, 5CCT - 5FT ADJ. CORD



CATALOG NO.	DESCRIPTION	PKG. QTY.
LCFA-MCT5-BK	25W 1300LM 27K/30K/35K/40K/50K Black (Copper Inside)	2
LCFA-MCT5-WH	25W 1300LM 27K/30K/35K/40K/50K White Gloss (Copper Inside)	2
LCFA-WG-BK	LCFA Wire Guard, Black	
LCFA-WG-WH	LCFA Wire Guard, White	

RESIDENTIAL
PENDANT LIGHTS



LCFS-MCT-BK
LCFS-MCT-WH



LCFQ-MCT-BK
All Black



Shown with
Brushed Nickel or
Anodized Gold



LCFQ-MCT-WH
All White



Shown with
Brushed Nickel or
Anodized Gold



LCFT-BK
Black



LCFT-WH
White



LCFT-BN
Brushed Nickel



Shown with
Acrylic Drop
Lens



LCFW-MCTP-BK
Black



LCFW-MCTP-WH
White



LCFK-MCTP-BK
Black
















LCFK-MCTP-WH
White


RESIDENTIAL

PENDANT
LIGHTS

POWER & CCT-ADJUSTABLE CONE PENDANT



CATALOG NO.	DESCRIPTION	PKG. QTY.
3CCT CONE PENDANT WITH 5FT ADJ. DOWNROD, 7" Dia.   		
LCFS-MCT-BK	6W/9W/12W 600LM Max. 30K/40K/50K Black	4
LCFS-MCT-WH	6W/9W/12W 600LM Max. 30K/40K/50K White	4
3CCT CONE PENDANT WITH 6FT ADJ. CORD, 6" Dia.   		
LCFQ-MCT-BK	6W/9W/12W 600LM Max. 30K/40K/50K Black	12
LCFQ-MCT-WH	6W/9W/12W 600LM Max. 30K/40K/50K White	12
CMC2-TRMWM-AG	Replacement Trim Accessory, Anodized Gold	
CMC2-TRMWM-BN	Replacement Trim Accessory, Brushed Nickel	
POWER & CCT ADJUSTABLE TAPERED PENDANT WITH 6FT ADJ. CORD, 2" Dia.   		
LCFT-MCTP-BK	3W/6W/9W 720LM Max. 30K/40K/50K Black	8
LCFT-MCTP-WH	3W/6W/9W 720LM Max. 30K/40K/50K White	8
LCFT-MCTP-BN	3W/6W/9W 720LM Max. 30K/40K/50K Brushed Nickel	8
LCFT-DL25	LCFT 2in 25mm Acrylic Drop Lens	
WINE BOTTLE PENDANT, COMMERCIAL/RESIDENTIAL 10FT ADJ. CORD  		
LCFW-MCTP-BK	6W/9W/12W 960LM Max. 30K/40K/50K Black	4
LCFW-MCTP-WH	6W/9W/12W 960LM Max. 30K/40K/50K White	4
COCONUT PENDANT, COMMERCIAL/RESIDENTIAL WITH 6FT ADJ. CORD, 6" Dia   ARRIVES THIS SEASON CHECK & PRE-ORDER		
LCFK-MCTP-BK	6W/9W/12W 960LM Max. 30K/40K/50K Black	4
LCFK-MCTP-WH	6W/9W/12W 960LM Max. 30K/40K/50K White	4



LCFI-MCT5-WH
White



LCFI-WS-WH
White

11" DECORATIVE 2-LEVEL PENDANT - 5FT ADJ. CORD



CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER	PKG. QTY.
LCFI-MCT5-WH	12W 600LM 27K/30K/35K/40K/50K White		4
LCFI-MCT5-BK	12W 600LM 27K/30K/35K/40K/50K Black		4
INTEGRATED LED MODERN WALL SCNCE			
LCFI-WS-WH	10W 500LM 27K/30K/35K/40K/50K White		5
LCFI-WS-BK	10W 500LM 27K/30K/35K/40K/50K Black		5

RESIDENTIAL
PENDANT
LIGHTS



LCFL-MCT5-WH
White



LCFL-MCT5-BG
Black/Gold



LCFL-WS-WH
White

12" MODERN DESIGNER LED PENDANT - 5FT ADJ. CORD



CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER	PKG. QTY.
LCFL-MCT5-WH	10W 500LM 27K/30K/35K/40K/50K White		4
LCFL-MCT5-BG	10W 500LM 27K/30K/35K/40K/50K Black Gold		4
INTEGRATED LED MODERN WALL SCNCE			
LCFL-WS-WH	10W 500LM 27K/30K/35K/40K/50K White		5
LCFL-WS-BG	10W 500LM 27K/30K/35K/40K/50K Black		5



MODERN 3CCT FLUSH MOUNT DRUM



CATALOG NO.	DESCRIPTION	PKG. QTY.
LDAP-10-MCT5	12W 700LM 27K/30K/35K/40K/50K BLACK, 10" Dia.	4
LDAP-14-MCT5	18W 900LM 27K/30K/35K/40K/50K BLACK, 14" Dia.	4



5CCT INTEGRATED LED MODERN DOME PENDANT LIGHTS



CATALOG NO.	DESCRIPTION	PKG. QTY.
12" INTEGRATED LED MODERN DOME PENDANT LIGHTS, 5CCT		
LCFD-MCT5-BK	25W 1300LM 27K/30K/35K/40K/50K 12"X62" Black	2
LCFD-MCT5-WH	25W 1300LM 27K/30K/35K/40K/50K 12"X62" White	2
LCFD-MCT5-WS	25W 1300LM 27K/30K/35K/40K/50K 12"X62" White/Silver	2
LCFD-MCT5-BG	25W 1300LM 27K/30K/35K/40K/50K 12"X62" Black/Gold	2
20" INTEGRATED LED MODERN DOME PENDANT LIGHTS		
LCFD-20-MCT5-WS	40W 2250LM 27K/30K/35K/40K/50K 20"X62" White/Silver	2
LCFD-20-MCT5-BG	40W 2250LM 27K/30K/35K/40K/50K 20"X62" Black/Gold	2
INTEGRATED LED MODERN WALL SCONCE		
LCFD-WS-BK	10W 500LM 27K/30K/35K/40K/50K Black	5
LCFD-WS-WH	10W 500LM 27K/30K/35K/40K/50K White	5

ARRIVES THIS SEASON
CHECK & PRE-ORDER

RESIDENTIAL
PENDANT
LIGHTS



24" INTEGRATED LED PAN PENDANT WITH 6FT ADJ. ROD DOWN, 5CCT



CATALOG NO.	DESCRIPTION	PKG. QTY.
LCFP-MCT5-WG	40W 2800LM 27K/30K/35K/40K/50K White/Gold	1
LCFP-MCT5-BG	40W 2800LM 27K/30K/35K/40K/50K Black/Gold	1



12" LARGE INTEGRATED LED DOME PENDANT WITH 6FT CORD, 5CCT



CATALOG NO.	DESCRIPTION	PKG. QTY.
LCFR-MCT5-WG	24W 820LM 27K/30K/35K/40K/50K White/Gold	2
LCFR-MCT5-BG	24W 820LM 27K/30K/35K/40K/50K Black/Gold	2



5CCT INTEGRATED LED PENDANT LIGHTS

xFT Adjustable



CATALOG NO.	DESCRIPTION	PKG. QTY.
LCFB-1L-MCT5	12W 810LM 27K/30K/35K/40K/50K Single	4
LCFB-3LR-MCT5	36W 2430LM 27K/30K/35K/40K/50K Triple w/ Square Canopy	2
LCFB-3LS-MCT5	36W 2430LM 27K/30K/35K/40K/50K Triple w/ Straight Bar	1



5CCT INTEGRATED LED HOLOGRAM PENDANT LIGHTS

xFT Adjustable



CATALOG NO.	DESCRIPTION	PKG. QTY.
LCFH-1L-MCT5	12W 810LM 27K/30K/35K/40K/50K Single	4
LCFH-3LR-MCT5	36W 2430LM 27K/30K/35K/40K/50K Triple w/ Square Canopy	2
LCFH-3LS-MCT5	36W 2430LM 27K/30K/35K/40K/50K Triple w/ Straight Bar	1



4" GLASS LENS PENDANT WITH 6FT ADJ. ROD, 5CCT



CATALOG NO.	DESCRIPTION	PKG. QTY.
LCFE-MCT5-BN	12W 720LM 27K/30K/35K/40K/50K Brushed Nickel	4
LCFE-MCT5-BK	12W 720LM 27K/30K/35K/40K/50K Black	4

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	277V OPTION	DESCRIPTION	PAINT	WIRE CABLE	DESCRIPTION
LCFF, LCFN, LDAP, LCFD	OPT-EM-LCFX-WH	INTERNAL White	OPT-277V-LCFX-WH	277V	N/A	OPT-HBC-3WR-6FT-WH	Wire Cable
LCFC, LCFP, LCFR, LCFB	OPT-EM-LCFX-BK	INTERNAL Black	OPT-277V-LCFX-BK	277V		OPT-HBC-3WR-6FT-BK	Wire Cable
LCFS, LCFQ, LCFA, LCFH	OPT-EM-LCFX-BN	INTERNAL Brushed Nickel	OPT-277V-LCFX-BN	277V			
LCFS, LCFQ, LCFA, LCFE							



BRL-RH-BK
Black



BRL-RH-BN
Brushed Nickel



BRL-RH-WH
White



BRL-SHL-BK
Black



BRL-SHL-WH
White



BRL-SHR-BK
Black



BRL-SHR-WH
White



BRL-RV-BK
Black



BRL-RV-BN
Brushed Nickel



BRL-RV-WH
White



BRL-SV-BK
Black



BRL-SV-WH
White


BEDSIDE READING LAMPS WITH BACKLIT, WIRELESS CHARGING, & USB OPTIONS



CATALOG NO.	DESCRIPTION	PKG. QTY.
BRL-RH-WH	3W 120LM 3000K Horizontal Recessed, White	20
BRL-RH-BK	3W 120LM 3000K Horizontal Recessed, Black	20
BRL-RH-BN	3W 120LM 3000K Horizontal Recessed, Brushed Nickel	20
BRL-RV-WH	3W 120LM 3000K Vertical Recessed, White	20
BRL-RV-BK	3W 120LM 3000K Vertical Recessed, Black	20
BRL-RV-BN	3W 120LM 3000K Vertical Recessed, Brushed Nickel	20
BRL-SHR-WCH-WH	10W 500LM 3000K Horiz. Surf. Backlit + USB & W/L CHG., Right Side, White	5
BRL-SHR-WCH-BK	10W 500LM 3000K Horiz. Surf. Backlit + USB & W/L CHG., Right Side, Black	5
BRL-SHL-WCH-WH	10W 500LM 3000K Horiz. Surf. Backlit + USB & W/L CHG., Left Side, White	5
BRL-SHL-WCH-BK	10W 500LM 3000K Horiz. Surf. Backlit + USB & W/L CHG., Left Side, Black	5
BRL-SV-WH	10W 500LM 3000K Vert. Surf. Backlit + USB, White	5
BRL-SV-BK	10W 500LM 3000K Vert. Surf. Backlit + USB, Black	5



LED PL LAMPS



CATALOG NO.	DESCRIPTION	POSITION	ROTATABLE	BALLAST	WHILE SUPPLIES LAST
 LPL-EB-9W-H-40K	9W 800LM 4000K	Horizontal	90°	Electronic Ballast	

LED TYPE A+B PL LAMPS





CATALOG NO.	DESCRIPTION	PKG. QTY.
 LPL-G24-AB-11W	11W 1300LM 4000K	1
 LPL-GX23-AB-8W	8W 800LM 4000K	1

LPL-G24-AB-11W **LPL-GX23-AB-8W**


12 LED LAMPS /24FT. STG



CATALOG NO.	DESCRIPTION	TOTAL LED
 STG-2412-27K	1W per bulb 75LM per S14 bulb 2700K Black	12
 STG-2412-27K-WH	1W per bulb 75LM per S14 bulb 2700K White	12


53FT 15-BULB ST14 RGB STRING LIGHT



CATALOG NO.	DESCRIPTION
 STG-5315-RGB-BT	53Ft 15-Bulb ST14 Rgb String Light 1M Appart With 11 Fairy Lights In Between Bluetooth


LANTERN DESIGN STRING LIGHT RGB BLUETOOTH APP CONTROLLED



CATALOG NO.	DESCRIPTION
 STG-2415-LANT-RGBIC-BT	24Ft 15-Lamp Lantern Design String Light Rgb Bluetooth App Controlled
STG-4830-LANT-RGBIC-BT	48Ft 30-Lamp Lantern Design String Light Rgb Bluetooth App Controlled


A19 LED LAMPS



CATALOG NO.	DESCRIPTION	PKG. QTY.
 A19-9W-MCT5-D	9W 800LM 27K/30K/35K/40K/50K	1

A19 LED LAMPS (Medium Base) 240° 15K Hours




CATALOG NO.	DESCRIPTION	MASTER QTY.
 A19-8PK-9W-30K-D	9W 700LM 3000K 8-PACK	64
A19-8PK-9W-40K-D	9W 810LM 4000K 8-PACK	64
A19-8PK-9W-50K-D	9W 810LM 5000K 8-PACK	64
A19-40PK-9W-30K-D	9W 700LM 3000K 40-PACK	40
A19-40PK-9W-40K-D	9W 810LM 4000K 40-PACK	40
A19-40PK-9W-50K-D	9W 810LM 5000K 40-PACK	40

40PK 8PK


WG SMART APP COMPATIBLE RGBW A19 LAMP, 120V



CATALOG NO.	DESCRIPTION	PKG. QTY.
 TC-A19-9W-RGBW-WIFI	9W 800LM RGBW E26 Base	50

MR16 LED LAMPS, 12V AC/DC GU5.3 BASE 36° *Dimmable with magnetic ballast only



CATALOG NO.	DESCRIPTION	PKG. QTY.
 MR16-400L-27K-D	5W 380LM 2700K 80CRI	200
MR16-400L-30K-D	5W 380LM 3000K 80CRI	200
MR16-400L-41K-D	5W 390LM 4100K 80CRI	200
MR16-400L-50K-D	5W 400LM 5000K 80CRI	200
 MR16-500L-C90-30K-D	7W 500LM 3000K 90CRI	100
MR16-500L-C90-40K-D	7W 560LM 4000K 90CRI	100
MR16-500L-C90-50K-D	7W 560LM 5000K 90CRI	100

MR11 LED LAMPS, 12V AC/DC GU5.3 BASE 36°

CATALOG NO.	DESCRIPTION	PKG. QTY.
 MR11-250L-27K	3W 250LM 2700K	
MR11-250L-30K	3W 250LM 3000K	


BR30 LED LAMPS



CATALOG NO.	DESCRIPTION	PKG. QTY.
 BR30-9W-MCT5-D	9W 800LM 27K/30K/35K/40K/50K	1

PAR30, PAR30S, PAR38 LED LAMPS, 5CCT, WEATHERPROOF



CATALOG NO.	DESCRIPTION	PKG. QTY.
 PAR30-9W-MCT5-D-WP	9W 800LM 27K/30K/35K/40K/50K	24
PAR30S-9W-MCT5-D-WP	9W 800LM 27K/30K/35K/40K/50K	24
PAR38-12W-MCT5-D-WP	12W 1200LM 27K/30K/35K/40K/50K	1


PAR36 12V AC/DC G53 Terminal Base, IP65, WET LOCATION



CATALOG NO.	DESCRIPTION	PKG. QTY.
 PAR36-12W-30K	12W 1000LM 3000K	20
PAR36-12W-40K	12W 1000LM 4000K	20
PAR36-12W-50K	12W 1000LM 5000K	20

WG SMART APP COMPATIBLE RGBW PAR20/PAR30/PAR38, 120V




CATALOG NO.	DESCRIPTION	PKG. QTY.
 TC-PAR20-5W-RGBW-WIFI	5W 400LM RGBW E26 Base	50
 TC-PAR30-11W-RGBW-WIFI	11W 850LM RGBW E26 Base	50
 TC-PAR38-13W-RGBW-WIFI	13W 1050LM RGBW E26 Base	50

RESIDENTIAL LAMPS


12-VOLT LED REPLACEMENT LAMPS

CATALOG NO.	DESCRIPTION	PKG. QTY.
 GZ-JC-39L-27K	3W 250LM 2700K 12VAC/DC	1000
 GZ-JC-39L-30K	 3W 250LM 3000K 12VAC/DC	1000
 GZ-JC-18L-27K	3W 250LM 2700K 12VAC/DC	1000
 GZ-JC-WP-3W-32K	 3W 180LM 3200K 12VAC/DC	1000
 GZ-S8-32K-G2	2.2W 230LM 3200K 12V	500
 GZ-G4-9L-32K	2W 120LM 3200K 12V	1000
 GZ-JC-60L-TFL	3W 60LM TURTLE FRIENDLY CCT	1000
 GZ-JC-300L-27K	 3W 300LM 2700K 360° Beam Angle	1000
 GZ-JC-300L-30K	 3W 300LM 3000K 360° Beam Angle	1000

LED REPLACEMENT LAMPS, 120V

CATALOG NO.	DESCRIPTION	PKG. QTY.
 GZ-G9-3W-32K	3W 240LM 3200K G9	500
 GZ-G9-3W-55K	3W 250LM 5500K G9	500


HIGH POWER GU10, 120V

CATALOG NO.	DESCRIPTION	PKG. QTY.
 G10-600L-30K-D	7.5W 500LM 3000K SMD CRI80 30° ANGLE	60
G10-600L-50K-D	7.5W 600LM 5000K SMD CRI80 30° ANGLE	60


LED FILAMENT CANDELABRA, 120V

CATALOG NO.	DESCRIPTION	PKG. QTY.
 E12-FLA-5W-27K-D	4W 400LM 2700K CLEAR TORPEDO	48
E12-FLA-5W-40K-D	4W 400LM 4000K CLEAR TORPEDO	48
E12-FLA-5W-27K-D-F-BT	4W 300LM 2700K FROSTED BENT TIP	48
E12-FLA-5W-40K-D-F-BT	4W 300LM 4000K FROSTED BENT TIP	48


WG SMART APP COMPATIBLE RGBW CANDELABRA, 120V

CATALOG NO.	DESCRIPTION	PKG. QTY.
 TC-E12-4.5W-RGBW-WIFI	4.5W 325LM RGBW E12 Base	50

LED FILAMENT A19 BULB, 120V

CATALOG NO.	DESCRIPTION	PKG. QTY.
 A19-FLA-7W-27K-D	7W 800LM 2700K CLEAR	100
A19-FLA-7W-40K-D	7W 800LM 4000K CLEAR	100

LED FILAMENT ST19 BULB, 120V

CATALOG NO.	DESCRIPTION	PKG. QTY.
 ST19-FLA-5W-27K-D-CL	5W 430LM 2700K	24
ST19-FLA-5W-22K-D-AM	5W 380LM 2200K (LED Component 2700K)	24

RGB BULBS

CATALOG NO.	DESCRIPTION
 MR16-5W-RGB	5W 280LM RGB 12V 30° REMOTE CONTROL




WESTGATE SMART APP COMPATIBLE RGBW SERIES




BLUETOOTH WG APP COMPATIBLE RGBW FLOOD LIGHT, 40D LENS, 12V



CATALOG NO.	DESCRIPTION	PKG. QTY.
 TC-GL-12V-15W-RGBW-BT-BR FOR REMOTE CONTROL SEE PAGE 96	15W 405LM RGBW	6


BLUETOOTH WG APP COMPATIBLE RGBW FLOOD LIGHT, 60D LENS, 12V



CATALOG NO.	DESCRIPTION	PKG. QTY.
 TC-FL-12V-36W-RGBW-BT-BR FOR REMOTE CONTROL SEE PAGE 96	36W 824LM RGBW	4


BLUETOOTH WG APP COMPATIBLE RGBW FLOOD LIGHT, 60D LENS, 120-277V



CATALOG NO.	DESCRIPTION	PKG. QTY.
 TC-FL-36W-RGBW-BT-BR FOR REMOTE CONTROL SEE PAGE 96	36W 824LM RGBW	4


SPEC SERIES RGBW BLUETOOTH WESTGATE APP BULLET, 120-277V



CATALOG NO.	DESCRIPTION	PKG. QTY.
 FLDX-MD-15W-RGBW-BT-BR FOR REMOTE CONTROL SEE PAGE 96	15W 720LM RGBW Bronze	4





SPEC SERIES RGBW BLUETOOTH WESTGATE APP BULLET, 12V



CATALOG NO.	DESCRIPTION	PKG. QTY.
 FLVX-MD-15W-RGBW-BT-BR FOR REMOTE CONTROL SEE PAGE 96	15W 720LM RGBW Bronze	4

RGBW LED OUTDOOR CYLINDER LIGHTS, IP65



CATALOG NO.	DESCRIPTION	PKG. QTY.
 WMC-UDL-RGBW-BK	4" LED ROUND CYLINDER LIGHTS, 120V (UP/DOWN LIGHT) H: 12" 24w 1920LM RGBW 25° Black	6
 WMC-UDL-RGBW-WH	24w 1920LM RGBW 25° White	6
 WMC-UDL-RGBW-BK	4" LED SQUARE CYLINDER LIGHTS, 120V (UP/DOWN LIGHT) H: 10-1/4" 24w 1920LM RGBW 30° Black	6
 WMC-UDL-RGBW-WH	24w 1920LM RGBW 30° White	6

FOR REMOTE CONTROL SEE PAGE 96

CMC RGBW CYLINDER LIGHTS, PENDANT OR SURFACE MOUNT, APP CONTROLLED



CATALOG NO.	DESCRIPTION	PKG. QTY.
 CMC2L-RGBW-BK	6W 300LM 27K-50K + RGB Black	6
 CMC2L-RGBW-WH	6W 300LM 27K-50K + RGB White	6
CMC3-RGBW-BK	9W 550LM 27K-50K + RGB Black	6
CMC3-RGBW-WH	9W 550LM 27K-50K + RGB White	6
CMC4-RGBW-BK	15W 900LM 27K-50K + RGB Black	6
CMC4-RGBW-WH	15W 900LM 27K-50K + RGB White	6
CMC6-RGBW-BK	20W 1200LM 27K-50K + RGB Black	8
CMC6-RGBW-WH	20W 1200LM 27K-50K + RGB White	8

FOR REMOTE CONTROL SEE PAGE 96

SPEC SERIES X GEN. RGB STADIUM LIGHTS, DMX512 CONTROLLED - SPECIAL ORDER



CATALOG NO.	DESCRIPTION	PKG. QTY.
SFX-G9-500W-45D-RGB	500W RGB	1
SFX-G9-800W-45D-RGB	800W RGB	1


RGB WG APP OR RC 13" OUTDOOR/INDOOR CEILING LIGHT, 120-277V

CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER	PKG. QTY.
LRS-PV-RGBW	25W 1920LM 5CCT AND RGB Black		4



RGB WG APP OR RC 6" SQUARE MODEL H ARCHITECTURAL OUTDOOR/INDOOR LED WALL LIGHTS,

CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER	PKG. QTY.
LRS-H-RGBW-BK	12W 650LM 5CCT AND RGB Black		12



RGB WG APP OR RC 7" ROUND MODEL F ARCHITECTURAL OUTDOOR/INDOOR LED WALL LIGHTS,

CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER	PKG. QTY.
LRS-F-RGBW-BK	12W 650LM 5CCT AND RGB Black		12



RGB WG APP OR RC OUTDOOR/INDOOR LED DECORATIVE WALL SCONCE, 120V (7" WIDE)

CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER	PKG. QTY.
LDS-RGBW-BK	15W 980LM 5CCT AND RGB Black		4



WG SMART APP COMPATIBLE RGBW SMOOTH RECESSED LIGHT TRIM - ROUND, 120V

CATALOG NO.	DESCRIPTION	PKG. QTY.
TC-RDPS4-10W-RGBW-WIFI	10W 650LM RGBW 4" E26 Base	12
TC-RDPS6-13W-RGBW-WIFI	13W 850LM RGBW 6" E26 Base	8



WG SMART APP COMPATIBLE RGBW ULTRA SLIM CANLESS RECESSED LIGHTS - ROUND, 120V

CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER	PKG. QTY.
TC-RSL4-RGBW	9W 630LM RGBW 4"		24
TC-RSL6-RGBW	12W 840LM RGBW 6"		24



WG SMART APP COMPATIBLE RGBW FLUSH MOUNT FIXTURES, 120V

CATALOG NO.	DESCRIPTION	PKG. QTY.
TC-FML-8-14W-RGBW-WIFI	14W 980LM RGBW	20
TC-FML-10-17W-RGBW-WIFI	17W 1190LM RGBW	20
TC-FML-12-22W-RGBW-WIFI	22W 1540LM RGBW	20
TC-FML-14-26W-RGBW-WIFI	26W 1820LM RGBW	20



RESIDENTIAL
SMART SERIES



WESTGATE SMART APP COMPATIBLE RGBW SERIES



WG SMART APP COMPATIBLE RGBW BUILDER SERIES LED ECONOMY DISK LIGHT



CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER	PKG. QTY.
 DLSE6-RGBW	15W 1000LM 27K/30K/35K/40K/50K 6"		24

53FT 15-BULB ST14 RGB STRING LIGHT



CATALOG NO.	DESCRIPTION
 STG-5315-RGB-BT	53Ft 15-Bulb ST14 Rgb String Light 1M Appart With 11 Fairy Lights In Between Bluetooth

LANTERN DESIGN STRING LIGHT RGB BLUETOOTH APP CONTROLLED



CATALOG NO.	DESCRIPTION
 STG-2415-LANT-RGBIC-BT	24Ft 15-Lamp Lantern Design String Light Rgb Bluetooth App Controlled
STG-4830-LANT-RGBIC-BT	48Ft 30-Lamp Lantern Design String Light Rgb Bluetooth App Controlled

WG SMART APP COMPATIBLE RGBW PAR20/PAR30/PAR38, 120V



CATALOG NO.	DESCRIPTION	PKG. QTY.
 TC-PAR20-5W-RGBW-WIFI	5W 400LM RGBW E26 Base	50
 TC-PAR30-11W-RGBW-WIFI	11W 850LM RGBW E26 Base	50
 TC-PAR38-13W-RGBW-WIFI	13W 1050LM RGBW E26 Base	50


WG SMART APP COMPATIBLE RGBW G25 LAMP, 120V



CATALOG NO.	DESCRIPTION	PKG. QTY.
 TC-G25-5W-RGBW-WIFI	5W 450LM RGBW E26 Base	50


WG SMART APP COMPATIBLE RGBW CANDELABRA, 120V




CATALOG NO.	DESCRIPTION	PKG. QTY.
 TC-E12-4.5W-RGBW-WIFI	4.5W 325LM RGBW E12 Base	50

WG SMART APP COMPATIBLE RGBW A19 LAMP, 120V



CATALOG NO.	DESCRIPTION	PKG. QTY.
 TC-A19-9W-RGBW-WIFI	9W 800LM RGBW E26 Base	50

WG SMART APP COMPATIBLE RGBW ULTRA SLIM CANLESS RECESSED LIGHTS - ROUND, 120V

CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER
 TC-PL12-RGBW	4W 250LM RGB	
TC-PL12-RGBW-SPLITTER4	RGB Puck Light 4-Port Splitter With 6in Cable	
TC-PL12-RGBW-CONTROLLER	RGBW In-Line Smart Controller App Compatible	

RESIDENTIAL

SMART SERIES







RIBBON LIGHTING



24-VOLT INDOOR LED RIBBON LIGHTS - STANDARD OUTPUT



Standard
OUTPUT

CATALOG NO.	DESCRIPTION	REEL LENGTH
STANDARD OUTPUT LED RIBBON—INDOOR (16.4FT ROLLS) (Max Run 49ft)		
 ULR-IN-16F-SO-27K	1.5W/FT 100LM/FT 2700K 8mm Width	16.4FT
ULR-IN-16F-SO-30K	1.5W/FT 100LM/FT 3000K 8mm Width	16.4FT
ULR-IN-16F-SO-35K	1.5W/FT 100LM/W 3500K 8mm Width	16.4FT
ULR-IN-16F-SO-40K	1.5W/FT 100LM/FT 4000K 8mm Width	16.4FT
ULR-IN-16F-SO-50K	1.5W/FT 100LM/FT 5000K 8mm Width	16.4FT
STANDARD OUTPUT LED RIBBON—INDOOR (98.4FT ROLLS) (Max Run 49ft)		
 ULR-IN-98F-SO-27K	1.5W/FT 100LM/FT 2700K 8mm Width	98.4FT
ULR-IN-98F-SO-30K	1.5W/FT 100LM/FT 3000K 8mm Width	98.4FT
ULR-IN-98F-SO-35K	1.5W/FT 100LM/W 3500K 8mm Width	98.4FT
ULR-IN-98F-SO-40K	1.5W/FT 100LM/FT 4000K 8mm Width	98.4FT
ULR-IN-98F-SO-50K	1.5W/FT 100LM/FT 5000K 8mm Width	98.4FT
INDOOR TANDEM COUPLINGS		
 ULR-IN-SO-COUP-6I-WR	Coupling to connect 2 standard output ribbons, 6"	
ULR-IN-SO-COUP-3F-WR	Coupling to connect 2 standard output ribbons, 3ft	
ULR-IN-SO-COUP-NO-WR	Coupling to connect 2 standard output ribbons, no wire	
INDOOR POWER FEED CABLES		
 ULR-IN-SO-CONN-6I-WR	1 side ribbon connector, 1 side female socket to driver, 6"	
ULR-IN-SO-CONN-3F-WR	1 side ribbon connector, 1 side female socket to driver, 3ft	
ULR-IN-SO-CONN-3F-PT	1 side ribbon connector, 1 side open end, 3ft	
ULR-IN-SO-CONN-10F-PT	1 side ribbon connector, 1 side open end, 10ft	

RIBBON






24-VOLT INDOOR LED RIBBON LIGHTS - HIGH OUTPUT



High
OUTPUT

High
OUTPUT

High
OUTPUT







CATALOG NO.	DESCRIPTION	REEL LENGTH
HIGH OUTPUT LED RIBBON—INDOOR (16.4FT ROLLS) (Max Run 20ft)		
 ULR-IN-16F-HO-27K	4.4W/FT 310LM/FT 2700K 10mm Width	16.4FT
ULR-IN-16F-HO-30K	4.4W/FT 310LM/FT 3000K 10mm Width	16.4FT
ULR-IN-16F-HO-35K	4.4W/FT 310LM/FT 3500K 10mm Width	16.4FT
ULR-IN-16F-HO-40K	4.4W/FT 330LM/FT 4000K 10mm Width	16.4FT
ULR-IN-16F-HO-50K	4.4W/FT 350LM/FT 5000K 10mm Width	16.4FT
HIGH OUTPUT LED BLACK RIBBON—INDOOR (16.4FT ROLLS) (Max Run 20ft)		
 ULR-IN-16F-HO-27K-BK	4.4W/FT 310LM/FT 2700K 10mm Width	16.4FT
ULR-IN-16F-HO-30K-BK	4.4W/FT 310LM/FT 3000K 10mm Width	16.4FT
ULR-IN-16F-HO-35K-BK	4.4W/FT 310LM/FT 3500K 10mm Width	16.4FT
ULR-IN-16F-HO-40K-BK	4.4W/FT 330LM/FT 4000K 10mm Width	16.4FT
ULR-IN-16F-HO-50K-BK	4.4W/FT 350LM/FT 5000K 10mm Width	16.4FT
HIGH OUTPUT LED RIBBON—INDOOR (98.4FT ROLLS) (Max Run 20ft)		
 ULR-IN-98F-HO-27K	4.4W/FT 310LM/FT 2700K 10mm Width	98.4FT
ULR-IN-98F-HO-30K	4.4W/FT 310LM/FT 3000K 10mm Width	98.4FT
ULR-IN-98F-HO-35K	4.4W/FT 310LM/FT 3500K 10mm Width	98.4FT
ULR-IN-98F-HO-40K	4.4W/FT 330LM/FT 4000K 10mm Width	98.4FT
ULR-IN-98F-HO-50K	4.4W/FT 350LM/FT 5000K 10mm Width	98.4FT
INDOOR TANDEM COUPLINGS		
 ULR-IN-HO-COUP-6I-WR	Coupling to connect 2 high & Extra output ribbons, 6"	
ULR-IN-HO-COUP-3F-WR	Coupling to connect 2 high & Extra output ribbons, 3ft	
ULR-IN-HO-COUP-NO-WR	Coupling to connect 2 high & Extra output ribbons, no wire	
INDOOR POWER FEED CABLES		
 ULR-IN-HO-CONN-6I-WR	1 side ribbon connector, 1 side female socket to driver, 6"	
ULR-IN-HO-CONN-3F-WR	1 side ribbon connector, 1 side female socket to driver, 3ft	
ULR-IN-HO-CONN-3F-PT	1 side ribbon connector, 1 side open end, 3ft	
ULR-IN-HO-CONN-10F-PT	1 side ribbon connector, 1 side open end, 10ft	



Extra High
OUTPUT






Ultra High
OUTPUT

RIBBON

CATALOG NO.	DESCRIPTION	REEL LENGTH
EXTRA HIGH OUTPUT LED RIBBON—INDOOR (16.4FT ROLLS) (Max Run 11ft)		
 ULR-IN-16F-XHO-27K	8.8W/FT 620LM/FT 2700K 10mm Width	16.4FT
ULR-IN-16F-XHO-30K	8.8W/FT 620LM/FT 3000K 10mm Width	16.4FT
ULR-IN-16F-XHO-35K	8.8W/FT 620LM/FT 3500K 10mm Width	16.4FT
ULR-IN-16F-XHO-40K	8.8W/FT 680LM/FT 4000K 10mm Width	16.4FT
ULR-IN-16F-XHO-50K	8.8W/FT 700LM/FT 5000K 10mm Width	16.4FT
EXTRA HIGH OUTPUT LED RIBBON—INDOOR (98.4FT ROLLS) (Max Run 11ft)		
 ULR-IN-98F-XHO-27K	8.8W/FT 620LM/FT 2700K 10mm Width	98.4FT
ULR-IN-98F-XHO-30K	8.8W/FT 620LM/FT 3000K 10mm Width	98.4FT
ULR-IN-98F-XHO-35K	8.8W/FT 620LM/FT 3500K 10mm Width	98.4FT
ULR-IN-98F-XHO-40K	8.8W/FT 680LM/FT 4000K 10mm Width	98.4FT
ULR-IN-98F-XHO-50K	8.8W/FT 700LM/FT 5000K 10mm Width	98.4FT
ULTRA HIGH OUTPUT LED RIBBON—INDOOR (16.4FT ROLLS) (Max Run 14ft)		
 ULR-IN-16F-YHO-27K	6.7W/FT 820LM/FT 2700K 10mm Width	16.4FT
ULR-IN-16F-YHO-30K	6.7W/FT 820LM/FT 3000K 10mm Width	16.4FT
ULR-IN-16F-YHO-35K	6.7W/FT 820LM/FT 3500K 10mm Width	16.4FT
ULR-IN-16F-YHO-40K	6.7W/FT 880LM/FT 4000K 10mm Width	16.4FT
ULR-IN-16F-YHO-50K	6.7W/FT 900LM/FT 5000K 10mm Width	16.4FT
INDOOR TANDEM COUPLINGS		
 ULR-IN-HO-COUP-6I-WR	Coupling to connect 2 high & Extra output ribbons, 6"	
ULR-IN-HO-COUP-3F-WR	Coupling to connect 2 high & Extra output ribbons, 3ft	
ULR-IN-HO-COUP-NO-WR	Coupling to connect 2 high & Extra output ribbons, no wire	
INDOOR POWER FEED CABLES		
 ULR-IN-HO-CONN-6I-WR	1 side ribbon connector, 1 side female socket to driver, 6"	
ULR-IN-HO-CONN-3F-WR	1 side ribbon connector, 1 side female socket to driver, 3ft	
ULR-IN-HO-CONN-3F-PT	1 side ribbon connector, 1 side open end, 3ft	
 ULR-IN-HO-CONN-10F-PT	1 side ribbon connector, 1 side open end, 10ft	

24-VOLT INDOOR COB RIBBON LIGHTS - HIGH OUTPUT




CATALOG NO.	DESCRIPTION	REEL LENGTH
HIGH OUTPUT COB RIBBON—INDOOR (16.4FT ROLLS) (Max Run 20ft)		
 ULR-IN-16F-HO-COB-27K	3W/FT 290LM/FT 2700K 10mm Width	16.4FT
ULR-IN-16F-HO-COB-30K	3W/FT 304LM/FT 3000K 10mm Width	16.4FT
ULR-IN-16F-HO-COB-35K	3W/FT 304LM/FT 3500K 10mm Width	16.4FT
ULR-IN-16F-HO-COB-40K	3W/FT 337LM/FT 4000K 10mm Width	16.4FT
ULR-IN-16F-HO-COB-50K	3W/FT 340LM/FT 5000K 10mm Width	16.4FT
ULR-IN-16F-HO-COB-65K	3W/FT 340LM/FT 6500K 10mm Width	16.4FT
HIGH OUTPUT COB RIBBON—INDOOR (98.4FT ROLLS) (Max Run 20ft)		
 ULR-IN-98F-HO-COB-27K	3W/FT 290LM/FT 2700K 10mm Width	98.4FT
ULR-IN-98F-HO-COB-30K	3W/FT 304LM/FT 3000K 10mm Width	98.4FT
ULR-IN-98F-HO-COB-35K	3W/FT 304LM/FT 3500K 10mm Width	98.4FT
ULR-IN-98F-HO-COB-40K	3W/FT 337LM/FT 4000K 10mm Width	98.4FT
ULR-IN-98F-HO-COB-50K	3W/FT 340LM/FT 5000K 10mm Width	98.4FT
ULR-IN-98F-HO-COB-65K	3W/FT 340LM/FT 6500K 10mm Width	98.4FT
INDOOR TANDEM COUPLINGS		
 ULR-IN-HO-COB-COUP-6I-WR	Coupling to connect 2 COB ribbons, 6"	
ULR-IN-HO-COB-COUP-3F-WR	Coupling to connect 2 COB ribbons, 3ft	
ULR-IN-HO-COB-COUP-NO-WR	Coupling to connect 2 COB ribbons, no wire	
INDOOR POWER FEED CABLES		
 ULR-IN-HO-COB-CONN-6I-WR	1 side ribbon connector, 1 side female socket to driver, 6"	
ULR-IN-HO-COB-CONN-3F-WR	1 side ribbon connector, 1 side female socket to driver, 3ft	
ULR-IN-HO-COB-CONN-3F-PT	1 side ribbon connector, 1 side open end, 3ft	
 ULR-IN-HO-COB-CONN-10F-PT	1 side ribbon connector, 1 side open end, 10ft	



24-VOLT INDOOR WHITE-TUNING COB RIBBON LIGHTS, WHITE-TUNING WITH CONTROLLER -HIGH OUTPUT


INSTALL WITH ELECTRONIC DRIVERS ONLY



CATALOG NO.	DESCRIPTION	REEL LENGTH
 ULR-IN-16F-HO-COB-WT	3W/FT 340LM/FT White Tuning 10mm Width	16.4FT
ULR-M2-M3-3A	White-Tuning Ribbon Light Controller With Remote	
ULR-LTECH-E2	White-Tuning Ribbon Light Wall-Mount Controller	
ULR-T86-JB	86X86mm PVC Junction Box For Wall-Mount Controllers	



ULR-M2-M3-3A




ULR-LTECH-E2



ULR-T86-JB

24-VOLT IP54 DAMP LOCATION LED RIBBON LIGHTS - HIGH OUTPUT



CATALOG NO.	DESCRIPTION	REEL LENGTH
 HIGH OUTPUT LED RIBBON— DAMP LOCATION (16.4FT ROLLS) (Max Run 20ft)		
ULR-IP54-16F-HO-27K	4.4W/FT 310LM/FT 2700K 10mm Width	16.4FT
ULR-IP54-16F-HO-30K	4.4W/FT 310LM/FT 3000K 10mm Width	16.4FT
ULR-IP54-16F-HO-35K	4.4W/FT 310LM/FT 3500K 10mm Width	16.4FT
ULR-IP54-16F-HO-40K	4.4W/FT 330LM/FT 4000K 10mm Width	16.4FT
ULR-IP54-16F-HO-50K	4.4W/FT 350LM/FT 5000K 10mm Width	16.4FT

INDOOR TANDEM COUPLINGS



ULR-IP54-HO-COUP-6I-WR Coupling to connect 2 high & Extra output ribbons, 6"

ULR-IP54-HO-COUP-3F-WR Coupling to connect 2 high & Extra output ribbons, 3ft

ULR-IP54-HO-COUP-NO-WR Coupling to connect 2 high & Extra output ribbons, no wire

INDOOR POWER FEED CABLES



ULR-IP54-HO-CONN-6I-WR 1 side ribbon connector, 1 side female socket to driver, 6"

ULR-IP54-HO-CONN-3F-WR 1 side ribbon connector, 1 side female socket to driver, 3ft







ULR-IP54-HO-CONN-3F-PT 1 side ribbon connector, 1 side open end, 3ft

ULR-IP54-HO-CONN-10F-PT 1 side ribbon connector, 1 side open end, 10ft

24-VOLT LED RGBW RIBBON LIGHTS, Max Run 16.4ft INDOOR & OUTDOOR VERSIONS

INSTALL WITH ELECTRONIC DRIVERS ONLY



CATALOG NO.	DESCRIPTION	REEL LENGTH
 ULR-IN-16F-HO-RGBW	INDOOR 5.8W/FT 225LM/FT RGB 20FT. Max Run 12mm Width	16.4FT IP20
ULR-OT-16F-HO-RGBW	OUTDOOR 5.8W/FT 225LM/FT RGB 20FT. Max Run 12mm Width	16.4FT IP67
RGBW-CONTROLLER	RGBW Controller (Remote incl.), 192W Max, 12-24 VDC	
RGBW-WIFI-CONTROLLER	RGBW lighting controller with integrated WI-FI and app, RC incl.	
 ULR-IN-HO-RGBW-COUP-6I-WR	Coupling to connect 2 RGBW ribbons, 6"	
ULR-IN-HO-RGBW-COUP-3F-WR	Coupling to connect 2 RGBW ribbons, 3ft.	
ULR-IN-HO-RGBW-COUP-NO-WR	Coupling to connect 2 RGBW ribbons, no wire	
 ULR-IN-HO-RGBW-CONN-6I-WR	1 side ribbon connector, 1 side open end, 6"	
ULR-IN-HO-RGBW-CONN-3F-WR	1 side ribbon connector, 1 side open end, 3ft	
 ULR-OT-HO-RGBW-CONN-3F-WR	3ft RGBW 5C wire both side's open with 1 rubber jacket (use silicone, page 193)	

RGBW CONTROLLERS REQUIRES 24V ELECTRONIC DRIVER

CATALOG NO.	DESCRIPTION
RGBW-CONTROLLER	RGBW Controller (Remote incl.), 192W Max, 12-24 VDC
ULR-M4-M4-3A	RGBW Controller (Remote incl.), 288W Max, 12-24 VDC
RGBW-WIFI-CONTROLLER	RGBW lighting controller with integrated WI-FI and app, RC incl.
ULR-LTECH-E5S	RGBW-Tuning Ribbon Light Wall-Mount Controller
ULR-T86-JB	86X86mm PVC Junction Box For Wall-Mount Controllers



RGBW-CONTROLLER



ULR-M4-M4-3A



RGBW-WIFI-CONTROLLER



ULR-LTECH-E5S



ULR-T86-JB

24-VOLT IP67 OUTDOOR LED RIBBON LIGHTS - HIGH OUTPUT



High
OUTPUT

High
OUTPUT

RIBBON

CATALOG NO. DESCRIPTION REEL LENGTH

HIGH OUTPUT LED RIBBON—OUTDOOR (16.4FT ROLLS) (Max Run 20ft)



ULR-OT-16F-HO-27K	4.4W/FT 310LM/FT 2700K 10mm Width	16.4FT
ULR-OT-16F-HO-30K	4.4W/FT 310LM/FT 3000K 10mm Width	16.4FT
ULR-OT-16F-HO-35K	4.4W/FT 310LM/FT 3500K 10mm Width	16.4FT
ULR-OT-16F-HO-40K	4.4W/FT 330LM/FT 4000K 10mm Width	16.4FT
ULR-OT-16F-HO-50K	4.4W/FT 350LM/FT 5000K 10mm Width	16.4FT



HIGH OUTPUT LED RIBBON—OUTDOOR (49FT ROLLS) (Max Run 20ft)

ULR-OT-49F-HO-27K	4.4W/FT 350LM/FT 2700K 10mm Width	49FT
ULR-OT-49F-HO-30K	4.4W/FT 310LM/FT 3000K 10mm Width	49FT
ULR-OT-49F-HO-35K	4.4W/FT 310LM/FT 3500K 10mm Width	49FT
ULR-OT-49F-HO-40K	4.4W/FT 330LM/FT 4000K 10mm Width	49FT
ULR-OT-49F-HO-50K	4.4W/FT 350LM/FT 5000K 10mm Width	49FT

OUTDOOR TANDEM COUPLINGS



ULR-OT-HO-COUP-6I-WR	Coupling to connect 2 high & Extra output ribbons, 6"
ULR-OT-HO-COUP-3F-WR	Coupling to connect 2 high & Extra output ribbons, 3ft
ULR-OT-HO-COUP-NO-WR	Coupling to connect 2 high & Extra output ribbons, no wire

OUTDOOR POWER FEED CABLES



ULR-OT-HO-CONN-6I-WR	1 side ribbon connector, 1 side female socket to driver, 6"
ULR-OT-HO-CONN-3F-WR	1 side ribbon connector, 1 side female socket to driver, 3ft
ULR-OT-HO-CONN-3F-PT	1 side ribbon connector, 1 side open end, 3ft
ULR-OT-HO-CONN-10F-PT	1 side ribbon connector, 1 side open end, 10ft

24-VOLT IP67 OUTDOOR LED RIBBON LIGHTS - EXTRA HIGH OUTPUT



Extra High
OUTPUT

CATALOG NO. DESCRIPTION REEL LENGTH

EXTRA HIGH OUTPUT LED RIBBON—OUTDOOR (16.4FT ROLLS) (Max Run 16.4ft)



ULR-OT-16F-XHO-27K	5.8W/FT 440LM/FT 2700K 10mm Width	16.4FT
ULR-OT-16F-XHO-30K	5.8W/FT 440LM/FT 3000K 10mm Width	16.4FT
ULR-OT-16F-XHO-35K	5.8W/FT 440LM/FT 3500K 10mm Width	16.4FT
ULR-OT-16F-XHO-40K	5.8W/FT 450LM/FT 4000K 10mm Width	16.4FT
ULR-OT-16F-XHO-50K	5.8W/FT 450LM/FT 5000K 10mm Width	16.4FT



EXTRA HIGH OUTPUT LED RIBBON—OUTDOOR (49FT ROLLS) (Max Run 16.4ft)

ULR-OT-49F-XHO-27K	5.8W/FT 450LM/FT 2700K 10mm Width	49FT
ULR-OT-49F-XHO-30K	5.8W/FT 440LM/FT 3000K 10mm Width	49FT
ULR-OT-49F-XHO-35K	5.8W/FT 440LM/FT 3500K 10mm Width	49FT
ULR-OT-49F-XHO-40K	5.8W/FT 450LM/FT 4000K 10mm Width	49FT
ULR-OT-49F-XHO-50K	5.8W/FT 450LM/FT 5000K 10mm Width	49FT

OUTDOOR TANDEM COUPLINGS



ULR-OT-HO-COUP-6I-WR	Coupling to connect 2 high & Extra output ribbons, 6"
ULR-OT-HO-COUP-3F-WR	Coupling to connect 2 high & Extra output ribbons, 3ft
ULR-OT-HO-COUP-NO-WR	Coupling to connect 2 high & Extra output ribbons, no wire

OUTDOOR POWER FEED CABLES



ULR-OT-HO-CONN-6I-WR	1 side ribbon connector, 1 side female socket to driver, 6"
ULR-OT-HO-CONN-3F-WR	1 side ribbon connector, 1 side female socket to driver, 3ft
ULR-OT-HO-CONN-3F-PT	1 side ribbon connector, 1 side open end, 3ft
ULR-OT-HO-CONN-10F-PT	1 side ribbon connector, 1 side open end, 10ft


CATALOG NO.	DESCRIPTION	REEL LENGTH
HIGH OUTPUT COB RIBBON—OUTDOOR (16.4FT ROLLS) (Max Run 20ft)		
 ULR-0T-16F-HO-COB-27K	3W/FT 290LM/FT 2700K 10mm Width	16.4FT
ULR-0T-16F-HO-COB-30K	3W/FT 304LM/FT 3000K 10mm Width	16.4FT
ULR-0T-16F-HO-COB-35K	3W/FT 304LM/FT 3500K 10mm Width	16.4FT
ULR-0T-16F-HO-COB-40K	3W/FT 337LM/FT 4000K 10mm Width	16.4FT
ULR-0T-16F-HO-COB-50K	3W/FT 340LM/FT 5000K 10mm Width	16.4FT
ULR-0T-16F-HO-COB-65K	3W/FT 340LM/FT 6500K 10mm Width	16.4FT
HIGH OUTPUT COB RIBBON—OUTDOOR (98.4FT ROLLS) (Max Run 20ft)		
 ULR-0T-98F-HO-COB-27K	3W/FT 290LM/FT 2700K 10mm Width	98.4FT
ULR-0T-98F-HO-COB-30K	3W/FT 304LM/FT 3000K 10mm Width	98.4FT
ULR-0T-98F-HO-COB-35K	3W/FT 304LM/FT 3500K 10mm Width	98.4FT
ULR-0T-98F-HO-COB-40K	3W/FT 337LM/FT 4000K 10mm Width	98.4FT
ULR-0T-98F-HO-COB-50K	3W/FT 340LM/FT 5000K 10mm Width	98.4FT
ULR-0T-98F-HO-COB-65K	3W/FT 340LM/FT 6500K 10mm Width	98.4FT
INDOOR TANDEM COUPLINGS		
 ULR-0T-HO-COB-COUP-6I-WR	6In Ribbon-To-Ribbon Coupling For COB IP65 Creates IP20 Ends	
ULR-0T-HO-COB-COUP-3F-WR	3Ft Ribbon-To-Ribbon Coupling For COB IP65 Creates IP20 Ends	
INDOOR POWER FEED CABLES		
 ULR-0T-HO-COB-CONN-3F-PT	3Ft Ribbon Pigtail Snap Connector To Female End For COB IP65 Creates IP20 End	
 ULR-0T-HO-COB-CONN-10F-PT	10Ft Ribbon Pigtail Snap Connector To Female End For COB IP65 Creates IP20 End	
ULR-0T-HO-COB-CONN-6I-WR	6In Ribbon Pigtail Snap Connector To Stripped End For COB IP65 Creates IP20 End	
ULR-0T-HO-COB-CONN-3F-WR	3Ft Ribbon Pigtail Snap Connector To Stripped End For COB IP65 Creates IP20 End	
ULR-0T-HO-COB-CONN-6I-WR-IP65	COB Ribbon Wet Loc IP65 Cap With Pigtail For Solder And Silicone Bag Of 5, Creates IP65 End	
ULR-0T-HO-COB-UCLIP-5PC	COB Ribbon Wet Loc IP65 Mounting Clips And Screws Bag Of 5	
ULR-0T-HO-COB-ENDC-5PC	COB Ribbon Wet Loc IP65 Closed End Cap Bag Of 5, Use With Silicone For IP65 Results	

RIBBON

LED FLEXIBLE SHEET 24cmX48cm

CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER	PKG. QTY:
 ULS-2448-35W-30K	35W 3000K		1
ULS-2448-35W-40K	35W 4000K		1
ULS-2448-35W-50K	35W 5000K		1
ULS-2448-70W-WT	35W WT: White Tuning		1

LED INDOOR ELECTRONIC RIBBON LIGHT PLUG-IN DRIVERS (FOR DIMMABLE DRIVERS SEE PAGE 211)

CATALOG NO.	DESCRIPTION
 ULR-IN-PIDR-48W	48W MAX, 2A, 100-240V INPUT, 15A Plug & Male 24V Connector
ULR-IN-PIDR-72W	72W MAX, 3A, 100-240V INPUT Plug & Male 24V Connector

LED INDOOR ELECTRONIC RIBBON LIGHT HARDWARE DRIVERS, NON-DIMMABLE

CATALOG NO.	DESCRIPTION
ULR-IN-HWDR-75W	75W MAX, 3.2A, 85-264V INPUT, 15A, 24V
ULR-IN-HWDR-100W	100W MAX, 4.5A, 85-264V INPUT, 15A, 24V
ULR-IN-HWDR-150W	150W MAX, 6.5A, 85-132V INPUT, 15A, 24V
ULR-IN-HWDR-200W	200W MAX, 8.8A, 90-132V INPUT, 15A, 24V
ULR-IN-HWDR-350W	350W MAX, 14.6A, 90-132V INPUT, 15A, 24V
ULR-IN-HWDR-450W	450W MAX, 18.8A, 90-132V INPUT, 15A, 24V
ULR-IN-HWDR-600W	600W MAX, 25A, 90-132V INPUT, 15A, 24V



5-IN-1 DIMMABLE ELECTRONIC LED DRIVER WITH JUNCTION BOX, 120-277V



CATALOG NO.	DESCRIPTION
LEDDR-24V-60W-UNIV	5-In-1 Dimmable Electronic Led Driver With Junction Box, 120-277V To 24V 60W
LEDDR-24V-96W-UNIV	5-In-1 Dimmable Electronic Led Driver With Junction Box, 120-277V To 24V 96W
LEDDR-24V-120W-UNIV	5-In-1 Dimmable Electronic Led Driver With Junction Box, 120-277V To 24V 120W
LEDDR-24V-150W-UNIV	5-In-1 Dimmable Electronic Led Driver With Junction Box, 120-277V To 24V 150W
LEDDR-24V-192W-UNIV	5-In-1 Dimmable Electronic Led Driver With Junction Box, 120-277V To 24V 192W
LEDDR-24V-288W-UNIV	5-In-1 Dimmable Electronic Led Driver With Junction Box, 120-277V To 24V 288W
LEDDR-24V-384W-UNIV	5-In-1 Dimmable Electronic Led Driver With Junction Box, 120-277V To 24V 384W



RIBBON

24-VOLT LED OUTDOOR ELECTRONIC NON-DIMMABLE DRIVERS 120V INPUT

(FOR MAG. DIMMABLE DRIVERS SEE PAGE 211)





CATALOG NO.	DESCRIPTION
LEDDR-24V-WP-200W	200W 120V INPUT




SURFACE MOUNT CHANNELS & LENSES

CATALOG NO.	DESCRIPTION
ULR-CH-SURF-SHALLOW	12X6 mm Surface mount channel, 4ft.
ULR-CH-SURF-DEEP	12X12 mm Surface mount channel, 4ft.
ULR-LENS-SURF-F	Frosted Lens for 12X6 mm & 12X12 mm Channels
ULR-LENS-SURF-C	Clear Lens for 12X6 mm & 12X12 mm Channels
ULR-CH-SURF-SHALLOW-CAP	End Cap for 12X6 mm Channels
ULR-CH-SURF-DEEP-CAP	End Cap for 12X12 mm Channels
ULR-CH-SURF-16X14	16X14 mm Surface mount channel, 4ft.
ULR-LENS-SURF-16X14-F	Frosted Lens for 16X14 mm Channels
ULR-LENS-SURF-16X14-C	Clear Lens for 16X14 mm Channels
ULR-LENS-SURF-16X14-CAP	End Cap for 16X14 mm Channels



MUD-IN RECESSED MOUNT CHANNELS & LENSES

CATALOG NO.	DESCRIPTION
ULR-CH-MUD-13X15	13X15 mm Mud-In Recessed mount channel, 4ft.
ULR-LENS-MUD-13X15-F	Frosted Lens for 13X15 mm Channels
ULR-LENS-MUD-13X15-C	Clear Lens for 13X15 mm Channels
ULR-CH-MUD-13X15-CAP	End Cap for 13X15 mm Channels
ULR-CH-MUD-37X15	37X15 mm Mud-In Recessed mount channel (Can fit 2 Ribbons), 4ft.
ULR-LENS-MUD-37X15-F	Frosted Lens for 37X15 mm Channels
ULR-LENS-MUD-37X15-C	Clear Lens for 37X15 mm Channels
ULR-LENS-MUD-37X15-CAP	End Cap for 37X15 mm Channels







45 DEGREE CHANNEL & LENSES

CATALOG NO.	DESCRIPTION
 ULR-CH-45D	12X18 mm 45° Channel, 4ft.
ULR-LENS-45D-F	Frosted Lens for 45° Channels
ULR-CH-45D-CAP	End Cap for 45° Channels






RECESSED MOUNT CHANNELS & LENSES

CATALOG NO.	DESCRIPTION
 ULR-CH-REC-SHALLOW	20X10 mm Recessed mount channel, 4ft.
ULR-CH-REC-DEEP	20X20 mm Recessed mount channel (Can fit 2 Ribbons), 4ft.
ULR-LENS-REC-F	Frosted Lens for 20X10 mm & 20X20 mm Channels
ULR-LENS-REC-C	Clear Lens for 20X10 mm & 20X20 mm Channels
ULR-CH-REC-SHALLOW-CAP	End Cap for 20X10 mm Channels
ULR-CH-REC-DEEP-CAP	End Cap for 20X20 mm Channels
 ULR-CH-REC-12X7	12X7 mm Recessed mount channel, 4ft.
ULR-LENS-REC-12X7-F	Frosted Lens for 12X7 mm Channels
ULR-LENS-REC-12X7-C	Clear Lens for 12X7 mm Channels
ULR-CH-REC-12X7-CAP	End Cap for 12X7 mm Channels
 ULR-CH-REC-12X12	12X12 mm Recessed mount channel, 4ft.
ULR-LENS-REC-12X12-F	Frosted Lens for 12X12 mm Channels
ULR-LENS-REC-12X12-C	Clear Lens for 12X12 mm Channels
ULR-CH-REC-12X12-CAP	End Cap for 12X12 mm Channels


ACCESSORIES

CATALOG NO.	DESCRIPTION
 ULR-OUT-ENDC-5PC	End cap for IP67 ribbons, Pack of 5
ULR-OUT-UCLIP-10PC	Mounting Clip, Pack of 10
ULR-OUT-SGLUE	Silicone glue for sealing compound
ULR-2HSTRP	2-hole rubber strap, Pack of 10

EXTENSION CORDS FOR SECONDARY-SIDE OF DRIVERS

CATALOG NO.	DESCRIPTION
 ULR-DCJ-2ML-1FT	DC Jumper cable, Both sides male, 1ft.
ULR-DCJ-2ML-3FT	DC Jumper cable, Both sides male, 3ft.
ULR-DCJ-2ML-10FT	DC Jumper cable, Both sides male, 10ft.
 ULR-DCJ-1M1F-1FT	DC Jumper cable, one side male one side female, 1ft.
ULR-DCJ-1M1F-3FT	DC Jumper cable, one side male one side female, 3ft.
ULR-DCJ-1M1F-10FT	DC Jumper cable, one side male one side female, 10ft.
 ULR-DCJ-2FM-1FT	DC Jumper cable, Both sides female, 1ft.
ULR-DCJ-2FM-3FT	DC Jumper cable, Both sides female, 3ft.
ULR-DCJ-2FM-10FT	DC Jumper cable, Both sides female, 10ft.
 ULR-DCJ-1S1F-3FT	DC Jumper cable, one side female one side striped, 3ft
ULR-DCJ-1S1F-10FT	DC Jumper cable, one side female one side striped, 10ft
 ULR-DCJ-1S1M-3FT	DC Jumper cable, one side male one side striped, 3ft
ULR-DCJ-1S1M-10FT	DC Jumper cable, one side male one side striped, 10ft

WIRES

CATALOG NO.	DESCRIPTION
 ULR-2WRE-50FT-18	50' Roll of 18/2 AWG wire
ULR-2WRE-100FT-18	100' Roll of 18/2 AWG wire
ULR-2WRE-50FT-22	50' Roll of 22/2 AWG wire
ULR-2WRE-100FT-22	100' Roll of 22/2 AWG wire
ULR-5WRE-50FT-22	50' Roll of 22/5 AWG wire
ULR-5WRE-100FT-22	100' Roll of 22/5 AWG wire



CUSTOM LENGTHS/ORDER BY FOOT

We Cut & Solder Each Section With Your Desired Sizes

24-VOLT INDOOR LED RIBBON LIGHTS - STANDARD OUTPUT IP20

CATALOG NO.	DESCRIPTION	MAX ORDER LENGTH PER CONNECTION
STANDARD OUTPUT LED RIBBON—INDOOR		
STANDARD OUTPUT	ULR-IN-1FT-S0-27K	1.5W/FT 100LM/FT 2700K 8mm Width 49FT
	ULR-IN-1FT-S0-30K	1.5W/FT 100LM/FT 3000K 8mm Width 49FT
	ULR-IN-1FT-S0-40K	1.5W/FT 100LM/FT 4000K 8mm Width 49FT
	ULR-IN-1FT-S0-50K	1.5W/FT 100LM/FT 5000K 8mm Width 49FT

24-VOLT INDOOR LED RIBBON LIGHTS - HIGH OUTPUT IP20

CATALOG NO.	DESCRIPTION	MAX ORDER LENGTH PER CONNECTION
HIGH OUTPUT LED RIBBON—INDOOR		
HIGH OUTPUT	ULR-IN-1FT-H0-27K	4.4W/FT 310LM/FT 2700K 10mm Width 20FT
	ULR-IN-1FT-H0-30K	4.4W/FT 310LM/FT 3000K 10mm Width 20FT
	ULR-IN-1FT-H0-40K	4.4W/FT 330LM/FT 4000K 10mm Width 20FT
	ULR-IN-1FT-H0-50K	4.4W/FT 350LM/FT 5000K 10mm Width 20FT
HIGH OUTPUT LED BLACK RIBBON—INDOOR		
HIGH OUTPUT	ULR-IN-1FT-H0-27K-BK	4.4W/FT 310LM/FT 2700K 10mm Width 20FT
	ULR-IN-1FT-H0-30K-BK	4.4W/FT 310LM/FT 3000K 10mm Width 20FT
	ULR-IN-1FT-H0-40K-BK	4.4W/FT 330LM/FT 4000K 10mm Width 20FT
	ULR-IN-1FT-H0-50K-BK	4.4W/FT 350LM/FT 5000K 10mm Width 20FT

24-VOLT INDOOR LED RIBBON LIGHTS - EXTRA HIGH OUTPUT IP20

CATALOG NO.	DESCRIPTION	MAX ORDER LENGTH PER CONNECTION
EXTRA HIGH OUTPUT LED RIBBON—INDOOR		
EXTRA HIGH OUTPUT	ULR-IN-1FT-XH0-27K	8.8W/FT 620LM/FT 2700K 10mm Width 11FT
	ULR-IN-1FT-XH0-30K	8.8W/FT 620LM/FT 3000K 10mm Width 11FT
	ULR-IN-1FT-XH0-40K	8.8W/FT 680LM/FT 4000K 10mm Width 11FT
	ULR-IN-1FT-XH0-50K	8.8W/FT 700LM/FT 5000K 10mm Width 11FT
ULTRA HIGH OUTPUT LED RIBBON—INDOOR		
ULTRA HIGH OUTPUT	ULR-IN-1FT-YH0-27K	6.7W/FT 820LM/FT 2700K 10mm Width 14FT
	ULR-IN-1FT-YH0-30K	6.7W/FT 820LM/FT 3000K 10mm Width 14FT
	ULR-IN-1FT-YH0-40K	6.7W/FT 880LM/FT 4000K 10mm Width 14FT
	ULR-IN-1FT-YH0-50K	6.7W/FT 900LM/FT 5000K 10mm Width 14FT

24-VOLT INDOOR COB RIBBON LIGHTS - HIGH OUTPUT IP20

CATALOG NO.	DESCRIPTION	MAX ORDER LENGTH PER CONNECTION
EXTRA HIGH OUTPUT COB RIBBON—INDOOR		
HIGH OUTPUT	ULR-IN-1FT-H0-COB-27K	3W/FT 290LM/FT 2700K 10mm Width 20FT
	ULR-IN-1FT-H0-COB-30K	3W/FT 304LM/FT 3000K 10mm Width 20FT
	ULR-IN-1FT-H0-COB-40K	3W/FT 337LM/FT 4000K 10mm Width 20FT
	ULR-IN-1FT-H0-COB-50K	3W/FT 340LM/FT 5000K 10mm Width 20FT
	ULR-IN-1FT-H0-COB-65K	3W/FT 340LM/FT 6500K 10mm Width 20FT

24-VOLT INDOOR WHITE-TUNING COB RIBBON LIGHTS, WHITE-TUNING WITH CONTROLLER -HIGH OUTPUT INSTALL WITH ELECTRONIC DRIVERS ONLY

CATALOG NO.	DESCRIPTION	MAX ORDER LENGTH PER CONNECTION
HIGH OUTPUT	ULR-IN-1FT-H0-COB-WT	3W/FT 340LM/FT White Tuning 10mm Width 20FT
	OPT-CONNECT-WTUNE-CTRL	Connect Ribbon With White Tuning Controller and Driver

RIBBON



24-VOLT IP54 DAMP LOCATION LED RIBBON LIGHTS - HIGH OUTPUT IP54

CATALOG NO.	DESCRIPTION	MAX ORDER LENGTH PER CONNECTION
HIGH OUTPUT LED RIBBON— DAMP LOCATION		
HIGH OUTPUT	ULR-IP54-1FT-HO-27K	4.4W/FT 310LM/FT 2700K 10mm Width 20FT
	ULR-IP54-1FT-HO-30K	4.4W/FT 310LM/FT 3000K 10mm Width 20FT
	ULR-IP54-1FT-HO-40K	4.4W/FT 330LM/FT 4000K 10mm Width 20FT
	ULR-IP54-1FT-HO-50K	4.4W/FT 350LM/FT 5000K 10mm Width 20FT

24-VOLT LED RGBW RIBBON LIGHTS



CATALOG NO.	DESCRIPTION	MAX ORDER LENGTH PER CONNECTION
HIGH OUTPUT	ULR-IN-1FT-HO-RGBW	5.8W/FT 225LM/FT RGB 10mm Width IP20 20FT
	ULR-OT-1FT-HO-RGBW	5.8W/FT 225LM/FT RGB 10mm Width IP67 20FT
	OPT-CONNECT-RGBW-CTRL	Connect RGBW With Controller and Driver

24-VOLT IP67 OUTDOOR LED RIBBON LIGHTS - HIGH OUTPUT IP67

CATALOG NO.	DESCRIPTION	MAX ORDER LENGTH PER CONNECTION
HIGH OUTPUT LED RIBBON—OUTDOOR		
HIGH OUTPUT	ULR-OT-1FT-HO-27K	4.4W/FT 310LM/FT 2700K 10mm Width 20FT
	ULR-OT-1FT-HO-30K	4.4W/FT 310LM/FT 3000K 10mm Width 20FT
	ULR-OT-1FT-HO-40K	4.4W/FT 330LM/FT 4000K 10mm Width 20FT
	ULR-OT-1FT-HO-50K	4.4W/FT 350LM/FT 5000K 10mm Width 20FT

24-VOLT IP67 OUTDOOR LED RIBBON LIGHTS - EXTRA HIGH OUTPUT IP67

CATALOG NO.	DESCRIPTION	MAX ORDER LENGTH PER CONNECTION
EXTRA HIGH OUTPUT LED RIBBON—OUTDOOR		
EXTRA HIGH OUTPUT	ULR-OT-1FT-XHO-27K	5.8W/FT 440LM/FT 2700K 10mm Width 16.4FT
	ULR-OT-1FT-XHO-30K	5.8W/FT 440LM/FT 3000K 10mm Width 16.4FT
	ULR-OT-1FT-XHO-40K	5.8W/FT 450LM/FT 4000K 10mm Width 16.4FT
	ULR-OT-1FT-XHO-50K	5.8W/FT 450LM/FT 5000K 10mm Width 16.4FT

FACTORY-INSTALLED OPTIONS FOR ULR 1FT

CATALOG NO.	DESCRIPTION
OPT-PT-2HW-6I	Solder 6" 2 Wire Pigtail To Ribbon
OPT-PT-2HW-36I	Solder 36" 2 Wire Pigtail To Ribbon
OPT-PT-2HW-120I	Solder 120" 2 Wire Pigtail To Ribbon
OPT-PT-2HW-240I	Solder 240" 2 Wire Pigtail To Ribbon
OPTF-PTF-2W-6I	Solder 6" 2 Wire Pigtail To Ribbon With Female DC
OPTF-PTF-2W-36I	Solder 36" 2 Wire Pigtail To Ribbon With Female DC
OPTF-PTF-2W-120I	Solder 120" 2 Wire Pigtail To Ribbon With Female DC
OPTF-PTF-2W-240I	Solder 240" 2 Wire Pigtail To Ribbon With Female DC
OPT-PT-5HW-6I	Solder 6" 5 Wire Pigtail To Ribbon
OPT-PT-5HW-36I	Solder 36" 5 Wire RGBW Pigtail To Ribbon
OPT-PT-5HW-120I	Solder 120" 5 Wire RGBW Pigtail To Ribbon
OPT-PT-5HW-240I	Solder 240" 5 Wire RGBW Pigtail To Ribbon
OPT-COUP-2HW	Couple Two Ribbons No Wire
OPT-COUP-2HW-XXI	Couple Two Ribbons W. Specified Length 2 Wire
OPT-COUP-2HW-6I	Couple Two Ribbons W. 6" 2 Wire
OPT-COUP-2HW-36I	Couple Two Ribbons W. 36" 2 Wire
OPT-COUP-2HW-120I	Couple Two Ribbons W. 120" 2 Wire
OPT-COUP-2HW-240I	Couple Two Ribbons W. 240" 2 Wire
OPT-COUP-5HW-XXI	Couple Two Ribbons W. Specified Length 5 Wire
OPT-COUP-5HW-6I	Couple Two RGBW Ribbons W. 6" 5 Wire
OPT-COUP-5HW-36I	Couple Two RGBW Ribbons W. 36" 5 Wire
OPT-COUP-5HW-120I	Couple Two RGBW Ribbons W. 120" 5 Wire
OPT-COUP-5HW-240I	Couple Two RGBW Ribbons W. 240" 5 Wire

RIBBON



Black Brass Simulation Oil-Rubbed Bronze



12V



RGBW MCT5

12V 7W LED NEW GENERATION ALUMINUM SPOT LIGHT
Aluminum, Black & Metallic Oil-Rubbed Bronze & Brass Simulation Finishes

CATALOG NO.	DESCRIPTION
AD-018-MCT-BK	7W 600LM 30K/40K/50K
AD-018-MCT-ORB	7W 600LM 30K/40K/50K
AD-018-MCT-AZ	7W 600LM 30K/40K/50K
AD-018-RGBW-PB-ORB	7W 600LM RGBW PUSH BUTTON
AD-018-RGBW-W-BT-ORB	7W 600LM RGBW APP CONTROL



AD120-017



AD120-018

120V GARDEN BULLET WITHOUT OR WITH SHROUD, INTEGRATED 3CCT

CATALOG NO.	DESCRIPTION
AD120-017-MCT-ORB	8W 700LM 30K/40K/50K 17"
AD120-017-MCT-BK	8W 700LM 30K/40K/50K 17"
AD120-017-MCT-WH	8W 700LM 30K/40K/50K 17"
AD120-018-MCT-ORB	8W 700LM 30K/40K/50K 18"
AD120-018-MCT-BK	8W 700LM 30K/40K/50K 18"



12-VOLT AC/DC LED GARDEN FLOOD LIGHTS

CATALOG NO.	DESCRIPTION
GL-12V-12W-30K-BR	12W 960LM 3000K
GL-12V-12W-40K-BR	12W 960LM 4000K
GL-12V-12W-50K-BR	12W 960LM 5000K
GL-12V-24W-30K-BR	24W 1920LM 3000K
GL-12V-24W-40K-BR	24W 1920LM 4000K
GL-12V-24W-50K-BR	24W 1920LM 5000K



LFLD-5W-30K-BZ BRONZE



LFLD-5W-30K-BZB BRONZED BRASS



LD-180-BZ BRONZE

12V LED DIRECTIONAL LIGHT - SOLID BRASS

CATALOG NO.	DESCRIPTION
LFLD-5W-30K-BZB	5W 400LM 3000K Bronzed Brass
LFLD-5W-30K-BZ	5W 400LM 3000K Bronze
LD-180-BZ	6W 300LM 3000K Bronze



LFLD2-6W-30K-BZ



LFLD3-8W-30K-BZ

12V LED DIRECTIONAL LIGHT - SOLID BRASS

CATALOG NO.	DESCRIPTION
LFLD2-6W-30K-BZ	6W 280LM 3000K
LFLD3-8W-30K-BZ	8W 430LM 3000K

12V LED 35° LIGHTS



FLV12-6W



FLV12-12W FLV12-24W



Shrouds on Page 75



FLV12-32W

12V INTEGRATED LED LANDSCAPE FLOOD LIGHTS

CATALOG NO.	DESCRIPTION
FLV12-6W-30K	6W 500LM 3000K
FLV12-6W-50K	6W 550LM 5000K
FLV12-12W-30K	12W 1200LM 3000K
FLV12-12W-50K	12W 1300LM 5000K
FLV12-24W-30K	24W 2200LM 3000K
FLV12-24W-50K	24W 2500LM 5000K
FLV12-32W-30K	32W 3200LM 3000K
FLV12-32W-50K	32W 3500LM 5000K



LF12-6W



LF12-G2

12-VOLT AC/DC LED GARDEN LIGHT

CATALOG NO.	DESCRIPTION
LF12-6W-27K-KN	6W 400LM 2700K
LF12-6W-30K-KN	6W 400LM 3000K
LF12-6W-40K-KN	6W 450LM 4000K
LF12-6W-50K-KN	6W 450LM 5000K
LF12-6W-RGBW-KN	6W 450LM RGB - 3000K

2ND GEN. 12-VOLT AC/DC LED GARDEN LIGHT

LF12-G2-7W-MCT5-BK	7W 550LM 5CCT
LF12-G2-7W-MCT5-ORB	7W 550LM 5CCT

NEEDS RGBW CONTROLLER SEE PAGE 202.

12V Wall Wash

(INTEGRATED) LED FLOODLIGHTS



LF4-12V-6W LF4-12V-12W



LF4-12V-24W LF4-12V-30W



Shrouds on Page 75



LF4-12V-50W

12V INTEGRATED LED WALL WASH LIGHTS

CATALOG NO.	DESCRIPTION
LF4-12V-6W-30K	6W 440LM 3000K
LF4-12V-6W-50K	6W 500LM 5000K
LF4-12V-12W-30K	12W 1080LM 3000K
LF4-12V-12W-50K	12W 1260LM 5000K
LF4-12V-24W-30K	24W 2155LM 3000K
LF4-12V-24W-50K	24W 2500LM 5000K
LF4-12V-30W-30K	30W 2700LM 3000K
LF4-12V-30W-50K	30W 3150LM 5000K
LF4-12V-50W-30K	50W 4500LM 3000K
LF4-12V-50W-50K	50W 5250LM 5000K



LD-098-CR LD-176-CR LD-009-BZ LD-009-BZB LD-176-BZ LD-176-BZB
12V LED DIRECTIONAL LIGHTS - SOLID COPPER & SOLID BRASS

CATALOG NO.	DESCRIPTION
LD-098-CR	5W 400LM 3000K Cast Copper
LD-176-CR	5W 400LM 3000K Cast Copper
LD-009-BZ	5W 400LM 3000K Bronze
LD-009-BZB	5W 400LM 3000K Bronzed Brass
LD-176-BZ	5W 400LM 3000K Bronze
LD-176-BZB	5W 400LM 3000K Bronzed Brass



LD-006-BZB LD-103-BZB LD-103-AN LD-099-BZ LD-099-BZB LD-174-BZ LD-110-BZ
12V LED DIRECTIONAL LIGHTS

CATALOG NO.	DESCRIPTION
LD-006-BZ	5W 400LM 3000K Bronze
LD-006-BZB	5W 400LM 3000K Bronzed Brass
LD-103-BZ	5W 400LM 3000K Bronze
LD-103-BZB	5W 400LM 3000K Bronzed Brass
LD-103-AN	5W 400LM 3000K Aged Nickel
LD-099-BZ	5W 400LM 3000K Bronze
LD-099-BZB	5W 400LM 3000K Bronzed Brass
LD-174-BZ	5W 400LM 3000K Bronze
LD-110-BZ	5W 400LM 3000K Bronze




AD-102-BK AD-102-BR AD-003-BK AD-003-BR AD-003-SIL AD-131-BR
12V LED DIRECTIONAL LIGHTS - ALUMINUM

CATALOG NO.	DESCRIPTION
AD-102-BK	5W 400LM 3000K Black
AD-102-BR	5W 400LM 3000K Bronze
AD-003-BK	5W 400LM 3000K Black
AD-003-BR	5W 400LM 3000K Bronze
AD-003-SIL	5W 400LM 3000K Silver
AD-131-BR	5W 400LM 3000K Bronze



LD-192-BZ LD-192-BZB AD-192-BK AD-192-BR LD-192-FBK
12V LED DIRECTIONAL LIGHTS - SOLID BRASS, CAST

CATALOG NO.	DESCRIPTION
LD-192-BZ	5W 400LM 3000K Bronze
LD-192-BZB	5W 400LM 3000K Bronzed Brass
AD-192-BR	5W 400LM 3000K Bronze



LVW-100-MCT-ORB LVW-110-MCT-ORB LVW-110-UD-MCT-ORB LVW-115-MCT-ORB LVW-200-MCT-ORB LVW-210-MCT-ORB LVW-210-UD-MCT-ORB LVW-215-MCT-ORB LVW-250-MCT-ORB LVW-300-MCT-ORB LVW-300-MCT-WH LVW-310-MCT-ORB LVW-310-MCT-WH
12V SELECTABLE CCT LED MINI WALL SCONCES

CATALOG NO.	DESCRIPTION
LVW-100-MCT-ORB	3W 200LM 30K/40K/50K
LVW-110-MCT-ORB	3W 200LM 30K/40K/50K
LVW-110-UD-MCT-ORB	6W 400LM 30K/40K/50K
LVW-115-MCT-ORB	3W 200LM 30K/40K/50K
LVW-200-MCT-ORB	3W 200LM 30K/40K/50K
LVW-210-MCT-ORB	3W 200LM 30K/40K/50K
LVW-210-UD-MCT-ORB	6W 400LM 30K/40K/50K
LVW-215-MCT-ORB	3W 200LM 30K/40K/50K
LVW-250-MCT-ORB	6W 400LM 30K/40K/50K
LVW-300-MCT-ORB	6W 400LM 30K/40K/50K
LVW-300-MCT-WH	6W 400LM 30K/40K/50K
LVW-310-MCT-ORB	6W 400LM 30K/40K/50K
LVW-310-MCT-WH	6W 400LM 30K/40K/50K



WMC1-12V-DL WMC1-12V-UDL WMC2-12V-DL WMC2-12V-UDL
12V LED WALL CYLINDERS

CATALOG NO.	DESCRIPTION
12V 1.6in LED WALL CYLINDERS, 25°	
WMC1-12V-DL-MCT-ORB	3W 300LM 30K/40K/50K
WMC1-12V-DL-MCT-BN	3W 300LM 30K/40K/50K
WMC1-12V-DL-MCT-BK	3W 300LM 30K/40K/50K
WMC1-12V-UDL-MCT-ORB	2X3W 600LM 30K/40K/50K
WMC1-12V-UDL-MCT-BN	2X3W 600LM 30K/40K/50K
WMC1-12V-UDL-MCT-BK	2X3W 600LM 30K/40K/50K
12V 2in LED WALL CYLINDERS, 25°	
WMC2-12V-DL-MCT-ORB	5W 500LM 30K/40K/50K
WMC2-12V-DL-MCT-BN	5W 500LM 30K/40K/50K
WMC2-12V-DL-MCT-BK	5W 500LM 30K/40K/50K
WMC2-12V-UDL-MCT-ORB	10W 1000LM 30K/40K/50K
WMC2-12V-UDL-MCT-BN	10W 1000LM 30K/40K/50K
WMC2-12V-UDL-MCT-BK	10W 1000LM 30K/40K/50K

LANDSCAPE

AA SERIES NEW GENERATION OF PATH LIGHTS

LANDSCAPE



AA-18L-ORB

- + AA-STEM-22-MCT-ORB
- + AA-STEM-15-MCT-ORB
- + AA-STEM-22-RGBW-PB-ORB
- + AA-STEM-15-RGBW-PB-ORB
- + AA-STEM-22-RGBWW-BT-ORB
- + AA-STEM-15-RGBWW-BT-ORB



AA-18L-BK

- + AA-STEM-22-MCT-BK
- + AA-STEM-15-MCT-BK
- + AA-STEM-22-RGBW-PB-BK
- + AA-STEM-15-RGBW-PB-BK
- + AA-STEM-22-RGBWW-BT-BK
- + AA-STEM-15-RGBWW-BT-BK



AA-18L-AZ

- + AA-STEM-22-MCT-AZ
- + AA-STEM-15-MCT-AZ
- + AA-STEM-22-RGBW-PB-AZ
- + AA-STEM-15-RGBW-PB-AZ
- + AA-STEM-22-RGBWW-BT-AZ
- + AA-STEM-15-RGBWW-BT-AZ



AA-19L-ORB

- + AA-STEM-22-MCT-ORB
- + AA-STEM-15-MCT-ORB
- + AA-STEM-22-RGBW-PB-ORB
- + AA-STEM-15-RGBW-PB-ORB
- + AA-STEM-22-RGBWW-BT-ORB
- + AA-STEM-15-RGBWW-BT-ORB



AA-19L-BK

- + AA-STEM-22-MCT-BK
- + AA-STEM-15-MCT-BK
- + AA-STEM-22-RGBW-PB-BK
- + AA-STEM-15-RGBW-PB-BK
- + AA-STEM-22-RGBWW-BT-BK
- + AA-STEM-15-RGBWW-BT-BK



AA-19L-AZ

- + AA-STEM-22-MCT-AZ
- + AA-STEM-15-MCT-AZ
- + AA-STEM-22-RGBW-PB-AZ
- + AA-STEM-15-RGBW-PB-AZ
- + AA-STEM-22-RGBWW-BT-AZ
- + AA-STEM-15-RGBWW-BT-AZ



AA-20L-ORB

- + AA-STEM-22-MCT-ORB
- + AA-STEM-15-MCT-ORB
- + AA-STEM-22-RGBW-PB-ORB
- + AA-STEM-15-RGBW-PB-ORB
- + AA-STEM-22-RGBWW-BT-ORB
- + AA-STEM-15-RGBWW-BT-ORB



AA-20L-BK

- + AA-STEM-22-MCT-BK
- + AA-STEM-15-MCT-BK
- + AA-STEM-22-RGBW-PB-BK
- + AA-STEM-15-RGBW-PB-BK
- + AA-STEM-22-RGBWW-BT-BK
- + AA-STEM-15-RGBWW-BT-BK



AA-20L-AZ

- + AA-STEM-22-MCT-AZ
- + AA-STEM-15-MCT-AZ
- + AA-STEM-22-RGBW-PB-AZ
- + AA-STEM-15-RGBW-PB-AZ
- + AA-STEM-22-RGBWW-BT-AZ
- + AA-STEM-15-RGBWW-BT-AZ



AA-21L-ORB

- + AA-STEM-22-MCT-ORB
- + AA-STEM-15-MCT-ORB
- + AA-STEM-22-RGBW-PB-ORB
- + AA-STEM-15-RGBW-PB-ORB
- + AA-STEM-22-RGBWW-BT-ORB
- + AA-STEM-15-RGBWW-BT-ORB



AA-21L-BK

- + AA-STEM-22-MCT-BK
- + AA-STEM-15-MCT-BK
- + AA-STEM-22-RGBW-PB-BK
- + AA-STEM-15-RGBW-PB-BK
- + AA-STEM-22-RGBWW-BT-BK
- + AA-STEM-15-RGBWW-BT-BK



AA-21L-AZ

- + AA-STEM-22-MCT-AZ
- + AA-STEM-15-MCT-AZ
- + AA-STEM-22-RGBW-PB-AZ
- + AA-STEM-15-RGBW-PB-AZ
- + AA-STEM-22-RGBWW-BT-AZ
- + AA-STEM-15-RGBWW-BT-AZ



AA-22L-ORB

- + AA-STEM-22-MCT-ORB
- + AA-STEM-15-MCT-ORB
- + AA-STEM-22-RGBW-PB-ORB
- + AA-STEM-15-RGBW-PB-ORB
- + AA-STEM-22-RGBWW-BT-ORB
- + AA-STEM-15-RGBWW-BT-ORB



AA-22L-BK

- + AA-STEM-22-MCT-BK
- + AA-STEM-15-MCT-BK
- + AA-STEM-22-RGBW-PB-BK
- + AA-STEM-15-RGBW-PB-BK
- + AA-STEM-22-RGBWW-BT-BK
- + AA-STEM-15-RGBWW-BT-BK



AA-22L-AZ

- + AA-STEM-22-MCT-AZ
- + AA-STEM-15-MCT-AZ
- + AA-STEM-22-RGBW-PB-AZ
- + AA-STEM-15-RGBW-PB-AZ
- + AA-STEM-22-RGBWW-BT-AZ
- + AA-STEM-15-RGBWW-BT-AZ



AA-23L-ORB

- + AA-STEM-22-MCT-ORB
- + AA-STEM-15-MCT-ORB
- + AA-STEM-22-RGBW-PB-ORB
- + AA-STEM-15-RGBW-PB-ORB
- + AA-STEM-22-RGBWW-BT-ORB
- + AA-STEM-15-RGBWW-BT-ORB



AA-23L-BK

- + AA-STEM-22-MCT-BK
- + AA-STEM-15-MCT-BK
- + AA-STEM-22-RGBW-PB-BK
- + AA-STEM-15-RGBW-PB-BK
- + AA-STEM-22-RGBWW-BT-BK
- + AA-STEM-15-RGBWW-BT-BK



AA-23L-AZ

- + AA-STEM-22-MCT-AZ
- + AA-STEM-15-MCT-AZ
- + AA-STEM-22-RGBW-PB-AZ
- + AA-STEM-15-RGBW-PB-AZ
- + AA-STEM-22-RGBWW-BT-AZ
- + AA-STEM-15-RGBWW-BT-AZ

LED PATH LIGHTS

CATALOG NO.	DESCRIPTION
3CCT LED PATH LIGHTS	
AA-STEM-22-MCT-ORB	5W 200LM 30K/40K/50K 22" Oil-Rubbed Bronze
AA-STEM-22-MCT-BK	5W 200LM 30K/40K/50K 22" Black
AA-STEM-22-MCT-AZ	5W 200LM 30K/40K/50K 22" Antique Brass
AA-STEM-15-MCT-ORB	5W 200LM 30K/40K/50K 15" Oil-Rubbed Bronze
AA-STEM-15-MCT-BK	5W 200LM 30K/40K/50K 15" Black
AA-STEM-15-MCT-AZ	5W 200LM 30K/40K/50K 15" Antique Brass
PUSH BUTTON RGBW LED PATH LIGHTS 	
AA-STEM-22-RGBW-PB-ORB	5W 200LM RGBW 22" Oil-Rubbed Bronze
AA-STEM-22-RGBW-PB-BK	5W 200LM RGBW 22" Black
AA-STEM-22-RGBW-PB-AZ	5W 200LM RGBW 22" Antique Brass
AA-STEM-15-RGBW-PB-ORB	5W 200LM RGBW 15" Oil-Rubbed Bronze
AA-STEM-15-RGBW-PB-BK	5W 200LM RGBW 15" Black
AA-STEM-15-RGBW-PB-AZ	5W 200LM RGBW 15" Antique Brass
RGBW/W BLUETOOTH WG APP LED PATH LIGHTS 	
AA-STEM-22-RGBW-W-BT-ORB	5W 200LM RGBW 22" Oil-Rubbed Bronze
AA-STEM-22-RGBW-W-BT-BK	5W 200LM RGBW 22" Black
AA-STEM-22-RGBW-W-BT-AZ	5W 200LM RGBW 22" Antique Brass
AA-STEM-15-RGBW-W-BT-ORB	5W 200LM RGBW 15" Oil-Rubbed Bronze
AA-STEM-15-RGBW-W-BT-BK	5W 200LM RGBW 15" Black
AA-STEM-15-RGBW-W-BT-AZ	5W 200LM RGBW 15" Antique Brass
FOR REMOTE CONTROL SEE PAGE 96	

ALUMINUM PATH LIGHT CAP

CATALOG NO.	DESCRIPTION
AA-18L-ORB	Model 18 Aluminum Path Light Cap, Oil-Rubbed Bronze
AA-18L-BK	Model 18 Aluminum Path Light Cap, Black
AA-18L-AZ	Model 18 Aluminum Path Light Cap, Antique Brass
AA-19L-ORB	Model 19 Aluminum Path Light Cap, Oil-Rubbed Bronze
AA-19L-BK	Model 19 Aluminum Path Light Cap, Black
AA-19L-AZ	Model 19 Aluminum Path Light Cap, Antique Brass
AA-20L-ORB	Model 20 Aluminum Path Light Cap, Oil-Rubbed Bronze
AA-20L-BK	Model 20 Aluminum Path Light Cap, Black
AA-20L-AZ	Model 20 Aluminum Path Light Cap, Antique Brass
AA-21L-ORB	Model 21 Aluminum Path Light Cap, Oil-Rubbed Bronze
AA-21L-BK	Model 21 Aluminum Path Light Cap, Black
AA-21L-AZ	Model 21 Aluminum Path Light Cap, Antique Brass
AA-22L-ORB	Model 22 Aluminum Path Light Cap, Oil-Rubbed Bronze
AA-22L-BK	Model 22 Aluminum Path Light Cap, Black
AA-22L-AZ	Model 22 Aluminum Path Light Cap, Antique Brass
AA-23L-ORB	Model 23 Aluminum Path Light Cap, Oil-Rubbed Bronze
AA-23L-BK	Model 23 Aluminum Path Light Cap, Black
AA-23L-AZ	Model 23 Aluminum Path Light Cap, Antique Brass

**NEW GENERATION OF INTEGRATED LED PATH LIGHTS, ALUM. ALLOY
 SELECTABLE COLOR TEMPERATURE OR PUSH-BUTTON RGBW WITH SCENES, APP-CONTROLLED RGBW
 IN 3 FINISHES, SIMULATED DARK BRASS, BLACK, METALLIC OIL-RUBBED BRONZE
 2 DIFFERENT HEIGHTS: 15" OR 22"
 STEMS AND CAPS SOLD SEPARATELY**

LANDSCAPE

23"
12V AREA LIGHTS
SOLID BRASS
TOTAL LENGTH: 23"
BUILT-IN INTEGRATED LED




12V AGED NICKEL COLLECTION
Cast Brass, Aged Nickel Finish
TOTAL LENGTH: 23"
BUILT-IN INTEGRATED LED



AGED NICKEL COLLECTION

CATALOG NO.	DESCRIPTION
LA-112-AN	3W 200LM 3000K
LA-117-AN	3W 200LM 3000K
LA-116-AN	3W 200LM 3000K
LA-111-AN	3W 200LM 3000K

12V AREA LIGHTS
SOLID COPPER
TOTAL LENGTH: 23"
BUILT-IN INTEGRATED LED



12V LED AREA LIGHTS - SOLID COPPER

CATALOG NO.	DESCRIPTION
LA-111-CR	3W 200LM 3000K
LA-116-CR	3W 200LM 3000K
LA-117-CR	3W 200LM 3000K

12V AREA LIGHTS
SOLID BRASS
BUILT-IN INTEGRATED LED



12V AREA LIGHTS
SOLID COPPER



12V LED AREA LIGHTS - SOLID COPPER

CATALOG NO.	DESCRIPTION
LA-010-CR	3W 200LM 3000K
LA-112-CR	3W 200LM 3000K
LA-118-CR	3W 200LM 3000K

12"
12V AREA LIGHTS
SOLID BRASS
TOTAL LENGTH: 12"
BUILT-IN INTEGRATED LED



12V PAGODA LIGHTS
BLACK OR BRONZE



12V LED PAGODA LIGHTS

CATALOG NO.	DESCRIPTION
AA-146-BK	3W 200LM 3000K
AA-146-BR	3W 200LM 3000K

12V LED AREA LIGHTS - SOLID BRASS

CATALOG NO.	DESCRIPTION
LA-112-BZ	3W 200LM 3000K
LA-115-BZ	3W 200LM 3000K
LA-117-BZ	3W 200LM 3000K
LA-116-BZ	3W 200LM 3000K
LA-120-BZ	3W 200LM 3000K

12V LED AREA LIGHTS - SOLID BRASS

CATALOG NO.	DESCRIPTION
LA-118-BZ	3W 200LM 3000K
LA-111-BZ	3W 200LM 3000K
LA-008-BZ	3W 200LM 3000K
LA-010-BZ	3W 200LM 3000K
LA-002-BZ	3W 200LM 3000K

12V LED AREA LIGHTS

CATALOG NO.	DESCRIPTION
LA-112-BZ-12IN	3W 200LM 3000K
LA-115-BZ-12IN	3W 200LM 3000K
LA-117-BZ-12IN	3W 200LM 3000K
LA-116-BZ-12IN	3W 200LM 3000K
LA-118-BZ-12IN	3W 200LM 3000K
LA-111-BZ-12IN	3W 200LM 3000K
LA-111-CR-12IN	3W 200LM 3000K
LA-116-CR-12IN	3W 200LM 3000K
LA-117-CR-12IN	3W 200LM 3000K

12V AREA LIGHTS For 120V installations, add a mini transformer inside the LAL fixtures. see page 204
POWDER-COATED
BRONZE OR BLACK



12V LED AREA LIGHTS—GROUND OR SURFACE MOUNT Custom Design Aluminum Spike & Surface Mounting Base Inc.

CATALOG NO.	DESCRIPTION
LAL-12V-117-31-30K-BR	10W 720LM 3000K 31"
LAL-12V-117-31-30K-BK	10W 720LM 3000K 31"
LAL-12V-118-31-30K-BR	10W 720LM 3000K 31"
LAL-12V-118-31-30K-BK	10W 720LM 3000K 31"
LAL-12V-120-23-30K-BR	10W 720LM 3000K 23"
LAL-12V-120-23-30K-BK	10W 720LM 3000K 23"
LAL-12V-122-31-30K-BR	10W 720LM 3000K 31"
LAL-12V-122-31-30K-BK	10W 720LM 3000K 31"
LAL-12V-124-15-30K-BR	10W 720LM 3000K 15"
LAL-12V-124-15-30K-BK	10W 720LM 3000K 15"
LAL-12V-124-31-30K-BR	10W 720LM 3000K 31"
LAL-12V-124-31-30K-BK	10W 720LM 3000K 31"
LAL-12V-127-23-30K-BR	10W 720LM 3000K 23"
LAL-12V-127-23-30K-BK	10W 720LM 3000K 23"
LAL-12V-128-31-30K-BR	10W 720LM 3000K 31"
LAL-12V-128-31-30K-BK	10W 720LM 3000K 31"
LAL-12V-130-31-30K-BR	10W 720LM 3000K 31"
LAL-12V-130-31-30K-BK	10W 720LM 3000K 31"

12V PATH LIGHTS
POWDER-COATED
BRONZE OR BLACK OR SILVER
TOTAL LENGTH: 23"



12V LED PATH LIGHTS

CATALOG NO.	DESCRIPTION
LAL-136-MCT-ORB	5W 300LM 30K/40K/50K
LAL-136-MCT-BK	5W 300LM 30K/40K/50K
LAL-136-RGBWW-BT-ORB	5W 200LM RGBW
LAL-136-RGBWW-BT-BK	5W 200LM RGBW
LAL-136-RGBWW-PB-ORB	5W 200LM RGBWW
LAL-131-30K-ORB	5W 200LM 3000K
LAL-131-30K-BK	5W 200LM 3000K
LAL-126-BR	3W 200LM 3000K
LAL-126-SIL	3W 200LM 3000K



LFLV-7W



LFLV-12W

12V INTEGRATED LED LANDSCAPE UPLIGHTS

CATALOG NO.	WHILE SUPPLIES LAST
LFLV-7W-27K	7W 500LM 2700K
LFLV-7W-40K	7W 550LM 4000K
LFLV-7W-50K	7W 550LM 5000K
LFLV-12W-50K	12W 900LM 5000K

GreenZone 12V STEP LIGHTS



SLM-R1-BK



SLM-R1-WH



SLM-S1-BK



SLM-S1-WH

MINI STEP LIGHT - 12V

CATALOG NO.

**ARRIVES THIS SEASON
CHECK & PRE-ORDER**

SLM-R1-12V-30K-BK 2W 160LM 3000K

SLM-R1-12V-30K-WH 2W 160LM 3000K

SLM-S1-12V-30K-BK 2W 160LM 3000K

SLM-S1-12V-30K-WH 2W 160LM 3000K

12V
ALUMINUM



4"

STEP LIGHTS WITH LED LAMPS- ALUMINUM

CATALOG NO.

DESCRIPTION

AS-158-BR 3W 200LM 3000K

AS-158-BK 3W 200LM 3000K

AS-158-30K-ORB 2.5W 80LM 3000K



3" LS-185-BZ



4" LS-158-BZ



4" LS-159-BZ

LED 3W, 30K JC
ARCHITECTURAL
SOLID BRASS

STEP LIGHTS WITH LED LAMPS

CATALOG NO.

DESCRIPTION

LS-185-BZ 3W 200LM 3000K

LS-158-BZ 3W 200LM 3000K

LS-158-SS 3W 200LM 3000K

LS-159-BZ 3W 200LM 3000K

LANDSCAPE

12V STEP LIGHTS WITH INTEGRATED SMD LED MODULE



LS-124-AN



LS-161-BZ



LS-155-BZ



LS-160-BZ

LED STEP LIGHTS

CATALOG NO.

DESCRIPTION

LS-124-AN 3W 200LM 3000K

LS-161-BZ 3W 200LM 3000K

LS-160-BZ 3W 200LM 3000K

LS-160-AN 3W 200LM 3000K

LS-155-BZ 3W 200LM 3000K



SLSM-LH-MCT5-ORB
Surface Mount
(NO HOUSING)



SLSM-LH-MCT5-WH
Surface Mount
(NO HOUSING)



LS-172-BZ-LEDI
Surface Mount
(NO HOUSING)

SURFACE-MOUNT HORIZONTAL LOUVER STEP LIGHT

CATALOG NO.

DESCRIPTION

SLSM-LH-MCT5-ORB 4W 30LM 27K/30K/35K/40K/50K

SLSM-LH-MCT5-WH 4W 30LM 27K/30K/35K/40K/50K

LS-172-BZ-LEDI 3W 200LM 3000K



12V INTEGRATED LED (IN GROUND) LIGHTS



DESCRIPTION

IGL-1W-30K 1W 100LM 3000K

IGL-1W-40K 1W 100LM 4000K

IGL-1W-TWLN 1W in ground light lock nut for thin wall

IGL-3W-30K 3W 290LM 3000K

IGL-3W-40K 3W 290LM 4000K

IGL-3W-RGBW NEEDS CONTROLLER 3W 290LM RGB+3000K

IGL-7W-30K 7W 620LM 3000K

IGL-7W-40K 7W 620LM 4000K

IGL-10W-RGBW NEEDS CONTROLLER 10W 620LM RGB+3000K

RGBW-CONTROLLER RGBW Controller (Remote incl.), 192W Max, 12-24 VDC

RGBW-WIFI-CONTROLLER RGBW lighting controller with integrated WI-FI and app, RC incl.



IGL-1W-TRM-AL-RBK



IGL-1W-TRM-AL-RWH



IGL-1W-TRM-AL-RBN



IGL-1W-TRM-AL-RLBN



IGL-1W-TRM-AL-SCP
IGL-1W-TRM-AL-SCP-AZ



IGL-1W-TRM-SS-1WY



IGL-1W-TRM-SS-2WY



IGL-1W-TRM-SS-SQR



IGL-1W-TRM-SS-SQSO



IGL-1W-TRM-AL-RAZ

OPTIONAL TRIMS FOR 1W IN-GROUND FIXTURES

CATALOG NO.

DESCRIPTION

IGL-1W-TRM-AL-RBK 1.8" DIAMETER

IGL-1W-TRM-AL-RWH 1.8" DIAMETER

IGL-1W-TRM-AL-RBN 1.8" DIAMETER

IGL-1W-TRM-AL-RLBN 2.75" DIAMETER

IGL-1W-TRM-AL-SCP 1.8" DIAMETER

IGL-1W-TRM-SS-1WY 1.8" DIAMETER

IGL-1W-TRM-SS-2WY 1.8" DIAMETER

IGL-1W-TRM-SS-SQR 1.8" DIAMETER

IGL-1W-TRM-SS-SQSO 1.8" DIAMETER

IGL-1W-TRM-AL-RAZ 1.8" DIAMETER

IGL-1W-TRM-AL-SCP-AZ 1.8" DIAMETER



IGL-3W-TRM-SS-1WY



IGL-3W-TRM-SS-2WY



IGL-3W-TRM-SS-SQR



IGL-3W-TRM-SS-SQSO



IGL-3W-TRM-SS-R



IGL-3W-TRM-AL-RBN



IGL-3W-TRM-SS-SCP
IGL-3W-TRM-SS-SCP-AZ



IGL-3W-TRM-AL-AZ

OPTIONAL TRIMS FOR 3W IN-GROUND FIXTURES

CATALOG NO.

DESCRIPTION

IGL-3W-TRM-SS-1WY 2.3" DIAMETER

IGL-3W-TRM-SS-2WY 2.3" DIAMETER

IGL-3W-TRM-SS-SQR 2.3" DIAMETER

IGL-3W-TRM-SS-SQSO 2.3" DIAMETER

IGL-3W-TRM-SS-R 2.3" DIAMETER

IGL-3W-TRM-AL-RBN 2.75" DIAMETER

IGL-3W-TRM-SS-SCP 2.3" DIAMETER

IGL-3W-TRM-SS-SCP-AZ 2.3" DIAMETER, BRONZE

IGL-3W-TRM-AL-AZ 2.3" DIAMETER

PVC SLEEVES
BRUSHED NICKEL FINISH



IGLA-3W-30K-BN



IGLA-7W-30K-BN

12V ALUM. INTEGRATED LED INGROUND LIGHTS

CATALOG NO.	DESCRIPTION
IGLA-3W-30K-BN	3W 320LM 3000K
IGLA-7W-30K-BN	7W 720LM 3000K

12V HARDSCAPE AREA LIGHTS 8 FT Cable



HSL-3-30K



HSL-7-30K
HSL-7-MCT
HSL-7-RGBCW



HSL-13-30K
HSL-12MCT
HSL-12-RGBCW

LED HARDSCAPE LIGHTS WITH FRONT TRIM

CATALOG NO.	DESCRIPTION
HSL-3-30K	1W 30LM 3000K
HSL-7-30K	2W 100LM 3000K
HSL-13-30K	3W 160LM 3000K
HSL-7-MCT	5W 200LM 30K/40K/50K
HSL-12-MCT	7W 280LM 30K/40K/50K
HSL-7-RGBCW	5W 200LM RGBCW
HSL-12-RGBCW	7W 280LM RGBCW



WL-140-FBK
FIBER GLASS
FOR PAR36
No Lamp



LD-001-BZ
CAST BRASS
FOR PAR36
No Lamp

CATALOG NO.	DESCRIPTION
WL-140-FBK	Fiber Glass, Black
LD-001-BZ	Die-cast Brass, Antique Bronze Finish

UNDERWATER LIGHTS

INCL. 5W 30K MR16 LED



UW-125-SS



UW-125-BS



UW-126-BZ

LED UNDERWATER LIGHTS 30FT CABLE

CATALOG NO.	DESCRIPTION
UW-125-SS	5W 400LM 3000K
UW-125-BS	5W 400LM 3000K
UW-126-BZ	5W 400LM 3000K

4" DIA. & PVC SLEEVES



WLL-105-30K-BK
WLL-105-RGBWW-BT-ORB



WLL-106-30K-BK



WLL-152-30K-BK
WLL-152-30K-ORB



WLL-157-30K-BK
WLL-157-RGBWW-BT-ORB



WLL-159-30K-BK




WLL-181-30K-BK
WLL-181-RGBWW-BT-ORB

INTEGRATED ALUMINUM LED WELL/PATH LIGHTS

CATALOG NO.	DESCRIPTION
WLL-105-30K-BK	6W 580LM 3000K
WLL-105-RGBWW-BT-ORB	6W 580LM RGBW
WLL-106-30K-BK	6W 500LM 3000K
WLL-152-30K-BK	6W 200LM 3000K
WLL-152-30K-ORB	6W 200LM 3000K Oil-Rubbed Bronze
WLL-157-30K-BK	6W 500LM 3000K
WLL-157-RGBWW-BT-ORB	6W 180LM RGBW
WLL-159-30K-BK	6W 400LM 3000K
WLL-181-30K-BK	6W 580LM 3000K
WLL-181-RGBWW-BT-ORB	6W 420LM RGBW

FOR REMOTE CONTROL SEE PAGE 96



SOLR-SL1-60K-SEN
14/5"(H) X 4 2/5"(W)



SOLRW-30K
4 1/7"(H) X 3 5/6"(W)



SOLR-WL2-MCT-SEN
4 1/2"(H) X 12"(W) X 2 1/2"(D)



SOLR-WL1-30K-SEN-BK
5"(H) X 6 1/3"(W) X 2 3/7"(D)



SOLR-PL1-30K
20 8/9"(H) X 4 2/7"(W) X 4 1/2"(D)

SPEC SERIES SOLAR LIGHT COLLECTION



CATALOG NO.	DESCRIPTION
SOLRW-30K	0.2W 50LM 3000K
SOLR-SL1-60K-SEN	0.5W+0.2W 100LM 6000K/3000K
SOLR-WL1-30K-SEN-BK	5W 500LM 3000K
SOLR-WL2-MCT-SEN	8W 1000LM 3000K/6000K
SOLR-PL1-30K	3W 300LM 3000K

12V WELL LIGHTS MR16 LED INCL. 5W 30K



WL-105-1-BK WL-105-BK WL-181-BK WL-181-BZ WL-157-FGBZ

WELL LIGHTS WITH SLEEVE & LED LAMPS

CATALOG NO.	DESCRIPTION
WL-105-1-BK	5W 400LM 3000K
WL-105-BK	5W 400LM 3000K
WL-181-BK	5W 400LM 3000K
WL-181-BZ	5W 400LM 3000K
WL-181-BR	5W 400LM 3000K
WL-157-FGBZ	5W 400LM 3000K

12V WELL LIGHTS MR16 LED INCL. 5W 30K



WELL LIGHTS WITH SLEEVE & LED LAMPS

CATALOG NO.	DESCRIPTION
WL-137-BK	5W 400LM 3000K
WL-137-BZ	5W 400LM 3000K
WL-138-BK	5W 400LM 3000K
WL-138-BZ	5W 400LM 3000K
WL-138-SS	5W 400LM 3000K

12V WELL LIGHTS MR16 LED WITH DIRECTIONAL LAMP BRACKET INCL. 5W 30K, 400LM



SOLID BRASS WELL LIGHTS WITH DIRECTIONAL LAMP BRACKET

CATALOG NO.	DESCRIPTION
WL-701-FGBZ	5W 400LM 3000K
WL-705-FGBZ	5W 400LM 3000K
WL-707-FGBZ	5W 400LM 3000K
WL-708-FGBZ	5W 400LM 3000K

DUAL-TAP WITH TIMER & PHOTOCELL SLIDE DOOR **WET** STAINLESS STEEL



TR-40W-DT-TPC-SS TR-75W-DT-TPC-SS TR-100W-DT-TPC-SS TR-200W-DT-TPC-SS

DUAL-TAP (12V/15V AC) LANDSCAPE TRANSFORMERS WITH TIMER & PHOTOCELL SLIDE DOOR

CATALOG NO.	DESCRIPTION
TR-40W-DT-TPC-SS	40W
TR-75W-DT-TPC-SS	75W
TR-100W-DT-TPC-SS	100W
TR-200W-DT-TPC-SS	200W

PROFESSIONAL SERIES TRANSFORMERS MULTI-TAP WITH TIMER & PHOTOCELL READY **WET** STAINLESS STEEL



TR-150W-MT-SS TR-300W-MT-SS TR-600W-MT-SS TR-900W-MT-SS

MULTI-TAP (12V/13V/14V/15V AC) LANDSCAPE TRANSFORMERS TIMER & PHOTOCELL READY (NOT INCLUDED) HINGE DOOR

CATALOG NO.	DESCRIPTION
TR-150W-MT-SS	150W
TR-300W-MT-SS	300W
TR-600W-MT-SS	600W
TR-900W-MT-SS	900W



TR-MTMR TR-DTMR TR-PC

MULTI-TAP LANDSCAPE TRANSFORMERS PLUG-IN OPTIONS

CATALOG NO.	DESCRIPTION
TR-MTMR	MECHANICAL TIMER
TR-DTMR	DIGITAL TIMER
TR-PC	PHOTOCELL



LVT-60 LVT-100

DRY LOCATION AC TRANSFORMERS, 12V

CATALOG NO.	DESCRIPTION
LVT-60	60W
LVT-100	100W

LANDSCAPE

MR16



CATALOG NO.	DESCRIPTION
MR16-400L-27K-D	5W 380LM 2700K
MR16-400L-30K-D	5W 380LM 3000K
MR16-400L-41K-D	5W 390LM 4100K
MR16-400L-50K-D	5W 400LM 5000K
MR16-500L-C90-30K-D	7W 500LM 3000K
MR16-500L-C90-40K-D	7W 560LM 4000K
MR16-500L-C90-50K-D	7W 560LM 5000K



CATALOG NO.	DESCRIPTION
WE167	3" 18-1/2" PVC mounting post with brass hub
WE167-25	3" 25" PVC mounting post with brass hub
WE167-CAP	Cap only for WE167
WE167-CAP-BZ	Brass with bronze finish Cap only for WE167



CATALOG NO.	DESCRIPTION
A-41-S	Tree mounting base
A-GM-50	Gutter Surface Mounting Bracket With 1/2In Hub, Orb
A-STAB	Inground Stabilizer Plate With Male And Female 1/2" Hubs
LG-SMB-BZ	12V brass landscape tree or surface bracket, antique bronze finish

BUNGEE CORDS

CATALOG NO.	DESCRIPTION
BC-10	10" Bungee cords with hooks
BC-15	15" Bungee cords with hooks
BC-18	18" Bungee cords with hooks
BC-21	21" Bungee cords with hooks
BC-32	32" Bungee cords with hooks



PATH LIGHTING ACCESSORIES

CATALOG NO.	DESCRIPTION
LA-T-BZ	Fixture mounting "T" Attachment
LA-90-BZ	Fixture mounting 90° elbow Attachment
LA-FMS21-BZ	21" Solid brass fixture mounting stem Antique bronze finish

PAR36-IP65



CATALOG NO.	DESCRIPTION
PAR36-12W-30K	12W 1000LM 3000K
PAR36-12W-40K	12W 1000LM 4000K
PAR36-12W-50K	12W 1000LM 5000K



CATALOG NO.	DESCRIPTION
GZ-JC-39L-27K	3W 250LM 2700K
GZ-JC-39L-30K	3W 250LM 3000K
GZ-JC-18L-27K	3W 250LM 2700K
GZ-JC-WP-3W-32K	3W 180LM 3200K
GZ-S8-32K-G2	2.2W 230LM 3200K
GZ-G4-9L-32K	2W 120LM 3200K
GZ-JC-60L-TFL	3W 60LM TURTLE FRIENDLY CCT
GZ-JC-300L-27K	3W 300LM 2700K
GZ-JC-300L-30K	3W 300LM 3000K



BRASS BASE

CATALOG NO.	DESCRIPTION
B-41	1/2" NPT hub, Solid Brass, Antique Bronze finish
B-41-AN	1/2" NPT hub, Solid Brass, Aged Nickel finish



ALUMINUM BASE

CATALOG NO.	DESCRIPTION
A-41-BR	1/2" NPT hub, Cast aluminum, Bronze Powder coat finish
A-41-BK	1/2" NPT hub, Cast aluminum, Black Powder coat finish
A-51-BK	1/2In Modern Surface Mounting Base, Alum., Black
A-51-ORB	1/2In Modern Surface Mounting Base, Alum., Orb



SILICON-FILLED WIRE NUTS

CATALOG NO.	DESCRIPTION
LSWN1	Bag of 24, Waterproof wire connectors, for up to two 14-2 + one 16-2 cables
LSWN2	Box of 24, Waterproof wire connectors, for up to three 12-2 cables
LSWN2-100	Jar of 100, Waterproof wire connectors, for up to three 12-2 cables

LANDSCAPE



SPIKES

WL-SLEEVE

SPIKE-BG

SPIKE-10

CATALOG NO.	DESCRIPTION
WL-SLEEVE	PVC sleeve Kit for 4" well lights
SPIKE-BG	8.5" PVC spike
SPIKE-10	10" PVC spike



LA-STEM-REPL-LED

LA-STEM-RL

LA-STEM-KNOB

AREA LIGHTING REPLACEMENT PARTS

CATALOG NO.	DESCRIPTION
LA-STEM-RL	Replacement Glass Lens for Path Light stem
LA-STEM-KNOB	Replacement Knob
LA-STEM-REPL-LED	3000K Replacement LED Tower for path lights Also fits Pagoda Lights
LA-STEM-REPL-LED-27K	2700K Replacement LED Tower for path lights Also fits Pagoda Lights
LA-STEM-REPL-LED-40K	4000K Replacement LED Tower for path lights Also fits Pagoda Lights
LA-STEM-REPL-LED-50K	5000K Replacement LED Tower for path lights Also fits Pagoda Lights



PAGODA LIGHTS REPLACEMENT GLASS

CATALOG NO.	DESCRIPTION
AA-145-RG	Replacement Glass for 2-Tier pagodas
AA-146-RG	Replacement Glass for 3-Tier pagodas
AA-147-RG	Replacement Glass for 4-Tier pagodas



WE-CONN

12V SNAP CONNECTOR



LSFLC-20

CATALOG NO.	DESCRIPTION
WE-CONN	black color
LSFLC-20	20 Fast-Lock In-Line Landscape Connectors



LOW-VOLTAGE CABLE MUST ORDER IN MULTIPLES OF 500FT

CATALOG NO.	DESCRIPTION
LOV-14	#14 AWG (41 Strands)
LOV-12	#12 AWG (65 Strands)
LOV-10	#10 AWG (104 Strands)
LOV-8	#8 AWG (168 Strands)



LOW-VOLTAGE CABLE MUST ORDER IN MULTIPLES OF 100FT

CATALOG NO.	DESCRIPTION
LOV-14-100FT	#14 AWG (41 Strands)
LOV-12-100FT	#12 AWG (65 Strands)
LOV-10-100FT	#10 AWG (104 Strands)
LOV-8-100FT	#8 AWG (168 Strands)



STEP LIGHTING REPLACEMENT LED MODULE

CATALOG NO.	DESCRIPTION
LS-REPL-LED	3000K Replacement LED Module
LS-REPL-LED-27K	2700K Replacement LED Module



LANDSCAPE-DISPLAY



LANDSCAPE-DISPLAY2-UBR



LANDSCAPE-DISPLAY2-UBK

LANDSCAPE DISPLAY

CATALOG NO.	DESCRIPTION
LANDSCAPE-DISPLAY	Display for Landscape
LANDSCAPE-DISPLAY2-UBK	Display for Landscape
LANDSCAPE-DISPLAY2-UBR	Display for Landscape

BOLLARD CUSTOMIZATION

CATALOG NO.	POST SIZE		FIXTURES PER POLE		COLOR TEMPERATURE		FINISH DESCRIPTION	
	CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
WMS-S	18	18 Inch	1	1 Sided	30K	3000K	BR	Bronze
WMS-R	36	36 Inch	2	2 Sided	40K	4000K	WH	White
LMW					50K	5000K		

For more information on each fixture model, refer to: LWA-12 page 4-5, LMW page 13, WMS page 13.



Mounting Options Shown with LMW series



Mounting Options Shown with LWA-12W



Mounting Options Shown with WMS series



SLE-A-120V-MCT-WH
SLE-A-12V-MCT-WH
White



SLE-A-120V-MCT-ORB
SLE-A-12V-MCT-ORB
SLE-A-120V-RGBWW-PB-ORB
SLE-A-12V-RGBWW-PB-ORB



SLE-A-120V-MCT-BN
SLE-A-12V-MCT-BN
Brushed Nickel



SLE-A-120V-MCT-PIR-WH
SLE-A-12V-MCT-PIR-WH
White



SLE-A-120V-MCT-PIR-ORB
SLE-A-12V-MCT-PIR-ORB
Oil-Rubbed Bronze



SLE-F-120V-MCT-WH
SLE-F-12V-MCT-WH
White



SLE-F-120V-MCT-ORB
SLE-F-12V-MCT-ORB
Oil-Rubbed Bronze



SLE-F-120V-MCT-BN
SLE-F-12V-MCT-BN
Brushed Nickel



SLE-LH-120V-MCT-WH
SLE-LH-12V-MCT-WH
White



SLE-LH-120V-MCT-ORB
SLE-LH-12V-MCT-ORB
Oil-Rubbed Bronze



SLE-LH-120V-MCT-BN
SLE-LH-12V-MCT-BN
Brushed Nickel



SLE-EL-120V-MCT-WH
SLE-EL-12V-MCT-WH
White



SLE-EL-120V-MCT-ORB
SLE-EL-12V-MCT-ORB
Oil-Rubbed Bronze

SELECTABLE CCT LED INTEGRATED STEP LIGHTS



CATALOG NO.	DESCRIPTION
-------------	-------------

MODEL A - 120V SELECTABLE CCT LED INTEGRATED STEP LIGHTS

SLE-A-120V-MCT-WH	3.5W 100LM 30K/40K/50K	White
SLE-A-120V-MCT-ORB	3.5W 50LM 30K/40K/50K	Oil-Rubbed Bronze
SLE-A-120V-RGBWW-PB-ORB	3.5W 50LM RGBWW	Oil-Rubbed Bronze
SLE-A-120V-MCT-BN	3.5W 50LM 30K/40K/50K	Brushed Nickel

MODEL A - 120V SELECTABLE CCT LED INTEGRATED STEP LIGHTS WITH PIR MOTION SENSOR & PHOTOCELL

SLE-A-120V-MCT-PIR-WH	3W 150LM 30K/40K/50K	White
SLE-A-120V-MCT-PIR-ORB	3W 75LM 30K/40K/50K	Oil-Rubbed Bronze

MODEL LH - 120V SELECTABLE CCT LED INTEGRATED STEP LIGHTS

SLE-LH-120V-MCT-WH	5W 150LM 30K/40K/50K	White
SLE-LH-120V-MCT-ORB	5W 75LM 30K/40K/50K	Oil-Rubbed Bronze
SLE-LH-120V-MCT-BN	5W 75LM 30K/40K/50K	Brushed Nickel

MODEL F - 120V SELECTABLE CCT LED INTEGRATED STEP LIGHTS

SLE-F-120V-MCT-WH	3.5W 200LM 30K/40K/50K	White
SLE-F-120V-MCT-ORB	3.5W 100LM 30K/40K/50K	Oil-Rubbed Bronze
SLE-F-120V-MCT-BN	3.5W 75LM 30K/40K/50K	Brushed Nickel

MODEL EL - 120V SELECTABLE CCT LED INTEGRATED STEP LIGHTS

SLE-EL-120V-MCT5-WH	3W 90LM 27K/30K/35K/40K/50K	Brushed Nickel
SLE-EL-120V-MCT5-ORB	3W 50LM 27K/30K/35K/40K/50K	Brushed Nickel

MODEL A - 12V SELECTABLE CCT LED INTEGRATED STEP LIGHTS

SLE-A-12V-MCT-WH	3.5W 100LM 30K/40K/50K	White
SLE-A-12V-MCT-ORB	3.5W 50LM 30K/40K/50K	Oil-Rubbed Bronze
SLE-A-12V-RGBWW-PB-ORB	3.5W 50LM RGBWW	Oil-Rubbed Bronze
SLE-A-12V-MCT-BN	3.5W 50LM 30K/40K/50K	Brushed Nickel

MODEL A - 12V SELECTABLE CCT LED INTEGRATED STEP LIGHTS WITH PIR MOTION SENSOR & PHOTOCELL

SLE-A-12V-MCT-PIR-WH	3W 150LM 30K/40K/50K	White
SLE-A-12V-MCT-PIR-ORB	3W 75LM 30K/40K/50K	Oil-Rubbed Bronze

MODEL LH - 12V SELECTABLE CCT LED INTEGRATED STEP LIGHTS

SLE-LH-12V-MCT-WH	5W 150LM 30K/40K/50K	White
SLE-LH-12V-MCT-ORB	5W 75LM 30K/40K/50K	Oil-Rubbed Bronze
SLE-LH-12V-MCT-BN	5W 75LM 30K/40K/50K	Brushed Nickel

MODEL F - 12V SELECTABLE CCT LED INTEGRATED STEP LIGHTS

SLE-F-12V-MCT-WH	3.5W 200LM 30K/40K/50K	White
SLE-F-12V-MCT-ORB	3.5W 100LM 30K/40K/50K	Oil-Rubbed Bronze
SLE-F-12V-MCT-BN	3.5W 75LM 30K/40K/50K	Brushed Nickel

MODEL EL - 12V SELECTABLE CCT LED INTEGRATED STEP LIGHTS

SLE-EL-12V-MCT5-WH	3W 90LM 27K/30K/35K/40K/50K	Brushed Nickel
SLE-EL-12V-MCT5-ORB	3W 50LM 27K/30K/35K/40K/50K	Brushed Nickel

MODERN LED TREE LIGHTS

CATALOG NO.	DESCRIPTION
-------------	-------------



TL-118-MCT-ORB
TL-118-MCT-AZ

4.5W 300LM 30K/40K/50K
4.5W 300LM 30K/40K/50K

LANDSCAPE



STEP LIGHT ENGINES Polycarbonate WET ETL

SPEC SERIES		DESCRIPTION
120V 12V	SLEA-12V-27K	2W 86LM 2700K
	SLEA-12V-30K	2W 86LM 3000K
	SLEA-12V-40K	2W 86LM 4000K
	SLEA-12V-50K	2W 86LM 5000K
	SLEA-120V-27K	2W 86LM 2700K
	SLEA-120V-30K	2W 86LM 3000K
	SLEA-120V-40K	2W 86LM 4000K
	SLEA-120V-50K	2W 86LM 5000K

FACE For SLEA PLATES (Order Separately)

PRECISION-CAST ALUMINUM



SLT-A-WH (WHITE FINISH)



SLT-A-BN (BRUSHED NICKEL FINISH)



SLT-A-AZ (ANTIQUE BRONZE FINISH)



SLT-A-ORB (OIL-RUBBED BRONZE FINISH)



STEP LIGHT ENGINES Polycarbonate WET ETL

SPEC SERIES		DESCRIPTION
120V 12V	SLEB-12V-27K	2W 86LM 2700K
	SLEB-12V-30K	2W 86LM 3000K
	SLEB-12V-40K	2W 86LM 4000K
	SLEB-12V-50K	2W 86LM 5000K
	SLEB-120V-27K	2W 86LM 2700K
	SLEB-120V-30K	2W 86LM 3000K
	SLEB-120V-40K	2W 86LM 4000K
	SLEB-120V-50K	2W 86LM 5000K

FACE For SLEB PLATES (Order Separately)

PRECISION-CAST ALUMINUM



SLT-B-WH (WHITE FINISH)



SLT-B-BN (BRUSHED NICKEL FINISH)



SLT-B-AZ (ANTIQUE BRONZE FINISH)



SLT-B-ORB (OIL-RUBBED BRONZE FINISH)



STEP LIGHT ENGINES Polycarbonate WET ETL

CATALOG NO.	DESCRIPTION	
120V 12V	SLE-12V-27K	2W 100LM 2700K
	SLE-12V-30K	2W 100LM 3000K
	SLE-12V-40K	2W 100LM 4000K
	SLE-12V-50K	2W 118LM 5000K
	SLE-120V-27K	2W 90LM 2700K
	SLE-120V-30K	2W 90LM 3000K
	SLE-120V-40K	2W 90LM 4000K
	SLE-120V-50K	2W 104LM 5000K

FACE For SLE PLATES (Order Separately)

PRECISION-CAST ALUMINUM



SLT-LH-ORB (OIL-RUBBED BRONZE FINISH)



SLT-LH-BN (BRUSHED NICKEL FINISH)



SLT-LH-WH (WHITE FINISH)



SLT-LH-AZ (ANTIQUE BRONZE FINISH)



SLT-F-ORB (OIL-RUBBED BRONZE FINISH)



SLT-F-BN (BRUSHED NICKEL FINISH)



SLT-F-WH (WHITE FINISH)



SLT-F-AZ (ANTIQUE BRONZE FINISH)



SLT-S-ORB (OIL-RUBBED BRONZE FINISH)



SLT-S-BN (BRUSHED NICKEL FINISH)



SLT-S-WH (WHITE FINISH)



SLT-S-AZ (ANTIQUE BRONZE FINISH)



SLT-LV-ORB (OIL-RUBBED BRONZE FINISH)



SLT-LV-BN (BRUSHED NICKEL FINISH)



SLT-LV-WH (WHITE FINISH)



SLT-LV-AZ (ANTIQUE BRONZE FINISH)



Clear PVC Gasket Set Included with Light Engine for J-box or weatherproof box mounting

LANDSCAPE

UNDERCABINET LIGHTING



BUILDER SERIES 5CCT HARD-WIRE UNDER CABINET LIGHT, OPTIONAL CORD



CATALOG NO.	DESCRIPTION	PKG. QTY.
UCE-9-WHT	3W 180LM 27K/30K/35K/40K/50K White	10
UCE-12-WHT	5W 300LM 27K/30K/35K/40K/50K White	10
UCE-18-WHT	8W 480LM 27K/30K/35K/40K/50K White	10
UCE-21-WHT	10W 600LM 27K/30K/35K/40K/50K White	10
UCE-24-WHT	12W 720LM 27K/30K/35K/40K/50K White	10
UCE-32-WHT	16W 960LM 27K/30K/35K/40K/50K White	10
UCE-40-WHT	20W 1200LM 27K/30K/35K/40K/50K White	10
UCA-LC8-WHT	8in Linking Cord For UCA And UCE Series, White	
UCA-PC-6FT-WHT	6Ft Power Cord Cord For UCA And UCE Series, White	

ADJUSTABLE ANGLE MULTI COLOR-TEMPERATURE UNDERCABINET LIGHTS



CATALOG NO.	DESCRIPTION	PKG. QTY.
UCA-8-WHT	3W 150LM 2700K/3000K/4000K 8"L WHITE	10
UCA-12-WHT	5W 275LM 2700K/3000K/4000K 12"L WHITE	10
UCA-16-WHT	6.5W 390LM 2700K/3000K/4000K 16" WHITE	10
UCA-21-WHT	8W 450LM 2700K/3000K/4000K 21" WHITE	10
UCA-24-WHT	12W 650LM 2700K/3000K/4000K 24" WHITE	10
UCA-33-WHT	16W 900LM 2700K/3000K/4000K 33" WHITE	10
UCA-42-WHT	20W 1100LM 2700K/3000K/4000K 42" WHITE	10
UCA-LC12-WHT	12" Linking Cable for White UCA Series - White color	
UCA-LC8-WHT	8in Linking Cord For Uce And UCE Series, White	
UCA-PC-6FT-WHT	6Ft Power Cord Cord For Uce And UCE Series, White	
UCA-8-BRZ	3W 150LM 2700K/3000K/4000K 8"L BRONZE	10
UCA-12-BRZ	5W 275LM 2700K/3000K/4000K 12" BRONZE	10
UCA-16-BRZ	6.5W 390LM 2700K/3000K/4000K 16" BRONZE	10
UCA-21-BRZ	8W 450LM 2700K/3000K/4000K 21" BRONZE	10
UCA-24-BRZ	12W 650LM 2700K/3000K/4000K 24" BRONZE	10
UCA-33-BRZ	16W 900LM 2700K/3000K/4000K 33" BRONZE	10
UCA-42-BRZ	20W 1100LM 2700K/3000K/4000K 42" BRONZE	10
UCA-LC12-BLK	12" Linking Cable for Bronze UCA Series - Black color (Matches the color of included cables)	
UCA-LC8-BLK	8in Linking Cord For UCA And UCE Series, Black	
UCA-PC-6FT-BLK	6Ft Power Cord Cord For UCA And UCE Series, Black	
UCA-DISPLAY	Display Board for UCA Series	

120V 120V



MULTI COLOR-TEMPERATURE LIGHTS Accessories Included



- 6' Power Cord
- 8" Interconnect Cable
- End-to-End Coupling
- Mounting Screws



On/Off Switch with
100% /50% Dimming.
Color Temp. selection
Switch: 2700K/ 3000K/ 4000k



3/8" K0s
Cable Connector
included

UNDERCABINET



UCR-12-WHT
White



UCR-18-WHT
White



UCR-24-WHT
White



UCR-32-WHT
White



UCR-40-WHT
White



UCR-12-BK
Black



UCR-18-BK
Black



UCR-24-BK
Black



UCR-32-BK
Black





UCR-40-BK
Black

UNDERCABINET SERIES WITH RECEPTACLES AND USB PORTS



CATALOG NO.	DESCRIPTION	PKG. QTY.
UCR-12-WHT	5W 300LM 27K/30K/35K/40K/50K White, 1 Outlet	10
UCR-18-WHT	8W 480LM 27K/30K/35K/40K/50K White, 1 outlet, 1 USB port, and 1 USB-C port	10
UCR-24-WHT	12W 720LM 27K/30K/35K/40K/50K White, 3 outlets, 2 USB ports, 2 USB-C ports	10
UCR-32-WHT	16W 960LM 27K/30K/35K/40K/50K White, 4 outlets, 2 USB ports, 2 USB-C ports	10
UCR-40-WHT	20W 1200LM 27K/30K/35K/40K/50K White, 4 outlets, 2 USB ports, 2 USB-C ports	10
UCR-12-BK	5W 300LM 27K/30K/35K/40K/50K Black, 1 Outlet	10
UCR-18-BK	8W 480LM 27K/30K/35K/40K/50K Black, 1 outlet, 1 USB port, and 1 USB-C port	10
UCR-24-BK	12W 720LM 27K/30K/35K/40K/50K Black, 3 outlets, 2 USB ports, 2 USB-C ports	10
UCR-32-BK	16W 960LM 27K/30K/35K/40K/50K Black, 4 outlets, 2 USB ports, 2 USB-C ports	10
UCR-40-BK	20W 1200LM 27K/30K/35K/40K/50K Black, 4 outlets, 2 USB ports, 2 USB-C ports	10

UNDERCABINET




RGBW (9 MODES) & 3CCT UNDER CABINET LIGHT, PUSH-BUTTON COLOR CONTROL




CATALOG NO.	DESCRIPTION	PKG. QTY.
UCA-RGBW-PB-12-BR	5W 275LM 30K/40K/50K + RGB Bronze	10
UCA-RGBW-PB-12-WH	5W 275LM 30K/40K/50K + RGB White	10
UCA-RGBW-PB-18-BR	8W 440LM 30K/40K/50K + RGB Bronze	10
UCA-RGBW-PB-18-WH	8W 440LM 30K/40K/50K + RGB White	10
UCA-RGBW-PB-24-BR	12W 660LM 30K/40K/50K + RGB Bronze	10
UCA-RGBW-PB-24-WH	12W 660LM 30K/40K/50K + RGB White	10
UCA-RGBW-PB-32-BR	16W 880LM 30K/40K/50K + RGB Bronze	10
UCA-RGBW-PB-32-WH	16W 880LM 30K/40K/50K + RGB White	10
UCA-RGBW-PB-40-BR	20W 1100LM 30K/40K/50K + RGB Bronze	10
UCA-RGBW-PB-40-WH	20W 1100LM 30K/40K/50K + RGB White	10

LED LINEAR UNDERCABINET LIGHTS (Use External Drivers)



12V



24V



CATALOG NO.	DESCRIPTION	PKG. QTY.
UCW6WW	2W 140LM 3000K 6"	30
UCW6W	2W 168LM 6000K 6"	30
UCW12WW	3W 250LM 3000K 12"	30
UCW12W	3W 280LM 6000K 12"	30
UCW20WW	5W 420LM 3000K 20"	30
UCW20W	5W 462LM 6000K 20"	30
UCW32WW	8W 590LM 3000K 32"	30
UCW32W	8W 640LM 6000K 32"	30
UCW40WW	11W 820LM 3000K 40"	30
UCW40W	11W 880LM 6000K 40"	30
UC6WW	2W 140LM 3000K 6"	30
UC6W	2W 168LM 6000K 6"	30
UC12WW	3W 250LM 3000K 12"	30
UC12W	3W 280LM 6000K 12"	30
UC20WW	5W 420LM 3000K 20"	30
UC20W	5W 462LM 6000K 20"	30
UC32WW	8W 590LM 3000K 32"	30
UC32W	8W 640LM 6000K 32"	30
UC40WW	11W 820LM 3000K 40"	30
UC40W	11W 880LM 6000K 40"	30
UC-DISPLAY	Display Board for UC Series	-

PLUG-IN DRIVERS (Non-Dimming)

12V
24V



CATALOG NO.	DESCRIPTION
UC12PS6W	6W, 12V, POWER SUPPLY WITH CABLE
UC12PS12W	12W, 12V, POWER SUPPLY W/ SWITCH & 1.5 POWER CABLE
UCPS6W	6W, 24V, POWER SUPPLY W/ CABLE
UCPS12W	12W, 24V, POWER SUPPLY W/ 1.5 POWER CABLE
UCPS24W	24W, 24V, 1A, POWER SUPPLY W/ 1.5 POWER CABLE
UCPS48W	48W, 24V, 1A, POWER SUPPLY W/ 1.5 POWER CABLE

UNDERCABINET

MAGNETIC DIMMABLE DRIVERS* (Use Magnetic Low-Voltage Dimmers)

























24V 12V












CATALOG NO.	DESCRIPTION
UCM-20L-12DC	DIMMABLE, 20W, 12V, 5" X 2-1/8" X 2"
UCM-40L-12DC	DIMMABLE, 40W, 12V, 5" X 2-1/8" X 2"
UCM-50L-12DC	DIMMABLE, 50W, 12V, 5" X 2-1/8" X 2"
UCM-100L-12DC	DIMMABLE, 100W, 12V, 5" X 4-1/8" X 2"
UCM-150L-12DC	DIMMABLE, 150W, 12V, 5" X 4-1/8" X 4"
UCM-300L-12DC	DIMMABLE, 300W, 12V, 5" X 4-1/8" X 4"
UCM-20L-24DC	DIMMABLE, 20W, 24V, 5" X 2-1/8" X 2"
UCM-40L-24DC	DIMMABLE, 40W, 24V, 5" X 2-1/8" X 2"
UCM-50L-24DC	DIMMABLE, 50W, 24V, 5" X 2-1/8" X 2"
UCM-60L-24DC	DIMMABLE, 60W, 24V, 5" X 2-1/8" X 2"
UCM-96L-24DC	DIMMABLE, 96W, 24V, 5" X 4-1/8" X 2"
UCM-150L-24DC	DIMMABLE, 150W, 24V, 5" X 4-1/8" X 4"
UCM-300L-24DC	DIMMABLE, 300W, 24V, 5" X 4-1/8" X 4"

*Not dimmable with RGB products (use the dimming feature of your RGB controller)

UNDER CABINET LIGHTING PARTS & ACCESSORIES








CATALOG NO.	DESCRIPTION
 UCDIMMER	LED UNDER CABINET LIGHTS DIMMER
 UCDIMMER-TOUCH	LINEAR UNDER CABINET TOUCH DIMMER TO CONNECT TO FIXTURES END, BLACK
 UCDIMMER-TOUCH-WH	LINEAR UNDER CABINET TOUCH DIMMER TO CONNECT TO FIXTURES END, WHITE
 UCJUNCTION-B	HARD WIRE POWER FEED IN / OUT, BLACK
 UCJUNCTION-W	HARD WIRE POWER FEED IN / OUT, WHITE
 UCSENS-PIR-1	PIR SENSOR, AUTO ON/OFF WHEN MOVEMENT, MAX 72W, 4" (10CM) RANGE, 120D, -20°C TO 40°C
 UCSENS-PIR	PIR SENSOR, AUTO ON/OFF WHEN MOVEMENT, MAX 72W, 4" (10CM) RANGE, 120D, -20°C TO 40°C
 UCCONCABLE	3.25 FT. CONNECTOR CABLE, BLACK
 UCCONCABLE-WH	3.25 FT. CONNECTOR CABLE, WHITE
 UCCONCABLE-10	10 FT. UNDER CABINET LIGHT CONNECTOR CABLE, BOTH SIDE MALE, BLACK
 UCCONCABLE-10-WH	10 FT. UNDER CABINET LIGHT CONNECTOR CABLE, BOTH SIDE MALE, WHITE
 UCCOP-3F	3 FT. UNDER CABINET LIGHT COUPLING, BOTH SIDE FEMALE, BLACK
 UCCOP-3F-WH	3 FT. UNDER CABINET LIGHT COUPLING, BOTH SIDE FEMALE, WHITE
 UCPOWERC-10F	10 FT. UNDER CABINET LIGHT POWER CONNECTOR, 1 SIDE MALE, 1 SIDE FEMALE, BLACK
 UCPOWERC-10F-WH	10 FT. UNDER CABINET LIGHT POWER CONNECTOR, 1 SIDE MALE, 1 SIDE FEMALE, WHITE
 UCRE04	4 OUTPUT EASY RECEPTACLE
 UCRE08	8 OUTPUT EASY RECEPTACLE
 UCAC01	CORNER CONNECTOR, BLACK
 UCAC01-WH	CORNER CONNECTOR, WHITE
 UCPLASCONN	PLASTIC CONNECTOR, BLACK
 UCPLASCONN-WH	PLASTIC CONNECTOR, WHITE
 UCMAGNET+3M	2 PCS OF MAGNET AND 2 PCS OF 3M TAPE FOR LED UNDER CABINET LIGHTS

LED ADJUSTABLE UNDERCABINET, 24V

CATALOG NO.	DESCRIPTION	PKG. QTY.
 UC-ADJ-12WW	5W 380LM 3000K 11.81"	30
 UC-ADJ-12W	5W 400LM 6000K 11.81"	30
 UC-ADJ-20WW	8W 600LM 3000K 19.68"	30
 UC-ADJ-20W	8W 640LM 6000K 19.68"	30
 UC-ADJ-40WW	16W 1200LM 3000K 39.37"	30
 UC-ADJ-40W	16W 1280LM 6000K 39.37"	30
 UC-ADJ-PIR	PIR SENSOR FOR U/C ADJUSTABLE SERIES	-
 UC-ADJ-DMR	TOUCH DIMMER WITH MEMORY FOR U/C ADJUSTABLE SERIES	-
 UC-ADJ-JUNCTION	JUNCTION CONNECTOR FOR U/C ADJUSTABLE SERIES	-

(SURFACE MOUNTING BRACKETS & SCREWS INCLUDED)

LED LINKABLE STRIP WITH INTERNAL DRIVER, 120VAC DIRECT, DIMMABLE

CATALOG NO.	DESCRIPTION	WHILE SUPPLIES LAST	MAX RUN	PKG. QTY.
 T5-12IN-5W-30K-D	5W 575LM 3000K 1FT.		15'	24
 T5-12IN-5W-40K-D	5W 575LM 4000K 1FT.		15'	24
 T5-12IN-5W-50K-D	5W 625LM 5000K 1FT.		15'	24
 T5-22IN-9W-30K-D	9W 1035LM 3000K 2FT.		24'	24
 T5-22IN-9W-40K-D	9W 1035LM 4000K 2FT.		24'	24
 T5-22IN-9W-50K-D	9W 1125LM 5000K 2FT.		24'	24
 T5-47IN-16W-30K-D	16W 1840LM 3000K 4FT.		31'	24
T5-47IN-16W-50K-D	16W 2000LM 5000K 4FT.		31'	24
T5-6FT-PC	6 FT. Plug-in Power Cord			-
T5-6FT-PCS	6 FT. Plug-in Power Cord with Switch			-
T5-8IN-JUMP	8" Linking Cable			-
T5-6FT-PT	6' AC Input Wire (PIGTAIL)			-
T5-COUPLER	Coupler (1 Included)			-
T5-MAGSET	Clip-on Secure Magnet Set			-

12V PUCK 5CCT WITH PIR SENSOR



CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER
-------------	-------------	--



PL12-MCT5-PIR-WH	4W 250LM 27K/30K/35K/40K/50K White	
PL12-MCT5-PIR-BN	4W 250LM 27K/30K/35K/40K/50K Brushed-Nickel	



WG SMART APP COMPATIBLE RGBW ULTRA SLIM CANLESS RECESSED LIGHTS - ROUND, 120V

CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER
-------------	-------------	--



TC-PL12-RGBW	4W 250LM RGB	
TC-PL12-RGBW-SPLITTER4	RGB Puck Light 4-Port Splitter With 6in Cable	
TC-PL12-RGBW-CONTROLLER	RGBW In-Line Smart Controller App Compatible	

LED ADJUSTABLE PUCK LIGHTS, 120V

6Ft. Power Cord with In-Line switch



CATALOG NO.	DESCRIPTION
-------------	-------------

3" ROUND ADJUSTABLE PUCK LIGHT



PL120ADJ-30K-WH	4.5W 250LM 3000K White
PL120ADJ-40K-WH	4.5W 250LM 4000K White
PL120ADJ-50K-WH	4.5W 250LM 5000K White
PL120ADJ-30K-BK	4.5W 250LM 3000K Black
PL120ADJ-40K-BK	4.5W 250LM 4000K Black
PL120ADJ-50K-BK	4.5W 250LM 5000K Black
PL120ADJ-30K-BN	4.5W 250LM 3000K Brushed-Nickel
PL120ADJ-40K-BN	4.5W 250LM 4000K Brushed-Nickel
PL120ADJ-50K-BN	4.5W 250LM 5000K Brushed-Nickel

3-PACK 3" ROUND ADJUSTABLE PUCK LIGHT



PL120ADJ-3KIT-30K-WH	4.5W 250LM 3000K White
PL120ADJ-3KIT-40K-WH	4.5W 250LM 4000K White
PL120ADJ-3KIT-50K-WH	4.5W 250LM 5000K White
PL120ADJ-3KIT-30K-BK	4.5W 250LM 3000K Black
PL120ADJ-3KIT-40K-BK	4.5W 250LM 4000K Black
PL120ADJ-3KIT-50K-BK	4.5W 250LM 5000K Black
PL120ADJ-3KIT-30K-BN	4.5W 250LM 3000K Brushed-Nickel
PL120ADJ-3KIT-40K-BN	4.5W 250LM 4000K Brushed-Nickel
PL120ADJ-3KIT-50K-BN	4.5W 250LM 5000K Brushed-Nickel

LED PUCK LIGHTS (3.3 FT. CORD WITH MALE SOCKET, MOUNTING HARDWARE, SCREWLESS TRIM)



CATALOG NO.	DESCRIPTION
-------------	-------------

4" ROUND & SQUARE SLIM PUCK LIGHT



PL12R-30K-WH	3.5W 230LM 3000K White
PL12R-40K-WH	3.5W 230LM 4000K White
PL12R-50K-WH	3.5W 230LM 5000K White
PL12S-30K-WH	3.5W 230LM 3000K White
PL12S-40K-WH	3.5W 230LM 4000K White
PL12S-50K-WH	3.5W 230LM 5000K White

PL12R & PL12S SERIES COLOR TRIMS



PL12R-TRM-BK	PL12R series replacement color trim-Black
PL12R-TRM-BN	PL12R series replacement color trim-Brushed-Nickel
PL12R-TRM-BR	PL12R series replacement color trim-Bronze
PL12S-TRM-BK	PL12S series replacement color trim-Black
PL12S-TRM-BN	PL12S series replacement color trim-Brushed-Nickel
PL12S-TRM-BR	PL12S series replacement color trim-Bronze

120V

UNDERCABINET

12V

LED PUCK LIGHTS (3.3 FT. CORD WITH MALE SOCKET, MOUNTING HARDWARE, SCREWLESS TRIM)



CATALOG NO. DESCRIPTION

3" ROUND SLIM PUCK LIGHT - 1/8" H (1/16" WHEN RECESSED)

PL12-30K-WH	2W	120LM	3000K	White
PL12-40K-WH	2W	120LM	4000K	White
PL12-50K-WH	2W	120LM	5000K	White
PL12-30K-BK	2W	120LM	3000K	Black
PL12-40K-BK	2W	120LM	4000K	Black
PL12-50K-BK	2W	120LM	5000K	Black
PL12-30K-BN	2W	120LM	3000K	Brushed-Nickel
PL12-40K-BN	2W	120LM	4000K	Brushed-Nickel
PL12-50K-BN	2W	120LM	5000K	Brushed-Nickel

3" ROUND SLIM PUCK LIGHT - 5CCT ADJUSTABLE - 1/8" H (1/16" WHEN RECESSED)

PL12-MCT5-WH	4W	250LM	27K/30K/35K/40K/50K	White
PL12-MCT5-BK	4W	250LM	27K/30K/35K/40K/50K	Black
PL12-MCT5-BN	4W	250LM	27K/30K/35K/40K/50K	Brushed-Nickel

3-PACK 3" ROUND SLIM PUCK LIGHT - 1/8" H (1/16" WHEN RECESSED)

PL12-3KIT-30K-WH	2W	120LM	3000K	White
PL12-3KIT-40K-WH	2W	120LM	4000K	White
PL12-3KIT-50K-WH	2W	120LM	5000K	White
PL12-3KIT-30K-BK	2W	120LM	3000K	Black
PL12-3KIT-40K-BK	2W	120LM	4000K	Black
PL12-3KIT-50K-BK	2W	120LM	5000K	Black
PL12-3KIT-30K-BN	2W	120LM	3000K	Brushed-Nickel
PL12-3KIT-40K-BN	2W	120LM	4000K	Brushed-Nickel
PL12-3KIT-50K-BN	2W	120LM	5000K	Brushed-Nickel

PL12 SERIES COLOR TRIMS

PL12-TRM-BK	PL12 series replacement color trim-Black
PL12-TRM-BN	PL12 series replacement color trim-Brushed-Nickel
PL12-TRM-BR	PL12 series replacement color trim-Bronze

3" ROUND ADJUSTABLE PUCK LIGHT - DRIVER NOT INCL.

PL12ADJ-30K-WH	4.5W	250LM	3000K	White
PL12ADJ-40K-WH	4.5W	250LM	4000K	White
PL12ADJ-50K-WH	4.5W	250LM	5000K	White
PL12ADJ-30K-BK	4.5W	250LM	3000K	Black
PL12ADJ-40K-BK	4.5W	250LM	4000K	Black
PL12ADJ-50K-BK	4.5W	250LM	5000K	Black
PL12ADJ-30K-BN	4.5W	250LM	3000K	Brushed-Nickel
PL12ADJ-40K-BN	4.5W	250LM	4000K	Brushed-Nickel
PL12ADJ-50K-BN	4.5W	250LM	5000K	Brushed-Nickel

LED PUCK LIGHT ACCESSORIES

PL12-SPLIT3-WH	3-Hole mini splitter with female socket & 40" cord, white
PL12-SPLIT3-BK	3-Hole mini splitter with female socket & 40" cord, Black
PL12-SPLIT6-WH	6-Hole mini splitter with female socket & 40" cord, white
PL12-SPLIT6-BK	6-Hole mini splitter with female socket & 40" cord, Black
PL12-SPLIT10-WH	10-Hole mini splitter with female socket & 40" cord, white
PL12-SPLIT10-BK	10-Hole mini splitter with female socket & 40" cord, Black
PL12-PF-WH	6" Power feed cord, White
PL12-PF-BK	6" Power feed cord, Black
PL12-PIDR-12W-WH	12W Plug-in driver with switch, white
PL12-PIDR-12W-BK	12W Plug-in driver with switch, Black
PL12-PIDR-24W-WH	24W Plug-in driver with switch, white
PL12-PIDR-24W-BK	24W Plug-in driver with switch, Black
PL12-ILDMR-WH	In-Line dimming control, White
PL12-ILDMR-BK	In-Line dimming control, Black
PL12-HWDR-25W-D	25W Plug-in Dimmable driver with switch, 120V

LED PUCK LIGHTS DISPLAY BOARD

CATALOG NO. DESCRIPTION

PL12-DISPLAY



Display board with Brochures for PL12 Series



EXIT & EMERGENCY LIGHTING


BUILDER SERIES SUPER SLIM LED EXIT SIGN, 120-277V, 12"(W) x 7 1/2"(H) x 1"(D)



CATALOG NO.	NUMBER OF FACES	LETTERS COLOR	HOUSING	BATTERY
 XTSL-RW	Universal Single/Double	RED	White	1.2V Ni-MH
 XTSL-GW	Universal Single/Double	GREEN	White	1.2V Ni-MH

LED EXIT SIGN EXIT SIGN, 120-277V, 12"(W) x 7 1/2"(H) x 1 1/2"(D)





CATALOG NO.	NUMBER OF FACES	LETTERS COLOR	HOUSING	BATTERY
 XT-RW-EM	Universal Single/Double	RED	White	NiCd
XT-GW-EM	Universal Single/Double	GREEN	White	NiCd

2-IN-1 COLOR- SELECTABLE UNIVERSAL EXIT SIGN, 120-277V, 15 1/2"(W) x 12 1/2"(H) x 9"(D)


DEFAULT IS RED, FLIP SWITCH INSIDE AND CHANGE PROVIDED GREEN FILM[S] FOR GREEN



CATALOG NO.	NUMBER OF FACES	LETTERS COLOR	HOUSING	BATTERY
 XTU-RG-EM-BK	Universal Single/Double	RED/GREEN	Black	1.2V Ni-MH
XTU-RG-EM	Universal Single/Double	RED/GREEN	White	1.2V Ni-MH
 XTU-RG-2C-120V	Universal Single/Double	RED/GREEN	White	N/A Two Circuits
XTU-RG-2C-277V	Universal Single/Double	RED/GREEN	White	N/A Two Circuits
XTU-RG-BK-2C-120V	Universal Single/Double	RED/GREEN	Black	N/A Two Circuits
XTU-RG-BK-2C-277V	Universal Single/Double	RED/GREEN	Black	N/A Two Circuits



SPEC SERIES THIN DIECAST LED EXIT SIGN, 120-277V, 11-13/16"(W) x 7-3/4"(H) x 7/8"(D)



CATALOG NO.	NUMBER OF FACES	LETTER COLOR	HOUSING	BATTERY
 XD-TH-1GAEM	Single Face	Green	Aluminum	NiCd
XD-TH-1GBBEM	Single Face	Green	Black	NiCd
XD-TH-1GWWEM	Single Face	Green	White	NiCd
XD-TH-1RAAEM	Single Face	Red	Aluminum	NiCd
XD-TH-1RBBEM	Single Face	Red	Black	NiCd
XD-TH-1RWWEM	Single Face	Red	White	NiCd
XD-TH-2GAAEM	Double Face	Green	Aluminum	NiCd
XD-TH-2GBBEM	Double Face	Green	Black	NiCd
XD-TH-2GWWEM	Double Face	Green	White	NiCd
XD-TH-2RAAEM	Double Face	Red	Aluminum	NiCd
XD-TH-2RBBEM	Double Face	Red	Black	NiCd
XD-TH-2RWWEM	Double Face	Red	White	NiCd

BUILDER SERIES EDGELIT LED EXIT SIGN WITH ALUMINUM HOUSING, SINGLE FACE WITH OPTIONAL DOUBLE FACE, OPT. RECESS-MT. ACCESSORY



CATALOG NO.	NUMBER OF FACES	LETTER COLOR	FACE COLOR	BATTERY	HOUSING
 XT-EL1RCA-EM	Single Face	Red	Clear	NiCd	Aluminum
XT-EL1GCA-EM	Single Face	Green	Clear	NiCd	Aluminum
XT-EL1RCA-EM-WH	Single Face	Red	Clear	NiCd	White
XT-EL1GCA-EM-WH	Single Face	Green	Clear	NiCd	White
XT-EL2RM-CP	Field-Installed Double-Face Mirror Panel only to Convert Single Face to Double Face- Red				
XT-EL2GM-CP	Field-Installed Double-Face Mirror Panel only to Convert Single Face to Double Face- Green				
 XT-ELRMA	Field-Installed Recessed Mounting Conversion Kit, Order together with Exit Sign above				
XT-ELRMA-WH	Field-Installed Recessed Mounting Conversion Kit, Order together with Exit Sign above, White				



XT-ELRMA RECESSED CONVERSION KIT (FIXTURE NOT INCL.)


SPEC SERIES EDGELIT LED EXIT SIGN, 120-277V, 13"(W) x 11-1/8"(H) x 1-3/4"(D)



CATALOG NO.	NUMBER OF FACES	LETTER COLOR	FACE COLOR	CANOPY	BATTERY
 XE-1RCA-EM	Single Face	Red	Clear	Aluminum	NiCd
XE-1RCW-EM	Single Face	Red	Clear	White	NiCd
 XE-2RMW-EM	Double Face	Red	Mirror	White	NiCd
XE-2RMA-EM	Double Face	Red	Mirror	Aluminum	NiCd
XE-1GCA-EM	Single Face	Green	Clear	Aluminum	NiCd
XE-1GCW-EM	Single Face	Green	Clear	White	NiCd
XE-2GMW-EM	Double Face	Green	Mirror	White	NiCd
XE-2GMA-EM	Double Face	Green	Mirror	Aluminum	NiCd
XE-2C-120V	Optional Dual circuits, 120V				
XE-2C-277V	Optional Dual circuits, 277V				
XE-SDT	Optional Self Diagnostics Test				

WET LOCATION LED EXIT SIGN, UNIVERSAL




CATALOG NO.	NUMBER OF FACES	LETTER COLOR	HOUSING	BATTERY
 XT-WP-RG-EM	Universal Single/Double	Red	Gray	NiCd
XT-WP-GG-EM	Universal Single/Double	Green	Gray	NiCd

SPEC SERIES WET LOCATION LED EXIT SIGN

(TWO-CIRCUITS OPTION AVAILABLE), 120-277V, 12-1/2"(W) x 9-1/4"(H) x 4-3/8"(D)



CATALOG NO.	NUMBER OF FACES	LETTER COLOR	HOUSING	BATTERY
 XT-WP-1RG-EM	Single Face	Red	Gray	NiCd
XT-WP-1GG-EM	Single Face	Green	Gray	NiCd
XT-WP-2RG-EM	Double Face	Red	Gray	NiCd
XT-WP-2GG-EM	Double Face	Green	Gray	NiCd
XT-WP-1RB-EM	Single Face	Red	Black	NiCd
XT-WP-1GB-EM	Single Face	Green	Black	NiCd
XT-WP-2RB-EM	Double Face	Red	Black	NiCd
XT-WP-2GB-EM	Double Face	Green	Black	NiCd
XT-WP-SDT	Optional Self Diagnostics Test			
XT-WP-2C-120V	Optional Dual circuits, 120V			
XT-WP-2C-277V	Optional Dual circuits, 277V			

SPEC SERIES NEMA 4X LED EXIT SIGN, 120-277V 14-3/4"(W) X 10"(H) X 6"(D)



CATALOG NO.	WATTS	NUMBER OF FACES	LETTER COLOR	HOUSING COLOR	BATTERY
 XTN4X-1GB	3.8W	Single Face	Green	Black	-
XTN4X-1GW	3.8W	Single Face	Green	White	-
XTN4X-1RB	3.2W	Single Face	Red	Black	-
XTN4X-1RW	3.2W	Single Face	Red	White	-
XTN4X-2GB	3.8W	Double Face	Green	Black	-
XTN4X-2GW	3.8W	Double Face	Green	White	-
XTN4X-2RB	3.2W	Double Face	Red	Black	-
XTN4X-2RW	3.2W	Double Face	Red	White	-
XTN4X-1GBEM	3.8W	Single Face	Green	Black	NiCd
XTN4X-1GWEM	3.8W	Single Face	Green	White	NiCd
XTN4X-1RBEM	3.2W	Single Face	Red	Black	NiCd
XTN4X-1RWEM	3.2W	Single Face	Red	White	NiCd
XTN4X-2GBEM	3.8W	Double Face	Green	Black	NiCd
XTN4X-2GWEM	3.8W	Double Face	Green	White	NiCd
XTN4X-2RBEM	3.2W	Double Face	Red	Black	NiCd
XTN4X-2RWEM	3.2W	Double Face	Red	White	NiCd

BUILDER SERIES SUPER SLIM LED EXIT SIGN

WITH ADJUSTABLE LED HEADS, 120-277V, 12"(W) x 7 3/5"(H) x 1"(D)




CATALOG NO.	NUMBER OF FACES	LETTERS COLOR	HOUSING	BATTERY
 XTSL-CL-RW	Universal Single/Double	RED	White	3.6 Ni-MH
XTSL-CL-GW	Universal Single/Double	GREEN	White	3.6 Ni-MH

NEMA 4X
RATED

COMBINATION LED EXIT SIGN & LED EMERGENCY, 120-277V, 21"(W) x 9"(H) x 4-7/16"(D)





CATALOG NO.	NUMBER OF FACES	LETTER COLOR	HOUSING	BATTERY
 XT-CL-RW-EM	Universal Single/Double	Red	White	NiCd
XT-CL-GW-EM	Universal Single/Double	Green	White	NiCd

2-IN-1 COLOR-SELEC UNIVERSAL COMBO UNIT, 120-277V, 15-1/2"(W) x 12-1/2"(H) x 9"(D)



DEFAULT IS RED, FLIP SWITCH INSIDE AND CHANGE PROVIDED GREEN FILM[S] FOR GREEN



CATALOG NO.	NUMBER OF FACES	LETTERS COLOR	HOUSING	BATTERY	
 XTU-CL-RG-EM-BK	Universal Single/Double	RED/GREEN	Black	1.2V Ni-MH	
XTU-CL-RG-EM	Universal Single/Double	RED/GREEN	White	1.2V Ni-MH	
 XTU-CL-RG-EM-RC	Universal Single/Double	RED/GREEN	White	1.2V Ni-MH	Remote Capable
XTU-CL-RG-EM-RC-BK	Universal Single/Double	RED/GREEN	Black	1.2V Ni-MH	Remote Capable

LED STRIP COMBINATION EXIT/EMERGENCY LIGHT, SINGLE OR DOUBLE FACE




CATALOG NO.	NUMBER OF FACES	LETTER COLOR	HOUSING	BATTERY
 XIT-STRIP-2R-W	Double Face	Red	White	NiCd
 XIT-STRIP-2G-W	Double Face	Green	White	NiCd
XIT-STRIP-2R-B	Double Face	Red	Black	NiCd
XIT-STRIP-2G-B	Double Face	Green	Black	NiCd

SPEC SERIES COMBO DIE-CAST ALUMINUM LED EXIT SIGN

ADJUSTABLE HEADS, 120-277V, 12-1/2"(W) x 11-3/4"(H) x 2-3/8"(D)




CATALOG NO.	NUMBER OF FACES	LETTER COLOR	HOUSING	BATTERY
 XT-C-ADJ-3RBBEM	Universal Single/Double	Red	Black	NiCd
XT-C-ADJ-3RAAEM	Universal Single/Double	Red	Aluminum	NiCd
XT-C-ADJ-3RWEM	Universal Single/Double	Red	White	NiCd
XT-C-ADJ-3GBBEM	Universal Single/Double	Green	Black	NiCd
XT-C-ADJ-3GAAEM	Universal Single/Double	Green	Aluminum	NiCd
XT-C-ADJ-3GWEM	Universal Single/Double	Green	White	NiCd
XT-C-ADJ-RC	Optional Remote Capability			

SPEC SERIES WET LOCATION COMBINATION LED EXIT SIGN &


LED EMERGENCY, 120-277V 3.6W, 13-11/16"(W) x 12-3/8"(H) x 4-1/16"(D)



CATALOG NO.	NUMBER OF FACES	LETTER COLOR	HOUSING
 CWLEZXE1GW	Single Face	Green	White
CWLEZXE1GG	Single Face	Green	Gray
CWLEZXE1RW	Single Face	Red	White
CWLEZXE1RG	Single Face	Red	Gray
CWLEZXE1GB	Single Face	Green	Black
CWLEZXE1RB	Single Face	Red	Black
CWLEZXE2GB	Double Face	Green	Black
CWLEZXE2RB	Double Face	Red	Black
CWLEZXE2GW	Double Face	Green	White
CWLEZXE2GG	Double Face	Green	Gray
CWLEZXE2RW	Double Face	Red	White
CWLEZXE2RG	Double Face	Red	Gray
CWLEZ-SDT	Optional Self Diagnostics Test		
CWLEZ-RC	Optional Remote Capability		
CWLEZ-CW	Optional Cold Weather		

SPEC SERIES NEMA 4X COMBINATION LED EXIT SIGN & LED EMERGENCY, 120-277V





CATALOG NO.	NO. OF FACES/LETTER COLOR	VOLTAGE	WATTAGE	HOUSING COLOR	ITEMS DESCRIPTION
 XTCLN4X	1G 1R 2G 2R	6 6V 12 12V	12W 12W 15W 15W 28W 28W	W B G	WHITE BLACK GRAY
SAMPLE ORDERING: XTCLN4X-1G-12-15W-W					
6V, 15W, SINGLE FACE 6V, 28W, SINGLE FACE 12V, 15W, SINGLE FACE 12V, 28W, SINGLE FACE 6V, 12W, DOUBLE FACE 12V, 12W, DOUBLE FACE					



EXIT & EMERGENCY


LOW LEVEL LED EXIT & EMERGENCY COMBO



CATALOG NO.	NUMBER OF FACES	LETTERS COLOR	HOUSING	BATTERY	ARRIVES THIS SEASON CHECK & PRE-ORDER
 LLXT-RW	Universal Single	RED	Frost White	NiCd	
 LLXT-GW	Universal Single	GREEN	Frost White	NiCd	
LLXT-RB	Universal Single	RED	Black	NiCd	
LLXT-GB	Universal Single	GREEN	Black	NiCd	

WET LOCATION COMBO LED EXIT & EMERGENCY SIGN, UNIVERSAL




CATALOG NO.	NUMBER OF FACES	LETTER COLOR	FACE COLOR	BATTERY
 XT-CLWP-RG-EM	Universal Single/Double	Red	White	NiCd
XT-CLWP-GG-EM	Universal Single/Double	Green	White	NiCd

WET LOCATION COMBINATION LED EXIT SIGN &

INCANDESCENT EMERGENCY, 120-277V, 11-3/4"(W) x 18-1/4"(H) x 3-3/4"(D)



CATALOG NO.	NUMBER OF FACES	LETTER COLOR	HOUSING	BATTERY
 XT-CWP-RG-EM	Single Face	Red	Gray	NiCd
XT-CWP-GG-EM	Single Face	Green	Gray	NiCd
XT-CWP-HTR	Optional Internal Heater			

LED 2-HEAD MINI EMERGENCY LIGHT, 120-277V, 4"(H) x 8 1/2"(W) x 1 3/4"(D)



CATALOG NO.	WATTS	HOUSING COLOR	MOUNTING	BATTERY
 EL-M2	1W(2)	White	Wall	3.6V NiCd
EL-M2-BK	1W(2)	Black	Wall	3.6V NiCd

LED 2-HEAD MINI EMERGENCY LIGHT, 120-277V, 4-1/4"(H) x 9-1/4"(W) x 1-3/5"(D)



CATALOG NO.	WATTS	HOUSING COLOR	MOUNTING	BATTERY	LUMEN
 EL-M1	1.1W(2)	White	Wall	3.6V Ni-MH	200LM
EL-M1-BK	1.1W(2)	Black	Wall	3.6V Ni-MH	200LM

BUILDER SERIES LED EMERGENCY LIGHTS, 120-277V, 13.7" W X 4.3" H X 3.5" D



CATALOG NO.	WATTS	HOUSING COLOR	MOUNTING	BATTERY
 EL-1	1W per Head	White	Wall & Ceiling	NiCd

SPEC SERIES LARGE LED EMERGENCY LIGHTS WITH HIGHER OUTPUT, 120-277V, 15.5" W X 5" H X 4.75" D




CATALOG NO.	WATTS	HOUSING COLOR	MOUNTING	BATTERY
 EL-1L	1.2W per Head	White	Wall & Ceiling	NiCd
EL-1L-BK	1.2W per Head	Black	Wall & Ceiling	NiCd

SPEC SERIES LARGE LED EMERGENCY LIGHTS


WITH REMOTE CAPABLE & HIGHER OUTPUT, 120-277V, 15.5" W X 5" H X 4.75" D



CATALOG NO.	WATTS	HOUSING COLOR	MOUNTING	BATTERY
 EL-1L-RC	1.2W per Head	White	Wall & Ceiling	NiCd Remote Capable

LED 2-HEAD DESIGNER EMERGENCY LIGHT, 120-277V, 4- 1/3"(H) x 13- 1/2"(W) x 3- 1/2"(D)



CATALOG NO.	WATTS	HOUSING COLOR	MOUNTING	BATTERY
 EL-1D	2.4W(2)	White	Wall	3.6V NiCd


BUILDER SERIES LED EMERGENCY LIGHTS, 120-277V, 4 5/8"(H) x 9 1/2"(W) x 2 1/4"(D)



CATALOG NO.	WATTS	HOUSING COLOR	MOUNTING	BATTERY
 EL-2A	1.2W per head	White	Wall & Ceiling	3.6V 1Ah NI-CAD

SPEC SERIES LED 2-HEAD HIGH-OUTPUT EMERGENCY LIGHT, 120-277V, 5"(H) x 12-1/2"(W) x 2-4/5"(D)



CATALOG NO.	WATTS	HOUSING COLOR	BATTERY	LUMEN
 EL-HO	3W(2)	White	Lead Acid	650LM

LED 2-HEAD EXTRA HIGH-OUTPUT EMERGENCY LIGHT, 120-277V, 5"(H) x 12-1/2"(W) x 2-4/5"(D)



CATALOG NO.	WATTS	HOUSING COLOR	BATTERY	LUMENS
 EL-EHO	10W per Head	White	Lead Acid	1250LM


LED MR16 EMERGENCY LIGHTS, 120-277V, 3"(H) x 13-3/4"(W) x 5-1/8"(D)



CATALOG NO.	WATTS	HOUSING COLOR	MOUNTING	BATTERY
 EW-16-LED	3.3W per Head	Frost White	Wall	Lead Acid



WET LOCATION LED 2-HEAD EMERGENCY LIGHT, 120-277V 4-1/5"(H) x 12-1/4"(W) x 5-1/4"(D)



CATALOG NO.	WATTS	HOUSING COLOR	MOUNTING	BATTERY	LUMEN
 EL-WP	6W(2)	White	Wall & Ceiling	6V Ni-MH	400LM

INDOOR SQUARE LED REMOTE HEADS, 120-277V



CATALOG NO.	WATTS	VOLTAGE	HOUSING COLOR	HEADS PER FIXTURE	
 EL-RH1	1W per Head	3.6V/6V/9.9V/12 DC	White	Single	6-3/8"(H) x 4-1/4"(W) x 4-1/4"(D)
 EL-RH2	1W per Head	3.6V/6V/9.9V/12 DC	White	Double	6-3/4"(H) x 4-1/4"(W) x 10-3/8"(D)

WET LOCATION OUTDOOR SQUARE LED REMOTE HEADS, 120-277V




CATALOG NO.	WATTS	VOLTAGE	HOUSING COLOR	HEADS PER FIXTURE	
 EL-RH1-WP	1W per Head	3.6V/6V/9.9V/12 DC	White	Single	6-3/8"(H) x 4-1/4"(W) x 4-1/4"(D)
 EL-RH2-WP	1W per Head	3.6V/6V/9.9V/12 DC	White	Double	6-3/4"(H) x 4-1/4"(W) x 10-3/8"(D)

WET LOCATION LED EMERGENCY LIGHTS

WITH REMOTE CAPABILITY, 120-277V, 6"(H) x 12-1/2"(W) x 8-1/2"(D)



CATALOG NO.	WATTS	HOUSING COLOR	MOUNTING	BATTERY
 LEDTFX-2	1.875W per Head	Gray	Wall	NiCd
LEDTFX-2-B	1.875W per Head	Black	Wall	NiCd

EXIT & EMERGENCY

BUILDER SERIES ECONOMY OUTDOOR EMERGENCY WALL PACK
 WITH PHOTOCELL, SELECTABLE 15-30W, 30/40K/50K, 120-277V **7 DAYS LEAD TIME**



CATALOG NO.	DESCRIPTION
LESW-15-30W-MCTP-P-EM	15W/20W/30W 135LM/W 3000K/4000K/5000K Bronze
LESW-15-30W-MCTP-P-WH-EM	15W/20W/30W 135LM/W 3000K/4000K/5000K White



BUILDER SERIES DECORATIVE OUTDOOR LED AC/EMERGENCY UNIT, 120-277V, 3-5/8"(H) x 10-1/2"(W) x 6-3/5"(D)



CATALOG NO.	WATTS	HOUSING COLOR	BATTERY	DESCRIPTION
DELW-15W-MCT-BK	15W	Black	NiCd	With Photocell
DELW-15W-MCT-BR	15W	Dark Bronze	NiCd	With Photocell
DELW-15W-MCT-WH	15W	White	NiCd	With Photocell



SPEC SERIES DECORATIVE OUTDOOR LED AC/EMERGENCY UNIT, 120-277V, 3-5/8"(H) x 10-1/2"(W) x 6-3/5"(D)



CATALOG NO.	WATTS	HOUSING COLOR	BATTERY	DESCRIPTION
DBEL-ACEM-WH-SDT	12W	White	NiCd	With Photocell
DBEL-ACEM-BK-SDT	12W	Black	NiCd	With Photocell
DBEL-ACEM-BR-SDT	12W	Dark Bronze	NiCd	With Photocell
DBEL-ACEM-N-SDT	12W	Nickel	NiCd	With Photocell
DBEL-ACEM-WH-SDT-CW	12W	White	NiCd	With Cold Weather & Photocell
DBEL-ACEM-BK-SDT-CW	12W	Black	NiCd	With Cold Weather & Photocell
DBEL-ACEM-BR-SDT-CW	12W	Dark Bronze	NiCd	With Cold Weather & Photocell
DBEL-ACEM-N-SDT-CW	12W	Nickel	NiCd	With Cold Weather & Photocell



SPEC SERIES NEMA 4X OUTDOOR LED REMOTE HEADS, 120-277V, 4-7/8"(H) x 9-5/8"(W) x 5-1/2"(D)



CATALOG NO.	WATTS	VOLTAGE	HOUSING COLOR	HEADS	PER FIXTURE
RHN4X-1W	3.3W per Head	6V/12VDC	White	Single Square Head	
RHN4X-1B	3.3W per Head	6V/12VDC	Black	Double Square Head	
RHN4X-2W	3.3W per Head	6V/12VDC	White	Single Square Head	
RHN4X-2B	3.3W per Head	6V/12VDC	Black	Double Square Head	



SPEC SERIES NEMA 4X LED EMERGENCY LIGHTS, 120-277V



CATALOG NO.	WATTS	VOLTAGE	HOUSING COLOR	BATTERY
ELN4X-12-15W-B	15W	12V	Black	NiCd
ELN4X-12-15W-W	15W	12V	White	NiCd
ELN4X-12-36W-B	36W	12V	Black	NiCd
ELN4X-12-36W-W	36W	12V	White	NiCd
ELN4X-12-54W-B	54W	12V	Black	NiCd
ELN4X-12-54W-W	54W	12V	White	NiCd
ELN4X-6-15W-B	15W	6V	Black	NiCd
ELN4X-6-15W-W	15W	6V	White	NiCd
ELN4X-6-36W-B	36W	6V	Black	NiCd
ELN4X-6-36W-W	36W	6V	White	NiCd
ELN4X-6-54W-B	54W	6V	Black	NiCd
ELN4X-6-54W-W	54W	6V	White	NiCd



POLYCARBONATE VANDAL/ENVIRONMENTAL SHIELD GUARDS



CATALOG NO.	DESCRIPTION
PCS-1	For use with most standard Exit signs
BG-1	For use with most standard Exit signs
BGR-1	For use with most standard Emergency lights
WG-1	Wire Guard, 13-3/4 X 15-1/4 X 6"
WG-3	Wire Guard, 13-3/4 X 30-1/4 X 6"





ELB-0848



ELB-1048-HH



ELB-1248



ELB-1548-HH



ELB-18150-B



ELB-2048
ELB-20150



ELB-0460-FM



ELB-2048-EXTR



ELB-09120-AC
ELB-12120-AC
ELB-15120-AC



ELB-3048-FLEX
ELB-30150-FLEX



ELB-2048-IP65
ELB-20150-IP65



ELB-0895



ELB-08120-AC



ELB-20175-AC-FLEX



ELB-CW-18W-MW
ELB-CW-27W-MW



ELB-CW-27W-MV-IP66

EMERGENCY BATTERY BACKUPS



CATALOG NO.	OUTPUT VOLTAGE	OUTPUT POWER	BATTERY	NOTES
ELB-0848	25-48V DC	8W MAX	Li-ion 2500mAh	8W SPLIT
ELB-1048-HH	25-48V DC	10W MAX	LifePO4 3000mAh	10W SPLIT HEAT TOLERANT
ELB-1248	25-48V DC	12W MAX	Li-ion 2500mAh	12W SPLIT
ELB-1548-HH	25-48V DC	15W MAX	LifePO4 3000mAh	15W SPLIT HEAT TOLERANT
ELB-2048	25-48V DC	20W MAX	Li-ion 4000mAh	20W SPLIT
ELB-0460-FM	10-60V DC	4W MAX	Li-ion 2500mAh	4W INTEGRATED
ELB-2048-EXTR	25-48V DC	20W MAX	Ni-MH 4000mAh	20W INTEGRATED
ELB-3048-FLEX	25-48V DC	30W MAX	Li-ion 4000mAh	30W INTEGRATED
ELB-0895	95V DC MAX	8W MAX	Ni-MH 2600mAh	8W INTEGRATED HIGH DC VOLTAGE
ELB-30150-FLEX	50-150V DC	30W MAX	Li-ion 4000mAh	30W INTEGRATED HIGH DC VOLTAGE
ELB-2048-IP65	25-48V DC	20W MAX	Li-ion 4000mAh	20W INTEGRATED IP65
ELB-20150-IP65	50-150V DC	20W MAX	Li-ion 4000mAh	20W INTEGRATED HIGH DC VOLTAGE IP65
ELB-20150	50-150V DC	20W MAX	Li-ion 4000mAh	20W INTEGRATED HIGH DC VOLTAGE
ELB-08120-AC	120V AC	8W MAX	Li-ion	8W & AC VOLTAGE
ELB-08170-EXTR	170VDC	8W MAX	Li-ion	WITH FLEX
ELB-09120-AC	120V AC	9W MAX	Li-ion	9W & AC VOLTAGE
ELB-12120-AC	120V AC	12W MAX	Li-ion	12W & AC VOLTAGE
ELB-15120-AC	120V AC	15W MAX	Li-ion	15W & AC VOLTAGE
ELB-20175-AC-FLEX	175VDC	20W MAX	Li-ion 4000mAh	20W INTEGRATED
ELB-18150-B	50-150VDC	18W MAX	Li-ion	18W SPLIT
ELB-CW-18W-MW	COLD-WEATHER LED EMERGENCY BACKUP 18W MULTI-VOLTAGE INTERNAL			
ELB-CW-27W-MW	COLD-WEATHER LED EMERGENCY BACKUP 27W MULTI-VOLTAGE INTERNAL			
ELB-CW-27W-MW-IP66	COLD-WEATHER LED EMERGENCY BACKUP 27W MULTI-VOLTAGE INTERNAL, IP66			

EXIT & EMERGENCY



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

CATALOG NO.	DESCRIPTION
OPT-EM-CW2EXT	COLD-WEATHER EXTERNAL EMERGENCY POWER SUPPLY 27W FACTORY OPTION
OPT-EM-CW2INT	COLD-WEATHER INTERNAL EMERGENCY POWER SUPPLY 27W FACTORY OPTION
OPT-EM-CW1INT	COLD-WEATHER INTERNAL EMERGENCY POWER SUPPLY 18W FACTORY OPTION



ELECTRICAL PRODUCTS

ONE-GANG BOXES, 2" DEEP

	CATALOG NO.	DESCRIPTION	PKG. QTY.
	W1B50-3	1/2" trade size, 3 outlet holes, 18.3 cu. in.	20
	W1B50-3-WH	1/2" trade size, 3 outlet holes, 18.3 cu. in., white	20
	W1B50-3-BRZ	1/2" trade size, 3 outlet holes, 18.3 cu. in., bronze	20
	W1B75-3	3/4" trade size, 3 outlet holes, 18.3 cu. in.	20
	W1B75-3-WH	3/4" trade size, 3 outlet holes, 18.3 cu. in., white	20
	W1B75-3-BRZ	3/4" trade size, 3 outlet holes, 18.3 cu. in., bronze	20
	W1B100-3	1" trade size, 3 outlet holes, 18.3 cu. in.	20
	W1B50-4	1/2" trade size, 4 outlet holes, 18.3 cu. in.	20
	W1B50-4-WH	1/2" trade size, 4 outlet holes, 18.3 cu. in., white	20
	W1B50-4-BRZ	1/2" trade size, 4 outlet holes, 18.3 cu. in., bronze	20
	W1B75-4	3/4" trade size, 4 outlet holes, 18.3 cu. in.	20
	W1B75-4-WH	3/4" trade size, 4 outlet holes, 18.3 cu. in., white	20
	W1B75-4-BRZ	3/4" trade size, 4 outlet holes, 18.3 cu. in., bronze	20
	W1B50-5	1/2" trade size, 5 outlet holes, 18.3 cu. in.	20
	W1B50-5-WH	1/2" trade size, 5 outlet holes, 18.3 cu. in., white	20
	W1B50-5-BRZ	1/2" trade size, 5 outlet holes, 18.3 cu. in., bronze	20
	W1B75-5	3/4" trade size, 5 outlet holes, 18.3 cu. in.	20
	W1B75-5-WH	3/4" trade size, 5 outlet holes, 18.3 cu. in., white	20
	W1B75-5-BRZ	3/4" trade size, 5 outlet holes, 18.3 cu. in., bronze	20
	W1B50-5X	1/2" trade size, 5 outlet holes, 18.3 cu. in.	20
W1B75-5X	3/4" trade size, 5 outlet holes, 18.3 cu. in.	20	

ONE-GANG DEVICE COVERS DEEP

	CATALOG NO.	DESCRIPTION	PKG. QTY.
	W1BC	BLANK COVER	50
	W1BC-WH	BLANK COVER, white	50
	W1BC-BRZ	BLANK COVER, bronze	50
	W1BC-G	HEAVY DUTY GALVANIZED BLANK COVER - gray	50
	W1C-DV	DUPLEX, VERTICAL	25
	W1C-DV-WH	DUPLEX, VERTICAL, white	25
	W1C-DV-BRZ	DUPLEX, VERTICAL, bronze	25
	W1C-GV	GFCI, VERTICAL	25
	W1C-GV-WH	GFCI, VERTICAL - white	25
	W1C-GV-BRZ	GFCI, VERTICAL - Bronze	25
	W1C-P020	20A RECEPTACLE, 1.60" DIAMETER	25
	W1C-P030	30A RECEPTACLE, 1.75" DIAMETER	25
	W1C-P040	40-50A RECEPTACLE, 2.30" DIAMETER	25
	W1C-SV	SINGLE RECEPTACLE, VERTICAL	25
	W1C-SV-WH	SINGLE RECEPTACLE, VERTICAL, white	25
	W1C-SV-BRZ	SINGLE RECEPTACLE, VERTICAL, bronze	25
	W1C-SW	1 LEVER, VERTICAL, SWITCH NOT INCLUDED	25
	W1C-SW-WH	1 LEVER, VERTICAL, SWITCH NOT INCLUDED	25
W1C-SW-BRZ	1 LEVER, VERTICAL, SWITCH NOT INCLUDED	25	

ELECTRICAL

ONE-GANG DEVICE COVERS



CATALOG NO.	DESCRIPTION	PKG. QTY.
W1C-TS	TOGGLE SWITCH, VERTICAL	25
W1C-TS-WH	TOGGLE SWITCH, VERTICAL, white	25
W1C-TS-BRZ	TOGGLE SWITCH, VERTICAL, bronze	25
W1C-DH	DUPLEX, HORIZONTAL	25
W1C-GH	GFCI, HORIZONTAL	25
W1C-GH-WH	GFCI, HORIZONTAL - white	25
W1C-GH-BRZ	GFCI, HORIZONTAL - bronze	25
W1CL-DV	LOCKABLE 1 GANG W/P COVER 1 SI	25
W1CL-GV	LOCKABLE 1 GANG W/P DEVICE COV	25
W1CL-SV	LOCKABLE 1 GANG W/P COVER 1 SI	25
W1C-SH	SINGLE RECEPTACLE HORIZONTAL	25

ONE-GANG BOXES | 2-5/8" DEEP



CATALOG NO.	DESCRIPTION	PKG. QTY.
W1DB50-3	1/2" trade size, 3 outlet holes, 23.8 cu. in.	12
W1DB75-3	3/4" trade size, 3 outlet holes, 23.8 cu. in.	12
W1DB100-3	1" trade size, 3 outlet holes, 23.8 cu. in.	12
W1DB50-4	1/2" trade size, 4 outlet holes, 23.8 cu. in.	12
W1DB75-4	3/4" trade size, 4 outlet holes, 23.8 cu. in.	12
W1DB50-5X	1/2" trade size, 5 outlet holes, 23.8 cu. in.	12
W1DB75-5X	3/4" trade size, 5 outlet holes, 23.8 cu. in.	12
W1DB100-5X	1" trade size, 5 outlet holes, 23.8 cu. in.	12

TWO-GANG STANDARD BOXES | 2" DEEP




CATALOG NO.	DESCRIPTION	PKG. QTY.
W2B50-3	1/2" trade size, 3 outlet holes, 30.5 cu. in.	12
W2B75-3	3/4" trade size, 3 outlet holes, 30.5 cu. in.	12
W2B100-3	1" trade size, 3 outlet holes, 30.5 cu. in.	12
W2B50-4	1/2" trade size, 4 outlet holes, 30.5 cu. in.	12
W2B75-4	3/4" trade size, 4 outlet holes, 30.5 cu. in.	12
W2B100-4	1" trade size, 4 outlet holes, 30.5 cu. in.	12
W2B50-5	1/2" trade size, 5 outlet holes, 30.5 cu. in.	12
W2B75-5	3/4" trade size, 5 outlet holes, 30.5 cu. in.	12
W2B50-5X	1/2" trade size, 5 outlet holes, 30.5 cu. in.	12
W2B75-5X	3/4" trade size, 5 outlet holes, 30.5 cu. in.	12
W2B100-5X	1" trade size, 4 outlet holes, 30.5 cu. in.	12
W2B50-6X	1/2" trade size, 6 outlet holes, 30.5 cu. in.	12
W2B75-6X	3/4" trade size, 6 outlet holes, 30.5 cu. in.	12
W2B50-7	1/2" trade size, 7 outlet holes, 30.5 cu. in.	12
W2B75-7	3/4" trade size, 7 outlet holes, 30.5 cu. in.	12
W2B50-7X	1/2" trade size, 7 outlet holes, 30.5 cu. in.	12
W2B75-7X	3/4" trade size, 7 outlet holes, 30.5 cu. in.	12
W2B50-9	1/2" trade size, 9 outlet holes, 30.5 cu. in.	12
W2B75-9	3/4" trade size, 9 outlet holes, 30.5 cu. in.	12


TWO-GANG DEVICE COVERS

CATALOG NO.	DESCRIPTION	PKG. QTY.
 W2BC	2 GANG WEATHERPROOF BLANK COVE	25
W2BC-WH	2 GANG WEATHERPROOF BLANK COVE, white	25
W2BC-BRZ	2 GANG WEATHERPROOF BLANK COVE, bronze	25
W2C-2D	2 DUPLEX RECEPTACLES	12
W2BC-G	HEAVY DUTY GALVANIZED BLANK COVER	25
W2C-2G	2 GFCI RECEPTACLES	12
W2C-2S	2 SINGLE RECEPTACLES 1.406" DIAMETER	12
W2C-GD	1 GFCI & 1 DUPLEX RECEPTACLE	12
W2C-GS	1 GFCI & 1 SINGLE RECEPTACLE	12
W2C-SD	1 DUPLEX & 1 SINGLE RECEPTACLE 1.41" DIAMETER	12
W2C-SW	2 LEVERS + 2-15A SINGLE POLE SWITCHES -NOT INCLUDED	12
W2CL-P050	40-50A RECEPTACLE, 2.125" DIAMETER, LOCKABLE	12
W2CL-P060	60A RECEPTACLE, 2.468" DIAMETER, LOCKABLE	12
W2C-DH	OVER-SIZED DUPLEX, HORIZONTAL	12


SERVICE ENTRANCE CAPS

CATALOG NO.	DESCRIPTION	PKG. QTY.
 WC2-50	SERVICE ENTRANCE CAPS, DIE-CAS	15
WC2-75	SERVICE ENTRANCE CAPS, DIE-CAS	10
WC2-100	SERVICE ENTRANCE CAPS, DIE-CAS	7
WC2-125	SERVICE ENTRANCE CAPS, DIE-CAS	5
WC2-150	SERVICE ENTRANCE CAPS, DIE-CAS	4
WC2-200	SERVICE ENTRANCE CAPS, DIE-CAS	4
WC2-250	SERVICE ENTRANCE CAPS, DIE-CAS	1
WC2-300	SERVICE ENTRANCE CAPS, DIE-CAS	1
WC2-350	SERVICE ENTRANCE CAPS, DIE-CAS	1
WC2-400	SERVICE ENTRANCE CAPS, DIE-CAS	1


TWO-GANG DEEP BOXES | 2-5/8" DEEP

CATALOG NO.	DESCRIPTION	PKG. QTY.
 W2DB50-5	1/2" trade size, 5 outlet holes, 40.3 cu. in.	9
W2DB75-5	3/4" trade size, 5 outlet holes, 40.3 cu. in.	9
W2DB100-5	1" trade size, 5 outlet holes, 40.3 cu. in.	9
W2DB50-7X	1/2" trade size, 7 outlet holes, 40.3 cu. in.	9
W2DB75-7X	3/4" trade size, 7 outlet holes, 40.3 cu. in.	9
W2DB100-7X	1" trade size, 7 outlet holes, 40.3 cu. in.	9


TWO-GANG EXTENSION BOXES | 1-9/16" DEEP

CATALOG NO.	DESCRIPTION	PKG. QTY.
 W2XB50-6	1/2" trade size, 6 outlet holes, 15.0 cu. in.	9
W2XB75-6	3/4" trade size, 6 outlet holes, 15.0 cu. in.	9
W2XB50-8	1/2" trade size, 8 outlet holes, 15.0 cu. in.	9
W2XB75-8	3/4" trade size, 8 outlet holes, 15.0 cu. in.	9

THREE-GANG DEVICE COVER

CATALOG NO.	DESCRIPTION	PKG. QTY.
 W3BC	BLANK COVER	7
W3C-3D	3 DUPLEX RECEPTACLES	7
W3C-3G	3 GFCI RECEPTACLES	7
W3C-3S	3 SINGLE 1.41" DIAMETER RECEPTACLES	7



THREE-GANG DEEP BOXES | 2-5/8" DEEP

CATALOG NO.	DESCRIPTION	PKG. QTY.
 W3DB50-7	1/2" trade size, 7 outlet holes, 54.0 cu. in.	10
W3DB75-7	3/4" trade size, 7 outlet holes, 54.0 cu. in.	10
W3DB100-7	1" trade size, 7 outlet holes, 54.0 cu. in.	10



ROUND EXTENSION BOXES | 4" DEEP

CATALOG NO.	DESCRIPTION	PKG. QTY.
 WRB50-5	1/2" trade size, 5 outlet holes, 15.8 cu. in.	16
WRB50-5-WH	1/2" trade size, 5 outlet holes, 15.8 cu. in., white	16
WRB50-5-BRZ	1/2" trade size, 5 outlet holes, 15.8 cu. in., bronze	16
WRB50-5-BK	1/2" trade size, 5 outlet holes, 15.8 cu. in., black	16
WRB75-5	3/4" trade size, 5 outlet holes, 54.0 cu. in	16


ROUND COVERS | 4" DEEP

CATALOG NO.	DESCRIPTION	PKG. QTY.
 WRC-1	1/2" trade size, 1 outlet holes	25
WRC-1-WH	1/2" trade size, 1 outlet holes, white	25
WRC-1-BRZ	1/2" trade size, 1 outlet holes, bronze	25
WRC-1-BK	1/2" trade size, 1 outlet holes, black	25
 WRC-2	1/2" trade size, 2 outlet holes	25
WRC-2-WH	1/2" trade size, 2 outlet holes, white	25
WRC-2-BRZ	1/2" trade size, 2 outlet holes, bronze	25
WRC-2-BK	1/2" trade size, 2 outlet holes, black	25
 WRC-3	1/2" trade size, 3 outlet holes	25
WRC-3-WH	1/2" trade size, 3 outlet holes, white	25
WRC-3-BRZ	1/2" trade size, 3 outlet holes, bronze	25
WRC-3-BK	1/2" trade size, 3 outlet holes, black	25
 W4RBC	4" round blank cover with gasket	50




ONE-GANG RECTANGULAR COVERS

CATALOG NO.	DESCRIPTION	PKG. QTY.
 WRE-1	1/2" trade size, 1 outlet holes	25
WRE-1-WH	1/2" trade size, 1 outlet holes, white	25
WRE-1-BRZ	1/2" trade size, 1 outlet holes, bronze	25
 WRE-2	1/2" trade size, 2 outlet holes	25
WRE-2-WH	1/2" trade size, 2 outlet holes, white	25
WRE-2-BRZ	1/2" trade size, 2 outlet holes, bronze	25
 WRE-3	1/2" trade size, 3 outlet holes	25
WRE-3-WH	1/2" trade size, 3 outlet holes, white	25
WRE-3-BRZ	1/2" trade size, 3 outlet holes, bronze	25






ONE-GANG EXTENSION BOXES | 1-3/8" DEEP

CATALOG NO.	DESCRIPTION	PKG. QTY.
 WXB50-4	1/2" trade size, 4 outlet holes, 9.5 cu. in.	12
WXB75-4	3/4" trade size, 4 outlet holes, 9.5 cu. in.	12
WXB50-6	1/2" trade size, 6 outlet holes, 9.5 cu. in	12
WXB75-6	3/4" trade size, 6 outlet holes, 9.5 cu. in.	12


ONE-GANG FLANGED EXTENSION BOXES | 1-9/16" DEEP

CATALOG NO.	DESCRIPTION	PKG. QTY.
 WXF50-2	1/2" trade size, 2 outlet holes, 13.5 cu. in.	10
WXF75-2	3/4" trade size, 2 outlet holes, 13.5 cu. in.	10
 WXF50-4	1/2" trade size, 4 outlet holes, 13.5 cu. in.	10
WXF75-4	3/4" trade size, 4 outlet holes, 13.5 cu. in.	10
 WXF50-6	1/2" trade size, 6 outlet holes, 13.5 cu. in.	10
WXF75-6	3/4" trade size, 6 outlet holes, 13.5 cu. in	10


ONE-GANG FLANGED EXTENSION RING | 1" DEEP

CATALOG NO.	DESCRIPTION	PKG. QTY.
 WXR-1	1 GANG W/P EXTENSION RING	24
 WXR-2	2 GANG W/P EXTENSION RING	12
 WXR50-4	4" ROUND W/P EXT. BOX 4 1/2" H	16
 WXR75-4	4" ROUND W/P EXT. BOX 4 3/4" H	16
 WRC-GASKET	Universal 1-gang foam gasket	25

THREADED CONDUIT BODIES | LB SERIES

	CATALOG NO.	TRADE SIZE	LENGTH	WIDTH	HEIGHT	PKG. QTY.
	LB-50CG	1/2"	4-5/16"	1-5/16"	2-11/32"	10
	LB-75CG	3/4"	5-3/32"	1-9/16"	2-5/8"	10
	LB-100CG	1"	5-29/32"	1-13/16"	3"	5
	LB-125CG	1-1/4"	7-13/16"	2-1/2"	3-3/4"	2
	LB-150CG	1-1/2"	7-13/16"	2-1/2"	3-3/4"	2
	LB-200CG	2"	10-1/16"	3-3/16"	4-3/4"	1
	LB-250CG	2-1/2"	12-13/16" 12-	4-1/2"	5-9/16"	1
	LB-300CG	3"	13/16"	4-1/2"	6-5/32"	1
	LB-400CG	4"	15-5/8"	5-9/16"	7-9/16"	1


THREADED CONDUIT BODIES | LL SERIES

	CATALOG NO.	TRADE SIZE	LENGTH	WIDTH	HEIGHT	PKG. QTY.
	LL-50CG	1/2"	4-5/16"	2-1/32"	1-5/8"	10
	LL-75CG	3/4"	5-3/32"	2-5/16"	1-7/8"	10
	LL-100CG	1"	5-29/32"	2-11/16"	2-1/8"	5
	LL-125CG	1-1/4"	7-13/16"	3-1/2"	2-3/4"	2
	LL-150CG	1-1/2"	7-13/16"	3-1/2"	2-3/4"	2
	LL-200CG	2"	10-1/16"	4-9/32"	3-5/8"	1
	LL-250CG	2-1/2"	12-13/16" 12-	5-7/8"	4-1/4"	1
	LL-300CG	3"	13/16"	5-7/8"	4-3/4"	1
	LL-400CG	4"	15-5/8"	7-21/32"	5-7/8"	1


THREADED CONDUIT BODIES | LR SERIES

	CATALOG NO.	TRADE SIZE	LENGTH	WIDTH	HEIGHT	PKG. QTY.
	LR-50CG	1/2"	4-5/16"	2-1/32"	1-5/8"	10
	LR-75CG	3/4"	5-3/32"	2-5/16"	1-7/8"	10
	LR-100CG	1"	5-29/32"	2-11/16"	2-1/8"	5
	LR-125CG	1-1/4"	7-13/16"	3-1/2"	2-3/4"	2
	LR-150CG	1-1/2"	7-13/16"	3-1/2"	2-3/4"	2
	LR-200CG	2"	10-1/16"	4-9/32"	3-5/8"	1
	LR-250CG	2-1/2"	12-13/16" 12-	5-7/8"	4-1/4"	1
	LR-300CG	3"	13/16"	5-7/8"	4-3/4"	1
	LR-400CG	4"	15-5/8"	7-21/32"	5-7/8"	1


THREADED CONDUIT BODIES | C SERIES

	CATALOG NO.	TRADE SIZE	LENGTH	WIDTH	HEIGHT	PKG. QTY.
	C-50CG	1/2"	4-11/16"	1-5/16"	1-5/8"	10
	C-75CG	3/4"	5-1/2"	1-9/16"	1-7/8"	10
	C-100CG	1"	6-7/16"	1-13/16"	2-1/8"	5
	C-125CG	1-1/4"	8-3/8"	2-1/2"	2-3/4"	2
	C-150CG	1-1/2"	8-3/8"	2-1/2"	2-3/4"	2
	C-200CG	2"	10-9/16"	3-3/16"	3-5/8"	1
	C-250CG	2-1/2"	13-1/2"	4-1/2"	4-1/4"	1
	C-300CG	3"	13-1/2"	4-1/2"	4-3/4"	1
	C-400CG	4"	16-5/16"	5-9/16"	5-7/8"	1


THREADED CONDUIT BODIES | T SERIES

	CATALOG NO.	TRADE SIZE	LENGTH	WIDTH	HEIGHT	PKG. QTY.
	T-50CG	1/2"	4-11/16"	2-1/32"	1-5/8"	10
	T-75CG	3/4"	5-1/2"	2-5/16"	1-7/8"	10
	T-100CG	1"	6-7/16"	2-11/16"	2-1/8"	5
	T-125CG	1-1/4"	8-3/8"	3-1/2"	2-3/4"	2
	T-150CG	1-1/2"	8-3/8"	3-1/2"	2-3/4"	2
	T-200CG	2"	10-9/16"	4-9/32"	3-5/8"	1
	T-250CG	2-1/2"	13-1/2"	5-7/8"	4-1/4"	1
	T-300CG	3"	13-1/2"	5-7/8"	4-3/4"	1
	T-350CG	3-1/2"	16-5/16"	7-21/32"	5-7/8"	1
	T-400CG	4"	16-5/16"	7-21/32"	5-7/8"	1

THREADED CONDUIT BODIES | SLB SERIES

	CATALOG NO.	TRADE SIZE	LENGTH	WIDTH	HEIGHT	PKG. QTY.
	SLB-50	1/2"	3-9/32"	1-3/8"	1-5/8"	20
	SLB-75	3/4"	3-19/32"	1-9/16"	1-27/32"	20
	SLB-100	1"	4-5/16"	1-31/32"	2-1/8"	10


COVERS & GASKETS FOR THREADED CONDUIT BODIES

	CATALOG NO.	TRADE SIZE	LENGTH	WIDTH	HEIGHT	PKG. QTY.
	CG-50	1/2"	3-7/8"	1-5/16"	-	100
	CG-75	3/4"	4-11/16"	1-9/16"	-	50
	CG-100	1	5-3/8"	1-3/4"	-	50
	CG-125/150	1-1/4" &	7-5/16"	2-1/2"	-	25
	CG-200	1-1/2"	9-1/2"	3-1/8"	-	10
	CG-250/300	2"	12-1/16"	4-7/16"	-	10
	CG-350/400	2-1/2"	15-1/16"	5-9/2016"	-	5


LAMP HOLDERS

	CATALOG NO.	DESCRIPTION	PKG. QTY.
	LH150-1	STANDARD WEATHERPROOF LAMP HOLDER	20
	LH150-1-BRZ	STANDARD WEATHERPROOF LAMP HOLDER, white	12
	LH150-1-WH	STANDARD WEATHERPROOF LAMP HOLDER, bronze	12
	LH150-GASKET	Silicon Gasket For LH150	20


LAMP HOLDERS

	CATALOG NO.	DESCRIPTION	PKG. QTY.
	PL-50	CLOSE-UP PLUG 1/2" - 50 PER BA	500 per bag
	PL-50-BRZ	CLOSE-UP PLUG 1/2" - 50 PER BA, BRONZE	500 per bag
	PL-50-WH	CLOSE-UP PLUG 1/2" - 50 PER BA, WHITE	500 per bag
	PL-75	CLOSE-UP PLUG 3/4" - 50 PER BA	500 per bag
	PL-100	CLOSE-UP PLUG 1" - 50 PER BAG	200 per bag

PORCELAIN LAMP HOLDERS

	CATALOG NO.	DESCRIPTION	PKG. QTY.
	M507CW-UL	E26, PORCELAIN LAMPHOLDER WITH PULL CHAIN, 2 TERMINAL SCREWS, 660W/250V RATING, WHITE	48


PLASTIC LAMP HOLDERS

	CATALOG NO.	DESCRIPTION	PKG. QTY.
	M507C-UL	E26, BAKELITE KEYLESS LAMPHOLDER WITH 2 TERMINAL SCREWS, 660W/250V RATING, WHITE	108
	M507CW-UL	E26, BAKELITE LAMPHOLDER WITH PULL CHAIN, 2 TERMINAL SCREWS, 660W/250V RATING, WHITE	108

ANGLE PLUG, GENERAL PURPOSE CORDS | 125V-13A, GRAY

	CATALOG NO.	DESCRIPTION	PKG. QTY.
	GPA3-2	SPT-2 16AWG/ 3 CONDUCTOR, ANGLE PLUG, NEMA 5-15P, 125V, GRAY, 3FT	100
	GPA6-2	SPT-2 16AWG/ 3 CONDUCTOR, ANGLE PLUG, NEMA 5-15P, 125V, GRAY, 6FT	100
	GPA8-2	SPT-2 16AWG/ 3 CONDUCTOR, ANGLE PLUG, NEMA 5-15P, 125V, GRAY, 8FT	100


STRAIGHT PLUG, GENERAL PURPOSE CORDS | 125V-13A, GRAY

CATALOG NO.	DESCRIPTION	PKG. QTY.
 GPS3-2	SPT-2 16AWG/ 3 CONDUCTOR, STRAIGHT PLUG, NEMA 5-15P, 125V, GRAY, 3FT	100
GPS6-2	SPT-2 16AWG/ 3 CONDUCTOR, STRAIGHT PLUG, NEMA 5-15P, 125V, GRAY, 6FT	100
GPS8-2	SPT-2 16AWG/ 3 CONDUCTOR, STRAIGHT PLUG, NEMA 5-15P, 125V, GRAY, 8FT	100

STRAIGHT PLUG WITH VINYL INSULATION

CATALOG NO.	DESCRIPTION
 EX143-50	Replacement Cords For Range Or Dryer


DIRECTIONAL ARMORED GROUND CLAMP WITH STEEL SCREWS

CATALOG NO.	DESCRIPTION	PKG. QTY.
 MVP98	TRADE SIZE 1/2"- 1" WIRE SIZE 4-6-8	100


FEED-THROUGH ARMORED GROUND CLAMP WITH STEEL SCREWS

CATALOG NO.	DESCRIPTION	PKG. QTY.
 MVP99	TRADE SIZE 1/2"- 1" WIRE SIZE 4-6-8,	100


FEED-THROUGH ARMORED GROUND CLAMP WITH STEEL SCREWS

CATALOG NO.	DESCRIPTION	PKG. QTY.
 MVP94-50	1/2" FEED-THROUGH ARMORED GROUND CLAMP	100
MVP94-75	3/4" FEED-THROUGH ARMORED GROUND CLAMP	100


FEED-THROUGH ARMORED GROUND CLAMP WITH CABLE ADAPTOR

CATALOG NO.	DESCRIPTION	PKG. QTY.
 MVP99-360-1C	TRADE SIZE 1/2"- 1" WIRE SIZE 4-6-8, MASTER 80 WITH 1 ARMORED CABLE ADAPTOR	80
MVP99-360-2C	TRADE SIZE 1/2"- 1" WIRE SIZE 4-6-8, MASTER 80 WITH 2 ARMORED CABLE ADAPTOR	80


STEEL JACK CHAIN & FIXTURE HANGER

CATALOG NO.	DESCRIPTION
 CH-1212	Steel jack chain, 100ft., 12GA, (Meets weight requirements for Linear High Bays)
CH-1010	Steel jack chain, 100ft., 10GA
FH-S	Side mount Steel fixture hangers, 10GA
FH-E	End mount Steel fixture hangers, 10GA
LH-SCREW	Steel flat hanger screw with single hole, 1/4" x 3"

OCCUPANCY/VACANCY SENSORS

CATALOG NO.	DESCRIPTION
 YM183-W	Occupancy PIR Sensor, 180°, 30FT (720FT), 120V 800/1200W max, Single Pole, Neutral Req.
YM2108-W	Vacancy & Occupancy PIR Sensor, 180°, 30FT (720FT), 120V 800/1200W max, Single Pole, Neutral Req.
YM2108-T-W	Vacancy & Occupancy PIR Sensor, 180°, 25FT (600FT), 120V 600/1000W max, 3-Way, Neutral Req.

2 VERTICAL USB PORT 5V DC

CATALOG NO.	DESCRIPTION
 USB2-15TR-WH	15A Receptacle W/2 USB Ports
USB2-20TR-WH	20A Receptacle W/2 USB Ports

FINAL PRODUCTION DEALS

"WHILE SUPPLIES LAST"

LED ADJUSTABLE CUTOFF WALL PACK, 120-277V

TYPE 2 LENS

Dark Bronze & White




CATALOG NO.	DESCRIPTION
LWA-50CW-WH	50W 5200LM 5000K
LWA-50WW-WH	50W 4900LM 3000K
LWA-120NW	120W 13700LM 4000K
LWA-120WW	120W 13700LM 5000K

LED CUTOFF WALL PACK, 120-277V



CATALOG NO.	DESCRIPTION	REPLACEMENT RANGE
LWP-22CW	22W 2000LM 5000K	50-100 MH
LWP-80CW	80W 7900LM 5000K	320-400 MH


LED ROTATABLE WALL PACKS, 120-277V



CATALOG NO.	DESCRIPTION
LW360-60W-30K	60W 8100LM 3000K

LED NON-CUTOFF WALL PACK WITH GLASS LENS, 120-277V

Dark Bronze



CATALOG NO.	DESCRIPTION	REPLACEMENT RANGE	PKG. QTY.
WML-120WW-LG	120W 12000LM 3000K	W:18-1/2" 320-400 MH	1

LED NON-CUTOFF WALL PACKS, 120-277V



CATALOG NO.	DESCRIPTION
WML-HL-100W-30K	100W 14800LM 3000K
WML-HL-30W-30K	30W 4200LM 3000K
WML-HL-30W-40K	30W 4200LM 4000K
WML-HL-60W-30K	60W 8700LM 3000K
WML-HL-80W-30K	80W 11600LM 3000K
WML-HL-80W-50K	80W 11600LM 5000K

LED NON-CUTOFF WALL PACKS WITH DIRECTIONAL OPTIC LENS



CATALOG NO.	DESCRIPTION
WML2-28W-50K-HL-SM	28W 3780LM 5000K
WML2-50W-30K-HL	48W 6000LM 3000K
WML2-50W-30K-SM	50W 5500LM 3000K

Items displayed in this sheet will no longer be reproduced.

FINAL PRODUCTION DEALS


"WHILE SUPPLIES LAST"

LED SMALL NON-CUTOFF WALL PACK WITH PHOTOCELL, 120V


	CATALOG NO.	DESCRIPTION	REPLACEMENT RANGE	PKG. QTY.
	LESW-12W-30K-P	12W 1225LM 3000K	50-70MH	6

LF2 ARCHITECTURAL FLOOD LIGHTS, 120-277V



	CATALOG NO.	DESCRIPTION	REPLACEMENT RANGE
	LF2-10CW-TR	10W 942LM 5000K TRUNNION	90-100 MH
	LF2-10WW-TR	10W 900LM 3000K TRUNNION	90-100 MH

12V LED GARDEN LIGHT

	CATALOG NO.	DESCRIPTION
	LF12-6NW	6W 450LM 4000K

LED FLOOD LIGHTS LF3 SERIES w/ SLIP FITTER, 120-277V

Dark Bronze



	CATALOG NO.	DESCRIPTION	REPLACEMENT RANGE
	LF3-80WW-SF	80W 9600LM 3000K	150-250 MH
	LF3-220WW-SF	220W 22000LM 3000K	350-400 MH
	LF3-300WW-SF	300W 30800LM 3000K	1000 MH

MOUNTING ACCESSORIES FOR LF3 SERIES

	CATALOG NO.	DESCRIPTION	PKG. QTY.
	LF3-EXTARM	Straight Extension Arm For Shoe Box Application, W/ K/O To Install PC Or Sensor (LF3-80-300)	6
	LF3-STR	Street Light Arm 6" Long With 20" Wire And Strain Relief Connector (LF3-80-300)	6
	LF3-SF	Adjustable Slip Fitter For Pole Mount 2"-2-1/2", W/ K/O To Install PC Or Sensor (LF3-80-300)	6
	LF3-PK	Photocell Kit For LF3-80W, 100W, 150W Field Installed	
	LF3-WG3	WIRE GUARD FOR LF3-HL-80W/100W/150W	
	LF3-WG4	WIRE GUARD FOR LF3-HL-230W	
	LF3-WMA	WALL MOUNTING PLATE FOR LF3 AND LF3-HL SERIES	

Items displayed in this sheet will no longer be reproduced.

FINAL DEALS

FINAL PRODUCTION DEALS

"WHILE SUPPLIES LAST"

ACCESSORIES FOR LF3 HL C SERIES

CATALOG NO.	DESCRIPTION
LF3-EXTARM	STRAIGHT EXTENSION ARM FOR SHOE BOX APPLICATION, WITH K/O TO INSTALL PC OR
LF3-HL-ASA	ADJUSTABLE STRAIGHT ARM FOR LF3-HL SERIES
LF3-HL-EXT	STRAIGHT EXTENSION ARM FOR SHOE BOX APPLICATION
LF3-HL-PMR1	ROUND POLE MOUNT FOR LF3-HL-80W/100W/150W
LF3-HL-PMR2	ROUND POLE MOUNT FOR LF3-HL-300W
LF3-HL-PMS1	SQUARE POLE MOUNT FOR LF3-HL-80W/100W/150W
LF3-HL-RSF	ROUND SLIP FITTER FOR LF3-HL SERIES
LF3-HL-SF	ADJUSTABLE SLIP FITTER FOR POLE MOUNT
LF3-HL-TR-230/300W	U BRACKET FOR LF3-HL-230W&300W
LF3-HL-TR-80/100/150W	U BRACKET FOR LF3-HL-80W,100W, AND 150W.
LF3-HL-TYPEIV-100W	TYPE 4 LENS FOR LF3-HL SERIES 100W (ORDER 2)
LF3-HL-YK-100W/150W/230W	ADJUSTABLE U SHAPE YOKE MOUNT FOR LF3-HL-100W/150W/230W
LF3-HL-YK-300W	ADJUSTABLE U SHAPE YOKE MOUNT FOR LF3-HL-300W

ECONOMY FLOOD/AREA LIGHT SERIES TYPE 3 LENSES



CATALOG NO.	DESCRIPTION
LFC0-80W-40K	80W 10800LM 4000K
LFC0-80W-50K	80W 10800LM 5000K
LFC0-TR1	"U" Bracket For 80W 100W 150W
LFC0-TR2	"U" Bracket For 300W



LED ARCHITECTURAL FLOOD LIGHTS LF4 SERIES, 120V-277V



CATALOG NO.	DESCRIPTION
LF4-30WW-TR	30W 3100LM 3000K
LF4-50WW-TR	50W 5400LM 3000K
LF4-80CW-TR	80W 9500LM 5000K



LED BULLET FLOOD LIGHTS w/ 1/2" KNUCKLE (1st Gen.)



CATALOG NO.	DESCRIPTION	REPLACEMENT RANGE	PKG. QTY.
FLD-12WW-WH	12W 800LM 3000K WHITE	100 PAR	6
FLD-30CW-WH	30W 2500LM 5000K WHITE	70-100 MH	6
FLD-30WW-WH	30W 2450LM 3000K WHITE	70-100 MH	6
FLD-30CW-GRN	30W 2500LM 5000K GREEN	70-100 MH	6



DIMMABLE SECURITY LIGHTS



CATALOG NO.	DESCRIPTION
SL-28W-30K-BZ-D	28W 3400LM 3000K
SL-28W-50K-WH-D	28W 3400LM 5000K
SL-30W-30K-BZ-D	30W 2800LM 3000K
SL-30W-30K-WH-D	30W 2800LM 3000K
SL-30W-50K-WH-D	30W 2800LM 5000K
SL-40W-30K-BZ-D	40W 4800LM 3000K
SL-40W-50K-BZ-D	40W 4800LM 5000K



FINAL PRODUCTION DEALS

"WHILE SUPPLIES LAST"

PHOTOCELL SECURITY LIGHTS




CATALOG NO.	DESCRIPTION
 SL-28W-30K-BZ-P	28W 3400LM 3000K
SL-28W-30K-WH-P	28W 3400LM 3000K
SL-28W-50K-WH-P	28W 3400LM 5000K
SL-30W-30K-BZ-P	30W 2800LM 3000K
SL-30W-30K-WH-P	30W 2800LM 3000K
SL-30W-50K-BZ-P	30W 2800LM 5000K
SL-30W-50K-WH-P	30W 2800LM 5000K

LED RESIDENTIAL LANTERNS




CATALOG NO.	DESCRIPTION
 LRS-B-40K-PC	6W 550LM 4000K
LRS-C-30K-D	12W 1100LM 3000K
LRS-C-40K-D	12W 1100LM 4000K
LRS-D-30K-D	12W 1100LM 3000K
LRS-D-40K-D	12W 1100LM 4000K

CREST ENGINES

CATALOG NO.	DESCRIPTION
 CRE-EGN-40K-BR	10W(2.5Wx4) 900LM 4000K
CRE-EGN-HL20-30K-SIL	20W(5Wx4) 1800LM 3000K


4" CYLINDER LIGHTS, 120V, IP65




CATALOG NO.	DESCRIPTION
 WMC-DL-15W-50K-BN	15W 1144LM 5000K

LED DECORATIVE WALL SCONCE, 120V




CATALOG NO.	DESCRIPTION
 LDS-12W-30K-D	12W 1200LM 3000K

LR ECO ARM

CATALOG NO.	DESCRIPTION
 LR-ECO-ARM	90° Arm for LR-ECO Series,(Mounting Strap Incl.)

LED STREET/ROADWAY LIGHTS_w/NEMA TWIST-LOCK PHOTOCELL SOCKET, (SHORTING CAP INCL.)



CATALOG NO.	DESCRIPTION
 STL2-80W-30K	80W 10800LM 3000K
STL3-50W-30K-L	50W 6750LM 3000K




FINAL DEALS

FINAL PRODUCTION DEALS

"WHILE SUPPLIES LAST"

STADIUM LIGHTS, 120-277V












CATALOG NO.	DESCRIPTION
 SFX-65-RB	ROTATABLE BASE FOR SFX SERIES
 SFX-65-SF	SLIP FITTER FOR SFX SERIES
 SFX-65-SH2	SHROUD FOR 1000W - FOR SFX SERIES

BOLLARD ROUND FROSTED LENS ACCESSORY








CATALOG NO.	DESCRIPTION
BOL-R-ACC-FL	

MOTION SENSORS FOR OUTDOOR

CATALOG NO.	DESCRIPTION
 WEC-2P-44	0-10V PIR 6-24VDC TROFFER SENSOR DIP
 WEC-3MDR-42	0-10V MW 120-277V SENSOR DIP & RC
 WEC-3MR-4-BR	90-DEGREE IP67 MICROWAVE SENSOR, REMOTE CAPABLE, BRONZE
 WEC-3MR-4-WH	90-DEGREE IP67 MICROWAVE SENSOR, REMOTE CAPABLE, WHITE
 WEC-3MRLV-5-GY	0-10V MW LOW-VOLTAGE DIMMER WITH REMOTE DRIVER 120-277V REMOTE CAPABLE - GRAY
 WEC-3MRLV-5-WH	0-10V MW LOW-VOLTAGE DIMMER WITH REMOTE DRIVER 120-277V REMOTE CAPABLE - WHITE
 WEC-3PDR-52	0-10V PIR 120-277V SENSOR DIP & RC
 WEC-3PDR-52CAP-BR	REPLACEMENT CAP WITH LENS FOR BRI823 BRONZE TO MATCH COLOR OF LIGHTS
 WEC-ON50-WH	SENSOR MOUNTING OFFSET NIPPLE, 1/2 INCH SIZE , WHITE

LED HIGH-LUMEN UFO HIGH BAY, 110° BEAM ANGLE- HOOK WITH 3/4" THREAD



CATALOG NO.	DESCRIPTION
 ULHB-100W-50K-480V	100W 13000LM 5000K
 ULHB-90KIT-200/240	90 Degree Reflector and Glass Kit for 200W & 240W (Conversion from default 110° beam angle)
 ULHB-ALR-100/150	Aluminum Reflector for 100W & 150W
 ULHB-ALR-200/240	Aluminum Reflector for 200W & 240W
 ULHB-FL-200/240	FROSTED LENS FOR ULHB 200-240W
 ULHB-FL-50/100/150	FROSTED LENS FOR ULHB 50-150W
 ULHB-PCC-200/240	Polycarbonate Cover for 200W & 240W (for ULHB-PCR-200/240 only) - Increases heat captured in the reflector. Not recommended when not necessary.
 ULHB-PCR-100/150	Polycarbonate Reflector for 100W & 150W
ULHB-SC-100/150	Safety Cable for 100W & 150W
ULHB-SC-200/240	Safety Cable for 200W & 240W
ULHB-SK	Ultrasonic Bi-Level (Dimming) Motion Sensor Kit for 120-277V UFO High Bays
ULHB-SK-480V	Ultrasonic Bi-Level (Dimming) Motion Sensor Kit for 480V UFO High Bays
ULHB-SMB-100/150	Surface Mount Bracket for 100W & 150W
ULHB-SMB-200/240	Surface Mount Bracket for 200W & 240W
ULHB-WG-100/150	Wire Guard for 100W & 150W
ULHB-WG-200/240	Wire Guard for 200W & 240W

FINAL DEALS

FINAL PRODUCTION DEALS

"WHILE SUPPLIES LAST"

LED FOOD SERVICE & LABORATORY HIGH BAY



CATALOG NO.	DESCRIPTION
UFHB-150W-50K	150W 20250LM 5000K



LED LINEAR VAPOR LIGHT



CATALOG NO.	DESCRIPTION
LLVT-8FT-65W-40K-D	65W 8450LM 4000K
LLVT-4FT-150W-50K-D	150W 20250LM 5000K



SPEC SERIES 4TH GENERATION OF LINEAR HIGH BAYS

CATALOG NO.	DESCRIPTION
LLHB-CL-120/180	CLEAR LENS FOR LLHB 120W & 180W
LLHB-OC-REMOTE	INDOOR HIGHBAY OCCUPANCY SENSOR WITH BI-LEVEL DIMMING - NEEDS LLHB-OC-REMOTE TO CHANGE SETTINGS

SPEC SERIES 4TH GENERATION OF LINEAR HIGH BAYS, 480V



CATALOG NO.	DESCRIPTION
LLHB4-100W-50K-D	100W 15500LM 5000K
LLHB4-200W-50K-D	200W 31000LM 5000K



HIGH-LUMEN LED CORN LAMP WITH UP LIGHT, 100-277V AC



CATALOG NO.	DESCRIPTION
CL-HL-27W-30K-E26	27W 3510LM 3000K E26
CL-HL-45W-30K-E39	45W 5850LM 3000K E39
CL-HL-54W-30K-E39	54W 7020LM 3000K E39
CL-HL-75W-30K-E39	75W 9750LM 3000K E39






FINAL DEALS

FINAL PRODUCTION DEALS

"WHILE SUPPLIES LAST"

LED HIGH POWER LAMPS, 120-277V



	CATALOG NO.	DESCRIPTION	PKG. QTY.
  	HPL-16W-30K-E26	16W 2000LM 3000K E26 Medium Base	20
	HPL-24W-30K-E26	24W 3000LM 3000K E26 Medium Base	20
	HPL-HB-60W-50K-E39	60W 6480LM 5000K E39 Mogul Base	4
	HPL-HB-75W-50K-E39	75W 8100LM 5000K E39 Mogul Base	4
	HPL-HB-100W-50K-E39	100W 12500LM 5000K E39 Mogul Base	4
	HPL-HB-R1	Optional PC Reflector for HPL-HB-60W	12
	HPL-HB-R3	Optional PC Reflector for HPL-HB-120W & HPL-HB-140W	8



LED BACKLIT PANEL LIGHT, 100-277VAC



	CATALOG NO.	DESCRIPTION	PKG. QTY.
  	LPNG-2X2-4KLM-27K-D	40W 3800LM 2700K	4
	LPNG-2X2-MCTP	20/30/40W 3500K/4000K/5000K	4
	LPNG-2X4-4KLM-50K-D	40W 4200LM 5000K	4
	LPNG-2X4-5KLM-50K-D	50W 5250LM 5000K	4
	LPNG-2X4-5KLM-35K-D	50W 5140LM 3500K	4
	LPNG-1X4-4KLM-27K-D	40W 3800LM 2700K	4

LED PANEL LIGHTS





	CATALOG NO.	DESCRIPTION
 	LP-2X2-45W-35K-D	45W 5175LM 3500K
	LP-2X2-45W-40K-D	45W 5175LM 4000K
	LP-2X2-45W-50K-D	45W 5175LM 5000K
	LP-2X4-60W-40K-D	60W 6900LM 4000K

PREMIUM HIGH-OUTPUT LED PANELS, 125LM/W



	CATALOG NO.	DESCRIPTION
	LP-2X4-50W-40K-D-HL	50W 6260LM 4000K
	LP-2X4-50W-50K-D-HL	50W 6260LM 5000K

LED PANEL LIGHTS (2X2 & 2X4)- MULTI WATTAGE, 110LM/W

	CATALOG NO.	DESCRIPTION
 	LP-2X2-MW-40K-DS	30W,35W,40W,50W N/A 4000K
	LP-2X4-MW-35K-DS	30W,35W,40W,50W N/A 3500K
	LP-2X4-MW-40K-DS	30W,35W,40W,50W N/A 4000K

FINAL PRODUCTION DEALS

"WHILE SUPPLIES LAST"

LED PANEL LIGHTS WITH EMERGENCY BATTERY BACKUP



CATALOG NO.	DESCRIPTION
LP-1X4-40W-40K-DS-EM	40W 4400LM 4000K
LP-1X4-40W-50K-DS-EM	40W 4400LM 5000K
LP-2X2-40W-40K-DS-EM	40W 4400LM 4000K
LP-2X2-40W-50K-DS-EM	40W 4400LM 5000K

LED PANEL LIGHTS



CATALOG NO.	DESCRIPTION
LP-1X4-40W-27K-DS	40W 3600LM 2700K
LP-2X2-40W-35K-DS	40W 4200LM 3500K
LP-2X4-60W-27K-DS	60W 5400LM 2700K
LP-2X4-60W-35K-DS	60W 6300LM 3500K
LP-2X4-72W-27K-DS	72W 6480LM 2700K
LP-2X4-72W-35K-DS	72W 7560LM 3500K
LP-2X4-72W-40K-DS	72W 7920LM 4000K

SINGLE CCT T-BAR GRID LIGHTS




CATALOG NO.	DESCRIPTION
TGL-2X4-30K	60W 6000LM 3000K

INTERNAL-DRIVER LED SURFACE MOUNT PANELS, (1X4 & LARGER CAN BE RECESS MOUNTED)



CATALOG NO.	DESCRIPTION	PKG. QTY.
LPS-1X4-40K-D	40W 4000LM 4000K 1' X 4'	120-277VAC 1
LPS-2X2-50K-D	40W 4400LM 5000K 2' X 2'	120-277VAC 1
LPS-2X4-50K-D	50W 5500LM 5000K 2' X 4'	120-277VAC 1

DURABLE (PC BODY) TROFFER LIGHTS, 140LM/W



CATALOG NO.	DESCRIPTION
LTRP-2X2-35W-40K-D	35W 4900LM 4000K
LTRP-2X2-35W-50K-D	35W 4900LM 5000K
LTRP-2X4-50W-50K-D	50W 6850LM 5000K

FINAL DEALS

FINAL PRODUCTION DEALS

"WHILE SUPPLIES LAST"

LED DIRECT-INDIRECT (METAL HOUSING+PC LENS) TROFFERS



CATALOG NO.	DESCRIPTION
LTR-2X4-50W-40K-D	50W 5590LM 4000K



HIGH LUMEN LED RETROFIT BASKET TROFFER



CATALOG NO.	DESCRIPTION
LRT-HL-2X2-40W-40K-D	40W 5200LM 4000K
LRT-HL-2X4-50W-40K-D	50W 6500LM 4000K



SCX LINEAR SERIES



CATALOG NO.	DESCRIPTION
SCX-2FT-20W-30K-D	20W 2240LM 3000K
SCX-2FT-20W-35K-D	20W 2300LM 3500K
SCX-2FT-20W-40K-D	20W 2360LM 4000K
SCX-2FT-20W-50K-D	20W 2420LM 5000K
SCX-3FT-30W-30K-D	30W 3360LM 3000K
SCX-ULM-8FT-32W-50K	UPLIGHT FOR SCX
SCX-T-40K	SCX SERIES T SECTION 40K



LED PARABOLIC SUSPENDED LIGHT



CATALOG NO.	DESCRIPTION
SCLT-4FT-40W-40K-D	40W 4600LM 4000K
SCLT-4FT-40W-50K-D	40W 4600LM 5000K



LED SUSPENDED UP/DOWN CLEAR PANEL LIGHT, 120-277V (SUSPENSION & CORD NOT INCL.)



CATALOG NO.	DESCRIPTION
SPL-4FT-40W-40K-D	40W 2100LM/2100LM 4000K
SPL-4FT-40W-50K-D	40W 2100LM/2100LM 5000K



LED SUSPENDED UP/DOWN CLEAR ROUND PANEL LIGHT, 22" DIA., 6FT HEIGHT



CATALOG NO.	DESCRIPTION
SRPL-40W-35K-D	40W 2100LM/2100LM 3500K
SRPL-40W-40K-D	40W 2100LM/2100LM 4000K
SRPL-40W-50K-D	40W 2100LM/2100LM 5000K



FINAL DEALS

FINAL PRODUCTION DEALS

"WHILE SUPPLIES LAST"

LED ARCHITECTURAL ROUND SUSPENDED DOWN LIGHT, 24" DIA, 6FT HEIGHT



CATALOG NO.	DESCRIPTION
SCR-24D-40K-D	50W 5197LM 4000K



ADJ. 6FT 1/16in DOUBLE SUSPENSION KIT

CATALOG NO.	DESCRIPTION
SCL-CSY	ADJ. 6FT 1/16in DOUBLE SUSPENSION KIT WITH Y DOUBLE KEY HOLE CONNECTORS, CANOPIES, T-BAR CLIPS, ACCESSORIES



SPEC SERIES LED ARCHITECTURAL WRAP-AROUND LIGHT



CATALOG NO.	DESCRIPTION
WA-2FT-25W-35K-D	25W 2750LM 3500K
WA-2FT-25W-40K-D	25W 2750LM 4000K
WA-2FT-25W-50K-D	25W 2750LM 5000K
WA-4FT-30W-MCT-D	30W 3200LM 3500K/4000K/5000K



BUILDER SERIES LED ECONOMY WRAP-AROUND FIXTURES




CATALOG NO.	DESCRIPTION
WAE-2FT-MCT-DT	20W 1600LM 3000K/4000K/5000K



4FT. LED T8-EZ5 GLASS LAMPS



CATALOG NO.	DESCRIPTION
T8-EZ5-GS-4FT-18W-40K-F	18W 2100LM 4000K
T8-EZ5-GS-4FT-18W-50K-C	18W 2100LM 5000K
T8-EZ5-GS-4FT-18W-50K-F	18W 2100LM 5000K



LED T8 2FT , PLASTIC ALUMINUM TUBE



CATALOG NO.	DESCRIPTION
T8-EZ6-AHL-2FT-15W-40K-F	15W 1650LM 4000K



FINAL DEALS

FINAL PRODUCTION DEALS

"WHILE SUPPLIES LAST"

LED 4FT T8 TYPE B, SINGLE/DOUBLE ENDED



CATALOG NO.	DESCRIPTION
T8-4FT-TYPB-2E-18W-40K-C	18W 2200LM 4000K



4FT. T8 LED GLASS LAMPS DIMMABLE DIRECT A/C (one end N+L)




CATALOG NO.	DESCRIPTION
T8-4FT-DIM-18W-35K-C	18W 1900LM 3500K
T8-4FT-DIM-18W-35K-F	18W 1900LM 3500K
T8-4FT-DIM-18W-40K-C	18W 2150LM 4000K
T8-4FT-DIM-18W-50K-C	18W 2150LM 5000K
T8-4FT-DIM-18W-50K-F	18W 2150LM 5000K



4FT. LED T5 GLASS LAMPS



CATALOG NO.	DESCRIPTION
T5-TYPA-27W-40K-F	27W 3200LM 4000K



CRL ENGINES AND TRIMS

CATALOG NO.	DESCRIPTION
CRL-EGN-18W-30K	18W 1639LM 3000K
CRL-EGN-18W-50K	18W 1639LM 5000K
CRL-EGN-27W-30K	27W 2387LM 3000K
CRL-EGN-40W-30K	40W 3447LM 3000K
CRL-EGN-40W-50K	40W 3447LM 5000K
CRL-EGN-54W-40K	54W 4500LM 4000K
CRL-EGN-54W-50K	54W 4500LM 5000K
CRL-TRM-8	8" Trim for CRL



CRLC ENGINES

CATALOG NO.	DESCRIPTION
CRLC-EGN-15W-30K-D	15W 1200LM 3000K
CRLC-EGN-15W-50K-D	15W 1275LM 5000K
CRLC-EGN-20W-50K-D	20W 1720LM 5000K



LED VANITY LIGHT, 120-277VAC



CATALOG NO.	DESCRIPTION
LVL-2FT-17W-30K	17W 1900LM 3000K



FINAL DEALS

FINAL PRODUCTION DEALS

"WHILE SUPPLIES LAST"

LED TRACK LIGHTS, 120V









CATALOG NO.	DESCRIPTION
TRI-R-10W-WH-40K	10W 691LM 4000K
TRI-S-10W-BK-30K	10W 681LM 3000K
TRI-S-10W-BK-40K	10W 706LM 4000K
TRI-S-10W-WH-30K	10W 681LM 3000K
TRI-S-10W-WH-40K	10W 706LM 4000K
TRI-S-10W-WH-50K	10W 732LM 5000K

SINGLE CCT LED TRIMS 3", 4", 5/6" E26 included in the box (JA8-E-2016 COMPLIANT)



SMOOTH

CATALOG NO.	DESCRIPTION	PKG. QTY.	
RDL3-27K-WP	9W 540LM 2700K 3"	20	
RDL3-41K-WP	9W 540LM 4100K 3"	20	
RDL3-50K-WP	9W 540LM 5000K 3"	20	
 SMOOTH	RDL4-27K-WP	12W 650LM 2700K 4"	12
RDL4-30K-WP	12W 700LM 3000K 4"	12	
RDL4-35K-WP	12W 725LM 3500K 4"	12	
RDL4-50K-WP	12W 800LM 5000K 4"	12	
 SMOOTH	RDL4-65K-WP	12W 850LM 6500K 4"	12
 SMOOTH	RDL6-27K-WP	19W 1200LM 2700K 5/6"	8
RDL6-30K-WP	19W 1250LM 3000K 5/6"	8	
RDL6-35K-WP	19W 1275LM 3500K 5/6"	8	
RDL6-41K-WP	19W 1300LM 4100K 5/6"	8	
 BAFFLE	RDL6-65K-WP	19W 1400LM 6500K 5/6"	8
RDL4-BF-27K	10W 650LM 2700K 4"	24	
RDL4-BF-30K	10W 680LM 3000K 4"	24	
RDL4-BF-35K	10W 720LM 3500K 4"	24	
RDL4-BF-41K	10W 746LM 4100K 4"	24	
RDL4-BF-50K	10W 761LM 5000K 4"	24	
 BAFFLE	RDL6-BF-35K	18W 1280LM 3500K 5/6"	16
 ADJUSTABLE EYEBALL	RDL4-ADJ-41K	10W 650LM 4100K 4"	12
RDL4-ADJ-50K	10W 650LM 5000K 4"	12	
RDL6-ADJ-50K	13W 900LM 5000K 5/6"	8	

4" LED SQUARE TRIMS



CATALOG NO.	DESCRIPTION
SDL4-BF-27K	10W 600LM 2700K
SDL4-BF-30K	10W 650LM 3000K
SDL4-BF-50K	10W 700LM 5000K

FINAL DEALS

FINAL PRODUCTION DEALS

"WHILE SUPPLIES LAST"


SINGLE CCT LED ULTRA SLIM RECESSED LIGHTS, 120V



CATALOG NO.	DESCRIPTION
 RSL3-27K	6W 400LM 2700K
RSL3-50K	6W 420LM 5000K
RSL4-30K	9W 630LM 3000K
RSL4-30K-BN	9W 630LM 3000K
RSL4-40K	9W 650LM 4000K
RSL4-50K	9W 650LM 5000K
RSL6-40K	15W 1125LM 4000K
RSL8-40K	18W 1300LM 4000K
RSL12-30K	24W 1800LM 3000K
RSL12-40K	24W 1800LM 4000K


SINGLE CCT LED ULTRA SLIM RECESSED LIGHTS, 120V



CATALOG NO.	DESCRIPTION
 SSL4-50K	9W 650LM 5000K
SSL6-27K	15W 1125LM 2700K
SSL6-30K	15W 1125LM 3000K
SSL6-40K	15W 1125LM 4000K
SSL6-MCT	15W 1125-1200LM MULTI-CCT:3000K/4000K/5000K


4" SINGLE CCT LED ADJUSTABLE PULL-DOWN ULTRA SLIM RECESSED LIGHTS



CATALOG NO.	DESCRIPTION
 RSL4-APD-50K	12W 700LM 5000K

LED ADJUSTABLE ULTRA SLIM RECESSED LIGHTS



CATALOG NO.	DESCRIPTION
 RSL4-ADJ-27K	9W 700LM 2700K
RSL4-ADJ-40K	9W 700LM 4000K
RSL6-ADJ-30K	12W 900LM 3000K


2" LED RECESSED LIGHTS (Baffle)(JA8-E-2016 COMPLIANT)



CATALOG NO.	DESCRIPTION
 RDL2S-BF-40K-WH	8W 600LM 4000K
RDL2S-BF-50K-WH	8W 600LM 5000K

2" LED RECESSED LIGHTS (Baffle)(JA8-E-2016 COMPLIANT)



CATALOG NO.	DESCRIPTION
 SDL2S-BF-27K-WH	8W 600LM 2700K
SDL2S-BF-40K-WH	8W 600LM 4000K
SDL2S-BF-50K-WH	8W 600LM 5000K

FINAL DEALS

FINAL PRODUCTION DEALS

"WHILE SUPPLIES LAST"

3" LED ADJUSTABLE (EYEBALL) RECESSED LIGHTS (JA8-E-2016 COMPLIANT)




CATALOG NO.	DESCRIPTION
SDL3S-ADJ-27K-WH	8W 600LM 2700K
SDL3S-ADJ-30K-WH	8W 600LM 3000K
SDL3S-ADJ-40K-WH	8W 600LM 4000K

DUSK-TO-DAWN AREA LIGHT, 120-277V



CATALOG NO.	DESCRIPTION
LRD-EGN-10W-35K-D	10W 700LM 3500K
LRD-EGN-10W-50K-D	10W 700LM 5000K

LED 5CCT CLOUD FIXTURE WITH PRE-INSTALLED SENSOR, 120V



CATALOG NO.	DESCRIPTION	PKG. QTY.
FCRB-16-MCT5-SEN	20W 1400LM 27K/30K/35K/40K/50K 16" DIA	8

12V LED DIRECTIONAL LIGHTS - ALUMINUM



CATALOG NO.	DESCRIPTION
FCS-11-12W-40K	15W 1100LM 4000K

LED DRUM FIXTURES, 120V



CATALOG NO.	DESCRIPTION
FDL-14-20W-30K	20W 1500LM 3000K 14"
FDL-14-MCT5	20W 1500LM 27K/30K/35K/40K/50K 14"
FDL-16-25W-30K	25W 1800LM 3000K 16"
FDL-16-MCT5	24W 1800LM 27K/30K/35K/40K/50K 16"
FDL-18-30W-30K	30W 2250LM 3000K 18"

BUILDER SERIES 6" LED ECONOMY DISC LIGHT, 120V



CATALOG NO.	DESCRIPTION	PKG. QTY.
DLSE4-MCT	9W 540LM 3000K/4000K/5000K	20
DLSE6-40K	15W 900LM 4000K	20
DLSE6-50K	15W 900LM 5000K	20
DLSE6-MCT-BN	15W 1000LM 3000K/4000K/5000K	20

FINAL DEALS

FINAL PRODUCTION DEALS

"WHILE SUPPLIES LAST"

LED DISC LIGHT 4" & 6" 120V (J-BOX MOUNTING)(JA8-E-2016 COMPLIANT)



CATALOG NO.	DESCRIPTION	PKG. QTY.
DLSN4-50K	10W 600LM 5000K	20
DLSN6-27K	15W 1000LM 2700K	20
DLSN6-30K	15W 1000LM 3000K	20
DLSN6-50K	15W 1000LM 5000K	20



SPEC SERIES HIGH-PERFORMANCE DISC LIGHTS, 120V DIE CAST ALUMINUM, ALL MOUNTING OPTIONS INCL.



CATALOG NO.	DESCRIPTION	PKG. QTY.
DLS4-30K	9W 550-600LM 3000K	20
DLS4-41K	9W 550-600LM 4000K	20
DLS4-50K	9W 550-600LM 5000K	20
DLS6-41K	15W 950-1000LM 4000K	20
DLS6-30K-BN	15W 950-1000LM 3000K BRUSHED NICKEL	20



LED PL LAMPS

CATALOG NO.	DESCRIPTION
LPL-MB-9W-H-40K	9W 800LM 4000K



LED LINKABLE STRIP WITH INTERNAL DRIVER, 120VAC DIRECT, DIMMABLE



CATALOG NO.	DESCRIPTION	MAX RUN	PKG. QTY.
T5-12IN-5W-30K-D	5W 575LM 3000K 1FT.	15'	24
T5-12IN-5W-40K-D	5W 575LM 4000K 1FT.	15'	24
T5-12IN-5W-50K-D	5W 625LM 5000K 1FT.	15'	24
T5-22IN-9W-30K-D	9W 1035LM 3000K 2FT.	24'	24
T5-22IN-9W-40K-D	9W 1035LM 4000K 2FT.	24'	24
T5-22IN-9W-50K-D	9W 1125LM 5000K 2FT.	24'	24
T5-47IN-16W-30K-D	16W 1840LM 3000K 4FT.	31'	24
T5-47IN-16W-50K-D	16W 2000LM 5000K 4FT.	31'	24
T5-6FT-PC	6 FT. Plug-in Power Cord	-	-
T5-6FT-PCS	6 FT. Plug-in Power Cord with Switch	-	-
T5-8IN-JUMP	8" Linking Cable	-	-
T5-6FT-PT	6' AC Input Wire (PIGTAIL)	-	-
T5-COUPLER	Coupler (1 Included)	-	-
T5-MAGSET	Clip-on Secure Magnet Set	-	-



FINAL DEALS

FINAL PRODUCTION DEALS

"WHILE SUPPLIES LAST"

LED T5 RETROFIT LAMPS WITH INTERNAL DRIVER



CATALOG NO.	DESCRIPTION	MAX RUN	PKG. QTY.
 T5-22IN-9W-40K	9W 1035LM 4000K 2FT	24'	24
T5-22IN-9W-50K	9W 1125LM 5000K 2FT	24'	24
T5-47IN-16W-40K	16W 1840LM 4000K 4FT	31'	24
T5-47IN-16W-50K	16W 2000LM 5000K 4FT	31'	24
 T5-6FT-PC	6 FT. Plug-in Power Cord	-	-
T5-6FT-PCS	7 FT. Plug-in Power Cord	-	-
T5-8IN-JUMP	8" Linking Cable	-	-
T5-6FT-PT	6' AC Input Wire (PIGTAIL)	-	-
T5-COUPLER	Coupler (1 Included)	-	-
T5-MAGSET	Clip-on Secure Magnet Set	-	-

LED PUCK LIGHTS, 120V INTERNAL DRIVERS Surface/Recess

6Ft. Power Cord with In-Line switch




CATALOG NO.	DESCRIPTION	PKG. QTY.
 PL12ADJ-30K-BK	4.5W 250LM 3000K PLASTIC WHITE 1LIGHT	50
PL12ADJ-40K-BK	4.5W 250LM 4000K PLASTIC BRUSHED NICKEL 1LIGHT	50
PL12ADJ-50K-BK	4.5W 250LM 5000K PLASTIC BLACK 1LIGHT	50

12-VOLT AC/DC INTEGRATED LED LANDSCAPE UPLIGHTS



CATALOG NO.	DESCRIPTION	PKG. QTY.
 LFLV-7W-27K	7W 500LM 2700K BRONZE 40° ADJUSTABLE HOOD	12
LFLV-7W-40K	7W 550LM 4000K BRONZE 40° ADJUSTABLE HOOD	12
LFLV-7W-50K	7W 550LM 5000K BRONZE 40° ADJUSTABLE HOOD	12
 LFLV-12W-50K	12W 900LM 5000K BRONZE 60° ADJUSTABLE HOOD	12

12V LED DIRECTIONAL LIGHTS - ALUMINUM

CATALOG NO.	DESCRIPTION
 AD-130-BR	5W 400LM 3000K Bronze

WELL LIGHTS WITH SLEEVE & LED LAMPS

CATALOG NO.	DESCRIPTION
 WL-105-1-BK	5W 400LM 3000K
WL-157-BK	5W 400LM 3000K
WL-157-FGBZ	5W 400LM 3000K
WL-181-BR	5W 400LM 3000K
WL-181-BZ	5W 400LM 3000K

FINAL DEALS


FINAL PRODUCTION DEALS

"WHILE SUPPLIES LAST"


12V LED PATH LIGHTS

CATALOG NO.	DESCRIPTION
 LAL-126-BR	3W 200LM 3000K
LAL-126-SIL	3W 200LM 3000K


WET LOCATION COMBINATION LED EXIT SIGN & INCANDESCENT EMERGENCY, 120-277V, 11-3/4"(W) x 18-1/4"(H) x 3-3/4"(D)

CATALOG NO.	NUMBER OF FACES	LETTER COLOR	HOUSING	BATTERY
 XT-CWP-GG-EM	Single Face	Green	Gray	NiCd



LED EMERGENCY DRIVER

CATALOG NO.	DESCRIPTION
 ELB-2548-EXTR	LED EMERGENCY DRIVER FOR LED PRODUCTS WITH EXTERNAL DRIVER, UL RECOGNIZED 120-277 INPUT 25W 90 ...


SENSOR, IP66

CATALOG NO.	DESCRIPTION
 MSK-IP66-KN	Ultrasonic Bi-Level Outdoor Lighting Sensor Kit with DIP Switch Settings
MSO-IP66-KN	OUTDOOR BI-LEVEL PROGRAMMABLE MOTIONS SENSOR WITH 1/2" KNUCKLE

EXTENSION CORD

CATALOG NO.	DESCRIPTION
 EX143-25	SJTW 14Awg/3C, 25 Ft, 13A, 125V, Outside Extension Cord, 10 Pcs/Ctn
EX163-50	SJTW 14Awg/3C, 50 Ft, 13A, 125V, Outside Extension Cord, 8 Pcs/Ctn
 EXL143-50	SJTW 14Awg/3C, 50 Ft, 15A, 125V, Blue Outdoor Extension Cord, Lighted Plug, 6 Pcs/Ctn
EXL123-50	SJTW 3C/12Awg, 50 Ft, 15A, 125V, Blue Outdoor Extension Cord, Lighted Plug, 4 Pcs/Ctn

STRAIGHT ANGLE PLUG WITH THICK VINYL INSULATION

CATALOG NO.	DESCRIPTION
 DRY4	Heavy-Duty Strain Relief Protects Cord Resulting In Longer Cord Life
DRY5	Heavy-Duty Strain Relief Protects Cord Resulting In Longer Cord Life

FINAL DEALS

Westgate Series

INDEX

WG Series	Page No.	WG Series	Page No.	WG Series	Page No.	WG Series	Page No.	WG Series	Page No.	WG Series	Page No.	WG Series	Page No.	WG Series	Page No.
A19	181	EL-2A	219	LCFI	177	LRS-B	45	PL12	214	SFX-G7	59	UCR	210	WML-HL	11
A19-FLA	183	ELB	221	LCFK	176	LRS-C	45	PL120ADJ	213	SFX-G9	60	UCW	211	WMO5	41
A-41	205	EL-EHO	219	LCFL	177	LRS-CR2	46	PL12-PIR	213	SFX-G9-RGB	185	UHL	84	WMS	13
AA-146	200	EL-HO	219	LCFL	177	LRS-D	45	PL12R	213	SL	33	UHX	81	WMS-POST	74
AA-RG	206	EL-M	218	LCFN	175	LRS-E	44	PL12-RGBW	213	SLB	227	UHX-480V	82	WMV	10
AA-STEM	199	ELN4X	220	LCFP	178	LRS-F	44	PL12S	213	SL-CAM	32	UHXE	83	WMX	12
AD	196	EL-RH	219	LCFQ	176	LRS-G	44	PML	58	SL-D	33	UHXF	84	WMXE	11
AD018	196	EL-WP	219	LCFR	178	LRS-H	44	POB	125	SLE	207	UHXMAX	80	WMXMAX	12
AD120	28	EVC	79	LCFS	176	LRS-J	44	POL	53	SLE-120V	208	UHX-SR	82	WPAX	9
AD120	196	EW-16	219	LCFT	176	LRS-K	46	RDDF	157	SLE-12V	208	ULR-1FT-RGBW	195	WPXC	7
AS	202	EX	228	LCFW	176	LRS-L	46	RDDS	157	SLEA	208	ULR-2WRE	193	WPFX	11
B-41	205	EXPF	59	LCL	129	LRS-M	45	RDL	160	SL-P	32	ULR-CH	192	WPMX	8
BKH	10	FCF	174	LD	197	LRS-L	46	RDL	160	SLR	129	ULR-DCJ	193	WPV	10
BKRD	10	FCRB	170	LDAP	177	LRS-M	45	RDL-12V	160	SLRP	84	ULR-IN-1FT-HO	194	WPX	8
BLUETOOTH SENSORS	77	FCRB-SEN	170	LDL	92	LRS-MC	47	RDL1S	166	SLSM	202	ULR-IN-1FT-HO-COB	194	WRB	225
BOL-44	74	FCR-MCTS	171	LDLS	165	LRS-N	46	RDL1S-ST	166	SLX	32	ULR-IN-1FT-SO	194	WRC	225
BOL-502	72	FCS	171	LDS	43	LRS-O	46	RDL2S-BF	166	SOLA	62	ULR-IN-1FT-XHO	194	WRE	225
BOL-505	72	FDL	170	LDSC	43	LRS-P	42	RDL2S-SB	166	SOLA-SPLIT	61	ULR-IN-1FT-YHO	194	WSO	36
BOL-602	73	FDLH	148	LDSL	43	LRS-PV	45	RDL3S-ADJ	166	SOLF	61	ULR-IN-HWDR	192	WSX	35
BOL-608	73	FDLS	172	LDS-PIR	43	LRS-Q	47	RDL3S	166	SOLN	62	ULR-IN-PDR	191	WXB	225
BOL-G2	71	FEL	99	LDS-RGB	185	LRS-R	41	RDL4S-BF-D2W	165	SOLRW	203	ULR-IP54	189	WXF	225
BOL-G4	69	FLD2	28	LDSS	42	LRS-RGB	185	RDL-MCT5	158	SOLS	50	ULR-IP54-1FT-HO	195	WXR	225
BOL-G4-SOLAR	68	FLD3	28	LDSW	42	LRS-S	41	RDL-TRM	159	SP10KV	78	ULR-LENS	193	XD	215
BOL-G5	69	FLDF	27	LDSX	42	LRS-S	45	RDMF	158	SPL	123	ULR-OT-1FT-XHO	195	XE	216
BOL-G5-SOLAR	70	FLDX	26	LDSXL	43	LRS-SWG	45	RDPF	157	SRC	115	ULR-OT-COB	191	XIT	217
BOL-G7	70	FLDXPRO	26	LEDDR	192	LRS-T	41	RDPF-ADJ	157	SRL6	97	ULR-OT-HO	190	XT-C-ADJ	217
BPS	68	FLDX-RGBW	27	LEDTFX	219	LRS-TU	41	RDP52	157	SRPL	124	ULR-OT-XHO	190	XT-CL	217
BR30	182	FLDX-RGBW	184	LESW	14	LRS-V	46	RDP52-ADJ	157	SSLRB	162	ULR-OUT	193	XTCLN4X	217
BRL	180	FLH	28	LESW-EM	220	LRS-WS	46	REMOVES	77	SSLRB-TRM	163	ULR-RGBW	189	XT-CLWP	218
BUNGEE CORDS	205	FL-HL	161	LF12	31	LRT-HL	103	RHM4X	220	ST360	121	ULS	191	XT-CWP	218
C	226	FLS	28	LF12	196	LRX	51	RMS	84	STG	181	URL-HO-COB	188	XT-EL	215
CAX	65	FLV12	30	LF3-HL-KN	21	LS	202	RSL	165	STG-RGB	186	URL-HO-COB-XT	189	XT-EM	215
CDLX	64	FLV12	196	LF3-KN	21	LSC	148	RSL ACCESSORIES	163	STL	63	URL-IN-HO	187	XTN4X	216
CDX	64	FLVX	29	LF3-TR	22	LSL	128	RSL4S-BF	165	STP	14	URL-IN-SO	187	XTSL	215
CG	227	FLVXPRO	29	LF4 SHROUD	21	LSN	127	RSL-ADJ	165	T	226	URL-IN-XHO	188	XTU	215
CGL	65	FLVX-RGBW	30	LF4-12V	31	LSP	130	RSL-ADJ-FR	164	T12-EZX	143	USB2	228	XTU-CL-EM	217
CIGL	74	FLVX-RGBW	184	LF4-12V	196	LS-REPL	206	RSL-ADJ-G2	164	T5-D	212	UW	203	XT-WP	216
CL-COST	95	FMD	169	LF4-KN	21	LSS	126	RSL-ADJ-MCTS	164	T5-EZ6-GS	143	VTA	51	YM	228
CL-EHL	93	FMHT	171	LF4MAX-KN	18	LSWN	205	RSL-ADJ-WP	164	T5-TYPA	143	VTA-RGB	51		
CL-FLT	92	FML	173	LF4MAX-TR	18	LSWX	14	RSL-APD	165	T8-DIM	142	VTU	51		
CL-FLT	94	FMLE	172	LF4PRO	17	LTPV	89	RSL-APD-MCTS	164	T8-EZ6-GS	142	W1B	222		
CL-HL	93	FML-MCT	173	LFCO	23	LTRA	103	RSL-ADJ-G2	164	T8-EZ6-U2F	141	W1C	222		
CMC1	136	FMLS	172	LFE	23	LTRB	100	RSLC6	147	T8-EZX-GS	141	W1D	223		
CMC2	137	FML-TRM	173	LFE-KN	20	LTRC	101	RSL-D2W	162	T8-EZX-MCTP	141	W2B	223		
CMC3	136	FMLU	172	LFE-TR	22	LTRD	101	RSL-FR	161	T8-EZX-PRO	141	W2C	224		
CMC4	138	FML-UGR	173	LFLD	196	LTRF	100	RSL-G2	161	T8-EZX-TB	141	W2D	224		
CMC4-ADJ	139	FSL	170	LF4-12V	201	LTRG	102	RSL-GIM	164	T8-HL	143	W2X	224		
CMC6	139	G10	183	LFX	15	LTRL	101	RSL-JB	164	T8-HL-DIM	143	W3B	224		
CMC9	140	GL	27	LFX MOUNTING	19	LTRM	102	RSL-MCTS	162	T8-HL-SPLIT	143	W3C	224		
CMC-RGBW	140	GL-12V	30	LFX SHROUD	19	LTRR	102	RSL-TRM	163	T8HO	143	W3D	224		
CMC-RGBW	184	GL-12V	196	LFXE	15	LTRS	100	RSL-WP	162	T8-TYPB	142	WA	130		
CMC8	140	GL-MCTP	27	LFX-KN	20	LTRW	101	SCE	104	T8-U2F-EZ3	141	WAE	131		
CRE	34	GNB	36	LFXMAX	17	LTV	9	SCLL-UD	122	TC	48	WAEW	131		
CREA	34	GPA	227	LFXPRO	16	LVA	151	SCLP	122	TC-A19	186	WAS	130		
CRES	34	GPC	55	LFX-SC	16	LVB	149	SCLP-UD	122	TC-E12	186	WAX	7		
CRL	144	GPE	53	LFX-TR	22	LVC	149	SCO	112	TC-FL	184	WCF	125		
CRLC4	144	GPH	56	LH150	227	LVD	150	SCP	120	TC-FL-12V-RGBW	30	WCLP	125		
CRLC6	145	GPL	55	LHB2	84	LVE	150	SCPL-UD	123	TC-FL-RGBW	27	WCLP	125		
CRLC8	145	GPS	228	LHCX	85	LVF	149	SCPP-UD	123	TC-FML	185	WE167	205		
CRLE	147	GPX	54	LL	226	LVG	151	SCR	124	TC-G25	186	WEC-MOD	78		
CR LX	146	GSX	67	LLHB	86	LVL	148	SCRH	124	TC-GL	184	WEC-SW	78		
CWLEZXT	217	GZ	183	LLHB4	88	LVO	150	SCSL	120	TC-GL-12V-RGBW	30	WF-DR	154		
CWS	152	HBL	94	LLHB4-SR	87	LVS	151	SCX	107	TC-PAR	186	WFL	153		
CXE5	66	HEX	103	LLHBF	89	LVT	204	SCX	108	TC-PL12	186	WHCX	8		
CXU	66	HL HOUSING	161	LLHC	85	LVTE	90	SCX2	111	TC-RDP5	185	WL	204		
DAB	56	HML	60	LLVT	91	LWV	45	SCX-2X2	114	TC-RSL	185	WL-140	203		
DAB-SOL	57	HPL	94	LLVT-480V	92	LWV	197	SCX4	110	TGL	98	WL-3IN1	50		
DBEL	220	HSL	203	LLXT	218	LW360	6	SCX4-IP66	104	TGLK	98	WL-EZCG	50		
DELW	220	ICF	161	LMIR	152	LWAX	4	SCX6	111	TL	207	WLL	203		
DLS	169	IGL	202	LMW	13	LWAX-P	5	SCXA	106	TOL	52	WMA	37		
DLS-277V	169	IGLA	203	LOHB	50	LWPX	9	SCXA2	105	TR1	154	WMC-12V	197		
DLSE	168	LA	200	LOV	206	M507	227	SCX-BK	109	TRACK ACCESSORIES	156	WMC2	37		
DLSE6-RGBW	186	LAL	201	LPKR	103	MR11	182	SCXC	115	TRD	155	WMC3	37		
DLSF	168	LA-STEM	206	LPF	131	MR16	182	SCX-FMRK	113	TR-DT-TPC-SS	204	WMC4	38		
DLS-MCT	169	LA-T	205	LPL	181	MR16	205	SCX-MIFK	113	TRE	154	WMC6	39		
DLSN	169	LB	226	LPNG	96	MR16-RGB	183	SCXR	112	T-RFG	143	WMC8	39		
DLS-PIR	169	LCFA	175	LPNP	97	MVP	228	SCX-RGB	113	TR-MT-SS	204	WMCL	39		
DLW	14	LCFB	179	LPS	99	OUTDOOR ACCESSORIES	24	SCXT	114	TRS	155	WMC-RGBW	39		
DMX	49	LCFC	175	LPSB	99	OUTDOOR ACCESSORIES	25	SDL	159	UCA	209	WMC-RGBW	184		
E12	183	LCFD	178	LR	226	PAR36	182	SDPS2	159	UC-ADJ	212	WMC5S	40		
ED23	94	LCFE	179	LRD	167	PAR36	205	SDTL	121	UCA-RGBW	210	WMC8	40		
EL-1	218	LCFF	174	LRP-HL	103	PHOTOCELL	75	SENDS	76	UCE	209	WMC8-DL	40		
EL-1D	219	LCFH	179	LRS-A	45	PL	227	SFL	121	UCM	211	WML2	11		

NEED ADDITIONAL SERVICES?

REVIEW THE BELOW LIST OF FLAT RATE SERVICES OFFERED BY WESTGATE

Optional Add-Ons:

PART#	SERVICE DESCRIPTION	2025 Terms
/SR-EXTW-3YR	3 years Additional Warranty	Request A Quote
/SR-STRG-14D	Additional 14days Storage*	Request A Quote
/SR-STRG-30D	Additional 30days Storage*	Request A Quote
/SR-EXPED-LTL	Expedited Pallet Delivery**	Request A Quote
/SR-SIGN-PKG	Signature Required For FedEx/UPS Delivery	Request A Quote

* Westgate offers up to 14 days of free storage hold for your orders.

**Free freight is the standard speed is at Westgate's discretion.

Manadatory Charges:

PART#	SERVICE DESCRIPTION	2025Terms
/SR-RESI-D	Residential Pallet Delivery fee*	Request A Quote
/SR-LIFT-G	Lift Gate fee	Request A Quote
/SR-REDELIVERY	Truck Re-delivery Fee	Request A Quote
/SR-WAIT-T	Wait Fee At The Delivery Location	Request A Quote

* The additional fee applies even if when the standard shipping is Prepaid by Westgate.

Westgate will send a new invoice referencing the original purchase order number when the additional freight charges occur after the initial invoice.

Extend Invoice Pay Terms:

PART#	SERVICE DESCRIPTION	Cost/Invoice
/EXT1	1-month extension	Request A Quote
/EXT2	2-month extension	Request A Quote
/EXT3	3-month extension	Request A Quote
/EXT4	4-month extension	Request A Quote
/EXT5	5-month extension	Request A Quote
/EXT6	6-month extension	Request A Quote

17 YEARS

OF RELIABILITY & INNOVATION

FREE LIGHTING LAYOUT



Design My Project page by Westgate Manufacturing helps customers bring their lighting projects to life with expert design assistance and tailored product recommendations.

ONLINE WARRANTY PROCESSING



Warranty Claim provides customers with a convenient way to submit claims for defective or malfunctioning products covered under warranty. It includes a form to detail the issue, upload relevant documents, and request support or replacement.

CUSTOM BUILDER TOOL



Custom Builder allows customers to create customized lighting solutions tailored to their specific needs. It offers tools and guidance by selecting features like styles, finishes, and functionalities.

\$1

WWW.WESTGATEMFG.COM

Energy-Efficient Lighting Easier and More Profitable!

NO MINIMUMS 🚫
QUICK FREE SHIPPING 🚚
FRIENDLY POLICIES 😊

   
@WESTGATEMFG