

WESTGATE

THE FUTURE IS HERE... AND IT'S QUITE BRIGHT!


OUTDOOR


INDUSTRIAL


COMMERCIAL


RESIDENTIAL


RIBBON


LANDSCAPE


UNDERCABINET


EXIT & EM


ELECTRICAL

Loving Lighting!

PRODUCT SHEET

2024 - SEASON 3

THUNDER SERIES
OUTDOOR LIGHTING

ECLIPSE
INDUSTRIAL LIGHTING

RADIOS
COMMERCIAL LIGHTING

GreenZone



Beautiflex



WG

Westgatemfg.com | @westgatemfg    

CONTENTS

| | | |
|----------------------------|-----|--|
| OUTDOOR LIGHTING | 4 |  |
| INDUSTRIAL LIGHTING | 73 |  |
| COMMERCIAL INDOOR LIGHTING | 86 |  |
| RESIDENTIAL LIGHTING | 144 | |
| RIBBON LIGHTING | 171 |  |
| LANDSCAPE LIGHTING | 180 |  |
| UNDERCABINET LIGHTING | 193 | |
| EXIT & EMERGENCY LIGHTING | 198 | |
| ELECTRICAL PRODUCTS | 205 | |
| FINAL PRODUCTION DEALS | 212 | |

POLICIES

All transactions are subject to terms and conditions listed on Westgate website:



www.westgatemfg.com/terms-and-conditions

MCT₃ MCT₄ MCT₅ MP MCTP

MCT: Multi Color Temperature (Selectable), followed by 3 (3 CCT), 4 (4 CCT), 5 (5 CCT)

MP: Multi Power/Wattage (Selectable)

MCTP: Multi Color Temperature & Multi Power/Wattage (Selectable)

SR: Sensor Ready

EM: With presintalled Emergency

OPT: Customization Order-No Returnable

WESTGATE
THE FUTURE IS HERE... AND IT'S QUITE BRIGHT!

This season's New Arrivals



WMXMAX SERIES
PAGE 11



WMA SERIES
PAGE 18



TOL SERIES
PAGE 49



POL SERIES
PAGE 50



BOL-502 SERIES
PAGE 66




BOL-505 SERIES
PAGE 66



LLHBF SERIES
PAGE 80



LPNG-RGBW SERIES
PAGE 86



TGLK SERIES
PAGE 88



LTRW SERIES
PAGE 91



LTRM SERIES
PAGE 91




LTRR SERIES
PAGE 91



LTRG SERIES
PAGE 92



LVO SERIES
PAGE 137



HL SERIES
PAGE 148



RDL1S SERIES
PAGE 153



DLSF SERIES
PAGE 155



LCFL SERIES
PAGE 162



OUTDOOR LIGHTING

THUNDER SERIES
OUTDOOR LIGHTING



LWAX-SM
White



LWAX-SM
Dark Bronze




LWAX-MD
Dark Bronze



LWAX-LG
Dark Bronze



Shown with Shroud



Mounting Options
Shown with LWAX-12W
(See page 68)

POWER & CCT-ADJUSTABLE CUTOFF WALL PACK, 120-277V TYPE 2 LENS

Dark Bronze & White



| CATALOG NO. | DESCRIPTION | | | | PKG. QTY. |
|-----------------------------|----------------------------|---------|-----------------|-------------|-----------|
| LWAX-SM-12W-30K | 12W | 1500LM | 3000K | | 12 |
| LWAX-SM-12W-40K | 12W | 1500LM | 4000K | | 12 |
| LWAX-SM-12W-50K | 12W | 1500LM | 5000K | | 12 |
| LWAX-MD-30W-30K | 30W | 3900LM | 3000K | | 4 |
| LWAX-MD-30W-40K | 30W | 3900LM | 4000K | | 4 |
| LWAX-MD-30W-50K | 30W | 3900LM | 5000K | | 4 |
| LWAX-MD-20-50W-MCTP | 20W/30W/40W/50W | 125LM/W | 30K/40K/50K/57K | MCTP | 4 |
| LWAX-LG-50-120W-MCTP | 50W/80W/100W/120W | 130LM/W | 30K/40K/50K/57K | MCTP | 2 |
| LWAX-SM-12W-30K-WH | 12W | 1500LM | 3000K | | 12 |
| LWAX-SM-12W-50K-WH | 12W | 1500LM | 5000K | | 12 |
| LWA-SH1 | Shroud For LWAX SM, Bronze | | | | |
| LWA-SH2 | Shroud For LWAX MD, Bronze | | | | |
| LWA-SH3 | Shroud For LWAX LG, Bronze | | | | |

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

| SIZE | EM OPTION | DESCRIPTION | PHOTOCELL | DESCRIPTION | PAINT | SENSOR | DESCRIPTION |
|------|-----------------------|-------------------|--------------------|------------------------|--|------------------------|-----------------------------------|
| SM | OPT-EM-LWAX-SM | EXTERNAL BACK BOX | OPT-PC-B | BUTTON | OPT-CLR-85(BK/GR/SR/WH) | OPT-SEN-3MRLV-5 | PROGRAMMABLE MICROWAVE (BI-LEVEL) |
| MD | OPT-EM-LWAX-MD | INTERNAL | VANDAL.RES. | DESCRIPTION | OPT-CLR-85MC (260 SET UP FEE PER PROJECT) | WEC-8RC | OPTIONAL REMOTE |
| LG | OPT-EM-LWAX-LG | INTERNAL | OPT-TRS-T20 | Tamper Resistant Screw | | | |

FOR COLD-WEATHER EM OPTION SEE PAGE 204



LWAX-BK
Black




LWAX-WH
White



LWAX
Dark Bronze



Shown with
Shroud



Mounting Options
Shown with LWAX-12W
(See page 68)

GEN. 2 ADJUSTABLE WALL PACK, WATTAGE & CCT SELECT, WITH PHOTOCELL



| CATALOG NO. | DESCRIPTION | ARRIVES THIS SEASON CHECK & PRE-ORDER | | PKG. QTY. |
|---------------------------|-----------------|--|-----------------|--------------|
| LWAX-SM-12W-30K-P | 12W | 1500LM | 30K | 12 |
| LWAX-SM-12W-30K-P-WH | 12W | 1500LM | 30K | 12 |
| LWAX-SM-12W-40K-P | 12W | 1500LM | 40K | 12 |
| LWAX-SM-12W-50K-P | 12W | 1500LM | 50K | 12 |
| LWAX-SM-12W-50K-P-WH | 12W | 1500LM | 50K | 12 |
| LWAX-MD-30W-30K-P | 30W | 3900LM | 30K | 4 |
| LWAX-MD-30W-40K-P | 30W | 3900LM | 40K | 4 |
| LWAX-MD-30W-50K-P | 30W | 3900LM | 50K | 4 |
| LWAX-MD-15-50W-MCTP-P | 15W/20W/30W/50W | 125LM/W | 30K/40K/50K/57K | 4 |
| LWAX-MD-15-50W-MCTP-P-BK | 15W/20W/30W/50W | 125LM/W | 30K/40K/50K/57K | 4 |
| LWAX-MD-15-50W-MCTP-P-WH | 15W/20W/30W/50W | 125LM/W | 30K/40K/50K/57K | 4 |
| LWAX-LG-50-120W-MCTP-P | 50W/80W/120W | 130LM/W | 30K/40K/50K/57K | 2 |
| LWAX-LG-50-120W-MCTP-P-BK | 50W/80W/120W | 130LM/W | 30K/40K/50K/57K | 2 |
| LWAX-LG-50-120W-MCTP-P-WH | 50W/80W/120W | 130LM/W | 30K/40K/50K/57K | 2 |



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

| SIZE | EM OPTION | DESCRIPTION | PHOTOCELL | DESCRIPTION | PAINT | SENSOR | DESCRIPTION |
|------|----------------|-------------------|-------------|------------------------|---|-----------------|-----------------------------------|
| SM | OPT-EM-LWAX-SM | EXTERNAL BACK BOX | OPT-PC-B | BUTTON | OPT-CLR-85(BK/GR/SR/WH) | OPT-SEN-3MRLV-5 | PROGRAMMABLE MICROWAVE (BI-LEVEL) |
| MD | OPT-EM-LWAX-MD | INTERNAL | VANDAL.RES. | DESCRIPTION | OPT-CLR-85MC (260 SET UP FEE PER PROJECT) | WEC-8RC | OPTIONAL REMOTE |
| LG | OPT-EM-LWAX-LG | INTERNAL | OPT-TRS-T20 | Tamper Resistant Screw | | | |

FOR COLD-WEATHER EM OPTION SEE PAGE 204



LW360-25W
Bronze

LW360-40W
LW360-60W
LW360-80W
LW360-120W
Bronze

LW360-60W-MCTP-BK-G2
Black

LW360-25W-MCT-WH-G2
White

LW360-60W-MCT-WH-G2
White

Shown with
Extended EM Box
& Shroud

OUTDOOR
WALLPACKS

**LED 360° ROTATABLE WALL PACK, 120-277V
G2 SERIES OFFERS A LARGE, HINGED BACK BOX**



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|-------------------|---------------------------|-----------|
| LW360-25W-30K-G2 | 25W 3250LM 3000K Bronze | 4 |
| LW360-25W-40K-G2 | 25W 3250LM 4000K Bronze | 4 |
| LW360-25W-50K-G2 | 25W 3250LM 5000K Bronze | 4 |
| LW360-40W-30K-G2 | 40W 5200LM 3000K Bronze | 4 |
| LW360-40W-40K-G2 | 40W 5200LM 4000K Bronze | 4 |
| LW360-40W-50K-G2 | 40W 5200LM 5000K Bronze | 4 |
| LW360-60W-30K-G2 | 60W 7800LM 3000K Bronze | 2 |
| LW360-60W-40K-G2 | 60W 7800LM 4000K Bronze | 2 |
| LW360-60W-50K-G2 | 60W 7800LM 5000K Bronze | 2 |
| LW360-80W-30K-G2 | 80W 10400LM 3000K Bronze | 2 |
| LW360-80W-40K-G2 | 80W 10400LM 4000K Bronze | 2 |
| LW360-80W-50K-G2 | 80W 10400LM 5000K Bronze | 2 |
| LW360-120W-30K-G2 | 120W 15600LM 3000K Bronze | 2 |
| LW360-120W-40K-G2 | 120W 15600LM 4000K Bronze | 2 |
| LW360-120W-50K-G2 | 120W 15600LM 5000K Bronze | 2 |

CCT-ADJUSTABLE LED 360° ROTATABLE WALL PACK, 120-277V MCT

| | | |
|---------------------|-------------------------------|---|
| LW360-25W-MCT-G2 | 25W 3250LM 30K/40K/50K Bronze | 4 |
| LW360-60W-MCT-G2 | 60W 7800LM 30K/40K/50K Bronze | 2 |
| LW360-25W-MCT-WH-G2 | 25W 3250LM 30K/40K/50K White | 4 |
| LW360-60W-MCT-WH-G2 | 60W 7800LM 30K/40K/50K White | 2 |

POWER & CCT-ADJUSTABLE LED 360° ROTATABLE WALL PACK, 120-277V MCTP

| | | |
|----------------------|--|---|
| LW360-60W-MCTP-G2 | 25W/40W/60W 130LM/W 30K/40K/50K Bronze | 2 |
| LW360-60W-MCTP-WH-G2 | 25W/40W/60W 130LM/W 30K/40K/50K White | 2 |
| LW360-60W-MCTP-BK-G2 | 25W/40W/60W 130LM/W 30K/40K/50K Black | 2 |
| LW360-SH1 | Shroud For LW360 Series, Bronze Finish | - |

FOR FACTORY OPTION SEE LW360 BELOW
FOR COLD-WEATHER EM OPTION SEE PAGE 204

LED ROTATABLE WALL PACKS, 120-277V



| CATALOG NO. | DESCRIPTION | REPLACEMENT RANGE | WHILE SUPPLIES LAST | PKG. QTY. |
|------------------|--|-------------------|---------------------|-----------|
| LW360-60W-30K | 60W 8100LM 3000K Bronze | 200-300MH | | 2 |
| LW360-80W-30K | 80W 10800LM 3000K Bronze | 250-400 MH | | 2 |
| LW360-80W-40K | 80W 10800LM 4000K Bronze | 250-400 MH | | 2 |
| LW360-25W-30K-WH | 25W 3375LM 3000K White | 100-150 MH | | 4 |
| LW360-25W-50K-WH | 25W 3375LM 5000K White | 100-150 MH | | 4 |
| LW360-40W-50K-WH | 40W 5400LM 5000K White | 100-200 MH | | 4 |
| LW360-SH1 | Shroud For LW360 Series, Bronze Finish | | | - |

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

| WATTS | EM OPTION | DESCRIP- | PHOTOCELL | DE- | PAINT | SENSOR | DESCRIPTION |
|--------------------|---------------------------------|----------------------|----------------|--------|--|----------------------------------|---|
| 25W, 40W, 60W, 80W | OPT-EM-LW360 OPT-EM-LW360-LG | INTERNAL INTERNAL | OPT-LW360-PC-B | BUTTON | OPT-CLR-85(BK/GR/SR/WH) OPT-CLR-95(BK/GR/SR/WH) OPT-CLR-35-SHR (BK/GR/SR/WH) | OPT-SEN-LW360-3MRLV-5 WEC-8RC | PROGRAMMABLE MICROWAVE REMOTE CONTROL |

FOR COLD-WEATHER EM OPTION SEE PAGE 204



Shown Installed as Uplight

SPEC SERIES MODERN ADJUSTABLE WALL PACK FOR DOWN OR UP LIGHTING INSTALLATIONS WITH PHOTOCELL



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|-------------------------|-----------------------------------|-----------|
| WAX-20-40W-MCTP | 20W/30W/40W 140LM/W 30K/40K/50K | 1 |
| WAX-50-80W-MCTP | 50W/65W/80W 140LM/W 30K/40K/50K | 1 |
| WAX-90-120W-MCTP | 90W/105W/120W 140LM/W 30K/40K/50K | 1 |

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

| WATTS | EM OPTION | DESCRIPTION | PHOTOCELL | DESCRIPTION | PAINT | SENSOR | DESCRIPTION |
|-------|----------------|------------------------|--------------|----------------|---|-----------------|---|
| 40W | OPT-EM-WAX-40 | INTERNAL | OPT-PC-B | BUTTON | OPT-CLR-85(BK/GR/SR/WH) | OPT-SEN-3MRLV-5 | PROGRAMMABLE MICROWAVE (BI-LEVEL FOR 80W) |
| 80W | OPT-EM-WAX-80 | INTERNAL | | | OPT-CLR-85MC (260 SET UP FEE PER PROJECT) | | |
| 120W | OPT-EM-WAX-120 | INTERNAL | 480 V OPTION | DESCRIPTION | | WEC-8RC | REMOTE CONTROL |
| | VANDAL RES. | DESCRIPTION | OPT-WP-480V | CHANGE VOLTAGE | | | |
| | OPT-TRS-T20 | Tamper Resistant Screw | | | | | |

FOR COLD-WEATHER EM OPTION SEE PAGE 204

FULL CUT-OFF WALL PACK, POWER AND CCT ADJUSTABLE /W PHOTOCELL



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|--------------------------|----------------------------------|-----------|
| WPCX-21-35W-MCTP | 21W/28W/35W 135LM/W 30K/40K/50K | 1 |
| WPCX-36-60W-MCTP | 36W/48W/60W 135LM/W 30K/40K/50K | 1 |
| WPCX-60-100W-MCTP | 60W/80W/100W 135LM/W 30K/40K/50K | 1 |



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

| WATTS | EM OPTION | DESCRIPTION | PHOTOCELL | DESCRIPTION | PAINT | SENSOR | DESCRIPTION |
|-------|-----------------|------------------|--------------|----------------|---|-----------------|--|
| 60W | OPT-EM-WPCX-60 | INTERNAL | OPT-PC-B | BUTTON | OPT-CLR-85(BK/GR/SR/WH) | OPT-SEN-3MRLV-5 | PROGRAMMABLE MICRO-WAVE (BI-LEVEL FOR 80W) |
| 100W | OPT-EM-WPCX-100 | INTERNAL | | | OPT-CLR-85MC (260 SET UP FEE PER PROJECT) | | |
| | VANDAL RES. | DESCRIPTION | 480 V OPTION | DESCRIPTION | | WEC-8RC | REMOTE CONTROL |
| | OPT-TRS-T20 | Tamper Resistant | OPT-WP-480V | CHANGE VOLTAGE | | OPT-WPCX-TYPEII | TYPE II |
| | | | | | | OPT-WPCX-TYPEIV | TYPE IV |



WPMX
Bronze



WHCX
Bronze



WALL PACK, POWER AND CCT ADJUSTABLE /W PHOTOCELL

| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|-------------|-------------|-----------|
|-------------|-------------|-----------|

HALF-MOON WALL PACK-POWER & CCT ADJUSTABLE TYPE 3 LENS

| | | |
|-------------------------|---------------------------------|---|
| WPMX-24W-MCTP-SR | 24W/32W/40W 135LM/W 30K/40K/50K | 1 |
| WPMX-48W-MCTP-SR | 48W/64W/80W 135LM/W 30K/40K/50K | 1 |

CYLINDER WALL PACK, POWER AND CCT ADJUSTABLE WITH CONTROLLED UP/DOWN LIGHTING

| | | |
|----------------------|---------------------------------|---|
| WHCX-24W-MCTP | 24W/32W/40W 145LM/W 30K/40K/50K | 1 |
| WHCX-48W-MCTP | 48W/64W/80W 145LM/W 30K/40K/50K | 1 |

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

| WATTS | EM OPTION | DESCRIPTION | PHOTOCELL | DESCRIPTION | PAINT | SENSOR | DESCRIPTION |
|----------|----------------|------------------------|--------------|-------------|---|-----------------|--|
| WPMX-24W | OPT-EM-WPMX-24 | INTERNAL | OPT-PC-B | BUTTON | OPT-CLR-85(BK/GR/SR/WH) | OPT-SEN-3MRLV-5 | PROGRAMMABLE MICRO-WAVE (BI-LEVEL FOR 80W) |
| WPMX-48W | OPT-EM-WPMX-48 | INTERNAL | | | OPT-CLR-85MC (260 SET UP FEE PER PROJECT) | | |
| | VANDAL RES. | DESCRIPTION | 480 V OPTION | DESCRIPTION | | WEC-8RC | REMOTE CONTROL |
| | OPT-TRS-T20 | Tamper Resistant Screw | OPT-WP-480V | CHANGE | | | |

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

| WATTS | EM OPTION | DESCRIPTION | PHOTOCELL | DESCRIPTION | PAINT | SENSOR | DESCRIPTION |
|----------|-----------------|------------------------|--------------|----------------|---|-----------------|--|
| WHCX-40W | OPT-EM-WHCX-40W | INTERNAL | OPT-PC-B | BUTTON | OPT-CLR-85(BK/GR/SR/WH) | OPT-SEN-3MRLV-5 | PROGRAMMABLE MICRO-WAVE (BI-LEVEL FOR 80W) |
| WHCX-80W | OPT-EM-WHCX-80W | INTERNAL | | | OPT-CLR-85MC (260 SET UP FEE PER PROJECT) | | |
| | VANDAL RES. | DESCRIPTION | 480 V OPTION | DESCRIPTION | | WEC-8RC | REMOTE CONTROL |
| | OPT-TRS-T20 | Tamper Resistant Screw | OPT-WP-480V | CHANGE VOLTAGE | | | |



WPX-24W



WPX-42W



WPX-80W



WPX-120W

SPEC SERIES X-GEN CUT-OFF WALL PACK (POWER & COLOR TEMP. TUNABLE)



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|----------------------|--|-----------|
| WPX-24W-MCTP | 12W/18W/24W 135LM/W 30K/40K/50K 10"W | 4 |
| WPX-42W-MCTP | 11W/21W/32W/42W 135LM/W 30K/40K/50K 10"W | 4 |
| WPX-80W-MCTP | 20W/40W/60W/80W 135LM/W 30K/40K/50K 12"W | 2 |
| WPX-120W-MCTP | 80W/100W/120W 135LM/W 30K/40K/50K 12"W | 1 |

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

| WATTS | EM OPTION | DESCRIPTION | PHOTOCELL | DESCRIPTION | PAINT | SENSOR | DESCRIPTION |
|-------|---------------|------------------------|--------------|----------------|---|-----------------|------------------------|
| 42W | OPT-EM-WPX-42 | INTERNAL | OPT-PC-B | BUTTON | OPT-CLR-85(BK/GR/SR/WH) | OPT-SEN-3MRLV-5 | PROGRAMMABLE MICROWAVE |
| 80W | OPT-EM-WPX-80 | INTERNAL | | | OPT-CLR-85MC (260 SET UP FEE PER PROJECT) | | (BI-LEVEL FOR 80W) |
| | VANDAL RES. | DESCRIPTION | 480 V OPTION | DESCRIPTION | | WEC-8RC | REMOTE CONTROL |
| | OPT-TRS-T20 | Tamper Resistant Screw | OPT-WP-480V | CHANGE VOLTAGE | | | |

FOR COLD-WEATHER EM OPTION SEE PAGE 204



LED CUTOFF WALL PACK, 120-277V, 14" (W) x 9 1/4" (H) x 8 1/4" (D)

TYPE 2 LENS



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|---|---|-----------|
| POWER & CCT-ADJUSTABLE VERSION | | |
| LWPX-30-80W-MCTP | 30W/40W/60W/80W 125LM/W 30K/40K/50K/57K | 1 |
| LED SINGLE POWER & CCT VERSION | | |
| LWPX-50W-30K | 50W 6600LM 3000K | 1 |
| LWPX-50W-40K | 50W 6600LM 4000K | 1 |
| LWPX-50W-50K | 50W 6600LM 5000K | 1 |

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

| WATTS | EM OPTION | DESCRIPTION | PHOTOCELL | DESCRIPTION | PAINT | SENSOR | DESCRIPTION |
|-------|----------------|------------------------|--------------|----------------|---|-----------------|--|
| 50W | OPT-EM-LWPX-50 | INTERNAL | OPT-PC-B | BUTTON | OPT-CLR-85(BK/GR/SR/WH) | OPT-SEN-3MRLV-5 | PROGRAMMABLE MICRO-WAVE (BI-LEVEL FOR 80W) |
| 80W | OPT-EM-LWPX-80 | INTERNAL | | | OPT-CLR-85MC (260 SET UP FEE PER PROJECT) | | |
| | VANDAL RES. | DESCRIPTION | 480 V OPTION | DESCRIPTION | | WEC-8RC | REMOTE CONTROL |
| | OPT-TRS-T20 | Tamper Resistant Screw | OPT-WP-480V | CHANGE VOLTAGE | | | |

FOR COLD-WEATHER EM OPTION SEE PAGE 204



20% Non-Cutoff Ambient Light

80% Full-Cutoff Light

SPEC SERIES MODERN POWER & CCT ADJUSTABLE CUT-OFF WALL PACK

WITH 20% FRONT LIGHT & PHOTOCELL



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|-----------------------|----------------------------------|-----------|
| WPAX-100W-MCTP | 60W/80W/100W 130LM/W 30K/40K/50K | 2 |

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

| WATTS | EM OPTION | DESCRIPTION | PHOTOCELL | DESCRIPTION | PAINT | SENSOR | DESCRIPTION |
|-------|-------------|------------------------|--------------|----------------|---|-----------------|---|
| All | OPT-EM-WPAX | INTERNAL | OPT-PC-B | BUTTON | OPT-CLR-85(BK/GR/SR/WH) | OPT-SEN-3MRLV-5 | PROGRAMMABLE MICROWAVE (BI-LEVEL FOR 80W) |
| | | | | | OPT-CLR-85MC (260 SET UP FEE PER PROJECT) | | |
| | VANDAL RES. | DESCRIPTION | 480 V OPTION | DESCRIPTION | | WEC-8RC | REMOTE CONTROL |
| | OPT-TRS-T20 | Tamper Resistant Screw | OPT-WP-480V | CHANGE VOLTAGE | | | |

FOR COLD-WEATHER EM OPTION SEE PAGE 204

LED SEMI-CUTOFF VANDAL-PROOF WALL PACK, 120-277V

Dark Bronze



120-277V

| CATALOG NO. | DESCRIPTION | REPLACEMENT RANGE | PKG. QTY. |
|-----------------|-------------------------|-------------------|-----------|
| LTW-50CW | 50W 4400LM 5000K | 150-250 MH | 1 |
| LTW-50NW | 50W 4400LM 4000K | 150-250 MH | 1 |
| LTW-50WW | 50W 4400LM 3000K | 150-250 MH | 1 |



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

| WATTS | EM OPTION | DESCRIPTION | PHOTOCELL | DESCRIPTION | PAINT | SENSOR | DESCRIPTION |
|-------|--------------------|----------------|--------------------|------------------------|-------|------------------------|---------------------------------|
| ALL | OPT-EM-LTW | INTERNAL | OPT-PC-B | BUTTON | N/A | OPT-SEN-3MRLV-5 | PROGRAMMABLE MICROWAVE BI-LEVEL |
| | 480 V OPTION | DESCRIPTION | VANDAL RES. | DESCRIPTION | | WEC-8RC | REMOTE CONTROL |
| | OPT-WP-480V | CHANGE VOLTAGE | OPT-TRS-T20 | Tamper Resistant Screw | | | |



Shown with EM

TRADITIONAL BULKHEADS, POWER & CCT SELECTABLE, WITH PHOTOCELL



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|--------------------------|--|-----------|
| BKH-10W-MCTP-BK-P | 6W/8W/10W 85LM/W 30K/40K/50K Black | 8 |
| BKH-10W-MCTP-BR-P | 6W/8W/10W 85LM/W 30K/40K/50K Bronze | 8 |
| BKH-20W-MCTP-BK-P | 12W/18W/20W 85LM/W 30K/40K/50K Black | 6 |
| BKH-20W-MCTP-BR-P | 12W/18W/20W 85LM/W 30K/40K/50K Bronze | 6 |



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

| WATTS | EM OPTION | DESCRIPTION | VANDAL RES. | DESCRIPTION | PAINT | SENSOR | DESCRIPTION |
|-------|-------------------|-------------|-------------|-------------|-------|--------|-------------|
| 20W | OPT-EM-BKH | INTERNAL | N/A | N/A | N/A | N/A | N/A |



VANDAL-PROOF OUTDOOR WALL LIGHT



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|-----------------------|-------------------------------|-----------|
| WPV-12W-MCT-DT | 12W 80LM/W 30K/40K/50K | 6 |

LED VERSATILE WALL OR CEILING LIGHT, 120-277V



| CATALOG NO. | DESCRIPTION | REPLACEMENT RANGE | PKG. QTY. |
|--------------------|--|-------------------|-----------|
| WMV-20W-50K | 20W 2000LM 5000K 11.4"(L) X 4.5"(W) X 3.5"(H) | 50-100 MH | 6 |
| WMV-20W-40K | 20W 1900LM 4000K 11.4"(L) X 4.5"(W) X 3.5"(H) | 50-100 MH | 6 |
| WMV-20W-30K | 20W 1800LM 3000K 11.4"(L) X 4.5"(W) X 3.5"(H) | 50-100 MH | 6 |



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

| WATTS | EM OPTION | DESCRIPTION | PHOTOCELL | DESCRIPTION | PAINT | SENSOR | DESCRIPTION |
|-------|--------------------|------------------------|-----------------|-------------|--|------------------------|---------------------------------|
| ALL | OPT-EM-WMV | INTERNAL | OPT-PC-B | BUTTON | OPT-CLR-70(BK/GR/SR/WH) | OPT-SEN-3MRLV-5 | PROGRAMMABLE MICROWAVE BI-LEVEL |
| | VANDAL RES. | DESCRIPTION | | | OPT-CLR-70MC (260 SET UP FEE PER PROJECT) | WEC-8RC | REMOTE CONTROL |
| | OPT-TRS-T20 | Tamper Resistant Screw | | | | | |



BUILDER SERIES FLAT WALL PACK WITH PHOTOCELL, GLASS LENS AND VANDAL SCREWS

| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|------------------------|-----------------------------------|-----------|
| WPFX-SM-15-40W-MCTP-P | 15W/25W/40W 130LM/W 30K/40K/50K | 1 |
| WPFX-MD-20-40W-MCTP-P | 20W/30W/40W 135LM/W 30K/40K/50K | 1 |
| WPFX-MD-40-80W-MCTP-P | 40W/60W/80W 130LM/W 30K/40K/50K | 1 |
| WPFX-LG-80-120W-MCTP-P | 80W/100W/120W 130LM/W 30K/40K/50K | 1 |

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

| SIZE | EM OPTION | DESCRIPTION | PHOTOCELL | DESCRIPTION | PAINT | SENSOR | DESCRIPTION |
|------|----------------|------------------------|--------------|----------------|---|-----------------|---|
| SM | OPT-EM-WPFX-SM | INTERNAL | OPT-PC-B | BUTTON | OPT-CLR-85(BK/GR/SR/WH) | OPT-SEN-3MRLV-5 | PROGRAMMABLE MICROWAVE (BI-LEVEL FOR 80W) |
| MD | OPT-EM-WPFX-MD | INTERNAL | | | OPT-CLR-85MC (260 SET UP FEE PER PROJECT) | WEC-8RC | REMOTE CONTROL |
| LG | OPT-EM-WPFX-LG | INTERNAL | 480 V OPTION | DESCRIPTION | | | |
| | VANDAL RES. | DESCRIPTION | OPT-WP-480V | CHANGE VOLTAGE | | | |
| | OPT-TRS-T20 | Tamper Resistant Screw | | | | | |

FOR COLD-WEATHER EM OPTION SEE PAGE 204



WMXE-MD
Dark Bronze



WMXE-LG
Dark Bronze



WMXE-MD
Black



WMXE-LG
Black

BUILDER SERIES TRADITIONAL GLASS LENS WALL PACK WITH PHOTOCELL (PHOTOCELL DISCONNECT SWITCH) 480V OPTION

| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|-------------|-------------|-----------|
|-------------|-------------|-----------|

POWER ADJUSTABLE BUILDER SERIES TRADITIONAL WALL PACK

| | | |
|-----------------------|-----------------------------|---|
| WMXE-MD-25-65W-50K-P | 25W/45W/65W 140LM/W 5000K | 2 |
| WMXE-MD-45-85W-50K-P | 45W/65W/85W 140LM/W 5000K | 2 |
| WMXE-MD-80-120W-50K-P | 80W/100W/120W 140LM/W 5000K | 2 |

POWER & 3CCT ADJUSTABLE BUILDER SERIES TRADITIONAL WALL PACK

| | | |
|----------------------------|--|---|
| WMXE-MD-25-65W-MCTP-P | 25W/45W/65W 140LM/W 3000K/4000K/5000K | 2 |
| WMXE-MD-45-85W-MCTP-P | 45W/65W/85W 140LM/W 3000K/4000K/5000K | 2 |
| WMXE-MD-80-120W-MCTP-P | 80W/100W/120W 140LM/W 3000K/4000K/5000K | 2 |
| WMXE-LG-100-150W-MCTP-P | 100W/120W/150W 140LM/W 3000K/4000K/5000K | 1 |
| WMXE-MD-45-85W-MCTP-P-BK | 45W/65W/85W 140LM/W 3000K/4000K/5000K | 2 |
| WMXE-LG-100-150W-MCTP-P-BK | 100W/120W/150W 140LM/W 3000K/4000K/5000K | 1 |

POWER & 3CCT ADJUSTABLE BUILDER SERIES TRADITIONAL WALL PACK WITH EMERGENCY BACKUP

| | | |
|----------------------------|------------------------------------|---|
| WMXE-MD-25-65W-MCTP-P-EM | 25W/45W/65W 140LM/W 30K/40K/50K | 2 |
| WMXE-MD-45-85W-MCTP-P-EM | 45W/65W/85W 140LM/W 30K/40K/50K | 2 |
| WMXE-MD-80-120W-MCTP-P-EM | 80W/100W/120W 140LM/W 30K/40K/50K | 2 |
| WMXE-LG-100-150W-MCTP-P-EM | 100W/120W/150W 140LM/W 30K/40K/50K | 1 |

FOR COLD-WEATHER EM OPTION SEE PAGE 204

LED NON-CUTOFF WALL PACKS, 120-277V

| CATALOG NO. | DESCRIPTION | REPLACEMENT RANGE | PKG. QTY. |
|-----------------|--------------------|-------------------|-----------|
| WML-HL-30W-30K | 30W 4200LM 3000K | 100-150 MH | 4 |
| WML-HL-60W-30K | 60W 8700LM 3000K | 175-250 MH | 2 |
| WML-HL-80W-30K | 80W 11600LM 3000K | 250-400 MH | 2 |
| WML-HL-100W-30K | 100W 14800LM 3000K | 250-400 MH | 1 |

FOR COLD-WEATHER EM OPTION SEE PAGE 204 FOR SHIELD SEE WMX BELOW

LED NON-CUTOFF WALL PACKS WITH DIRECTIONAL OPTIC LENS, 120-277V

| CATALOG NO. | DESCRIPTION | REPLACEMENT RANGE | PKG. QTY. |
|--------------------|----------------------------|-------------------|-----------|
| WML2-28W-50K-HL-SM | 28W 3780LM 5000K W:10" | 100-150 MH | 4 |
| WML2-50W-50K-SM-D | 50W 6000LM 5000K W:10" | 100-200 MH | 4 |
| WML2-50W-30K-SM | 50W 5500LM 3000K W:10" | 100-200 MH | 4 |
| WML2-50W-30K-HL | 48W 6000LM 3000K W:14-1/4" | 175-250 MH | 1 |



WMXMAX FULL CONTROL OF BEAM ANGLE, CCT, WATTS, PHOTOCELL



| CATALOG NO. | DESCRIPTION | ARRIVES THIS SEASON CHECK & PRE-ORDER |
|-------------|-------------|--|
|-------------|-------------|--|

| | | |
|-----------------------------|---------------|---------------------|
| WMXMAX-40-60W-MCTPB | 40W/50W/60W | 135LM/W 30K/40K/50K |
| WMXMAX-50-80W-MCTPB | 50W/60W/80W | 135LM/W 30K/40K/50K |
| WMXMAX-80-120W-MCTPB | 80W/100W/120W | 135LM/W 30K/40K/50K |



WMX-SM
Dark Bronze



WMX-MD
Dark Bronze



WMX-LG
Dark Bronze



Shield
For WMX Series

SPEC SERIES TRADITIONAL WALL PACK, GLASS LENS 480V OPTION



| NO. | DESCRIPTION | PKG. QTY. |
|-----|-------------|-----------|
|-----|-------------|-----------|

SPEC SERIES TRADITIONAL WALL PACK, POWER ADJUSTABLE

| | | | | | |
|---------------------------|-------------------|---------|-------|------------------------------|---|
| WMX-SM-15-30W-30K | 15W/20W/25W/30W | 130LM/W | 3000K | Replaces WML-HL-30W | 4 |
| WMX-SM-15-30W-40K | 15W/20W/25W/30W | 130LM/W | 4000K | Replaces WML-HL-30W | 4 |
| WMX-SM-15-30W-50K | 15W/20W/25W/30W | 130LM/W | 5000K | Replaces WML-HL-30W | 4 |
| WMX-MD-20-50W-30K | 20/30W/40W/50W | 130LM/W | 3000K | Replaces WML-HL-50W | 2 |
| WMX-MD-20-50W-40K | 20/30W/40W/50W | 130LM/W | 4000K | Replaces WML-HL-50W | 2 |
| WMX-MD-20-50W-50K | 20/30W/40W/50W | 130LM/W | 5000K | Replaces WML-HL-50W | 2 |
| WMX-MD-20-80W-30K | 20W/40W/60W/80W | 130LM/W | 3000K | Replaces WML-HL-60W TO 80W | 2 |
| WMX-MD-20-80W-40K | 20W/40W/60W/80W | 130LM/W | 4000K | Replaces WML-HL-60W TO 80W | 2 |
| WMX-MD-20-80W-50K | 20W/40W/60W/80W | 130LM/W | 5000K | Replaces WML-HL-60W TO 80W | 2 |
| WMX-LG-50-120W-30K | 50W/80W/100W/120W | 130LM/W | 5000K | Replaces WML-HL-100W TO 120W | 1 |
| WMX-LG-50-120W-40K | 50W/80W/100W/120W | 130LM/W | 5000K | Replaces WML-HL-100W TO 120W | 1 |
| WMX-LG-50-120W-50K | 50W/80W/100W/120W | 130LM/W | 5000K | Replaces WML-HL-100W TO 120W | 1 |

SPEC SERIES TRADITIONAL WALL PACK, POWER & CCT ADJUSTABLE

| | | | | | |
|-------------------------------|-------------------|---------|-----------------|--|---|
| WMXPRO-SM-15-30W-MCTP | 15W/20W/25W/30W | 130LM/W | 30K/40K/50K/57K | | 4 |
| WMXPRO-MD-20-60W-MCTP | 20W/30W/50W/60W | 130LM/W | 30K/40K/50K/57K | | 2 |
| WMXPRO-MD-20-80W-MCTP | 20W/40W/60W/80W | 130LM/W | 30K/40K/50K/57K | | 2 |
| WMXPRO-LG-50-120W-MCTP | 50W/80W/100W/120W | 130LM/W | 30K/40K/50K/57K | | 1 |

SPEC SERIES RC TUNABLE WALL PACKS (POWER & COLOR TEMP. TUNABLE)

| | | | | | |
|----------------------|--|------------|-------------|--|---|
| WMX-MCTP-D | 80W Max | 9000LM Max | 3000K-5700K | | 2 |
| WMX-MCTP-D-WH | 80W Max | 9000LM Max | 3000K-5700K | | 2 |
| MCTP-RC1 | Remote Control for Multi-Color Temp. & Power Outdoor Fixture (Required & One per projects) | | | | |

| | | |
|----------------|---|---|
| WML-SH2 | Shield For WML 50W, 60W, 80W, 100W, WMX | - |
| WML-SH3 | Shield For FOR WML 120W | - |

FOR COLD-WEATHER EM OPTION SEE PAGE 204

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

| SIZE | EM OPTION | DESCRIPTION | PHOTOCELL DESCRIPTION | PAINT | SENSOR | DESCRIPTION |
|------|----------------------|------------------------|------------------------|--|------------------------|----------------------------------|
| SM | OPT-EM-WMX-SM | EXTERNAL BOX | | OPT-CLR-85(BK/GR/SR/WH) | OPT-SEN-3MRLV-5 | PROGRAMMABLE MICRO-WAVE BI-LEVEL |
| MD | OPT-EM-WMX-MD | INTERNAL | OPT-PC-B BUTTON | OPT-CLR-95(BK/GR/SR/WH) | WEC-8RC | REMOTE CONTROL |
| LG | OPT-EM-WMX-LG | INTERNAL | | OPT-CLR-95MC (260 SET UP FEE PER PROJECT) | 480 V OPTION | DESCRIPTION |
| | VANDAL RES. | DESCRIPTION | | | OPT-WP-480V | CHANGE VOLTAGE |
| | OPT-TRS-T20 | Tamper Resistant Screw | | | | |



LMW
Bronze

LMW-WH
White

LMW-BK
Black

Shown with EM

Shown with EM

Shown with Sensor

Shown with Sensor

LED MINI CUTOFF WALLPACK, 120-277V, 5"X 5"

See Below for bollard customization

Dark Bronze & White



| CATALOG NO. | DESCRIPTION | | | | | PKG. QTY. |
|----------------|-------------|--------|-------|--------|--|-----------|
| LMW-12W-30K | 12W | 1300LM | 3000K | Bronze | | 12 |
| LMW-12W-40K | 12W | 1300LM | 4000K | Bronze | | 12 |
| LMW-12W-50K | 12W | 1300LM | 5000K | Bronze | | 12 |
| LMW-12W-30K-WH | 12W | 1300LM | 3000K | White | | 12 |
| LMW-12W-40K-WH | 12W | 1300LM | 4000K | White | | 12 |
| LMW-12W-50K-WH | 12W | 1300LM | 5000K | White | | 12 |
| LMW-12W-30K-BK | 12W | 1320LM | 3000K | Black | | 12 |
| LMW-12W-40K-BK | 12W | 1320LM | 4000K | Black | | 12 |
| LMW-12W-50K-BK | 12W | 1320LM | 5000K | Black | | 12 |

POWER & CTT - ADJUSTABLE LED MINI CUTOFF WALLPACK, 120-277V, 5" X 5"


| | | | | | | |
|----------------------|-------------|---------|-------------|--------|--|----|
| LMW-10-24W-MCTP-P | 10W/15W/24W | 110LM/W | 30K/40K/50K | Bronze | | 12 |
| LMW-10-24W-MCTP-P-BK | 10W/15W/24W | 110LM/W | 30K/40K/50K | White | | 12 |
| LMW-10-24W-MCTP-P-WH | 10W/15W/24W | 110LM/W | 30K/40K/50K | Black | | 12 |

FOR BOLLARD SETTINGS SEE PAGE 68



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

| WATTS | EM OPTION | DESCRIPTION | PHOTOCELL DESCRIP- | PAINT | SENSOR | DESCRIPTION |
|-------|------------------|-------------------|--------------------|-------|-------------|--|
| ALL | OPT-EM-LMW | EXTERNAL BACK BOX | OPT-PC-BI | N/A | OPT-SEN-LMW | PROGRAMMABLE MICROWAVE BI-LEVEL (ONLY 2" & 3") |
| | OPT-EM-LMW-WH | EXTERNAL BACK BOX | | | | OPT-SEN-LMW-WH |
| | 0-10V DIM OPTION | DESCRIPTION | | | | |
| | OPT-010DIM | 0-10V Dimming | | | | |



WMS-S-50K-BR
WMS-S-30K-BR
Bronze

WMS-R-50K-BR
WMS-R-50K-BR
Bronze

WMS-S-50K-WH
WMS-S-30K-WH
White

WMS-R-50K-WH
WMS-R-50K-WH
White

Shown with EM

Shown with EM

LED WALL/STEP LIGHTS, 120-277V, 5"X5"

Dark Bronze & White



| CATALOG NO. | DESCRIPTION | | | | | PKG. QTY. |
|--------------|-------------|-------|-------|--|--|-----------|
| WMS-S-50K-BR | 6W | 660LM | 5000K | | | 24 |
| WMS-S-30K-BR | 6W | 630LM | 3000K | | | 24 |
| WMS-R-50K-BR | 6W | 660LM | 5000K | | | 24 |
| WMS-R-30K-BR | 6W | 630LM | 3000K | | | 24 |
| WMS-S-50K-WH | 6W | 660LM | 5000K | | | 24 |
| WMS-S-30K-WH | 6W | 630LM | 3000K | | | 24 |
| WMS-R-50K-WH | 6W | 660LM | 5000K | | | 24 |
| WMS-R-30K-WH | 6W | 630LM | 3000K | | | 24 |

FOR BOLLARD SETTINGS SEE PAGE 68



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

| WATTS | EM OPTION | DESCRIPTION | PHOTOCELL DESCRIPTION | PAINT | SENSOR | DESCRIPTION | |
|-----------------|-----------------|-------------------|-----------------------|-------|-------------------------|----------------|-------------------------------|
| 6W | OPT-EM-WMS | EXTERNAL BACK BOX | N/A | N/A | OPT-CLR-65(BK/GR/SR/WH) | OPT-SEN-LMW | PROGRAMMABLE MICROWAVE |
| 6W | OPT-EM-WMS-WH | EXTERNAL BACK BOX | | | | OPT-SEN-LMW-WH | PROGRAMMABLE MICROWAVE, WHITE |
| POST ALL MODELS | OPT-EM-WMS-POST | POST MOUNT | | | | | |



STP-10X10



STP-10X3



STP-8X3

COMMERCIAL LARGE RECESSED WALL/STEP LIGHTS, 120-277V



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|-------------------|--|-----------|
| STP-10X10-MCTP-BK | 10W/18W/25W 37LM/W 30K/40K/50K Black | 4 |
| STP-10X10-MCTP-GY | 10W/18W/25W 37LM/W 30K/40K/50K Graphite RAL 7016 | 4 |
| STP-10X3-MCT-BK | 10W 47LM/W 30K/40K/50K Black | 6 |
| STP-10X3-MCT-GY | 10W 47LM/W 30K/40K/50K Graphite RAL 7016 | 6 |
| STP-8X3-MCTP-BK | 10W/15W 31LM/W 30K/40K/50K Black | 18 |
| STP-8X3-MCTP-GY | 10W/15W 31LM/W 30K/40K/50K Graphite RAL 7016 | 18 |

MODERN WALL PACK, 3CCT WITH PHOTOCELL



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|----------------|--------------------------------|-----------|
| DLW-15W-MCT-BK | 15W 120LM/W 35W/40W/50K Black | 10 |
| DLW-15W-MCT-BR | 15W 120LM/W 35W/40W/50K Bronze | 10 |
| DLW-15W-MCT-WH | 15W 120LM/W 35W/40W/50K White | 10 |

FOR EM OPTION SEE PAGE 203

MODERN LED SMALL (8.5") WALL PACK WITH PHOTOCELL, 120-277V

Dark Bronze & White



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|---|--|-----------|
| SINGLE POWER & CCT LED SMALL NON-CUTOFF WALL PACK WITH PHOTOCELL | | |
| LESW-15W-30K-P | 15W 1675LM 3000K Bronze | 10 |
| LESW-15W-50K-P | 15W 1875LM 5000K Bronze | 10 |
| LESW-20W-30K-P | 20W 2300LM 3000K Bronze | 10 |
| LESW-20W-50K-P | 20W 2500LM 5000K Bronze | 10 |
| LESW-15W-30K-P-WH | 15W 1675LM 3000K White | 10 |
| LESW-15W-50K-P-WH | 15W 1875LM 5000K White | 10 |
| LESW-20W-30K-P-WH | 20W 2300LM 3000K White | 10 |
| LESW-20W-50K-P-WH | 20W 2500LM 5000K White | 10 |
| POWER & CCT - ADJUSTABLE LED SMALL NON-CUTOFF WALL PACK WITH PHOTOCELL | | |
| LESW-8-15W-MCTP-P | 8W/12W/15W 135LM/W 30K/40K/50K Bronze | |
| LESW-8-15W-MCTP-WH | 8W/12W/15W 135LM/W 30K/40K/50K White | |
| LESW-15-30W-MCTP-P | 15W/20W/30W 135LM/W 3000K/4000K/5000K Bronze | 10 |
| LESW-15-30W-MCTP-P-WH | 15W/20W/30W 135LM/W 3000K/4000K/5000K White | 10 |

FOR EM OPTION SEE PAGE 203

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

| WATTS | EM OPTION | DESCRIPTION | VANDAL RES. | DESCRIPTION | PAINT | SENSOR | DESCRIPTION |
|-------|-------------|-------------|-------------|------------------------|-------|----------------------------|---|
| ALL | OPT-EM-LESW | INTERNAL | OPT-TRS-T20 | Tamper Resistant Screw | N/A | OPT-SEN-3MRLV-6 WEC-3RC | PROGRAMMABLE MICROWAVE BI-LEVEL REMOTE CONTROL |

LED SMALL (11") WALL PACK WITH PHOTOCELL 120-277V TYPE 2 LENS



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|--|---------------------------------------|-----------|
| POWER & CCT-ADJUSTABLE SMALL WALL PACK WITH PHOTOCELL | | |
| LSWX-13-26W-MCTP-PC | 13W/20W/26W 4231LM 30K/40K/50K Bronze | 4 |
| LSWX-13-26W-MCTP-PC-BK | 13W/20W/26W 4231LM 30K/40K/50K Black | 4 |
| LSWX-13-26W-MCTP-PC-WH | 13W/20W/26W 4231LM 30K/40K/50K White | 4 |
| POWER-ADJUSTABLE SMALL WALL PACK WITH PHOTOCELL | | |
| LSWX-5-30W-30K-PC | 5W/10W/20W/30W 124LM/W 3000K Bronze | 6 |
| LSWX-5-30W-40K-PC | 5W/10W/20W/30W 124LM/W 4000K Bronze | 6 |
| LSWX-5-30W-50K-PC | 5W/10W/20W/30W 124LM/W 5000K Bronze | 6 |
| SINGLE POWER AND CCT SMALL WALL PACK WITH PHOTOCELL | | |
| LSWX-20W-30K-PC | 20W 2450LM 3000K Bronze | 6 |
| LSWX-20W-50K-PC | 20W 2450LM 5000K Bronze | 6 |

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

| WATTS | EM OPTION | DESCRIPTION | PHOTOCELL DESCRIPTION | PAINT | SENSOR | DESCRIPTION | |
|-------|-------------|-------------------------|------------------------|------------------|--------|---------------|-------------------------------|
| ALL | OPT-EM-LSWX | INTERNAL | OPT-NOPC | REMOVE PHOTOCELL | N/A | OPT-SEN-SLPIR | EXTERNAL, SECURITY LIGHT TYPE |
| | | VANDAL RES. DESCRIPTION | | | | | |
| | | OPT-TRS-T20 | Tamper Resistant Screw | | | | |



SLX-2H-BR-P
Bronze



SLX-2H-WH-P
White



SLX-2H-BK-P
Black



SLX-2H-BR-D
Bronze



SLX-2H-WH-D
White



SLX-2H-BK-D
Black

**X-GEN ADVANCE SECURITY LIGHTS, WITH AND WITHOUT MOTION SENSOR
POWER AND CCT ADJUSTABLE, 120V**



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|---|------------------------------------|-----------|
| X-GEN ADVANCE SECURITY LIGHTS WITH PIR SENSOR | | |
| SLX-2H-MCTP-BR-P | 16W-25W 130LM/W 30K/40K/50K Bronze | 6 |
| SLX-2H-MCTP-WH-P | 16W-25W 130LM/W 30K/40K/50K White | 6 |
| SLX-2H-MCTP-BK-P | 16W-25W 130LM/W 30K/40K/50K Black | 6 |
| NO-SENSOR DIMMABLE X-GEN ADVANCE SECURITY LIGHTS | | |
| SLX-2H-MCTP-BR-D | 16W-25W 130LM/W 30K/40K/50K Bronze | 6 |
| SLX-2H-MCTP-WH-D | 16W-25W 130LM/W 30K/40K/50K White | 6 |
| SLX-2H-MCTP-BK-D | 16W-25W 130LM/W 30K/40K/50K Black | 6 |



SL-10W-BZ-P
Dark Bronze



SL-20W-BZ-P
Dark Bronze



SL-30W-BZ-P
Dark Bronze



SL-10W-WH-P
White



SL-20W-WH-P
White



SL-30W-WH-P
White

**LED SECURITY LIGHTS WITH PIR SENSOR, 120VAC, 180° SENSOR, 100° BEAM ANGLE (120° 28W)
80% DIM (OR OFF) WHEN NO MOTION DETECTED, 120-277V**



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|------------------------|-------------------------------------|-----------|
| SL-10W-MCT-BZ-P | 10W 950LM 30K/40K/50K Bronze | 8 |
| SL-10W-MCT-WH-P | 10W 950LM 30K/40K/50K White | 8 |
| SL-20W-50K-BZ-P | 20W 1900LM 5000K Bronze | 8 |
| SL-20W-30K-BZ-P | 20W 1900LM 3000K Bronze | 8 |
| SL-20W-MCT-BZ-P | 20W 1900LM 3000K/4000K/5000K Bronze | 8 |
| SL-20W-50K-WH-P | 20W 1900LM 5000K White | 8 |
| SL-20W-30K-WH-P | 20W 1900LM 3000K White | 8 |
| SL-20W-MCT-WH-P | 20W 1900LM 3000K/4000K/5000K White | 8 |
| SL-30W-50K-BZ-P | 30W 2800LM 5000K Bronze | 8 |
| SL-30W-30K-BZ-P | 30W 2800LM 3000K Bronze | 8 |
| SL-30W-MCT-BZ-P | 30W 2800LM 3000K/4000K/5000K Bronze | 8 |
| SL-30W-50K-WH-P | 30W 2800LM 5000K White | 8 |
| SL-30W-30K-WH-P | 30W 2800LM 3000K White | 8 |
| SL-30W-MCT-WH-P | 30W 2800LM 3000K/4000K/5000K White | 8 |

WITH SENSOR

OUTDOOR SECURITY LIGHTS



SL-10W-50K-BZ-D
SL-10W-30K-BZ-D
SL-10W-MCT-BZ-D
Dark Bronze



SL-10W-50K-WH-D
SL-10W-30K-WH-D
SL-10W-MCT-WH-D
White



SL-20W-50K-BZ-D
SL-20W-30K-BZ-D
SL-20W-MCT-BZ-D
Dark Bronze



SL-20W-50K-WH-D
SL-20W-30K-WH-D
SL-20W-MCT-WH-D
White



SL-30W-50K-BZ-D
SL-30W-30K-BZ-D
SL-30W-MCT-BZ-D
Dark Bronze



SL-30W-50K-WH-D
SL-30W-30K-WH-D
SL-30W-MCT-WH-D
White

NO-SENSOR DIMMABLE LED FLOOD LIGHTS, 120V
(SEE BELOW FOR OPTIONAL MOTION SENSOR OR PHOTOCELL)



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|-----------------|-------------------------------------|-----------|
| SL-10W-50K-BZ-D | 10W 950LM 5000K Bronze | 8 |
| SL-10W-30K-BZ-D | 10W 950LM 3000K Bronze | 8 |
| SL-10W-MCT-BZ-D | 10W 950LM 30K/40K/50K Bronze | 8 |
| SL-10W-50K-WH-D | 10W 950LM 5000K White | 8 |
| SL-10W-30K-WH-D | 10W 950LM 3000K White | 8 |
| SL-10W-MCT-WH-D | 10W 950LM 30K/40K/50K White | 8 |
| SL-20W-50K-BZ-D | 20W 1900LM 5000K Bronze | 8 |
| SL-20W-30K-BZ-D | 20W 1900LM 3000K Bronze | 8 |
| SL-20W-MCT-BZ-D | 20W 1900LM 3000K/4000K/5000K White | 8 |
| SL-20W-MCT-WH-D | 20W 1900LM 3000K/4000K/5000K White | 8 |
| SL-30W-50K-BZ-D | 30W 2800LM 5000K Bronze | 8 |
| SL-30W-30K-BZ-D | 30W 2800LM 3000K Bronze | 8 |
| SL-30W-MCT-BZ-D | 30W 2800LM 3000K/4000K/5000K Bronze | 8 |
| SL-30W-50K-WH-D | 30W 2800LM 5000K White | 8 |
| SL-30W-30K-WH-D | 30W 2800LM 3000K White | 8 |
| SL-30W-MCT-WH-D | 30W 2800LM 3000K/4000K/5000K White | 8 |



SL-20W-50K-BZ
SL-20W-30K-BZ
SL-20W-50K-WH
SL-20W-30K-WH
Bronze/White



SL-28W-50K-BZ-P
SL-28W-30K-BZ-P
SL-28W-50K-WH-P
SL-28W-30K-WH-P
Bronze/White



SL-28W-50K-BZ-D
SL-28W-30K-BZ-D
SL-28W-MCT-BZ-D
SL-28W-50K-WH-D
SL-28W-30K-WH-D
SL-28W-MCT-WH-D
Bronze/White



SL-40W-50K-BZ-D
SL-40W-30K-BZ-D
SL-40W-MCT-BZ-D
SL-40W-50K-WH-D
SL-40W-30K-WH-D
SL-40W-MCT-WH-D
Bronze/White

LED SQUARE HEAD SECURITY LIGHTS



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|---|-------------------------------------|-----------|
| NON-DIMMABLE LED SECURITY LIGHTS WITHOUT SENSOR, BASE COMPATIBLE WITH 4" ROUND W/P BOXES, 120V | | |
| SL-20W-30K-BZ | 20W 2000LM 3000K Bronze | 8 |
| SL-20W-50K-BZ | 20W 2000LM 5000K Bronze | 8 |
| SL-20W-30K-WH | 20W 2000LM 3000K White | 8 |
| SL-20W-50K-WH | 20W 2000LM 5000K White | 8 |
| LED SECURITY LIGHTS WITH PIR SENSOR, 180° SENSOR 80%, DIM (OR OFF) WHEN NO MOTION DETECTED, 120-277V | | |
| SL-28W-50K-BZ-P | 28W 3400LM 5000K Bronze | 4 |
| SL-28W-30K-BZ-P | 28W 3400LM 3000K Bronze | 4 |
| SL-28W-50K-WH-P | 28W 3400LM 5000K White | 4 |
| SL-28W-30K-WH-P | 28W 3400LM 3000K White | 4 |
| DIMMABLE LED FLOOD LIGHTS WITH OPTIONAL MOTION SENSOR OR PHOTOCELL, 120V | | |
| SL-28W-50K-BZ-D | 28W 3400LM 5000K Bronze | 4 |
| SL-28W-30K-BZ-D | 28W 3400LM 3000K Bronze | 4 |
| SL-28W-MCT-BZ-D | 28W 3400LM 3000K/4000K/5000K Bronze | 4 |
| SL-28W-50K-WH-D | 28W 3400LM 5000K White | 4 |
| SL-28W-30K-WH-D | 28W 3400LM 3000K White | 4 |
| SL-28W-MCT-WH-D | 28W 3400LM 3000K/4000K/5000K White | 4 |
| SL-40W-50K-BZ-D | 40W 4800LM 5000K Bronze | 4 |
| SL-40W-30K-BZ-D | 40W 4800LM 3000K Bronze | 4 |
| SL-40W-MCT-BZ-D | 40W 4800LM 3000K/4000K/5000K Bronze | 4 |
| SL-40W-50K-WH-D | 40W 4800LM 5000K White | 4 |
| SL-40W-30K-WH-D | 40W 4800LM 3000K White | 4 |
| SL-40W-MCT-WH-D | 40W 4800LM 3000K/4000K/5000K White | 4 |

FOR PHOTOCELL & SENSOR SEE PAGES 69 & 70.



Crest & Westgate

LED WALL SCONCES

OUTDOOR
DECORATIVE
WALL MOUNT

ALL MODELS PROVIDE UP/DOWN LIGHT



10W

MP



10W

MP


CRES

| CATALOG NO. | TRIM CODE DESCRIPTION | COLOR TEMPERATURE | | FINISH | |
|--|--------------------------|-------------------|------------------|------------------|------------------|
| | | CODE DESCRIPTION | CODE DESCRIPTION | CODE DESCRIPTION | CODE DESCRIPTION |
| CRE 10W (900LM) | 01 Lunette | 30K 3000K | BR | Bronze | |
| CRE-MP MP 5W/10W/15W/20W | 02 Aperture | 40K 4000K | SIL | Silver | |
| | 03 Grasp | 50K 5000K | | | |
| | 04 Curve | | | | |
| | 05 Pen | | | | |
| | 06 Still | | | | |
| | 07 Passage | | | | |
| | 08 Crush | | | | |
| | 10 Burrow | | | | |
| | 51 Tunnel | | | | |
| | 52 Grille | | | | |



100-277V AC

Sample Ordering:



Alternatively, you may purchase Light Engines and Trims separately for your stock to offer various combinations.

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

| WATTS | EM OPTION | DESCRIPTION | PHOTOCELL | DESCRIPTION | PAINT | SENSOR |
|-------|------------|-------------|-----------|-------------|-------------------------|-----------------------|
| ALL | OPT-EM-CRE | INTERNAL | OPT-PC-B | 120-277V | OPT-CLR-85(BK/GR/SR/WH) | DEPENDS ON MODEL-CALL |

ADJUSTABLE BEAM ANGLE OUTDOOR/INDOOR DESIGNER WALL SCONCE



| CATALOG NO. | DESCRIPTION | WATTS | EM OPTION | DESCRIPTION | PHOTOCELL | DESCRIPTION | PAINT | SENSOR |
|-----------------|-------------|--------|-----------|-------------|-----------|-------------|--------|--------|
| CREA-56-MCTP-BR | 14W/18W/24W | 80LM/W | | 30K/40K/50K | Square | | Bronze | |
| CREA-57-MCTP-BR | 14W/18W/24W | 80LM/W | | 30K/40K/50K | Square | | Bronze | |
| CREA-56-MCTP-WH | 14W/18W/24W | 80LM/W | | 30K/40K/50K | Round | | White | |
| CREA-57-MCTP-WH | 14W/18W/24W | 80LM/W | | 30K/40K/50K | Round | | White | |



Beam Adjustable

WESTGATE
Loving Lighting?



WSX-20-40W-MCTP-HA
Horizontal Arm



WSX-20-40W-MCTP-HAD
Decorative Horizontal Arm



WSX-20-40W-MCTP-SCH
45° Suspended Chain, Canopy, Cord



WSX-20-40W-MCTP-45DA
45-Degree Arm



WSX-20-40W-MCTP-HLA
15° Long Horizontal Arm



Factory-Installed
Wire Guard Option
OPT-WSX-WG



WSX-20-40W-MCTP-HA
Shown with Optional White/
Alabaster Lenses - Standard is
Frosted - See Options Below



WSX-20-40W-MCTP-SRK-218
WSX-20-40W-MCTP-SRK-224
24" or 48" Swivel Rod Kit

SPEC SERIES POWER & CCT- ADJUSTABLE
X-GEN SEASIDE LIGHT, 120-277V, (DIA: 10-3/4")

7 DAYS LEAD TIME



| DESCRIPTION | PKG. QTY. |
|--|-----------|
| WSX-20-40W-MCTP-HA 20W/30W/40W 100LM/W 30K/40K/50K Horizontal Arm | 4 |
| WSX-20-40W-MCTP-45DA 20W/30W/40W 100LM/W 30K/40K/50K 45-Degree Arm | 1 |
| WSX-20-40W-MCTP-HAD 20W/30W/40W 100LM/W 30K/40K/50K Decorative Horizontal Arm | 1 |
| WSX-20-40W-MCTP-HLA 20W/30W/40W 100LM/W 30K/40K/50K 15° Long Horizontal Arm | 1 |
| WSX-20-40W-MCTP-SCH 20W/30W/40W 100LM/W 30K/40K/50K 45° Suspended Chain, Canopy, Cord | 1 |
| WSX-20-40W-MCTP-SRK-218 20W/30W/40W 100LM/W 30K/40K/50K 18" or 36" Swivel Rod Kit | 1 |
| WSX-20-40W-MCTP-SRK-224 20W/30W/40W 100LM/W 30K/40K/50K 24" or 48" Swivel Rod Kit | 1 |
| WSX-RL-WH WSX Original White Lens Replacement (Default Lens) | |
| WSX-RL-FR WSX Optional Frosted Lens | |
| WSX-RL-AB WSX Optional Alabaster Lens | |

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

| WATTS | EM OPTION | DESCRIPTION | PHOTOCELL | DESCRIPTION | PAINT | SENSOR | DESCRIPTION |
|------------|-------------------|-------------|-----------------|-------------|-------|--------------------|-------------|
| ALL MODELS | OPT-EM-WSX | BACK BOX | OPT-PC-B | BUTTON | N/A | OPT-SEN-WSX | back box |
| | WIREGUARD | DESCRIPTION | | | | | |
| | OPT-WSX-WG | WIREGUARD | | | | | |



WSO-20-40W-MCTP-HA
Horizontal Arm



WSO-20-40W-MCTP-HAD
Decorative Horizontal Arm



WSO-20-40W-MCTP-HAD-AZ
Decorative Horizontal Arm

POWER & CCT- ADJUSTABLE OCEANSIDE LIGHT, 120-277V



| CATALOG NO. | DESCRIPTION | ARRIVES THIS SEASON CHECK & PRE-ORDER |
|-------------------------------|---|--|
| WSO-20-40W-MCTP-HA | 20W/30W/40W 100LM/W 30K/40K/50K Horizontal Arm | |
| WSO-20-40W-MCTP-HAD | 20W/30W/40W 100LM/W 30K/40K/50K Decorative Horizontal Arm | |
| WSO-20-40W-MCTP-HAD-AZ | 20W/30W/40W 100LM/W 30K/40K/50K Decorative Horizontal Arm | |



GNB-25W-MCT-BR-P
Bronze



GNB-40W-MCT-BR-P
Bronze



GNB-25W-MCT-WH-P
White



GNB-40W-MCT-WH-P
White

3CCT GOOSENECK BARN LIGHT WITH INTEGRATED PHOTOCELL



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|-------------------------|-------------------------------------|-----------|
| GNB-25W-MCT-BR-P | 25W 3000LM 3000K/4000K/5000K Bronze | 2 |
| GNB-25W-MCT-WH-P | 25W 3000LM 3000K/4000K/5000K White | 2 |
| GNB-40W-MCT-BR-P | 40W 4800LM 3000K/4000K/5000K Bronze | 2 |
| GNB-40W-MCT-WH-P | 40W 4800LM 3000K/4000K/5000K White | 2 |

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

| WATTS | EM OPTION | DESCRIPTION | PHOTOCELL | DESCRIPTION | PAINT | SENSOR | DESCRIPTION |
|------------|-------------------|-------------|-----------|-------------|-------|--------|-------------|
| ALL MODELS | OPT-EM-GNB | BACK BOX | N/A | N/A | N/A | N/A | N/A |



WMA-UDL-MCTP-BK-D
Black



WMA-UDL-MCTP-BR-D
Bronze



WMA-UDL-MCTP-WH-D
White



WMA-UDL-MCTP-SIL-D
Silver

7" ARCHITECTURAL COMMERCIAL DESIGNER OUTDOOR CYLINDER, UP/DOWN CONTROLS & PHOTOCELL



| CATALOG NO. | DESCRIPTION | ARRIVES THIS SEASON CHECK & PRE-ORDER | PKG. QTY. |
|---------------------------|---|--|--------------|
| WMA-UDL-MCTP-BK-D | 18W/30W/45W/60W 110LM/W 30K/40K/50K Black | | 1 |
| WMA-UDL-MCTP-BR-D | 18W/30W/45W/60W 110LM/W 30K/40K/50K Bronze | | 1 |
| WMA-UDL-MCTP-WH-D | 18W/30W/45W/60W 110LM/W 30K/40K/50K White | | 1 |
| WMA-UDL-MCTP-SIL-D | 18W/30W/45W/60W 110LM/W 30K/40K/50K Silver | | 1 |



WMC2-DL-BR
Bronze



WMC2-DL-BN
Brushed Nickel



WMC2-DL-WH
White



WMC2-DL-BK
Black



WMC2-UDL-BR
Bronze



WMC2-UDL-BN
Brushed Nickel



WMC2-UDL-WH
White



WMC2-UDL-BK
Black



WMC3-DL-BR
Bronze



WMC3-DL-BN
Brushed Nickel



WMC3-DL-WH
White



WMC3-DL-BK
Black



WMC3-UDL-BR
Bronze



WMC3-UDL-BN
Brushed Nickel



WMC3-UDL-WH
White



WMC3-UDL-BK
Black

2" & 3" CCT-ADJUSTABLE LED OUTDOOR CYLINDER LIGHTS, IP65



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|--|--|--------------|
| 2" LED CYLINDER LIGHTS, 120V (DOWN LIGHT) H: 8" | | |
| WMC2-DL-MCT-BR-DT | 6W 400LM 3000K/4000K/5000K 25° Bronze | 12 |
| WMC2-DL-MCT-BN-DT | 6W 400LM 3000K/4000K/5000K 25° Brushed Nickel | 12 |
| WMC2-DL-MCT-WH-DT | 6W 400LM 3000K/4000K/5000K 25° White | 12 |
| WMC2-DL-MCT-BK-DT | 6W 400LM 3000K/4000K/5000K 25° Black | 12 |
| WMC2-DL-MCT-AZ-DT | 6W 400LM 3000K/4000K/5000K 25° Antique Bronze | 12 |
| 2" LED CYLINDER LIGHTS, 120V (UP/DOWN LIGHT) H: 10" | | |
| WMC2-UDL-MCT-BR-DT | 12W 800LM 3000K/4000K/5000K 25° Bronze | 12 |
| WMC2-UDL-MCT-BN-DT | 12W 800LM 3000K/4000K/5000K 25° Brushed Nickel | 12 |
| WMC2-UDL-MCT-WH-DT | 12W 800LM 3000K/4000K/5000K 25° White | 12 |
| WMC2-UDL-MCT-BK-DT | 12W 800LM 3000K/4000K/5000K 25° Black | 12 |
| WMC2-UDL-MCT-AZ-DT | 12W 800LM 3000K/4000K/5000K 25° Antique Bronze | 12 |
| 3" LED CYLINDER LIGHTS, 120V (DOWN LIGHT) H: 6" | | |
| WMC3-DL-MCT-BR-DT | 9W 650LM 3000K/4000K/5000K 30° Bronze | 12 |
| WMC3-DL-MCT-BN-DT | 9W 650LM 3000K/4000K/5000K 30° Brushed Nickel | 12 |
| WMC3-DL-MCT-WH-DT | 9W 650LM 3000K/4000K/5000K 30° White | 12 |
| WMC3-DL-MCT-BK-DT | 9W 650LM 3000K/4000K/5000K 30° Black | 12 |
| WMC3-DL-MCT-AZ-DT | 9W 650LM 3000K/4000K/5000K 30° Antique Bronze | 12 |
| 3" LED CYLINDER LIGHTS, 120V (UP/DOWN LIGHT) H: 10" | | |
| WMC3-UDL-MCT-BR-DT | 18W 1300LM 3000K/4000K/5000K 30° Bronze | 12 |
| WMC3-UDL-MCT-BN-DT | 18W 1300LM 3000K/4000K/5000K 30° Brushed Nickel | 12 |
| WMC3-UDL-MCT-WH-DT | 18W 1300LM 3000K/4000K/5000K 30° White | 12 |
| WMC3-UDL-MCT-BK-DT | 18W 1300LM 3000K/4000K/5000K 30° Black | 12 |
| WMC3-UDL-MCT-AZ-DT | 18W 1300LM 3000K/4000K/5000K 30° Antique Bronze | 12 |

ACRYLIC DROP LENS FOR WMC

CWMC2-DL32
CWMC3-DL32

CMC2 And WMC2 32mm Acrylic Drop Lens
CMC3 And WMC3 32mm Acrylic Drop Lens



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

| SIZE | EM OPTION | DESCRIPTION | PHOTOCELL | DESCRIPTION | PAINT | SENSOR | DESCRIPTION |
|---------|--------------------------|-------------------|--------------------|--------------------------------|-------|--------------------------------|------------------------------------|
| 2" & 3" | OPT-EM-WMC-EXT-BR | EXTERNAL BACK BOX | OPT-PC-BUM | BUTTON | N/A | OPT-SEN-WMC WEC-BRC | ONLY FOR 4" & UP REMOTE CONTROL |
| 2" & 3" | OPT-EM-WMC-EXT-BN | EXTERNAL BACK BOX | 277V OPTION | DESCRIPTION | | | |
| 2" & 3" | OPT-EM-WMC-EXT-WH | EXTERNAL BACK BOX | OPT-277V | INTERNAL (ONLY FOR WMC DL UDL) | | | |
| 2" & 3" | OPT-EM-WMC-EXT-BK | EXTERNAL BACK BOX | | | | | |
| 4" & UP | OPT-EM-WMC | INTERNAL | | | | | |

OUTDOOR
DECORATIVE
WALL MOUNT



WMC-DL-BR
Bronze



WMC-DL-BN
Brushed Nickel



WMC-DL-WH
White



WMC-DL-BK
Black



WMC-UDL-BR
Bronze



WMC-UDL-BN
Brushed Nickel



WMC-UDL-WH
White



WMC-UDL-BK
Black

OUTDOOR
DECORATIVE
WALL MOUNT

4" CCT-ADJUSTABLE LED OUTDOOR CYLINDER LIGHTS, IP65



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|---|--|-----------|
| 4" LED CYLINDER LIGHTS, 120V (DOWN LIGHT) H: 8" | | |
| WMC-DL-MCT-BR-DT | 15W 1200LM 3000K/4000K/5000K 40° Bronze | 6 |
| WMC-DL-MCT-BN-DT | 15W 1200LM 3000K/4000K/5000K 40° Brushed Nickel | 6 |
| WMC-DL-MCT-WH-DT | 15W 1200LM 3000K/4000K/5000K 40° White | 6 |
| WMC-DL-MCT-BK-DT | 15W 1200LM 3000K/4000K/5000K 40° Black | 6 |
| WMC-DL-MCT-AZ-DT | 15W 1200LM 3000K/4000K/5000K 40° Antique Bronze | 6 |
| 4" LED CYLINDER LIGHTS, 120V (UP/DOWN LIGHT) H: 12" | | |
| WMC-UDL-MCT-BR-DT | 30W 2400LM 3000K/4000K/5000K 40° Bronze | 6 |
| WMC-UDL-MCT-BN-DT | 30W 2400LM 3000K/4000K/5000K 40° Brushed Nickel | 6 |
| WMC-UDL-MCT-WH-DT | 30W 2400LM 3000K/4000K/5000K 40° White | 6 |
| WMC-UDL-MCT-BK-DT | 30W 2400LM 3000K/4000K/5000K 40° Black | 6 |
| 4" LED CYLINDER LIGHTS, 120-277V WITH PHOTOCELL (UP/DOWN LIGHT) H: 12" | | |
| WMC4-UDL-MCTP-BR-DD-P | 2x9W/2x12W /2x15W 80LM/W 30K/40K/50K 45° Bronze | 6 |
| WMC4-UDL-MCTP-BN-DD-P | 2x9W/2x12W /2x15W 80LM/W 30K/40K/50K 45° Brushed Nickel | 6 |
| WMC4-UDL-MCTP-WH-DD-P | 2x9W/2x12W /2x15W 80LM/W 30K/40K/50K 45° White | 6 |
| WMC4-UDL-MCTP-BK-DD-P | 2x9W/2x12W /2x15W 80LM/W 30K/40K/50K 45° Black | 6 |
| WMC4-UDL-MCTP-AZ-DD-P | 2x9W/2x12W /2x15W 2400LM 3000K/4000K/5000K 45° Antique Bronze | 6 |

**ACRYLIC DROP LENS FOR WMC
WMC4-DL32**

WMC4 32mm Acrylic Drop Lens



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

| SIZE | EM OPTION | DESCRIPTION | PHOTOCELL | DESCRIPTION | PAINT | SENSOR | DESCRIPTION |
|---------|--------------------------|-------------------|--------------------|--------------------------------|-------|--------------------------------|------------------------------------|
| 2" & 3" | OPT-EM-WMC-EXT-BR | EXTERNAL BACK BOX | OPT-PC-BUM | BUTTON | N/A | OPT-SEN-WMC WEC-8RC | ONLY FOR 4" & UP REMOTE CONTROL |
| 2" & 3" | OPT-EM-WMC-EXT-BN | EXTERNAL BACK BOX | 277V OPTION | DESCRIPTION | | | |
| 2" & 3" | OPT-EM-WMC-EXT-WH | EXTERNAL BACK BOX | OPT-277V | INTERNAL (ONLY FOR WMC DL UDL) | | | |
| 2" & 3" | OPT-EM-WMC-EXT-BK | EXTERNAL BACK BOX | | | | | |
| 4" & UP | OPT-EM-WMC | INTERNAL | | | | | |



6" & 8" CCT-ADJUSTABLE LED OUTDOOR CYLINDER LIGHTS, IP65



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|---|---|-----------|
| 6" LED CYLINDER LIGHTS, 120-277V (DOWN LIGHT) H: 8" | | |
| WMCL-DL-MCT-BR | 20W 1600LM 3000K/4000K/5000K 45° Bronze | 4 |
| WMCL-DL-MCT-BN | 20W 1600LM 3000K/4000K/5000K 45° Brushed Nickel | 4 |
| WMCL-DL-MCT-WH | 20W 1600LM 3000K/4000K/5000K 45° White | 4 |
| WMCL-DL-MCT-BK | 20W 1600LM 3000K/4000K/5000K 45° Black | 4 |
| WMCL-DL-MCT-AZ | 20W 1600LM 3000K/4000K/5000K 45° Antique Bronze | 4 |
| 6" LED CYLINDER LIGHTS, 120-277V (UP/DOWN LIGHT) H: 18" | | |
| WMCL-UDL-MCT-BR | 40W 3200LM 3000K/4000K/5000K 45° Bronze | 4 |
| WMCL-UDL-MCT-BN | 40W 3200LM 3000K/4000K/5000K 45° Brushed Nickel | 4 |
| WMCL-UDL-MCT-WH | 40W 3200LM 3000K/4000K/5000K 45° White | 4 |
| WMCL-UDL-MCT-BK | 40W 3200LM 3000K/4000K/5000K 45° Black | 4 |
| 6" LED CYLINDER LIGHTS, 120-277V WITH PHOTOCELL (UP/DOWN LIGHT) H: 18" | | |
| WMC6-UDL-MCTP-BK-DD-P | 2x12W/2x16W/2x20W 80LM/W 30K/40K/50K 45° Bronze | 4 |
| WMC6-UDL-MCTP-BR-DD-P | 2x12W/2x16W/2x20W 80LM/W 30K/40K/50K 45° Brushed Nickel | 4 |
| WMC6-UDL-MCTP-BN-DD-P | 2x12W/2x16W/2x20W 80LM/W 30K/40K/50K 45° White | 4 |
| WMC6-UDL-MCTP-WH-DD-P | 2x12W/2x16W/2x20W 80LM/W 30K/40K/50K 45° Black | 4 |
| WMC6-UDL-MCTP-AZ-DD-P | 2x12W/2x16W/2x20W 80LM/W 30K/40K/50K 45° Antique Bronze | 4 |
| 8" LED CYLINDER LIGHTS, 120-277V (DOWN LIGHT) H: 10.1" | | |
| WMC8-DL-MCT-BR-D | 40W 3200LM 3000K/4000K/5000K 50° Bronze | 4 |
| WMC8-DL-MCT-BN-D | 40W 3200LM 3000K/4000K/5000K 50° Brushed Nickel | 4 |
| WMC8-DL-MCT-WH-D | 40W 3200LM 3000K/4000K/5000K 50° White | 4 |
| WMC8-DL-MCT-BK-D | 40W 3200LM 3000K/4000K/5000K 50° Black | 4 |
| 8" LED CYLINDER LIGHTS, 120-277V (UP/DOWN LIGHT) H: 10.1" | | |
| WMC8-UDL-MCT-BR-D | 40W 3200LM 3000K/4000K/5000K 50° Bronze | 4 |
| WMC8-UDL-MCT-BN-D | 40W 3200LM 3000K/4000K/5000K 50° Brushed Nickel | 4 |
| WMC8-UDL-MCT-WH-D | 40W 3200LM 3000K/4000K/5000K 50° White | 4 |
| WMC8-UDL-MCT-BK-D | 40W 3200LM 3000K/4000K/5000K 50° Black | 4 |

ACRYLIC DROP LENS FOR WMC
CWMC6-DL32

CMC6 And WMC6 32mm Acrylic Drop Lens

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

| SIZE | EM OPTION | DESCRIPTION | PHOTOCELL | DESCRIPTION | PAINT | SENSOR | DESCRIPTION |
|---------|-------------------|-------------------|-------------|--------------------------------|-------|------------------------|------------------------------------|
| 2" & 3" | OPT-EM-WMC-EXT-BR | EXTERNAL BACK BOX | OPT-PC-BUM | BUTTON | N/A | OPT-SEN-WMC WEC-8RC | ONLY FOR 4" & UP REMOTE CONTROL |
| 2" & 3" | OPT-EM-WMC-EXT-BN | EXTERNAL BACK BOX | 277V OPTION | DESCRIPTION | | | |
| 2" & 3" | OPT-EM-WMC-EXT-WH | EXTERNAL BACK BOX | OPT-277V | INTERNAL (ONLY FOR WMC DL UDL) | | | |
| 2" & 3" | OPT-EM-WMC-EXT-BK | EXTERNAL BACK BOX | | | | | |
| 4" & UP | OPT-EM-WMC | INTERNAL | | | | | |

RGBW LED OUTDOOR CYLINDER LIGHTS, IP65



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|---|---------------------------|-----------|
| 4" LED ROUND CYLINDER LIGHTS, 120V (UP/DOWN LIGHT) H: 12" | | |
| WMC-UDL-RGBW-BK | 24W 1920LM RGBW 25° Black | 6 |
| WMC-UDL-RGBW-WH | 24W 1920LM RGBW 25° White | 6 |
| 4" LED SQUARE CYLINDER LIGHTS, 120V (UP/DOWN LIGHT) H: 10-1/4" | | |
| WMC8-UDL-RGBW-BK | 24W 1920LM RGBW 30° Black | 6 |
| WMC8-UDL-RGBW-WH | 24W 1920LM RGBW 30° White | 6 |

FOR REMOTE CONTROL SEE PAGE 86

ALL MODELS ARE AVAILABLE IN BRONZE, BRUSHED NICKEL, BLACK, & WHITE



4" & 5" CCT-ADJUSTABLE LED SQUARE OUTDOOR CYLINDER LIGHTS, IP65



| CATALOG NO. | DESCRIPTION | | | | PKG. QTY. |
|---|-------------|--------|-------------------|--------------------|-----------|
| 4" LED SQUARE CYLINDER LIGHTS, 120V (DOWN LIGHT) H: 8" | | | | | |
| WMCS-DL-MCT-BR-DT | 12W | 960LM | 3000K/4000K/5000K | 30° Bronze | 6 |
| WMCS-DL-MCT-BN-DT | 12W | 960LM | 3000K/4000K/5000K | 30° Brushed Nickel | 6 |
| WMCS-DL-MCT-WH-DT | 12W | 960LM | 3000K/4000K/5000K | 30° White | 6 |
| WMCS-DL-MCT-BK-DT | 12W | 960LM | 3000K/4000K/5000K | 30° Black | 6 |
| 4" LED SQUARE CYLINDER LIGHTS, 120V (UP/DOWN LIGHT) H: 10-1/4" | | | | | |
| WMCS-UDL-MCT-BR-DT | 24W | 1920LM | 3000K/4000K/5000K | 30° Bronze | 6 |
| WMCS-UDL-MCT-BN-DT | 24W | 1920LM | 3000K/4000K/5000K | 30° Brushed Nickel | 6 |
| WMCS-UDL-MCT-WH-DT | 24W | 1920LM | 3000K/4000K/5000K | 30° White | 6 |
| WMCS-UDL-MCT-BK-DT | 24W | 1920LM | 3000K/4000K/5000K | 30° Black | 6 |
| 5" LED SQUARE CYLINDER LIGHTS, 120-277V (DOWN LIGHT) H: 8" | | | | | |
| WMCS5-DL-MCT-BR-DD | 20W | 1600LM | 30K/40K/50K | 30° Bronze | 6 |
| WMCS5-DL-MCT-BN-DD | 20W | 1600LM | 30K/40K/50K | 30° Brushed Nickel | 6 |
| WMCS5-DL-MCT-WH-DD | 20W | 1600LM | 30K/40K/50K | 30° White | 6 |
| WMCS5-DL-MCT-BK-DD | 20W | 1600LM | 30K/40K/50K | 30° Black | 6 |
| 5" LED SQUARE CYLINDER LIGHTS, 120-277V (UP/DOWN LIGHT) H: 12" | | | | | |
| WMCS5-UDL-MCT-BR-DD | 40W | 3200LM | 30K/40K/50K | 30° Bronze | 6 |
| WMCS5-UDL-MCT-BN-DD | 40W | 3200LM | 30K/40K/50K | 30° Brushed Nickel | 6 |
| WMCS5-UDL-MCT-WH-DD | 40W | 3200LM | 30K/40K/50K | 30° White | 6 |
| WMCS5-UDL-MCT-BK-DD | 40W | 3200LM | 30K/40K/50K | 30° Black | 6 |

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

| SIZE | EM OPTION | DESCRIPTION | PHOTOCELL DESCRIPTION | PAINT | SENSOR | DESCRIPTION |
|---------|-------------|-------------|-----------------------|-------|---------------------|--|
| 4" & UP | OPT-EM-WMCS | INTERNAL | OPT-PC-B BUTTON | N/A | OPT-SEN-WMC WEC-8RC | PROGRAMMABLE MICROWAVE BI-LEVEL REMOTE CONTROL |



WMQ5-UDL-MCTP-BK-P
Black



WMQ5-UDL-MCTP-BR-P
Bronze



WMQ5-UDL-MCTP-WH-P
White



WMQ5-UDL-MCTP-BN-P
Brushed Nickel

UP-DOWN SELECTABLE CUBE WALL LIGHT, POWER AND CCT ADJUSTABLE, 4.87" (L) x 4.87" (H) X 4.87" (W)



| CATALOG NO. | DESCRIPTION | | | | PKG. QTY. |
|--------------------|----------------|---------|-------------|----------------|-----------|
| WMQ5-UDL-MCTP-BK-P | 6W/12W/15W/18W | 104LM/W | 30K/40K/50K | Black | 6 |
| WMQ5-UDL-MCTP-BR-P | 6W/12W/15W/18W | 104LM/W | 30K/40K/50K | Bronze | 6 |
| WMQ5-UDL-MCTP-WH-P | 6W/12W/15W/18W | 104LM/W | 30K/40K/50K | White | 6 |
| WMQ5-UDL-MCTP-BN-P | 6W/12W/15W/18W | 104LM/W | 30K/40K/50K | Brushed Nickel | 6 |

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

| WATTS | EM OPTION | DESCRIPTION | VANDAL RES. | DESCRIPTION | PAINT | SENSOR | DESCRIPTION |
|-------|----------------|-------------|-------------|-------------|-------|--------|-------------|
| ALL | OPT-EM-WMQ5-BK | BACK BOX | N/A | N/A | N/A | N/A | N/A |
| | OPT-EM-WMQ5-BR | BACK BOX | | | | | |
| | OPT-EM-WMQ5-WH | BACK BOX | | | | | |
| | OPT-EM-WMQ5-BN | BACK BOX | | | | | |

OUTDOOR
DECORATIVE
WALL MOUNT



LRS-TU-MCT5-DD-BK
Black



LRS-TU-MCT5-DD-BN
Brushed Nickel



LRS-TU-MCT5-DD-BR
Bronze



LRS-TU-MCT5-DD-WH
White

UP/DOWN TUNNEL WALL SCONCE
RESIDENTIAL/COMMERCIAL DUAL DIMMING, 12"H X 5.5"W X 2-1/8" D



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|--------------------------|--|-----------|
| LRS-TU-MCT5-DD-BK | 2X12W 1920LM 27K/30K/35K/40K/50K Black | 6 |
| LRS-TU-MCT5-DD-BN | 2X12W 1920LM 27K/30K/35K/40K/50K Brushed Nickel | 6 |
| LRS-TU-MCT5-DD-BR | 2X12W 1920LM 27K/30K/35K/40K/50K Bronze | 6 |
| LRS-TU-MCT5-DD-WH | 2X12W 1920LM 27K/30K/35K/40K/50K White | 6 |



LRS-R1-MCT5-DD-ORB
Oil-rubbed bronze



LRS-R2-MCT5-DD-ORB
Oil-rubbed bronze



LRS-T1-MCT5-DD-ORB
Oil-rubbed bronze



LRS-T2-MCT5-DD-ORB
Oil-rubbed bronze



LRS-S1-MCT5-DD-ORB
Oil-rubbed bronze



LRS-S2-MCT5-DD-ORB
Oil-rubbed bronze

DUAL-DIMMING MODERN RESIDENTIAL/COMMERCIAL WALL SCONCES



| CATALOG NO. | DESCRIPTION |
|---|---|
| LRS R MODERN RESIDENTIAL/COMMERCIAL WALL SCONCES | |
| LRS-R1-MCT5-DD-ORB | 20W 1500LM 27K/30K/35K/40K/50K 16" |
| LRS-R2-MCT5-DD-ORB | 25W 1875LM 27K/30K/35K/40K/50K 24" |
| LRS T MODERN RESIDENTIAL/COMMERCIAL WALL SCONCES | |
| LRS-T1-MCT5-DD-ORB | 20W 1500LM 27K/30K/35K/40K/50K 16" |
| LRS-T2-MCT5-DD-ORB | 25W 1875LM 27K/30K/35K/40K/50K 24" |
| LRS S MODERN RESIDENTIAL/COMMERCIAL WALL SCONCES | |
| LRS-S1-MCT5-DD-ORB | 20W 1500LM 27K/30K/35K/40K/50K 16" |
| LRS-S2-MCT5-DD-ORB | 25W 1875LM 27K/30K/35K/40K/50K 24" |



LRS-P1-MCT-BR
Bronze



LRS-P2-MCTP-BR
Bronze

DIE-CAST HIGH PERFORMANCE SELECTABLE 3CCT WALL PACK, PC LENS



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|-----------------------|--|-----------|
| LRS-P1-MCT-BR | 15W 975LM 30K/40K/50K Bronze, 10"H | 8 |
| LRS-P2-MCTP-BR | 20W/25W/30W 70LM/W 30K/40K/50K Bronze, 15"H | 4 |



LDSX-S-12-16W-MCTP-ORB
Oil-Rubbed Bronze



LDSX-L-18-22W-MCTP-ORB
Oil-Rubbed Bronze

OUTDOOR
DECORATIVE
WALL MOUNT

OUTDOOR/INDOOR LED DECORATIVE WALL SCNCE



| CATALOG NO. | DESCRIPTION |
|-------------|-------------|
|-------------|-------------|

FULL-LENS WALL SCNCE, POWER & CCT-ADJUSTABLE

| | | | | |
|-------------------------------|-------------|---------|-------------|-----------------------|
| LDSX-S-12-16W-MCTP-ORB | 12W/14W/16W | 100LM/W | 30K/40K/50K | 8" Oil-Rubbed Bronze |
| LDSX-L-18-22W-MCTP-ORB | 18W/20W/22W | 100LM/W | 30K/40K/50K | 14" Oil-Rubbed Bronze |

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

| WATTS | EM OPTION | DESCRIPTION | PHOTOCELL | DESCRIPTION | PAINT | SENSOR | DESCRIPTION |
|--------|----------------------|-------------|---------------------|--------------|-------|-----------------------|---------------------------------|
| LDS | OPT-EM-LDS | | OPT-PC-B1 | BUTTON | N/A | OPT-SEN-LDS-BR | PROGRAMMABLE MICROWAVE BI-LEVEL |
| LDSX-S | OPT-EM-LDSX-S | | 277V OPTION | DESCRIPTION | | OPT-SEN-LDS-GY | PROGRAMMABLE MICROWAVE BI-LEVEL |
| LDSX-L | OPT-EM-LDSX-L | | OPT-277V-LDS | EXTERNAL BOX | | WEC-8RC | OPTIONAL REMOTE |



LDSW-MCT5-ORB
Oil-Rubbed Bronze



LDSW-MCT5-SIL
Silver



LDSS-MCT5-ORB
Oil-Rubbed Bronze

OUTDOOR/INDOOR LED DECORATIVE WALL SCNCE



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|-------------|-------------|-----------|
|-------------|-------------|-----------|

| | | | | |
|---|-----|--------|---------------------------------------|---|
| 10" OUTDOOR/INDOOR LED DECORATIVE WALL SCNCE, 120V (10" WIDE) | | | MCT5 | |
| LDSW-MCT5-ORB | 12W | 1200LM | 27K/30K/35K/40K/50K Oil-Rubbed Bronze | 6 |
| LDSW-MCT5-SIL | 12W | 1200LM | 27K/30K/35K/40K/50K Silver | 6 |
| 10" OUTDOOR/INDOOR LED DECORATIVE WALL SCNCE, 120V (8.7" WIDE) | | | MCT5 | |
| LDSS-MCT5-ORB | 12W | 1200LM | 27K/30K/35K/40K/50K Oil-Rubbed Bronze | 6 |

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

| WATTS | 277V OPTION | DESCRIPTION | PHOTOCELL | DESCRIPTION | PAINT | SENSOR | DESCRIPTION |
|------------|-------------|-------------|------------------|-------------|-------|--------|-------------|
| LDSW, LDSS | N/A | N/A | OPT-PC-B1 | BUTTON | N/A | N/A | N/A |

OUTDOOR
DECORATIVE
WALL MOUNT



OUTDOOR/INDOOR LED DECORATIVE WALL SCENCE



| CATALOG NO. | DESCRIPTION | | | | PKG. QTY. |
|--|-------------|--------|---------------------|-------------------|-----------|
| 10" OUTDOOR/INDOOR LED DECORATIVE WALL SCENCE, 120V (7" WIDE) | | | | | |
| LDS-MCT5-DT-ORB | 15W | 980LM | 27K/30K/35K/40K/50K | Oil-Rubbed Bronze | 4 |
| LDS-MCT5-DT-SIL | 15W | 980LM | 27K/30K/35K/40K/50K | Silver | 4 |
| LDS-MCT5-DT-BK | 15W | 980LM | 27K/30K/35K/40K/50K | Black | 4 |
| 10" OUTDOOR/INDOOR LED DECORATIVE WALL SCENCE WITH PIR SENSOR, 120V (7" WIDE) | | | | | |
| LDS-MCT5-DT-PIR-ORB | 15W | 980LM | 27K/30K/35K/40K/50K | Oil-Rubbed Bronze | 4 |
| LDS-MCT5-DT-PIR-SIL | 15W | 980LM | 27K/30K/35K/40K/50K | Silver | 4 |
| LDS-MCT5-DT-PIR-BK | 15W | 980LM | 27K/30K/35K/40K/50K | Black | 4 |
| 18" OUTDOOR/INDOOR LED DECORATIVE WALL SCENCE, 120-277V (6" WIDE) | | | | | |
| LDSL-MCT-D-BZ | 20W | 1500LM | 3000K/4000K/5000K | Bronze | 6 |
| LDSL-MCT-D-SIL | 20W | 1500LM | 3500K/4000K/5000K | Silver | 6 |
| LDSL-MCT-D-BK | 20W | 1500LM | 3500K/4000K/5000K | Black | 6 |
| 24" OUTDOOR/INDOOR LED DECORATIVE WALL SCENCE, 120-277V (6" WIDE) | | | | | |
| LDSXL-MCT-DD-ORB | 25W | 1800LM | 30K/40K/50K | Oil-Rubbed Bronze | 4 |
| LDSXL-MCT-DD-SIL | 25W | 1800LM | 30K/40K/50K | Silver | 4 |
| LDSXL-MCT-DD-BK | 25W | 1800LM | 30K/40K/50K | Black | 4 |
| 18" OUTDOOR/INDOOR LED DECORATIVE WALL SCENCE, 120-277V | | | | | |
| LDSC-18-MCTP-DD-ORB | 15W/20W/25W | 80LM/W | 30K/40K/50K | Oil-Rubbed Bronze | 4 |
| LDSC-18-MCTP-DD-SIL | 15W/20W/25W | 80LM/W | 30K/40K/50K | Silver | 4 |
| LDSC-18-MCTP-DD-BK | 15W/20W/25W | 80LM/W | 30K/40K/50K | Black | 4 |
| 24" OUTDOOR/INDOOR LED DECORATIVE WALL SCENCE, 120-277V | | | | | |
| LDSC-24-MCTP-DD-ORB | 20W/25W/30W | 80LM/W | 30K/40K/50K | Oil-Rubbed Bronze | 4 |
| LDSC-24-MCTP-DD-SIL | 20W/25W/30W | 80LM/W | 30K/40K/50K | Silver | 4 |
| LDSC-24-MCTP-DD-BK | 20W/25W/30W | 80LM/W | 30K/40K/50K | Black | 4 |

LDSXL DIMMING: (DUAL FUNCTION) TRIAC DIMMABLE AT 120V & 0-10V DIMMING AT 120-277V

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

| WATTS | EM OPTION | DESCRIPTION | PHOTOCELL | DESCRIPTION | PAINT | SENSOR | DESCRIPTION |
|--------|----------------------|-------------|---------------------|--------------|-------|-----------------------|---------------------------------|
| LDS | OPT-EM-LDS | | OPT-PC-B1 | BUTTON | N/A | OPT-SEN-LDS-BR | PROGRAMMABLE MICROWAVE BI-LEVEL |
| LDSX-S | OPT-EM-LDSX-S | | 277V OPTION | DESCRIPTION | | OPT-SEN-LDS-GY | PROGRAMMABLE MICROWAVE BI-LEVEL |
| LDSX-L | OPT-EM-LDSX-L | | OPT-277V-LDS | EXTERNAL BOX | | WEC-BRC | OPTIONAL REMOTE |

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

| WATTS | EM OPTION | DESCRIPTION | PHOTOCELL | DESCRIPTION | PAINT | SENSOR | DESCRIPTION |
|-------|--------------------------|-------------|-----------------|-------------|-------|--------|-------------|
| LDSL | OPT-EM-LDSL | INTERNAL | OPT-PC-B | BUTTON | N/A | N/A | N/A |
| LDSXL | OPT-EM-LDSXL | INTERNAL | | | | | |
| LDSXL | OPT-EM-LDSXL-277V | INTERNAL | | | | | |



LRS-J1S-MCT-C90-BK
Black



LRS-J1S-MCT-C90-BN
Brushed-Nickel



LRS-J1S-MCT-C90-BR
Bronze



LRS-J-MCT-C90-BK
Black



LRS-J-MCT-C90-BN
Brushed-Nickel



LRS-J-MCT-C90-BR
Bronze

MODEL J ARCHITECTURAL OUTDOOR/INDOOR LED WALL LIGHTS
120V, SOLID ACRYLIC LENS



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|-------------|-------------|-----------|
|-------------|-------------|-----------|

1-SIDE DECORATIVE OUTDOOR WALL LIGHT

| | | |
|--------------------|--|----|
| LRS-J1S-MCT-C90-BK | 10W 700LM 3000K/4000K/5000K Black | 10 |
| LRS-J1S-MCT-C90-BR | 10W 700LM 3000K/4000K/5000K Bronze | 10 |
| LRS-J1S-MCT-C90-BN | 10W 700LM 3000K/4000K/5000K Brushed-Nickel | 10 |

2-SIDES DECORATIVE OUTDOOR WALL LIGHT

| | | |
|------------------|---|----|
| LRS-J-MCT-C90-BK | 20W 1400LM 3000K/4000K/5000K Black | 10 |
| LRS-J-MCT-C90-BR | 20W 1400LM 3000K/4000K/5000K Bronze | 10 |
| LRS-J-MCT-C90-BN | 20W 1400LM 3000K/4000K/5000K Brushed-Nickel | 10 |



LRS-E-MCT-C90-BK
Black



LRS-E-MCT-C90-MGBR
Marine Grade Bronze



LRS-E-MCT-C90-WH
White



LRS-F-MCT-C90-BK
Black



LRS-F-MCT-C90-MGBR
Marine Grade Bronze



LRS-F-MCT-C90-WH
White



LRS-G-MCT-C90-BK
Black



LRS-G-MCT-C90-MGBR
Marine Grade Bronze



LRS-G-MCT-C90-WH
White



LRS-H-MCT-C90-BK
Black



LRS-H-MCT-C90-MGBR
Marine Grade Bronze



LRS-H-MCT-C90-WH
White

ARCHITECTURAL OUTDOOR/INDOOR LED WALL LIGHTS, 120V



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|-------------|-------------|-----------|
|-------------|-------------|-----------|

ROUND MODEL E ARCHITECTURAL OUTDOOR/INDOOR LED WALL LIGHTS, 120V

| | | |
|--------------------|---|----|
| LRS-E-MCT-C90-BK | 12W 650LM 3000K/4000K/5000K Black | 12 |
| LRS-E-MCT-C90-WH | 12W 650LM 3000K/4000K/5000K White | 12 |
| LRS-E-MCT-C90-MGBR | 12W 650LM 3000K/4000K/5000K Marine Grade Bronze | 12 |

ROUND MODEL F ARCHITECTURAL OUTDOOR/INDOOR LED WALL LIGHTS, 120V

| | | |
|--------------------|---|----|
| LRS-F-MCT-C90-BK | 12W 650LM 3000K/4000K/5000K Black | 12 |
| LRS-F-MCT-C90-WH | 12W 650LM 3000K/4000K/5000K White | 12 |
| LRS-F-MCT-C90-MGBR | 12W 650LM 3000K/4000K/5000K Marine Grade Bronze | 12 |

SQUARE MODEL G ARCHITECTURAL OUTDOOR/INDOOR LED WALL LIGHTS, 120V

| | | |
|--------------------|---|----|
| LRS-G-MCT-C90-BK | 12W 650LM 3000K/4000K/5000K Black | 12 |
| LRS-G-MCT-C90-WH | 12W 650LM 3000K/4000K/5000K White | 12 |
| LRS-G-MCT-C90-MGBR | 12W 650LM 3000K/4000K/5000K Marine Grade Bronze | 12 |

SQUARE MODEL H ARCHITECTURAL OUTDOOR/INDOOR LED WALL LIGHTS, 120V

| | | |
|--------------------|---|----|
| LRS-H-MCT-C90-BK | 12W 650LM 3000K/4000K/5000K Black | 12 |
| LRS-H-MCT-C90-WH | 12W 650LM 3000K/4000K/5000K White | 12 |
| LRS-H-MCT-C90-MGBR | 12W 650LM 3000K/4000K/5000K Marine Grade Bronze | 12 |

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

| WATTS | EM OPTION | DESCRIPTION | PHOTOCELL | DESCRIPTION | PAINT | SENSOR | DESCRIPTION |
|------------------------------|-------------------|-------------|------------------|--------------|-------|----------------|--------------|
| LRS-E, LRS-F | OPT-EM-LRS-R-BK | BACK BOX | OPT-PC-LRS-RBK | EXTERNAL BOX | N/A | OPT-277V-LRS-R | EXTERNAL BOX |
| LRS-G, LRS-H, LRS-J, LRS-J1S | OPT-EM-LRS-S-BK | BACK BOX | OPT-PC-LRS-RMGBR | EXTERNAL BOX | N/A | OPT-277V-LRS-S | EXTERNAL BOX |
| LRS-E, LRS-F | OPT-EM-LRS-R-WH | BACK BOX | OPT-PC-LRS-RWH | EXTERNAL BOX | | | |
| LRS-G, LRS-H | OPT-EM-LRS-S-WH | BACK BOX | OPT-PC-LRS-SBK | EXTERNAL BOX | | | |
| LRS-E, LRS-F | OPT-EM-LRS-R-MGBR | BACK BOX | OPT-PC-LRS-SMGBR | EXTERNAL BOX | | | |
| LRS-G, LRS-H | OPT-EM-LRS-S-MGBR | BACK BOX | OPT-PC-LRS-SWH | EXTERNAL BOX | | | |
| LRS-J, LRS-J1S | OPT-EM-LRS-S-BR | BACK BOX | | | | | |
| LRS-J, LRS-J1S | OPT-EM-LRS-S-BN | BACK BOX | | | | | |



LVW-100-MCT-ORB
5.25"(D) x 2.66"(H)



LVW-110-MCT-ORB
3.12"(W) x 3.40"(H) x 3.71"(D)



LVW-110-UD-MCT-ORB
3.71"(W) x 4.12"(H) x 5.20"(D)



LVW-115-MCT-ORB
5.25"(D) x 3.75"(H)




LVW-200-MCT-ORB
5.20"(SQ) x 2.66"(H)



LVW-210-MCT-ORB
3.75"(W) x 4.12"(H) x 3.4"(D)



LVW-210-UD-MCT-ORB
3.75"(W) x 4.12"(H) x 5.20"(D)



LVW-215-MCT-ORB
5.25"(SQ) x 4.33"(H)



LVW-250-MCT-ORB
5.75"(W) x 5.75"(H) x 2.25"(D)



LVW-300-MCT-ORB
LVW-300-MCT-WH
7"(W) x 5"(H) x 2.25"(D)



LVW-310-MCT-ORB
LVW-310-MCT-WH
7.50"(W) x 4.20"(H) x 2"(D)

12V SELECTABLE CCT LED MINI WALL SCONCES



| CATALOG NO. | DESCRIPTION |
|---------------------------|---|
| LVW-100-MCT-ORB | 3W 200LM 30K/40K/50K Oil-Rubbed Bronze |
| LVW-110-MCT-ORB | 3W 200LM 30K/40K/50K Oil-Rubbed Bronze |
| LVW-110-UD-MCT-ORB | 6W 400LM 30K/40K/50K Oil-Rubbed Bronze |
| LVW-115-MCT-ORB | 3W 200LM 30K/40K/50K Oil-Rubbed Bronze |
| LVW-200-MCT-ORB | 3W 200LM 30K/40K/50K Oil-Rubbed Bronze |
| LVW-210-MCT-ORB | 3W 200LM 30K/40K/50K Oil-Rubbed Bronze |
| LVW-210-UD-MCT-ORB | 6W 400LM 30K/40K/50K Oil-Rubbed Bronze |
| LVW-215-MCT-ORB | 3W 200LM 30K/40K/50K Oil-Rubbed Bronze |
| LVW-250-MCT-ORB | 6W 400LM 30K/40K/50K Oil-Rubbed Bronze |
| LVW-300-MCT-ORB | 6W 400LM 30K/40K/50K Oil-Rubbed Bronze |
| LVW-300-MCT-WH | 6W 400LM 30K/40K/50K White |
| LVW-310-MCT-ORB | 6W 400LM 30K/40K/50K Oil-Rubbed Bronze |
| LVW-310-MCT-WH | 6W 400LM 30K/40K/50K White |

12V



LRS-A-40K-PC
LRS-A-MCT-PC
Dark Bronze



LRS-B-40K-PC
LRS-B-MCT-PC
Dark Bronze



LRS-C-MCT-D
Dark Bronze



LRS-PV-MCT-DD
Oil-Rubbed Bronze



LRS-D-30K-D
LRS-D-40K-D
Dark Bronze



LRS-L-MCT5-BK
Black



LRS-S-MCT5-ORB
Oil-Rubbed Bronze



LRS-SWG-MCT5-ORB
Oil-Rubbed Bronze

LED RESIDENTIAL LANTERNS, 120V



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|---|--|-----------|
| 12" OUTDOOR/INDOOR CEILING LIGHT, 120-277V | MCT5 DIMMABLE DIMMING 0-10V EM Capable | |
| LRS-PV-MCT-DD | 25W 1920LM 30K/40K/50K 12", Oil-Rubbed Bronze | 4 |
| LED RESIDENTIAL LANTERNS WITH PHOTOCELL, 120V | | |
| LRS-A-40K-PC | 12W 1150LM 4000K | 6 |
| LRS-A-MCT-PC | 12W 1150LM 3000K/4000K/5000K MCT5 | 6 |
| LRS-B-40K-PC | 6W 550LM 4000K WHILE SUPPLIES LAST | 12 |
| LRS-B-MCT-PC | 6W 550LM 3000K/4000K/5000K MCT5 | 12 |
| LED DIMMABLE RESIDENTIAL LIGHTS, 120V | | |
| LRS-C-MCT-D | 12W 1100LM DIMMABLE 3000K/4000K/5000K MCT5 | 6 |
| LRS-D-30K-D | 12W 1100LM 3000K WHILE SUPPLIES LAST | 6 |
| LRS-D-40K-D | 12W 1100LM 4000K WHILE SUPPLIES LAST | 6 |
| LED OUTDOOR LARGE WALL LANTERN, 120V 5CCT (12.40 X 8.80 X 8.80) | | |
| LRS-L-MCT5-BK | 12W 1200LM 27K/30K/35K/40K/50K Black 12.4"x8.8"x8.8" | 6 |
| LED SEASIDE OUTDOOR WALL LANTERN, 120V 5CCT (10.50 X 8.70 X 8.70) | | |
| LRS-S-MCT5-ORB | 12W 1200LM 27K/30K/35K/40K/50K Oil-Rubbed Bronze | 4 |
| LED SEASIDE OUTDOOR WALL LANTERN WITH WIREGUARD., 120V 5CCT (11.00 X 8.75 X 10.35) | | |
| LRS-SWG-MCT5-ORB | 12W 1200LM 27K/30K/35K/40K/50K Oil-Rubbed Bronze | 4 |

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

| WATTS | EM OPTION | DESCRIPTION | PHOTOCELL | DESCRIPTION | PAINT | SENSOR | DESCRIPTION |
|-----------------------|----------------------|-------------|-----------------|-------------|-------|--------|-------------|
| LRS-L, LRS-S, LRS-SWG | N/A | N/A | OPT-PC-B | BUTTON | N/A | N/A | N/A |
| LRS-PV | OPT-EM-LRS-PV | N/A | | | | | |



LRS-NI-MCT-P-ORB
13" Oil-Rubbed Bronze



LRS-MI-MCT-P-ORB
10" Oil-Rubbed Bronze



LRS-M2-MCT-P-ORB
10" Oil-Rubbed Bronze



Shown with
Optional
Bubble Glass



Shown with
Optional
Crackled Glass



LRS-V
Oil-rubbed bronze

RESIDENTIAL LANTERNS WITH PHOTOCELL, CCT SELECTABLE



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|--|---|-----------|
| 10" MODEL M RESIDENTIAL LANTERNS WITH PHOTOCELL, CCT SELECTABLE | | |
| LRS-M1-MCT-P-ORB | 12W 500LM 30K/40K/50K With Frosted Lens & Ornament guard | 6 |
| LRS-M2-MCT-P-ORB | 12W 500LM 30K/40K/50K With Frosted Lens & Outer Clear Glass | 6 |
| LRS-M-RL-FG | Replacement Default Frosted Lens For LRS-M Series | |
| LRS-M-RL-BG | Replacement Bubble Glass Lens For LRS-M Series | |
| LRS-M-RL-CG | Replacement Crackled Glass Lens For LRS-M Series | |
| 13" MODEL N RESIDENTIAL LANTERNS WITH PHOTOCELL, CCT SELECTABLE | | |
| LRS-N1-MCT-P-ORB | 20W 850LM 30K/40K/50K With Frosted Lens & Outer Clear Glass | 4 |
| LRS-N-RL-FG | Replacement Default Frosted Lens For LRS-N Series | |
| LRS-N-RL-BG | Replacement Bubble Glass Lens For LRS-N Series | |
| LRS-N-RL-CG | Replacement Crackled Glass Lens For LRS-N Series | |
| MODEL V DIE-CAST MODERN WALL SCONCES | | |
| LRS-V-MCT-P-ORB | 12W 500LM 30K/40K/50K | |



LRS-O
Bronze



Can be Installed
as Uplight



LRS-CR2-MCT-BR
Bronze



LRS-WS-12
Bronze



LRS-WS-18
Bronze




LRS-K-24-MCT5-BR
Bronze

DIE-CAST MODERN WALL SCONCES, SELECTABLE 3CCT



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|---|--|-----------|
| MODEL O DIE-CAST MODERN WALL SCONCES - UP LIGHT OR DOWN LIGHT INSTALLATION | | |
| LRS-O1-MCT-BR | 6W 420LM 30K/40K/50K Bronze, 5" H | 10 |
| LRS-O2-MCT-BR | 9W 630LM 30K/40K/50K Bronze, 6" H | 10 |
| LRS-O3-MCT-BR | 12W 840LM 30K/40K/50K Bronze, 8" H | 10 |
| MODEL CR DIE-CAST MODERN WALL SCONCES | | |
| LRS-CR2-MCT-BR | 2x6W 840LM 30K/40K/50K Bronze, 6" H | 8 |
| MODEL WS DIE-CAST MODERN WALL SCONCES | | |
| LRS-WS-12-MCT5-BR | 20W 1000LM 27K/30K/35K/40K/50K Bronze, 12" H | 10 |
| LRS-WS-18-MCT5-BR | 30W 1500LM 27K/30K/35K/40K/50K Bronze, 18" H | 10 |
| MODEL K DIE-CAST MODERN WALL SCONCES | | |
| LRS-K-24-MCT5-BR | 24W 700LM 27K/30K/35K/40K/50K Bronze, 24" H | 8 |

OUTDOOR
DECORATIVE
WALL MOUNT



WALL CUBE WITH ADJ. BEAM ANGLE UP/DOWN LIGHTS, OUTDOOR, 5CCT



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|----------------------|---|-----------|
| LRS-Q-MCT5-BR | 15W 800LM 27K/30K/35K/40K/50K Bronze | 10 |
| LRS-Q-MCT5-BK | 15W 800LM 27K/30K/35K/40K/50K Black | 10 |
| LRS-Q-MCT5-WH | 15W 800LM 27K/30K/35K/40K/50K White | 10 |



LRS-MC-MCT5-P-BK
Black



LRS-MC-MCT5-P-WH
Bronze



LRS-MC-MCT5-P-BN
Brushed Nickel



LRS-MC-MCT5-P-BR
Bronze

MINI-CONE OUTDOOR WALL SCONCE WITH PHOTOCELL, 5" HEIGHT, 5CCT



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|-------------------------|---|-----------|
| LRS-MC-MCT5-P-BK | 10W 700LM 27K/30K/35K/40K/50K Black | 10 |
| LRS-MC-MCT5-P-WH | 10W 700LM 27K/30K/35K/40K/50K White | 10 |
| LRS-MC-MCT5-P-BN | 10W 700LM 27K/30K/35K/40K/50K Brushed nickel | 10 |
| LRS-MC-MCT5-P-BR | 10W 700LM 27K/30K/35K/40K/50K Bronze | 10 |



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

| WATTS | EM OPTION | DESCRIPTION | VANDAL RES. | DESCRIPTION | PAINT | SENSOR | DESCRIPTION |
|-------|----------------------|-------------------|-------------|-------------|------------|------------|-------------|
| ALL | OPT-EM-LRS-MC | EXTERNAL BACK BOX | N/A | N/A | N/A | N/A | N/A |



TC-FL-36W-RGBW-BT-BR
Round Flood Light



TC-FL-72W-RGBW-BT-BK
Round Flood Light



TC-FLS-96W-RGBW-BT-BK
Square Flood Light



TC-WW-36W-RGBW-BT-BK
TC-WW-72W-RGBW-BT-BK
4' Wall Wash



DMX-FL-SH1
Shield only



DMX-FLS-SH1
Shield only



DMX-FLS-SHFG1
Shield only



DMX-WW-SH2
Shield only



WEC-2UGW-WIFI



WESTGATE SMART APP COMPATIBLE RGBW SERIES

| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|------------------------------|--|-----------|
| TC-FL-36W-RGBW-BT-BR | 36W RGBW Bronze Round Flood Light | 1 |
| TC-FL-72W-RGBW-BT-BK | 72W RGBW Black Round Flood Light | 1 |
| TC-WW-36W-RGBW-BT-BK | 36W RGBW Black Linear Light | 1 |
| TC-WW-72W-RGBW-BT-BK | 72W RGBW Black Linear Light | 1 |
| TC-FLS-96W-RGBW-BT-BK | 96W RGBW Black Square Flood Light | 1 |
| DMX-FL-SH1 | Half Glare Shield for TC-FL-72W & DMX-FL-72W | |
| DMX-WW-SH2 | Half Glare Shield for TC-WW-36W/72W & DMX-WW-36W | |
| DMX-FLS-SH1 | Half Glare Shield for TC-FLS-96W & DMX-FLS-36W/72W/96W | |
| DMX-FLS-SHFG1 | Full Glare Shield for TC-FL-96W & DMX-FL-36W/72W/96W | |
| WEC-2UGW-WIFI | Bluetooth to WiFi Gateway for full remote access and programming, also needed for scheduling | |

FOR REMOTE CONTROL SEE PAGE 86



WMC-UDL-RGBW-BK
Black



WMC-UDL-RGBW-WH
White



WMCS-UDL-RGBW-BK
Black



WMCS-UDL-RGBW-WH
White

RGBW LED OUTDOOR CYLINDER LIGHTS, IP65



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|---|---------------------------|-----------|
| 4" LED ROUND CYLINDER LIGHTS, 120V (UP/DOWN LIGHT) H: 12" | | |
| WMC-UDL-RGBW-BK | 24W 1920LM RGBW 25° Black | 6 |
| WMC-UDL-RGBW-WH | 24W 1920LM RGBW 25° White | 6 |
| 4" LED SQUARE CYLINDER LIGHTS, 120V (UP/DOWN LIGHT) H: 10-1/4" | | |
| WMCS-UDL-RGBW-BK | 24W 1920LM RGBW 30° Black | 6 |
| WMCS-UDL-RGBW-WH | 24W 1920LM RGBW 30° White | 6 |

FOR REMOTE CONTROL SEE PAGE 86



DMX 512 COMPATIBLE RGBW SERIES

SPECIAL ORDER FOR PROJECTS - MINIMUM 3 MONTHS LEAD TIME

DMX Controller & Cables Needed.

In a DMX lighting setup, Lights need to be connected with cables. The cables can be "daisy chained" so that each light can plug into the one before it instead of all lights plugging into the DMX board itself.



DMX-FL-36W-RGBW-BT-BK
Round Flood Light



DMX-FL-72W-RGBW-BT-BK
Round Flood Light



DMX-FLS-96W-RGBW-BT-BK
Square Flood Light



DMX-WW-36W-RGBW-BT-BK
DMX-WW-72W-RGBW-BT-BK
Wall Wash



DMX-FL-SH1
Shield only



DMX-FLS-SHFG1
Shield only



DMX-WW-SH2
Shield only



DMX-FLS-SH2
Shield only



DMX-3PIN-EXT

DMX 512 COMPATIBLE RGBW SERIES



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|-------------------------------|--|-----------|
| DMX-FL-36W-RGBW-BT-BK | 36W RGBW Black Round Flood Light | 1 |
| DMX-FL-72W-RGBW-BT-BK | 72W RGBW Black Round Flood Light | 1 |
| DMX-FLS-96W-RGBW-BT-BK | 96W RGBW Black Square Flood Light | 1 |
| DMX-WW-36W-RGBW-BT-BK | 36W RGBW Black Linear Light | 1 |
| DMX-WW-72W-RGBW-BT-BK | 72W RGBW Black Linear Light | 1 |
| DMX-FL-SH1 | Half Glare Shield for TC-FL-72W & DMX-FL-72W | |
| DMX-WW-SH2 | Half Glare Shield for TC-WW-36W/72W & DMX-WW-36W | |
| DMX-FLS-SH1 | Half Glare Shield for TC-FLS-96W & DMX-FLS-36W/72W/96W | |
| DMX-FLS-SHFG1 | Full Glare Shield for TC-FL-96W & DMX-FL-36W/72W/96W | |
| DMX-3PIN-5FT-EXT | Dmx512 3-Pin Outdoor Extension Cord 5 Feet | |
| DMX-3PIN-10FT-EXT | Dmx512 3-Pin Outdoor Extension Cord 10 Feet | |



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

| WATTS | GROUP OPTION | DESCRIPTION | VANDAL RES. | DESCRIPTION | PAINT | SENSOR | DESCRIPTION |
|-------|----------------------|---|-------------|-------------|------------|------------|-------------|
| ALL | OPT-DMX-GROUP | Change fixture address to create light groups | N/A | N/A | N/A | N/A | N/A |



SPEC SERIES X GEN. RGB STADIUM LIGHTS, DMX512 CONTROLLED - SPECIAL ORDER



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|----------------------------|-------------|-----------|
| SFX-G9-500W-45D-RGB | 500W RGB | 1 |
| SFX-G9-800W-45D-RGB | 800W RGB | 1 |



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

| WATTS | GROUP OPTION | DESCRIPTION | VANDAL RES. | DESCRIPTION | PAINT | SENSOR | DESCRIPTION |
|-------|----------------------|---|-------------|-------------|------------|------------|-------------|
| ALL | OPT-DMX-GROUP | Change fixture address to create light groups | N/A | N/A | N/A | N/A | N/A |

OUTDOOR
DMX 512



LFXE-MD-KN Dark Bronze **LFXE-MD-KN-BK** BLACK **LFXE-MD-KN-WH** WHITE **LFXE-MD-TR** Dark Bronze



Can be used as **BILBOARD/SIGN LIGHT**
Shown with ACC-WMA-30-BR (See page 39)



LFXE-LG
Dark Bronze



LFXE-XL
Dark Bronze

BUILDER SERIES FLOOD/AREA LIGHTS WITH PHOTOCELL TYPE 3 LENS (PHOTOCELL DISCONNECT SWITCH)



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|---|------------------------------------|-----------|
| POWER & CCT ADJUSTABLE BUILDER SERIES FLOOD/AREA LIGHTS WITH PHOTOCELL MCTP | | |
| LFXE-MD-50-100W-MCTP-KN-P | 50W/80W/100W 135LM/W 30K/40K/50K | 4 |
| LFXE-MD-50-100W-MCTP-KN-P-BK | 50W/80W/100W 135LM/W 30K/40K/50K | 4 |
| LFXE-MD-50-100W-MCTP-KN-P-WH | 50W/80W/100W 135LM/W 30K/40K/50K | 4 |
| LFXE-MD-50-100W-MCTP-TR-P | 50W/80W/100W 135LM/W 30K/40K/50K | 4 |
| POWER & 3CCT ADJUSTABLE BUILDER SERIES FLOOD/AREA LIGHTS WITH PHOTOCELL (COMPATIBLE WITH LFX MOUNTING OPTIONS) | | |
| LFXE-LG-80-150W-50K-P | 80W/100W/150W 135LM/W 5000K | 1 |
| LFXE-LG-80-150W-MCTP-P | 80W/100W/150W 135LM/W 30K/40K/50K | 1 |
| POWER & 3CCT ADJUSTABLE BUILDER SERIES FLOOD/AREA LIGHTS WITH PHOTOCELL (COMPATIBLE WITH LFX MOUNTING OPTIONS) | | |
| LFXE-XL-200-300W-50K-P | 200W/240W/300W 135LM/W 5000K | 1 |
| LFXE-XL-200-300W-MCTP-P | 200W/240W/300W 135LM/W 30K/40K/50K | 1 |

FOR OPT OPTION SEE PAGE 33.

FOR MOUNTING OPTIONS SEE PAGE 34. (LFX MOUNTING OPTIONS COMPATIBLE WITH LFXE-LG & LFXE-XL, LFXPRO, LFX, LF4PRO, LFXMAX)

FOR COLD-WEATHER EXTERNAL EM OPTION SEE PAGE 204



LFXPRO-LG
Dark Bronze



LFXPRO-LG
White



LFXPRO-LG
Black



LFXPRO-XL
Dark Bronze



LFXPRO-XL
White



LFXPRO-XL
Black

SPEC SERIES POWER & CCT ADJUSTABLE FLOOD/AREA LIGHT, 120-277V TYPE 3 LENS

| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|-----------------------------------|---|-----------|
| LFXPRO-LG-50-150W-MCTP | 50W/80W/100W/150W 125LM/W 30K/40K/50K/57K | 1 |
| LFXPRO-LG-50-150W-MCTP-WH | 50W/80W/100W/150W 125LM/W 30K/40K/50K/57K | 1 |
| LFXPRO-LG-50-150W-MCTP-BK | 50W/80W/100W/150W 125LM/W 30K/40K/50K/57K | 1 |
| LFXPRO-XL-150-300W-MCTP | 150W/200W/240W/300W 125LM/W 30K/40K/50K/57K | 1 |
| LFXPRO-XL-150-300W-MCTP-WH | 150W/200W/240W/300W 125LM/W 30K/40K/50K/57K | 1 |
| LFXPRO-XL-150-300W-MCTP-BK | 150W/200W/240W/300W 125LM/W 30K/40K/50K/57K | 1 |

FOR OPT OPTION SEE PAGE 33.

FOR MOUNTING OPTIONS SEE PAGE 34. (LFX MOUNTING OPTIONS COMPATIBLE WITH LFXE-LG & LFXE-XL, LFXPRO, LFX, LF4PRO, LFXMAX)

FOR COLD-WEATHER L EM OPTION SEE PAGE 204





LF4PRO
Dark Bronze



Shown with
LFX-SF Slip Fitter

SPEC SERIES POWER & CCT ADJUSTABLE ARCHITECTURAL ROUND-BACK FLOOD LIGHT, 120-277V



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|--|--|-----------|
| LF4PRO-50-150W-MCTP | 50W/80W/100W/150W 125LM/W 30K/40K/50K/57K | 1 |
| <p>FOR COLD-WEATHER EM OPTION SEE PAGE 204</p> <p>FOR OPT OPTION SEE PAGE 33.</p> <p>FOR MOUNTING OPTIONS SEE PAGE 34 (LFX MOUNTING OPTIONS COMPATIBLE WITH LFXE-LG & LFXE-XL, LFXPRO, LFX, LF4PRO, LFXMAX)</p> | | |



Field changeable
Lens



Photocell & Sensor-Ready
Plug & Play

LFXMAX SPEC SERIES MAXIMUM-FEATURE AREA/FLOOD LIGHT, SENSOR & PHOTOCELL READY, ROTATABLE LENS - TYPE 3 STANDARD



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|---|--|-----------|
| LFXMAX-LG-70-150W-MCTP-PSR | 70W/100W/150W 145LM/W 30K/40K/50K | 1 |
| LFXMAX-XL-200-300W-MCTP-PSR | 200W/250W/300W 145LM/W 30K/40K/50K | 1 |
| LFXMAX-LG-70-150W-MCTP-PSR-480V | 70W/100W/150W 145LM/W 30K/40K/50K | 1 |
| LFXMAX-XL-200-300W-MCTP-PSR-480V | 200W/250W/300W 145LM/W 30K/40K/50K | 1 |
| LFXMAX-TR-A | LFMAX-LG TR U-Shaped Mounting Bracket | |
| LFXMAX-LG-SHROUD-H | LFMAX-LG Half Shroud | |
| LFXMAX-XL-SHROUD-H | LFMAX-XI Half Shroud | |
| FIELD-INSTALLED REPLACEMENT SNAP-IN LENSES FOR DISTRIBUTIONS | | |
| LFXMAX-LG-LENS-T1S | LFMAX-LG Type T1S Lens | |
| LFXMAX-LG-LENS-T2M | LFMAX-LG Type T2M Lens | |
| LFXMAX-LG-LENS-T4M | LFMAX-LG Type T4M Lens | |
| LFXMAX-LG-LENS-T5M | LFMAX-LG Type T5M Lens | |
| LFXMAX-LG-LENS-TFTM | LFMAX-LG Type TFTM Lens | |
| LFXMAX-LG-LENS-AFR | LFMAX-LG Type AFR Lens | |
| LFXMAX-LG-LENS-T5W | LFMAX-LG Type T5W Lens | |
| LFXMAX-XL-LENS-T1S | LFMAX-XI Type T1S Lens | |
| LFXMAX-XL-LENS-T2M | LFMAX-XI Type T2M Lens | |
| LFXMAX-XL-LENS-T4M | LFMAX-XI Type T4M Lens | |
| LFXMAX-XL-LENS-T5M | LFMAX-XI Type T5M Lens | |
| LFXMAX-XL-LENS-TFTM | LFMAX-XI Type TFTM Lens | |
| LFXMAX-XL-LENS-AFR | LFMAX-XI Type AFR Lens | |
| LFXMAX-XL-LENS-T5W | LFMAX-XI Type T5W Lens | |
| PHOTOCELL & SENSOR ACCESSORIES FOR LFXMAX SERIES | | |
| PC-TWIST | Twist Lock Photocell 1800W Tungston 120-277V Ac /1800W | |
| PC-TWIST-480V | Twist Lock Photocell 1800W Tungston 490V | |
| WEC-3PDR-48-480V | 120V-480V Pir Ip65 Bi-Level Motion Sensor, Remote Capable (Optional Remote Control WEC-3RC) | |
| WEC-3MR-72-TLB-BK | 600W Max, Zhaga 12-24VDC Microwave Sensor, Black, With Base (Optional Remote Control WEC-3RC) | |
| WEC-3MBT-72-TLB-BK | 600W Max, Zhaga 12-24VDC Microwave Sensor, Bluetooth App Ready, Black, With Base (Optional Remote Control WEC-3RC) | |
| WEC-3PR-72-TLB-WH | 600W Max, Zhaga 12-24VDC PIR Sensor, White, With Base (Optional Remote Control WEC-3RC) | |
| <p>FOR COLD-WEATHER EM OPTION SEE PAGE 204</p> <p>FOR OPT OPTION SEE PAGE 33.</p> <p>FOR MOUNTING OPTIONS SEE PAGE 34. (LFX MOUNTING OPTIONS COMPATIBLE WITH LFXE-LG & LFXE-XL, LFXPRO, LFX, LF4PRO, LFXMAX)</p> | | |



OUTDOOR
AREA
LIGHTS

SPEC SERIES POWER-ADJUSTABLE FLOOD/AREA LIGHT, TYPE 3 LENS

Dark Bronze



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|---|------------------------------------|-----------|
| SPEC SERIES POWER-ADJUSTABLE FLOOD/AREA LIGHT, 120-277V | | |
| LFX-LG-50-150W-30K | 50W/80W/100W/150W 140LM/W 3000K | 1 |
| LFX-LG-50-150W-40K | 50W/80W/100W/150W 140LM/W 4000K | 1 |
| LFX-LG-50-150W-50K | 50W/80W/100W/150W 140LM/W 5000K | 1 |
| LFX-XL-150-300W-30K | 150W/200W/240W/300W 145LM/W 3000K | 1 |
| LFX-XL-150-300W-40K | 150W/200W/240W/300W 145LM/W 4000K | 1 |
| LFX-XL-150-300W-50K | 150W/200W/240W/300W 145LM/W 5000K | 1 |
| LFX-XXL-300-600W-50K | 300W/400W/500W/600W 140LM/W 5000K | 1 |
| SPEC SERIES POWER-ADJUSTABLE FLOOD/AREA LIGHT, 480V | | |
| LFX-LG-50-150W-50K-480V | 50W/80W/100W/150W 140LM/W 5000K | 1 |
| LFX-XL-150-300W-50K-480V | 150W/200W/240W/300W 145LM/W 5000K | 1 |
| LFX-XXL-300-600W-50K-480V | 300W/400W/500W/600W 140LM/W 5000K | 1 |
| SPEC SERIES POWER & CCT -ADJUSTABLE FLOOD/AREA LIGHT, PHOTOCELL READY 480V | | |
| LFX-LG-80-150W-MCTP-480V-SC | 80W/100W/150W 145LM/W 30K/40K/50K | 2 |
| LFX-XL-200-300W-MCTP-480V-SC | 200W/240W/300W 145LM/W 30K/40K/50K | 3 |



FOR COLD-WEATHER EM OPTION SEE PAGE 204

FOR MOUNTING OPTIONS SEE PAGE 34. (LFX MOUNTING OPTIONS COMPATIBLE WITH LFXE-LG & LFXE-XL, LFXPRO, LFX, LF4PRO, LFXMAX)



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

| WATTS | EM OPTION | DESCRIPTION | PHOTOCELL | DESCRIPTION | PAINT | SENSOR | DESCRIPTION |
|--------|-------------------|--------------|------------------|-----------------------------|------------------------------|---------------|----------------------------------|
| LFX-LG | OPT-EM-LFX-LG | EXTERNAL | OPT-3MPC | ELECTRONIC | OPT-CLR-95(BK/GR/SR/WH) | OPT-SEN-3MR-3 | PROGRAMMABLE MICRO-WAVE BI-LEVEL |
| LFX-XL | OPT-EM-LFX-XL | EXTERNAL BOX | OPT-LF3-PCK | TWIST-LOCK | | WEC-8RC | REMOTE CONTROL |
| | LENS OPTION | DESCRIPTION | OPT-LF3-PCK-480V | TWIST-LOCK | OPT-CLR-95MC | | |
| | OPT-LFX-LG-TYPEIV | TYPE IV | WIRES PULLED OUT | DESCRIPTION | (260 SET UP FEE PER PROJECT) | | |
| | OPT-LFX-XL-TYPEIV | TYPE IV | OPT-010WPO | 0-10V Dim. Wires Pulled Out | | | |
| | OPT-LFX-LG-TYPEV | TYPE V | | | | | |
| | OPT-LFX-XL-TYPEV | TYPE V | | | | | |



SPEC SERIES POWER & CCT- ADJUSTABLE AREA/FLOOD LIGHT

W/ PRE-INSTALLED MOUNTINGS, 120-277V, TYPE 5 LENS 7 DAYS LEAD TIME



| DESCRIPTION | MOUNTING | PKG. QTY. |
|---|----------|-----------|
| GPX-18-60W-MCTP-PWM 18W/30W/45W/60W 150LM/W 30K/40K/50K Pole/Wall Mount | | 1 |
| GPX-18-60W-MCTP-SF 18W/30W/45W/60W 150LM/W 30K/40K/50K Slip fitter for 2-3/8" Poles/Piles | | 1 |

FOR GPX OPTIONS & ACCESSORIES SEE PAGE 50.

MOUNTING OPTIONS FOR LFX, LFXPRO, LF4PRO, LFXE, LFXMAX SERIES

OUTDOOR AREA LIGHTS



LFX-SF (Bronze)
LFX-SF-WH (White)
LFX-SF-BK (Black)
Slip Fitter for LFX & LFX-XXL & LFXPRO & LFXMAX & LF4PRO & LFXE Series



LFX-EXT (Bronze)
LFX-EXT-WH (White)
LFX-EXT-BK (Black)
Straight Arm for LFX & LFX-XXL & LFXPRO & LFXMAX & LF4PRO & LFXE Series



LFX-ASA (Bronze)
LFX-ASA-WH (White)
LFX-ASA-BK (Black)
Adjustable Straight Arm for LFX & LFX-XXL & LFXPRO & LFXMAX & LF4PRO & LFXE Series



LFX-AWB (Bronze)
LFX-AWB-WH (White)
LFX-AWB-BK (Black)
Adjustable Wall Junction Box for LFX & LFX-XXL & LFXMAX & LFXPRO & LF4PRO & LFXE Series



LFX-YK (Bronze)
LFX-YK-WH (White)
LFX-YK-BK (Black)
Yoke for LFX & LFX-XXL & LFXPRO & LFXMAX & LF4PRO & LFXE Series



LFX-TR-A (Bronze)
LFX-TR-A-WH (White)
LFX-TR-A-BK (Black)
U Bracket for LFX & LFXPRO "LG" & LF4PRO & LFXE Series



LFX-TR-B (Bronze)
LFX-TR-B-WH (White)
LFX-TR-B-BK (Black)
U Bracket for LFX "XL" & LFX-XXL & LFXPRO "XL" & LFXE Series



LFX-PASF (Bronze)
LFX-PASF-WH (White)
LFX-PASF-BK (Black)
Pole Adapter for Slip Fitter for LFX & LFX-XXL & LFXMAX & LFXPRO & LF4PRO & LFXE Series

PHOTOCELL FOR LFX SERIES

Microwave Photocell
OPT-3MPC

Twist-Lock Photocell Kit
OPT-LF3-PCK
OPT-LF3-PCK-480V

PHOTOCELL FOR LFXE SERIES

OPT-3MPC
COMPATIBLE WITH
EXT, ASA, SF MOUNTING

7-PIN SOCKET FOR SMART CONTROL RECEIVERS

RECEIVER NOT INCL.

SMART CONTROL RECEIVER SOCKET
OPT-TLS0C7P



LF-SHROUD-A
Dark Bronze
Reversible



LF-SHROUD-D
Dark Bronze



LF-SHROUD-B
Dark Bronze
Reversible



LF-SHROUD-E
Dark Bronze



LF-SHROUD-F
Dark Bronze



LF-SHROUD-G
Dark Bronze



LFX-WG-A
LFX-WG-B
LFXPRO-WG-A
LFXPRO-WG-B

SHROUD & WIRE GUARD FOR LFX, LFX PRO, LF4 PRO SERIES

| CATALOG NO. | DESCRIPTION |
|--------------------|---|
| LF-SHROUD-A | Half Shroud for LFX & LFXPRO "LG" & LF4PRO Series, Reversible (Back or Front) |
| LF-SHROUD-B | Half Shroud for LFX & LFXPRO "XL" Series, Reversible (Back or Front) |
| LF-SHROUD-F | Half Shroud for LFX "XXL" Series |
| LF-SHROUD-D | Full Shroud for LFX & LFXPRO "LG" & LF4PRO Series |
| LF-SHROUD-E | Full Shroud for LFX & LFXPRO "XL" Series |
| LF-SHROUD-G | Full Shroud for LFX "XXL" Series |
| LFX-WG-A | Wire Guard for LFX "LG" Series |
| LFX-WG-B | Wire Guard for LFX "XL" Series |
| LFXPRO-WG-A | Wire Guard for LFXPRO "LG" Series |
| LFXPRO-WG-B | Wire Guard for LFXPRO "XL" Series |



LFE-15W
Dark Bronze



LFE-30W
Dark Bronze



LFE-50W
Dark Bronze



BUILDER SERIES COMPACT FLOOD LIGHTS, INCL. 3CCT VERSIONS WITH 1/2" KNUCKLE, 120V



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|---|------------------------|-----------|
| LFE-15W-30K-KN | 15W 1600LM 3000K | 48 |
| LFE-15W-40K-KN | 15W 1600LM 4000K | 48 |
| LFE-15W-50K-KN | 15W 1600LM 5000K | 48 |
| 3CCT VERSION COMPACT FLOOD LIGHTS MCT | | |
| LFE-15W-MCT-KN | 15W 1600LM 30K/40K/50K | 48 |
| LFE-30W-MCT-KN | 30W 3250LM 30K/40K/50K | 24 |
| LFE-50W-MCT-KN | 50W 5250LM 30K/40K/50K | 16 |
| 3CCT VERSION COMPACT FLOOD LIGHTS WITH MCT | | |
| LFE-15W-MCT-KN-P | 15W 1600LM 30K/40K/50K | 48 |
| LFE-30W-MCT-KN-P | 30W 3250LM 30K/40K/50K | 24 |
| LFE-50W-MCT-KN-P | 50W 5250LM 30K/40K/50K | 16 |

OUTDOOR
FLOOD LIGHTS



LFX-XS
Dark Bronze



LFX-SM
Dark Bronze



LFX-SM
White



LFX-SM
Black



LFX-SM
Silver



LFX-MD
Dark Bronze



LFX-MD
White



LFX-MD
Black



LFX-MD
Silver

SPEC SERIES X-GEN. SMALL FLOOD LIGHTS

0-10V DIM., INCL. MULTI POWER & MULTI POWER + 3CCT (WITH KNUCKLE) 120-277V



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|--|---|-----------|
| EXTRA SMALL FLOOD LIGHT | | |
| LFX-XS-15W-30K-KN | 15W 1950LM 3000K | 18 |
| LFX-XS-15W-40K-KN | 15W 1950LM 4000K | 18 |
| LFX-XS-15W-50K-KN | 15W 1950LM 5000K | 18 |
| POWER-ADJUSTABLE SMALL FLOOD LIGHT MP | | |
| LFX-SM-10-30W-30K-KN | 10W/15W/20W/30W 130LM/W 3000K | 10 |
| LFX-SM-10-30W-40K-KN | 10W/15W/20W/30W 130LM/W 4000K | 10 |
| LFX-SM-10-30W-50K-KN | 10W/15W/20W/30W 130LM/W 5000K | 10 |
| LFX-MD-15-50W-30K-KN | 15W/20W/30W/50W 130LM/W 3000K | 6 |
| LFX-MD-15-50W-40K-KN | 15W/20W/30W/50W 130LM/W 4000K | 6 |
| LFX-MD-15-50W-50K-KN | 15W/20W/30W/50W 130LM/W 5000K | 6 |
| POWER & CCT-ADJUSTABLE SMALL FLOOD LIGHT MCTP | | |
| LFX-SM-10-30W-MCTP-KN | 10W/15W/20W/30W 130LM/W 30K/40K/50K/57K | 6 |
| LFX-SM-10-30W-MCTP-KN-WH | 10W/15W/20W/30W 130LM/W 30K/40K/50K/57K | 6 |
| LFX-SM-10-30W-MCTP-KN-BK | 10W/15W/20W/30W 130LM/W 30K/40K/50K/57K | 6 |
| LFX-SM-10-30W-MCTP-KN-SV | 10W/15W/20W/30W 130LM/W 30K/40K/50K/57K | 6 |
| LFX-MD-15-50W-MCTP-KN | 15W/20W/30W/50W 130LM/W 30K/40K/50K/57K | 6 |
| LFX-MD-15-50W-MCTP-KN-WH | 15W/20W/30W/50W 130LM/W 30K/40K/50K/57K | 6 |
| LFX-MD-15-50W-MCTP-KN-BK | 15W/20W/30W/50W 130LM/W 30K/40K/50K/57K | 6 |
| LFX-MD-15-50W-MCTP-KN-SV | 15W/20W/30W/50W 130LM/W 30K/40K/50K/57K | 6 |

LED FLOOD LIGHTS LF3 SERIES WITH KNUCKLE, 120-277V (NOT DIMMABLE)



| CATALOG NO. | DESCRIPTION | REPLACEMENT RANGE | PKG. QTY. |
|-----------------------|--------------------------------|-------------------|-----------|
| LF3-15NW-KN | 15W 1700LM 4000K Bronze | 50-70 MH | 18 |
| LF3-50NW-KN | 50W 6100LM 4000K Bronze | 100-175 MH | 6 |
| LF3-WH-15CW-KN | 15W 1600LM 5000K White | 50-70 MH | 18 |



LED FLOOD LIGHTS LF3 SERIES, 120-277V (1-10V DIMMABLE)

Dark Bronze



| CATALOG NO. | DESCRIPTION | REPLACEMENT RANGE | PKG. QTY. |
|----------------------------|--|-------------------|-----------|
| LF3-HL-30W-40K-D-KN | 30W 3600LM 4000K 0-10V dimming | 70-100 MH | 1 |
| LF3-HL-50W-30K-D-KN | 50W 6100LM 3000K 0-10V dimming | 100-175 MH | 1 |
| LF3-HL-50W-40K-D-KN | 50W 6100LM 4000K 0-10V dimming | 100-175 MH | 1 |



LF4-15W-50K-KN
LF4-15W-30K-KN
Dark Bronze



LF4-30W-50K-D-KN
LF4-30W-30K-D-KN
Dark Bronze



LF4-50W-50K-D-KN
LF4-50W-30K-D-KN
Dark Bronze

SPEC SERIES LED ARCHITECTURAL ROUND-BACK FLOOD LIGHTS, 0-10V DIMMING 120-277V



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|-------------------------|-------------------------|-----------|
| LF4-15W-50K-KN | 15W 1900LM 5000K | 12 |
| LF4-15W-30K-KN | 15W 1900LM 3000K | 12 |
| LF4-30W-50K-D-KN | 30W 4050LM 5000K | 6 |
| LF4-30W-30K-D-KN | 30W 4050LM 3000K | 6 |
| LF4-50W-50K-D-KN | 50W 6750LM 5000K | 6 |
| LF4-50W-30K-D-KN | 50W 6750LM 3000K | 6 |

LED ARCHITECTURAL ROUND-BACK FLOOD LIGHTS, 120V-277V



| CATALOG NO. | DESCRIPTION | REPLACEMENT RANGE | PKG. QTY. |
|--------------------|-------------------------|-------------------|-----------|
| LF4-12CW-KN | 12W 1300LM 5000K | 50-70 MH | 12 |
| LF4-50CW-KN | 50W 5600LM 5000K | 100-175 MH | 6 |



LF4 with Half Shroud



LF3-HL with Half Shroud



LF4 with Full-Glare Shroud



LF3-HL with Full-Glare Shroud

SHROUD FOR LFX, LF3 & LF4 SMALL SERIES

| CATALOG NO. | DESCRIPTION |
|------------------|--|
| LF4-SH1 | Fits LF4-12W & 15W, LF4-12V-6W & 12W (Polycarbonate) |
| LF4-SH2 | Fits LF4-30W, LF4-12V-24W & 30W (Polycarbonate) |
| LF4-SH3 | Fits LF4-50W, LF4-12V-50W (Polycarbonate) |
| LF4-SH4 | Fits LF4-80W & 100W, (Aluminum) |
| LF4-SH5 | Fits LF4-150W (Aluminum) |
| LF3-SH1 | Shroud for LFX-SM* & LF3-30W & LF3-HL-30W, Reversible, Aluminum |
| LF3-SH2 | Shroud for LFX-SM-MCTP & LFX-MD & LF3-50W & LF3-HL-50W, Reversible, Aluminum |
| LF3-SH1FG | Full-Glare Shroud for LF3-30W & LF3-HL-30W & LF4-12W & LF4-30W, Aluminum |
| LF3-SH2FG | Full-Glare Shroud for LF3-50W & LF3-HL-50W & LF4-50W, Aluminum |



LFE-15W-30K-TR
LFE-15W-40K-TR
LFE-15W-50K-TR
Dark Bronze



LFE-15W-MCT-TR
LFE-30W-MCT-TR
Dark Bronze



LFE-50W-MCT-TR
Dark Bronze

BUILDER SERIES COMPACT FLOOD LIGHTS, INCL. 3CCT VERSIONS WITH U BRACKET, 120V



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|--|------------------------------|-----------|
| LFE-15W-30K-TR | 15W 1600LM 3000K | 48 |
| LFE-15W-40K-TR | 15W 1600LM 4000K | 48 |
| LFE-15W-50K-TR | 15W 1600LM 5000K | 48 |
| 3CCT VERSION COMPACT FLOOD LIGHTS | | |
| LFE-15W-MCT-TR | 15W 1600LM 3000K/4000K/5000K | 48 |
| LFE-30W-MCT-TR | 30W 3250LM 3000K/4000K/5000K | 24 |
| LFE-50W-MCT-TR | 50W 5250LM 3000K/4000K/5000K | 16 |



LFX-XS
Dark Bronze



LFX-SM
Dark Bronze



LFX-MD
Dark Bronze

SPEC SERIES X-GEN. SMALL FLOOD LIGHTS

0-10V DIM., INCL. MULTI POWER & MULTI POWER + 3CCT (WITH U BRACKET) 120-277V



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|---|---|-----------|
| EXTRA SMALL FLOOD LIGHT | | |
| LFX-XS-15W-30K-TR | 15W 1950LM 3000K | 18 |
| LFX-XS-15W-40K-TR | 15W 1950LM 4000K | 18 |
| LFX-XS-15W-50K-TR | 15W 1950LM 5000K | 18 |
| POWER-ADJUSTABLE SMALL FLOOD LIGHT | | |
| LFX-SM-10-30W-30K-TR | 10W/15W/20W/30W 130LM/W 3000K | 10 |
| LFX-SM-10-30W-50K-TR | 10W/15W/20W/30W 130LM/W 5000K | 10 |
| LFX-MD-15-50W-30K-TR | 15W/20W/30W/50W 130LM/W 3000K | 10 |
| LFX-MD-15-50W-50K-TR | 15W/20W/30W/50W 130LM/W 5000K | 10 |
| POWER & CCT-ADJUSTABLE SMALL FLOOD LIGHT | | |
| LFX-SM-10-30W-MCTP-TR | 10W/15W/20W/30W 130LM/W 30K/40K/50K/57K | 6 |
| LFX-MD-15-50W-MCTP-TR | 15W/20W/30W/50W 130LM/W 30K/40K/50K/57K | 6 |

LED FLOOD LIGHTS LF3 SERIES WITH U BRACKET, 120-277V (NOT DIMMABLE)



| CATALOG NO. | DESCRIPTION | REPLACEMENT RANGE | PKG. QTY. |
|-----------------|------------------------|-------------------|-----------|
| LFB3-15NW-TR | 15W 1700LM 4000K | 50-70 MH | 18 |
| LFB3-WH-30WW-TR | 30W 3600LM 3000K White | 70-100 MH | 10 |
| LFB3-30NW-TR | 30W 3600LM 4000K | 70-100 MH | 10 |
| LFB3-50NW-TR | 50W 6100LM 4000K | 100-175 MH | 6 |

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

| WATTS | EM OPTION | DESCRIPTION | PHOTOCELL | DESCRIPTION | PAINT | SENSOR | DESCRIPTION |
|-----------------------|-----------|-------------|------------|-------------|-------|--------|-------------|
| LFX-MD-KN & LFX-MD-TR | N/A | N/A | OPT-PC-BUM | BUTTON | N/A | N/A | N/A |



LFE-80W-MCT-D
LFE-100W-MCT-D
Dark Bronze



Shown with
1/2in knuckle mounting option,
fits 80w and larger



Shown with
slip fitter mounting option,
fits 80w and larger



Shown with
bottom bracket mounting
option, fits 80w and larger

COMPACT FLOOD LIGHTS
3CCT VERSIONS, 120~277V, MOUNTING OPT. SOLD SEPARATELY



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|-----------------------|---|-----------|
| LFE-80W-MCT-D | 80W 10500LM 3000K/4000K/5000K | 1 |
| LFE-100W-MCT-D | 100W 13000LM 3000K/4000K/5000K | 1 |
| LFE-KN | LFE 1/2in knuckle mounting option, fits 80w and larger | |
| LFE-SF | LFE slip fitter mounting option, fits 80w and larger | |
| LFE-YK | LFE bottom bracket mounting option, fits 80w and larger | |



LF4PRO
Dark Bronze



Shown with
LFX-SF Slip Fitter

SPEC SERIES POWER & CCT ADJUSTABLE
ARCHITECTURAL ROUND-BACK FLOOD LIGHT, 120-277V



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|----------------------------|--|-----------|
| LF4PRO-50-150W-MCTP | 50W/80W/100W/150W 125LM/W 30K/40K/50K/57K | 1 |

FOR MOUNTING OPTIONS SEE PAGE 34. (LFX MOUNTING OPTIONS COMPATIBLE WITH LFXE-LG & LFXE-XL, LFXPRO, LFX, LF4PRO, LFXMAX)



LFCO-50W-50K
Dark Bronze



LFCO-150W-40K
Dark Bronze



LFCO-SA
Straight Arm



LFCO-SF
Slip Fitter



LFCO-TRI
(For 50W, 80W, 100W, 150W)
"U" Bracket



LFCO-YK
Yoke

ECONOMY FLOOD/AREA LIGHT SERIES TYPE 3 LENSES

Dark Bronze



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|----------------------|---------------------------|-----------|
| LFCO-50W-40K | 50W 6900LM 4000K | 1 |
| LFCO-150W-50K | 150W 19900LM 5000K | 1 |

WHILE SUPPLIES LAST



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

| WATTS | EM OPTION | DESCRIPTION | PHOTOCELL | DESCRIPTION | PAINT | SENSOR | DESCRIPTION |
|--------------------|----------------------|--------------|-------------------|-----------------------------|---|----------------------|--|
| UP TO 230W 300W | OPT-EM-0D2EXT | EXTERNAL BOX | OPT-3MPC | ELECTRONIC | OPT-CLR-95(BK/GR/ SR/WHJ (300W Only) | OPT-SEN-3MR-3 | PROGRAMMABLE MICROWAVE BI-LEVEL REMOTE CONTROL |
| | OPT-EM-0D2EXT | EXTERNAL | OPT-010WPO | 0-10V Dim. Wires Pulled Out | | WEC-8RC | |



PSS3SVTZ
PSS4SVTZ
PSS5SVTZ
Dark Bronze

PRPT3
PRPT4
PRPT5
Dark Bronze

PSR4
Dark Bronze

LF-AD-SF
Dark Bronze

LF-AD-KNU
Dark Bronze

PSS4C
Dark Bronze

PSS3R
Dark Bronze

POLE/ADAPTER ACCESSORIES, BRONZE FINISH

| CATALOG NO. | DESCRIPTION |
|------------------|--|
| PSS3SVTZ | 3" square pole vertical tenon, 3", bronze. Goes inside 3" pole to accept 2" slip fitter. |
| PSS4SVTZ | 4" square pole vertical tenon, 4", bronze. Goes inside 4" pole to accept 2" slip fitter. |
| PSS5SVTZ | 5" square pole vertical tenon, 5", bronze. Goes inside 5" pole to accept 2" slip fitter. |
| PRPT3 | Tenon adaptor, 3" round pole, to standard tenon, bronze |
| PRPT4 | Tenon adaptor, 4" round pole, to standard tenon, bronze |
| PRPT5 | Tenon adaptor, 5" round pole, to standard tenon, bronze |
| PSR4 | Round to Square Adapter kit for 3", 4" and 5" round poles Separate gasket provided for each size pole. |
| LF-AD-SF | Slip onto pole top 2" Dim. fixture mounts directly on the side or top of the fixture |
| LF-AD-KNU | Fits over a standard tenon or bullhorn to adapt it to a 1/2" NPT threaded hub for knuckle fixtures |
| PSS4C | Pole cap polycarbonate |
| PSS3R | 3" Center Bullhorn replacement cap |



LF3-WMA
Dark Bronze



LFX-PASF
Dark Bronze



ACC-WM2
Dark Bronze



ACC-WM3
Dark Bronze



ACC-WM4
Dark Bronze



ACC-ACM
Dark Bronze



ACC-WMA



ACC-AWMA-GR
Grey



ACC-AWMA-BK
Black



ACC-AWMA-BR
Dark Bronze



ACC-WPM20
Dark Bronze

WALL MOUNT ACCESSORIES


| CATALOG NO. | DESCRIPTION |
|----------------------|--|
| LF3-WMA | Wall mount plate bronze |
| LFX-PASF | Pole Adapter for Slip Fitter for LFX & LFX-XXL & LFXMAX & LFXPRO & LF4PRO Series, bronze |
| LFX-PASF-WH | Pole Adapter for Slip Fitter for LFX & LFX-XXL & LFXMAX & LFXPRO & LF4PRO Series, white |
| LFX-PASF-BK | Pole Adapter for Slip Fitter for LFX & LFX-XXL & LFXMAX & LFXPRO & LF4PRO Series, black |
| ACC-WM2 | Wall mount bracket 90° curve bronze with 2" tenon to be used with Westgate slip fitter fixtures(-SF) |
| ACC-WM3 | Wall mount bracket 90° bronze with 2" tenon to be used with Westgate slip fitter fixtures(-SF) |
| ACC-WM4 | Wall mount bracket bronze with 2" tenon to be used with Westgate slip fitter fixtures (-SF) |
| ACC-ACM | Angled Wall Mount Arm, 2-3/8In Dia., Bronze |
| ACC-WMA-30-WH | Flood Light Wall-Mount- ing Arm 30", White |
| ACC-WMA-24-WH | Flood Light Wall-Mount- ing Arm 24", White |
| ACC-WMA-18-WH | Flood Light Wall-Mount- ing Arm 18", White |
| ACC-WMA-30-BR | Flood Light Wall-Mount- ing Arm 30", Bronze |
| ACC-WMA-24-BR | Flood Light Wall-Mount- ing Arm 24", Bronze |
| ACC-WMA-18-BR | Flood Light Wall-Mount- ing Arm 18", Bronze |
| ACC-WMA-30-BK | Flood Light Wall-Mount- ing Arm 30", Black |
| ACC-WMA-24-BK | Flood Light Wall-Mount- ing Arm 24", Black |
| ACC-WMA-18-BK | Flood Light Wall-Mount- ing Arm 18", Black |
| ACC-AWMA-BR | Architectural Wall Mount Arm For Post Top Lights, 2-3/8In Dia., Bronze |
| ACC-AWMA-BK | Architectural Wall Mount Arm For Post Top Lights, 2-3/8In Dia., Black |
| ACC-AWMA-GR | Architectural Wall Mount Arm For Post Top Lights, 2-3/8In Dia., Grey |
| ACC-WPM20 | 20In Wall And Pole Mounting Arm For Flood Lights With A Slip Fitter |



PT2-180-R
Dark Bronze



PT2-180-S
Dark Bronze



PT3-180
Dark Bronze



PT3-120
Dark Bronze



PT4-090
Dark Bronze



PT4-180
Dark Bronze

BULLHORNS ACCESSORIES, BRONZE FINISH

CATALOG NO. DESCRIPTION


- PT2-180-R** Double in-line at 180°, 1'(H), 3' between centers
- PT2-180-S** Square Pole Base Double in-line at 180°, 1'(H), 3' between centers, slips into 4" pole
- PT3-120** Triple at 120°, 1'(H), 3'-5" between centers, slips on 2-3/8" tenon
- PT3-180** Double in-line at 180°, 1'(H), 2'-7" between centers, slips on 2-3/8" pole
- PT4-090** Quad at 90° 1'(H), 2'-10" between centers, slips on 2-3/8" tenon
- PT4-180** Quad in-line at 180° 1'(H), 2'-7", between centers, slips on 2-3/8" pole



PTA-190
Dark Bronze



PTA-290
Dark Bronze



PTA-2180
Dark Bronze



PTA-390
Dark Bronze



PTA-3120
Dark Bronze



PTA-490
Dark Bronze

BULLHORNS ACCESSORIES, BRONZE FINISH

CATALOG NO. DESCRIPTION


- PTA-190** 90 degree round pole tenon adapter for 1 fixture, slips into 2-3/8" pole
- PTA-290** 90 degree round pole tenon adapter for 2 fixture, slips into 2-3/8" pole
- PTA-2180** 180 degree round pole tenon adapter for 2 fixture, slips into 2-3/8" pole
- PTA-390** 90 degree round pole tenon adapter for 3 fixture, slips into 2-3/8" pole
- PTA-3120** 120 degree round pole tenon adapter for 3 fixture, slips into 2-3/8" pole
- PTA-490** 90 degree round pole tenon adapter for 4 fixture, slips into 2-3/8" pole



PSS4L1HTZ
Dark Bronze



PSS4T180HTZ
Dark Bronze



PSS4T90HTZ
Dark Bronze




PSS4TR90HTZ
Dark Bronze




PSS4Q90HTZ
Dark Bronze



PSS4Q90VTZ
Dark Bronze



PSS4TVTZ
Dark Bronze



PSS4TRVTZ
Dark Bronze

TENONS ACCESSORIES, BRONZE FINISH

CATALOG NO. DESCRIPTION

- PSS4L1HTZ** Square (single) horizontal tenon, bronze. goes inside 4" pole. No adaptor needed
- PSS4T180HTZ** Square (twin) horizontal tenon, 180°, bronze. goes inside 4" pole. No adaptor needed
- PSS4TR90HTZ** Square (triple) horizontal tenon, 90°, bronze. goes inside 4" pole. No adaptor needed
- PSS4T90HTZ** Square (twin) horizontal tenon, 90°, bronze. goes inside 4" pole. No adaptor needed
- PSS4Q90HTZ** Square (quad) horizontal tenon, 90°, bronze. Slips on 4" pole. (fits inside pole top)
- PSS4Q90VTZ** 4" 90° quad square vertical tenon. (fits inside pole top)
- PSS4TVTZ** Twin square vertical tenon for 4" square pole. Two 2-3/8" vertical tenons. (fits inside pole top)
- PSS4TRVTZ** Triple square vertical tenon for 4" square pole. Three 2-3/8" vertical tenons. (fits inside pole top)

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

| TYPE | CATALOG NO. | PAINT |
|-------------------------|---|-------------------------|
| WALL MOUNT/POLE/ADAPTER | LF3-WMA, ACC-WM2, ACC-WM3, ACC-WM4, PSS3SVTZ, PSS4SVTZ, PSS5SVTZ, PRPT3, PRPT4, PRPT5, PSR4, LF-AD-KNU, PSS4C | OPT-CLR-35(BK/GR/SR/WH) |
| BULLHORNS | PTA-190, PTA-290, PTA-2180, PTA-390, PTA-3120, PTA-490 | OPT-CLR-35(BK/GR/SR/WH) |
| BULLHORNS | PT2-180-R, PT2-180-S, PT2-180, PT3-120, PT4-090, PT4-180 | OPT-CLR-60(BK/GR/SR/WH) |
| TENONS | PSS4T180HTZ, PSS4T90HTZ, PSS4TR90HTZ, PSS4Q90HTZ | OPT-CLR-40(BK/GR/SR/WH) |
| TENONS | PSS4Q90VTZ, PSS4TVTZ, PSS4TRVTZ | OPT-CLR-75(BK/GR/SR/WH) |



Can be used as **SIGN LIGHT**
Shown with ACC-WMA-30-BR
(See page 39)

Shown with optional
FLDVX-FS Flat Shroud

SPEC SERIES LED X-GEN BULLET FLOOD LIGHTS WITH LONG SHROUDS, 120-277V



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|-------------|-------------|-----------|
|-------------|-------------|-----------|

SPEC SERIES LED X-GEN BULLET FLOOD LIGHTS WITH LONG SHROUDS

| | | | |
|--------------------|------------------|-------------|----|
| FLDX-SM-15W-30K-BR | 15w 1800LM 3000K | 60°, Bronze | 12 |
| FLDX-SM-15W-30K-BK | 15w 1800LM 3000K | 60°, Black | 12 |
| FLDX-SM-15W-40K-BR | 15w 1800LM 4000K | 60°, Bronze | 12 |
| FLDX-SM-15W-40K-BK | 15w 1800LM 4000K | 60°, Black | 12 |
| FLDX-SM-15W-50K-BR | 15w 1800LM 5000K | 60°, Bronze | 12 |
| FLDX-SM-15W-50K-BK | 15w 1800LM 5000K | 60°, Black | 12 |

POWER ADJUSTABLE SPEC SERIES LED X-GEN BULLET FLOOD LIGHTS WITH LONG SHROUDS



| | | | |
|-----------------------|---------------------------|-------------|---|
| FLDX-MD-10-30W-30K-BR | 10w/20w/30w 120LM/W 3000K | 60°, Bronze | 8 |
| FLDX-MD-10-30W-30K-BK | 10w/20w/30w 120LM/W 3000K | 60°, Black | 8 |
| FLDX-MD-10-30W-40K-BR | 10w/20w/30w 120LM/W 4000K | 60°, Bronze | 8 |
| FLDX-MD-10-30W-40K-BK | 10w/20w/30w 120LM/W 4000K | 60°, Black | 8 |
| FLDX-MD-10-30W-50K-BR | 10w/20w/30w 120LM/W 5000K | 60°, Bronze | 8 |
| FLDX-MD-10-30W-50K-BK | 10w/20w/30w 120LM/W 5000K | 60°, Black | 8 |

POWER & CCT ADJUSTABLE SPEC SERIES LED X-GEN BULLET FLOOD LIGHTS WITH LONG SHROUDS



| | | | |
|------------------------|--|-------------|---|
| FLDX-LG-10-30W-MCTP-BR | 10w/20w/30w 120LM/W 3000K/4000K/5000K | 60°, Bronze | 4 |
| FLDX-LG-10-30W-MCTP-BK | 10w/20w/30w 120LM/W 3000K/4000K/5000K | 60°, Black | 4 |
| FLDX-LG-30-50W-MCTP-BR | 30w/40w/50w 120LM/W 3000K/4000K/5000K | 35°, Bronze | 4 |
| FLDX-LG-30-50W-MCTP-BK | 30w/40w/50w 120LM/W 3000K/4000K/5000K | 35°, Black | 4 |
| FLDVX-FS-SM-BR | Flat Shroud For Sm Size Housing, Bronze | | |
| FLDVX-FS-SM-BK | Flat Shroud For Sm Size Housing, Black | | |
| FLDVX-FS-MD-BR | Flat Shroud For Md Size Housing, Bronze | | |
| FLDVX-FS-MD-BK | Flat Shroud For Md Size Housing, Black | | |
| FLDVX-FS-LG-BR | Flat Shroud For Lg Size Housing, Bronze | | |
| FLDVX-FS-LG-BK | Flat Shroud For Lg Size Housing, Black | | |
| FLDVX-SM-RL35 | 35-Degree Repl. Lens For Sm Size Housing | | |
| FLDVX-MD-RL35 | 35-Degree Repl. Lens For Md Size Housing | | |
| FLDVX-LG-RL35 | 35-Degree Repl. Lens For Lg Size Housing | | |
| FLDVX-LG-RL60 | 60-Degree Repl. Lens For Lg Size Housing | | |



FLDXPRO-SM-BR Bronze FLDXPRO-SM-BK Black FLDXPRO-SM-WH White FLDXPRO-MD-BR Bronze FLDXPRO-MD-BK Black FLDXPRO-MD-WH White

SPEC SERIES POWER, CCT & BEAM ANGLE- ADJUSTABLE LED X-GEN BULLET FLOOD LIGHTS WITH INTEGRATED PHOTOCELL, 120-277V



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|-------------|-------------|-----------|
|-------------|-------------|-----------|

| | | |
|------------------------------|---------------------------------------|---|
| FLDXPRO-SM-5-15W-MCTPB-BR | 5w/10w/15w 95LM/W 30K/40K/50K Bronze | 4 |
| FLDXPRO-SM-5-15W-MCTPB-BK | 5w/10w/15w 95LM/W 30K/40K/50K Black | 4 |
| FLDXPRO-SM-5-15W-MCTPB-WH-P | 5w/10w/15w 95LM/W 30K/40K/50K White | 4 |
| FLDXPRO-MD-10-30W-MCTPB-BR | 10w/20w/30w 95LM/W 30K/40K/50K Bronze | 4 |
| FLDXPRO-MD-10-30W-MCTPB-BK | 10w/20w/30w 95LM/W 30K/40K/50K Black | 4 |
| FLDXPRO-MD-10-30W-MCTPB-WH-P | 10w/20w/30w 95LM/W 30K/40K/50K White | 4 |

120-277V

120-277V

OUTDOOR GARDEN LIGHTS



FLAG-POLE NARROW-BEAM FLOOD



| CATALOG NO. | DESCRIPTION | ARRIVES THIS SEASON CHECK & PRE-ORDER | PKG. QTY. |
|------------------------|-------------------------|--|--------------|
| FLDF-84W-30K-BR | 84W 9000LM 3000K Bronze | | 6 |
| FLDF-84W-50K-BR | 84W 9000LM 5000K Bronze | | 6 |
| FLDF-84W-30K-BK | 84W 9000LM 3000K Black | | 6 |
| FLDF-84W-50K-BK | 84W 9000LM 5000K Black | | 6 |



OUTDOOR

GARDEN LIGHTS

SPEC SERIES RGBW BLUETOOTH WESTGATE APP BULLET, 120-277V



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|---|-----------------------|--------------|
| FLDX-MD-15W-RGBW-BT-BR FOR REMOTE CONTROL SEE PAGE 86 | 15W 720LM RGBW Bronze | 4 |



120-277V

BLUETOOTH WG APP COMPATIBLE RGBW FLOOD LIGHT, 60D LENS, 120-277V



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|---|----------------|--------------|
| TC-FL-36W-RGBW-BT-BR FOR REMOTE CONTROL SEE PAGE 86 | 36W 824LM RGBW | 4 |

120-277V

LED GARDEN FLOOD LIGHTS, 120-277V



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|----------------------|-------------------------|--------------|
| GL-12W-30K-BR | 12W 960LM 3000K Bronze | 6 |
| GL-12W-40K-BR | 12W 960LM 4000K Bronze | 6 |
| GL-12W-50K-BR | 12W 960LM 5000K Bronze | 6 |
| GL-24W-30K-BR | 24W 1920LM 3000K Bronze | 6 |
| GL-24W-40K-BR | 24W 1920LM 4000K Bronze | 6 |
| GL-24W-50K-BR | 24W 1920LM 5000K Bronze | 6 |



GL-MCTP-BR
Bronze



GL-MCTP-BK
Black



GL-MCTP-WH
White



MCTP-RC1
Required & One per projects

LED WHITE TUNABLE GARDEN FLOOD REMOTE SOLD SEPARATELY, 120-277V



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|-------------------|--|--------------|
| GL-MCTP-BK | 20W MAX. 1400LM MAX. 3000K-5700K Black | 6 |
| GL-MCTP-BR | 20W MAX. 1400LM MAX. 3000K-5700K Bronze | 6 |
| GL-MCTP-WH | 20W MAX. 1400LM MAX. 3000K-5700K White | 6 |
| MCTP-RC1 | Remote Control for Multi-Color Temp. & Power Outdoor Fixture (Required & One per projects) | - |

120-277V

120-277V



120V GARDEN BULLET WITHOUT OR WITH SHROUD, INTEGRATED 3CCT

120V

120-277V

120-277V

| CATALOG NO. | DESCRIPTION |
|-------------------|--------------------------|
| AD120-017-MCT-ORB | 8W 700LM 30K/40K/50K 17" |
| AD120-017-MCT-BK | 8W 700LM 30K/40K/50K 17" |
| AD120-017-MCT-WH | 8W 700LM 30K/40K/50K 17" |
| AD120-018-MCT-ORB | 8W 700LM 30K/40K/50K 18" |
| AD120-018-MCT-BK | 8W 700LM 30K/40K/50K 18" |

3RD GENERATION 3CCT FLOOD HEAD, 120-277V



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|-------------------|------------------------------|-----------|
| FLD3-13W-MCT-D-KN | 13W 1820LM 3000K/4000K/5000K | 12 |
| FLD3-25W-MCT-D-KN | 25W 3500LM 3000K/4000K/5000K | 12 |



GARDEN AND FLAG BULLET LIGHT, 120-277V



| CATALOG NO. | DESCRIPTION | REPLACEMENT RANGE | PKG. QTY. |
|-------------------|------------------|-------------------|-----------|
| FLD2-15W-30K-D-KN | 15W 1900LM 3000K | 50-70 MH | 12 |
| FLD2-15W-50K-D-KN | 15W 1900LM 5000K | 50-70 MH | 12 |
| FLD2-28W-30K-D-KN | 28W 3500LM 3000K | 70-100 MH | 8 |
| FLD2-28W-50K-D-KN | 28W 3500LM 5000K | 70-100 MH | 8 |
| FLD2-42W-30K-D-KN | 42W 5200LM 3000K | 100-175 MH | 6 |
| FLD2-42W-50K-D-KN | 42W 5200LM 5000K | 100-175 MH | 6 |

FOR SHROUDS SEE PAGE 69.

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

| WATTS | WIRES PULLED OUT | DESCRIPTION | PHOTOCELL | DESCRIPTION | PAINT | SENSOR | DESCRIPTION |
|------------|------------------|-----------------------------|-----------|-------------|-------|--------|-------------|
| ALL MODELS | OPT-010WP0 | 0-10V Dim. Wires Pulled Out | N/A | N/A | N/A | N/A | N/A |

WEATHERPROOF LED SQUARE FLOOD HEADS, 120V

120V

120V

| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|----------------|-------------------------|-----------|
| FLH-10W-30K-BR | 10W 1000LM 3000K Bronze | 12 |
| FLH-10W-50K-BR | 10W 1000LM 5000K Bronze | 12 |
| FLH-10W-30K-WH | 10W 1000LM 3000K White | 12 |
| FLH-10W-50K-WH | 10W 1000LM 5000K White | 12 |

See page 205-208 for weather-proof boxes & covers

WEATHERPROOF LED ROUND FLOOD HEADS, 120V

| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|----------------|-----------------------------|-----------|
| FLS-10W-30K-BR | 10W 950LM 3000K BRONZE 100° | 12 |
| FLS-10W-50K-BR | 10W 950LM 5000K BRONZE 100° | 12 |
| FLS-10W-30K-WH | 10W 950LM 3000K WHITE 100° | 12 |
| FLS-10W-50K-WH | 10W 950LM 5000K WHITE 100° | 12 |

See page 205-208 for weather-proof boxes & covers

OUTDOOR
GARDEN LIGHTS



FLVX-SM
Bronze

FLVX-SM
Black

FLVX-MD
Bronze

FLVX-MD
Black

FLVX-LG
Bronze

FLVX-LG
Black

Shown with optional
FLDVX-FS Flat Shroud



12V SPEC SERIES LED X-GEN BULLET FLOOD LIGHTS WITH LONG SHROUDS

| CATALOG NO. | DESCRIPTION | | | | PKG. QTY. |
|---|--|--------|-------------|-------------|-----------|
| 12V SPEC SERIES LED X-GEN BULLET FLOOD LIGHTS WITH LONG SHROUDS | | | | | |
| FLVX-SM-6W-30K-BR | 6W | 700LM | 3000K | 60°, Bronze | 12 |
| FLVX-SM-6W-30K-BK | 6W | 700LM | 3000K | 60°, Black | 12 |
| FLVX-SM-6W-40K-BR | 6W | 700LM | 4000K | 60°, Bronze | 12 |
| FLVX-SM-6W-40K-BK | 6W | 700LM | 4000K | 60°, Black | 12 |
| FLVX-SM-12W-30K-BR | 12W | 1400LM | 3000K | 60°, Bronze | 12 |
| FLVX-SM-12W-30K-BK | 12W | 1400LM | 3000K | 60°, Black | 12 |
| FLVX-SM-12W-40K-BR | 12W | 1400LM | 4000K | 60°, Bronze | 12 |
| FLVX-SM-12W-40K-BK | 12W | 1400LM | 4000K | 60°, Black | 12 |
| FLVX-MD-24W-30K-BR | 24W | 2900LM | 3000K | 60°, Bronze | 8 |
| FLVX-MD-24W-30K-BK | 24W | 2900LM | 3000K | 60°, Black | 8 |
| FLVX-MD-24W-40K-BR | 24W | 2900LM | 4000K | 60°, Bronze | 8 |
| FLVX-MD-24W-40K-BK | 24W | 2900LM | 4000K | 60°, Black | 8 |
| 12V SPEC SERIES LED X-GEN BULLET FLOOD LIGHTS WITH LONG SHROUDS-POWER & CCT ADJUSTABLE | | | | | |
| FLVX-LG-30-50W-MCTP-BR | 30W/40W/50W | 95LM/W | 30K/40K/50K | 35°, Bronze | 4 |
| FLVX-LG-30-50W-MCTP-BK | 30W/40W/50W | 95LM/W | 30K/40K/50K | 35°, Black | 4 |
| FLDVX-FS-SM-BR | Flat Shroud For Sm Size Housing, Bronze | | | | |
| FLDVX-FS-SM-BK | Flat Shroud For Sm Size Housing, Black | | | | |
| FLDVX-FS-MD-BR | Flat Shroud For Md Size Housing, Bronze | | | | |
| FLDVX-FS-MD-BK | Flat Shroud For Md Size Housing, Black | | | | |
| FLDVX-SM-RL35 | 35-Degree Repl. Lens For Sm Size Housing | | | | |
| FLDVX-MD-RL35 | 35-Degree Repl. Lens For Md Size Housing | | | | |
| FLDVX-LG-RL60 | 60-Degree Repl. Lens For LG Size Housing | | | | |

12V



FLVXPRO-SM
Bronze

FLVXPRO-SM
Black

FLVXPRO-MD
Bronze

FLVXPRO-MD
Black

12V SPEC SERIES POWER, CCT & BEAM ANGLE- ADJUSTABLE LED X-GEN BULLET FLOOD LIGHTS WITH INTEGRATED PHOTOCELL



| CATALOG NO. | DESCRIPTION | | | | PKG. QTY. |
|-----------------------------------|-------------|--------|-------------|--|-----------|
| FLVXPRO-SM-6-12W-MCTPB-BR | 3W/6W/12W | 90LM/W | 30K/40K/50K | | 4 |
| FLVXPRO-SM-6-12W-MCTPB-BK | 3W/6W/12W | 90LM/W | 30K/40K/50K | | 4 |
| FLVXPRO-MD-10-30W-MCTPB-BR | 10W/20W/30W | 90LM/W | 30K/40K/50K | | 4 |
| FLVXPRO-MD-10-30W-MCTPB-BK | 10W/20W/30W | 90LM/W | 30K/40K/50K | | 4 |

12V

12-VOLT AC/DC LED GARDEN FLOOD LIGHTS

12V



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|--------------------------|--|-----------|
| GL-12V-12W-30K-BR | 12W 960LM 3000K bronze Spike Incl. | 6 |
| GL-12V-12W-40K-BR | 12W 960LM 4000K bronze Spike Incl. | 6 |
| GL-12V-12W-50K-BR | 12W 960LM 5000K bronze Spike Incl. | 6 |
| GL-12V-24W-30K-BR | 24W 1920LM 3000K bronze Spike Incl. | 6 |
| GL-12V-24W-40K-BR | 24W 1920LM 4000K bronze Spike Incl. | 6 |
| GL-12V-24W-50K-BR | 24W 1920LM 5000K bronze Spike Incl. | 6 |



OUTDOOR
GARDEN LIGHTS

SPEC SERIES RGBW BLUETOOTH WESTGATE APP BULLET, 12V



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|---|------------------------------|-----------|
| FLVX-MD-15W-RGBW-BT-BR FOR REMOTE CONTROL SEE PAGE 86 | 15W 720LM RGBW Bronze | 4 |

BLUETOOTH WG APP COMPATIBLE RGBW FLOOD LIGHT, 40D LENS, 12V



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|---|-----------------------|-----------|
| TC-GL-12V-15W-RGBW-BT-BR FOR REMOTE CONTROL SEE PAGE 86 | 15W 405LM RGBW | 6 |

12V



BLUETOOTH WG APP COMPATIBLE RGBW FLOOD LIGHT, 60D LENS, 12V



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|---|-----------------------|-----------|
| TC-FL-12V-36W-RGBW-BT-BR FOR REMOTE CONTROL SEE PAGE 86 | 36W 824LM RGBW | 4 |



SHOWN WITH SHROUD

12-VOLT AC (AC/DC ON 6W&12W) LED BULLET LANDSCAPE FLOOD LIGHT

12V

| CATALOG NO. | DESCRIPTION | REPLACEMENT RANGE | PKG. QTY. |
|----------------------|---|-------------------|-----------|
| FLV12-6W-30K | 6W 500LM 3000K SPIKE Incl. 35° | 35-50 MR16 | 12 |
| FLV12-6W-50K | 6W 550LM 5000K SPIKE Incl. 35° | 35-50 MR16 | 12 |
| FLV12-12W-30K | 12W 1200LM 3000K SPIKE Incl. 35° | | 12 |
| FLV12-12W-50K | 12W 1300LM 5000K SPIKE Incl. 35° | | 12 |
| FLV12-24W-30K | 24W 2200LM 3000K SPIKE Incl. 35° | | 12 |
| FLV12-24W-50K | 24W 2500LM 5000K SPIKE Incl. 35° | | 12 |
| FLV12-32W-30K | 32W 3200LM 3000K SPIKE Incl. 35° | | 12 |
| FLV12-32W-50K | 32W 3500LM 5000K SPIKE Incl. 35° | | 12 |

FOR SHROUDS SEE PAGE 69.



12-VOLT AC (AC/DC ON 6W&12W) INTEGRATED LED WALL WASH LIGHTS



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|---------------------------------|--|-----------|
| LF4-12V-6W-30K | 6W 440LM 3000K BRONZE SPIKE Incl. | 12 |
| LF4-12V-6W-50K | 6W 500LM 5000K BRONZE SPIKE Incl. | 12 |
| LF4-12V-12W-30K | 12W 1080LM 3000K BRONZE SPIKE Incl. | 12 |
| LF4-12V-12W-50K | 12W 1260LM 5000K BRONZE SPIKE Incl. | 12 |
| LF4-12V-24W-30K | 24W 2155LM 3000K BRONZE SPIKE Incl. | 6 |
| LF4-12V-24W-50K | 24W 2500LM 5000K BRONZE SPIKE Incl. | 6 |
| LF4-12V-30W-30K | 30W 2700LM 3000K BRONZE SPIKE Incl. | 6 |
| LF4-12V-30W-50K | 30W 3150LM 5000K BRONZE SPIKE Incl. | 6 |
| LF4-12V-50W-30K | 50W 4500LM 3000K BRONZE SPIKE Incl. | 6 |
| LF4-12V-50W-50K | 50W 5250LM 5000K BRONZE SPIKE Incl. | 6 |

FOR SHROUDS SEE PAGE 69.

OUTDOOR
GARDEN LIGHTS

12V



LF12-KN
Bronze



FL12-G2
Black



FL12-G2
Bronze

12-VOLT AC/DC LED GARDEN LIGHT



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|---------------------------------|--|-----------|
| LF12-6W-27K-KN | 6W 400LM 2700K KNUCKLE , SPIKE INCL. 45° COB WITH ALUM REFL. | 40 |
| LF12-6W-30K-KN | 6W 400LM 3000K KNUCKLE , SPIKE INCL. 45° COB WITH ALUM REFL. | 40 |
| LF12-6W-40K-KN | 6W 450LM 4000K KNUCKLE , SPIKE INCL. 45° COB WITH ALUM REFL. | 40 |
| LF12-6W-50K-KN | 6W 450LM 5000K KNUCKLE , SPIKE INCL. 45° COB WITH ALUM REFL. | 40 |
| LF12-6W-RGBW-KN | 6W 450LM RGB + 3000K KNUCKLE , SPIKE INCL. 45° COB WITH ALUM REFL. | 40 |

2ND GEN. 12-VOLT AC/DC LED GARDEN LIGHT ARRIVES THIS SEASON CHECK & PRE-ORDER

- [LF12-G2-7W-MCT5-BK](#) 7W **550LM** 5CCT
- [LF12-G2-7W-MCT5-ORB](#) 7W **550LM** 5CCT

NEEDS RGBW CONTROLLER SEE PAGE 186.

12V



Flood Light Wall-Mounting Arm
30In/24in/18in, Black/White
See page 39



LOHB-C
Surface/Ceiling Mounting conversion
Bracket w/screw holes in base, (set
of 2)



LOHB-H-2FT
2Ft. Surface Mounting
conversion yoke, Steel
(Also need LOHB-G)



LOHB-G
Side by side fixture coupling
Also used with LOHB-G
Surf. Mt. Bracket (set of 2)



OUTDOOR
GARDEN
LIGHTS

LED OUTDOOR SIGN LIGHTS WITH 1/2" ADJUSTABLE KNUCKLES, 120-277V



| CATALOG NO. | DESCRIPTION | REPLACEMENT RANGE | PKG. QTY. |
|-----------------------------|---------------------------|-------------------|-----------|
| LOHB-2FT-50W-30K | 50W 6500LM 3000K | 150-250MH | 4 |
| LOHB-2FT-50W-50K | 50W 6700LM 5000K | 150-250MH | 4 |
| LOHB-4FT-120W-30K | 120W 15300LM 3000K | 200-400MH | 1 |
| LOHB-4FT-120W-50K | 120W 15600LM 5000K | 200-400MH | 1 |
| LOHB-4FT-120W-30K-WH | 120W 15300LM 3000K | 200-400MH White | 1 |
| LOHB-4FT-120W-50K-WH | 120W 15600LM 5000K | 200-400MH White | 1 |



SPEC SERIES SOLAR SIGN AND BILLBOARD LIGHTS



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|---------------------|---------------------------------|-----------|
| SOLS-1FT-MCT | 5W 500LM 3000K/6000K 1FT | 18 |
| SOLS-2FT-60K | 10W 1000LM 6000K 2FT | 9 |
| SOLS-4FT-60K | 20W 2000LM 6000K 4FT | 4 |

LED WORK LIGHT S-HOOK, USB CABLE & ADAPTOR INCL.



| CATALOG NO. | DESCRIPTION |
|------------------------|---|
| WL-EZCG-10W-50K | 10W 300-600LM 5000K |
| WL-EZCG-SOLP | Solar panel 10 ft. cord & magnetic base |



3IN1 LED WORK LIGHT(WORK LIGHT/SOS LIGHT/POWER BANK) USB CABLE INCL.

| CATALOG NO. | DESCRIPTION |
|--------------------|------------------------|
| WL-3IN1-10W | 10W 400LM 6000K |



Retail Packaging - MOQ 1 Master Carton of 10



LRX-36-60W-MCTP-P



LRX-72-120W-MCTP-TL

BUILDER SERIES POWER & COLOR-TEMP. SELECTABLE DUSK-TO-DAWN BARN/AREA LIGHT, 120-277V (Photocell & Arm Incl.)



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|---------------------|--|-----------|
| LRX-36-60W-MCTP-P | 36W/42W/60W 130LM/W 3000K/4000K/5000K | 4 |
| LRX-72-120W-MCTP-TL | 72W/96W/120W 130LM/W 3000K/4000K/5000K | 4 |



SPEC SERIES POWER & CCT DUSK-TO-DAWN BARN/AREA LIGHT 120-277V (NEMA Photocell & Arm Incl.)



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|------------------|---|-----------|
| LRX-20-50W-MCTP | 20W/30W/40W/50W 130LM/W 30K/40K/50K/57K | 2 |
| LRX-50-120W-MCTP | 50W/80W/100W/120W 130LM/W 30K/40K/50K/57K | 1 |



HIGH-OUTPUT DUAL-SELECTABLE VAPOR-TIGHT WITH ADJ. ANGLE




| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|-----------------|---------------------------------|-----------|
| VTA-15-30W-MCTP | 15W/20W/30W 110LM/W 30K/40K/50K | 6 |

LED UNIVERSAL VAPOR LIGHTS, (ALL MOUNTING OPTIONS IN ONE BOX) 120-277V, IP65 NEMA 3R



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|-------------|------------------|-----------|
| VTU-12W-30K | 12W 840LM 3000K | 2 |
| VTU-12W-50K | 12W 900LM 5000K | 2 |
| VTU-20W-30K | 20W 1685LM 3000K | 2 |
| VTU-20W-50K | 20W 1785LM 5000K | 2 |



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

| WATTS | EM OPTION | DESCRIPTION | PHOTOCELL DESCRIPTION | PAINT | SENSOR | DESCRIPTION |
|-------|------------|-------------|-----------------------|--------|-------------------------|--|
| ALL | OPT-EM-VTU | INTERNAL | OPT-PC-B | BUTTON | OPT-CLR-85(BK/GR/SR/WH) | PROGRAMMABLE MICROWAVE BI-LEVEL REMOTE CONTROL |
| | | | | | OPT-SEN-3MRLV-5 | |
| | | | | | WEC-BRC | |



TOL-YOSEMITE
Tree of Lite - Yosemite
Black/Bronze
(Shown with pole-POL series)
see next page

TOL SEQUOIA
Tree of Lite - Sequoia
Black/Bronze
(Shown with pole-POL series)
see next page

TOL-KINGS
Tree of Lite - Kings
Black/Bronze
(Shown with pole-POL series)
see next page

TOL-JOSHUA
Tree of Lite - Joshua
Black/Bronze
(Shown with pole-POL series)
see next page

TOL-REDWOOD
Tree of Lite - Redwood
Black/Bronze
(Shown with pole-POL series)
see next page



TOL-A1-1L
Black/Bronze



TOL-A2-1L
Black/Bronze



TOL-A2-3L
Black/Bronze



TOL-A3-3L
Black/Bronze



TOL-A4-4L
Black/Bronze

TREE OF LIGHT, A NATURAL DESIGNER LIGHT STRUCTURE FOR OPEN AREAS



| CATALOG NO. | DESCRIPTION | ARRIVES THIS SEASON CHECK & PRE-ORDER | PKG. QTY. |
|------------------------|---------------------------------|--|--------------|
| TOL-YOSEMITE-BR | 75W 125LM/W 30K/40K/50K Bronze | | 1 |
| TOL-SEQUOIA-BR | 100W 125LM/W 30K/40K/50K Bronze | | 1 |
| TOL-KINGS-BR | 150W 125LM/W 30K/40K/50K Bronze | | 1 |
| TOL-JOSHUA-BR | 225W 125LM/W 30K/40K/50K Bronze | | 1 |
| TOL-REDWOOD-BR | 275W 125LM/W 30K/40K/50K Bronze | | 1 |
| TOL-YOSEMITE-BK | 75W 125LM/W 30K/40K/50K Black | | 1 |
| TOL-SEQUOIA-BK | 100W 125LM/W 30K/40K/50K Black | | 1 |
| TOL-KINGS-BK | 150W 125LM/W 30K/40K/50K Black | | 1 |
| TOL-JOSHUA-BK | 225W 125LM/W 30K/40K/50K Black | | 1 |
| TOL-REDWOOD-BK | 275W 125LM/W 30K/40K/50K Black | | 1 |
| TOL-A1-1L-BR | 25W 125LM/W 30K/40K/50K Bronze | | 1 |
| TOL-A2-1L-BR | 25W 125LM/W 30K/40K/50K Bronze | | 1 |
| TOL-A2-3L-BR | 75W 125LM/W 30K/40K/50K Bronze | | 1 |
| TOL-A3-3L-BR | 75W 125LM/W 30K/40K/50K Bronze | | 1 |
| TOL-A4-4L-BR | 100W 125LM/W 30K/40K/50K Bronze | | 1 |
| TOL-A1-1L-BK | 25W 125LM/W 30K/40K/50K Black | | 1 |
| TOL-A2-1L-BK | 25W 125LM/W 30K/40K/50K Black | | 1 |
| TOL-A2-3L-BK | 75W 125LM/W 30K/40K/50K Black | | 1 |
| TOL-A3-3L-BK | 75W 125LM/W 30K/40K/50K Black | | 1 |
| TOL-A4-4L-BK | 100W 125LM/W 30K/40K/50K Black | | 1 |



POL-D1-ABK



POL-D1-BASECVR

OUTDOOR
PEDESTRIAN
LIGHTS

DECORATIVE 3-PIECE LIGHT POLE

| CATALOG NO. | DESCRIPTION | ARRIVES THIS SEASON CHECK & PRE-ORDER |
|-----------------------------------|--|--|
| POL-D1-120-3PC-BK | 120In Decorative Pole D1 Series, 3Pc, 2.36In Tenon, Black | |
| POL-D1-120-3PC-BR | 120In Decorative Pole D1 Series, 3Pc, 2.36In Tenon, Bronze | |
| POL-D1-144-3PC-BK | 144In Decorative Pole D1 Series, 3Pc, 2.36In Tenon, Black | |
| POL-D1-144-3PC-BR | 144In Decorative Pole D1 Series, 3Pc, 2.36In Tenon, Bronze | |
| POL-D1-ABK | D1 Series Pole Anchor Bolt Kit 9/16 (M14) | |
| POL-D1-BASECVR-BR | D1 Series Pole 2-Pc Cube Base Cover, Bronze | |
| POL-D1-BASECVR-BK | D1 Series Pole 2-Pc Cube Base Cover, Black | |



GPX-18-60W-MCTP-A1
Single Arm
for 2-3/8" Poles
"POLE IS NOT INCL."



GPX-18-60W-MCTP-A2
Twin Arm
for 2-3/8" Poles
"POLE IS NOT INCL."



GPX-18-60W-MCTP-PWM
Pole/Wall Mount



GPX-18-60W-MCTP-SF
Slip fitter
for 2-3/8" Poles
"POLE IS NOT INCL."



GPX-18-60W-MCTP-BM
Bell Mount
for 2-3/8" Poles
"POLE IS NOT INCL."



GPX-18-60W-MCTP-CM
Ceiling Mount



GPX-18-60W-MCTP-PM75
Pipe Mount
with 3/4" Hub
"STEM IS NOT INCL."



GPX-18-60W-MCTP-CAT
Catenary
Suspension Mount
"SUSP. CABLE IS NOT INCL."

SPEC SERIES POWER & CCT- ADJUSTABLE AREA/FLOOD LIGHT Bronze Finish

120-277V, TYPE 5 LENS (TYPE 2 & TYPE 3 LENS ALSO AVAILABLE) 7 DAYS LEAD TIME



| DESCRIPTION | MOUNTING | PKG. QTY. |
|--|------------------------------|-----------|
| GPX-18-60W-MCTP-A1 18W/30W/45W/60W 150LM/W 30K/40K/50K | Single Arm for 2-3/8" Poles | 1 |
| GPX-18-60W-MCTP-A2 18W/30W/45W/60W 150LM/W 30K/40K/50K | Twin Arm for 2-3/8" Poles | 1 |
| GPX-18-60W-MCTP-PWM 18W/30W/45W/60W 150LM/W 30K/40K/50K | Pole/Wall Mount | 1 |
| GPX-18-60W-MCTP-SF 18W/30W/45W/60W 150LM/W 30K/40K/50K | Slip fitter for 2-3/8" Poles | 1 |
| GPX-18-60W-MCTP-BM 18W/30W/45W/60W 150LM/W 30K/40K/50K | Bell Mount for 2-3/8" Poles | 1 |
| GPX-18-60W-MCTP-CM 18W/30W/45W/60W 150LM/W 30K/40K/50K | Ceiling Mount | 1 |
| GPX-18-60W-MCTP-PM75 18W/30W/45W/60W 150LM/W 30K/40K/50K | Pipe Mount with 3/4" Hub | 1 |
| GPX-18-60W-MCTP-CAT 18W/30W/45W/60W 150LM/W 30K/40K/50K | Catenary Suspension Mount | 1 |
| GPX-22-75W-MCTP-A1 22W/37W/56W/75W 150LM/W 40K/50K | Single Arm for 2-3/8" Poles | 1 |
| GPX-22-75W-MCTP-A2 22W/37W/56W/75W 150LM/W 40K/50K | Twin Arm for 2-3/8" Poles | 1 |
| GPX-22-75W-MCTP-PWM 22W/37W/56W/75W 150LM/W 40K/50K | Pole/Wall Mount | 1 |
| GPX-22-75W-MCTP-SF 22W/37W/56W/75W 150LM/W 40K/50K | Slip fitter for 2-3/8" Poles | 1 |
| GPX-22-75W-MCTP-BM 22W/37W/56W/75W 150LM/W 40K/50K | Bell Mount for 2-3/8" Poles | 1 |
| GPX-22-75W-MCTP-CM 22W/37W/56W/75W 150LM/W 40K/50K | Ceiling Mount | 1 |
| GPX-22-75W-MCTP-PM75 22W/37W/56W/75W 150LM/W 40K/50K | Pipe Mount with 3/4" Hub | 1 |
| GPX-22-75W-MCTP-CAT 22W/37W/56W/75W 150LM/W 40K/50K | Catenary Suspension Mount | 1 |

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

| WATTS | EM OPTION | DESCRIPTION | PHOTOCELL | DESCRIPTION | PAINT | SENSOR | DESCRIPTION |
|-------|---------------------|--------------------|-------------|----------------|-------------------------|---------------|--------------------|
| ALL | OPT-EM-GPX | INTERNAL | OPT-3MPC | ELECTRONIC | OPT-CLR-95(BK/GR/SR/WH) | OPT-SEN-3MR-3 | BI-LEVEL MICROWAVE |
| | LENS OPTION | DESCRIPTION | 480V OPTION | DESCRIPTION | | WEC-8RC | REMOTE CONTROL |
| | OPT-GPX-LENS-TYPE2S | TYPE 2S | OPT-WP-480V | CHANGE VOLTAGE | | | |
| | OPT-GPX-LENS-TYPE3S | TYPE 3S | | | | | |
| | OPT-GPX-LENS-FL | FROSTED GLASS LENS | | | | | |



GPE-60-100W-MCTP-BK
Black



GPE-40-60W-MCTP
GPE-60-100W-MCTP
Bronze



GPE
Folds For Shipment



GPET-30-60W-MCTP
GPET-60-100W-MCTP
Pole is not Incl.



GPE-30-25-REDUCER

POWER & CCT- ADJUSTABLE GARDEN POST-TOP LIGHTS, 120-277V Bronze Finish



OUTDOOR
PEDESTRIAN
LIGHTS

| CATALOG NO. | DESCRIPTION |
|-------------|-------------|
|-------------|-------------|

POWER & CCT- ADJUSTABLE GARDEN POST-TOP LIGHTS, 120-277V (FITS ON 3" OD PIPES/POLES)

| | | | | |
|----------------------------|---|---------|-------------|--------|
| GPE-40-60W-MCTP | 40W/50W/60W | 130LM/W | 30K/40K/50K | Bronze |
| GPE-60-100W-MCTP | 60W/80W/100W | 130LM/W | 30K/40K/50K | Bronze |
| GPE-60-100W-MCTP-BK | 60W/80W/100W | 130LM/W | 30K/40K/50K | Black |
| GPE-30-25-REDUCER | GPE Neck Reducer from 3" Inner Diameter to 2.5" | | | |

POWER & CCT- ADJUSTABLE GARDEN POST-TOP LIGHTS, 120-277V, (FITS ON 2-3/8" OD PIPES/POLES) 7 DAYS LEAD TIME

| | | | | |
|--------------------------|--------------|---------|-------------|--------|
| GPET-40-60W-MCTP | 40W/50W/60W | 130LM/W | 30K/40K/50K | Bronze |
| GPET-60-100W-MCTP | 60W/80W/100W | 130LM/W | 30K/40K/50K | Bronze |

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

| WATTS | EM OPTION | DESCRIPTION | PHOTOCELL | DESCRIPTION | PAINT | SENSOR | DESCRIPTION |
|-------|--------------------|-------------|-----------------|-------------|---------------------------------|----------------------|--------------------|
| GPE | OPT-EM-GPE | INTERNAL | OPT-3MPC | ELECTRONIC | OPT-CI R-95(RK/GR/SR/WH) | OPT-SEN-3MR-3 | BI-LEVEL MICROWAVE |
| GPET | OPT-EM-GPET | INTERNAL | | | | WEC-8RC | REMOTE CONTROL |



Shown with
ACC-AWMA-BK

SPEC SERIES 17" MODERN LUCITE POST TOP, POWER & CCT- ADJUSTABLE



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|-------------|-------------|-----------|
|-------------|-------------|-----------|

GPL-18-60W-MCTP 18W/30W/45W/60W 140LM/W 30K/40K/50K 1

FOR FACTORY OPTION SEE GPC BELOW

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

| WATTS | EM OPTION | DESCRIPTION | PHOTOCELL | DESCRIPTION | PAINT | SENSOR | DESCRIPTION |
|-------|-------------------|-------------|--------------------|-------------|-------|------------------------|---------------------------------|
| ALL | OPT-EM-GPL | INTERNAL | OPT-LF3-PCK | BUTTON | N/A | OPT-SEN-3MRLV-5 | PROGRAMMABLE MICROWAVE BI-LEVEL |



Shown With
Frosted Lens



GPE-30-25-REDUCER



GPC-SH

SPEC SERIES 24" X 14" SQ COACH POST TOP, POWER & CCT- ADJUSTABLE

(FITS ON 3" OD PIPES/POLES) Black Finish



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|-------------|-------------|-----------|
|-------------|-------------|-----------|

GPC-60-100W-MCTP 60W/80W/100W 90LM/W 3000K/4000K/5000K (Open Design) 1

GPC-SH GPC House-Side Glare Shield

GPE-30-25-REDUCER Neck Reducer from 3" Inner Diameter to 2.5"

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

| WATTS | EM OPTION | DESCRIPTION | PHOTOCELL | DESCRIPTION | PAINT | SENSOR | DESCRIPTION |
|-------|--------------------|----------------------------------|----------------------------|-------------|-------|------------------------|---------------------------------|
| ALL | OPT-EM-GPC | INTERNAL | OPT-LF3-PCK | BUTTON | N/A | OPT-SEN-3MRLV-5 | PROGRAMMABLE MICROWAVE BI-LEVEL |
| | | FROSTED GLASS DESCRIPTION | PC LENS DESCRIPTION | | | WEC-8RC | REMOTE CONTROL |
| | OPT-GPC-GSF | 4 SIDE | OPT-GPC-PCLF | FROSTED | | | |
| | OPT-GPC-GBF | BOTTOM ONLY | OPT-GPC-PCLC | CLEAR | | | |



Shown with
ACC-AWMA-BK



MODERN TOP-HAT POST-TOP AREA LIGHT WITH INDIRECT LIGHT SOURCE, CCT & WATTAGE SELECT

| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|---------------------------|---|-----------|
| GPH-12-40W-MCTP-BK | 12W/20W/30W/40W 100LM/W 30K/40K/50K 22" Dia X 20" H | 1 |
| GPH-12-40W-MCTP-BR | 12W/20W/30W/40W 100LM/W 30K/40K/50K 22" Dia X 20" H | 1 |
| GPH-12-40W-MCTP-GY | 12W/20W/30W/40W 100LM/W 30K/40K/50K 22" Dia X 20" H | 1 |



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

| WATTS | 3IN POLE ENTRY OPTION | DESCRIPTION | PHOTOCELL | DESCRIPTION | PAINT | SENSOR | DESCRIPTION |
|------------|---|--|-----------|-------------|-------|--------|-------------|
| ALL MODELS | OPT-GPH-3IN-BK OPT-GPH-3IN-BR OPT-GPH-3IN-GY | 3IN POLE ENTRY Black 3IN POLE ENTRY Bronze 3IN POLE ENTRY Gray | N/A | N/A | N/A | N/A | N/A |



DESIGNER AREA BELL LIGHT SYSTEM (PHOTOCELL DISCONNECT SWITCH), SENSOR READY

| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|---------------------------------|--|-----------|
| DAB-A16-50-100W-MCTP-SR | 50W/80W/100W 130LM/W 30K/40K/50K 16" TYPE III | 1 |
| DAB-B20-50-100W-MCTP-SR | 50W/80W/100W 130LM/W 30K/40K/50K 20" TYPE III | 1 |
| DAB-B23-80-150W-MCTP-SR | 80W/100W/150W 130LM/W 30K/40K/50K 23" TYPE III 3 MONTHS LEAD TIME | 1 |
| DAB-C25-50-100W-MCTP-BK | 50W/80W/100W 140LM/W 30K/40K/50K 25" TYPE V | 1 |
| DAB-C25-100-200W-MCTP-BK | 100W/150W/200W 140LM/W 30K/40K/50K 25" TYPE V | 1 |
| DAB-BA | DAB Bell Arm For Mounting On Single Or Double Pole Adapters, Black | |
| DAB-PB-B | DAB Decorative Straight Pole Bracket Model B, For Flat Or Round Poles, Black | |
| DAB-WB-A | DAB Straight Wall Bracket Model A, Black | |
| DAB-PA2-1 | DAB 2 Inches Pole Adapter For 1 Bell Arm, Black | |
| DAB-PA2-2 | DAB 2 Inches Pole Adapter For 2 Bell Arms, Black | |
| DAB-PA3-1 | DAB 3 Inches Pole Adapter For 1 Bell Arm, Black | |
| DAB-PA3-2 | DAB 3 Inches Pole Adapter For 2 Bell Arms, Black | |
| DAB-PA4-1 | DAB 4 Inches Pole Adapter For 1 Bell Arm, Black | |
| DAB-PA4-2 | DAB 4 Inches Pole Adapter For 2 Bell Arms, Black | |
| DAB-WB-C | DAB Bent Decorative Wall Bracket Model C, Black | |




FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER


| WATTS | EM OPTION | DESCRIPTION | PHOTOCELL | DESCRIPTION | PAINT | SENSOR | DESCRIPTION |
|---------|-------------------|-------------|--------------------|-------------|--|-------------------------------|-------------|
| ALL ARM | OPT-EM-DAB | INTERNAL | OPT-LF3-PCK | BUTTON | OPT-CLR-95(BK/GR/SR/WH) OPT-CLR-35(BK/GR/SR/WH) | FIELD-INSTALLED SENSOR OPTION | SEE ABOVE |



PML-S-MCT-ORB
Oil-Rubbed Bronze



PML-M-MCT-ORB
Oil-Rubbed Bronze



PML-L-MCT-ORB
Oil-Rubbed Bronze



Shown with optional Honey Color Glass Lens (Field-installed)



PML-R-MCT-BR
Bronze



PML-V-MCT-ORB
Oil-Rubbed Bronze



PML-MCT-BK
Black



PML-BASE-BK
Black

SELECTABLE CCT PIER-MOUNT LIGHTS, 120-277V



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|---|---|-----------|
| SELECTABLE CCT PIER-MOUNT LIGHTS, 120-277V | | |
| PML-S-MCT-ORB | 12W 345LM 30K/40K/50K Oil-Rubbed Bronze, 8"W | 6 |
| PML-M-MCT-ORB | 15W 430LM 30K/40K/50K Oil-Rubbed Bronze, 12"W | 4 |
| PML-L-MCT-ORB | 18W 460LM 30K/40K/50K Oil-Rubbed Bronze, 16"W | 4 |
| PML-S-HGLK | PML-S Honey Color Glass Replacement Lens Kit | |
| PML-M-HGLK | PML-M Honey Color Glass Replacement Lens Kit | |
| PML-L-HGLK | PML-L Honey Color Glass Replacement Lens Kit | |
| SELECTABLE CCT PIER-MOUNT LIGHTS, 120-277V | | |
| PML-R-MCT-BR | 12W 840LM 30K/40K/50K Bronze, 9"Dia | 4 |
| PML-BASE-R-BK | Decorative Round Post And Pier Mounting Base, Black | |
| PML-BASE-R-ORB | Decorative Round Post And Pier Mounting Base, Oil-Rubbed Bronze | |
| SELECTABLE CCT PIER-MOUNT LIGHTS, 120V | | |
| PML-V-MCT-ORB | 12W 1500LM 30K/40K/50K Oil-Rubbed Bronze | |
| SELECTABLE CCT PIER-MOUNT LIGHTS, 120V | | |
| PML-MCT-BK | 12W 1200LM 3000K/4000K/5000K Black | |
| PML-BASE-BK | Decorative Pier Mount Base For Post Top Lights - Black | |

OUTDOOR
PATH
LIGHTS



Standard(s) for Safety: ANSI/UL 844, "Luminaires for Use in Hazardous (Classified) Locations."

HAZARDOUS LOCATION FLOOD/HIGHBAY LIGHTS, CLASS 1, DIV. 2



| | CATALOG NO. | DESCRIPTION | PKG. QTY. |
|-------------------|--|--|-----------|
| 120-277V | HAZARDOUS LOCATION FLOOD/HIGHBAY LIGHTS, 120-277V CLASS 1, DIV. 2 | | |
| | EXPF-30W-60K | 30W 3450LM 6000K | 1 |
| | EXPF-30W-50K | 30W 4200LM 5000K | 1 |
| | EXPF-60W-50K | 60W 8400LM 5000K | 1 |
| | EXPF-100W-50K | 100W 14000LM 5000K | 1 |
| | EXPF-180W-60K | 180W 20700LM 6000K | 1 |
| | EXPF-240W-50K | 240W 21000LM 5000K | 1 |
| | LF-AD-SF-GY | Slips Onto Pole Top 2" Dim. Fixture Mounts Directly On The Side Or | - |
| | ROUND HAZARDOUS LOCATION FLOOD/HIGHBAY LIGHTS, 120-277V CLASS 1, DIV. 2 | | |
| | EXPR-30W-50K | 30W 146 LM/W 5000K | 2 |
| EXPR-60W-50K | 60W 143 LM/W 5000K | 2 | |
| EXPR-100W-50K | 100W 153 LM/W 5000K | 1 | |
| EXPR-150W-50K | 150W 155 LM/W 5000K | 1 | |
| EXPR-30-60W-WGF | Flat Wire Guard For EXPR 30W To 60W | | |
| EXPR-100-150W-WGF | Flat Wire Guard For EXPR 100W To 150W | | |
| EXPR-30-60W-LD | Dome Lens For EXPR 30W To 60W | | |
| EXPR-100-150W-LD | Dome Lens For EXPR 100W To 150W | | |
| EXPR-30-60W-WGD | Dome Wire Guard For EXPR 30W To 60W | | |
| EXPR-100-150W-WGD | Dome Wire Guard For EXPR 100W To 150W | | |
| EXPR-30-60W-LU | U- shape Jelly-Jar Lens For EXPR 30W To 60W | | |
| EXPR-30-60W-WGU | U- shape Jelly-Jar Wire Guard For EXPR 30W To 60W | | |
| 480V 120-277V | HAZARDOUS LOCATION FLOOD/HIGHBAY LIGHTS, 120-277V CLASS 1, DIV. 2 | | |
| | EXPL-40W-50K | 40W 135 LM/W 5000K | 1 |
| | EXPL-80W-50K | 80W 135 LM/W 5000K | 1 |
| | EXPL-120W-50K | 120W 130 LM/W 5000K | 1 |
| | HAZARDOUS LOCATION ROUND FLOOD/HIGHBAY LIGHTS, 480V CLASS 1, DIV. 2 | | |
| | EXPR-150W-50K-480V | 150W 150 LM/W 5000K | 1 |
| | HAZARDOUS LOCATION LINEAR FLOOD/HIGHBAY LIGHTS, 480V CLASS 1, DIV. 2 | | |
| | EXPL-80W-50K-480V | 80W 135 LM/W 5000K | 1 |



SHOWN WITH
OPTIONAL
SLIP FITTER

GENERATION 7 STADIUM LIGHTS, 120-277V OR 277-480V



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|--|---------------------------------------|-----------|
| GENERATION 7 STADIUM LIGHTS, 120-277V | | |
| SFX-G7-200-500W-45D-50K | 200W/300W/400W/500W 150LM/W 5000K | 1 |
| SFX-G7-700-1000W-45D-50K | 700W/800W/900W/1000W 150LM/W 5000K | 1 |
| GENERATION 7 STADIUM LIGHTS, 277-480V | | |
| SFX-G7-200-500W-45D-50K-480V | 200W/300W/400W/500W 150LM/W 5000K | 1 |
| SFX-G7-700-1000W-45D-50K-480V | 700W/800W/900W/1000W 150LM/W 5000K | 1 |
| SFX-G7-1400-1700W-45D-50K-480V | 1400W/1500W/1600W/1700W 150LM/W 5000K | 1 |
| SFX-G7-2100-2400W-45D-50K-480V | 2100/2200/2300/2400W 140LM/W 5000K | 1 |
| SFX-G7-SF | Slip Fitter/Pole Adapter For SFX-G7 | |

SHOWN WITH
OPTIONAL
SHROUD



SPEC SERIES NEW GEN. LED STADIUM FLOOD LIGHTS - ALSO SUITABLE FOR BUILDING FACADES



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|----------------------------|-------------------------|-----------|
| SFX-G9-600W-30D-50K | 600W 150LM/W 5000K | 1 |
| SFX-G9-SH1 | Shroud for 600W | |
| SFX-POINTER | LED Laser Aiming Device | |

*COMPATIBLE WITH SFX-G7-SF

SPEC SERIES X GEN. RGB STADIUM LIGHTS, DMX512 CONTROLLED - SPECIAL ORDER



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|----------------------------|-------------|-----------|
| SFX-G9-500W-45D-RGB | 500W RGB | 1 |
| SFX-G9-800W-45D-RGB | 800W RGB | 1 |

SHOWN WITH
OPTIONAL
SHROUD



HIGH-LUMEN HIGH-MAST ROADWAY LIGHT 90DAYS LEAD TIME



| CATALOG NO. | DESCRIPTION |
|-----------------------------------|--|
| HML-60-200W-XXK-CLR | High-Mast 60W To 200W, 120-277V, Specify 3 Watt Stops, Specify CCT, Specify Bk Or Gy |
| HML-90-300W-XXK-CLR | High-Mast 90W To 300W, 120-277V, Specify 3 Watt Stops, Specify CCT, Specify Bk Or Gy |
| HML-135-450W-XXK-CLR | High-Mast 135W To 450W, 120-277V, Specify 3 Watt Stops, Specify CCT, Specify Bk Or Gy |
| HML-150-500W-XXK-CLR | High-Mast 150W To 500W, 120-277V, Specify 3 Watt Stops, Specify CCT, Specify Bk Or Gy |
| HML-180-600W-XXK-CLR | High-Mast 180W To 600W, 120-277V, Specify 3 Watt Stops, Specify CCT, Specify Bk Or Gy |
| HML-225-750W-XXK-CLR | High-Mast 225W To 750W, 120-277V, Specify 3 Watt Stops, Specify CCT, Specify Bk Or Gy |
| HML-300-1000W-XXK-CLR | High-Mast 300W To 1000W, 120-277V, Specify 3 Watt Stops, Specify CCT, Specify Bk Or Gy |
| HML-360-1200W-XXK-CLR | High-Mast 360W To 1200W, 120-277V, Specify 3 Watt Stops, Specify CCT, Specify Bk Or Gy |
| HML-60-200W-XXK-CLR-480V | High-Mast 60W To 200W, 277-480V, Specify 3 Watt Stops, Specify CCT, Specify Bk Or Gy |
| HML-90-300W-XXK-CLR-480V | High-Mast 90W To 300W, 277-480V, Specify 3 Watt Stops, Specify CCT, Specify Bk Or Gy |
| HML-135-450W-XXK-CLR-480V | High-Mast 135W To 450W, 277-480V, Specify 3 Watt Stops, Specify CCT, Specify Bk Or Gy |
| HML-150-500W-XXK-CLR-480V | High-Mast 150W To 500W, 277-480V, Specify 3 Watt Stops, Specify CCT, Specify Bk Or Gy |
| HML-180-600W-XXK-CLR-480V | High-Mast 180W To 600W, 277-480V, Specify 3 Watt Stops, Specify CCT, Specify Bk Or Gy |
| HML-225-750W-XXK-CLR-480V | High-Mast 225W To 750W, 277-480V, Specify 3 Watt Stops, Specify CCT, Specify Bk Or Gy |
| HML-300-1000W-XXK-CLR-480V | High-Mast 300W To 1000W, 277-480V, Specify 3 Watt Stops, Specify CCT, Specify Bk Or Gy |
| HML-360-1200W-XXK-CLR-480V | High-Mast 360W To 1200W, 277-480V, Specify 3 Watt Stops, Specify CCT, Specify Bk Or Gy |
| HML-SH1-CLR | HML High-Mast Glare Shield For Up To 750W Version, Specify Bk Or Gy |
| HML-SCK | HML High-Mast NEMA Socket And Shorting Cap Pre-Installed |



SOLF Shown with Adjustable Slip Filter for Poles up to 2-3/4" O.D.



SOLF Shown with Square Pole Mount



SOLF Shown with Round Pole Mount



SOLF Shown with Wall Mount

LED SOLAR ROADWAY/FLOOD LIGHTS **PROGRAMMABLE- Default Settings**
15 second after the zone is cleared the light goes down to 40%
NO WIRING, INCL. INTELLIGENT CONTROLS, 1 DAY CHARGE 3 DAY OPR., LiFePo4 5YR. BATTERY




| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|-------------------------|--|-----------|
| SOLF-17W-50K | 8W LED 200LM/W LED 17W 1600LM 5000K | 1 |
| SOLF-36W-50K | 20W LED 200LM/W LED 36W 4000LM 5000K | 1 |
| SOLF-54W-50K | 30W LED 200LM/W LED 54W 6000LM 5000K | 1 |
| SOLF-SFA | Adjustable Slip Filter for Poles up to 2-3/4" O.D. | - |
| SOLF-WM-17W | Wall Mount for SOLF-17W | - |
| SOLF-WM-36W/54W | Wall Mount for SOLF-36W & 54W | - |
| SOLF-PMR-17W | Round Pole Mount for SOLF-17W | - |
| SOLF-PMR-36W/54W | Round Pole Mount for SOLF-36W & 54W | - |
| SOLF-PMS-17W | Square Pole Mount for SOLF-17W | - |
| SOLF-PMS-36W/54W | Square Pole Mount for SOLF-36W & 54W | - |
| SOLF-RC | Remote Control for SOLF Series | - |



Shown with Pole/Wall Mount Arm, Sold Separately



Shown with Pole-Top Mount (2" Poles), Sold Separately



SOLA-RC

ROADWAY AND AREA SPLIT SOLAR LIGHTS, WITH ADVANCED CONTROLLER
REMOTE SOLAR PANEL INCL. WITH FIXTURE (WALL & POLE MOUNTING OPTIONS AVAIL. SOLD SEPARATELY)



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|--------------------------|--|-----------|
| SOLA-SPLT-15W-50K | 15W 2250LM 5000K | 1 |
| SOLA-SPLT-30W-50K | 30W 4500LM 5000K | 1 |
| SOLA-SPLT-PM | Pole Mounting Arm For Split Solar Lights | - |
| SOLA-SPLT-WM | Wall Mounting Arm For Split Solar Lights | - |
| SOLA-RC | Sola Solar Light Remote Control Unit - One Per Project | - |



SOLA-5W-50K-WA
20" Pole/Wall Mount Arm Included



Shown Back Side



SOLA-RC

ROADWAY AND AREA SOLAR LIGHTS, WITH ADVANCED CONTROLLER
INTEGRATED SOLAR PANEL, 20" WALL/POLE MOUNT ARM INCL.



OUTDOOR
ROADWAY
LIGHTS

| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|-----------------------|--|-----------|
| SOLA-5W-50K-WA | 5W 750LM 5000K | 1 |
| SOLA-RC | Sola Solar Light Remote Control Unit - One Per Project | |



**AVAIL. IN
3000K**



SOLN Shown with **SOLN-PMRS** Round & Square Pole Mounting Accessory



SOLN Shown with **SOLN-SFA** Slip Fitter Mounting Accessory

SOLN Shown with **SOLN-WM** Wall Mounting Arm

POWERFUL HIGH-LUMEN SMART INTEGRATED SOLAR STREET AND FLOOD LIGHT



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|-------------------------|--|-----------|
| SOLN-30W-50K | 30W 6000LM 3000K | 1 |
| SOLN-30W-30K | 30W 6000LM 5000K | 1 |
| SOLN-50W-50K | 50W 10000LM 3000K | 1 |
| SOLN-50W-30K | 50W 10000LM 5000K | 1 |
| SOLN-70W-50K | 70W 14000LM 3000K | 1 |
| SOLN-70W-30K | 70W 14000LM 5000K | 1 |
| SOLN-WM-15-30W | SOLN 15-30W Wall Mounting Accessory | |
| SOLN-WM-50-70W | SOLN 50-70W Wall Mounting Accessory | |
| SOLN-SFA | SOLN Series Slip Fitter Mounting Accessory | |
| SOLN-PMRS-15-30W | SOLN 15-30W Round And Square Pole Mounting Accessory | |
| SOLN-PMRS-50-70W | SOLN 50-70W Round And Square Pole Mounting Accessory | |
| SOLF-RC | Remote Control for SOLN Series (One Per Project) | |



Shown with Slip Fitter



Shown with Wall Mounting Arm - 12-3/4" Length for 50W & above



Shown with Half Shroud (Reversible), See Factory-Installed option below



Shown with Full Shroud, See Factory-Installed option below



ACC-AWM-GR

LED STREET/ROADWAY LIGHTS

w/NEMA TWIST-LOCK PHOTOCELL SOCKET, (SHORTING CAP INCL.) FOR PHOTOCELL SEE PAGE 69



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|-----------------------|--|-----------|
| STL4-15-50W-30K | 15W/20W/30W/50W 145LM/W 3000K | 1 |
| STL4-15-50W-40K | 15W/20W/30W/50W 145LM/W 4000K | 1 |
| STL4-15-50W-50K | 15W/20W/30W/50W 145LM/W 5000K | 1 |
| STL4-30-100W-30K | 30W/50W/80W/100W 145LM/W 3000K | 1 |
| STL4-30-100W-40K | 30W/50W/80W/100W 145LM/W 4000K | 1 |
| STL4-30-100W-50K | 30W/50W/80W/100W 145LM/W 5000K | 1 |
| STL4-50-150W-30K | 50W/80W/100W/150W 140LM/W 3000K | 1 |
| STL4-50-150W-40K | 50W/80W/100W/150W 145LM/W 4000K | 1 |
| STL4-50-150W-50K | 50W/80W/100W/150W 140LM/W 5000K | 1 |
| STL4-80-200W-30K | 80W/100W/150W/200W 140LM/W 3000K | 1 |
| STL4-80-200W-40K | 80W/100W/150W/200W 145LM/W 4000K | 1 |
| STL4-80-200W-50K | 80W/100W/150W/200W 140LM/W 5000K | 1 |
| STL4-30-100W-30K-480V | 30W/50W/80W/100W 140LM/W 3000K | 1 |
| STL4-30-100W-40K-480V | 30W/50W/80W/100W 145LM/W 4000K | 1 |
| STL4-30-100W-50K-480V | 30W/50W/80W/100W 140LM/W 5000K | 1 |
| STL4-50-150W-30K-480V | 50W/80W/100W/150W 140LM/W 3000K | 1 |
| STL4-50-150W-40K-480V | 50W/80W/100W/150W 145LM/W 4000K | 1 |
| STL4-50-150W-50K-480V | 50W/80W/100W/150W 140LM/W 5000K | 1 |
| STL4-80-200W-30K-480V | 80W/100W/150W/200W 140LM/W 3000K | 1 |
| STL4-80-200W-40K-480V | 80W/100W/150W/200W 145LM/W 4000K | 1 |
| STL4-80-200W-50K-480V | 80W/100W/150W/200W 140LM/W 5000K | 1 |
| STL4-SF | STL4 Series Street Light Slip Fitter | |
| STL2-WMA | Wall Mounting Arm - 12-3/4" Length for 50W & above | |
| ACC-AWM-GR | Angled Corner Wall Mount Arm, 2-3/8In Dia, Grey | |



Shown with Wall Mounting Arm - 12-3/4" Length for 50W & above



Shown with Half Shroud (Reversible), See Factory-Installed option below



Shown with Full Shroud, See Factory-Installed option below

LED STREET/ROADWAY LIGHTS

w/NEMA TWIST-LOCK PHOTOCELL SOCKET, (SHORTING CAP INCL.) FOR PHOTOCELL SEE PAGE 69



| CATALOG NO. | DESCRIPTION | REPLACEMENT RANGE | PKG. QTY. |
|----------------|--|-------------------|-----------|
| STL2-30W-30K | 30W 3900LM 3000K | 100-277V | 5 |
| STL2-30W-50K | 30W 3900LM 5000K | 100-277V | 5 |
| STL3-50W-50K | 50W 6750LM 5000K | 100-277V | 1 |
| STL3-50W-30K-L | 50W 6750LM 3000K 18.2"(L) x 9"(W) x 4.5"(H) | 100-277V | 1 |
| STL3-50W-50K-L | 50W 6750LM 5000K 18.2"(L) x 9"(W) x 4.5"(H) | 100-277V | 1 |
| STL2-80W-30K | 80W 10800LM 3000K | 100-277V | 1 |
| STL2-80W-50K | 80W 10800LM 5000K | 100-277V | 1 |
| STL2-100W-30K | 100W 13500LM 3000K | 100-277V | 1 |
| STL3-100W-50K | 100W 13500LM 5000K | 100-277V | 1 |
| STL2-150W-30K | 150W 21000LM 3000K | 100-277V | 1 |
| STL3-150W-50K | 150W 21000LM 5000K | 100-277V | 1 |
| STL3-200W-50K | 200W 27000LM 5000K | 100-277V | 1 |
| STL2-WMA | Wall Mounting Arm - 12-3/4" Length for 50W & above | | - |

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

| WATTS | SHROUD | DESCRIPTION | PHOTOCELL | DESCRIPTION | PAINT | SENSOR | DESCRIPTION |
|-----------|--------------------------------|----------------------------|-----------|-------------|-------|--------|-------------|
| ALL MODEL | OPT-STL-SH-CW OPT-STL-SH-FG | HALF SHROUD FULL SHROUD | N/A | N/A | N/A | N/A | N/A |



SPEC SERIES LED ADJUSTABLE CANOPY/PARKING LIGHTS, 120-277V

Bronze & White



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|---|--|-----------|
| SPEC SERIES LED ADJUSTABLE CANOPY/PARKING LIGHTS, 120-277V WHILE SUPPLIES LAST | | |
| CDX-35W-35K-BR | 35W 4600LM 3500K Bronze 10.6" (L) x 10.6" (W) x 4-1/2" (H) | 2 |
| CDX-35W-35K-WH | 35W 4600LM 3500K White 10.6" (L) x 10.6" (W) x 4-1/2" (H) | 2 |
| CDX-35W-40K-BR | 35W 4600LM 4000K Bronze 10.6" (L) x 10.6" (W) x 4-1/2" (H) | 2 |
| CDX-35W-40K-WH | 35W 4600LM 4000K White 10.6" (L) x 10.6" (W) x 4-1/2" (H) | 2 |
| CDX-35W-50K-BR | 35W 4600LM 5000K Bronze 10.6" (L) x 10.6" (W) x 4-1/2" (H) | 2 |
| CDX-35W-50K-WH | 35W 4600LM 5000K White 10.6" (L) x 10.6" (W) x 4-1/2" (H) | 2 |
| CDX-55W-35K-BR | 55W 7250LM 3500K Bronze 10.6" (L) x 10.6" (W) x 4-1/2" (H) | 2 |
| CDX-55W-35K-WH | 55W 7250LM 3500K White 10.6" (L) x 10.6" (W) x 4-1/2" (H) | 2 |
| CDX-55W-40K-BR | 55W 7250LM 4000K Bronze 10.6" (L) x 10.6" (W) x 4-1/2" (H) | 2 |
| CDX-55W-40K-WH | 55W 7250LM 4000K White 10.6" (L) x 10.6" (W) x 4-1/2" (H) | 2 |
| CDX-55W-50K-BR | 55W 7250LM 5000K Bronze 10.6" (L) x 10.6" (W) x 4-1/2" (H) | 2 |
| CDX-55W-50K-WH | 55W 7250LM 5000K White 10.6" (L) x 10.6" (W) x 4-1/2" (H) | 2 |

SPEC SERIES POWER & CCT- ADJUSTABLE LED ADJUSTABLE CANOPY/PARKING LIGHTS, 120-277V MCTP

| | |
|---------------------------|---------------------------------|
| CDX-35-55W-MCTP-BR | 35W/45W/55W 120LM/W 30K/40K/50K |
| CDX-35-55W-MCTP-WH | 35W/45W/55W 120LM/W 30K/40K/50K |



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

| WATTS | EM OPTION | DESCRIPTION | PHOTOCELL | DESCRIPTION | PAINT | SENSOR | DESCRIPTION |
|-------|----------------------|------------------------|-----------------|-------------|--------------------------------|------------------------|---------------------------------|
| 35W | OPT-EM-CDX-35 | INTERNAL | OPT-PC-B | BUTTON | OPT-CLR-95(BK/GR/SR/WH) | OPT-SEN-2MDR-36 | PROGRAMMABLE MICROWAVE BI-LEVEL |
| 55W | OPT-EM-CDX-55 | INTERNAL | | | | | WEC-3RC |
| | VANDAL RES. | DESCRIPTION | | | | | |
| | OPT-TRS-T20 | Tamper Resistant Screw | | | | | |



POWER-ADJUSTABLE CANOPY LIGHT, 120-277V (WET LOCATION)

Dark Bronze

| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|---------------------------|---|-----------|
| CDLX-SM-5-25W-30K | 5W/10W/15W/25W 120LM/W 3000K 8"X8"X3" | 6 |
| CDLX-SM-5-25W-40K | 5W/10W/15W/25W 120LM/W 4000K 8"X8"X3" | 6 |
| CDLX-SM-5-25W-50K | 5W/10W/15W/25W 120LM/W 5000K 8"X8"X3" | 6 |
| CDLX-MD-15-45W-30K | 15W/25W/35W/45W 120LM/W 3000K 10"X10"X3.63" | 4 |
| CDLX-MD-15-45W-40K | 15W/25W/35W/45W 120LM/W 4000K 10"X10"X3.63" | 4 |
| CDLX-MD-15-45W-50K | 15W/25W/35W/45W 120LM/W 5000K 10"X10"X3.63" | 4 |
| CDLX-LG-30-80W-30K | 30W/40W/60W/80W 120LM/W 3000K 14"X14"X4" | 2 |
| CDLX-LG-30-80W-40K | 30W/40W/60W/80W 120LM/W 4000K 14"X14"X4" | 2 |
| CDLX-LG-30-80W-50K | 30W/40W/60W/80W 120LM/W 5000K 14"X14"X4" | 2 |



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

| SIZE | EM OPTION | DESCRIPTION | PHOTOCELL | DESCRIPTION | PAINT | SENSOR | DESCRIPTION | |
|------|-----------------------|------------------------|-------------------------|-------------|--------------------------------|-----------------------|---------------------------------|-------------------------|
| SM | OPT-EM-CDLX-SM | INTERNAL | OPT-PC-B | BUTTON | OPT-CLR-95(BK/GR/SR/WH) | OPT-SEN-2MD-35 | PROGRAMMABLE MICROWAVE BI-LEVEL | |
| MD | OPT-EM-CDLX-MD | INTERNAL | | | | | WEC-3RC | OPTIONAL REMOTE CONTROL |
| LG | OPT-EM-CDLX-LG | INTERNAL | | | | | | |
| | VANDAL RES. | DESCRIPTION | 480V OPTIONS | DESCRIPTION | | | | |
| | OPT-TRS-T20 | Tamper Resistant Screw | OPT-480V-CDLX-80 | 480V | | | | |



Sensor-Ready
Plug & Play For CAX

ANGLED-BEAM GARAGE CANOPY, CCT AND WATTAGE SELECTABLE, **SENSOR READY**

| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|--------------------------------|--|-----------|
| CAX-20-45W-MCTP-SR | 20W/30W/45W 140LM/W 30K/40K/50K | 8 |
| CAX-30-60W-MCTP-SR | 30W/45W/60W 140LM/W 30K/40K/50K | 8 |
| CAX-40-75W-MCTP-SR | 40W/60W/75W 140LM/W 30K/40K/50K | 8 |
| CAX-60-90W-MCTP-SR | 60W/75W/90W 140LM/W 30K/40K/50K | 8 |
| WEC-3MR-72-TLB-BK-3PIN | 600W Max, Zhaga 12-24VDC Microwave Sensor, Black, With Base (Optional Remote Control WEC-3RC) | |
| WEC-3MBT-72-TLB-BK-3PIN | 600W Max, Zhaga 12-24VDC Microwave Sensor, Bluetooth App Ready, Black, With Base (Optional Remote Control WEC-3RC) | |
| WEC-3PR-72-TLB-WH-3PIN | 600W Max, Zhaga 12-24VDC PIR Sensor, White, With Base (Optional Remote Control WEC-3RC) | |

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

| WATTS | EM OPTION | DESCRIPTION | PHOTOCELL DESCRIPTION | PAINT | SENSOR | DESCRIPTION |
|------------------------|--|---------------------------------------|------------------------|--------------------------------|--------|--|
| 45W & 60W 75W & 90W | OPT-EM-CAX-40-60 OPT-EM-CAX-75-90 | INTERNAL INTERNAL | OPT-PC-B BUTTON | OPT-CLR-95(BK/GR/SR/WH) | | FIELD-INSTALLED SENSOR OPTION SEE ABOVE |
| | VANDAL RES. OPT-TRS-T20 | DESCRIPTION Tamper Resistant Screw | | | | |



OPTIONAL FROSTED LENS, FIELD REPLACE

LED GARAGE/CANOPY LIGHTS, 120-277V (WET LOCATION)



| CATALOG NO. | DESCRIPTION | REPLACEMENT RANGE | PKG. QTY. |
|-----------------------|--|-------------------|-----------|
| CGL-40W-50K-D | 40W 5200LM 5000K 9" (L) x 9" (W) x 4-1/2" (H) 100-150 MH | | 4 |
| CGL-40W-40K-D | 40W 5200LM 4000K 9" (L) x 9" (W) x 4-1/2" (H) 100-150 MH | | 4 |
| CGL-55W-50K-D | 55W 7100LM 5000K 9" (L) x 9" (W) x 4-1/2" (H) 150-200 MH | | 4 |
| CGL-55W-40K-D | 55W 7100LM 4000K 9" (L) x 9" (W) x 4-1/2" (H) 150-200 MH | | 4 |
| CGL-75W-50K-D | 75W 9700LM 5000K 10" (L) x 10" (W) x 5" (H) 250-320 MH | | 2 |
| CGL-75W-40K-D | 75W 9700LM 4000K 10" (L) x 10" (W) x 5" (H) 250-320 MH | | 2 |
| CGL-100W-50K-D | 100W 13000LM 5000K 10" (L) x 10" (W) x 5" (H) 350-400 MH | | 2 |
| CGL-100W-40K-D | 100W 13000LM 4000K 10" (L) x 10" (W) x 5" (H) 350-400 MH | | 2 |
| CGL-FL1 | Frosted Replacement Lens for CGL-40W & 55W | | |
| CGL-FL2 | Frosted Replacement Lens for CGL-75W & 100W | | |

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

| WATTS | EM OPTION | DESCRIPTION | PHOTOCELL DESCRIPTION | PAINT | SENSOR | DESCRIPTION |
|-------------------------|---|---------------------------------------|------------------------|--------------------------------|--|--|
| 40W & 55W 75W & 100W | OPT-EM-CGL-40-55 OPT-EM-CGL-75-100 | INTERNAL INTERNAL | OPT-PC-B BUTTON | OPT-CLR-95(BK/GR/SR/WH) | OPT-SEN-2MDR-36 WEC-3RC | PROGRAMMABLE MICROWAVE BI-LEVEL OPTIONAL REMOTE CONTROL |
| | VANDAL RES. OPT-TRS-T20 | DESCRIPTION Tamper Resistant Screw | | | | |



Up Light View



Sensor-Ready Plug & Play

X-GEN GARAGE LIGHT WITH UPLIGHT, POWER AND CCT ADJUSTABLE, SENSOR READY    

| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|----------------------------|---|-----------|
| CXU-18-60W-MCTP-SR | 18W/30W/45W/60W 9900LM 30K/40K/50K White | 1 |
| CXU-30-100W-MCTP-SR | 30W/50W/75W/100W 16500LM 30K/40K/50K White | 1 |



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

| WATTS | EM OPTION | DESCRIPTION | VANDAL RES. | DESCRIPTION | PAINT | SENSOR | DESCRIPTION |
|-------|-----------------------|-------------|-------------|-------------|-------|--------|-------------|
| ALL | OPT-EM-CXU-60 | INTERNAL | N/A | N/A | N/A | N/A | N/A |
| | OPT-EM-CXU-100 | INTERNAL | | | | | |



CXES-10-30W
Bronze



CXES-30-60W
Bronze



CXES-40-80W
Bronze



CXES--WH
White



CXER-40-80W
Bronze



CXER-30-50W
Bronze



CXER-40-80W-WH
White



CXER-30-50W-WH
White



Sensor-Ready
Plug & Play For CXER Only

BUILDER SERIES NEW CONCEPT GARAGE AND CEILING LIGHTS
POWER & CCT ADJUSTABLE, DAMP LOCATION



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|-------------|-------------|-----------|
|-------------|-------------|-----------|

SQUARE NEW CONCEPT GARAGE AND CEILING LIGHTS, POWER & CCT ADJUSTABLE, DAMP LOCATION

| | | |
|-----------------------------------|--|---|
| CXES-10-30W-MCTP | 10W/20W/30W 130LM/W 30K/40K/50K | 4 |
| CXES-30-60W-MCTP | 30W/45W/60W 130LM/W 30K/40K/50K | 2 |
| CXES-40-80W-MCTP | 40W/60W/80W 130LM/W 30K/40K/50K | 2 |
| CXES-10-30W-MCTP-WH | 10W/20W/30W 130LM/W 30K/40K/50K | 4 |
| CXES-30-60W-MCTP-WH | 30W/45W/60W 130LM/W 30K/40K/50K | 2 |
| CXES-40-80W-MCTP-WH | 40W/60W/80W 130LM/W 30K/40K/50K | 2 |
| withEM CXES-10-30W-MCTP-EM | 10W/20W/30W 130LM/W 30K/40K/50K | 4 |
| withEM CXES-30-60W-MCTP-EM | 30W/45W/60W 130LM/W 30K/40K/50K | 2 |
| withEM CXES-40-80W-MCTP-EM | 40W/60W/80W 130LM/W 30K/40K/50K | 2 |

ROUND NEW CONCEPT GARAGE AND CEILING LIGHTS, POWER & CCT ADJUSTABLE, DAMP LOCATION

| | | |
|---|--|---|
| CXER-30-50W-MCTP-SR | 30W/40W/50W 135LM/W 30K/40K/50K (SENSOR-READY) | 4 |
| CXER-40-80W-MCTP-SR | 40W/60W/80W 135LM/W 30K/40K/50K (SENSOR-READY) | 2 |
| CXER-30-50W-MCTP-SR-WH | 30W/40W/50W 135LM/W 30K/40K/50K (SENSOR-READY) | 4 |
| CXER-40-80W-MCTP-SR-WH | 40W/60W/80W 135LM/W 30K/40K/50K (SENSOR-READY) | 2 |
| withEM CXER-30-50W-MCTP-SR-EM | 30W/40W/50W 135LM/W 30K/40K/50K (SENSOR-READY) | 4 |
| withEM CXER-40-80W-MCTP-SR-EM | 40W/60W/80W 135LM/W 30K/40K/50K (SENSOR-READY) | 2 |
| withEM CXER-30-50W-MCTP-SR-EM-WH | 30W/40W/50W 135LM/W 30K/40K/50K (SENSOR-READY) | 4 |
| withEM CXER-40-80W-MCTP-SR-EM-WH | 40W/60W/80W 135LM/W 30K/40K/50K (SENSOR-READY) | 2 |

WEC-3MR-72-TLB-BK 600W Max, Zhaga 12-24VDC Microwave Sensor, Black, With Base (Optional Remote Control WEC-3RC)

WEC-3MBT-72-TLB-BK 600W Max, Zhaga 12-24VDC Microwave Sensor, Bluetooth App Ready, Black, With Base (Optional Remote Control WEC-3RC)

WEC-3PR-72-TLB-WH 600W Max, Zhaga 12-24VDC PIR Sensor, White, With Base (Optional Remote Control WEC-3RC)



POWER-ADJUSTABLE SURFACE-MOUNT CANOPY LIGHT, 120-277V



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|-----------------------------|----------------------------------|-----------|
| GSX-SRFC-80-150W-50K | 80W/100W/120W/150W 140LM/W 5000K | 1 |



POWER-ADJUSTABLE RECESSED GAS STATION CANOPY LIGHT, 120-277V



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|-----------------------------|----------------------------------|-----------|
| GSX-RECS-80-150W-50K | 80W/100W/120W/150W 140LM/W 5000K | 1 |

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

| WATTS | EM OPTION | DESCRIPTION | PHOTOCELL | DESCRIPTION | PAINT | SENSOR | DESCRIPTION |
|------------|-------------------|------------------|-----------|-------------|-------|--------------------------------------|--------------------------------------|
| ALL MODELS | OPT-EM-GSX | MUST MOUNT ABOVE | N/A | N/A | N/A | OPT-3PDR-52 WEC-3RC | BI-LEVEL MICROWAVE REMOTE CONTROL |




SPEC SERIES POWER & CCT- ADJUSTABLE GARAGE LIGHT, 120-277V, TYPE 5 LENS

7 DAYS LEAD TIME



| DESCRIPTION | MOUNTING | PKG. QTY. |
|---|--------------------------|-----------|
| GPX-18-60W-MCTP-CM 18W/30W/45W/60W 150LM/W 30K/40K/50K | Ceiling Mount | 1 |
| GPX-18-60W-MCTP-PM75 18W/30W/45W/60W 150LM/W 30K/40K/50K | Pipe Mount with 3/4" Hub | 1 |

FOR GPX OPTIONS & ACCESSORIES SEE PAGE 50.



BOLLARD POST SYSTEM FOR FLOOD LIGHTS

| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|---------------------|---|-----------|
| BPS-BASE-2FT | Bollard Pole System 2Ft Base | 2 |
| BPS-BASE-3FT | Bollard Pole System 3Ft Base | 2 |
| BPS-BASE-5FT | Bollard Pole System 5Ft Base | 2 |
| BPS-LH1 | Bollard Pole System Single Lamp Holder Section 1Ft With 1/2" Hub | 4 |
| BPS-LH2 | Bollard Pole System Double Lamp Holder Section 1Ft With 1/2" Hubs | 4 |
| BPS-EP-1FT | Bollard Pole System 1Ft Extension Pole | 4 |
| BPS-EP-2FT | Bollard Pole System 2Ft Extension Pole | 4 |
| BPS-LHT | Bollard Pole System Top Cap Lamp Holder With 1/2" Hub | 50 |



SOLAR G4 MODULAR BOLLARD SYSTEM

| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|--------------------------------|--|-----------|
| BOL-G4-301-SOLAR-40K-BK | 3W 130LM/W 4000K Black Head | 1 |
| BOL-G4-301-SOLAR-40K-BR | 3W 130LM/W 4000K Bronze Head | 1 |
| BOL-G4-SHAFT-14-BK | G4 Bollard Shaft 14 Inch, Black | |
| BOL-G4-SHAFT-14-BR | G4 Bollard Shaft 14 Inch, Bronze | |
| BOL-G4-SHAFT-30-BK | G4 Bollard Shaft 30 Inch, Black | |
| BOL-G4-SHAFT-30-BR | G4 Bollard Shaft 30 Inch, Bronze | |
| BOL-G4-ABK-R | G4 Bollard Round Anchor Bolts & Mounting Plate | |
| BOL-G4-GSH-01-BK | G4 Bollard Round Anchor Bolts & Mounting Plate, Black | |
| BOL-G4-GSH-01-BR | G4 Bollard Round Anchor Bolts & Mounting Plate, Bronze | |
| BOL-G4-SOLAR-RC | Remote Control, Required 1 Per Projects | |



BOL-G4-201 + BOL-G4-SHAFT



Shown with GFCI Shaft



BOL-G4-ABK-R
Anchor Bolts & Mounting Plate



HEAD, SHAFT, & ANCHOR BOLTS SET

SOLD SEPARATELY



G4 MODULAR BOLLARD SYSTEM

| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|--------------------------------|---|-----------|
| BOL-G4-201-MCTP-BK | 7W/14W/22W 110LM/W 30K/40K/50K Black Head | 1 |
| BOL-G4-201-MCTP-BR | 7W/14W/22W 110LM/W 30K/40K/50K Bronze Head | 1 |
| BOL-G4-SHAFT-14-BK | G5 Bollard Shaft 14 Inch, Black | |
| BOL-G4-SHAFT-14-BR | G5 Bollard Shaft 14 Inch, Bronze | |
| BOL-G4-SHAFT-30-BK | G5 Bollard Shaft 30 Inch, Black | |
| BOL-G4-SHAFT-30-BR | G5 Bollard Shaft 30 Inch, Bronze | |
| BOL-G4-SHAFT-30-GFCI-BK | G4 Bollard Shaft 30 Inch With GFCI Outlet Compartment, Black | |
| BOL-G4-SHAFT-30-GFCI-BR | G4 Bollard Shaft 30 Inch With GFCI Outlet Compartment, Bronze | |
| BOL-G4-ABK-R | G4 Bollard Round Anchor Bolts & Mounting Plate | |
| BOL-G4-GSH-01-BK | Glare Shield Accessory - Black | |
| BOL-G4-GSH-01-BR | Glare Shield Accessory - Bronze | |



BOL-G5-101
↑
BOL-G5-SHAFT



BOL-G5-401
↑
BOL-G5-SHAFT



BOL-G5-ABK-R
Anchor Bolts & Mounting Plate



HEAD, SHAFT, & ANCHOR BOLTS SET

SOLD SEPARATELY



WESTGATE MODERN MODULAR BOLLARD SYSTEM G5

| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|---------------------------|--|-----------|
| BOL-G5-101-MCTP-BK | 8W/13W/18W/25W 130LM/W 30K/40K/50K Head | 1 |
| BOL-G5-101-MCTP-BR | 8W/13W/18W/25W 130LM/W 30K/40K/50K Head | 1 |
| BOL-G5-401-MCTP-BK | 5W/8W/12W/15W 130LM/W 30K/40K/50K Head | 1 |
| BOL-G5-401-MCTP-BR | 5W/8W/12W/15W 130LM/W 30K/40K/50K Head | 1 |
| BOL-G5-SHAFT-14-BK | G5 Bollard Shaft 14 Inch, Black | |
| BOL-G5-SHAFT-14-BR | G5 Bollard Shaft 14 Inch, Bronze | |
| BOL-G5-SHAFT-33-BK | G5 Bollard Shaft 33 Inch, Black | |
| BOL-G5-SHAFT-33-BR | G5 Bollard Shaft 33 Inch, Bronze | |
| BOL-G5-ABK-R | G5 Bollard Round Anchor Bolts & Mounting Plate | |
| BOL-G5-GSH-01 | G5 Bollard 180-Degree Glare Shield | |



OUTDOOR
GARDEN LIGHTS

WESTGATE MODULAR BOLLARD SYSTEM G2

BOL-G2-103
Shown with Optional
Field-Installed Frosted
Lens Accessory
BOL-R-ACC-FL

BOL-G2-102F
Shown with Optional
Field-Installed White
Ref. Accessory
BOL-G2-102F-CR-WH

BOL-G2-103
Shown with Optional
Field-Installed External
Louver Kit Accessory
BOL-G2-103-LAK



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|---------------------|--|-----------|
| BOL-G2-102F-MCTP-BK | 14W/19W/24W 125LM/W 30K/40K/50K Head | 4 |
| BOL-G2-102F-MCTP-BR | 14W/19W/24W 125LM/W 30K/40K/50K Head | 4 |
| BOL-G2-103F-MCTP-BK | 14W/19W/24W 125LM/W 30K/40K/50K Head | 4 |
| BOL-G2-103F-MCTP-BR | 14W/19W/24W 125LM/W 30K/40K/50K Head | 4 |
| BOL-G2-107F-MCTP-BK | 14W/19W/24W 125LM/W 30K/40K/50K Head | 4 |
| BOL-G2-107F-MCTP-BR | 14W/19W/24W 125LM/W 30K/40K/50K Head | 4 |
| BOL-G2-103D-MCTP-BK | 14W/19W/24W 125LM/W 30K/40K/50K Head | 4 |
| BOL-G2-103D-MCTP-BR | 14W/19W/24W 125LM/W 30K/40K/50K Head | 4 |
| BOL-G2-107D-MCTP-BK | 14W/19W/24W 125LM/W 30K/40K/50K Head | 4 |
| BOL-G2-107D-MCTP-BR | 14W/19W/24W 125LM/W 30K/40K/50K Head | 4 |
| BOL-G2-118-MCTP-BK | 14W/19W/24W 125LM/W 30K/40K/50K Head | 4 |
| BOL-G2-118-MCTP-BR | 14W/19W/24W 125LM/W 30K/40K/50K Head | 4 |
| BOL-G2-135-MCTP-BK | 12W/18W/20W 125LM/W 30K/40K/50K Head | 4 |
| BOL-G2-135-MCTP-BR | 14W/19W/24W 125LM/W 30K/40K/50K Head | 4 |
| BOL-G2-140-MCTP-BK | 14W/19W/24W 125LM/W 30K/40K/50K Head | 4 |
| BOL-G2-140-MCTP-BR | 14W/19W/24W 125LM/W 30K/40K/50K Head | 4 |
| BOL-G2-SHAFT-31-BK | G2 Bollard Shaft 31 Inch, Black | |
| BOL-G2-SHAFT-31-BR | G2 Bollard Shaft 31 Inch, Bronze | |
| BOL-G2-SHAFT-19-BK | G2 Bollard Shaft 19 Inch, Black | |
| BOL-G2-SHAFT-19-BR | G2 Bollard Shaft 19 Inch, Bronze | |
| BOL-G2-SHAFT-14-BK | G2 Bollard Shaft 14 Inch, Black | |
| BOL-G2-SHAFT-14-BR | G2 Bollard Shaft 14 Inch, Bronze | |
| BOL-G2-SHAFT-9-BK | G2 Bollard Shaft 9 Inch, Black | |
| BOL-G2-SHAFT-9-BR | G2 Bollard Shaft 9 Inch, Bronze | |
| BOL-G2-ABK-R | G2 Bollard Round Replacement Anchor Bolts & Mounting Plate | |
| BOL-G2-102F-CR-WH | G2 Bollard Head 102F Replacement Cone Reflector, White | |
| BOL-G2-103-LAK-BK | G2 Bollard Louver Kit For Model 103, Black | |
| BOL-G2-103-LAK-BR | G2 Bollard Louver Kit For Model 103, Bronze | |
| BOL-R-ACC-FL | Field-installed replacement frosted lens | |



BOL-502-9-MCT
Black/Bronze



BOL-502-32-MCT
Black/Bronze



BOL-502-ABK
Anchor Bolts
& Mounting Plate

RECTANGULAR PATH-LIGHT BOLLARD, 3 CCT, 4-3/4" X 3-3/8"



| CATALOG NO. | DESCRIPTION | ARRIVES THIS SEASON CHECK & PRE-ORDER | PKG. QTY. |
|--------------------------|-------------------------------------|--|--------------|
| BOL-502-9-MCT-BK | 10w 100LM/W 30K/40K/50K 9in Black | | 1 |
| BOL-502-9-MCT-BR | 10w 100LM/W 30K/40K/50K 9in Bronze | | 1 |
| BOL-502-32-MCT-BK | 10w 100LM/W 30K/40K/50K 32in Black | | 1 |
| BOL-502-32-MCT-BR | 10w 100LM/W 30K/40K/50K 32in Bronze | | 1 |
| BOL-502-ABK | BOL-502 Series Anchor Bolt Kit | | 1 |



BOL-505-26-MCT
Black/Bronze



BOL-505-40-MCT
Black/Bronze



BOL-605-ABK
Anchor Bolts
& Mounting Plate

ROUND PATH-LIGHT BOLLARD, 4-3/4" DIA.



| CATALOG NO. | DESCRIPTION | ARRIVES THIS SEASON CHECK & PRE-ORDER | PKG. QTY. |
|--------------------------|-------------------------------------|--|--------------|
| BOL-505-26-MCT-BK | 15w 100LM/W 30K/40K/50K 26in Black | | 1 |
| BOL-505-26-MCT-BR | 15w 100LM/W 30K/40K/50K 26in Bronze | | 1 |
| BOL-505-40-MCT-BK | 15w 100LM/W 30K/40K/50K 40in Black | | 1 |
| BOL-505-40-MCT-BR | 15w 100LM/W 30K/40K/50K 40in Bronze | | 1 |
| BOL-505-ABK | BOL-505 Series Anchor Bolt Kit | | 1 |



BOL-602-40-S-MCTP
Black/Bronze



BOL-602-26-S-MCTP
Black/Bronze



BOL-602-40-S-RGBW
Black



BOL-602-ABK
Anchor Bolts
& Mounting Plate



SQUARE BOLLARD LONG LENS, POWER AND CCT ADJUSTABLE

| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|---|---|-----------|
| SQUARE BOLLARD LONG LENS, POWER AND CCT ADJUSTABLE | | |
| BOL-602-40-S-MCTP-BK | 10w/18w/25w 100LM/W 35K/40K/50K 40in Black | 1 |
| BOL-602-40-S-MCTP-BR | 10w/18w/25w 100LM/W 35K/40K/50K 40in Bronze | 1 |
| BOL-602-26-S-MCTP-BK | 10w/18w/25w 100LM/W 35K/40K/50K 26in Black | 1 |
| BOL-602-26-S-MCTP-BR | 10w/18w/25w 100LM/W 35K/40K/50K 26in Bronze | 1 |

WG SMART APP COMPATIBLE RGBW SQUARE BOLLARD LONG LENS, POWER AND CCT ADJUSTABLE

TC-BOL-602-40-S-RGBW-BK 34w RGBW 40in Black

BOL-602-ABK BOL-602 Anchor Bolts And Mounting Plate

FOR REMOTE CONTROL SEE PAGE 86



BOL-608-32-S-MCTP
Black/Bronze



BOL-608-26-S-MCTP
Black/Bronze



BOL-608-ABK
Anchor Bolts
& Mounting Plate



BOL-608RD-41-MCTP
Black/Bronze



BOL-608RD-16-MCTP
Black/Bronze



BOL-608R-ABK
Anchor Bolts
& Mounting Plate

SQUARE OR ROUND BOLLARD OPEN DESIGN, POWER AND CCT ADJUSTABLE




| CATALOG NO. | DESCRIPTION | ARRIVES THIS SEASON CHECK & PRE-ORDER | PKG. QTY. |
|--|---|--|-----------|
| SQUARE BOLLARD OPEN DESIGN, POWER AND CCT ADJUSTABLE, 6-3/4" X 6-3/4" | | | |
| BOL-608-32-S-MCTP-BK | 10w/18w/25w 100LM/W 30K/40K/50K 32in Black | | 1 |
| BOL-608-32-S-MCTP-BR | 10w/18w/25w 100LM/W 30K/40K/50K 32in Bronze | | 1 |
| BOL-608-26-S-MCTP-BK | 10w/18w/25w 100LM/W 30K/40K/50K 26in Black | | 1 |
| BOL-608-26-S-MCTP-BR | 10w/18w/25w 100LM/W 30K/40K/50K 26in Bronze | | 1 |
| BOL-608-ABK | BOL-608-S Anchor Bolts And Mounting Plate | | |

| | | | |
|--|---|--|---|
| ROUND BOLLARD OPEN DESIGN, POWER AND CCT ADJUSTABLE, 4-1/3" | | | |
| BOL-608RD-41-MCTP-BK | 10w/18w/25w 100LM/W 30K/40K/50K 4in Black | | 1 |
| BOL-608RD-41-MCTP-BR | 10w/18w/25w 100LM/W 30K/40K/50K 4in Bronze | | 1 |
| BOL-608RD-16-MCTP-BK | 10w/18w/25w 100LM/W 30K/40K/50K 16in Black | | 1 |
| BOL-608RD-16-MCTP-BR | 10w/18w/25w 100LM/W 30K/40K/50K 16in Bronze | | 1 |
| BOL-608R-ABK | BOL-608R Anchor Bolts And Mounting Plate | | |

POST FOR WMS, LMW, LWA-12W, LWAX-12W SERIES

CATALOG NO. DESCRIPTION



| | |
|---------------------|---|
| WMS-POST1-18 | 18" One side optional Post, Bronze Finish |
| WMS-POST2-18 | 18" Two side optional Post, Bronze Finish |
| WMS-POST1-36 | 36" One side optional Post, Bronze Finish |
| WMS-POST2-36 | 36" Two side optional Post, Bronze Finish |

BOLLARD CUSTOMIZATION

| CATALOG NO. | POST SIZE | | FIXTURES PER POLE | | COLOR TEMPERATURE | | FINISH | |
|--------------|-----------|-------------|-------------------|-------------|-------------------|-------------|--------|-------------|
| | CODE | DESCRIPTION | CODE | DESCRIPTION | CODE | DESCRIPTION | CODE | DESCRIPTION |
| WMS-S | 18 | 18 Inch | 1 | 1 Sided | 30K | 3000K | BR | Bronze |
| WMS-R | 36 | 36 Inch | 2 | 2 Sided | 40K | 4000K | WH | White |
| LMW | | | | | 50K | 5000K | | |

For more information on each fixture model, refer to: LWA-12 page 4, LMW page 12, WMS page 12.



BOL-44-R-L-C-MCTP-BK
Black



BOL-42-R-L-C-MCTP-BK
Black



BOL-42-S-C-C-MCTP-BK
Black



Anchor Bolts & Mounting Plate Included

7 DAYS LEAD TIME

ALL MODELS ARE AVAILABLE IN BRONZE & BLACK

ROUND AND SQUARE BOLLARD, 120-277VAC, (ADJUSTABLE POWER 12-22W & CCT 30K/40K/50K)



| CATALOG NO. | DESCRIPTION | WHILE SUPPLIES LAST | PKG. QTY. |
|-----------------------------|---|---------------------|-----------|
| BOL-44-R-L-C-MCTP-BK | Bollard 44In Round Dome Top Louver Clear Lens, Black,, 6" Dia | | 1 |
| BOL-42-R-L-C-MCTP-BK | Bollard 42In Round Flat Top Louver Clear Lens, Black,, 6" Dia | | 1 |
| BOL-42-S-C-C-MCTP-BK | Bollard 42In Square Flat Top Cone Clear Lens, Black,, 6" SQ | | 1 |
| BOL-42-S-C-C-MCTP-BR | Bollard 42In Square Flat Top Cone Clear Lens, Bronz,, 6" SQ | | 1 |

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

| WATTS | EM OPTION | DESCRIPTION | PHOTOCELL | DESCRIPTION | PAINT | SENSOR | DESCRIPTION |
|------------|--------------------|------------------------------------|-----------------|-------------|--------------------------------|--------------------|--------------------|
| ALL MODELS | OPT-EM-BOL | INTERNAL SHIELD OPTION DESCRIPTION | OPT-PC-B | BUTTON | OPT-CRL-95(BK/GR/SR/WH) | OPT-SEN-WMC | MICROWAVE BI-LEVEL |
| | OPT-BOL-SHI | Shield | | | | | |



LINEAR ARCHITECTURAL INGROUND LIGHTS, 3CCT



| CATALOG NO. | DESCRIPTION | ARRIVES THIS SEASON CHECK & PRE-ORDER |
|--------------------|------------------------|---------------------------------------|
| CIGL-9-MCT | 5W 420LM 30K/40K/57K | |
| CIGL-20-MCT | 10W 860LM 30K/40K/57K | |
| CIGL-40-MCT | 24W 2256LM 30K/40K/57K | |

FIXTURE
ACCESSORIES



LF-THREAD
1/2" hub adaptor for fixtures with trunnion bracket (on fixtures up to 50W)



WRC-3-BRZ
Weatherproof cover with three (3) 1/2" hubs



SPS-75
4" SQ. Swivel-type cover & 3/4" hub with 1/2" reducer



HB-HOOK
High Bay 2-1/2" heavy-duty Zinc Alloy hook with 1/2" steel locknut, set screw, cable bushing

SHROUDS

REVERSIBLE



LF4-SH1 Fits LF4-12W & 15W, LF4-12V-6W & 12W (Polycarbonate)

LF4-SH2 Fits LF4-30W, LF4-12V-24W & 30W (Polycarbonate)

LF4-SH3 Fits LF4-50W, LF4-12V-50W (Polycarbonate)

LF4-SH4 Fits LF4-80W & 100W, (Aluminum)

LF4-SH5 Fits LF4-150W (Aluminum)



LF3-SH1FG
Full-Glare Shrouds for LF4 12W, 30W

LF3-SH2FG
Full-Glare Shrouds for LF4 50W

LF3 Full-Glare Shrouds compatible with LF4 Series



FL-SH1 Fits FLD2-15W, FLV12-6W

FL-SH2 Fits FLD2-28W, FLV12-12W & 24W

FL-SH3 Fits FLD2-42W, FLV12-32W

FL-SH4 Fits FLD2-50W

PHOTOCONTROLS



PC-1
PC-1H



PC-1S



PC-2S



PC-B
PC-BU



PC-BP



PC-BUM



PC-TLSC



PC-TLSOC-3PIN



PC-TLSOC-7PIN



PC-TWIST
PC-TWIST-480V



LF3-PCK
LF3-PCK-480V



SL-PC



WEC-3MPC-GY



WEC-3MPCN

PHOTOCONTROLS FOR OUTDOOR

| CATALOG NO. | DESCRIPTION |
|----------------------|---|
| PC-1 | 120V Stem Mount 1800W Photocell |
| PC-1H | 277V Stem Mount 1800W Photocell |
| PC-1S | Photocell Swivel Arm 120V , 1000W |
| PC-2S | Swivel Photocell , 120Vac , 1800W |
| PC-B | Button Photocell , 120Vac , 500W |
| PC-BU | Button Photocell, 120-277Vac , 500W |
| PC-BP | Photocell With 1-Gauge Stainless Steel Plate And Gasket , 120Vac , 500W |
| PC-BUM | Mini Button Photocell, 120-277Vac , 500W |
| PC-TLSC | Twist Lock Shorting Cap For Photocell Socket |
| PC-TLSOC-3PIN | 3-Pin Socket Twist Lock For Smart Control Systems |
| PC-TLSOC-7PIN | 7-Pin Socket Twist Lock For Smart Control Systems |
| PC-TWIST | Twist Lock Photocell 1800W Tungeston 120-277V Ac /1800W |
| PC-TWIST-480V | Twist Lock Photocell 1800W Tungeston 490V |
| LF3-PCK | Twist-Lock Photocell Kit, 120-277V |
| LF3-PCK-480V | Twist-Lock Photocell Kit, 480V |
| SL-PC | Micro Button Photocell, 120/277V, 40W |
| WEC-3MPC-GY | Microwave IP67 Photocell With 1/2" Thread, Gray |
| WEC-3MPCN | Ultra-Violet Photocell, 120-277V 1/2in NPT Size |

SURGE PROTECTOR

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

| TYPE | CATALOG NO. | DESCRIPTION |
|------------------|--------------------|---|
| OUTDOOR FIXTURES | OPT-SP-10KV | Factory Installed, 10KV surge protector |



WEC-3MRLV-5-BR WEC-3MRLV-5-GY WEC-3MRLV-5-WH WEC-3MRLV-5-CLR WEC-3MDR-42 WEC-3PDR-52 WEC-3PDR-48-480V WEC-3MR-48 WEC-3PR-60 WEC-3MR-4-BR WEC-3MR-4-WH WEC-3PDR-58-BR WEC-3PDR-58-WH WEC-2MRHB2 WEC-3MR-45 WEC-2MD-35



WEC-2MD-33 WEC-2MDR-36 WEC-2MDR-33 WEC-2P-44 WEC-2ADP SL-HPIR-BR SL-HPIR-WH SL-PIR-BR SL-PIR-WH WEC-2P-58 WEC-2CPDR-3 YM183-W YM2108-W YM2108-T-W WEC-2DLH-22 WEC-ON50-BR WEC-ON50-WH



LLHB-SE LLHB-SMB LLHB-SENB WEC-2PR-28-AJ-WH WEC-2BT-28-AJ-WH WEC-3PR-78-AJ-WH WEC-3PBT-78-AJ-WH WEC-3MDBTH-6 WEC-2MDRH-36 WEC-2MDBTH-36 WEC-3MBT-72-TLB-BK WEC-3MBT-72-TLB-WH WEC-3PBT-72-TLB-WH WEC-2UGW-WIFI



MOTION SENSORS FOR OUTDOOR See Compatible Sensor list in Description

| CATALOG NO. | DESCRIPTION |
|--------------------|--|
| WEC-3MRLV-5-BR | 600W Max, 0-10V Microwave, 120-277V - Bronze (Optional Remote Control WEC-8RC) |
| WEC-3MRLV-5-GY | 600W Max, 0-10V Microwave, 120-277V - Gray (Optional Remote Control WEC-8RC) |
| WEC-3MRLV-5-WH | 600W Max, 0-10V Microwave, 120-277V - White (Optional Remote Control WEC-8RC) |
| WEC-3MRLV-5-CLR | 600W Max, 0-10V Microwave, 120-277V - Clear (Optional Remote Control WEC-8RC) |
| WEC-3MRLV-6-BR | IP65 120-277 Vac Split Microwave Sensor, Bi-Level, Dip And Rc, Bronze |
| WEC-3MRLV-6-GY | IP65 120-277 Vac Split Microwave Sensor, Bi-Level, Dip And Rc, Gray |
| WEC-3MRLV-6 | IP65 120-277 Vac Split Microwave Sensor, Bi-Level, Dip And Rc |
| WEC-3MR-3-BR | 600W Max, Microwave IP67 Sensor, 1/2" Thread, Bronze (Optional Remote Control WEC-8RC) |
| WEC-3MR-3-WH | 600W Max, Microwave IP67 Sensor, 1/2" Thread, White (Optional Remote Control WEC-8RC) |
| WEC-3MDR-42 | 600W Max, 0-10V Mw 120-277V Sensor Dip & Rc (Optional Remote Control WEC-3RC) |
| WEC-3PDR-52 | 600W Max, 0-10V PIR 120-277V Sensor Dip & Rc (Optional Remote Control WEC-3RC) |
| WEC-3PDR-48-480V | 120V-480V Pir Ip65 Bi-Level Motion Sensor, Remote Capable (Optional Remote Control WEC-3RC) |
| WEC-3MR-48 | 600W Max, 0-10V Mw 120-277V IP66 Metal Knuckle Sensor Dip & Rc (Optional Remote Control WEC-3RC) |
| WEC-3PR-60 | 600W Max, 0-10V PIR 120-277V Ip66 Knuckle Sensor Dip & Rc (Optional Remote Control WEC-3RC) |
| WEC-2MD-TRIAC | Triac Bi-Level Microwave Sensor 120V, Clear |
| WEC-2PR-28-AJ-WH | PIR Sensor 1-Pin Audio Jack Contact 600W 40Ft 120-277V 0-10V Bi-Level & Rc (Optional RC WEC-3RC) |
| WEC-2BT-28-AJ-WH | PIR Sensor 1-Pin Audio Jack Contact 600W 40Ft 120-277V 0-10V Bi-Level Bluetooth App *Ready |
| WEC-3PR-78-AJ-WH | PIR Sensor 1-Pin Audio Jack Contact 600W 40Ft 120-277V 0-10V Bi-Level & Rc (Optional RC WEC-3RC) |
| WEC-3PBT-78-AJ-WH | PIR Sensor 1-Pin Audio Jack Contact 600W 40Ft 120-277V 0-10V Bi-Level Bluetooth App *Ready |
| WEC-AJ-SOCKET | 12-24Vdc 1-Pin Audio Jack Sensor Receptacle Socket 1/2In Npt |
| WEC-3MR-4-BR | 600W Max, 90-Degree IP67 Microwave Sensor, Bronze (Optional Remote Control WEC-8RC) |
| WEC-3MR-4-WH | 600W Max, 90-Degree IP67 Microwave Sensor, White (Optional Remote Control WEC-8RC) |
| WEC-3PDR-58-BR | 600W Max, 0-10V PIR IP65 120-277V Sensor Dip And Rc , Bronze (Optional Remote Control WEC-3RC) |
| WEC-3PDR-58-WH | 600W Max, 0-10V PIR IP65 120-277V Sensor Dip And Rc , Bronze (Optional Remote Control WEC-3RC) |
| WEC-2MRHB2 | 600W Max, 0-10V Microwave Highbays Sensor Kit (Optional Remote Control WEC-7RC) |
| WEC-3MR-45 | 600W Max, 0-10V Mw 120-277V IP66 Highbay Sensor & Rc (Optional Remote Control WEC-3RC) |
| WEC-2MD-35 | 600W Max, 0-10V Mw 120-277V Sensor Dip, White |
| WEC-2MD-33 | 600W Max, 0-10V Mw 120-277V Low-Ceiling Sensor Dip |
| WEC-2MDR-36 | 600W Max, 0-10V Mw 120-277V Sensor + Sensor Head Dip & Rc, White (Optional Remote Control WEC-2RC) |
| WEC-2MDR-33 | 600W Max, Microwave Sensor For Linear Strip Lights With Dip (Optional Remote Control WEC-2RC-33) |
| WEC-2P-44 | 600W Max, 0-10V PIR 6-24Vdc Troffer Sensor Dip |
| WEC-2ADP | Ac To Dc Adapter Module For Ant-4 |
| SL-PIR-WH | White 180°, 350W Max Load |
| SL-PIR-BZ | Bronze 180°, 350W Max Load |
| SL-HPIR-WH | White 240°, 350W Max Load |
| SL-HPIR-BZ | Bronze 240°, 350W Max Load |
| WEC-2CPDR-3 | 600W Max, 0-10V PIR 120-277V Ceiling Sensor Dip & Rc (Optional Remote Control WEC-3RC) |
| WEC-2P-58 | 600W Max, On/Off PIR 120-277V Highbay Sensor |
| WEC-2DLH-22 | 600W Max, 0-10V Daylight Harvesting Module, White |
| WEC-3MBT-72-TLB-BK | 600W Max, Zhaga 12-24VDC Microwave Sensor, Bluetooth App *Ready, Black, With Base |
| WEC-3MBT-72-WH | Microwave Sensor Zhaga Base Bluetooth Mesh, Bluetooth App *Ready |
| WEC-3PBT-72-WH | Pir Sensor Zhaga Base Bluetooth Mesh, Bluetooth App *Ready |
| WEC-3MDBTH-6 | Split Microwave Sensor For Outdoor Bluetooth Mesh, Bluetooth App *Ready |
| WEC-2MDBTH-36 | Split Microwave Sensor For Indoor Bluetooth Mesh, Bluetooth App *Ready |
| WEC-2UGW-WIFI | Industrial Gateway With Multi-Signal Input - Wifi Output |
| WEC-ON50-BR | Sensor Mounting Offset Nipple, 1/2 Inch Size , Bronze |
| WEC-ON50-WH | Sensor Mounting Offset Nipple, 1/2 Inch Size , White |
| LLHB-SE | Highbay Sensor Extender Module |
| LLHB-SMB | Motion Sensor Mounting Box For Linear High Bay Fixtures |
| LLHB-SENB | Galvanized Steel Sensor Mounting Bracket |
| YM183-W | Occupancy Pir Sensor, 180°, 30Ft (720Ft), 120V 800/1200W Max, Single Pole, Neutral Req. |
| YM2108-W | Vacancy & Occupancy Pir Sensor, 180°, 30Ft (720Ft), 120V 800/1200W Max, Single Pole, Neutral Req. |
| YM2108-T-W | Vacancy & Occupancy Pir Sensor, 180°, 25Ft (600Ft), 120V 600/1000W Max, 3-Way, Neutral Req. |





WEC-2RC



WEC-3RC



WEC-8RC



WEC-2RC-33

REMOTE CONTROL FOR MOTION SENSORS (FOR COMPATIBILITY, SEE PREVIOUS PAGE)

| CATALOG NO. | DESCRIPTION |
|-------------------|--|
| WEC-8RC | Remote Control For WEC-3MR-4 & WEC-3MR-3 |
| WEC-2RC | Remote Control For WEC-2MD-36, Silver |
| WEC-3RC | Remote Control For Motion Sensors |
| WEC-2RC-33 | Remote Control For WEC-2MDR-33 Motion Sensor |



WEC-MOD-010V-BT
WEC-MOD-010V-WIFI
WEC-MOD-TR-WIFI



WEC-MOD-WIFI-RC
(WORKS WITH WIFI MODULES ONLY)
NOT WITH BLUETOOTH MODULE OR SWITCHES

The WEC-MOD installed on a 0~10V or Triac fixture to control the luminaries via WIFI, BT or a remote control.

WESTGATE SMART LIGHTING CONTROL MODULES - 1/2" KNUCKLE



| CATALOG NO. | DESCRIPTION |
|--------------------------|---|
| WEC-MOD-010V-BT | WG Smart Lighting Control Module 1000W 0-10V Bluetooth IP65 |
| WEC-MOD-010V-WIFI | WG Smart Lighting Control Module 1000W 0-10V Wifi IP65 |
| WEC-MOD-TR-WIFI | WG Smart Lighting Control Module 300W Triac Wifi IP65 |
| WEC-MOD-WIFI-RC | WG Smart Remote Control Compatible With Wifi Lighting Modules |



WEC-SW-PBI-010V-BT
WEC-SW-PBI-TR-WIFI

This stand-alone "wall dimmer" functions similarly to traditional wall switches by directly wiring to the fixture.

WESTGATE SMART LIGHTING CONTROL SWITCHES SWITCHES WORK AS STAND ALONE OR WITH WESTGATE APP.



| CATALOG NO. | DESCRIPTION |
|---------------------------|---|
| WEC-SW-PBI-010V-BT | WG Smart Push Button Wall Switch 1000W 0-10V Bluetooth + Wall Plate |
| WEC-SW-PBI-TR-WIFI | WG Smart Push Button Wall Switch 300W Triac Wifi + Wall Plate |



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER



| CATALOG NO. | DESCRIPTION |
|----------------------|---|
| OPT-EM-CW2EXT | COLD-WEATHER EXTERNAL EMERGENCY POWER SUPPLY 27W FACTORY OPTION |
| OPT-EM-CW2INT | COLD-WEATHER INTERNAL EMERGENCY POWER SUPPLY 27W FACTORY OPTION |
| OPT-EM-CW1INT | COLD-WEATHER INTERNAL EMERGENCY POWER SUPPLY 18W FACTORY OPTION |

10KV SURGE PROTECTION MODULE UL1449

| CATALOG NO. | DESCRIPTION |
|--------------------|---|
| SPI0KV | 100-300V 10Kv 8A Surge Protection Module UL1449 |
| SPI0KV-480V | 480V 10Kv Surge Protection Device UL1449 |





EV CHARGER, 48-AMP ADJUSTABLE POWER



CATALOG NO.

DESCRIPTION

EVC-A-48A-MP-BT Level 2 EV Charger 48A Selectable Power, Westgate App Enabled

INDUSTRIAL LIGHTING



UHX
Black



UHX
White




HB-RING



HB-EB-50/75



UHX-SMB



UHX-WG



UHX-SA-5075



UHX-ALR
UHX-ALRW



UHX-PCR



UHX-PCPD



UHX-PCC



UHX-FL



UHX-SC



SCL-GS210
SCL-GS220

SPEC SERIES NEW GENERATION - UFO HIGHBAY, 120-277V



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|-------------------------|---|-----------|
| UHX-150W-MP-50K | 50W/80W/100W/150W 140LM/W 5000K Black MP | 1 |
| UHX-150W-MP-40K | 50W/80W/100W/150W 140LM/W 4000K Black MP | 1 |
| UHX-230W-MP-50K | 100W/150W/200W/230W 140LM/W 5000K Black MP | 1 |
| UHX-230W-MP-40K | 100W/150W/200W/230W 140LM/W 4000K Black MP | 1 |
| UHX-300W-MP-50K | 150W/200W/240W/300W 140LM/W 5000K Black MP | 1 |
| UHX-150W-MCTP | 50W/80W/100W/150W 125LM/W 30K/40K/50K/57K Black MCTP | 1 |
| UHX-230W-MCTP | 100W/150W/200W/230W 125LM/W 30K/40K/50K/57K Black MCTP | 1 |
| UHX-150W-MCTP-WH | 50W/80W/100W/150W 125LM/W 30K/40K/50K/57K White MCTP | 1 |
| UHX-230W-MCTP-WH | 100W/150W/200W/230W 125LM/W 30K/40K/50K/57K White MCTP | 1 |
| HB-RING | Highbay top ring adapter, 1/2in | |
| HB-EB-50/75 | UFO top threaded hub expansion bushing from 1/2" to 3/4" | |
| UHX-SMB | Surface Mounting Yoke Bracket For 100W To 300W | |
| UHX-WG-A | Wire Guard, Fits On Fixtures 150W (MP & MCTP) & 230W (MP Only) | |
| UHX-WG-B | Wire Guard, Fits On Fixtures 230W (MCTP Only) & 300W MP | |
| UHX-ALR-A | 60° Alum. Reflector For 150W (MP & MCTP) & 230W (MP Only) | |
| UHX-ALR-B | 60° Alum. Reflector For 230W (MCTP Only) & 300W MP | |
| UHX-ALRW-A | 90° Alum. Reflector For 150W (MP & MCTP) & 230W (MP Only) | |
| UHX-ALRW-B | 90° Alum. Reflector For 230W (MCTP Only) & 300W MP | |
| UHX-PCR-A | Prismatic PC Reflector For 150W (MP & MCTP) & 230W (MP Only) | |
| UHX-PCR-B | Prismatic PC Reflector For 230W (MCTP Only) & 300W MP | |
| UHX-PCDC | PC Drop Lens Cover For PC Reflectors (Not for Alum. Reflectors), Fits All Sizes | |
| UHX-PCC | PC Bottom Cover For PC Reflectors (Not for Alum. Reflectors), Fits All Sizes | |
| UHX-SC | Safety Cable | |
| SCL-GS210 | Heavy-Duty Adjustable 5/64" 10 Ft. Suspension Kit With Loop Gripper & Hook(1) | |
| SCL-GS220 | Heavy-Duty Adjustable 5/64" 20 Ft. Suspension Kit With Loop Gripper & Hook(1) | |
| UHX-FL-A | Replacement Frosted PC Lens For UHX-150W-MP only | |
| UHX-FL-B | Replacement Frosted PC Lens For UHX-150W-MCTP & UHX-230W-MP only | |
| UHX-FL-C | Replacement Frosted PC Lens For 230W-MCTP & 300W | |
| UHX-CL-A | Replacement Clear Lens For Up To 150W | |
| UHX-CL-B | Replacement Clear Lens For 230W-MP (NOT FOR 230W-MCTP) | |
| UHX-CL-C | Replacement Clear Lens For 230W-MCTP & 300W | |
| UHX-SA-5075 | 1/2in Stem-mounting adapter with cable passage with 3/4in bushing | |

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

| WATTS | EM OPTION | DESCRIPTION | PLUG IN CORD | DESCRIPTION | PAINT | SENSOR | DESCRIPTION |
|-------|----------------------------|--------------------|-------------------------|-----------------------------|------------|--------------------|-------------|
| ALL | OPT-EM-UHX | ON TOP | OPT-HBC-125TL-BK | 8FT, 15A, 125V,16/3TL,BLK | N/A | OPT-SEN-UHX | MICROWAVE |
| | WIRE CABLE OPTION | DESCRIPTION | OPT-HBC-125TL-WH | 8FT, 15A, 125V,16/3TL,WHT | | | |
| | OPT-HBC-5WR-20FT-BK | 5-WIRE CABLE | OPT-HBC-277TL-BK | 8FT, 15A, 277V,16/3TL,BLK | | | |
| | | | OPT-HBC-277TL-WH | 8FT, 15A, 277V,16/3TL,WHT | | | |
| | | | OPT-HBC-125SB-BK | 10FT, 15A, 125V,18/3STR,BLK | | | |
| | | | OPT-HBC-125SB-WH | 10FT, 15A, 125V,18/3STR,WHT | | | |



UHX-SR
Black



UHX-SR
White



Sensor-Ready
Plug & Play

INDUSTRIAL

HIGHBAY

SPEC SERIES UFO HIGHBAY - SENSOR READY SERIES



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|---------------------------------|--|-----------|
| MP UHX-150W-MP-40K-SR | 50W/80W/100W/150W 140LM/W 4000K Black | 1 |
| MP UHX-150W-MP-50K-SR | 50W/80W/100W/150W 140LM/W 5000K Black | 1 |
| MP UHX-230W-MP-40K-SR | 100W/150W/200W/230W 140LM/W 4000K Black | 1 |
| MP UHX-230W-MP-50K-SR | 100W/150W/200W/230W 140LM/W 5000K Black | 1 |
| MP UHX-300W-MP-50K-SR | 150W/200W/230W/300W 140LM/W 5000K Black | 1 |
| MCTP UHX-150W-MCTP-SR | 50W/80W/100W/150W 125LM/W 30K/40K/50K/57K Black | 1 |
| MCTP UHX-150W-MCTP-WH-SR | 50W/80W/100W/150W 125LM/W 30K/40K/50K/57K White | 1 |
| MCTP UHX-230W-MCTP-SR | 100W/150W/200W/230W 130LM/W 30K/40K/50K/57K Black | 1 |
| MCTP UHX-230W-MCTP-WH-SR | 100W/150W/200W/230W 130LM/W 30K/40K/50K/57K White | 1 |
| WEC-3MR-72-TLB-BK | 600W Max, Zhaga 12-24VDC Microwave Sensor, Black, With Base (Optional Remote Control WEC-3RC) | |
| WEC-3MBT-72-TLB-BK | 600W Max, Zhaga 12-24VDC Microwave Sensor, Bluetooth App Ready, Black, With Base (Optional Remote Control WEC-3RC) | |
| WEC-3PR-72-TLB-WH | 600W Max, Zhaga 12-24VDC PIR Sensor, White, With Base (Optional Remote Control WEC-3RC) | |

FOR FACTORY-INSTALLED OPTIONS AND ACCESSORIES SEE UHX BELOW PAGE 73



SPEC SERIES NEW GENERATION - UFO HIGHBAY, 480V 7 DAYS LEAD TIME



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|-----------------------------------|---|-----------|
| MP UHX-150W-MP-50K-480V | 50W/80W/100W/150W 160LM/W 5000K Black | 1 |
| MP UHX-230W-MP-50K-480V | 100W/150W/200W/230W 160LM/W 5000K Black | 1 |
| MP UHX-300W-MP-50K-480V | 150W/200W/240W/300W 160LM/W 5000K Black | 1 |
| MCTP UHX-150W-MCTP-480V | 50W/80W/100W/150W 125LM/W 30K/40K/50K/57K Black | 1 |
| MCTP UHX-230W-MCTP-480V | 100W/150W/200W/230W 125LM/W 30K/40K/50K/57K Black | 1 |
| MCTP UHX-150W-MCTP-WH-480V | 50W/80W/100W/150W 125LM/W 30K/40K/50K/57K White | 1 |
| MCTP UHX-230W-MCTP-WH-480V | 100W/150W/200W/230W 125LM/W 30K/40K/50K/57K White | 1 |

480V

FOR FACTORY-INSTALLED OPTIONS AND ACCESSORIES SEE UHX BELOW PAGE 73



UHXE-80-150W-MCTP4-SR
UHXE-165-220W-MCTP4-SR
Black



SHOWN WITH
UHXE-RPMB



UHXE-80-150W-MCTP4-SR-WH
UHXE-165-220W-MCTP4-SR-WH
Bronze



SHOWN WITH
UHXE-PCR-A-90D
UHXE-PCR-B-90D



SHOWN WITH
UHXE-SMB



SHOWN WITH
UHXE-PCR-A-60D
UHXE-PCR-B-60D



HB-RING



HB-EB-50/75



UHX-SA-5075



UHX-SC



WEC-3RC

WEC-3PR-72-TLB-WH

WEC-3MR-72-TLB-BK
WEC-3MBT-72-TLB-BK

Sensor-Ready
Plug & Play



UHXE-PCC-A
UHXE-PCC-B

**BUILDER SERIES POWER AND CCT- ADJUSTABLE
UFO HIGHBAY, 120-277V (SENSOR-READY)**



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|----------------------------------|--|-----------|
| UHXE-80-150W-MCTP4-SR | 80W/110W/150W 140LM/W 30K/35K/40K/50K Black | 1 |
| UHXE-165-220W-MCTP4-SR | 165W/190W/220W 140LM/W 30K/35K/40K/50K Black | 1 |
| UHXE-80-150W-MCTP4-SR-WH | 80W/110W/150W 140LM/W 30K/35K/40K/50K White | 1 |
| UHXE-165-220W-MCTP4-SR-WH | 165W/190W/220W 140LM/W 30K/35K/40K/50K White | 1 |
| UHXE-SMB | UHXE Surface Mounting U Bracket, Black | |
| UHXE-RPMB | UHXE 1-FT Rigid Pipe Stand with Canopy for Hard Surface (not Swivel) | |
| UHXE-PCR-A-90D | UHXE-80-150W 90-Degree PC Reflector | |
| UHXE-PCR-A-60D | UHXE-80-150W 60-Degree PC Reflector | |
| UHXE-PCR-B-90D | UHXE-165-220W 90-Degree PC Reflector | |
| UHXE-PCR-B-60D | UHXE-165-220W 60-Degree PC Reflector | |
| UHXE-PCC-A | UHXE-80-150W Bottom Cover For Pc Reflector, Fits Both 60D 90D | |
| UHXE-PCC-B | UHXE-165-220W Bottom Cover For Pc Reflector, Fits Both 60D 90D | |
| HB-RING | Highbay top ring adapter, 1/2in | |
| HB-EB-50/75 | UFO top threaded hub expansion bushing from 1/2" to 3/4" | |
| UHX-SC | Safety Cable | |
| UHX-SA-5075 | 1/2in Stem-mounting adapter with cable passage with 3/4in bushing | |
| WEC-3MR-72-TLB-BK | 600W Max, Zhaga 12-24VDC Microwave Sensor, Black, With Base (Optional Remote Control WEC-3RC) | |
| WEC-3MBT-72-TLB-BK | 600W Max, Zhaga 12-24VDC Microwave Sensor, Bluetooth App Ready, Black, With Base (Optional Remote Control WEC-3RC) | |
| WEC-3PR-72-TLB-WH | 600W Max, Zhaga 12-24VDC PIR Sensor, White, With Base (Optional Remote Control WEC-3RC) | |



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

| WATTS | EM OPTION | DESCRIPTION | PLUG-IN CORD | DESCRIPTION | PAINT | SENSOR | DESCRIPTION |
|--------------|--------------------|-------------|-------------------------|-----------------------------|-------|---------------------|-----------------|
| ALL 120-277V | OPT-EM-UHXE | ON TOP | OPT-HBC-125TL-BK | 8FT, 15A, 125V.16/3TL.BLK | N/A | SENSOR READY | SEE ABOVE TABLE |
| | | | OPT-HBC-125TL-WH | 8FT, 15A, 125V.16/3TL.WHT | | | |
| | | | OPT-HBC-277TL-BK | 8FT, 15A, 277V.16/3TL.BLK | | | |
| | | | OPT-HBC-277TL-WH | 8FT, 15A, 277V.16/3TL.WHT | | | |
| | | | OPT-HBC-125SB-BK | 10FT, 15A, 125V.18/3STR.BLK | | | |
| | | | OPT-HBC-125SB-WH | 10FT, 15A, 125V.18/3STR.WHT | | | |

ECONOMY HIGH BAY LAMP & SOCKET, ADJUSTABLE ANGLE (UFO ALTERNATIVE)



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|---------------------|---|-----------|
| UHL-100W-50K | 100W 12000LM 5000K Black | 18 |
| UHL-150W-50K | 150W 18000LM 5000K Black | 8 |
| ELB-18150-B | 20W MAX, 175VDC, LI-ION 4000MAH BATTERY | |



HIGH LUMEN LED MINI HIGH BAY, 120-277 VAC, PC REFLECTOR INCLUDED



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|------------------------|---|-----------|
| LHB2-50W-50K | 50W 6750LM 5000K 8-1/4" Dia X 5-1/2"(H), Black | 1 |
| LHB2-50W-40K | 50W 6750LM 4000K 8-1/4" Dia X 5-1/2"(H), Black | 1 |
| LHB2-50W-30K | 50W 6750LM 3000K 8-1/4" Dia X 5-1/2"(H), Black | 1 |
| LHB2-50W-50K-WH | 50W 6750LM 5000K 8-1/4" Dia X 5-1/2"(H), White | 1 |
| LHB2-50W-40K-WH | 50W 6750LM 4000K 8-1/4" Dia X 5-1/2"(H), White | 1 |
| LHB2-50W-30K-WH | 50W 6750LM 3000K 8-1/4" Dia X 5-1/2"(H), White | 1 |



120-277V

INDUSTRIAL HIGH BAY



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

| WATTS | EM OPTION | DESCRIPTION | PLUG IN CORD | DESCRIPTION | PAINT | SENSOR | DESCRIPTION |
|--------------|--------------------|-------------|-------------------------|-----------------------------|------------|---------------------|-------------|
| ALL 120-277V | OPT-EM-LHB2 | ULHB-HBMK | OPT-HBC-125TL-BK | 8FT, 15A, 125V,16/3TL,BLK | N/A | OPT-SEN-ULHB | ULHB-SK |
| | | | OPT-HBC-125TL-WH | 8FT, 15A, 125V,16/3TL,WHT | | | |
| | | | OPT-HBC-277TL-BK | 8FT, 15A, 277V,16/3TL,BLK | | | |
| | | | OPT-HBC-277TL-WH | 8FT, 15A, 277V,16/3TL,WHT | | | |
| | | | OPT-HBC-125SB-BK | 10FT, 15A, 125V,18/3STR,BLK | | | |
| | | | OPT-HBC-125SB-WH | 10FT, 15A, 125V,18/3STR,WHT | | | |



4FT X 2 MAGNETIC RETROFIT STRIP KIT WITH EXT. DRIVER- POWER & CCT ADJUSTABLE



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|-------------------------|--|-----------|
| RMS-4FT-35W-MCTP | 20W/28W/35W 140LM/W 27K/30K/35K/40K/50K | 10 |



RMS-4FT-LENS 4FT X 2 Frosted Lens Kit For 4FT RMS Magnetic Retrofit Kit
FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

| WATTS | EM OPTION | DESCRIPTION | VANDAL RES. | DESCRIPTION | PAINT | SENSOR | DESCRIPTION |
|-------|-------------------|-------------------|-------------|-------------|------------|------------|-------------|
| ALL | OPT-EM-RMS | EXTERNAL BACK BOX | N/A | N/A | N/A | N/A | N/A |



PREMIUM STRIP-LIGHT LED RETROFIT KIT WITH LENS



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|-----------------------------|--|-----------|
| SLRP-4FT-20-40W-MCTP | 20W/30W/40W 127LM/W 35K/40K/50K | 4 |

SLRP-8FT-40-80W-MCTP 40W/60W/80W **127LM/W** 35K/40K/50K
FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

| WATTS | EM OPTION | DESCRIPTION | VANDAL RES. | DESCRIPTION | PAINT | SENSOR | DESCRIPTION |
|-------|----------------------|-------------------|-------------|-------------|------------|------------|-------------|
| ALL | OPT-EM-SLRP-4 | EXTERNAL BACK BOX | N/A | N/A | N/A | N/A | N/A |
| | OPT-EM-SLRP-8 | EXTERNAL BACK BOX | | | | | |

LED T5 RETROFIT LAMPS WITH INTERNAL DRIVER (SURFACE MOUNTING BRACKETS & SCREWS INCLUDED), FOR DIMMABLES SEE PAGE 196



| CATALOG NO. | DESCRIPTION | MAX RUN | PKG. QTY. |
|------------------------|-----------------------------|---------|-----------|
| T5-22IN-9W-40K | 9W 1035LM 4000K 2FT | 24' | 24 |
| T5-22IN-9W-50K | 9W 1125LM 5000K 2FT | 24' | 24 |
| T5-47IN-16W-40K | 16W 1840LM 4000K 4FT | 31' | 24 |
| T5-47IN-16W-50K | 16W 2000LM 5000K 4FT | 31' | 24 |
| T5-6FT-PC | 6 FT. Plug-in Power Cord | | - |
| T5-6FT-PCS | 7 FT. Plug-in Power Cord | | - |
| T5-8IN-JUMP | 8" Linking Cable | | - |
| T5-6FT-PT | 6' AC Input Wire (PIGTAIL) | | - |
| T5-COUPLER | Coupler (1 Included) | | - |
| T5-MAGSET | Clip-on Secure Magnet Set | | - |



120-277V



LLHC-80-150W-MCTP
White



ADJUSTABLE LENSES



Wireguard



Sensor-Ready Plug & Play see page 70
(one Sensor per Fixture)

BUILDER SERIES POWER & CCT- ADJUSTABLE COMPACT LINEAR HIGHBAY




| | DESCRIPTION | PKG. QTY. |
|------------------------------|---|-----------|
| LLHC-80-150W-MCTP | 80W/110W/150W 150LM/W 30K/35K/40K/50K 10"(H) X 14 2/3"(W) X 1 8/9"(D) | 1 |
| LLHC-165-220W-MCTP | 165W/190W/220W 150LM/W 30K/35K/40K/50K 10"(H) X 23"(W) X 1 8/9"(D) | 1 |
| LLHC-80-150W-MCTP-SR | 80W/110W/150W 150LM/W 30K/35K/40K/50K SENSOR READY | 1 |
| LLHC-165-220W-MCTP-SR | 165W/190W/220W 150LM/W 30K/35K/40K/50K SENSOR READY | 1 |
| LLHC-WG1 | LLHC Wireguard for 150W | |
| LLHC-WG2 | LLHC Wireguard for 220W | |

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

| WATTS | EM OPTION | DESCRIPTION | PLUG IN CORD | DESCRIPTION | PAINT | SENSOR | DESCRIPTION |
|-------|--------------------|-------------|-------------------------|-------------------------------|-------|--------|-------------|
| ALL | OPT-EM-LLHC | EXTERNAL | OPT-HBC-125TL-WH | 8FT, 15A, 125V, WHITE | N/A | N/A | N/A |
| | | | OPT-HBC-277TL-WH | 8FT, 15A, 277V, WHITE | | | |
| | | | OPT-HBC-125SB-WH | 10FT, 15A, 125V, 18/3STR, WHT | | | |



LHCX lens change



Shown with Wireguard & Surface-mounting kit




Sensor-Ready Plug & Play

X-GENERATION COMPACT LINEAR HIGHBAY, SENSOR READY
POWER & CCT SELECT, 90DX90D LENS





| CATALOG NO. | DESCRIPTION |
|-------------------------------|--|
| LHCX-110-150W-MCTP-SR | 110W/130W/150W 140LM/W 30K/40K/50K 14.17" X 11.00" X 1.77" |
| LHCX-165-215W-MCTP-SR | 165W/180W/215W 140LM/W 30K/40K/50K 18.11" X 11.81" X 1.77" |
| LHCX-255-320W-MCTP-SR | 255W/290W/320W 140LM/W 30K/40K/50K 23.03" X 11.81" X 1.77" |
| LHCX-SMK | Surface-mounting Kit |
| LHCX-WG1 | Wireguard For 150W Max Model |
| LHCX-WG2 | Wireguard For 215W Max Model |
| LHCX-WG3 | Wireguard For 320W Max Model |
| LHCX-PM75 | LHCX Pendant Mounting Accessory, 3/4in Hole On Top And Two 1/2in KO |
| LHCX-LENS-150W-45X90 | LHCX 110-150W Size Special Narrow-Aisle Lens Kit 45Dx90D |
| LHCX-LENS-215W-45X90 | LHCX 165-215W Size Special Narrow-Aisle Lens Kit 45Dx90D |
| LHCX-LENS-320W-45X90 | LHCX 255-320W Size Special Narrow-Aisle Lens Kit 45Dx90D |
| LHCX-LENS-150W-110X110 | LHCX 110-150W Size Special Wide-Angle Lens Kit 110Dx110D |
| LHCX-LENS-215W-110X110 | LHCX 165-215W Size Special Wide-Angle Lens Kit 110Dx110D |
| LHCX-LENS-320W-110X110 | LHCX 255-320W Size Special Wide-Angle Lens Kit 110Dx110D |
| LHCX-LENS-150W-65X65 | LHCX 110-150W Size Special Medium-Angle Lens Kit 65Dx65D |
| LHCX-LENS-215W-65X65 | LHCX 165-215W Size Special Medium-Angle Lens Kit 65Dx65D |
| LHCX-LENS-320W-65X65 | LHCX 255-320W Size Special Medium-Angle Lens Kit 65Dx65D |
| WEC-3MR-72-TLB-BK | 600W Max, Zhaga 12-24VDC Microwave Sensor, Black, With Base (Optional Remote Control WEC-3RC) |
| WEC-3MBT-72-TLB-BK | 600W Max, Zhaga 12-24VDC Microwave Sensor, Bluetooth App Ready, Black, With Base (Optional Remote Control WEC-3RC) |
| WEC-3PR-72-TLB-WH | 600W Max, Zhaga 12-24VDC PIR Sensor, White, With Base (Optional Remote Control WEC-3RC) |

LED LINEAR HIGH BAY ACCESSORIES

| CATALOG NO. | DESCRIPTION |
|--|---|
|  ELB-2048-EXTR | Field-installed emergency driver, Input voltage: 100-277AC, Output voltage: 12V-48VDC, Output power: 20W (Max), Emergency operation: ≥90 mins., Recharge: 24 Hrs. |
| CH-1212 | Steel jack chain, 100ft., 12GA, (Meets weight requirements for Linear High Bays) |
| CH-1010 | Steel jack chain, 100ft., 10GA |
| SCL-GSY10 | Adjustable 10 Ft. 1/16", 1.5mm SusPension Kit With Y-Connector & Loop Grip & Hooks(2) |
| SCL-GSY20 | Adjustable 20 Ft. 1/16", 1.5mm SusPension Kit With Y-Connector & Loop Grip & Hooks(2) |
| LH-SCREW | Steel flat hanger screw with single hole, 1/4" x 3" |

LED LINEAR HIGH BAY, FIXTURE HANGERS INCL., SUSPENSION CABLE NOT INCL.



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|---|--|-----------|
| LED LINEAR HIGH BAY, 120-277V | | |
|  LLHB-120W-50K-D | 100W 15500LM 5000K Frosted lens, 4FTx11-1/4" | 1 |
| LLHB-120W-40K-D | 100W 15500LM 4000K Frosted lens, 4FTx11-1/4" | 1 |
| LLHB-180W-50K-D | 150W 23250LM 5000K Frosted lens, 4FTx15-7/8" | 1 |
| LLHB-180W-40K-D | 150W 23250LM 4000K Frosted lens, 4FTx15-7/8" | 1 |
| LLHB-240W-MP-50K-D | 240W Max. 150LM/W 4000K Frosted lens, 4FTx20-1/2" | 1 |
| LLHB-240W-MP-40K-D | 240W Max. 150LM/W 5000K Frosted lens, 4FTx20-1/2" | 1 |
| LED LINEAR HIGH BAY, 480V (7DAYS LEAD TIME) | | |
|  LLHB-120W-50K-D-480V | 100W 15500LM 5000K Frosted lens, 4FTx11-1/4" | 1 |
| LLHB-120W-40K-D-480V | 100W 15500LM 4000K Frosted lens, 4FTx11-1/4" | 1 |
| LLHB-180W-50K-D-480V | 150W 23250LM 5000K Frosted lens, 4FTx15-7/8" | 1 |
| LLHB-180W-40K-D-480V | 150W 23250LM 4000K Frosted lens, 4FTx15-7/8" | 1 |
| LLHB-240W-MP-50K-D-480V | 240W Max. 150LM/W 5000K Frosted lens, 4FTx20-1/2" | 1 |
| LLHB-240W-MP-40K-D-480V | 240W Max. 150LM/W 4000K Frosted lens, 4FTx20-1/2" | 1 |

Updated higher lumens at lower wattages. Per industry standards, Lumens are reported without frosted lens (Removable).

FOR SUSPENSION ACCESSORIES SEE PAGES 119 TO 122




FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

| WATTS | EM OPTION | DESCRIPTION | CLEAR LENS | DESCRIPTION | PAINT | SENSOR | DESCRIPTION |
|-------|--------------------|-----------------|-----------------------------|--------------|--------------------------------|-------------------------|---------------------------------|
| ALL | OPT-EM-LLHB | MOUNTED ON TOP | OPT-LLHB-CL-120/180 | 120W & 180W | OPT-CLR-95(BK/GR/SR/WH) | OPT-2P-58 | PIR SENSOR (Not remote capable) |
| | FLEX WHIP | DESCRIPTION | OPT-LLHB-CL-240 | 240W | | OPT-SEN-3MR-4-WH | PROGRAMMABLE MICROWAVE |
| | OPT-FWH-63 | 6FT 3-Wire Whip | UP LIGHT | DESCRIPTION | | WEC-8RC | OPTIONAL REMOTE |
| | OPT-FWH-65 | 6FT 5-Wire Whip | OPT-LLHB-ULM-4FT-40W | 500W & ABOVE | SURF. OPTION | PLUG IN CORD | DESCRIPTION |
| | OPT-FWH-66 | 6FT 6-Wire Whip | OPT-LLHB-ULM-4FT-60W | 500W & ABOVE | SURGE PROTECTOR | OPT-HBC-125TL-WH | 8FT, 15A, 125V, WHITE |
| | | | | | OPT-SP-10KV | OPT-HBC-277TL-WH | 8FT, 15A, 277V, WHITE |
| | | | | | | OPT-HBC-125SB-WH | 10FT, 15A, 125V, 18/3STR, WHT |

SPEC SERIES 4TH GENERATION OF LINEAR HIGH BAYS, 120-277V



| CATALOG NO. | DESCRIPTION | WHILE SUPPLIES LAST | PKG. QTY. |
|--|--|---------------------|-----------|
|  LLHB4-50W-40K-D | 50W 7750LM 4000K 1FT. X 13.75 | | 1 |
| LLHB4-50W-50K-D | 50W 7750LM 5000K 1FT. X 13.75 | | 1 |
| LLHB4-500W-50K-D | 500W 62500LM 5000K 4FT. X 23.20 | | 1 |

FOR SUSPENSION ACCESSORIES SEE PAGES 119 TO 120



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

| WATTS | EM OPTION | DESCRIP- | UP LIGHT | DESCRIPTION | SURF. OPTION | SENSOR | DESCRIPTION |
|--------------|-----------------------------|----------|-----------------------------|--------------|----------------------|-------------------------|-----------------------|
| 50W TO 150W | OPT-EM-LLHB4-50-150 | EXTERNAL | OPT-LLHB-ULM-2FT-20W | 150W & ABOVE | OPT-LLHB4-SMK | OPT-SEN-LLHB4 | MICROWAVE BI-LEVEL |
| 200W TO 500W | OPT-EM-LLHB4-200-500 | INTERNAL | OPT-LLHB-ULM-2FT-40W | 150W & ABOVE | FLEX WHIP | PLUG IN CORD | DESCRIPTION |
| | SURGE PROTECTOR | DESCRIP- | OPT-LLHB-ULM-4FT-40W | 500W & ABOVE | OPT-FWH-63 | OPT-HBC-125TL-WH | 8FT, 15A, 125V, WHITE |
| | OPT-SP-10KV | 120-277V | OPT-LLHB-ULM-4FT-60W | 500W & ABOVE | OPT-FWH-65 | OPT-HBC-277TL-WH | 8FT, 15A, 277V, WHITE |
| | OPT-SP-10KV-480V | 480V | | | OPT-FWH-66 | OPT-HBC-125SB-WH | 10FT, 15A, |

4Ft



LLHB4-MCTP
LLHB4-MP (200W TO 500W)
White

2Ft



LLHB4-MP (100W TO 150W)
White



OPT-LLHB4-SMK


2Ft



LLHB4-MCTP-BK
Black



LLHB4-100W-WG
LLHB4-150W-WG



LLHB4-RODKIT

SPEC SERIES 4TH GENERATION OF LINEAR HIGH BAYS, 120-277V



INDUSTRIAL
LINEAR
HIGH BAY

120-277V

480V

480V

| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|--|--|-----------|
| POWER & CCT ADJUSTABLE 4TH GENERATION OF LINEAR HIGH BAYS, 120-277V | | |
| LLHB4-80-150W-MCTP | 80W/110W/150W 125LM/W 35K/40K/50K | 1 |
| LLHB4-80-150W-MCTP-BK | 80W/110W/150W 125LM/W 35K/40K/50K | 1 |
| POWER ADJUSTABLE 4TH GENERATION OF LINEAR HIGH BAYS, 120-277V | | |
| LLHB4-100W-MP-40K-D | 50W/80W/100W 155LM/W 4000K 2FT. X 13.77 | 1 |
| LLHB4-100W-MP-50K-D | 50W/80W/100W 155LM/W 5000K 2FT. X 13.77 | 1 |
| LLHB4-150W-MP-40K-D | 80W/110W/150W 155LM/W 4000K 2FT. X 17.75 | 1 |
| LLHB4-150W-MP-50K-D | 80W/110W/150W 155LM/W 5000K 2FT. X 17.75 | 1 |
| LLHB4-200W-MP-40K-D | 100W/150W/200W 155LM/W 4000K 4FT. X 13.75 | 1 |
| LLHB4-200W-MP-50K-D | 100W/150W/200W 155LM/W 5000K 4FT. X 13.75 | 1 |
| LLHB4-300W-MP-40K-D | 150W/225W/300W 155LM/W 4000K 4FT. X 17.75 | 1 |
| LLHB4-300W-MP-50K-D | 150W/225W/300W 155LM/W 5000K 4FT. X 17.75 | 1 |
| LLHB4-410W-MP-50K-D | 200W/300W/410W 130LM/W 5000K 4FT. X 23.20 | 1 |
| LLHB4-500W-MP-50K-D | 250W/400W/500W 120LM/W 5000K 4FT. X 23.20 | 1 |
| POWER & CCT ADJUSTABLE 4TH GENERATION OF LINEAR HIGH BAYS, 480V (7DAYS LEAD TIME) | | |
| LLHB4-80-150W-MCTP-480V | 80W/110W/150W 125LM/W 35K/40K/50K | 1 |
| LLHB4-80-150W-MCTP-BK-480V | 80W/110W/150W 125LM/W 35K/40K/50K | 1 |
| POWER ADJUSTABLE 4TH GENERATION OF LINEAR HIGH BAYS, 480V (7DAYS LEAD TIME) | | |
| LLHB4-100W-MP-40K-D-480V | 50W/80W/100W 155LM/W 4000K 2FT. X 13.77 | 1 |
| LLHB4-100W-MP-50K-D-480V | 50W/80W/100W 155LM/W 5000K 2FT. X 13.77 | 1 |
| LLHB4-150W-MP-40K-D-480V | 80W/110W/150W 155LM/W 4000K 2FT. X 17.75 | 1 |
| LLHB4-150W-MP-50K-D-480V | 80W/110W/150W 155LM/W 5000K 2FT. X 17.75 | 1 |
| LLHB4-200W-MP-40K-D-480V | 100W/150W/200W 155LM/W 4000K 4FT. X 13.75 | 1 |
| LLHB4-200W-MP-50K-D-480V | 100W/150W/200W 155LM/W 5000K 4FT. X 13.75 | 1 |
| LLHB4-300W-MP-40K-D-480V | 150W/225W/300W 155LM/W 4000K 4FT. X 17.75 | 1 |
| LLHB4-300W-MP-50K-D-480V | 150W/225W/300W 155LM/W 5000K 4FT. X 17.75 | 1 |
| LLHB4-410W-MP-50K-D-480V | 200W/300W/410W 130LM/W 5000K 4FT. X 23.20 | 1 |
| LLHB4-500W-MP-50K-D-480V | 250W/400W/500W 120LM/W 5000K 4FT. X 23.20 | 1 |
| LLHB4-100W-WG | Wire Guard for 100W | - |
| LLHB4-150W-WG | Wire Guard for 150W | - |
| LLHB4-RODKIT | Rod kit 3-1/4" Dia X 40" H and 1/2" Thread | - |

FOR FACTORY-INSTALLED OPTIONS SEE LLHB4 ABOVE, FOR SUSPENSION ACCESSORIES SEE PAGES 119 TO 120
Per industry standards, Lumens are reported without frosted lens (Removable).



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

| WATTS | EM OPTION | DESCRIP- | UP LIGHT | DESCRIPTION | SURF. OPTION | SENSOR | DESCRIPTION |
|--------------|-----------------------------|----------|-----------------------------|--------------|----------------------|-------------------------|-------------------------------|
| 50W TO 150W | OPT-EM-LLHB4-50-150 | EXTERNAL | OPT-LLHB-ULM-2FT-20W | 150W & ABOVE | OPT-LLHB4-SMK | OPT-SEN-LLHB4 | MICROWAVE BI-LEVEL |
| | OPT-EM-LLHB4-200-500 | INTERNAL | OPT-LLHB-ULM-2FT-40W | 150W & ABOVE | FLEX WHIP | | |
| 200W TO 500W | SURGE PROTECTOR | DESCRIP- | OPT-LLHB-ULM-4FT-40W | 500W & ABOVE | OPT-FWH-63 | OPT-HBC-125TL-WH | 8FT, 15A, 125V, WHITE |
| | OPT-SP-10KV | 120-277V | OPT-LLHB-ULM-4FT-60W | 500W & ABOVE | OPT-FWH-65 | OPT-HBC-277TL-WH | 8FT, 15A, 277V, WHITE |
| | OPT-SP-10KV-480V | 480V | | | OPT-FWH-66 | OPT-HBC-125SB-WH | 10FT, 15A, 125V, 18/3STR, WHT |



Sensor-Ready Plug & Play see page 70
(one Sensor per Fixture)

IP69 2-FOOT LINEAR HIGH BAY FOR FOOD AND CHEMICAL FACILITIES



| CATALOG NO. | DESCRIPTION | ARRIVES THIS SEASON CHECK & PRE-ORDER | PKG. QTY. |
|-------------------------------|------------------------------------|--|--------------|
| LLHBF-80-160W-MCTP-SR | 80W/120W/160W 150LM/W 40K/45K/50K | SENSOR READY | 1 |
| LLHBF-120-200W-MCTP-SR | 120W/160W/200W 150LM/W 40K/45K/50K | SENSOR READY | 1 |



LTPV-SLC LTPV-EC-SR LTPV-SLC-SR



Sensor-Ready Plug & Play see page 70
(one Sensor per Fixture)

BUILDER SERIES MODULAR LINEAR VAPOR TIGHT,
QUICK CONNECT, TRI-PROOF: WATER, DUST & IMPACT RESISTANCE



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|----------------------------|--|--------------|
| LTPV-2FT-18W-MCTP-D | 10W/15W/18W 130LM/W 30K/40K/50K SENSOR READY | 9 |
| LTPV-4FT-36W-MCTP-D | 20W/28W/36W 130LM/W 30K/40K/50K SENSOR READY | 9 |
| LTPV-8FT-70W-MCTP-D | 55W/60W/70W 140LM/W 30K/40K/50K SENSOR READY | 9 |
| LTPV-SLC | LTPV Seamless Coupling Channel With Connection Cable | 10 |
| LTPV-SLC-SR | LTPV Seamless Coupling Channel Sensor-Ready | 10 |
| LTPV-EC-SR | LTPV Sensor-Ready Endcap | 10 |



LVTE-2FT



LVTE-4FT



LVTE-8FT



LVTE-4FT-100-155W-MCTP-HL



LLVT-8FT-65W-40K-D
LLVT-8FT-65W-50K-D
LLVT-8FT-100W-40K-D
LLVT-8FT-100W-50K-D

BUILDER SERIES LINEAR VAPOR-TIGHT FIXTURES, CCT & WATTAGE SELECTABLE



| CATALOG NO. | DESCRIPTION | ARRIVES THIS SEASON CHECK & PRE-ORDER | | | PKG. QTY. |
|--|------------------|--|-------------|-------|--------------|
| LVTE-2FT-15-25W-MCTP | 15W/17W/20W/25W | 140LM/W | 35K/40K/50K | 4.25" | 4 |
| LVTE-4FT-20-35W-MCTP | 20W/28W/36W | 140LM/W | 35K/40K/50K | 4.25" | 4 |
| LVTE-4FT-30-46W-MCTP | 30W/38W/46W | 140LM/W | 35K/40K/50K | 4.25" | 4 |
| LVTE-4FT-30-60W-MCTP | 30W/45W/66W | 140LM/W | 35K/40K/50K | 4.25" | 4 |
| LVTE-8FT-45-65W-MCTP | 65W/75W/90W/110W | 140LM/W | 35K/40K/50K | 4.25" | 1 |
| LVTE-8FT-65-110W-MCTP | 65W/75W/90W/110W | 140LM/W | 35K/40K/50K | 4.25" | 1 |
| LVTE-4FT-100-135W-MCTP | 100W/120W/135W | 150LM/W | 35K/40K/50K | 10.25 | 1 |
| LVTE-4FT-150-200W-MCTP | 150W/175W/200W | 150LM/W | 35K/40K/50K | 10.25 | 1 |
| LVTE-4FT-200-245W-MCTP | 200W/230W/245W | 150LM/W | 35K/40K/50K | 14.25 | 1 |
| BUILDER SERIES LINEAR VAPOR-TIGHT FIXTURES WITH SENSOR & EMERGENCY BACKUP, CCT & WATTAGE SELECTABLE | | | | | |
| LVTE-2FT-15-25W-MCTP-EM-SEN | 15W/17W/20W/25W | 140LM/W | 35K/40K/50K | | 4 |
| LVTE-4FT-20-35W-MCTP-EM-SEN | 20W/28W/35W | 140LM/W | 35K/40K/50K | | 4 |
| LVTE-4FT-30-46W-MCTP-EM-SEN | 30W/38W/46W | 140LM/W | 35K/40K/50K | | 4 |
| LVTE-4FT-30-60W-MCTP-EM-SEN | 30W/45W/60W | 140LM/W | 35K/40K/50K | | 4 |
| LVTE-8FT-45-65W-MCTP-EM-SEN | 65W/75W/90W/110W | 140LM/W | 35K/40K/50K | | 1 |
| LVTE-8FT-65-110W-MCTP-EM-SEN | 65W/75W/90W/110W | 140LM/W | 35K/40K/50K | | 1 |
| LVTE-4FT-100-135W-MCTP-EM-SEN | 100W/120W/135W | 150LM/W | 35K/40K/50K | | 1 |
| LVTE-4FT-150-200W-MCTP-EM-SEN | 150W/175W/200W | 150LM/W | 35K/40K/50K | | 1 |
| LVTE-4FT-200-245W-MCTP-EM-SEN | 200W/230W/255W | 150LM/W | 35K/40K/50K | | 1 |
| 4.75" WIDE LED LINEAR VAPOR LIGHT | | | | | |
| LLVT-8FT-65W-40K-D | 65W | 8450LM | 4000K | | 1 |
| LLVT-8FT-65W-50K-D | 65W | 8450LM | 5000K | | 1 |
| LLVT-8FT-100W-40K-D | 100W | 13000LM | 4000K | | 1 |
| LLVT-8FT-100W-50K-D | 100W | 13000LM | 5000K | | 1 |

4.75" WIDE

2Ft



LLVT-2FT-25W-MCT-D

4Ft



LLVT-4FT-40W-MCT-D
LLVT-4FT-75W-MCT-D



6-1/4" WIDE
POLYCARBONATE IP65

LED TRADITIONAL LINEAR VAPOR LIGHT, 120-277V

OPAL PC LENS, SS CLAMPS



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|---|---|-----------|
| 6-1/4" WIDE POLYCARBONATE LED LINEAR VAPOR LIGHT | | |
| LLVT-2FT-25W-MCT-D | 25W 3125LM 3500K/4000K/5000K MCT-B | 6 |
| LLVT-2FT-25W-MCTP-D | 15W/20W/25W 130LM/W 35K/40K/50K | 6 |
| LLVT-2FT-RL | 2FT REPLACEMENT LENS | - |
| 6-3/4" WIDE POLYCARBONATE LED LINEAR VAPOR LIGHT | | |
| LLVT-4FT-40W-MCT-D | 40W 5000LM 3500K/4000K/5000K MCT-B | 6 |
| LLVT-4FT-40W-MCTP-D | 20W/30W/40W 130LM/W 3500K/4000K/5000K | 6 |
| LLVT-4FT-75W-MCT-D | 75W 9375LM 3500K/4000K/5000K MCT-B | 6 |
| LLVT-4FT-75W-MCTP-D | 40W/60W/75W 130LM/W 3500K/4000K/5000K | 6 |
| LLVT-4FT-RL | 4FT REPLACEMENT LENS | - |

FOR FACTORY-INSTALLED OPTIONS SEE LLVT OPTIONS, FOR SUSPENSION ACCESSORIES SEE PAGES 119 TO 120

120-277V

INDUSTRIAL

VAPOR & HIGH BAY

4Ft



LLVT-4FT



14-1/2" WIDE
POLYCARBONATE IP65

*LED LINEAR VAPOR LIGHT (100-150W)

CLEAR PC LENS, SS CLAMPS

*SHOWN WITH CLEAR LENS (INCLUDED)



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|----------------------|--|-----------|
| LLVT-4FT-100W-MCTP-D | 50W/80W/100W 130LM/W 35K/40K/50K 52" X 14.5" | 1 |
| LLVT-4FT-150W-MCTP-D | 80/110/150W 130LM/W 35K/40K/50K 52" X 14.5" | 1 |
| LLVT-4FT-200W-MCTP-D | 100W/150W/200W 130LM/W 35K/40K/50K 52" X 14.5" | 1 |
| LLVT-4FT-RL2T | OPTIONAL REPLACEMENT FROSTED LENS FOR LLVT | - |

FOR SUSPENSION ACCESSORIES SEE PAGES 119 TO 120

120-277V

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

| WATTS | EM OPTION | DES | PLUG IN CORD | DESCRIPTION | PAINT | SENSOR | DESCRIPTION |
|-------------|--------------------|----------|------------------|------------------------------|-------|-----------------|---------------------------------|
| 25W to 46W | OPT-EM-LLVT-25-46 | INTERNAL | OPT-HBC-125TL-WH | 8FT, 15A, 125V, WHITE | N/A | OPT-SEN-2MDR-36 | PROGRAMMABLE MICROWAVE BI-LEVEL |
| 65W to 155W | OPT-EM-LLVT-65-155 | INTERNAL | OPT-HBC-277TL-WH | 8FT, 15A, 277V, WHITE | N/A | WEC-3RC | OPTIONAL RC |
| | SURGE PROTECTOR | DES | OPT-HBC-125SB-WH | 10FT, 15A, 125V/18/3STR, WHT | | | |
| | OPT-SP-10KV | 120-277V | PHOTOCELL | DESCRIPTION | | | |
| | OPT-SP-10KV-480V | 480V | OPT-PC-B | BUTTON | | | |



4ft

LLVT-4FT-100W-MCT-D-480V
LLVT-4FT-150W-MCT-D-480V

4ft



LLVT-4FT-40W-MCT-D-480V
LLVT-4FT-75W-MCT-D-480V

8ft



LLVT-8FT-65W-50K-D-480V
LLVT-8FT-65W-40K-D-480V
LLVT-8FT-100W-50K-D-480V
LLVT-8FT-100W-40K-D-480V

LED LINEAR VAPOR LIGHT, 480V 7 DAYS LEAD TIME



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|-------------|--|-----------|
| 4ft | 6-3/4" WIDE POLYCARBONATE LED LINEAR VAPOR LIGHT, 480V | |
| | LLVT-4FT-40W-MCT-D-480V 40W 5000LM 35K/40K/50K MCT | 6 |
| | LLVT-4FT-75W-MCT-D-480V 75W 9375LM 35K/40K/50K MCT | 6 |
| 4ft | 14-1/2" WIDE POLYCARBONATE LED LINEAR VAPOR LIGHT, 480V | |
| | LLVT-4FT-100W-MCT-D-480V 100W 13500LM 35K/40K/50K MCT | 1 |
| | LLVT-4FT-150W-MCT-D-480V 150W 20250LM 35K/40K/50K MCT | 1 |
| 8ft | 3" WIDE LED LINEAR VAPOR LIGHT, 480V | |
| | LLVT-8FT-65W-50K-D-480V 65W 8450LM 5000K | 1 |
| | LLVT-8FT-65W-40K-D-480V 65W 8450LM 4000K | 1 |
| | LLVT-8FT-100W-50K-D-480V 100W 13000LM 5000K | 1 |
| | LLVT-8FT-100W-40K-D-480V 100W 13000LM 4000K | 1 |

480V



FOR SUSPENSION ACCESSORIES SEE PAGES 119 TO 120

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

| WATTS | EM OPTION | DES | PLUG IN CORD | DESCRIPTION | PAINT | SENSOR | DESCRIPTION |
|-------------|--------------------|----------|------------------|-----------------------------|-------|-----------------|---------------------------------|
| 25W to 46W | OPT-EM-LLVT-25-46 | INTERNAL | OPT-HBC-125TL-WH | 8FT, 15A, 125V,WHITE | N/A | OPT-SEN-2MDR-36 | PROGRAMMABLE MICROWAVE BI-LEVEL |
| 65W to 155W | OPT-EM-LLVT-65-155 | INTERNAL | OPT-HBC-277TL-WH | 8FT, 15A, 277V,WHITE | N/A | WEC-3RC | OPTIONAL RC |
| | SURGE PROTECTOR | DES | OPT-HBC-125SB-WH | 10FT, 15A, 125V,18/3STR,WHT | | | |
| | OPT-SP-10KV | 120-277V | PHOTOCELL | DESCRIPTION | | | |
| | OPT-SP-10KV-480V | 480V | OPT-PC-B | BUTTON | | | |



LDL-R-30W-60K-A40



LDL-R-60W-60K-A40



LDL-S-50W-60K-B40R



LDL-R-E26-A40

LOADING DOCK LIGHTS



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|--------------------|---|-----------|
| LDL-R-30W-60K-A40 | 30W 3300LM 6000K | 2 |
| LDL-R-60W-60K-A40 | 60W 6600LM 6000K | 2 |
| LDL-S-50W-60K-B40R | 50W 7000LM 6000K | 2 |
| LDL-R-E26-A40 | Loading Dock For Par Lamps With 1ft Wp Connector And 40In Bracket | |



LED 180 DEGREE FLAT HID RETROFIT LAMP



| CATALOG NO. | DESCRIPTION | REPLACEMENT RANGE | PKG. QTY. |
|---|--|-------------------|-----------|
| CL-FLT-54W-50K-E39 | 54W WHILE SUPPLIES LAST 5940LM 5000K 9.6"(L) x 4.5"(W) x 3.2"(H) | 70-150 MH | 8 |
| CL-FLT-75W-50K-E39 | 75W WHILE SUPPLIES LAST 9000LM 5000K 11.7"(L) x 5.5"(W) x 3.4"(H) | 150-320 MH | 8 |
| CL-FLT-115W-50K-E39 | 115W WHILE SUPPLIES LAST 13570LM 5000K 11.7"(L) x 5.5"(W) x 3.4"(H) | 320-400 MH | 8 |
| POWER & CTT - ADJUSTABLE LED 180 DEGREE FLAT HID RETROFIT LAMP | | | |
| CL-FLT-54-75W-50K-E39 | 54W/63W/75W 150LM/W 5000K 11.7"(L) x 5.5"(W) x 3.4"(H) | 150-320 MH | 8 |
| CL-FLT-75-115W-50K-E39 | 75W/97W/115W 150LM/W 5000K 11.7"(L) x 5.5"(W) x 3.4"(H) | 320-400 MH | 8 |



POWER & CCT SWITCHES



CL-EHL-12-27W-MCTP-E26
CL-EHL-36-54W-MCTP-E39
CL-EHL-80-120W-MCTP-E39



CL-EHL
(12W TO 27W)



CL-EHL
(36W TO 54W)



CL-EHL
(75W TO 120W)



Internal Driver
CL-HL
(200W TO 300W)



External Driver
CL-HL-200W-EXTR
CL-HL-200W-480W



HIGH-LUMEN LED CORN LAMP, 100-277V AC

| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|-------------|-------------|-----------|
|-------------|-------------|-----------|

POWER & CCT ADJUSTABLE HIGH-LUMEN LED CORN LAMP, 100-277V AC



| | | | | | |
|---------------------------------|---------------|---------|-------------|--------------------------|----|
| CL-EHL-12-27W-MCTP-E26 | 27MAX | 150LM/W | 30K/40K/50K | E26 H: 6.69" X D: 2.36" | 24 |
| CL-EHL-36-54W-MCTP-E39 | 54MAX | 150LM/W | 30K/40K/50K | E39 H: 9.84" X D: 3.34" | 12 |
| CL-EHL-80-120W-MCTP-E39 | 120MAX | 150LM/W | 30K/40K/50K | E39 H: 11.14" X D: 5.11" | 6 |
| CL-EHL-80-120W-MCTP-EX39 | 80W/100W/120W | 135LM/W | 30K/40K/50K | E39 H: 11.14" X D: 5.11" | 6 |

HIGH-LUMEN LED CORN LAMP, 100-277V AC, DLC EXCEPT E26



| | | | | | |
|-------------------------------------|------|---------|-------|-------------------------------------|----|
| CL-EHL-12W-30K-E26 | 12W | 1500LM | 3000K | E26 H: 4.90" X D: 2.36" 30-50MH | 24 |
| CL-EHL-12W-50K-E26 | 12W | 1860LM | 5000K | E26 H: 4.90" X D: 2.36" 30-50MH | 24 |
| CL-EHL-18W-30K-E26 | 18W | 2250LM | 3000K | E26 H: 5.70" X D: 2.36" 50-60MH | 24 |
| CL-EHL-18W-50K-E26 | 18W | 2610LM | 5000K | E26 H: 5.70" X D: 2.36" 50-60MH | 24 |
| CL-EHL-27W-30K-E26 | 27W | 3375LM | 3000K | E26 H: 6.69" X D: 2.36" 50-70MH | 24 |
| CL-EHL-27W-50K-E26 | 27W | 4185LM | 5000K | E26 H: 6.69" X D: 2.36" 50-70MH | 24 |
| CL-EHL-36W-30K-E26 | 36W | 4500LM | 3000K | E26 H: 7.55" X D: 3.34" 50-100MH | 12 |
| CL-EHL-36W-50K-E26 | 36W | 5580LM | 5000K | E26 H: 7.55" X D: 3.34" 50-100MH | 12 |
| CL-EHL-36W-30K-E39 | 36W | 4500LM | 3000K | E39 H: 8.30" X D: 3.34" 50-100MH | 12 |
| CL-EHL-36W-50K-E39 | 36W | 5580LM | 5000K | E39 H: 8.30" X D: 3.34" 50-100MH | 12 |
| CL-EHL-45W-30K-E39 | 45W | 5625LM | 3000K | E39 H: 9.84" X D: 3.34" 70-100MH | 12 |
| CL-EHL-45W-50K-E39 | 45W | 6975LM | 5000K | E39 H: 9.84" X D: 3.34" 70-100MH | 12 |
| CL-EHL-54W-30K-E39 | 54W | 6750LM | 3000K | E39 H: 9.84" X D: 3.34" 70-125MH | 12 |
| CL-EHL-54W-50K-E39 | 54W | 8370LM | 5000K | E39 H: 9.84" X D: 3.34" 70-125MH | 12 |
| CL-EHL-75W-30K-E39 | 75W | 9375LM | 3000K | E39 H: 9.84" X D: 5.11" 70-125MH | 6 |
| CL-EHL-75W-50K-E39 | 75W | 11625LM | 5000K | E39 H: 9.84" X D: 5.11" 70-125MH | 6 |
| CL-EHL-100W-30K-E39 | 100W | 12500LM | 3000K | E39 H: 10.31" X D: 5.11" 70-175MH | 6 |
| CL-EHL-100W-50K-E39 | 100W | 15500LM | 5000K | E39 H: 10.31" X D: 5.11" 70-175MH | 6 |
| CL-EHL-120W-30K-E39 | 120W | 15600LM | 3000K | E39 H: 11.14" X D: 5.11" 200-400MH | 6 |
| CL-EHL-120W-50K-E39 | 120W | 17400LM | 5000K | E39 H: 11.14" X D: 5.11" 200-400MH | 6 |
| CL-HL-200W-50K-E39 | 200W | 28000LM | 5000K | E39 H: 14.25" X D: 5.75" 600MH | 6 |
| CL-HL-240W-50K-E39 | 240W | 34800LM | 5000K | E39 H: 13.15" X D: 5.50" 800W HID | 6 |
| CL-HL-300W-50K-E39 | 300W | 43500LM | 5000K | E39 H: 13.15" X D: 5.50" 800W HID | 6 |
| CL-HL-200W-50K-E39-EXTR | 200W | 28000LM | 5000K | E39 H: 14.25" X D: 5.75" 600MH | 4 |
| 480V CL-HL-200W-50K-E39-480V | 200W | 28000LM | 5000K | E39 H: 14.25" X D: 5.75" 600MH | 4 |
| CL-EHL-75W-30K-EX39 | 75W | 135LM/W | 3000K | EX39 H: 9.84" X D: 5.11" 70-125MH | 6 |
| CL-EHL-75W-50K-EX39 | 75W | 135LM/W | 5000K | EX39 H: 9.84" X D: 5.11" 70-125MH | 6 |
| CL-EHL-100W-30K-EX39 | 100W | 135LM/W | 3000K | EX39 H: 10.31" X D: 5.11" 70-175MH | 6 |
| CL-EHL-100W-50K-EX39 | 100W | 135LM/W | 5000K | EX39 H: 10.31" X D: 5.11" 70-175MH | 6 |
| CL-EHL-120W-30K-EX39 | 120W | 135LM/W | 3000K | EX39 H: 11.14" X D: 5.11" 200-400MH | 6 |
| CL-EHL-120W-50K-EX39 | 120W | 135LM/W | 5000K | EX39 H: 11.14" X D: 5.11" 200-400MH | 6 |

480V



E26-ENLARGER ENLARGES E26 (MED.), BASE TO BE USED IN E39 (MOGUL) SOCKET
E39-REDUCER REDUCES E39 (MOGUL), BASE TO BE USED IN E26 (MED.) SOCKET

NOTE: FOR 125W OR BELOW: IF USED IN ENCLOSED FIXTURE, CHECK SPEC SHEET FOR MINIMUM SPACE REQUIRED
FOR 200W OR ABOVE: DO NOT USE THE LAMPS IN ENCLOSED FIXTURES
THE DIMENSION OF THE EXTERNAL DRIVER FOR 200-EXTR & 480V LAMPS IS 9.5"X2.5"X1.5"

HIGH-LUMEN LED CORN LAMP WITH UP LIGHT, 100-277V AC



| CATALOG NO. | DESCRIPTION | WHILE SUPPLIES LAST | REPLACEMENT RANGE | PKG. QTY. |
|-------------|-------------|---------------------|-------------------|-----------|
|-------------|-------------|---------------------|-------------------|-----------|



| | | | | | |
|---------------------------|--|---------|--------------------------------|----------|----|
| CL-HL-27W-30K-E26 | 27W | 3510LM | 3000K E26 H: 7.13" X D: 3.74" | 50-70MH | 12 |
| CL-HL-45W-30K-E39 | 45W | 5850LM | 3000K E39 H: 10.20" X D: 3.74" | 70-100MH | 12 |
| CL-HL-75W-30K-E39 | 75W | 9750LM | 3000K E39 H: 12.17" X D: 3.74" | 70-125MH | 12 |
| CL-HL-100W-30K-E39 | 100W | 13000LM | 3000K E39 H: 9.88" X D: 5.75" | 70-175MH | 6 |
| E26-ENLARGER | ENLARGES E26 (MED.), BASE TO BE USED IN E39 (MOGUL) SOCKET | | | | 6 |
| E39-REDUCER | REDUCES E39 (MOGUL), BASE TO BE USED IN E26 (MED.) SOCKET | | | | 6 |

LED 180 DEGREE FLAT HID RETROFIT LAMP



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|--------------------------------|--|-----------|
| CL-FLT-36-54W-50K-E39 | 36W/45W/54W 150LM/W 5000K Flat | 6 |
| CL-FLTW-54-75W-50K-E39 | 54W/63W/75W 150LM/W 5000K Adjustable | 6 |
| CL-FLTW-75-110W-50K-E39 | 75W/97W/110W 150LM/W 5000K Adjustable | 6 |



HIGH-PERFORMANCE HIGH BAY LAMP, POWER & CCT ADJUSTABLE




| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|-----------------------------|--|-----------|
| HBL-80-120W-MCT-E39 | 80W/100W/120W 150LM/W 30K/40K/50K E39 Mogul Base | 4 |
| HBL-120-160W-MCT-E39 | 120W/140W/160W 150LM/W 30K/40K/50K E39 Mogul Base | 4 |



LED HIGH POWER LAMPS, 120-277V



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|----------------------------|---|-----------|
| HPL-16W-30K-E26 | 16W 2000LM 3000K E26 Medium Base WHILE SUPPLIES LAST | 20 |
| HPL-16W-50K-E26 | 16W 2000LM 5000K E26 Medium Base WHILE SUPPLIES LAST | 20 |
| HPL-20W-30K-E26 | 20W 2500LM 3000K E26 Medium Base | 20 |
| HPL-20W-50K-E26 | 20W 2500LM 5000K E26 Medium Base | 20 |
| HPL-24W-30K-E26 | 24W 3000LM 3000K E26 Medium Base WHILE SUPPLIES LAST | 20 |
| HPL-32W-30K-E26 | 32W 4000LM 3000K E26 Medium Base | 20 |
| HPL-32W-50K-E26 | 32W 4000LM 5000K E26 Medium Base | 20 |
| HPL-34W-30K-E26 | 34W 4250LM 3000K E26 Medium Base | 12 |
| HPL-34W-50K-E26 | 34W 4250LM 5000K E26 Medium Base | 12 |
| HPL-HB-60W-50K-E39 | 60W 6480LM 5000K E39 Mogul Base WHILE SUPPLIES LAST | 4 |
| HPL-HB-75W-50K-E39 | 75W 8100LM 5000K E39 Mogul Base WHILE SUPPLIES LAST | 4 |
| HPL-HB-100W-50K-E39 | 100W 12500LM 5000K E39 Mogul Base WHILE SUPPLIES LAST | 4 |
| HPL-HB-140W-50K-E39 | 140W 15120LM 5000K E39 Mogul Base WHILE SUPPLIES LAST | 4 |
| HPL-HB-R1 | Optional PC Reflector for HPL-HB-60W | 12 |
| HPL-HB-R2 | Optional PC Reflector for HPL-HB-75W | 8 |
| HPL-HB-R3 | Optional PC Reflector for HPL-HB-120W & HPL-HB-140W | 8 |



2WIRE ECONOMY CONSTRUCTION STRING LIGHT



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|---------------------------------|-----------------------------------|-----------|
| CL-CONST-50FT-50W-2WIRE | 5X10W 6000LM 5000K 50FT | 1 |
| CL-CONST-100FT-50W-2WIRE | 10X10W 12000LM 5000K 100FT | 1 |

LED CONSTRUCTION / TEMPORARY LIGHT WITH SOCKET FOR LINKING MULTIPLE UNITS



| CATALOG NO. | DESCRIPTION | EQUIVALENCY | PKG. QTY. |
|--------------------------|---|-------------|-----------|
| CL-CONST-40W-50K | 40W 4800LM 5000K 6FT CORD WITH 15A 3 PRONG STRAIGHT BLADE PLUG | 400 MH | 1 |
| CL-CONST-100W-50K | 100W 12000LM 5000K 6FT CORD WITH 15A 3 PRONG STRAIGHT BLADE PLUG | 400 MH | 1 |



COMMERCIAL INDOOR LIGHTING



LED BACKLIT PANEL LIGHT, 100-277VAC

MCTP: MULTI COLOR TEMPERATURE & MULTI POWER



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|----------------------------|--|-----------|
| LPNG-2X2-4KLM-27K-D | 40W 3800LM 2700K | 4 |
| LPNG-2X2-MCTP4 | 20/30/40W 3000K/3500K/4000K/5000K | 4 |
| LPNG-2X4-4KLM-50K-D | 40W 4200LM 5000K WHILE SUPPLIES LAST | 4 |
| LPNG-2X4-5KLM-50K-D | 50W 5250LM 5000K WHILE SUPPLIES LAST | 4 |
| LPNG-2X4-5KLM-35K-D | 50W 5140LM 3500K WHILE SUPPLIES LAST | 4 |
| LPNG-2X4-MCTP4 | 30/40/50W 3000K/3500K/4000K/5000K | 4 |
| LPNG-2X4-6KLM-50K-D | 60W 6600LM 5000K | 4 |
| LPNG-2X4-6KLM-40K-D | 60W 6600LM 4000K | 4 |
| LPNG-2X4-6KLM-35K-D | 60W 6300LM 3500K | 4 |
| LPNG-2X4-7KLM-50K-D | 60W 7920LM 5000K | 4 |
| LPNG-2X4-7KLM-40K-D | 60W 7920LM 4000K | 4 |
| LPNG-2X4-7KLM-35K-D | 60W 7560LM 3500K | 4 |
| LPNG-2X4-7KLM-27K-D | 60W 6500LM 2700K WHILE SUPPLIES LAST | 4 |
| LPNG-1X4-MCTP | 20/30/40W 3500K/4000K/5000K | 4 |
| LPNG-1X4-MCTP4 | 20/30/40W 3000K/3500K/4000K/5000K | 4 |

2X2
2X4
2X4
2X4
2X4
1X4

COMMERCIAL
FLAT
PANELS

RGBW LED PANEL LIGHTS, WESTGATE APP OR REMOTE CONTROL




| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|----------------------|--|-----------|
| LPNG-2X2-RGBW | 35W 4375LM RGBW | 4 |
| LPNG-2X4-RGBW | 40W 5000LM RGBW | 2 |
| TC-RGBW-RC | Westgate App Compatible Remote Control For LPNG-RGBW | |

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

| WATTS | EM OPTION | DESCRIPTION | FLEX WHIP | DESCRIPTION | PAINT | SENSOR | DESCRIPTION |
|-------|-------------------------|--------------------------------|-------------------|-----------------|---------------------|------------------------|---------------------------------|
| ALL | OPT-EM-LPNG | EXTERNAL | OPT-FWH-63 | 6FT 3-Wire Whip | OPT-CLR-LPNG | OPT-SEN-2MDR-36 | PROGRAMMABLE MICROWAVE BI-LEVEL |
| | PLUG IN CORD | DESCRIPTION | OPT-FWH-65 | 6FT 5-Wire Whip | | WEC-3RC | REMOTE CONTROL |
| | OPT-HBC-125TL-BK | 8FT, 15A, 125V, BLACK | OPT-FWH-66 | 6FT 6-Wire Whip | | | |
| | OPT-HBC-277TL-BK | 8FT, 15A, 277V, BLACK | | | | | |
| | OPT-HBC-125SB-BK | 10FT, 15A, 125V, 18/3STR, BLCK | | | | | |

ACCESSORIES FOR PANEL LIGHTS

| CATALOG NO. | DESCRIPTION |
|----------------------|--|
| LPNG-SRFC-2X2 | Surface mounting kit for 2X2 panel EXCLUSIVE SCREWLESS DESIGN |
| LPNG-SRFC-2X4 | Surface mounting kit for 2X4 panel EXCLUSIVE SCREWLESS DESIGN |
| LPNG-SRFC-1X4 | Surface mounting kit for 1X4 panel EXCLUSIVE SCREWLESS DESIGN |
| LTRE-2X2-SMK | Designer Surface mounting kit for 2X2 panel |
| LTRE-2X4-SMK | Designer Surface mounting kit for 2X4 panel |
| LTRE-1X4-SMK | Designer Surface mounting kit for 1X4 panel |
| SCL-GSY10 | Adj. 10FT 1/16" double suspension kit with Y end and heavy-duty locking hook, loop gripper on top |
| SCL-GSY20 | Adj. 20FT 1/16" double suspension kit with Y end and heavy-duty locking hook, loop gripper on top |
| LPNG-RMK-1X4 | 1x4' Recessed Mounting Flange Kit for installation in hard ceilings and surfaces |
| LPNG-RMK-2X2 | 2x2' Recessed Mounting Flange Kit for installation in hard ceilings and surfaces |
| LPNG-RMK-2X4 | 2x4' Recessed Mounting Flange Kit for installation in hard ceilings and surfaces |
| ELB-2048-EXTR | Field-installed emergency ballast; Input voltage: 100-277VAC, 50-60Hz; Input power: 4.8W (max); Output voltage: 12V-48VDC; Output power: 20W (max) Emergency operation: ≥90 mins.; Use w/ up to 60W LED fixtures; 20% lumens required by UL in power failure for FACTORY-INSTALLED OPTION see above. |
| LPNG-EMMB | Emergency Battery Mounting Bracket for 2x2 & 2x4 Panels-Allows backup unit installation on top of panel(Recommended for EM Installations on 2X2 & 2X4) |
| LPNG-EMMB-1X4 | Emergency Battery Mounting Bracket for 1X4 Panels-Allows backup unit installation on top of panel |



Sensor-Ready Plug & Play

PREMIUM FLAT PANELS, 125 LM/W, POWER AND WATTAGE SELECTABLE



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|--|--|-----------|
| PREMIUM FLAT PANELS, 125 LM/W, POWER AND WATTAGE SELECTABLE | | |
| LPNP-2X2-4KLM-MCTP | 20W/30W/35W 125LM/W 35K/40K/50K | 4 |
| LPNP-1X4-4KLM-MCTP | 20W/30W/35W 125LM/W 35K/40K/50K | 4 |
| LPNP-2X4-5KLM-MCTP | 30W/35W/40W 125LM/W 35K/40K/50K | 4 |
| PREMIUM FLAT PANELS, 125 LM/W, POWER AND WATTAGE SELECTABLE, SENSOR READY | | |
| LPNP-2X2-MCTP-SR | 19W/25W/32W 125LM/W 35K/40K/50K | 4 |
| LPNP-1X4-MCTP-SR | 19W/25W/32W 125LM/W 35K/40K/50K | 4 |
| LPNP-2X4-MCTP-SR | 24W/32W/40W 125LM/W 35K/40K/50K | 4 |

COMMERCIAL PANELS



Shown with Drywall Mounting kit

SLOT RECESSED COMMERCIAL LINEAR LIGHTS, 6" WIDE, CCT & WATTAGE SELECT




| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|----------------------|---|-----------|
| SRL6-2FT-MCTP | 10W/15W/20W 110LM/W 35K/40K/50K | 6 |
| SRL6-4FT-MCTP | 20W/30W/40W 110LM/W 35K/40K/50K | 6 |
| SRL6-8FT-MCTP | 40W/60W/80W 110LM/W 35K/40K/50K | 6 |
| SRL6-2FT-DWK | 2Ft 6In Slot Recessed Linear Light Drywall Mounting Kit | |
| SRL6-4FT-DWK | 4Ft 6In Slot Recessed Linear Light Drywall Mounting Kit | |
| SRL6-8FT-DWK | 8Ft 6In Slot Recessed Linear Light Drywall Mounting Kit | |



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

| SIZE | EM OPTION | DESCRIPTION | VANDAL RES. | DESCRIPTION | PAINT | SENSOR DESCRIPTION |
|----------|--|----------------------|-------------|-------------|------------|-----------------------|
| 2FT, 4FT | OPT-EM-SRL6 OPT-EM-SRL6-8FT | EXTERNAL EXTERNAL | N/A | N/A | N/A | N/A N/A |



Ships disassembled for easy on-site handling

GEN 2 FRAME LIGHT KIT 4-PIECE VER. FOR EASY HANDLING, WATTAGE & CCT WITH GRID-MOUNT DRIVER BOX



| CATALOG NO. | DESCRIPTION | ARRIVES THIS SEASON CHECK & PRE-ORDER | PKG. QTY. |
|----------------------|---------------------------------|--|-----------|
| TGLK-1X4-MCTP | 17W/26W/36W 110LM/W 35W/40W/50K | | 8 |
| TGLK-2X2-MCTP | 17W/26W/36W 110LM/W 35W/40W/50K | | 8 |
| TGLK-2X4-MCTP | 25W/35W/45W 110LM/W 35W/40W/50K | | 8 |



T-BAR GRID LIGHT (FRAME LIGHT) REMOTE DRIVER

MCTP: MULTI COLOR TEMPERATURE & MULTI POWER



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|---------------------|--|-----------|
| TGL-2X2-MCTP | 27W/35W/40W 150LM/W 3500K/4000K/5000K | 10 |
| TGL-2X4-MCTP | 35W/45W/54W 150LM/W 3500K/4000K/5000K | 10 |
| ELB-TBAR1 | T-BAR BRACKET FOR MOUNTING THE REMOTE DRIVER | - |



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

| WATTS | FLEX WHIP | DESCRIPTION | PAINT | SENSOR | DESCRIPTION |
|------------|----------------------------|---|---|--------|-------------|
| ALL MODELS | OPT-EM-TGL EXTERNAL | OPT-FWH-63 OPT-FWH-65 OPT-FWH-66 | 6FT 3-Wire Whip 6FT 5-Wire Whip 6FT 6-Wire Whip | N/A | N/A |



SINGLE CCT T-BAR GRID LIGHTS



| CATALOG NO. | DESCRIPTION | WHILE SUPPLIES LAST | PKG. QTY. |
|--------------------|------------------|---------------------|-----------|
| TGL-2X4-30K | 60W 6000LM 3000K | | 10 |



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

| WATTS | FLEX WHIP | DESCRIPTION | PAINT | SENSOR | DESCRIPTION |
|------------|----------------------------|---|---|--------|-------------|
| ALL MODELS | OPT-EM-TGL EXTERNAL | OPT-FWH-63 OPT-FWH-65 OPT-FWH-66 | 6FT 3-Wire Whip 6FT 5-Wire Whip 6FT 6-Wire Whip | N/A | N/A |

COMMERCIAL
T-BAR & PANELS

5CCT EDGE-LESS ARCHITECTURAL FLUSH MOUNT



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|---------------------|---------------------------------------|-----------|
| FEL-1X2-MCT5 | 30W 2100LM 27K/30K/35K/40K/50K | 3 |
| FEL-1X4-MCT5 | 60W 4200LM 27K/30K/35K/40K/50K | 3 |



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

| WATTS | EM OPTION | DESCRIPTION | VANDAL RES. | DESCRIPTION | PAINT | SENSOR | DESCRIPTION |
|-------|-----------------------|-------------|-------------|-------------|------------|------------|-------------|
| ALL | OPT-EM-FEL-1X2 | INTERNAL | N/A | N/A | N/A | N/A | N/A |
| | OPT-EM-FEL-1X4 | INTERNAL | | | | | |

POWER & CCT ADJUSTABLE INTERNAL-DRIVER LED SURFACE/RECESSED MOUNT PANELS



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|------------------------------|--|-----------|
| LPS-2X2-20-40W-MCTP-D | 20W/33W/40W 100LM/W 30K/40K/50K | 1 |
| LPS-2X4-30-50W-MCTP-D | 30W/40W/50W 100LM/W 30K/40K/50K | 1 |
| LPS-1X4-20-40W-MCTP-D | 20W/33W/40W 100LM/W 30K/40K/50K | 1 |



INTERNAL-DRIVER LED SURFACE MOUNT PANELS, (1X4 & LARGER CAN BE RECESS MOUNTED)



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|----------------------|---|-----------|
| LPS-S4-50K-D | 10W 700LM 5000K 4" Square 120VAC | 20 |
| LPS-S4-40K-D | 10W 700LM 4000K 4" Square 120VAC | 20 |
| LPS-S4-30K-D | 10W 700LM 3000K 4" Square 120VAC | 20 |
| LPS-S6-50K-D | 12W 900LM 5000K 6" Square 120VAC | 20 |
| LPS-S6-40K-D | 12W 900LM 4000K 6" Square 120VAC | 20 |
| LPS-S6-30K-D | 12W 900LM 3000K 6" Square 120VAC | 20 |
| LPS-S8-50K-D | 16W 1280LM 5000K 8" Square 120VAC | 20 |
| LPS-S8-40K-D | 16W 1280LM 4000K 8" Square 120VAC | 20 |
| LPS-S8-30K-D | 16W 1280LM 3000K 8" Square 120VAC | 20 |
| LPS-1X1-50K-D | 18W 1700LM 5000K 1' X 1' 120-277VAC | 16 |
| LPS-1X1-40K-D | 18W 1700LM 4000K 1' X 1' 120-277VAC | 16 |
| LPS-1X1-30K-D | 18W 1700LM 3000K 1' X 1' 120-277VAC | 16 |
| LPS-1X2-50K-D | 25W 2500LM 5000K 1' X 2' 120-277VAC | 8 |
| LPS-1X2-40K-D | 25W 2500LM 4000K 1' X 2' 120-277VAC | 8 |
| LPS-1X2-30K-D | 25W 2500LM 3000K 1' X 2' 120-277VAC | 8 |
| LPS-1X4-50K-D | 40W 4000LM 5000K 1' X 4' 120-277VAC WHILE SUPPLIES LAST | 1 |
| LPS-1X4-40K-D | 40W 4000LM 4000K 1' X 4' 120-277VAC WHILE SUPPLIES LAST | 1 |
| LPS-2X2-50K-D | 40W 4400LM 5000K 2' X 2' 120-277VAC WHILE SUPPLIES LAST | 1 |
| LPS-2X2-40K-D | 40W 4400LM 4000K 2' X 2' 120-277VAC | 1 |
| LPS-2X2-30K-D | 40W 4400LM 3000K 2' X 2' 120-277VAC | 1 |
| LPS-2X4-50K-D | 50W 5500LM 5000K 2' X 4' 120-277VAC | 1 |
| LPS-2X4-40K-D | 50W 5500LM 4000K 2' X 4' 120-277VAC WHILE SUPPLIES LAST | 1 |
| LPS-2X4-30K-D | 50W 5500LM 3000K 2' X 4' 120-277VAC WHILE SUPPLIES LAST | 1 |
| LPS-JBOX | Junction Box for 1X4, 2X2, 2X4 LPS T-Bar installation | |

1X1
1X2
1X4
2X2
2X4



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

| WATTS | FLEX WHIP | DESCRIPTION | EM OPTION | DESCRIPTION | PAINT | SENSOR | DESCRIPTION |
|------------|-------------------|-----------------|-------------------|-------------|------------|------------|-------------|
| ALL MODELS | OPT-FWH-63 | 6FT 3-Wire Whip | OPT-EM-LPS | EXTERNAL | N/A | N/A | N/A |
| | OPT-FWH-65 | 6FT 5-Wire Whip | | | | | |
| | OPT-FWH-66 | 6FT 6-Wire Whip | | | | | |



SHOWN WITH
SURFACE MOUNTING
KIT (SMK)

**SPEC SERIES LED SELECTABLE COLOR TEMP.
& WATTAGE TROFFERS, AC 100-277V**

**NO PARTIAL
MUST BUY IN QTY OF TWO**



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|----------------------|--|-----------|
| LTRE-2X2-MCTP | 26W, 32W, 40W 125LM/W 3500K, 4000K, 5000K | 2 |
| LTRE-2X4-MCTP | 32W, 40W, 50W 125LM/W 3500K, 4000K, 5000K | 2 |
| LTRE-1X4-MCTP | 26W, 32W, 40W 125LM/W 3500K, 4000K, 5000K | 2 |
| LTRE-2X2-SMK | Surface mounting kit for LTRE-2X2 | - |
| LTRE-2X4-SMK | Surface mounting kit for LTRE-2X4 | - |
| LTRE-1X4-SMK | Surface mounting kit for LTRE-1X4 | - |

FOR RECESSED MOUNTING FLANGE KIT (LPNG-RMK) SEE PAGE NO. 86

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

| WATTS | EM OPTION | DESCRIPTION | FLEX WHIP | DESCRIPTION | PAINT | SENSOR | DESCRIPTION |
|------------|---------------------------|---------------------|-------------------|-----------------|------------|------------------------|---------------------------------|
| ALL MODELS | OPT-EM-LTRE | MOUNTED ON TOP | OPT-FWH-63 | 6FT 3-Wire Whip | N/A | OPT-SEN-2MDR-36 | PROGRAMMABLE MICROWAVE BI-LEVEL |
| | Ribbed LENS OPTION | DESCRIPTION | OPT-FWH-65 | 6FT 5-Wire Whip | | WEC-3RC | REMOTE CONTROL |
| | OPT-2X2-RL | Ribbed LENS FOR 2X2 | OPT-FWH-66 | 6FT 6-Wire Whip | | | |
| | OPT-2X4-RL | Ribbed LENS FOR 2X4 | | | | | |



**BUILDER SERIES POWER & CCT- ADJUSTABLE STACK TROFFER
REQUIRES 1 MINUTE ASSEMBLY**

**NO PARTIAL
MUST BUY IN PKG. QTY.**



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|----------------------|--|-----------|
| LTRS-2X2-MCTP | 25W/35W/36W/40W 125LM/W 3500K/4000K/5000K | 6 |
| LTRS-2X4-MCTP | 30W/40W/45W/50W 125LM/W 3500K/4000K/5000K | 6 |
| LTRS-1X4-MCTP | 25W/35W/36W/40W 125LM/W 3500K/4000K/5000K | 4 |

ELB-18150-B Field-Installed Battery Back Up: 20W MAX, 175VDC, Li-ion 4000mAh

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

| WATTS | EM OPTION | DESCRIPTION | FLEX WHIP | DESCRIPTION | PAINT | SENSOR | DESCRIPTION |
|------------|-------------------------|--------------------------------|-------------------|-----------------|---------------------|------------------------|--------------------|
| ALL MODELS | OPT-EM-LTRS | EXTERNAL | OPT-FWH-63 | 6FT 3-Wire Whip | OPT-CLR-LPNG | OPT-SEN-2MDR-36 | MICROWAVE BI-LEVEL |
| | PLUG IN CORD | DESCRIPTION | OPT-FWH-65 | 6FT 5-Wire Whip | | WEC-3RC | REMOTE CONTROL |
| | OPT-HBC-125TL-BK | 8FT, 15A, 125V, BLACK | OPT-FWH-66 | 6FT 6-Wire Whip | | | |
| | OPT-HBC-277TL-BK | 8FT, 15A, 277V, BLACK | | | | | |
| | OPT-HBC-125SB-BK | 10FT, 15A, 125V, 18/3STR, BLCK | | | | | |

**SPEC SERIES ARCHITECTURAL TROFFER, BACK-LIT LED DESIGN
POWER & CCT SELECTABLE**

**NO PARTIAL
MUST BUY IN QTY OF FOUR**



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|----------------------|--|-----------|
| LTRB-2X2-MCTP | 25W/30W/35W 110LM/W 35K/40K/50K | 4 |
| LTRB-2X4-MCTP | 30W/40W/50W 110LM/W 35K/40K/50K | 4 |
| LTRB-1X4-MCTP | 25W/30W/35W 110LM/W 35K/40K/50K | 4 |



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

| WATTS | EM OPTION | DESCRIPTION | FLEX WHIP | DESCRIPTION | PAINT | SENSOR | DESCRIPTION |
|------------|-------------------------|--------------------------------|-------------------|-----------------|---------------------|------------------------|--------------------|
| ALL MODELS | OPT-EM-LTRB | EXTERNAL | OPT-FWH-63 | 6FT 3-Wire Whip | OPT-CLR-LPNG | OPT-SEN-2MDR-36 | MICROWAVE BI-LEVEL |
| | PLUG IN CORD | DESCRIPTION | OPT-FWH-65 | 6FT 5-Wire Whip | | WEC-3RC | REMOTE CONTROL |
| | OPT-HBC-125TL-BK | 8FT, 15A, 125V, BLACK | OPT-FWH-66 | 6FT 6-Wire Whip | | | |
| | OPT-HBC-277TL-BK | 8FT, 15A, 277V, BLACK | | | | | |
| | OPT-HBC-125SB-BK | 10FT, 15A, 125V, 18/3STR, BLCK | | | | | |

SPEC SERIES LED SELECTABLE COLOR TEMP. & WATTAGE DUAL LENS TROFFER LIGHTS



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|----------------------|---------------------------------------|-----------|
| LTRD-2X2-MCTP | 25W/30W/35W 125LM/W 3500K/4000K/5000K | 1 |
| LTRD-2X4-MCTP | 30W/40W/50W 125LM/W 3500K/4000K/5000K | 1 |

TO SURFACE MOUNT, SELECT LTRD-SMK KITS FROM THE LTRD SERIES ABOVE




FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

| WATTS | EM OPTION | DESCRIPTION | FLEX WHIP | DESCRIPTION | PAINT | SENSOR | DESCRIPTION |
|------------|--------------------|----------------|-------------------|-----------------|-------|------------------------|---------------------------------|
| ALL MODELS | OPT-EM-LTRD | MOUNTED ON TOP | OPT-FWH-63 | 6FT 3-Wire Whip | N/A | OPT-SEN-2MDR-36 | PROGRAMMABLE MICROWAVE BI-LEVEL |
| | | | OPT-FWH-65 | 6FT 5-Wire Whip | | WEC-3RC | REMOTE CONTROL |
| | | | OPT-FWH-66 | 6FT 6-Wire Whip | | | |

PREMIUM CURVED INDIRECT TROFFER, POWER AND CCT ADJUSTABLE



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|----------------------|---------------------------------|-----------|
| LTRC-2X2-MCTP | 25W/30W/40W 125LM/W 35K/40K/50K | 4 |
| LTRC-2X4-MCTP | 30W/40W/50W 125LM/W 35K/40K/50K | 2 |



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

| WATTS | EM OPTION | DESCRIPTION | FLEX WHIP | DESCRIPTION | PAINT | SENSOR | DESCRIPTION |
|------------|--------------------|----------------|-------------------|-----------------|-------|------------------------|---------------------------------|
| ALL MODELS | OPT-EM-LTRC | MOUNTED ON TOP | OPT-FWH-63 | 6FT 3-Wire Whip | N/A | OPT-SEN-2MDR-36 | PROGRAMMABLE MICROWAVE BI-LEVEL |
| | | | OPT-FWH-65 | 6FT 5-Wire Whip | | WEC-3RC | REMOTE CONTROL |
| | | | OPT-FWH-66 | 6FT 6-Wire Whip | | | |

ARCHITECTURAL ADVANCED EDGE-LIT WING DESIGN TROFFER WATTAGE & CCT SELECTABLE



| CATALOG NO. | DESCRIPTION | ARRIVES THIS SEASON CHECK & PRE-ORDER | PKG. QTY. |
|-----------------------|---------------------------------|--|-----------|
| LTRW-2X2-MCTP4 | 24W/36W 115LM/W 30K/35K/40K/50K | | 1 |
| LTRW-2X4-MCTP4 | 42W/50W 115LM/W 30K/35K/40K/50K | | 1 |



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

| WATTS | EM OPTION | DESCRIPTION | FLEX WHIP | DESCRIPTION | PAINT | SENSOR | DESCRIPTION |
|------------|--------------------|----------------|-------------------|-----------------|-------|------------------------|---------------------------------|
| ALL MODELS | OPT-EM-LTRW | MOUNTED ON TOP | OPT-FWH-63 | 6FT 3-Wire Whip | N/A | OPT-SEN-2MDR-36 | PROGRAMMABLE MICROWAVE BI-LEVEL |
| | | | OPT-FWH-65 | 6FT 5-Wire Whip | | WEC-3RC | REMOTE CONTROL |
| | | | OPT-FWH-66 | 6FT 6-Wire Whip | | | |

ARCHITECTURAL SLOPED-LENS TROFFER, POWER & CCT SELECTABLE



| CATALOG NO. | DESCRIPTION | ARRIVES THIS SEASON CHECK & PRE-ORDER | PKG. QTY. |
|----------------------|---------------------------------|--|-----------|
| LTRM-2X2-MCTP | 25W/30W/36W 125LM/W 35K/40K/50K | | 1 |
| LTRM-2X4-MCTP | 40W/45W/50W 125LM/W 35K/40K/50K | | 1 |
| LTRM-1X4-MCTP | 25W/30W/36W 125LM/W 35K/40K/50K | | 1 |



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

| WATTS | EM OPTION | DESCRIPTION | FLEX WHIP | DESCRIPTION | PAINT | SENSOR | DESCRIPTION |
|------------|--------------------|----------------|-------------------|-----------------|-------|------------------------|---------------------------------|
| ALL MODELS | OPT-EM-LTRM | MOUNTED ON TOP | OPT-FWH-63 | 6FT 3-Wire Whip | N/A | OPT-SEN-2MDR-36 | PROGRAMMABLE MICROWAVE BI-LEVEL |
| | | | OPT-FWH-65 | 6FT 5-Wire Whip | | WEC-3RC | REMOTE CONTROL |
| | | | OPT-FWH-66 | 6FT 6-Wire Whip | | | |

ARCHITECTURAL RECESSED PANEL LIGHT, WATTAGE & CCT SELECTABLE



| CATALOG NO. | DESCRIPTION | ARRIVES THIS SEASON CHECK & PRE-ORDER | PKG. QTY. |
|-----------------------|-------------------------------------|--|-----------|
| LTRR-2X2-MCTP4 | 24W/35W/40W 110LM/W 30K/35K/40K/50K | | 1 |
| LTRR-2X4-MCTP4 | 30W/40W/50W 110LM/W 30K/35K/40K/50K | | 1 |




FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

| WATTS | EM OPTION | DESCRIPTION | FLEX WHIP | DESCRIPTION | PAINT | SENSOR | DESCRIPTION |
|------------|--------------------|----------------|-------------------|-----------------|-------|------------------------|---------------------------------|
| ALL MODELS | OPT-EM-LTRR | MOUNTED ON TOP | OPT-FWH-63 | 6FT 3-Wire Whip | N/A | OPT-SEN-2MDR-36 | PROGRAMMABLE MICROWAVE BI-LEVEL |
| | | | OPT-FWH-65 | 6FT 5-Wire Whip | | WEC-3RC | REMOTE CONTROL |
| | | | OPT-FWH-66 | 6FT 6-Wire Whip | | | |

ARCHITECTURAL GRILLE TROFFER, WATTAGE & CCT SELECTABLE



| CATALOG NO. | DESCRIPTION | ARRIVES THIS SEASON CHECK & PRE-ORDER | PKG. QTY. |
|----------------------|---------------------------------|--|--------------|
| LTRG-2X2-MCTP | 24W/28W/36W 120LM/W 35K/40K/50K | | 1 |
| LTRG-1X4-MCTP | 24W/28W/36W 120LM/W 35K/40K/50K | | 1 |
| LTRG-2X4-MCTP | 30W/40W/50W 120LM/W 35K/40K/50K | | 1 |



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER


| WATTS | EM OPTION | DESCRIPTION | FLEX WHIP | DESCRIPTION | PAINT | SENSOR | DESCRIPTION |
|------------|--------------------|----------------|-------------------|-----------------|------------|------------------------|---------------------------------|
| ALL MODELS | OPT-EM-LTRG | MOUNTED ON TOP | OPT-FWH-63 | 6FT 3-Wire Whip | N/A | OPT-SEN-2MDR-36 | PROGRAMMABLE MICROWAVE BI-LEVEL |
| | | | OPT-FWH-65 | 6FT 5-Wire Whip | | WEC-3RC | REMOTE CONTROL |
| | | | OPT-FWH-66 | 6FT 6-Wire Whip | | | |

COMMERCIAL
TROFFERS

PREMIUM IP65 CLEANROOM PANEL, POWER AND CCT ADJUSTABLE



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|----------------------|---------------------------------|--------------|
| LPCR-2X2-MCTP | 25W/30W/40W 125LM/W 35K/40K/50K | 2 |
| LPCR-2X4-MCTP | 30W/40W/50W 125LM/W 35K/40K/50K | 1 |
| LPCR-1X4-MCTP | 25W/30W/40W 125LM/W 35K/40K/50K | 2 |



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

| WATTS | EM OPTION | DESCRIPTION | FLEX WHIP | DESCRIPTION | PAINT | SENSOR | DESCRIPTION |
|------------|--------------------|----------------|-------------------|-----------------|------------|------------------------|---------------------------------|
| ALL MODELS | OPT-EM-LPCR | MOUNTED ON TOP | OPT-FWH-63 | 6FT 3-Wire Whip | N/A | OPT-SEN-2MDR-36 | PROGRAMMABLE MICROWAVE BI-LEVEL |
| | | | OPT-FWH-65 | 6FT 5-Wire Whip | | WEC-3RC | REMOTE CONTROL |
| | | | OPT-FWH-66 | 6FT 6-Wire Whip | | | |

PREMIUM HIGH-LUMEN RETROFIT FLAT PANEL

NO PARTIAL
MUST BUY IN PKG. QTY.

| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|------------------------|---------------------------------|--------------|
| LRP-HL-2X2-MCTP | 16W/20W/24W 125LM/W 35K/40K/50K | 2 |
| LRP-HL-2X4-MCTP | 24W/30W/40W 125LM/W 35K/40K/50K | 2 |



PREMIUM HIGH-LUMEN RETROFIT TROFFER-POWER & CCT ADJUSTABLE NO PARTIAL MUST BUY IN PKG. QTY.


| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|------------------------|---------------------------------|--------------|
| LRT-HL-2X2-MCTP | 15W/20W/25W 125LM/W 35K/40K/50K | 2 |
| LRT-HL-2X4-MCTP | 30W/40W/50W 125LM/W 35K/40K/50K | 2 |



BUILDER SERIES POWER & CCT- ADJUSTABLE LINEAR LIGHT



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|-------------------------------|--|-----------|
| SCE-4FT-40W-MCTP-D | 30W/35W/40W 110LM/W 3500K/4000K/5000K White | 8 |
| SCE-4FT-40W-MCTP-D-BK | 30W/35W/40W 110LM/W 3500K/4000K/5000K Black | 8 |
| SCE-4FT-40W-MCTP-D-SIL | 30W/35W/40W 110LM/W 3500K/4000K/5000K Silver | 8 |
| SCE-6FT-50W-MCTP-D | 40W/45W/50W 110LM/W 3500K/4000K/5000K White | 6 |
| SCE-6FT-50W-MCTP-D-BK | 40W/45W/50W 110LM/W 3500K/4000K/5000K Black | 6 |
| SCE-6FT-50W-MCTP-D-SIL | 40W/45W/50W 110LM/W 3500K/4000K/5000K Silver | 6 |
| SCE-8FT-70W-MCTP-D | 50W/60W/72W 110LM/W 35K/40K/50K White | |
| SCE-8FT-70W-MCTP-D-BK | 50W/60W/72W 110LM/W 35K/40K/50K Black | |
| SCE-8FT-70W-MCTP-D-SIL | 50W/60W/72W 110LM/W 35K/40K/50K Silver | |
| SCE-ULM-4FT-MCTP-D | 4Ft SCE Series Uplight Module 35/40/50K Transfers 30% Power To Top | |
| SCE-ULM-6FT-MCTP-D | 6Ft SCE Series Uplight Module 35/40/50K Transfers 30% Power To Top | |
| SCE-ULM-8FT-MCTP-D | 8Ft SCE Series Uplight Module 35/40/50K Transfers 30% Power To Top | |
| SCE-SB | SCE Series Straight Linking Bracket - Creates a Seamless Connection | |
| SCE-TB | SCE Series T Linking Bracket | |
| SCE-LB | SCE Series L Linking Bracket | |
| SCE-XB | SCE Series X Linking Bracket | |
| SCE-SB-BK | SCE Series Straight Linking Bracket -Seamless Connection, Black | |
| SCE-TB-BK | SCE Series T Linking Bracket, Black | |
| SCE-LB-BK | SCE Series L Linking Bracket, Black | |
| SCE-XB-BK | SCE Series X Linking Bracket, Black | |
| SCE-SB-SIL | SCE Series Straight Linking Bracket -Seamless Connection, Silver | |
| SCE-TB-SIL | SCE Series T Linking Bracket, Silver | |
| SCE-LB-SIL | SCE Series L Linking Bracket, Silver | |
| SCE-XB-SIL | SCE Series X Linking Bracket, Silver | |
| SCE-WM-KIT-SIL | Wall-Mount Brkt, Field-Installed, Use 2 For 4Ft And 6Ft, 3 For 8Ft, Silver | |



FOR SUSPENSION KIT SEE PAGES 119 TO 122

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

| WATTS | EM OPTION | DESCRIPTION | PHOTOCELL | DESCRIPTION | PAINT | SENSOR | DESCRIPTION |
|------------|------------|-------------|-----------|-------------|-------|--------|-------------|
| ALL MODELS | OPT-EM-SCE | INTERNAL | N/A | N/A | N/A | N/A | N/A |

Surface Mounted

SCX4-IP66-SUR-4FT-40-80W-MCTP
SCX4-IP66-SUR-8FT-80-160W-MCTP

Wall Mounted

SCX4-IP66-ACPT-6FT
SCX4-IP66-ACPT-10FT

SCX4-IP66-JUMP-6IN
SCX4-IP66-JUMP-12IN

Suspended

SCX4-IP66-SUS-4FT-40-80W-MCTP
SCX4-IP66-SUS-8FT-80-160W-MCTP

Rod Kit Sold Separately

POWER & CCT- ADJUSTABLE LINEAR LIGHT, 120-277V, IP66 WET LOCATION



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|---------------------------------------|--|-----------|
| SCX4-IP66-SUR-4FT-40-80W-MCTP | 40W/60W/80W 105LM/W 35K/40K/50K Surface Mounted | 4 |
| SCX4-IP66-SUR-8FT-80-160W-MCTP | 80W/120W/160W 105LM/W 35K/40K/50K Surface Mounted | 2 |
| SCX4-IP66-SUS-4FT-40-80W-MCTP | 40W/60W/80W 105LM/W 35K/40K/50K Suspended | 4 |
| SCX4-IP66-SUS-8FT-80-160W-MCTP | 80W/120W/160W 105LM/W 35K/40K/50K Suspended | 2 |
| SCX4-IP66-ACPT-6FT | SCX4-IP66 6Ft Ac Pigtail With Female Wet Loc. Connector | |
| SCX4-IP66-ACPT-10FT | SCX4-IP66 10Ft Ac Pigtail With Female Wet Loc. Connector | |
| SCX4-IP66-JUMP-6IN | SCX4-IP66 6In Ac Jump Cable With Male And Female Wet Loc. Connector | |
| SCX4-IP66-JUMP-12IN | SCX4-IP66 12In Ac Jump Cable With Male And Female Wet Loc. Connector | |
| SCX4-IP66-CB | SCX4-IP66 Coupling Bracket | |
| SCX4-IP66-RODKIT-18IN | SCX4-IP66 18In Suspension Rod Kit | |
| SCX4-IP66-RODKIT-24IN | SCX4-IP66 24In Suspension Rod Kit | |
| SCX4-IP66-SCBK | SCX4-IP66 Bracket Set For Suspension With Aircraft Cable | |

FOR SUSPENSION KIT (SCL-GS210 & SCL-GS220) SEE PAGES 120


COMMERCIAL LINEAR LIGHTS




SCXA2-4FT-40W-MCTP-BB
UGR25 50D FULL OPTIC




SCXA2-4FT-40W-MCTP-CD-BB
UGR25 50D COMBINED DISTRIBUTION
OPTIC + PC LENS



SCXA2-4FT-40W-MCTP-WW
UGR25 50D FULL OPTIC



SCXA2-4FT-40W-MCTP-CD-WW
UGR25 50D COMBINED DISTRIBUTION
OPTIC + PC LENS



SCX2-TRACK-H

ARCHITECTURAL 2" OPTIC & COMBINED-DISTRIBUTION LINEAR WITH MULTIPLE APERTURE OPTIONS



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|---------------------------------|---|-----------|
| SCXA2-2FT-20W-MCTP-CD-BB | 10W/15W/20W 100LM/W 30K/35K/40K 7.5" Optic Ends | 1 |
| SCXA2-2FT-20W-MCTP-CD-WW | 10W/15W/20W 100LM/W 30K/35K/40K 7.5" Optic Ends | 1 |
| SCXA2-4FT-40W-MCTP-CD-BB | 20W/30W/40W 100LM/W 30K/35K/40K 7.5" Optic Ends | 6 |
| SCXA2-4FT-40W-MCTP-CD-WW | 20W/30W/40W 100LM/W 30K/35K/40K 7.5" Optic Ends | 6 |
| SCXA2-6FT-60W-MCTP-CD-BB | 40W/50W/60W 100LM/W 30K/35K/40K 15" Optic Ends | 4 |
| SCXA2-6FT-60W-MCTP-CD-WW | 40W/50W/60W 100LM/W 30K/35K/40K 15" Optic Ends | 4 |
| SCXA2-8FT-80W-MCTP-CD-BB | 60W/70W/80W 100LM/W 30K/35K/40K 23" Optic Ends | 4 |
| SCXA2-8FT-80W-MCTP-CD-WW | 60W/70W/80W 100LM/W 30K/35K/40K 23" Optic Ends | 4 |
| SCXA2-2FT-20W-MCTP-BB | 10W/15W/20W 100LM/W 30K/35K/40K | 1 |
| SCXA2-2FT-20W-MCTP-WW | 10W/15W/20W 100LM/W 30K/35K/40K | 1 |
| SCXA2-4FT-40W-MCTP-BB | 20W/30W/40W 100LM/W 30K/35K/40K | 6 |
| SCXA2-4FT-40W-MCTP-WW | 20W/30W/40W 100LM/W 30K/35K/40K | 6 |
| SCXA2-6FT-60W-MCTP-BB | 40W/50W/60W 100LM/W 30K/35K/40K | 4 |
| SCXA2-6FT-60W-MCTP-WW | 40W/50W/60W 100LM/W 30K/35K/40K | 4 |
| SCXA2-8FT-80W-MCTP-BB | 60W/70W/80W 100LM/W 30K/35K/40K | 4 |
| SCXA2-8FT-80W-MCTP-WW | 60W/70W/80W 100LM/W 30K/35K/40K | 4 |
| SCX2-TRACK-H-BK | SCXA2 Tack Light Socket End Extension H-Type Black | |
| SCX2-TRACK-H-WH | SCXA2 Tack Light Socket End Extension H-Type White | |
| SCXA2-BCP-4FT-BK | SCXA2 4Ft Blank Cover-Plate Accessory Black | |
| SCXA2-BCP-6FT-BK | SCXA2 6Ft Blank Cover-Plate Accessory Black | |
| SCXA2-BCP-8FT-BK | SCXA2 8Ft Blank Cover-Plate Accessory Black | |
| SCXA2-BCP-4FT-WH | SCXA2 4Ft Blank Cover-Plate Accessory White | |
| SCXA2-BCP-6FT-WH | SCXA2 6Ft Blank Cover-Plate Accessory White | |
| SCXA2-BCP-8FT-WH | SCXA2 8Ft Blank Cover-Plate Accessory White | |
| SCXA2-OLS-50D-BK | SCXA2 Replacement Standard Optic Lens 50D 8in Long, Black | |
| SCXA2-OLS-50D-WH | SCXA2 Replacement Standard Optic Lens 50D 8in Long, White | |
| SCXA2-RLS-UGR10-50D-BK | SCXA2 UGR10 50D Reflector Accessory Black | |
| SCXA2-RLS-UGR10-70D-BK | SCXA2 UGR10 70D Reflector Accessory Black | |
| SCXA2-RLS-UGR10-50D-WH | SCXA2 UGR10 50D Reflector Accessory White | |
| SCXA2-RLS-UGR10-70D-WH | SCXA2 UGR10 70D Reflector Accessory White | |


UGR OPTIC LENS




CATALOG NO.

| | |
|-----------------------------|------------------------------------|
| OPT-SCXA2-4FT-WH-50D | UGR Less Than 10, 50D Optic, White |
| OPT-SCXA2-4FT-WH-70D | UGR Less Than 10, 70D Optic, White |
| OPT-SCXA2-4FT-BK-50D | UGR Less Than 10, 50D Optic, Black |
| OPT-SCXA2-4FT-BK-70D | UGR Less Than 10, 70D Optic, Black |
| OPT-SCXA2-6FT-WH-50D | UGR Less Than 10, 50D Optic, White |
| OPT-SCXA2-6FT-WH-70D | UGR Less Than 10, 70D Optic, White |
| OPT-SCXA2-6FT-BK-50D | UGR Less Than 10, 50D Optic, Black |
| OPT-SCXA2-6FT-BK-70D | UGR Less Than 10, 70D Optic, Black |
| OPT-SCXA2-8FT-WH-50D | UGR Less Than 10, 50D Optic, White |
| OPT-SCXA2-8FT-WH-70D | UGR Less Than 10, 70D Optic, White |
| OPT-SCXA2-8FT-BK-50D | UGR Less Than 10, 50D Optic, Black |
| OPT-SCXA2-8FT-BK-70D | UGR Less Than 10, 70D Optic, Black |

COMMERCIAL
LINEAR
LIGHTS



SCXA-4FT-40W-MCTP-BB
UGR25 50D FULL OPTIC



SCXA-4FT-40W-MCTP-CD-BB
UGR25 50D COMBINED DISTRIBUTION
OPTIC + PC LENS



SCXA-4FT-40W-MCTP-WW
UGR25 50D FULL OPTIC



SCXA-4FT-40W-MCTP-CD-WW
UGR25 50D COMBINED DISTRIBUTION
OPTIC + PC LENS

COMMERCIAL

LINEAR
LIGHTS

ARCHITECTURAL 2-3/4" OPTIC & COMBINED-DISTRIBUTION LINEAR WITH MULTIPLE APERTURE OPTIONS













| CATALOG NO. | DESCRIPTION | ARRIVES THIS SEASON CHECK & PRE-ORDER | PKG. QTY. |
|--------------------------------|---|--|--------------|
| SCXA-2FT-20W-MCTP-CD-BB | 10W/15W/20W 100LM/W 30K/35K/40K 7.5" Optic Ends | | 1 |
| SCXA-2FT-20W-MCTP-CD-WW | 10W/15W/20W 100LM/W 30K/35K/40K 7.5" Optic Ends | | 1 |
| SCXA-4FT-40W-MCTP-CD-BB | 20W/30W/40W 100LM/W 30K/35K/40K 7.5" Optic Ends | | 6 |
| SCXA-4FT-40W-MCTP-CD-WW | 20W/30W/40W 100LM/W 30K/35K/40K 7.5" Optic Ends | | 6 |
| SCXA-6FT-60W-MCTP-CD-BB | 40W/50W/60W 100LM/W 30K/35K/40K 15" Optic Ends | | 4 |
| SCXA-6FT-60W-MCTP-CD-WW | 40W/50W/60W 100LM/W 30K/35K/40K 15" Optic Ends | | 4 |
| SCXA-8FT-80W-MCTP-CD-BB | 60W/70W/80W 100LM/W 30K/35K/40K 23" Optic Ends | | 4 |
| SCXA-8FT-80W-MCTP-CD-WW | 60W/70W/80W 100LM/W 30K/35K/40K 23" Optic Ends | | 4 |
| SCXA-2FT-20W-MCTP-BB | 10W/15W/20W 100LM/W 30K/35K/40K | | 1 |
| SCXA-2FT-20W-MCTP-WW | 10W/15W/20W 100LM/W 30K/35K/40K | | 1 |
| SCXA-4FT-40W-MCTP-BB | 20W/30W/40W 100LM/W 30K/35K/40K | | 6 |
| SCXA-4FT-40W-MCTP-WW | 20W/30W/40W 100LM/W 30K/35K/40K | | 6 |
| SCXA-6FT-60W-MCTP-BB | 40W/50W/60W 100LM/W 30K/35K/40K | | 4 |
| SCXA-6FT-60W-MCTP-WW | 40W/50W/60W 100LM/W 30K/35K/40K | | 4 |
| SCXA-8FT-80W-MCTP-BB | 60W/70W/80W 100LM/W 30K/35K/40K | | 4 |
| SCXA-8FT-80W-MCTP-WW | 60W/70W/80W 100LM/W 30K/35K/40K | | 4 |
| SCXA-BCP-2FT-BK | 2Ft (Also 4Ft) Blank Cover-Plate Accessory To Replace Center Pc Lens, Black | | |
| SCXA-BCP-2FT-WH | 2Ft (Also 4Ft) Blank Cover-Plate Accessory To Replace Center Pc Lens, White | | |
| SCXA-BCP-4FT-BK | 4Ft (Also 6Ft 8Ft) Blank Cover-Plate Accessory To Replace Center Pc Lens, Black | | |
| SCXA-BCP-4FT-WH | 4Ft (Also 6Ft 8Ft) Blank Cover-Plate Accessory To Replace Center Pc Lens, White | | |
| SCXA-OLS-40D-BK | Replacement Optic Lens 40D 6In Long, Black | | |
| SCXA-OLS-40D-WH | Replacement Optic Lens 40D 6In Long, White | | |
| SCX-TRACK-H-BK | Scx Track Light Socket End Extension H-Type, Black | | |
| SCX-TRACK-H-WH | Scx Track Light Socket End Extension H-Type, White | | |
| SCXA-OLS-60D-BK | Replacement Standard Optic Lens 60D 6In Long, Black | | |
| SCXA-OLS-60D-WH | Replacement Standard Optic Lens 60D 6In Long, White | | |






| | | | | |
|--------------------|------------------------|------------------------|---------------------------|-----------------------|
| SCX-1FT-10W-MCT4-D | SCX-1FT-20W-MCT4-D-REG | SCX-1FT-20W-MCT4-D-LUV | SCX-1FT-20W-MCT4-D-LUV-WH | SCX-1FT-20W-MCT4-D-DL |
| SCX-2FT-20W-MCT4-D | SCX-2FT-20W-MCT4-D-REG | SCX-2FT-20W-MCT4-D-LUV | SCX-2FT-20W-MCT4-D-LUV-WH | SCX-2FT-20W-MCT4-D-DL |
| SCX-3FT-30W-MCT4-D | SCX-3FT-30W-MCT4-D-REG | SCX-3FT-30W-MCT4-D-LUV | SCX-3FT-30W-MCT4-D-LUV-WH | SCX-3FT-30W-MCT4-D-DL |
| SCX-4FT-40W-MCT4-D | SCX-4FT-40W-MCT4-D-REG | SCX-4FT-40W-MCT4-D-LUV | SCX-4FT-40W-MCT4-D-LUV-WH | SCX-4FT-40W-MCT4-D-DL |
| SCX-6FT-60W-MCT4-D | SCX-6FT-60W-MCT4-D-REG | SCX-6FT-60W-MCT4-D-LUV | SCX-6FT-60W-MCT4-D-LUV-WH | SCX-6FT-60W-MCT4-D-DL |
| SCX-8FT-80W-MCT4-D | SCX-8FT-80W-MCT4-D-REG | SCX-8FT-80W-MCT4-D-LUV | SCX-8FT-80W-MCT4-D-LUV-WH | SCX-8FT-80W-MCT4-D-DL |

COMMERCIAL
LINEAR
LIGHTS


|  UPLIGHT FOR SCX SERIES AND THEIR VARIANTS | | | | |
|---|--------------------------|--------------------------|--------------------------|--------------------------|
| 2FT | 3FT | 4FT | 6FT | 8FT |
| OPT-SCX-ULM-2FT-8W-MCT4 | OPT-SCX-ULM-3FT-12W-MCT4 | OPT-SCX-ULM-4FT-16W-MCT4 | OPT-SCX-ULM-6FT-24W-MCT4 | OPT-SCX-ULM-8FT-32W-MCT4 |

| MODULES FOR SCX SERIES | | | | |
|---|--|--|--|--|
| 6in Module  SCX-6IN-MCT4 | 9in Module  SCX-9IN-MCT4 | L Module  SCX-L-MCT4 | T Module  SCX-T-MCT4 | X Module  SCX-X-MCT4 |
| Inside Corner Module  SCX-IC-MCT4 | Outside Corner Module  SCX-OC-MCT4 | Y Module  SCX-Y-MCT4 | 120° Corner  SCX-C120-MCT4 | C60 Module  SCX-C60-MCT4 |



| | | | | |
|--|------------------------|------------------------|--|--|
| SCX-2FT-20W-MCT4-DLP | SCX-2FT-20W-MCT4-D-IND | SCX-2FT-20W-MCT4-D-IDL | SCX-L1FT-20W-MCT4 | SCX-Y2FT-60W-MCT4-D |
| N/A | SCX-3FT-30W-MCT4-D-IND | SCX-3FT-30W-MCT4-D-IDL | SCX-L2FT-40W-MCT4 |  UPLIGHT OPT-SCX-ULM-Y2FT-24W-MCT4 |
| SCX-4FT-40W-MCT4-DLP | SCX-4FT-40W-MCT4-D-IND | SCX-4FT-40W-MCT4-D-IDL |  UPLIGHT OPT-SCX-ULM-L2FT-16W-MCT4 | |
| N/A | SCX-6FT-60W-MCT4-D-IND | SCX-6FT-60W-MCT4-D-IDL | | |
| N/A | SCX-8FT-80W-MCT4-D-IND | SCX-8FT-80W-MCT4-D-IDL | | |
|  UPLIGHT OPT-SCX-ULM-2FT-8W-MCT4 | | | | |
| N/A | | | | |
| OPT-SCX-ULM-4FT-16W-MCT4 | | | | |
| N/A | | | | |
| N/A | | | | |


COMMERCIAL
LINEAR
LIGHTS




SHOWN WITH
SUSPENSION KIT

SCL-3CS10


ADJ. 10FT 1/16in TRIPLE-CABLE
SUSPENSION CANOPY KIT WITH
KEYHOLE END CONNECTORS
(NO CORD INCL.)




MADE USING
SCX + L CORNERS



SCX-L2FT-40W-MCT4
INSTALLED



MADE USING
SCX + C120 CORNERS




SCX-Y2FT-60W-MCT4
INSTALLED

*MCT4: MULTI COLOR TEMPERATURE
(3000K, 3500K, 4000K, 5000K)



SCX


SUPERIOR ARCHITECTURAL
SEAMLESS LINKABLE LINEAR LIGHTING SYSTEM



| SCX MODELS | SCX 2-3/4" (Linkable) | LOUVER 2-3/4" (Linkable) | DROP LENS 2-3/4" |
|----------------------------|-----------------------|---------------------------|--------------------------|
| 1FT BLACK 10W & 110LM/W | SCX-1FT-10W-MCT4-D-BK | N/A | N/A |
| 2FT BLACK 20W & 110LM/W | SCX-2FT-20W-MCT4-D-BK | SCX-2FT-20W-MCT4-D-LUV-BK | SCX-2FT-20W-MCT4-D-DL-BK |
| 3FT BLACK 30W & 110LM/W | SCX-3FT-30W-MCT4-D-BK | SCX-3FT-30W-MCT4-D-LUV-BK | SCX-3FT-30W-MCT4-D-DL-BK |
| 4FT BLACK 40W & 110LM/W | SCX-4FT-40W-MCT4-D-BK | SCX-4FT-40W-MCT4-D-LUV-BK | SCX-4FT-40W-MCT4-D-DL-BK |
| 6FT BLACK 60W & 110LM/W | SCX-6FT-60W-MCT4-D-BK | SCX-6FT-60W-MCT4-D-LUV-BK | SCX-6FT-60W-MCT4-D-DL-BK |
| 8FT BLACK 80W & 110LM/W | SCX-8FT-80W-MCT4-D-BK | SCX-8FT-80W-MCT4-D-LUV-BK | SCX-8FT-80W-MCT4-D-DL-BK |

COMMERCIAL
LINEAR
LIGHTS

| UPLIGHT FOR SCX BLACK SERIES AND THEIR VARIANTS | | | | |
|---|--------------------------|--------------------------|--------------------------|--------------------------|
| 2FT | 3FT | 4FT | 6FT | 8FT |
| OPT-SCX-ULM-2FT-8W-MCT4 | OPT-SCX-ULM-3FT-12W-MCT4 | OPT-SCX-ULM-4FT-16W-MCT4 | OPT-SCX-ULM-6FT-24W-MCT4 | OPT-SCX-ULM-8FT-32W-MCT4 |

| MODULES FOR SCX BLACK SERIES | | | | |
|---|--|--|--|--|
| <p>6in Module</p>  <p>SCX-6IN-MCT4-BK</p> | <p>9in Module</p>  <p>SCX-9IN-MCT4-BK</p> | <p>L Module</p>  <p>SCX-L-MCT4-BK</p> | <p>T Module</p>  <p>SCX-T-MCT4-BK</p> | <p>X Module</p>  <p>SCX-X-MCT4-BK</p> |
| <p>Inside Corner Module</p>  <p>SCX-IC-MCT4-BK</p> | <p>Y Module</p>  <p>SCX-Y-MCT4-BK</p> | <p>120° Corner</p>  <p>SCX-C120-MCT4-BK</p> | <p>C60 Module</p>  <p>SCX-C60-MCT4-BK</p> | |

*MCT4: MULTI COLOR TEMPERATURE
(3000K, 3500K, 4000K, 5000K)



SCX

SUPERIOR ARCHITECTURAL
SEAMLESS LINKABLE LINEAR LIGHTING SYSTEM



SCX 4FT. Only

| SCX4 4" (Linkable) | WHITE LOUVER 4" (Linkable) | IDL 4" | WALLWASH 4" |
|--------------------|-----------------------------|-----------------------------|-----------------------------|
| | 7 DAYS LEAD TIME | 7 DAYS LEAD TIME | 7 DAYS LEAD TIME |

| | | | | |
|----------------------|---------------------|----------------------------|------------------------|-----------------------|
| 1FT 10W & 110LM/W | SCX4-1FT-10W-MCT4-D | SCX4-1FT-10W-MCT4-D-LUV-WH | N/A | N/A |
| 2FT 20W & 110LM/W | SCX4-2FT-20W-MCT4-D | SCX4-2FT-20W-MCT4-D-LUV-WH | SCX4-2FT-20W-MCT-D-IDL | SCX4-2FT-20W-MCT4-WSH |
| 3FT 30W & 110LM/W | SCX4-3FT-30W-MCT4-D | SCX4-3FT-30W-MCT4-D-LUV-WH | SCX4-3FT-30W-MCT-D-IDL | SCX4-3FT-30W-MCT4-WSH |
| 4FT 40W & 110LM/W | SCX4-4FT-40W-MCT4-D | SCX4-4FT-40W-MCT4-D-LUV-WH | SCX4-4FT-40W-MCT-D-IDL | SCX4-4FT-40W-MCT4-WSH |
| 6FT 60W & 110LM/W | SCX4-6FT-60W-MCT4-D | SCX4-6FT-60W-MCT4-D-LUV-WH | SCX4-6FT-60W-MCT-D-IDL | N/A |
| 8FT 80W & 110LM/W | SCX4-8FT-80W-MCT4-D | SCX4-8FT-80W-MCT4-D-LUV-WH | SCX4-8FT-80W-MCT-D-IDL | N/A |

COMMERCIAL
LINEAR LIGHTS

| UPLIGHT FOR SCX4 SERIES AND THEIR VARIANTS | | | | |
|--|--------------------------|--------------------------|--------------------------|--------------------------|
| 2FT | 3FT | 4FT | 6FT | 8FT |
| OPT-SCX-ULM-2FT-8W-MCT4 | OPT-SCX-ULM-3FT-12W-MCT4 | OPT-SCX-ULM-4FT-16W-MCT4 | OPT-SCX-ULM-6FT-24W-MCT4 | OPT-SCX-ULM-8FT-32W-MCT4 |

| MODULES FOR SCX4 SERIES | | | | |
|------------------------------------|------------------------------------|------------------------------------|--|--|
| L Module SCX4-L-MCT4 | T Module SCX4-T-MCT4 | X Module SCX4-X-MCT4 | Inside Corner SCX4-IC-MCT4 | |

SCX

SUPERIOR ARCHITECTURAL
SEAMLESS LINKABLE LINEAR LIGHTING SYSTEM













COMMERCIAL
LINEAR LIGHTS

| | | | | |
|----------------------|---------------------|------------------------|-----------------------|------------------------------|
| 1FT 10W & 110LM/W | SCX2-1FT-10W-MCT4-D | SCX2-1FT-10W-MCT4-D-TR | N/A | N/A |
| 2FT 20W & 110LM/W | SCX2-2FT-20W-MCT4-D | SCX2-2FT-20W-MCT4-D-TR | SCX6-2FT-20-30W-MCTP | SCX6-2FT-20-30W-MCTP-LUV-WH |
| 3FT 30W & 110LM/W | SCX2-3FT-30W-MCT4-D | SCX2-3FT-30W-MCT4-D-TR | SCX6-3FT-30-45W-MCTP | SCX6-3FT-30-45W-MCTP-LUV-WH |
| 4FT 40W & 110LM/W | SCX2-4FT-40W-MCT4-D | SCX2-4FT-40W-MCT4-D-TR | SCX6-4FT-40-60W-MCTP | SCX6-4FT-40-60W-MCTP-LUV-WH |
| 6FT 60W & 110LM/W | SCX2-6FT-60W-MCT4-D | SCX2-6FT-60W-MCT4-D-TR | SCX6-6FT-60-90W-MCTP | SCX6-6FT-60-90W-MCTP-LUV-WH |
| 8FT 80W & 110LM/W | SCX2-8FT-80W-MCT4-D | SCX2-8FT-80W-MCT4-D-TR | SCX6-8FT-80-120W-MCTP | SCX6-8FT-80-120W-MCTP-LUV-WH |

| ⚙️ UPLIGHT FOR SCX2 SERIES AND THEIR VARIANTS | | | | |
|---|--------------------------|--------------------------|--------------------------|--------------------------|
| 2FT | 3FT | 4FT | 6FT | 8FT |
| OPT-SCX-ULM-2FT-8W-MCT4 | OPT-SCX-ULM-3FT-12W-MCT4 | OPT-SCX-ULM-4FT-16W-MCT4 | OPT-SCX-ULM-6FT-24W-MCT4 | OPT-SCX-ULM-8FT-32W-MCT4 |

| ⚙️ UPLIGHT FOR SCX6 SERIES AND THEIR VARIANTS | | | | |
|---|---------------------------|---------------------------|---------------------------|---------------------------|
| 2FT | 3FT | 4FT | 6FT | 8FT |
| OPT-SCX6-ULM-2FT-8W-MCT4 | OPT-SCX6-ULM-3FT-12W-MCT4 | OPT-SCX6-ULM-4FT-16W-MCT4 | OPT-SCX6-ULM-6FT-24W-MCT4 | OPT-SCX6-ULM-8FT-32W-MCT4 |








MODULES FOR SCX2 & SCX6 SERIES

| | | | | |
|--|--|--|---|--|
| <p>L Module</p>  <p>SCX2-L-MCT4</p> | <p>T Module</p>  <p>SCX2-T-MCT4</p> | <p>X Module</p>  <p>SCX2-X-MCT4</p> | <p>Inside Corner Module</p>  <p>SCX2-IC-MCT4</p> | <p>Outside Corner Module</p>  <p>SCX2-OC-MCT4</p> |
| <p>C60 Module</p>  <p>SCX2-C60-MCT4</p> | <p>L Module</p>  <p>SCX6-L-MCTP</p> | <p>T Module</p>  <p>SCX6-T-MCTP</p> | <p>X Module</p>  <p>SCX6-X-MCTP</p> | <p>Inside Corner Module</p>  <p>SCX6-IC-MCTP</p> |

SCX

SUPERIOR ARCHITECTURAL
SEAMLESS LINKABLE LINEAR LIGHTING SYSTEM


| SCO SERIES | SCXT-DL 1" DROP LENS | SCXT-FL 1" FLAT LENS | SCXR (Linkable) | SCXR (Linkable) |
|---|---|---|---|--|
|  <p>4Ft MCT</p> <p>MCT: MULTI COLOR TEMPERATURE (3500K, 4000K, 5000K)</p> |  <p>MCTP</p> <p>See Next Page for More Info</p> <p><small>ORDER ONE DRIVER PER FIXTURE (NOT INCLUDED)</small></p> |  <p>MCTP</p> <p>See Next Page for More Info</p> <p><small>ORDER ONE DRIVER PER FIXTURE (NOT INCLUDED)</small></p> |  <p>MCT4</p> |  <p>MCT4</p> |

| | | | | |
|--|--|--|---|---|
| SCO-4FT-40W-MCT-BB | SCXT-2FT-10-20W-MCTP-D-DL | SCXT-2FT-10-20W-MCTP-D-FL | SCXR-2FT-20W-MCT4-D | SCXR-2FT-20W-MCT4-D-BK |
|  <p>4Ft</p> | SCXT-4FT-20-40W-MCTP-D-DL | SCXT-4FT-20-40W-MCTP-D-FL | SCXR-4FT-40W-MCT4-D | SCXR-4FT-40W-MCT4-D-BK |
| SCO-4FT-40W-MCT-WB | SCXT-8FT-40-80W-MCTP-D-DL | SCXT-8FT-40-80W-MCTP-D-FL | SCXR-8FT-80W-MCT4-D | SCXR-8FT-80W-MCT4-D-BK |
| <p>7 DAYS LEAD TIME</p>  <p>4Ft</p> | <p>UPLIGHT FOR SCXT-DL</p> <p>OPT-SCXT-ULM-2FT-MCTP</p> | <p>UPLIGHT FOR SCXT-FL</p> <p>OPT-SCXT-ULM-2FT-MCTP</p> | <p>UPLIGHT FOR SCXR</p> <p>N/A</p> | <p>UPLIGHT FOR SCXR</p> <p>N/A</p> |
| SCO-4FT-40W-MCT-WW | OPT-SCXT-ULM-4FT-MCTP | OPT-SCXT-ULM-4FT-MCTP | OPT-SCX-ULM-4FT-16W-MCT4 | OPT-SCX-ULM-4FT-16W-MCT4 |
| <p>7 DAYS LEAD TIME</p>  <p>4Ft</p> | OPT-SCXT-ULM-8FT-MCTP | OPT-SCXT-ULM-8FT-MCTP | OPT-SCX-ULM-8FT-32W-MCT4 | OPT-SCX-ULM-8FT-32W-MCT4 |
| | SCXT-DL 2FT L FIXTURE | SCXT-FL 2FT L FIXTURE | CORNER OPTION | CORNER OPTION |
| SCO-4FT-40W-MCT-BW |  <p>MCTP</p> <p><small>ORDER ONE DRIVER PER FIXTURE (NOT INCLUDED)</small></p> |  <p>MCTP</p> <p><small>ORDER ONE DRIVER PER FIXTURE (NOT INCLUDED)</small></p> |  |  |
| | SCXT-L2FT-20-40W-MCTP-D-DL | SCXT-L2FT-20-40W-MCTP-D-FL | SCXR-LNL | SCXR-LNL |

COMMERCIAL
LINEAR LIGHTS

SCXR ACCESSORIES

| CATALOG NO. | DESCRIPTION |
|--|---|
| SCXR-LK-1FT-GRILL | SCXR 1Ft Section PC Louver Kit Without Lens |
| SCXR-LK-1FT-LENSONROLL | SCXR 1Ft Film On Roll Of 853Ft, Must Use With SCXR-LK |



SCXT INSTALLED ON T-BAR CEILING
DRIVER MOUNTED ON TOP



SCXT SUSPENDED



2 SCXT-L2FT INSTALLED
ON T-BAR CEILING

With T-BAR clips, ready to install on the grid
Can also be suspended or surface mounted
Can be linked (with endcaps on, not seamless) coupling bracket incl.
With remote driver box, avail. 40W & 80W (sold separately) do not exceed max wattage of driver
Each fixture supplied with 6FT RJ11 cable, which plugs into the driver box
Driver box has 4 RJ11 Female sockets

EXTERNAL DRIVER (ORDER SEPARATELY)



ORDER ONE DRIVER PER FIXTURE
(NOT INCLUDED)

1" WIDE LINEAR SERIES FOR DIRECT T-GRID MOUNTING OR SUSPENSION, POWER & CCT ADJ.

| CATALOG NO. | DESCRIPTION |
|----------------------------|--|
| SCXT-2FT-10-20W-MCTP-D-DL | 20W 110LM/W 30K/35K/40K 2FT, Drop Lens, Can Adj. to 75% or 50% |
| SCXT-4FT-20-40W-MCTP-D-DL | 40W 110LM/W 30K/35K/40K 4FT, Drop Lens, Can Adj. to 75% or 50% |
| SCXT-8FT-40-80W-MCTP-D-DL | 80W 110LM/W 30K/35K/40K 8FT, Drop Lens, Can Adj. to 75% or 50% |
| SCXT-L2FT-20-40W-MCTP-D-DL | 40W 110LM/W 30K/35K/40K 2FT. L-Shape, Drop Lens, Can Adj. to 75% or 50% |
| SCXT-2FT-10-20W-MCTP-D-FL | 20W 110LM/W 30K/35K/40K 2FT, Flat Lens, Can Adj. to 75% or 50% |
| SCXT-4FT-20-40W-MCTP-D-FL | 40W 110LM/W 30K/35K/40K 4FT, Flat Lens, Can Adj. to 75% or 50% |
| SCXT-8FT-40-80W-MCTP-D-FL | 80W 110LM/W 30K/35K/40K 8FT, Flat Lens, Can Adj. to 75% or 50% |
| SCXT-L2FT-20-40W-MCTP-D-FL | 40W 110LM/W 30K/35K/40K 2FT. L-Shape, Flat Lens, Can Adj. to 75% or 50% |
| OPT-SCXT-ULM-2FT-MCTP | 2Ft Uplighting Factory-Installed Adder Option - Directs 30% Of Power To Up |
| OPT-SCXT-ULM-4FT-MCTP | 4Ft Uplighting Factory-Installed Adder Option - Directs 30% Of Power To Up |
| OPT-SCXT-ULM-8FT-MCTP | 8Ft Uplighting Factory-Installed Adder Option - Directs 30% Of Power To Up |
| SCXT-DRVK-RJ11-20W | SCXT Series 20W Driver Kit With Power & CCT Selection Switches |
| SCXT-DRVK-RJ11-40W | SCXT Series 40W Driver Kit With Power & CCT Selection Switches |
| SCXT-DRVK-RJ11-80W | SCXT Series 80W Driver Kit With Power & CCT Selection Switches |
| SCXT-TGRID-DSP1 | SCXT Series T-Grid Driver Support Platform For Up To 80W Driver Kit |
| SCXT-CMP-RJ11-6FT | Comm. Multi-Purp. Extension Cable With RJ11 Ends - 6Ft |
| SCXT-CMP-RJ11-8FT | Comm. Multi-Purp. Extension Cable With RJ11 Ends - 8Ft |
| SCXT-CMP-RJ11-12FT | Comm. Multi-Purp. Extension Cable With RJ11 Ends - 12Ft |
| SCXT-CMP-RJ11-24FT | Comm. Multi-Purp. Extension Cable With RJ11 Ends - 24Ft |
| SCXT-RJ11-COUP | RJ11 Coupling Female To Female |

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

| WATTS | EM OPTION | DESCRIPTION | PHOTOCELL | DESCRIPTION | PAINT | SENSOR | DESCRIPTION |
|-------|-------------|-------------|-----------|-------------|---|--------|-------------|
| SCXT | OPT-EM-SCXT | EXTERNAL | N/A | N/A | OPT-CLR-SCXT-2FT(BK/GR/SR/WH) OPT-CLR-SCXT-4FT(BK/GR/SR/WH) OPT-CLR-SCXT-8FT(BK/GR/SR/WH) OPT-CLR-SCXT-L2FT(BK/GR/SR/WH) | N/A | N/A |



SHOWN WITH
RECESSED MOUNTING FLANGES
SEE OPTION ON PAGE 106



SHOWN WITH
SUSPENSION KIT



SCL-4CS10

ADJ. 10FT 1/16in QUAD CABLE SUSP.
CANOPY KIT, KEYHOLE CONNECTORS
(NO CORD INCL.)

2.75IN SCX 2X2 & 2X4 LINEAR LIGHT

| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|----------------------|--------------------------------------|-----------|
| SCX-2X2-40-80W-MCTP | 40W/60W/80W 110LM/W 30K/35K/40K/50K | 1 |
| SCX-2X4-60-120W-MCTP | 60W/90W/120W 110LM/W 30K/35K/40K/50K | 1 |



1 QUARTER CIRCLE SHOWN WITH SUSPENSION KITS



CREATED WITH 4 QUARTER CIRCLES



CREATED WITH 4 QUARTER CIRCLES SHOWN WITH SUSPENSION KIT



SCL-3CS10

ADJ. 10FT 1/16in TRIPLE-CABLE SUSPENSION CANOPY KIT WITH KEYHOLE END CONNECTORS (NO CORD INCL.)



SCX QUARTER OF CIRCLE 4CCT

| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|--------------------------|--------------------------------|-----------|
| SCXC-Q24-10W-MCT4 | 10W 1100LM 30K/35K/40K/50K 24" | 1 |
| SCXC-Q36-20W-MCT4 | 20W 2200LM 30K/35K/40K/50K 36" | 1 |
| SCXC-Q48-25W-MCT4 | 25W 2750LM 30K/35K/40K/50K 48" | 1 |

HIGH-OUTPUT ROUND LINEAR CHANDELIER, UP/DOWN LIGHT WITH SEPARATE CONTROLS, POWER AND CCT ADJUSTABLE



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|--------------------------|---------------------------------------|-----------|
| SRC-D24UD-MCTP-BK | 0W/40W/80W 65LM/W 30K/35K/40K Black | 1 |
| SRC-D24UD-MCTP | 0W/40W/80W 65LM/W 30K/35K/40K | 1 |
| SRC-D36UD-MCTP-BK | 0W/80W/120W 65LM/W 30K/35K/40K Black | 1 |
| SRC-D36UD-MCTP | 0W/80W/120W 65LM/W 30K/35K/40K | 1 |
| SRC-D48UD-MCTP-BK | 0W/120W/160W 65LM/W 30K/35K/40K Black | 1 |
| SRC-D48UD-MCTP | 0W/120W/160W 65LM/W 30K/35K/40K | 1 |




FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

| WATTS | EM OPTION | DESCRIPTION | VANDAL RES. | DESCRIPTION | PAINT | SENSOR | DESCRIPTION |
|-------|------------|-------------|-------------|-------------|-------|--------|-------------|
| ALL | OPT-EM-SRC | INTERNAL | N/A | N/A | N/A | N/A | N/A |

SCX CUSTOM DESIGN QUOTES - CALL

we can do SCX custom design quotes. Please call for more info.





WALL MOUNTING WITH 5 INCH ARMS (ADD-ON OPTION, DOES NOT INCLUDE FIXTURE)

CATALOG NO. DESCRIPTION

ADD THIS OPTION TO THE FIXTURE AND WALL MOUNTING ARMS WITH WALL CANOPY WILL BE INSTALLED ON BACK OF FIXTURE. THE LENGTH OF EACH ARM IS 5". CONNECTION CABLES WILL ENTER THE FIXTURE THROUGH ONE OF THE ARMS. ON YOUR PURCHASE ORDER SPECIFY THE POSITION OF YOUR WIRE ENTRY FROM THE WALL AND THE ARM WILL BE INSTALLED ON THE BACK ACCORDINGLY.

| | |
|------------------------|-----|
| OPT-SCX-WMA-1FT | 1FT |
| OPT-SCX-WMA-2FT | 2FT |
| OPT-SCX-WMA-3FT | 3FT |
| OPT-SCX-WMA-4FT | 4FT |
| OPT-SCX-WMA-6FT | 6FT |
| OPT-SCX-WMA-8FT | 8FT |




WALL MOUNTING (ADD-ON OPTION, DOES NOT INCLUDE FIXTURE)

CATALOG NO. DESCRIPTION

ADD THIS OPTION TO THE FIXTURE AND WALL MOUNTING BRACKETS WILL BE INSTALLED ON BACK OF FIXTURE. CONNECTION CABLES WILL ENTER THE FIXTURE THROUGH ONE OF THESE WALL-MOUNTING BRACKETS. ON YOUR PURCHASE ORDER SPECIFY THE POSITION OF YOUR WIRE ENTRY FROM THE WALL AND THE BRACKETS WILL BE INSTALLED ON THE BACK ACCORDINGLY.

| | |
|------------------------|-----|
| OPT-SCX-WM-1FT | 1FT |
| OPT-SCX-WM-2FT | 2FT |
| OPT-SCX-WM-3FT | 3FT |
| OPT-SCX-WM-4FT | 4FT |
| OPT-SCX-WM-6FT | 6FT |
| OPT-SCX-WM-8FT | 8FT |
| OPT-SCXR-WM-4FT | 4FT |
| OPT-SCXR-WM-8FT | 8FT |



SURFACE MOUNTING

DESCRIPTION

YOU DO NOT NEED TO ORDER ANY ACCESSORIES. SCREW AND ANCHOR KIT PROVIDED WITH EACH FIXTURE CAN BE USED TO FASTEN THE FIXTURE DIRECTLY TO THE HARD SURFACE THROUGH THE HOLES ON TOP OF THE FIXTURE.

NOT APPLICABLE TO INDIRECT SERIES



SCX CONTINUOUS FLEXIBLE LENS 25FT OR 100FT

CATALOG NO. DESCRIPTION

| | |
|----------------------------|-------|
| SCX-FLEXLENS-25FT | 25FT |
| SCX-FLEXLENS-100FT | 100FT |
| SCX2-FLEXLENS-25FT | 25FT |
| SCX2-FLEXLENS-100FT | 100FT |
| SCX4-FLEXLENS-25FT | 25FT |
| SCX4-FLEXLENS-100FT | 100FT |


SUSPENSION ROD KITS

CATALOG NO. DESCRIPTION



| | | |
|------------------|---------|----------|
| SCL-RS-12 | 12 INCH | Set of 2 |
| SCL-RS-18 | 18 INCH | Set of 2 |
| SCL-RS-24 | 24 INCH | Set of 2 |
| SCL-RS-36 | 36 INCH | Set of 2 |
| SCL-RS-48 | 48 INCH | Set of 2 |

NOT APPLICABLE TO INDIRECT, SCXR SERIES



SCX INSTALLED ACOUSTIC OPTIONS

CATALOG NO. DESCRIPTION

| | |
|-----------------------------------|-----|
| OPT-SCX-AK-2FT-9MM-HY2204 | 2FT |
| OPT-SCX-AK-4FT-9MM-HY2204 | 4FT |
| OPT-SCX-AK-6FT-9MM-HY2204 | 6FT |
| OPT-SCX-AK-8FT-9MM-HY2204 | 8FT |
| OPT-SCX-AK-2FT-9MM-HY2210 | 2FT |
| OPT-SCX-AK-4FT-9MM-HY2210 | 4FT |
| OPT-SCX-AK-6FT-9MM-HY2210 | 6FT |
| OPT-SCX-AK-8FT-9MM-HY2210 | 8FT |
| OPT-SCX4-AK-2FT-9MM-HY2204 | 2FT |
| OPT-SCX4-AK-4FT-9MM-HY2204 | 4FT |
| OPT-SCX4-AK-6FT-9MM-HY2204 | 6FT |
| OPT-SCX4-AK-8FT-9MM-HY2204 | 8FT |
| OPT-SCX4-AK-2FT-9MM-HY2210 | 2FT |
| OPT-SCX4-AK-4FT-9MM-HY2210 | 4FT |
| OPT-SCX4-AK-6FT-9MM-HY2210 | 6FT |
| OPT-SCX4-AK-8FT-9MM-HY2210 | 8FT |



SCX-WK01



SCX2-WK02



MAPLE



WALNUT




FRENCH
OAK



EBONY

WOOD TRIMS

| CATALOG NO. | DESCRIPTION |
|--------------------------|------------------------|
| OPT-SCX2-WK02-2FT-MAPLE | 2FT -MAPLE FINISH |
| OPT-SCX2-WK02-4FT-MAPLE | 4FT -MAPLE FINISH |
| OPT-SCX2-WK02-6FT-MAPLE | 6FT -MAPLE FINISH |
| OPT-SCX2-WK02-8FT-MAPLE | 8FT -MAPLE FINISH |
| OPT-SCX2-WK02-2FT-WALNUT | 2FT -WALNUT FINISH |
| OPT-SCX2-WK02-4FT-WALNUT | 4FT -WALNUT FINISH |
| OPT-SCX2-WK02-6FT-WALNUT | 6FT -WALNUT FINISH |
| OPT-SCX2-WK02-8FT-WALNUT | 8FT -WALNUT FINISH |
| OPT-SCX2-WK02-2FT-FREOAK | 2FT -FRENCH OAK FINISH |
| OPT-SCX2-WK02-4FT-FREOAK | 4FT -FRENCH OAK FINISH |
| OPT-SCX2-WK02-6FT-FREOAK | 6FT -FRENCH OAK FINISH |
| OPT-SCX2-WK02-8FT-FREOAK | 8FT -FRENCH OAK FINISH |
| OPT-SCX2-WK02-2FT-EBONY | 2FT -EBONY FINISH |
| OPT-SCX2-WK02-4FT-EBONY | 4FT -EBONY FINISH |
| OPT-SCX2-WK02-6FT-EBONY | 6FT -EBONY FINISH |
| OPT-SCX2-WK02-8FT-EBONY | 8FT -EBONY FINISH |
| OPT-SCX-WK01-2FT-MAPLE | 2FT -MAPLE FINISH |
| OPT-SCX-WK01-4FT-MAPLE | 4FT -MAPLE FINISH |
| OPT-SCX-WK01-6FT-MAPLE | 6FT -MAPLE FINISH |
| OPT-SCX-WK01-8FT-MAPLE | 8FT -MAPLE FINISH |
| OPT-SCX-WK01-2FT-WALNUT | 2FT -WALNUT FINISH |
| OPT-SCX-WK01-4FT-WALNUT | 4FT -WALNUT FINISH |
| OPT-SCX-WK01-6FT-WALNUT | 6FT -WALNUT FINISH |
| OPT-SCX-WK01-8FT-WALNUT | 8FT -WALNUT FINISH |
| OPT-SCX-WK01-2FT-FREOAK | 2FT -FRENCH OAK FINISH |
| OPT-SCX-WK01-4FT-FREOAK | 4FT -FRENCH OAK FINISH |
| OPT-SCX-WK01-6FT-FREOAK | 6FT -FRENCH OAK FINISH |
| OPT-SCX-WK01-8FT-FREOAK | 8FT -FRENCH OAK FINISH |
| OPT-SCX-WK01-2FT-EBONY | 2FT -EBONY FINISH |
| OPT-SCX-WK01-4FT-EBONY | 4FT -EBONY FINISH |
| OPT-SCX-WK01-6FT-EBONY | 6FT -EBONY FINISH |
| OPT-SCX-WK01-8FT-EBONY | 8FT -EBONY FINISH |



COLOR OF YOUR CHOICE

CATALOG NO.

ADD THIS OPTION TO THE FIXTURE AND SPECIFY YOUR DESIRED COLOR ON YOUR PURCHASE ORDER OR PROVIDE A SWATCH TO MATCH. FOR PAINTED FLANGED FIXTURES OR OPTIONAL ROD MOUNTING SET PLEASE ALSO ADD THE RELEVANT OPTION BELOW FOR EACH FIXTURE.

- OPT-CLR-SCX-1FT(BK/GR/SR/WH)
- OPT-CLR-SCX-2FT(BK/GR/SR/WH)
- OPT-CLR-SCX-3FT(BK/GR/SR/WH)
- OPT-CLR-SCX-4FT(BK/GR/SR/WH)
- OPT-CLR-SCX-6FT(BK/GR/SR/WH)
- OPT-CLR-SCX-8FT(BK/GR/SR/WH)
- OPT-CLR-SCX-FMR(BK/GR/SR/WH)
- OPT-CLR-SCX-RODSET(BK/GR/SR/WH)
- OPT-CLR-SCX-CORNERS(BK/GR/SR/WH)
- OPT-CLR-SCL-RS(BK/GR/SR/WH)

BLUE OR GREEN OR PURPLE ACCENT UPLIGHT

CATALOG NO.

ADD THIS OPTION TO THE UPLIGHT OPTION TO GET BLUE OR GREEN ACCENT UPLIGHT. (UPLIGHT OPTION MUST BE INCLUDED)

- OPT-SCX-ULM-BU Blue
- OPT-SCX-ULM-GR Green
- OPT-SCX-ULM-PU Purple

REDUCED WATTAGE/LUMENS (SPECIFY)

CATALOG NO.

- OPT-SCX-WTD-2FT Wattage-Tunable Driver 2FT 10/15/20W
- OPT-SCX-WTD-3FT Wattage-Tunable Driver 3FT 15/22.5/30W
- OPT-SCX-WTD-4FT Wattage-Tunable Driver 4FT 20/30/40W
- OPT-SCX-WTD-6FT Wattage-Tunable Driver 6FT 30/45/60W
- OPT-SCX-WTD-8FT Wattage-Tunable Driver 8FT 40/60/80W

WALL MOUNTING WITH 5 INCH ARMS (ADD-ON OPTION, DOES NOT INCLUDE FIXTURE)

CATALOG NO. DESCRIPTION


ADD THIS OPTION TO THE FIXTURE AND WALL MOUNTING ARMS WITH WALL CANOPY WILL BE INSTALLED ON BACK OF FIXTURE. THE LENGTH OF EACH ARM IS 5". CONNECTION CABLES WILL ENTER THE FIXTURE THROUGH ONE OF THE ARMS. ON YOUR PURCHASE ORDER SPECIFY THE POSITION OF YOUR WIRE ENTRY FROM THE WALL AND THE ARM WILL BE INSTALLED ON THE BACK ACCORDINGLY.

- OPT-SCX-WMA-1FT 1FT
- OPT-SCX-WMA-2FT 2FT
- OPT-SCX-WMA-3FT 3FT
- OPT-SCX-WMA-4FT 4FT
- OPT-SCX-WMA-6FT 6FT
- OPT-SCX-WMA-8FT 8FT

DEDICATED WIRING FOR UPLIGHT CONTROL

CATALOG NO. DESCRIPTION

- OPT-SCX-ULC-2FT-MCT4 2FT
- OPT-SCX-ULC-3FT-MCT4 3FT
- OPT-SCX-ULC-4FT-MCT4 4FT
- OPT-SCX-ULC-6FT-MCT4 6FT
- OPT-SCX-ULC-8FT-MCT4 8FT




RECESSED MOUNT WITH FLANGE (ADD-ON OPTION, DOES NOT INCLUDE FIXTURE)

CATALOG NO. DESCRIPTION

ADD THIS OPTION TO THE FIXTURE AND THE FIXTURE WILL BE EQUIPPED WITH A 1/2" WIDE FLANGE ON FOUR SIDES. ADVANCED DESIGN TOGGLE STYLE BRACKETS WILL ALSO BE PROVIDED, TO ADJUST AND HOLD THE FIXTURE AGAINST DRYWALL OR OTHER HARD CEILING FROM THE TOP.
WHEN LINKING TO ANOTHER FIXTURE OR CORNER MODULE, CALL US OR SEND A COPY OF YOUR PLAN ALONG WITH YOUR PO AND FLANGES WILL BE REMOVED ON THOSE ENDS THAT NEED TO MAKE A SEAMLESS CONNECTIONS.

| | |
|------------------|---------------|
| OPT-SCX-FMR-1FT | 1FT |
| OPT-SCX-FMR-2FT | 2FT |
| OPT-SCX-FMR-3FT | 3FT |
| OPT-SCX-FMR-4FT | 4FT |
| OPT-SCX-FMR-6FT | 6FT |
| OPT-SCX-FMR-8FT | 8FT |
| OPT-SCX-FMR-L | L |
| OPT-SCX-FMR-T | T |
| OPT-SCX-FMR-X | X |
| OPT-SCX-FMR-Y | Y |
| OPT-SCX-FMR-IC | INSIDE CORNER |
| OPT-SCX2-FMR-1FT | 1FT |
| OPT-SCX2-FMR-2FT | 2FT |
| OPT-SCX2-FMR-3FT | 3FT |
| OPT-SCX2-FMR-4FT | 4FT |
| OPT-SCX2-FMR-6FT | 6FT |
| OPT-SCX2-FMR-8FT | 8FT |
| OPT-SCX2-FMR-L | L |
| OPT-SCX2-FMR-T | T |
| OPT-SCX2-FMR-X | X |
| OPT-SCX2-FMR-Y | Y |
| OPT-SCX2-FMR-IC | INSIDE CORNER |
| OPT-SCX4-FMR-1FT | 1FT |
| OPT-SCX4-FMR-2FT | 2FT |
| OPT-SCX4-FMR-3FT | 3FT |
| OPT-SCX4-FMR-4FT | 4FT |
| OPT-SCX4-FMR-6FT | 6FT |
| OPT-SCX4-FMR-8FT | 8FT |
| OPT-SCX4-FMR-L | L |
| OPT-SCX4-FMR-T | T |
| OPT-SCX4-FMR-X | X |
| OPT-SCX4-FMR-Y | Y |
| OPT-SCX4-FMR-IC | INSIDE CORNER |
| OPT-SCX6-FMR-1FT | 1FT |
| OPT-SCX6-FMR-2FT | 2FT |
| OPT-SCX6-FMR-3FT | 3FT |
| OPT-SCX6-FMR-4FT | 4FT |
| OPT-SCX6-FMR-6FT | 6FT |
| OPT-SCX6-FMR-8FT | 8FT |
| OPT-SCX6-FMR-L | L |
| OPT-SCX6-FMR-T | T |
| OPT-SCX6-FMR-X | X |
| OPT-SCX6-FMR-Y | Y |
| OPT-SCX6-FMR-IC | INSIDE CORNER |
| OPT-SCX-FMR-2X2 | 2X2 |
| OPT-SCX-FMR-2X4 | 2X4 |

NOT APPLICABLE TO INDIRECT, SCXR SERIES




FLANGELESS RECESS MOUNT IN DRYWALL (MUD-IN) (ADD-ON OPTION, DOES NOT INCLUDE FIXTURE)

CATALOG NO. DESCRIPTION

ORDER THIS OPTION AND THE FIXTURE WILL BE EQUIPPED WITH MUD-IN BRACKETS ON ALL FOUR SIDES, MOUNTED AT 1/16" FROM THE LENS SURFACE (SPECIFY IF OTHER SPACING IS NEEDED).
WHEN LINKING TO ANOTHER FIXTURE OR CORNER FIXTURE MODULE CALL US OR SEND A COPY OF YOUR PLAN ALONG WITH YOUR PO AND FLANGES WILL BE REMOVED ON THOSE ENDS THAT NEED TO MAKE A SEAMLESS CONNECTION.

| | |
|-----------------|---------------|
| OPT-SCX-MIF-1FT | 1FT |
| OPT-SCX-MIF-2FT | 2FT |
| OPT-SCX-MIF-3FT | 3FT |
| OPT-SCX-MIF-4FT | 4FT |
| OPT-SCX-MIF-6FT | 6FT |
| OPT-SCX-MIF-8FT | 8FT |
| OPT-SCX-MIF-2X2 | 2X2 |
| OPT-SCX-MIF-2X4 | 2X4 |
| OPT-SCX-MIF-L | L |
| OPT-SCX-MIF-T | T |
| OPT-SCX-MIF-X | X |
| OPT-SCX-MIF-Y | Y |
| OPT-SCX-MIF-IC | INSIDE CORNER |

NOT APPLICABLE TO INDIRECT, SCXR SERIES



FLANGELESS RECESSED INSTALLATION IN WOOD CEILING

DESCRIPTION

YOU DO NOT NEED TO ORDER ANY ACCESSORIES.

MAKE RECESSED PREPARATIONS BY INSTALLING A HORIZONTAL PLANK OF WOOD ON TOP OF THE WOOD CEILING AT RECESSED HEIGHT OF 3-3/8".

SCREW AND ANCHOR KIT PROVIDED WITH EACH FIXTURE CAN BE USED TO FASTEN THE TOP OF THE FIXTURE TO THE WOOD PLANK THROUGH THE HOLES ON TOP OF THE FIXTURE.

YOU CAN ALSO INSTALL VERTICAL WOOD BOARDS ON TOP OF THE CEILING AT THE EDGE OF THE OPENING AND OPEN THE FIXTURE AND PUT SCREWS THROUGH THE SIDES OF THE FIXTURE HOUSING TO FASTEN IT TO THE WOOD BOARDS.

NOT APPLICABLE TO INDIRECT, SCXR SERIES

SCX TRIAC DIMMING

CATALOG NO.

| | |
|-------------------|-----------------------------------|
| OPT-SCX-1FT-TRIAC | SCX, SCX2, SCX4 1FT TRIAC DIMMING |
| OPT-SCX-2FT-TRIAC | SCX, SCX2, SCX4 2FT TRIAC DIMMING |
| OPT-SCX-3FT-TRIAC | SCX, SCX2, SCX4 3FT TRIAC DIMMING |
| OPT-SCX-4FT-TRIAC | SCX, SCX2, SCX4 4FT TRIAC DIMMING |
| OPT-SCX-6FT-TRIAC | SCX, SCX2, SCX4 6FT TRIAC DIMMING |
| OPT-SCX-8FT-TRIAC | SCX, SCX2, SCX4 8FT TRIAC DIMMING |



NOT APPLICABLE TO INDIRECT, SCXR SERIES


T-BAR INSTALLATION (ADD-ON OPTION, DOES NOT INCLUDE FIXTURE)

| CATALOG NO. | DESCRIPTION |
|--|---|
| ADD THIS OPTION TO THE FIXTURE AND 1/2" WIDE FLANGES WILL BE INSTALLED ON THE TWO LONG SIDES OF THE FIXTURE. THE TWO ENDS OF THE FIXTURE WILL FALL ONTO THE T-BAR GRIDS AND WILL BE SUPPORTED THIS WAY. THE T-BAR TILES ON THE TWO SIDES OF THE FIXTURE MUST BE CUT TO ALLOW FOR THE WIDTH OF THE FIXTURE. THE TILES WILL FALL ONTO AND BE SUPPORTED BY THE FLANGES ON BOTH SIDES OF THE FIXTURE. IF YOU PLAN TO SUPPORT THE FIXTURE BY THE GRIDS ON THREE SIDES AND TILE ON ONE SIDE, CALL US OR SPECIFY ON YOUR PO AND FLANGE WILL BE INSTALLED ONLY ON ONE SIDE OF THE FIXTURE. TO PROVIDE SAFETY AND SUPPORT FROM THE BEAMS ABOVE THE T-BAR CEILING ORDER 10FT OR 20FT AIRCRAFT SUSPENSION KITS BELOW. | |
| OPT-SCX-TBAR-1FT | 1FT |
| OPT-SCX-TBAR-2FT | 2FT |
| OPT-SCX-TBAR-4FT | 4FT |
| OPT-SCX-TBAR-6FT | 6FT |
| OPT-SCX-TBAR-8FT | 8FT |
| OPT-SCX-TBAR-2X2 | 2X2 |
| OPT-SCX-TBAR-2X4 | 2X4 |
| OPT-FWH-63 | 6FT 3-WIRE FLEX WHIP |
| OPT-FWH-65 | 6FT 5-WIRE FLEX WHIP |
| OPT-FWH-66 | 6FT 6-WIRE FLEX WHIP |
| SCL-GS10 | ADJ. 10FT 1/16in DOUBLE SUSPENSION CABLE WITH SINGLE KEYHOLE CONN., LOOP GRIPPER ON TOP |
| SCL-GS20 | ADJ. 20FT 1/16in DOUBLE SUSPENSION CABLE WITH SINGLE KEYHOLE CONN., LOOP GRIPPER ON TOP |
| SCL-GSY110 | ADJ. 10FT 1/16IN SINGLE SUSPENSION CABLE WITH Y HOOK ENDS, LOOP GRIPPER ON TOP |
| SCL-GSY120 | ADJ. 20FT 1/16IN SINGLE SUSPENSION CABLE WITH Y HOOK ENDS, LOOP GRIPPER ON TOP |



EMERGENCY BATTERY BACKUP

| CATALOG NO. | DESCRIPTION |
|--|-------------------------|
| ADD THIS OPTION FOR 90-MINUTE BATTERY BACKUP INSTALLATION. IF ORDERING A SERIES OF THIS FIXTURE TO LINK, CALL US OR SPECIFY ON YOUR PURCHASE ORDER, ON WHICH FIXTURES TO INSTALL THE BACKUP AND WHERE YOU WOULD LIKE THE TEST BUTTONS. | |
| OPT-EM-SCX | 1FT, 2FT, 3FT, 4FT, 6FT |
| OPT-EM-SCX-8FT | 8FT |
| OPT-EM-SCX2 | 1FT, 2FT, 3FT, 4FT, 6FT |
| OPT-EM-SCX2-8FT | 8FT |
| OPT-EM-SCX4 | 1FT, 2FT, 3FT, 4FT, 6FT |
| OPT-EM-SCX4-8FT | 8FT |
| OPT-EM-SCX6 | 2FT, 3FT, 4FT, 6FT |
| OPT-EM-SCX6-8FT | 8FT |
| OPT-EM-SCX-2X2-2X4 | 2X2, 2X4 |




MICROWAVE BI-LEVEL MOTION SENSORS

| CATALOG NO. | DESCRIPTION |
|--|--|
| THIS OPTION INSTALLS AN ADVANCED MOTION SENSOR THAT WILL TURN THE LIGHTS ON WHEN THE AREA IS OCCUPIED. WHEN THE AREA IS CLEARED, AFTER A PRESET HOLD TIME OF 5 SECONDS OR MORE, THE LIGHTS ARE DIMMED TO A STANDBY LEVEL OF 30% OR MORE. IF STILL NO MOTION IS DETECTED, AFTER THE STANDBY PERIOD, THE LIGHTS ARE TURNED OFF. ALL SETTINGS ARE PROGRAMMABLE WITH A REMOTE CONTROL. | |
| OPT-SEN-SCX-3MRLV-5 | PROGRAMMABLE MICROWAVE BI-LEVEL |
| OPT-SEN-SCXR | PROGRAMMABLE MICROWAVE BI-LEVEL FOR SCXR |
| WEC-8RC | OPTIONAL REMOTE CONTROL FOR SENSOR |
| OPT-SEN-2US-DAYLIGHT INTERNAL FOR ALL MODELS | ULTRASONIC BI-LEVEL DIMMING (REMOTE NOT NEEDED) DAYLIGHT SENSOR |
| OPT-SEN-SCX2 | PROGRAMMABLE MICROWAVE BI-LEVEL |
| OPT-SEN-SCX4 | PROGRAMMABLE MICROWAVE BI-LEVEL |
| OPT-SEN-SCX6 | PROGRAMMABLE MICROWAVE BI-LEVEL |
| SCX-UVC-12W | SCX ANTIVIRUS UVC SECTION 12w 280nm UV LIGHT WITH REVERSE-LOGIC SENSOR |
| WEC-3RC | OPTIONAL REMOTE CONTROL FOR SENSOR |

COMMERCIAL
LINEAR
LIGHTS



Direct Light



Indirect Light

EURO-DESIGN DIE-CAST SUSPENDED LINEAR LIGHT, POWER & CCT SELECTABLE DIRECT OR INDIRECT - REVERSIBLE



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|-------------------------------|---|-----------|
| SCP-4FT-20-30W-MCTP | 20W/25W/30W 80LM/W 3000K/3500K/4000K | 12 |
| SCP-8FT-40-60W-MCTP | 40W/50W/60W 80LM/W 3000K/3500K/4000K | 12 |
| SCP-4FT-20-30W-MCTP-BK | 20W/25W/30W 80LM/W 3000K/3500K/4000K | 12 |
| SCP-8FT-40-60W-MCTP-BK | 40W/50W/60W 80LM/W 3000K/3500K/4000K | 12 |

FOR FACTORY-INSTALLED OPTIONS SEE BELOW SCPL PAGE 110



POWER & CCT- ADJUSTABLE LINEAR TUBE DECORATIVE SUSP. LIGHT



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|--------------------------------|--|-----------|
| SDTL-4FT-20-30W-MCTP | 20W/25W/30W 105LM/W 30K/35K/40K White | 4 |
| SDTL-6FT-25-50W-MCTP | 25W/40W/50W 105LM/W 30K/35K/40K White | 4 |
| SDTL-8FT-40-60W-MCTP | 40W/50W/60W 105LM/W 30K/35K/40K White | 4 |
| SDTL-4FT-20-30W-MCTP-BK | 20W/25W/30W 105LM/W 30K/35K/40K Black | 4 |
| SDTL-6FT-25-50W-MCTP-BK | 25W/40W/50W 105LM/W 30K/35K/40K Black | 4 |
| SDTL-8FT-40-60W-MCTP-BK | 40W/50W/60W 105LM/W 30K/35K/40K Black | 4 |



POWER & CCT-ADJUSTABLE LED SUSPENDED FRAME FIXTURES, 120-277V



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|----------------------------|---|-----------|
| SFL-4FT-60W-MCTP | 40W/50W/60W 7000LM 30K/35K/40K White | 4 |
| SFL-4FT-60W-MCTP-BK | 40W/50W/60W 7000LM 30K/35K/40K Black | 4 |
| SFL-4FT-60W-MCTP-GD | 40W/50W/60W 7000LM 30K/35K/40K Gold | 4 |

COMMERCIAL
SUSPENDED
LIGHTS



4Ft



SCLP-CB



SCLT-4FT

LED PARABOLIC SUSPENDED DOWN LIGHT, 120~277V

Aluminum Finish



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|--------------------|---|-----------|
| SCLP-4FT-40W-50K-D | 40W 4600LM 5000K WHILE SUPPLIES LAST | 2 |
| SCLP-4FT-40W-35K-D | 40W 4600LM 3500K WHILE SUPPLIES LAST | 2 |
| SCLP-4FT-40W-MCT-D | 40W 4600LM 3500K/4000K/5000K MCT | 2 |
| SCLT-4FT-40W-50K-D | 40W 4600LM 5000K WHILE SUPPLIES LAST | 2 |
| SCLT-4FT-40W-40K-D | 40W 4600LM 4000K WHILE SUPPLIES LAST | 2 |
| SCLT-4FT-40W-35K-D | 40W 4600LM 3500K WHILE SUPPLIES LAST | 2 |
| SCLT-4FT-40W-MCT-D | 40W 4600LM 3500K/4000K/5000K MCT | 2 |
| SCLP-CB | COUPLING BRACKET | - |



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

| WATTS | EM OPTION | DESCRIPTION | UP LIGHT | DESCRIPTION | PAINT | SENSOR | DESCRIPTION |
|------------|---------------|-------------|--------------|-------------------|-------|---------------|---------------|
| ALL MODELS | OPT-EM-AC2EXT | EXTERNAL | OPT-SLCP-ULK | UP LIGHT 20W, MCT | N/A | OPT-SLCP-SURF | SURFACE-MOUNT |



SCLP-UD-CB


LED PARABOLIC SUSPENDED PERH. BASKET & LOUVER UP/DOWN LIGHT, 120~277V

White



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|-----------------------|--|-----------|
| SCLP-UD-4FT-60W-50K-D | 40W/20W 4400LM/2100LM 5000K WHILE SUPPLIES LAST | 1 |
| SCLP-UD-4FT-60W-40K-D | 40W/20W 4400LM/2100LM 4000K WHILE SUPPLIES LAST | 1 |
| SCLP-UD-4FT-60W-35K-D | 40W/20W 4400LM/2100LM 3500K WHILE SUPPLIES LAST | 1 |
| SCLP-UD-4FT-60W-MCT-D | 40W/20W 4400LM/2100LM 3500K/4000K/5000K MCT | 1 |
| SCLP-UD-CB | COUPLING BRACKET | - |

SUSPENSION KIT & CABLE NOT INCLUDED SEE PAGES 119 TO 122, FOR FACTORY-INSTALLED OPTIONS SEE PAGE 110



4Ft



SCLL-CB

LED LINEAR SUSPENDED PERFORATED BASKET LIGHT (UP/DOWN)

White



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|-----------------------|------------------------------------|-----------|
| SCLL-UD-4FT-60W-50K-D | 40W/20W OR 60W 4400LM/2100LM 5000K | 1 |
| SCLL-UD-4FT-60W-40K-D | 40W/20W OR 60W 4400LM/2100LM 4000K | 1 |
| SCLL-UD-4FT-60W-35K-D | 40W/20W OR 60W 4400LM/2100LM 3500K | 1 |
| SCLL-CB | COUPLING BRACKET | - |

SUSPENSION KIT & CABLE NOT INCLUDED SEE PAGES 119 TO 122, FOR FACTORY-INSTALLED OPTIONS SEE PAGE 110

4Ft



SCPP-DEC

LED SUSPENDED 2/3 LOUVER & PERF. CENTER BASKET LIGHT (UP/DOWN)



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|-----------------------|------------------------------------|-----------|
| SCPP-UD-4FT-60W-50K-D | 40W/20W OR 60W 4400LM/2100LM 5000K | 1 |
| SCPP-UD-4FT-60W-40K-D | 40W/20W OR 60W 4400LM/2100LM 4000K | 1 |
| SCPP-UD-4FT-60W-35K-D | 40W/20W OR 60W 4400LM/2100LM 3500K | 1 |
| SCPP-DEC | DECORATIVE END CAP FOR SCPP | - |

SUSPENSION KIT & CABLE NOT INCLUDED SEE PAGES 119 TO 122, FOR FACTORY-INSTALLED OPTIONS SEE SCPL-UD BELOW
COUPLING CLIPS INCLUDED

COMMERCIAL
SUSPENDED
LIGHTS

4Ft



SCLP-UD-CB

LED SUSPENDED 2/3 PERFORATED BASKETLIGHT (UP/DOWN)

White



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|-----------------------|------------------------------------|-----------|
| SCPL-UD-4FT-60W-50K-D | 40W/20W OR 60W 4400LM/2100LM 5000K | 1 |
| SCPL-UD-4FT-60W-40K-D | 40W/20W OR 60W 4400LM/2100LM 4000K | 1 |
| SCPL-UD-4FT-60W-35K-D | 40W/20W OR 60W 4400LM/2100LM 3500K | 1 |
| SCLP-UD-CB | COUPLING BRACKET | - |

SUSPENSION KIT & CABLE NOT INCLUDED SEE PAGES 119 TO 122, FOR FACTORY-INSTALLED OPTIONS SEE BELOW



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

| WATTS | EM OPTION | DESCRIPTION | UP/DOWN LIGHT | DESCRIPTION | PAINT | SENSOR | DESCRIPTION |
|-------|---------------|-------------|---|-------------------------|---------------------------|---|----------------------------------|
| All | OPT-EM-SLIINT | INTERNAL | OPT-SCL-LMT-35K OPT-SCL-LMT-40K OPT-SCL-LMT-50K | UP/DOWN LIGHT MODULE | OPT-CLR-100 (BK/GR/SR/WH) | OPT-SEN-2US INTERNAL FOR ALL MODELS BI-LEVEL DIMMING (REMOTE NOT NEEDED) WEC-3RC | ULTRASONIC REMOTE CONTROL |



4Ft

LED SUSPENDED UP/DOWN CLEAR PANEL LIGHT, 120-277V (SUSPENSION & CORD NOT INCL.)



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|-------------------|--|-----------|
| SPL-4FT-40W-50K-D | 40W 2100LM/2100LM 5000K WHILE SUPPLIES LAST | 2 |
| SPL-4FT-40W-40K-D | 40W 2100LM/2100LM 4000K WHILE SUPPLIES LAST | 2 |
| SPL-4FT-40W-MCT-D | 40W 2100LM/2100LM 3500K/4000K/5000K MCT | 2 |

SEE PAGES 119 TO 122 FOR SUSPENSION & CORD



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

| WATTS | EM OPTION | DESCRIPTION | PHOTOCELL | DESCRIPTION | PAINT | SENSOR | DESCRIPTION |
|------------|------------|-------------|-----------|-------------|-------|--------|-------------|
| ALL MODELS | OPT-EM-SPL | EXTERNAL | N/A | N/A | N/A | N/A | N/A |



LED ARCHITECTURAL ROUND SUSPENDED DOWN LIGHT,
(WITH UP LIGHT OPTION, SEE FACTORY-INSTALLED OPTIONS BELOW)



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|--|---|-----------|
| LED ARCHITECTURAL ROUND SUSPENDED DOWN LIGHT, 24" DIA, 6FT HEIGHT | | |
| SCR-24D-50K-D | 50W 5267LM 5000K WHILE SUPPLIES LAST | 1 |
| SCR-24D-40K-D | 50W 5197LM 4000K WHILE SUPPLIES LAST | 1 |
| MCTP SCR-24D-MCTP-D | 30W/40W/50W 60LM/W 3000K/3500K/4000K | 1 |
| SCR-24D-MCTP-SMB | Surface Mounting Bracket For SCR-24D-MCTP-D | |
| LED ARCHITECTURAL ROUND SUSPENDED DOWN LIGHT, 32" DIA, | | |
| MCTP SCR-32D-MCTP-D | 40W/60W/80W 110LM/W 30K/35K/40K | 1 |
| LED ARCHITECTURAL ROUND SUSPENDED DOWN LIGHT, 48" DIA, | | |
| MCTP SCR-48D-MCTP-D | 60W/80W/100W 110LM/W 30K/35K/40K | 1 |



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

| WATTS | UPLIGHT OPTION | DESCRIPTION | EM OPTION | DESCRIPTION | PAINT | SENSOR | DESCRIPTION |
|------------|--------------------|------------------------|------------|-------------|------------|--|---|
| ALL MODELS | OPT-SCR-ULK | 120V Installation Only | N/A | N/A | N/A | OPT-SEN-2MDR-36 WEC-3RC | PROGRAMMABLE MICROWAVE BI-LEVEL REMOTE CONTROL |



LED SUSPENDED UP/DOWN CLEAR ROUND PANEL LIGHT, 22" DIA., 6FT HEIGHT




| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|-----------------------|--|-----------|
| SRPL-40W-35K-D | 40W 2100LM/2100LM 3500K WHILE SUPPLIES LAST | 1 |
| SRPL-40W-40K-D | 40W 2100LM/2100LM 4000K WHILE SUPPLIES LAST | 1 |
| SRPL-40W-50K-D | 40W 2100LM/2100LM 5000K WHILE SUPPLIES LAST | 1 |
| SRPL-40W-MCT-D | 40W 2100LM/2100LM 3500K/4000K/5000K MCT | 1 |



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

| WATTS | EM OPTION | DESCRIPTION | PHOTOCELL | DESCRIPTION | PAINT | SENSOR | DESCRIPTION |
|------------|--------------------|-------------|------------|-------------|------------|--|---|
| ALL MODELS | OPT-EM-SRPL | INTERNAL | N/A | N/A | N/A | OPT-SEN-2MDR-36 WEC-3RC | PROGRAMMABLE MICROWAVE BI-LEVEL REMOTE CONTROL |



POB-UD-4FT-60W-40K-D



POB-F-3FT-40W



POB-HB-3FT-50W



POB-VB-3FT-56W


COMMERCIAL
SUSPENDED
LIGHTS

PATIENT OVERBED HEALTHCARE LIGHT WITH PULL CHAIN AND INDICATOR LIGHT

FOR FACTORY-INSTALLED EM OPTIONS SEE PAGE 110



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|-----------------------------|---|-----------|
| POB-UD-4FT-60W-40K-D | 20W UP 40W DOWN 6900LM 4000K | 4 |
| POB-F-3FT-40W | 20W UP 20W DOWN 2800LM 27K/30K/40K | 4 |
| POB-HB-3FT-56W | 20W UP 36W DOWN 2800LM 27K/30K/40K | 4 |
| POB-VB-3FT-56W | 20W UP 36W DOWN 2800LM 27K/30K/40K | 4 |



LED LOUVER WALL LIGHTS (UP/DOWN) FOR FACTORY-INSTALLED EM OPTIONS SEE PAGE 110



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|------------------------------|---|-----------|
| WCPL-UD-2FT-25W-MCT-D | 25W 2750LM 3000K/4000K/5000K 2FT | 1 |
| WCPL-UD-4FT-50W-MCT-D | 50W 5500LM 3000K/4000K/5000K 4FT | 1 |



LED PERFORATED WALL LIGHTS (UP/DOWN) FOR FACTORY-INSTALLED EM OPTIONS SEE PAGE 110



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|------------------------------|---|-----------|
| WCPL-UD-2FT-25W-MCT-D | 25W 2750LM 3000K/4000K/5000K 2FT | 1 |
| WCPL-UD-4FT-50W-MCT-D | 50W 5500LM 3000K/4000K/5000K 4FT | 1 |



COMMERCIAL
STRIP
LIGHTS

SPEC SERIES HIGH-LUMEN CCT & POWER ADJUSTABLE LINEAR STRIP



| CATALOG NO. | DESCRIPTION | PKG QTY. |
|----------------------------|---|----------|
| LSS-2FT-25W-MCTP | 15W/17W/20W/25W 130LM/W 35K/40K/50K MCTP | 6 |
| LSS-4FT-34W-MCTP | 24W/27W/30W/34W 130LM/W 35K/40K/50K MCTP | 6 |
| LSS-4FT-46W-MCTP | 29W/34W/39W/46W 130LM/W 35K/40K/50K MCTP | 6 |
| LSS-8FT-65W-MCT | 65W 8800LM 35K/40K/50K MCT | 6 |
| LSS-8FT-90W-MCTP | 85W/75W/65W/55W 130LM/W 35K/40K/50K MCTP | 6 |
| LSS-2FT-25W-MCTP-BK | 15W/17W/20W/25W 130LM/W 35K/40K/50K Black MCTP | 6 |
| LSS-4FT-46W-MCTP-BK | 29W/34W/39W/46W 130LM/W 35K/40K/50K Black MCTP | 6 |
| LSS-8FT-90W-MCTP-BK | 85W/75W/65W/55W 130LM/W 35K/40K/50K Black MCTP | 6 |
| LSS-CB2 | Alignment Bracket for long runs | |
| LSS-CB2-BK | Alignment Bracket for long runs, Black Finish | |
| SCL-CSY1-6FT | Adj. 6Ft 1/16In, 1.5mm Single Suspension 5In Canopy Set With Y Double Keyhole End Connectors, Non Power Side | |
| SCL-CSY1P-6FT | Adj. 6Ft 1/16In, 1.5mm Single Suspension 5In Canopy Set With Y Double Keyhole End Connectors, Power Side With SjtW18/5 White Cord | |
| SCL-CSY1P-6FT-NC | Adj. 6Ft 1/16In, 1.5mm Single Suspension 5In Canopy Set With Y Double Keyhole End Connector | |
| SCL-GSY10 | Adjustable 10 Ft. 1/16", 1.5mm Suspension Kit With Y-Connector & Loop Grip & Hooks(2) | |
| SCL-GSY20 | Adjustable 20 Ft. 1/16", 1.5mm Suspension Kit With Y-Connector & Loop Grip & Hooks(2) | |
| SCL-TBTC-WN | T-Bar Track Clip With Washer And Wing Nut | |

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

| WATTS | EM OPTION | DESCRIPTION | PLUG IN CORD | DESCRIPTION | PAINT | SENSOR | DESCRIPTION |
|-----------|----------------------|-----------------|-------------------------|-------------------------------|------------|---------------------|---------------------------------|
| 2FT & 3FT | OPT-EM-LSS-23 | INTERNAL | OPT-HBC-125TL-WH | 8FT, 15A, 125V, WHITE | N/A | OPT-SEN-2US | ULTRASONIC |
| 4FT | OPT-EM-LSS-4 | INTERNAL | OPT-HBC-277TL-WH | 8FT, 15A, 277V, WHITE | | INTERNAL FOR | BI-LEVEL DIMMING |
| 8FT | OPT-EM-LSS-8 | INTERNAL | OPT-HBC-125SB-WH | 10FT, 15A, 125V, 18/3STR, WHT | | ALL MODELS | |
| | FLEX WHIP | DESCRIPTION | | | | WEC-3RC | (REMOTE NOT NEEDED) |
| | OPT-FWH-63 | 6FT 3-Wire Whip | | | | OPT-2P-58 | OPTIONAL RC |
| | OPT-FWH-65 | 6FT 5-Wire Whip | | | | | PIR SENSOR (Not remote capable) |



BUILDER SERIES NARROW STRIP, 120-277VAC



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|--|--|-----------|
| NARROW STRIP, 120-277VAC | | |
| LSN-2FT-20W-MCT-D | 20W 2600LM 3500K/4000K/5000K | 8 |
| LSN-4FT-32W-35K-D | 32W 4160LM 3500K | 8 |
| LSN-4FT-32W-40K-D | 32W 4160LM 4000K | 8 |
| LSN-4FT-32W-50K-D | 32W 4160LM 5000K | 8 |
| LSN-4FT-40W-35K-D | 40W 5200LM 3500K | 8 |
| LSN-4FT-40W-40K-D | 40W 5200LM 4000K | 8 |
| LSN-4FT-40W-50K-D | 40W 5200LM 5000K | 8 |
| LSN-4FT-40W-MCTP-D | 25W/30W/40W 130LM/W 3500K/4000K/5000K | 8 |
| LSN-8FT-64W-40K-D | 64W 8320LM 4000K | 4 |
| LSN-8FT-64W-50K-D | 64W 8320LM 5000K | 4 |
| LSN-8FT-50W-MCTP-D | 30W/40W/50W 130LM/W 3500K/4000K/5000K | 4 |
| LSN-8FT-80W-MCTP-D | 50W/64W/80W 130LM/W 3500K/4000K/5000K | 4 |
| NARROW STRIP WITH SENSOR (SENSOR CAN BE DISCONNECTED), 120-277VAC | | |
| LSN-2FT-20W-MCT-D-SEN | 20W 2600LM 3500K/4000K/5000K | 8 |
| LSN-4FT-40W-MCTP-D-SEN | 25W/30W/40W 130LM/W 3500K/4000K/5000K | 8 |
| LSN-8FT-80W-MCTP-D-SEN | 50W/64W/80W 130LM/W 3500K/4000K/5000K | 4 |
| NARROW STRIP WITH SENSOR (SENSOR CAN BE DISCONNECTED) & EMERGENCY BACKUP, 120-277VAC | | |
| LSN-2FT-20W-MCT-D-EM-SEN | 20W 2600LM 3500K/4000K/5000K | 8 |
| LSN-4FT-40W-MCTP-D-EM-SEN | 25W/30W/40W 130LM/W 3500K/4000K/5000K | 8 |
| LSN-8FT-80W-MCTP-D-EM-SEN | 50W/64W/80W 130LM/W 3000K/4000K/5000K | 4 |
| LSN-CB | Alignment Bracket for long runs | |
| LSN-2FT-WG | Wire Guard Kit For 2ft LSN Strip Light | |
| LSN-4FT-WG | Wire Guard Kit For 4ft OR Set of 2 For 8 ft LSN Strip Light | |
| SCL-TBTC-WN | T-Bar Track Clip With Washer And Wing Nut | |
| WEC-3RC | Remote Control For Motion Sensors (For Sensor Fixtures) | |
| SCL-CSY1-6FT | Adj. 6Ft 1/16In, 1.5mm Single Suspension 5In Canopy Set With Y Double Keyhole End Connectors, Non Power Side | |
| SCL-CSY1P-6FT | Adj. 6Ft 1/16In, 1.5mm Single Suspension 5In Canopy Set With Y Double Keyhole End Connectors, Power Side With Sjtwt18/5 White Cord | |
| SCL-CSY1P-6FT-NC | Adj. 6Ft 1/16In, 1.5mm Single Suspension 5In Canopy Set With Y Double Keyhole End Connector | |
| SCL-GSY10 | Adjustable 10 Ft. 1/16", 1.5mm Suspension Kit With Y-Connector & Loop Grip & Hooks(2) | |
| SCL-GSY20 | Adjustable 20 Ft. 1/16", 1.5mm Suspension Kit With Y-Connector & Loop Grip & Hooks(2) | |

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

| WATTS | EM OPTION | DESCRIPTION | PLUG IN CORD | DESCRIPTION | PAINT | SENSOR | DESCRIPTION |
|-----------|---------------|-----------------|------------------|-------------------------------|-------|-------------------------|---------------------------------|
| 2FT & 3FT | OPT-EM-LSN-23 | INTERNAL | OPT-HBC-125TL-WH | 8FT, 15A, 125V, WHITE | N/A | OPT-SEN-2US | ULTRASONIC |
| 4FT | OPT-EM-LSN-4 | INTERNAL | OPT-HBC-277TL-WH | 8FT, 15A, 277V, WHITE | | INTERNAL FOR ALL MODELS | BI-LEVEL DIMMING |
| 8FT | OPT-EM-LSN-8 | INTERNAL | OPT-HBC-125SB-WH | 10FT, 15A, 125V, 18/3STR, WHT | | WEC-3RC | (REMOTE NOT NEEDED) |
| | FLEX WHIP | DESCRIPTION | | | | OPT-2P-58 | OPTIONAL RC |
| | OPT-FWH-63 | 6FT 3-Wire Whip | | | | | PIR SENSOR (Not remote capable) |
| | OPT-FWH-65 | 6FT 5-Wire Whip | | | | | |

COMMERCIAL STRIP LIGHTS



SPEC SERIES LED STRIP LIGHT, 120-277V, (FOR SENSOR MODELS: SENSOR CAN BE DISCONNECTED)



| | CATALOG NO. | DESCRIPTION | PKG. QTY. |
|------------|--------------------------|---|-----------|
| 2Ft | LSL-2FT-20W-35K-D | 20W 2100LM 3500K 2FT | 1 |
| | LSL-2FT-20W-40K-D | 20W 2100LM 4000K 2FT | 1 |
| | LSL-2FT-20W-50K-D | 20W 2100LM 5000K 2FT | 1 |
| 3Ft | LSL-2FT-20W-MCT-D | 20W 2270LM 35K/40K/50K 2FT | 1 |
| | LSL-3FT-30W-MCT-D | 30W 3150LM 35K/40K/50K 3FT | 1 |
| | LSL-4FT-40W-35K-D | 40W 4200LM 3500K 4FT | 1 |
| 4Ft | LSL-4FT-40W-40K-D | 40W 4200LM 4000K 4FT | 1 |
| | LSL-4FT-40W-50K-D | 40W 4200LM 5000K 4FT | 1 |
| | LSL-4FT-40W-MCT-D | 40W 4200LM 35K/40K/50K 4FT | 1 |
| 6Ft | LSL-6FT-60W-MCT-D | 60W 7300LM 35K/40K/50K 6FT | 1 |
| | LSL-8FT-80W-40K-D-A | 80W 8400LM 4000K 8FT Split Version, | 1 |
| | LSL-8FT-80W-50K-D-A | 80W 8400LM 5000K 8FT Split Version | 1 |
| 8Ft | LSL-8FT-80W-40K-D | 80W 8400LM 4000K 8FT | 1 |
| | LSL-8FT-80W-50K-D | 80W 8400LM 5000K 8FT | 1 |
| | LSL-8FT-80W-MCT-D | 80W 8400LM 35K/40K/50K 8FT | 1 |
| 8Ft | LSL-8FT-84W-40K-D-HL | 84W 11000LM 4000K 8FT High-Lumen | 1 |
| | LSL-8FT-84W-50K-D-HL | 84W 11000LM 5000K 8FT High-Lumen | 1 |
| | LSL-8FT-84W-MCT-D-HL | 84W 11000LM 35K/40K/50K 8FT High-Lumen | 1 |
| QUICK SHIP | LSL-2FT-20W-MCT-D-SEN | 20W 2100LM 35K/40K/50K 2FT With Sensor | 1 |
| | LSL-4FT-40W-MCT-D-SEN | 40W 4200LM 35K/40K/50K 4FT With Sensor | 1 |
| | LSL-8FT-80W-MCT-D-SEN | 80W 8400LM 35K/40K/50K 8FT With Sensor | 1 |
| QUICK SHIP | LSL-2FT-20W-MCT-D-EM-SEN | 20W 2100LM 35K/40K/50K 2FT With Sensor & EM | 1 |
| | LSL-4FT-40W-MCT-D-EM-SEN | 40W 4200LM 35K/40K/50K 4FT With Sensor & EM | 1 |
| | LSL-8FT-80W-MCT-D-EM-SEN | 80W 8400LM 35K/40K/50K 8FT With Sensor & EM | 1 |
| | LSL-2FT-WG | Wire Guard Kit For 2Ft. Strip Light | |
| | LSL-4FT-WG | Wire Guard Kit For 4Ft. Strip Light | |
| | LSL-4FT-WK | Shop Wings For 4Ft. Strip Light, Use 2 Kits For Lsl-8Ft | |
| | SCL-TBTC-WN | T-Bar Track Clip With Washer And Wing Nut | |
| | SCL-TBC-WN | T-Bar Clip With Suspension Hole On Top, Wing Nut And Washer Incl | |
| | LSL-CB | Alignment Bracket for long runs | |
| | SCL-CSY1-6FT | Adj. 6Ft 1/16In, 1.5mm Single Suspension 5In Canopy Set With Y Double Keyhole End Connectors, Non Power Side | |
| | SCL-CSY1P-6FT | Adj. 6Ft 1/16In, 1.5mm Single Suspension 5In Canopy Set With Y Double Keyhole End Connectors, Power Side With SjtW18/5 White Cord | |
| | SCL-CSY1P-6FT-NC | Adj. 6Ft 1/16In, 1.5mm Single Suspension 5In Canopy Set With Y Double Keyhole End Connector | |
| | SCL-GSY10 | Adjustable 10 Ft. 1/16", 1.5mm Suspension Kit With Y-Connector & Loop Grip & Hooks(2) | |
| | SCL-GSY20 | Adjustable 20 Ft. 1/16", 1.5mm Suspension Kit With Y-Connector & Loop Grip & Hooks(2) | |
| | WEC-3RC | Remote Control For Motion Sensors (For Sensor Fixtures) | |

FOR FACTORY-INSTALLED OPTIONS SEE NEXT PAGE

(SAME FOOTPRINT AS STANDARD 4' 2L FLUOR. STRIPS)



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

| WATTS | EM OPTION | DESCRIPTION | PLUG IN CORD | DESCRIPTION | PAINT | SENSOR | DESCRIPTION |
|-----------|----------------------|-----------------|-------------------------|-------------------------------|-------|--------------------------------|--|
| 2FT & 3FT | OPT-EM-LSL-23 | INTERNAL | OPT-HBC-125TL-WH | 8FT, 15A, 125V, WHITE | N/A | OPT-SEN-2US | ULTRASONIC |
| 4FT | OPT-EM-LSL-4 | INTERNAL | OPT-HBC-277TL-WH | 8FT, 15A, 277V, WHITE | | INTERNAL FOR ALL MODELS | BI-LEVEL DIMMING |
| 8FT | OPT-EM-LSL-8 | INTERNAL | OPT-HBC-125SB-WH | 10FT, 15A, 125V, 18/3STR, WHT | | WEC-3RC | (REMOTE NOT NEEDED) |
| | OPT-FWH-63 | 6FT 3-Wire Whip | | | | OPT-2P-58 | OPTIONAL RC PIR SENSOR (Not remote capable) |
| | OPT-FWH-65 | 6FT 5-Wire Whip | | | | | |

2Ft



4Ft



Add EM and/or Sensor Options to use as Stairwell Fixtures



2FT & 4FT POWER & CCT ADJUSTABLE LINEAR CORNER CORRIDOR

| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|--|---------------------------------------|-----------|
| LCL-2FT-20W-MCTP | 10W/15W/20W 115LM/W 3500K/4000K/5000K | 6 |
| LCL-4FT-40W-MCTP | 20W/30W/40W 115LM/W 3500K/4000K/5000K | 6 |
| POWER & CCT ADJUSTABLE LINEAR CORNER CORRIDOR WITH BI-LVL SENSOR & EMERGENCY BACKUP | | |
| LCL-2FT-20W-MCTP-EM-SEN | 10W/15W/20W 115LM/W 35K/40K/50K | 6 |
| LCL-4FT-40W-MCTP-EM-SEN | 20W/30W/40W 115LM/W 35K/40K/50K | 6 |



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

| WATTS | EM OPTION | DESCRIPTION | PLUG IN CORD | DESCRIPTION | PAINT | SENSOR | DESCRIPTION |
|------------|-------------------|-------------|-------------------------|-------------------------------|-------|--------------------------------|---------------------|
| ALL MODELS | OPT-EM-LCL | INTERNAL | OPT-HBC-125TL-WH | 8FT, 15A, 125V, WHITE | N/A | OPT-SEN-2US | ULTRASONIC |
| | | | OPT-HBC-277TL-WH | 8FT, 15A, 277V, WHITE | | INTERNAL FOR ALL MODELS | BI-LEVEL DIMMING |
| | | | OPT-HBC-125SB-WH | 10FT, 15A, 125V, 18/3STR, WHT | | WEC-3RC | (REMOTE NOT NEEDED) |
| | | | | | | OPT-2P-58 | OPTIONAL RC |

LED 4FT. 2-LAMP STRIP RETROFIT KIT



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|--------------------------|-----------------------|-----------|
| SLR-4FT-40W-50K-D | 40W 4400LM 5000K 4FT. | 12 |

4Ft



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

| WATTS | EM OPTION | DESCRIPTION | PHOTOCELL | DESCRIPTION | PAINT | SENSOR | DESCRIPTION |
|------------|-------------------|-------------|-----------|-------------|-------|------------------------|---------------------------------|
| ALL MODELS | OPT-EM-SLR | INTERNAL | N/A | N/A | N/A | OPT-SEN-2MDR-36 | PROGRAMMABLE MICROWAVE BI-LEVEL |
| | | | | | | WEC-3RC | REMOTE CONTROL |

4Ft



8Ft



4FT. & 8FT. LED-READY STRIP LIGHTS - DIRECT AC INPUT 120-277V FOR TYPE B (AC) T8 (CAN ALSO BE USED AS 4FT 1L OR 8FT 2L) WITHOUT LAMP

| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|-----------------------|----------------------------|-----------|
| LRS-4FT-2L-6PK | 4FT 2 LAMPS (Not Included) | 6 |
| LRS-8FT-4L-6PK | 8FT 4 LAMPS (Not Included) | 6 |





LRSL SERIES WITH CLEAR OR FROSTED LED T8 LAMPS

| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|------------------------|--|-----------|
| LRSL-4FT-2L-6PK-40K-C | 18W 2200LM 4000K per lamp 4FT 2 LAMPS (Inc) | 6 |
| LRSL-8FT-T4L-6PK-40K-C | 18W 2200LM 4000K per lamp 8FT 4 LAMPS (Inc) | 6 |
| LRSL-4FT-2L-6PK-50K-C | 18W 2200LM 5000K per lamp 4FT 2 LAMPS (Inc) | 6 |
| LRSL-8FT-T4L-6PK-50K-C | 18W 2200LM 5000K per lamp 8FT 4 LAMPS (Inc) | 6 |
| LRSL-4FT-2L-6PK-40K-F | 18W 2200LM 4000K per lamp 4FT 2 LAMPS (Inc) | 6 |
| LRSL-8FT-T4L-6PK-40K-F | 18W 2200LM 4000K per lamp 8FT 4 LAMPS (Inc) | 6 |
| LRSL-4FT-2L-6PK-50K-F | 18W 2200LM 5000K per lamp 4FT 2 LAMPS (Inc) | 6 |
| LRSL-8FT-T4L-6PK-50K-F | 18W 2200LM 5000K per lamp 8FT 4 LAMPS (Inc) | 6 |




LED SHOP LIGHT, 120V WITH PLUG-IN CORD

| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|--|--|-----------|
| 4Ft  LSP-4FT-40W-40K | 40W 4400LM 4000K WITH ADJUSTABLE SUSPENSION CABLE | 4 |



LED STANDARD WRAP-AROUND FIXTURE, 120-277V

| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|--|--|-----------|
| 4Ft  WAS-4FT-42W-35K-D | 42W 4400LM 3500K 4FT | 1 |
| WAS-4FT-42W-40K-D | 42W 4400LM 4000K 4FT | 1 |
| WAS-4FT-42W-50K-D | 42W 4400LM 5000K 4FT | 1 |
| WAS-4FT-MCTP | 22W/30W/38W 130LM/W 30K/40K/50K 4FT | 1 |



FOR FACTORY-INSTALLED OPTIONS SEE WA BELOW

2Ft



4Ft



SPEC SERIES LED ARCHITECTURAL WRAP-AROUND LIGHT

| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|---|--|-----------|
| SPEC SERIES LED ARCHITECTURAL WRAP-AROUND LIGHT | | |
| WA-2FT-25W-35K-D | 25W WHILE SUPPLIES LAST 2750LM 3500K 2FTx8.2" | 5 |
| WA-2FT-25W-50K-D | 25W WHILE SUPPLIES LAST 2750LM 5000K 2FTx8.2" | 5 |
| WA-2FT-25W-MCT-D | 25W WHILE SUPPLIES LAST 2800LM 35K/40K/50K MCTB 2FTx8.2" | |
| SPEC SERIES CCT ADJUSTABLE LED ARCHITECTURAL WRAP-AROUND LIGHT MCTB | | |
| WA-4FT-30W-MCT-D | 30W WHILE SUPPLIES LAST 3200LM 3500K/4000K/5000K 4FTx8.2" | |
| SPEC SERIES POWER & CCT ADJUSTABLE LED ARCHITECTURAL WRAP-AROUND LIGHT MCTP | | |
| WA-2FT-10-20W-MCTP | 10W/15W/20W 110LM/W 35K/40K/50K 4FTx8.2" | |
| WA-4FT-20-40W-MCTP | 20W/30W/40W 110LM/W 35K/40K/50K 4FTx8.2" | |



 **FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

| WATTS | EM OPTION | DESCRIPTION | PHOTOCELL | DESCRIPTION | PAINT | SENSOR | DESCRIPTION |
|------------|-----------|-------------|-----------|-------------|-------|---|--|
| ALL MODELS | OPT-EM-WA | INTERNAL | N/A | N/A | N/A | OPT-2P-58 OPT-SEN-2MDR-36 WEC-3RC | PIR SENSOR (Not remote capable) PROGRAMMABLE MICROWAVE BI-LEVEL REMOTE CONTROL |



BUILDER SERIES LED ECONOMY WRAP-AROUND FIXTURES

MCTP*: MULTI COLOR TEMPERATURE & MULTI POWER



| | CATALOG NO. | DESCRIPTION | PKG. QTY. |
|-----|---|---|-----------|
| | LED ECONOMY WRAP-AROUND FIXTURES, 0-10V DIMMING | | |
| 4Ft | WAE-4FT-30K-D | 40W 3000K | 6 |
| | WAE-4FT-40K-D | 40W 4000K | 6 |
| | WAE-4FT-50K-D | 40W 5000K | 6 |
| | CCT ADJUSTABLE LED ECONOMY WRAP-AROUND FIXTURES, 0-10V & TRIAC DIMMING | | |
| 2Ft | WAE-2FT-MCT-DD | 20W 3000K/4000K/5000K 120-277V | 6 |
| 4Ft | WAE-4FT-MCT-DD | 40W 3000K/4000K/5000K 120-277V | 6 |
| | POWER & CCT ADJUSTABLE LED ECONOMY WRAP-AROUND FIXTURE | | |
| 4Ft | WAE-4FT-40-65W-MCTP-DD | 40W/50W/65W 30K/40K/50K | |
| 8Ft | WAE-8FT-MCTP-DD | 48W/64W/80W 27K/30K/35K/40K/50K | 1 |
| | POWER & CCT ADJUSTABLE LED ECONOMY WRAP-AROUND FIXTURE WITH REMOTE CONTROL | | |
| 4Ft | WAE-4FT-MCTP | 40W Max. 2700K-5000K Remote Control incl. | 6 |
| | CCT ADJUSTABLE LED ECONOMY WRAP-AROUND FIXTURES WITH SENSOR (SENSOR CAN BE DISCONNECTED), 0-10V & TRIAC DIMMING | | |
| | WAE-2FT-MCT-DD-SEN | 20W 3000K/4000K/5000K | |
| | WAE-4FT-MCT-DD-SEN | 40W 3000K/4000K/5000K | |
| | WAE-8FT-MCTP-DD-SEN | 48W/64W/80W 27K/30K/35K/40K/50K | 1 |
| | WEC-3RC | Remote Control For Motion Sensors (For Sensor Fixtures) | |
| | CCT ADJUSTABLE LED ECONOMY WRAP-AROUND FIXTURES WITH SENSOR (SENSOR CAN BE DISCONNECTED) & EMERGENCY BACKUP, 0-10V & TRIAC DIMMING | | |
| | WAE-2FT-MCT-DD-EM-SEN | 20W 3000K/4000K/5000K | |
| | WAE-4FT-MCT-DD-EM-SEN | 40W 3000K/4000K/5000K | |
| | WAE-8FT-MCTP-DD-EM-SEN | 48W/64W/80W 27K/30K/35K/40K/50K | 1 |
| | WEC-3RC | Remote Control For Motion Sensors (For Sensor Fixtures) | |
| 2Ft | CCT ADJUSTABLE LED ECONOMY WRAP-AROUND FIXTURES, TRIAC DIMMING WHILE SUPPLIES LAST | | |
| | WAE-2FT-MCT-DT | 20W 3000K/4000K/5000K | 6 |



LINEAR PUFF FIXTURE, SELECTABLE POWER & CCT, DUAL DIMMING TRIAC & 0-10V



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|----------------|----------------------------|-----------|
| LPF-2FT-MCT-DD | 25W 2250LM 30K/40K/50K 2FT | |
| LPF-4FT-MCT-DD | 40W 3600LM 30K/40K/50K 4FT | |

GRIP & SUSPENSION ACCESSORIES



SCL-CSK-6FT

ADJ. 6FT 1/16in SUSPENSION CANOPY COMPLETE KIT FOR BOTH SIDES WITH KEYHOLE END CONNECTORS



SCL-CS1-6FT

ADJ. 6FT 1/16in, 1.5mm SINGLE SUSPENSION 5in CANOPY SET WITH KEYHOLE END CONNECTOR, NON-POWER SIDE



SCL-CS1P-6FT

ADJ. 6FT 1/16in, 1.5mm SINGLE SUSPENSION 5in CANOPY SET WITH KEYHOLE END CONNECTOR, POWER SIDE WITH SJTW18/5 WHITE CORD



SCL-CS1P-6FT-NC

ADJ. 6FT 1/16in, 1.5mm SINGLE SUSPENSION 5in CANOPY SET WITH KEYHOLE END CONNECTOR, POWER SIDE WITHOUT CORD

COMPATIBLE SERIES

SCX (SINGLE KEYHOLE)
LSL, LSS ("Y" END & HOOK OR "Y" END & TOGGLE)
SCLP, SCPL-UD, SCLL, SCPP ("Y" END & KEYHOLE)

- 2FT, 3FT, 4FT FIXTURES NEED 2 SUSPENSION CABLES (2 ON ENDS)
- 6FT & 8FT FIXTURES NEED 3 SUSPENSION CABLES (1 IN CENTER, 2 ON ENDS)



SCL-CS1-6FT-BK

BLACK ADJ. 6FT 1/16in, 1.5mm SINGLE SUSPENSION 5in CANOPY SET WITH KEYHOLE END CONNECTOR, NON-POWER SIDE



SCL-CS1P-6FT-BK

BLACK ADJ. 6FT 1/16in, 1.5mm SINGLE SUSPENSION 5in CANOPY SET WITH KEYHOLE END CONNECTOR, POWER SIDE WITH SJTW18/5 BLACK CORD



SCL-CS1P-6FT-NC-BK

BLACK ADJ. 6FT 1/16in, 1.5mm SINGLE SUSPENSION 5in CANOPY SET WITH KEYHOLE END CONNECTOR, POWER SIDE WITHOUT CORD



SCL-CS1-12FT

ADJ. 12FT 1/16in, 1.5mm SINGLE SUSPENSION 5in CANOPY SET WITH KEYHOLE END CONNECTOR, NON-POWER SIDE



SCL-CS1P-12FT

ADJ. 12FT 1/16in, 1.5mm SINGLE SUSPENSION 5in CANOPY SET WITH KEYHOLE END CONNECTOR, POWER SIDE WITH CORD



SCL-CS1P-12FT-NC

ADJ. 12FT 1/16in, 1.5mm SINGLE SUSPENSION 5in CANOPY SET WITH KEYHOLE END CONNECTOR, POWER SIDE WITHOUT CORD



SCL-CS1-12FT-BK

BLACK ADJ. 12FT 1/16in, 1.5mm SINGLE SUSPENSION 5in CANOPY SET WITH KEYHOLE END CONNECTOR, NON-POWER SIDE



SCL-CS1P-12FT-BK

BLACK ADJ. 12FT 1/16in, 1.5mm SINGLE SUSPENSION 5in CANOPY SET WITH KEYHOLE END CONNECTOR WITH CORD



SCL-CS1P-12FT-NC-BK

BLACK ADJ. 12FT 1/16in, 1.5mm SINGLE SUSPENSION 5in CANOPY SET WITH KEYHOLE END CONNECTOR WITHOUT CORD



SCL-CSQ1-6FT

ADJ. 6FT 1/16in, 1.5mm SINGLE SQUARE SUSPENSION 5in CANOPY SET WITH KEYHOLE END CONNECTOR, NON-POWER SIDE



SCL-CSQ1P-6FT

ADJ. 6FT 1/16in, 1.5mm SINGLE SQUARE SUSPENSION 5in CANOPY SET WITH KEYHOLE END CONNECTOR, POWER SIDE, WITH CORD



SCL-CSQ1P-6FT-NC

ADJ. 6FT 1/16in, 1.5mm SINGLE SQUARE SUSPENSION 5in CANOPY SET WITH KEYHOLE END CONNECTOR, POWER SIDE, WITHOUT CORD



SCL-CSQ1-12FT

ADJ. 12FT 1/16in, 1.5mm SINGLE SQUARE SUSPENSION 5in CANOPY SET WITH KEYHOLE END CONNECTOR, NON-POWER SIDE



SCL-CSQ1P-12FT

ADJ. 12FT 1/16in, 1.5mm SINGLE SQUARE SUSPENSION 5in CANOPY SET WITH KEYHOLE END CONNECTOR, POWER SIDE, WITH CORD



SCL-CSQ1P-12FT-NC

ADJ. 12FT 1/16in, 1.5mm SINGLE SQUARE SUSPENSION 5in CANOPY SET WITH KEYHOLE END CONNECTOR, POWER SIDE, WITHOUT CORD



SCL-CSQ1-6FT-BK

ADJ. 6FT 1/16in, 1.5mm SINGLE SQUARE SUSPENSION 5in CANOPY SET WITH KEYHOLE END CONNECTOR, NON-POWER SIDE, BLACK



SCL-CSQ1P-6FT-BK

ADJ. 6FT 1/16in, 1.5mm SINGLE SQUARE SUSPENSION 5in CANOPY SET WITH KEYHOLE END CONNECTOR, POWER SIDE, WITH CORD, BLACK



SCL-CSQ1P-6FT-NC-BK

ADJ. 6FT 1/16in, 1.5mm SINGLE SQUARE SUSPENSION 5in CANOPY SET WITH KEYHOLE END CONNECTOR, POWER SIDE, WITHOUT CORD, BLACK



SCL-CSQ1-12FT-BK

ADJ. 12FT 1/16in, 1.5mm SINGLE SQUARE SUSPENSION 5in CANOPY SET WITH KEYHOLE END CONNECTOR, NON-POWER SIDE, BLACK



SCL-CSQ1P-12FT-BK

ADJ. 12FT 1/16in, 1.5mm SINGLE SQUARE SUSPENSION 5in CANOPY SET WITH KEYHOLE END CONNECTOR, POWER SIDE, WITH CORD, BLACK



SCL-CSQ1P-12FT-NC-BK

ADJ. 12FT 1/16in, 1.5mm SINGLE SQUARE SUSPENSION 5in CANOPY SET WITH KEYHOLE END CONNECTOR, POWER SIDE, WITHOUT CORD, BLACK



SCL-CS1M-6FT

ADJ. 6FT 1/16in, 1.5mm SINGLE SUSPENSION 2in CANOPY SET WITH KEYHOLE END CONNECTOR, NON-POWER SIDE



SCL-CS1MP-6FT

ADJ. 6FT 1/16in, 1.5mm SINGLE SUSPENSION 2in CANOPY SET WITH KEYHOLE END CONNECTOR, POWER SIDE WITH SJTW18/5 WHITE CORD



SCL-CS1M-6FT-BK

ADJ. 6FT 1/16in, 1.5mm SINGLE SUSPENSION 2in CANOPY SET WITH KEYHOLE END CONNECTOR, NON-POWER SIDE, BLACK



SCL-CS1MP-6FT-BK

ADJ. 6FT 1/16in, 1.5mm SINGLE SUSPENSION 2in CANOPY SET WITH KEYHOLE END CONNECTOR, POWER SIDE WITH SJTW18/5 WHITE CORD, BLACK



OPT-SCL-XLENGTH

LABOR CHARGE FOR CUSTOM CABLE LENGTH, SPECIFY DESIRED LENGTH IN PO. MUST PURCHASE SUFFICIENT ROLLS OF AIRCRAFT CABLE SEE PAGE 121

GRIP & SUSPENSION ACCESSORIES



SCL-CSY1-6FT

ADJ. 6FT 1/16in, 1.5mm SINGLE SUSPENSION 5in CANOPY SET WITH Y DOUBLE KEYHOLE END CONNECTORS, NON-POWER SIDE



SCL-CSY1P-6FT

ADJ. 6FT 1/16in, 1.5mm SINGLE SUSPENSION 5in CANOPY SET WITH Y DOUBLE KEYHOLE END CONNECTORS, POWER SIDE WITH SJTW18/5 WHITE CORD



SCL-CSY1P-6FT-NC

ADJ. 6FT 1/16in, 1.5mm SINGLE SUSPENSION 5in CANOPY SET WITH Y DOUBLE KEYHOLE END CONNECTORS



SCL-3CS10

ADJ. 10FT 1/16in, 1.5mm TRIPLE-CABLE SUSPENSION 5in CANOPY KIT WITH KEYHOLE END & CONNECTORS, CABLE BUSHING, 9" DIA., NO CORD INCL.



SCL-GTY10

ADJUSTABLE 1/16" 10 FT., 1.5mm SUSPENSION KIT WITH LOOP GRIPPER & TOGGLE ENDS(2)



SCL-GTY20

ADJUSTABLE 1/16" 20 FT., 1.5mm SUSPENSION KIT WITH LOOP GRIPPER & TOGGLE ENDS(2)



SCL-GTY210

HEAVY-DUTY ADJUSTABLE 5/64" 10 FT., 2mm SUSPENSION KIT WITH LOOP GRIPPER & TOGGLE ENDS(2)




SCL-GTY220

HEAVY-DUTY ADJUSTABLE 5/64" 20 FT., 2mm SUSPENSION KIT WITH LOOP GRIPPER & TOGGLE ENDS(2)



SCL-GSY10

ADJUSTABLE 10 FT. 1/16", 1.5mm SUSPENSION KIT WITH Y-CONNECTOR & LOOP GRIP & HOOKS(2)



SCL-GSY20

ADJUSTABLE 20 FT. 1/16", 1.5mm SUSPENSION KIT WITH Y-CONNECTOR & LOOP GRIP & HOOKS(2)



SCL-GSY210

ADJ. 10FT 1/16IN, 1.5mm SINGLE SUSPENSION CABLE WITH Y HOOK ENDS, LOOP GRIPPER ON TOP (ORDER 3 FOR 8FT.)(1)




SCL-GSY220

ADJ. 20FT 1/16IN, 1.5mm SINGLE SUSPENSION CABLE WITH Y HOOK ENDS, LOOP GRIPPER ON TOP (ORDER 3 FOR 8FT.)(1)



SCL-GS10

ADJ. 10FT 1/16IN, 1.5mm DOUBLE SUSPENSION CABLE WITH SINGLE KEYHOLE CONN., LOOP GRIPPER ON TOP(2)



SCL-GS20

ADJ. 20FT 1/16IN, 1.5mm DOUBLE SUSPENSION CABLE WITH SINGLE KEYHOLE CONN., LOOP GRIPPER ON TOP(2)



SCL-GS210

HEAVY-DUTY ADJUSTABLE 5/64" 10 FT., 2mm SUSPENSION KIT WITH LOOP GRIPPER & HOOK(1)



SCL-GS220

HEAVY-DUTY ADJUSTABLE 5/64" 20 FT., 2mm SUSPENSION KIT WITH LOOP GRIPPER & HOOK(1)



CMC-SRK-218-5C-WH

Universal Swivel W/ Rod Kit, 18 Or 26 Inches, 5-Wire, White



CMC-SRK-218-5C-BK

Universal Swivel W/ Rod Kit, 18 Or 26 Inches, 5-Wire, Black



CMC-SRK-224-5C-WH

Universal Swivel W/ Rod Kit, 24 Or 48 Inches, 5-Wire, White



CMC-SRK-224-5C-BK

Universal Swivel W/ Rod Kit, 24 Or 48 Inches, 5-Wire, Black



SCL-CSR-12FT

Adj. 12Ft Rectangular Canopy With Two Aircraft Cables For Linear Fixtures Up To 6Ft Long



SCL-CSR-12FT-BK

Adj. 12Ft Rectangular Canopy With Two Aircraft Cables For Linear Fixtures Up To 6Ft Long, Black



SCL-WRCL-14

1/4in GALVANIZED MALLEABLE IRON WIRE ROPE CLIP



SCL-TBJJ-14-4

1/4 X 4 INCH JAW TO JAW TURN-BUCKLE GALVANIZED STEEL



SCL-WRCL-DUPLEX

5/32in 4mm DUPLEX 2-POST WIRE ROPE CLIP CABLE CLAMP



SCL-PEP-M8

PAD EYE PLATE STAPLE HOOK, SIZE M8, 2in X 1.5in STAINLESS



SCL-ASC-4MM-250FT

5/32in 4mm DIA. EXTRA DUTY GALVANIZED AIRCRAFT CABLE / WIRE ROPE 250FT ROLL



SCL-WRTH-14

1/4in GALVANIZED WIRE ROPE THIMBLE

COMMERCIAL
SUSPENSION
ACCESSORIES

GRIP & SUSPENSION ACCESSORIES



SCL-6FT-SJTW18/5

WHITE 6 FT. CORD, SJTW 18 AWG
5-CONDUCT (WH/BK/GN/PU/GY)



SCL-6FT-SJTW18/6

WHITE 6 FT. CORD, SJTW 18 AWG
6-CONDUCT (WH/BK/GN/PU/GY + RED
FOR EMERGENCY))



SCL-6FT-SJTW18/5-BK

BLACK 12 FT. CORD, SJTW 18 AWG
5-CONDUCT (WH/BK/GN/PU/GY)



SCL-6FT-SJTW18/6-BK

BLACK 12 FT. CORD, SJTW 18 AWG
6-CONDUCT (WH/BK/GN/PU/GY +
RED FOR EMERGENCY)



SCL-12FT-SJTW18/5

WHITE 12 FT. CORD, SJTW 18 AWG
5-CONDUCT (WH/BK/GN/PU/GY)



SCL-12FT-SJTW18/6

WHITE 12 FT. CORD, SJTW 18 AWG
6-CONDUCT (WH/BK/GN/PU/GY +
RED FOR EMERGENCY)



SCL-12FT-SJTW18/5-BK

BLACK 12 FT. CORD, SJTW 18 AWG
5-CONDUCT (WH/BK/GN/PU/GY)



SCL-12FT-SJTW18/6-BK

BLACK 12 FT. CORD, SJTW 18 AWG
6-CONDUCT (WH/BK/GN/PU/GY +
RED FOR EMERGENCY)



SCL-100FT-SJTW18/5

WHITE 100 FT. CORD, SJTW 18 AWG
5-CONDUCT (WH/BK/GN/PU/GY)



SCL-100FT-SJTW18/6

WHITE 100 FT. CORD, SJTW 18 AWG
6-CONDUCT (WH/BK/GN/PU/GY +
RED FOR EMERGENCY)



SCL-100FT-SJTW18/5-BK

BLACK 100 FT. CORD, SJTW 18 AWG
5-CONDUCT (WH/BK/GN/PU/GY)



SCL-100FT-SJTW18/6-BK

BLACK 100 FT. CORD, SJTW 18 AWG
6-CONDUCT (WH/BK/GN/PU/GY +
RED FOR EMERGENCY)



SCL-6FT-AWM18/5-CLR

6FT CORD, SJTW 18 AWM
5-CONDUCTOR, CLEAR



SCL-12FT-AWM18/5-CLR

12FT CORD, SJTW 18 AWM
5-CONDUCTOR, CLEAR



SCL-100FT-AWM18/5-CLR

100FT CORD, SJTW 18 AWM
5-CONDUCTOR, CLEAR



SCL-ASC-50FT

1/16IN 50FT ROLL STEEL AIRCRAFT
SUSPENSION CABLE



SCL-ASC-100FT

1/16IN 100FT ROLL STEEL AIRCRAFT
SUSPENSION CABLE



SCL-ASC-500FT

1/16" 500 FT. STEEL AIRCRAFT SUS-
PENSION CABLE



SCL-ASC-1000FT

1/16" 1000 FT. STEEL AIRCRAFT
SUSPENSION CABLE



FWH-6FT-16/3

6FT 16AWG 3-WIRE FLEX FIXTURE
WHIP, STR. & 90D 1/2" CONN.



FWH-6FT-16/5

6FT 16AWG 5-WIRE FLEX FIXTURE
WHIP, STR. & 90D 1/2" CONN.



FWH-6FT-16/6

6FT 16AWG 6-WIRE FLEX FIXTURE
WHIP, STR. & 90D 1/2" CONN.



SCL-LCB-BK

LOCKING 3/8": DIA. CABLE BUSHING
FOR CANOPY SETS, BLACK



SCL-LCB

LOCKING 3/8": DIA. CABLE BUSHING
FOR CANOPY SETS

COMMERCIAL
SUSPENSION
ACCESSORIES

GRIP & SUSPENSION ACCESSORIES



FML-SK6

6FT ADJUSTABLE SUSPENSION KIT, 2-WIRE CLEAR CABLE INCL.



LFCF-SK10-BR

10FT 4-LINE CANOPY SUSPENSION KIT FOR DECORATIVE LIGHTS, 2-WIRE CLEAR CABLE INCL., BRONZE



LFCF-SK10-BN

10FT 4-LINE CANOPY SUSPENSION KIT FOR DECORATIVE LIGHTS, 2-WIRE CLEAR CABLE INCL., BRUSHED NICKEL



SCL-4CS10

ADJ. 10FT 1/16in QUAD CABLE SUSP. CANOPY KIT, KEYHOLE CONNECTORS (NO CORD INCL.)



SCL-ABCQ2K

2in SQUARE NON-POWERFEED SIDE CANOPY CONVERSION KIT



SCL-ABCQ2K-BK

2in SQUARE NON-POWERFEED SIDE CANOPY CONVERSION KIT - BLACK



SCL-ABC2K

2IN NON-POWERFEED SIDE CANOPY CONVERSION KIT



SCL-ABC2K-BK

2IN NON-POWERFEED SIDE CANOPY CONVERSION KIT - BLACK



SCL-ABCH

5IN AUXILIARY BLANK CANOPY WITH CORD GRIP



SCL-ABC

5IN AUXILIARY BLANK CANOPY FOR SUSPENSION CABLES



SCL-ABCH-BK

5IN AUXILIARY BLANK CANOPY WITH CORD GRIP - BLACK



SCL-ABC-BK

5IN AUXILIARY BLANK CANOPY FOR SUSPENSION CABLES - BLACK



SCL-ABCQ

AUXILIARY SQUARE BLANK CANOPY FOR SUSPENSION CABLES



SCL-ABCQH

AUXILIARY SQUARE BLANK CANOPY FOR SUSPENSION CABLES WITH CABLE HOLE AND CORD GRIP



SCL-ACSE

AIRCRAFT CABLE STOPPER END



SCL-AH

HEAVY-DUTY AUXILIARY HOOK FOR UP TO 1/16" AIRCRAFT CABLES



SCL-TG1420

AUXILIARY TOP GRIPPER SIDE EXIT WITH 1/4-20 THREAD FOR 1/16IN AIRCRAFT CABLE



SCL-AYC

AUXILIARY Y CONNECTOR FOR AIRCRAFT SUSPENSION CABLE, 1/16"



SCL-AKHC

AUXILIARY KEYHOLE CONNECTOR FOR AIRCRAFT SUSPENSION CABLE, 1/16"



SCL-CTB

CANOPY SET TOP BRACKET FOR MOUNTING ON JUNCTION BOX OR CEILING- 1/4-20



SCL-TBC-WN

T-BAR CLIP WITH SUSPENSION HOLE ON TOP, WING NUT AND WASHER INCL.



SCL-TBTC-WN

T-BAR TRACK CLIP WITH WASHER AND WING NUT



SCL-AUC

AUXILIARY UNIVERSAL SURFACE CONNECTOR FOR 1/6 IN AIRCRAFT SUSPENSION CABLE



SCL-CMC

AUXILIARY CEILING-MOUNT CONNECTOR FOR 1/16in AIRCRAFT SUSPENSION CABLES



SCL-YCK

ADJ. 1/16in Y CONVERSION SUSPENSION CABLE WITH TOGGLE ENDS



SCL-TGS1420

ADJ. SWIVEL TOP GRIP REPLACEMENT CONNECTOR TO ADAPT SCL-CS SERIES TO SLOPE CEILINGS



SCL-ALG

AUXILIARY LOOP GRIP FOR AIRCRAFT SUSPENSION CABLE, 1/16"

COMMERCIAL
SUSPENSION
ACCESSORIES



Shown with Drop Lens

1.6" ARCHITECTURAL CEILING CYLINDERS WITH INTERNAL DRIVERS INCL. CLEAR & FORSTED LENSES     

| CATALOG NO. | DESCRIPTION |
|--|--|
| CMC1L-MCT-WH | 10W 700LM 30K/40K/50K 12" H |
| CMC1L-MCT-BK | 10W 700LM 30K/40K/50K 12" H |
| CMC1XL-MCT-WH | 10W 700LM 30K/40K/50K 18" H |
| CMC1XL-MCT-BK | 10W 700LM 30K/40K/50K 18" H |
| CMCS1XL-MCT-DT-WH | 9W 630LM 30K/40K/50K 18" H SQUARE |
| CMCS1XL-MCT-DT-BK | 9W 630LM 30K/40K/50K 18" H SQUARE |
| CMC1-TRM-BN | 1in Cylinder Trim, Brushed Nickel |
| CMC1-TRM-AG | 1in Cylinder Trim, Anodized Gold |
| CMC1-DL15 | CMC1 15mm Acrylic Drop Lens |
| SUSPENSION ACCESSORIES FOR CMC SERIES | |
| CMC-CS-8FT-WH | Suspension Cable & Canopy Set For CMC Series, 8Ft, 5-Wire, White |
| CMC-CS-8FT-BK | Suspension Cable & Canopy Set For CMC Series, 8Ft, 5-Wire, Black |
| CMC-SRK-218-5C-WH | Universal Swivel W/ Rod Kit, 18 Or 36 Inches, 5-Wire, White |
| CMC-SRK-218-5C-BK | Universal Swivel W/ Rod Kit, 18 Or 36 Inches, 5-Wire, Black |
| CMC-SRK-224-5C-WH | Universal Swivel W/ Rod Kit, 24 Or 48 Inches, 5-Wire, White |
| CMC-SRK-224-5C-BK | Universal Swivel W/ Rod Kit, 24 Or 48 Inches, 5-Wire, Black |
| CMC-SRK-340-5C-WH | Universal Swivel W/ Rod Kit, 40 Or 80 Or 120 Inches, 5-Wire, White |
| CMC-SRK-340-5C-BK | Universal Swivel W/ Rod Kit, 40 Or 80 Or 120 Inches, 5-Wire, Black |



Shown with Drop Lens

3" ARCHITECTURAL CEILING CYLINDERS INCL. CLEAR & FORSTED LENSES     

| CATALOG NO. | DESCRIPTION |
|--|--|
| CMC3-MCTP-DD-WH | 5W/7W/9W 75LM/W 30K/40K/50K 3"D X 9.7"H 120-277V, 25° |
| CMC3-MCTP-DD-BK | 5W/7W/9W 75LM/W 30K/40K/50K 3"D X 9.7"H 120-277V, 25° |
| CMC3-TRM-AG | 3in Cylinder Trim, Anodized Gold |
| CMC3-TRM-BN | 3in Cylinder Trim, Brushed Nickel |
| CMC3-HCDK-BK | 3in Cylinder Honeycomb Diffuser Kit, Black |
| CMC3-HCDK-AG | 3in Cylinder Honeycomb Diffuser Kit, Anodized Gold |
| CWMC3-DL32 | CMC3 And WMC3 32Mm Acrylic Drop Lens |
| SUSPENSION ACCESSORIES FOR CMC SERIES | |
| CMC-CS-8FT-WH | Suspension Cable & Canopy Set For CMC Series, 8Ft, 5-Wire, White |
| CMC-CS-8FT-BK | Suspension Cable & Canopy Set For CMC Series, 8Ft, 5-Wire, Black |
| CMC-SRK-218-5C-WH | Universal Swivel W/ Rod Kit, 18 Or 36 Inches, 5-Wire, White |
| CMC-SRK-218-5C-BK | Universal Swivel W/ Rod Kit, 18 Or 36 Inches, 5-Wire, Black |
| CMC-SRK-224-5C-WH | Universal Swivel W/ Rod Kit, 24 Or 48 Inches, 5-Wire, White |
| CMC-SRK-224-5C-BK | Universal Swivel W/ Rod Kit, 24 Or 48 Inches, 5-Wire, Black |
| CMC-SRK-340-5C-WH | Universal Swivel W/ Rod Kit, 40 Or 80 Or 120 Inches, 5-Wire, White |
| CMC-SRK-340-5C-BK | Universal Swivel W/ Rod Kit, 40 Or 80 Or 120 Inches, 5-Wire, Black |



2" ARCHITECTURAL CEILING CYLINDERS WITH INTERNAL DRIVERS

INCL. CLEAR & FORSTED LENSES



COMMERCIAL
CYLINDER
LIGHTS

| CATALOG NO. | DESCRIPTION | REF. |
|--------------------|--|------|
| CMC2-MCT-DT-WH | 6W 450LM 30K/40K/50K 9"H 120V, 40° | 1 |
| CMC2-MCT-DT-BK | 6W 450LM 30K/40K/50K 9"H 120V, 40° | 2 |
| CMC2L-MCT-DT-WH | 6W 450LM 30K/40K/50K 12"H 120V, 40° | 3 |
| CMC2L-MCT-DT-BK | 6W 450LM 30K/40K/50K 12"H 120V, 40° | 4 |
| CMC2XL-MCT-DD-BK | 20W 1500LM 30K/40K/50K 18"H 120-277V | 5 |
| CMC2XL-MCT-DD-WH | 20W 1500LM 30K/40K/50K 18"H 120-277V | 6 |
| CMCS2L-MCT-DT-WH | 6W 450LM 30K/40K/50K 12"H SQUARE | 7 |
| CMCS2L-MCT-DT-BK | 6W 450LM 30K/40K/50K 12"H SQUARE | 8 |
| CMCS2XL-MCT-DT-WH | 20W 1500LM 30K/40K/50K 18"H SQUARE | 9 |
| CMCS2XL-MCT-DT-BK | 20W 1500LM 30K/40K/50K 18"H SQUARE | 10 |
| CMCS2XXL-MCT-DT-WH | 20W 1500LM 30K/40K/50K 24"H SQUARE | 11 |
| CMCS2XXL-MCT-DT-BK | 20W 1500LM 30K/40K/50K 24"H SQUARE | 12 |
| CMC2-TRM-AG | 2in Cylinder Trim, Anodized Gold | 13 |
| CMC2-TRM-BN | 2in Cylinder Trim, Brushed Nickel | 14 |
| CMC2-TRMWM-AG | Decorative Wide-Mouth Replacement Lens Cap for CMC2, Anodized Gold | 15 |
| CMC2-TRMWM-BN | Decorative Wide-Mouth Replacement Lens Cap for CMC2, Brushed Nickel | 16 |
| CMC2-HCDK-BK | 2in Cylinder Honeycomb Diffuser Kit, Black | 17 |
| CMC2-HCDK-AG | 2in Cylinder Honeycomb Diffuser Kit, Anodized Gold | 18 |
| CMC2-DS-BG | Decorative Shield Reflector Replacement For Lens Cap Of CMC2, Black Gold | 19 |
| CMC2-DS-WG | Decorative Shield Reflector Replacement For Lens Cap Of CMC2, White Gold | 20 |
| CMC2-DCR-BG | Decorative Cone Reflector Kit for CMC2, Black Gold | 21 |
| CMC2-DCR-WG | Decorative Cone Reflector Kit for CMC2, White Gold | 22 |
| CMC2-PS12-WG-KIT | CMC2 12in Pan Shade, White/Gold | 23 |
| CMC2-PS12-BG-KIT | CMC2 12in Pan Shade, Black/Gold | 24 |
| CMC2-PS14-WG-KIT | CMC2 14in Pan Shade, White/Gold | 25 |
| CMC2-PS14-BG-KIT | CMC2 14in Pan Shade, Black/Gold | 26 |
| CMC2-MLA-BK | Decorative Middle Light Accessory Fits All CMC2, Black | 27 |
| CMC2-MLA-WH | Decorative Middle Light Accessory Fits All CMC2, White | 28 |
| CWMC2-DL32 | CMC2 And WMC2 32Mm Acrylic Drop Lens | 29 |

SUSPENSION ACCESSORIES FOR CMC SERIES

| | | |
|-------------------|--|----|
| CMC-CS-8FT-WH | Suspension Cable & Canopy Set For CMC Series, 8Ft, 5-Wire, White | 30 |
| CMC-CS-8FT-BK | Suspension Cable & Canopy Set For CMC Series, 8Ft, 5-Wire, Black | 31 |
| CMC-SRK-218-5C-WH | Universal Swivel W/ Rod Kit, 18 Or 36 Inches, 5-Wire, White | 32 |
| CMC-SRK-218-5C-BK | Universal Swivel W/ Rod Kit, 18 Or 36 Inches, 5-Wire, Black | 33 |
| CMC-SRK-224-5C-WH | Universal Swivel W/ Rod Kit, 24 Or 48 Inches, 5-Wire, White | 34 |
| CMC-SRK-224-5C-BK | Universal Swivel W/ Rod Kit, 24 Or 48 Inches, 5-Wire, Black | 35 |
| CMC-SRK-340-5C-WH | Universal Swivel W/ Rod Kit, 40 Or 80 Or 120 Inches, 5-Wire, White | 36 |
| CMC-SRK-340-5C-BK | Universal Swivel W/ Rod Kit, 40 Or 80 Or 120 Inches, 5-Wire, Black | 37 |

2IN TILT HEAD INDOOR CYLINDER, CCT- ADJUSTABLE



| CATALOG NO. | DESCRIPTION | ARRIVES THIS SEASON CHECK & PRE-ORDER |
|---------------------|----------------------------|--|
| CMC2L-ADJ-MCT-DT-BK | 6W 400LM 30K/40K/50K Black | 6 |
| CMC2L-ADJ-MCT-DT-WH | 6W 400LM 30K/40K/50K White | 6 |



4" ARCHITECTURAL CEILING CYLINDERS

INCL. CLEAR & FORSTED LENSES



Shown with Up Light Kit

COMMERCIAL
CYLINDER LIGHTS

| CATALOG NO. | DESCRIPTION | REF. |
|-------------|-------------|------|
|-------------|-------------|------|

4" ROUND ARCHITECTURAL CEILING CYLINDERS

| | | |
|--------------------------|---|---|
| CMC4-MCTP-DD-WH | 9W/12W/15W 75LM/W 30K/40K/50K 9.6"H 120-277V, 40° | 1 |
| CMC4-MCTP-DD-BK | 9W/12W/15W 75LM/W 30K/40K/50K 9.6"H 120-277V, 40° | 2 |
| CMC4HL-MCTP-DD-WH | 24W/32W/40W 80LM/W 30K/40K/50K 10"H HIGH-LUMEN | 3 |
| CMC4HL-MCTP-DD-BK | 24W/32W/40W 80LM/W 30K/40K/50K 10"H HIGH-LUMEN | 4 |
| CMC4S-MCTP-DD-WH | 9W/12W/15W 76LM/W 30K/40K/50K 5"H | 5 |
| CMC4S-MCTP-DD-BK | 9W/12W/15W 76LM/W 30K/40K/50K 5"H | 6 |

4" SQUARE ARCHITECTURAL CEILING CYLINDERS

| | | |
|--------------------------|---|----|
| CMCS4-MCTP-DD-WH | 21W/28W/35W 80LM/W 30K/40K/50K 10"H | 7 |
| CMCS4-MCTP-DD-BK | 21W/28W/35W 80LM/W 30K/40K/50K 10"H | 8 |
| CMCS4S-MCTP-DD-WH | 9W/12W/15W 76LM/W 30K/40K/50K 5"H | 9 |
| CMCS4S-MCTP-DD-BK | 9W/12W/15W 76LM/W 30K/40K/50K 5"H | 10 |
| CMC46-ULK | 5W 400LM 30K/40K/50K UP LIGHT KIT | 11 |
| CMC-JBCK-WH | Cylinder And Pendant Lighting J-Box Cover Canopy For Up To 4 Pipe Entries, Wh | 12 |
| CMC-JBCK-BK | Cylinder And Pendant Lighting J-Box Cover Canopy For Up To 4 Pipe Entries, Bk | 13 |
| CMC4-TRM-AG | 4in Cylinder Trim, Anodized Gold | 14 |
| CMC4-TRM-BN | 4in Cylinder Trim, Brushed Nickel | 15 |
| CMC4-HCDK-BK | 4in Cylinder Honeycomb Diffuser Kit, Black | 16 |
| CMC4-HCDK-AG | 4in Cylinder Honeycomb Diffuser Kit, Anodized Gold | 17 |
| CMC4-FS14-WG-KIT | CMC4 14in Flat Shade, White/Gold | 18 |
| CMC4-FS14-BG-KIT | CMC4 14in Flat Shade, Black/Gold | 19 |
| CMC4-FS14-WS-KIT | CMC4 14in Flat Shade, White/Silver | 20 |
| CMC4-FS14-BS-KIT | CMC4 14in Flat Shade, Black/Silver | 21 |
| CMC4-DS14-WG-KIT | CMC4 14in Dome Shade, White/Gold | 22 |
| CMC4-DS14-BG-KIT | CMC4 14in Dome Shade, Black/Gold | 23 |
| CMC4-DS14-WS-KIT | CMC4 14in Dome Shade, White/Silver | 24 |
| CMC4-DS14-BS-KIT | CMC4 14in Dome Shade, Black/Silver | 25 |
| CMC4-PCR-KIT | 12in Dia. Prismatic Pc Highbay Reflector Kit For CMC4 | 26 |
| CMC4-WPCK-WH | CMC4 Weatherproof Conversion Kit For Cord Or Down-Rod, White | 27 |
| CMC4-WPCK-BK | CMC4 Weatherproof Conversion Kit For Cord Or Down-Rod, Black | 28 |
| CMCS4-WPCK-WH | CMCS4 Weatherproof Conversion Kit For Cord Or Down-Rod, White | 29 |
| CMCS4-WPCK-BK | CMCS4 Weatherproof Conversion Kit For Cord Or Down-Rod, Black | 30 |
| CMC4-SNA-BK | Smooth Accessory For CMC4 Round Reduces Beam Angle To 25D, Black | 31 |
| CMC4-SNA-WH | Smooth Accessory For CMC4 Round Reduces Beam Angle To 25D, White | 32 |
| CMC4-SH9-BK | Smooth Accessory For CMC4 Round Reduces Beam Angle To 25D, White | 33 |
| CMC4-SH9-WH | Smooth Accessory For CMC4 Round Reduces Beam Angle To 25D, White | 34 |
| CMC4-DL32 | WMC 4in 32Mm Acrylic Drop Lens | 35 |

SUSPENSION ACCESSORIES FOR CMC SERIES

| | | |
|--------------------------|--|----|
| CMC-CS-8FT-WH | Suspension Cable & Canopy Set For CMC Series, 8Ft, 5-Wire, White | 36 |
| CMC-CS-8FT-BK | Suspension Cable & Canopy Set For CMC Series, 8Ft, 5-Wire, Black | 37 |
| CMC-SRK-218-5C-WH | Universal Swivel W/ Rod Kit, 18 Or 36 Inches, 5-Wire, White | 38 |
| CMC-SRK-218-5C-BK | Universal Swivel W/ Rod Kit, 18 Or 36 Inches, 5-Wire, Black | 39 |
| CMC-SRK-224-5C-WH | Universal Swivel W/ Rod Kit, 24 Or 48 Inches, 5-Wire, White | 40 |
| CMC-SRK-224-5C-BK | Universal Swivel W/ Rod Kit, 24 Or 48 Inches, 5-Wire, Black | 41 |
| CMC-SRK-340-5C-WH | Universal Swivel W/ Rod Kit, 40 Or 80 Or 120 Inches, 5-Wire, White | 42 |
| CMC-SRK-340-5C-BK | Universal Swivel W/ Rod Kit, 40 Or 80 Or 120 Inches, 5-Wire, Black | 43 |



POWER & CCT- ADJUSTABLE 4IN INDOOR CYLINDER

CATALOG NO. DESCRIPTION **ARRIVES THIS SEASON CHECK & PRE-ORDER**



| | | |
|---|--------------------------------------|---|
| TILT HEAD 4IN INDOOR CYLINDER, POWER & CCT- ADJUSTABLE | | |
| CMC4-ADJ-MCTP-DD-BK | 12W/16W/20W 80LM/W 30K/40K/50K Black | 6 |
| CMC4-ADJ-MCTP-DD-WH | 12W/16W/20W 80LM/W 30K/40K/50K White | 6 |
| GIMBAL HEAD 4IN INDOOR CYLINDER, POWER & CCT- ADJUSTABLE | | |
| CMC4-GIM-MCTP-DD-BK | 12W/16W/20W 80LM/W 30K/40K/50K Black | 6 |
| CMC4-GIM-MCTP-DD-WH | 12W/16W/20W 80LM/W 30K/40K/50K White | 6 |



Shown with Drop Lens



CMC6S SHORT MODELS



CMC-JBCK-BK BLACK CMC-JBCK-WH WHITE



Shown with Up Light Kit



COMMERCIAL CYLINDER LIGHTS

6" ARCHITECTURAL CEILING CYLINDERS

CATALOG NO. DESCRIPTION

6" ROUND ARCHITECTURAL CEILING CYLINDERS

| | |
|-------------------------|---|
| CMC6-MCTP-DD-WH | 21W/28W/35W 75LM/W 30K/40K/50K 8.74"H 120-277V, 25° |
| CMC6-MCTP-DD-BK | 21W/28W/35W 75LM/W 30K/40K/50K 8.74"H 120-277V, 25° |
| CMC6S-MCTP-DD-WH | 18W/24W/30W 80LM/W 30K/40K/50K 6.75"H |
| CMC6S-MCTP-DD-BK | 18W/24W/30W 80LM/W 30K/40K/50K 6.75"H |
| CMC46-ULK | 5W 400LM 30K/40K/50K UP LIGHT KIT |
| CMC-JBCK-WH | Cylinder And Pendant Lighting J-Box Cover Canopy For Up To 4 Pipe Entries, Wh |
| CMC-JBCK-BK | Cylinder And Pendant Lighting J-Box Cover Canopy For Up To 4 Pipe Entries, Bk |
| CMC6-TRM-AG | 6in Cylinder Trim, Anodized Gold |
| CMC6-TRM-BN | 6in Cylinder Trim, Brushed Nickel |
| CMC6-WPCK-WH | CMC6 Weatherproof Conversion Kit For Cord Or Down-Rod, White |
| CMC6-WPCK-BK | CMC6 Weatherproof Conversion Kit For Cord Or Down-Rod, Black |
| CMC6-HCDK-AG | 6in Cylinder Honeycomb Diffuser Kit, Anodized Gold |
| CMC6-HCDK-BK | 6in Cylinder Honeycomb Diffuser Kit, Black |
| CWMC6-DL32 | CMC6 And WMC6 32Mm Acrylic Drop Lens |

SUSPENSION ACCESSORIES FOR CMC SERIES

| | |
|--------------------------|--|
| CMC-CS-8FT-WH | Suspension Cable & Canopy Set For CMC Series, 8Ft, 5-Wire, White |
| CMC-CS-8FT-BK | Suspension Cable & Canopy Set For CMC Series, 8Ft, 5-Wire, Black |
| CMC-SRK-218-5C-WH | Universal Swivel W/ Rod Kit, 18 Or 36 Inches, 5-Wire, White |
| CMC-SRK-218-5C-BK | Universal Swivel W/ Rod Kit, 18 Or 36 Inches, 5-Wire, Black |
| CMC-SRK-224-5C-WH | Universal Swivel W/ Rod Kit, 24 Or 48 Inches, 5-Wire, White |
| CMC-SRK-224-5C-BK | Universal Swivel W/ Rod Kit, 24 Or 48 Inches, 5-Wire, Black |
| CMC-SRK-340-5C-WH | Universal Swivel W/ Rod Kit, 40 Or 80 Or 120 Inches, 5-Wire, White |
| CMC-SRK-340-5C-BK | Universal Swivel W/ Rod Kit, 40 Or 80 Or 120 Inches, 5-Wire, Black |





Shown with
CMC9-WBK-BK



Shown with
CMC9-WBK-WH



Shown with
Ext. Cyl.



Shown with
Ext. Cyl.



9" ARCHITECTURAL CEILING CYLINDERS

INCL. CLEAR & FORSTED LENSES



| CATALOG NO. | DESCRIPTION |
|--|--|
| CMC9-MCTP-D-BK | 60W/70W/80W 80LM/W 30K/40K/50K 10"H 120-277V, 60° |
| CMC9-MCTP-D-WH | 60W/70W/80W 80LM/W 30K/40K/50K 10"H 120-277V, 60° |
| CMC9-EC-BK | Decorative Extension Cylinder Black, Adds 5"H |
| CMC9-EC-WH | Decorative Extension Cylinder White, Adds 5"H |
| CMC9-HCDK-BK | 9in Cylinder Honeycomb Diffuser Kit, Black |
| CMC9-REFL-BK | Inside-Black Reflector |
| CMC9-REFL-WH | Inside-White Reflector |
| CMC9-WBK-BK | CMC9 Wall Bracket Kit And Conversion Top To IP65, Black |
| CMC9-WBK-WH | CMC9 Wall Bracket Kit And Conversion Top To IP65, White |
| CMC9-WPCK-BK | CMC9-Weatherproof Conversion Kit For Cord Or Down-Rod, Black |
| CMC9-WPCK-WH | CMC9-Weatherproof Conversion Kit For Cord Or Down-Rod, White |
| SUSPENSION ACCESSORIES FOR CMC SERIES | |
| CMC-CS-8FT-WH | Suspension Cable & Canopy Set For CMC Series, 8Ft, 5-Wire, White |
| CMC-CS-8FT-BK | Suspension Cable & Canopy Set For CMC Series, 8Ft, 5-Wire, Black |
| CMC-SRK-218-5C-WH | Universal Swivel W/ Rod Kit, 18 Or 36 Inches, 5-Wire, White |
| CMC-SRK-218-5C-BK | Universal Swivel W/ Rod Kit, 18 Or 36 Inches, 5-Wire, Black |
| CMC-SRK-224-5C-WH | Universal Swivel W/ Rod Kit, 24 Or 48 Inches, 5-Wire, White |
| CMC-SRK-224-5C-BK | Universal Swivel W/ Rod Kit, 24 Or 48 Inches, 5-Wire, Black |
| CMC-SRK-340-5C-WH | Universal Swivel W/ Rod Kit, 40 Or 80 Or 120 Inches, 5-Wire, White |
| CMC-SRK-340-5C-BK | Universal Swivel W/ Rod Kit, 40 Or 80 Or 120 Inches, 5-Wire, Black |



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

| WATTS | EM OPTION | DESCRIPTION | TRACK PENDANT CONVERSION | DESCRIPTION | PAINT | SENSOR | DESCRIPTION |
|----------|-----------------------|----------------------------|---------------------------|---------------------|-------|--------|-------------|
| 4" & 6" | OPT-EM-CMC46 | INTERNAL | OPT-CMC-TRACK-H-WH | 3.3FT TRACK PENDANT | N/A | N/A | N/A |
| 9" white | OPT-EM-CMC9-WH | Extension Cylinder - White | OPT-CMC-TRACK-H-BK | CONVERSION, H-TYPE | | | |
| 9" black | OPT-EM-CMC9-BK | Extension Cylinder - Black | | | | | |

CMC RGBW CYLINDER LIGHTS, PENDANT OR SURFACE MOUNT, APP CONTROLLED



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|----------------------|--------------------------------|-----------|
| CMC2L-RGBW-BK | 6W 300LM 27K-50K + RGB Black | 6 |
| CMC2L-RGBW-WH | 6W 300LM 27K-50K + RGB White | 6 |
| CMC3-RGBW-BK | 9W 550LM 27K-50K + RGB Black | 6 |
| CMC3-RGBW-WH | 9W 550LM 27K-50K + RGB White | 6 |
| CMC4-RGBW-BK | 15W 900LM 27K-50K + RGB Black | 6 |
| CMC4-RGBW-WH | 15W 900LM 27K-50K + RGB White | 6 |
| CMC6-RGBW-BK | 20W 1200LM 27K-50K + RGB Black | 8 |
| CMC6-RGBW-WH | 20W 1200LM 27K-50K + RGB White | 8 |



X-GEN LED T8 PC+ALUM. SHATTER-PROOF LAMPS, TYPE A+B FOR A/C OR BALLAST

NO PARTIAL/MUST SHIP CASE QTY.



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|-------------------------------------|--|-----------|
| 2FT T8-EZX-PRO-2FT-10W-40K-C | 10W 1300LM 4000K Clear, G13, Type A & B | 25 |
| T8-EZX-PRO-2FT-10W-40K-F | 10W 1300LM 4000K Frosted, G13, Type A & B | 25 |
| T8-EZX-PRO-2FT-10W-50K-C | 10W 1300LM 5000K Clear, G13, Type A & B | 25 |
| T8-EZX-PRO-2FT-10W-50K-F | 10W 1300LM 5000K Frosted, G13, Type A & B | 25 |
| T8-EZX-PRO-4FT-12W-40K-F | 12W 1560LM 4000K Frosted, G13, Type A & B | 25 |
| 4FT T8-EZX-PRO-4FT-12W-50K-F | 12W 1560LM 5000K Frosted, G13, Type A & B | 25 |
| T8-EZX-PRO-4FT-18W-40K-C | 18W 2340LM 4000K Clear, G13, Type A & B | 25 |
| T8-EZX-PRO-4FT-18W-40K-F | 18W 2340LM 4000K Frosted, G13, Type A & B | 25 |
| T8-EZX-PRO-4FT-18W-50K-C | 18W 2340LM 5000K Clear, G13, Type A & B | 25 |
| T8-EZX-PRO-4FT-18W-50K-F | 18W 2340LM 5000K Frosted, G13, Type A & B | 25 |

X-GEN 3CCT LED T8 GLASS LAMPS

3 COLOR-TEMPERATURES IN ONE LAMP TYPE A+B (A/C OR BALLAST)

NO PARTIAL/MUST SHIP CASE QTY.



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|------------------------------------|--|-----------|
| 2FT T8-EZX-MCT-GS-2FT-8W-C | 8W 1216LM 35K/40K/50K Clear, G13, Type A & B | 12 |
| T8-EZX-MCT-GS-2FT-8W-F | 8W 1216LM 35K/40K/50K Frosted, G13, Type A & B | 12 |
| 3FT T8-EZX-MCT-GS-3FT-12W-C | 12W 1500LM 35K/40K/50K Clear, G13, Type A & B | 12 |
| T8-EZX-MCT-GS-3FT-12W-F | 12W 1500LM 35K/40K/50K Frosted, G13, Type A & B | 12 |
| 4FT T8-EZX-MCT-GS-4FT-15W-C | 15W 1875LM 35K/40K/50K Clear, G13, Type A & B | 12 |
| T8-EZX-MCT-GS-4FT-15W-F | 15W 1875LM 35K/40K/50K Frosted, G13, Type A & B | 12 |

X-GEN SELECTABLE-POWER LED T8 GLASS LAMPS, TYPE B FOR DIRECT A/C (BALLAST OVERRIDE)

NO PARTIAL/MUST SHIP CASE QTY.



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|---------------------------------------|---|-----------|
| 4FT T8-EZX-TB-4FT-12-18W-50K-F | 12W/15W/18W 120LM/W 5000K Frosted, G13, Type B | 12 |
| T8-EZX-TB-4FT-12-18W-50K-C | 12W/15W/18W 120LM/W 5000K Clear, G13, Type B | 12 |
| T8-EZX-TB-4FT-12-18W-40K-F | 12W/15W/18W 120LM/W 4000K Frosted, G13, Type B | 12 |
| T8-EZX-TB-4FT-12-18W-40K-C | 12W/15W/18W 120LM/W 4000K Clear, G13, Type B | 12 |

U-SHAPED T8 EZ6 LED GLASS LAMPS

NO PARTIAL/MUST SHIP CASE QTY.



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|------------------------------------|--|-----------|
| U Lamp T8-EZ6-U2F-15W-41K-C | 15W 2100LM 4100K Ballast Compatible Or 100-277 Ac | 10 |
| T8-EZ6-U2F-15W-41K-F | 15W 2000LM 4100K Ballast Compatible Or 100-277 Ac | 10 |
| T8-EZ6-U2F-15W-50K-C | 15W 2100LM 5000K Ballast Compatible Or 100-277 Ac | 10 |
| T8-EZ6-U2F-15W-50K-F | 15W 2000LM 5000K Ballast Compatible Or 100-277 Ac | 10 |

U-SHAPED T8 LED PLASTIC/ALUMINUM LAMPS

Works 3 ways: 1) With existing electronic ballast 2) A/C direct one end 3) A/C direct 2 ends

NO PARTIAL/MUST SHIP CASE QTY.







| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|-----------------------------|--|-----------|
| T8-U2F-EZ3-15W-41K-C | 15W 1450LM 4100K BALLAST COMPATIBLE OR 100-277 AC | 10 |
| T8-U2F-EZ3-15W-50K-C | 15W 1500LM 5000K BALLAST COMPATIBLE OR 100-277 AC | 10 |

NEW GEN. - TYPE A + B (DOUBLE UL) 2FT. 3FT. & 4FT. LED T8-EZ6 **GLASS LAMPS, 180°(CLEAR) & 240° (FROSTED) Beam Angle, ELECTRONIC BALLASTS (TYPE A), ALSO WORK WITH A/C DIRECT (120-277V) ONE END OR BOTH ENDS (TYPE B)**

NO PARTIAL/MUST SHIP CASE QTY.




| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|--|---|-----------|
| 2FT  | T8-EZ6-GS-2FT-10W-30K-C 10W 1250LM 3000K Clear, G13, Type A & B | 12 & 36 |
| | T8-EZ6-GS-2FT-10W-30K-F 10W 1200LM 3000K Frosted, G13, Type A & B | 12 & 36 |
| | T8-EZ6-GS-2FT-10W-35K-C 10W 1250LM 3500K Clear, G13, Type A & B | 12 & 36 |
| | T8-EZ6-GS-2FT-10W-35K-F 10W 1200LM 3500K Frosted, G13, Type A & B | 12 & 36 |
| | T8-EZ6-GS-2FT-10W-40K-C 10W 1250LM 4000K Clear, G13, Type A & B | 12 & 36 |
| | T8-EZ6-GS-2FT-10W-40K-F 10W 1200LM 4000K Frosted, G13, Type A & B | 12 & 36 |
| | T8-EZ6-GS-2FT-10W-50K-C 10W 1250LM 5000K Clear, G13, Type A & B | 12 & 36 |
| | T8-EZ6-GS-2FT-10W-50K-F 10W 1200LM 5000K Frosted, G13, Type A & B | 12 & 36 |
| 3FT  | T8-EZ6-GS-3FT-12W-40K-C 12W 1600LM 4000K Clear, G13, Type A & B | 12 & 36 |
| | T8-EZ6-GS-3FT-12W-40K-F 12W 1560LM 4000K Frosted, G13, Type A & B | 12 & 36 |
| | T8-EZ6-GS-3FT-12W-50K-C 12W 1600LM 5000K Clear, G13, Type A & B | 12 & 36 |
| | T8-EZ6-GS-3FT-12W-50K-F 12W 1560LM 5000K Frosted, G13, Type A & B | 12 & 36 |
| 4FT  | T8-EZ6-GS-4FT-15W-30K-C 15W 1875LM 3000K Clear, G13, Type A & B | 12 & 36 |
| | T8-EZ6-GS-4FT-15W-30K-F 15W 1800LM 3000K Frosted, G13, Type A & B | 12 & 36 |
| | T8-EZ6-GS-4FT-15W-35K-C 15W 1875LM 3500K Clear, G13, Type A & B | 12 & 36 |
| | T8-EZ6-GS-4FT-15W-35K-F 15W 1800LM 3500K Frosted, G13, Type A & B | 12 & 36 |
| | T8-EZ6-GS-4FT-15W-40K-C 15W 1875LM 4000K Clear, G13, Type A & B | 12 & 36 |
| | T8-EZ6-GS-4FT-15W-40K-F 15W 1800LM 4000K Frosted, G13, Type A & B | 12 & 36 |
| | T8-EZ6-GS-4FT-15W-50K-C 15W 1875LM 5000K Clear, G13, Type A & B | 12 & 36 |
| | T8-EZ6-GS-4FT-15W-50K-F 15W 1800LM 5000K Frosted, G13, Type A & B | 12 & 36 |
| 4FT  | T8-EZ6-GS-4FT-18W-30K-C 18W 2250LM 3000K Clear, G13, Type A & B | 12 & 36 |
| | T8-EZ6-GS-4FT-18W-30K-F 18W 2160LM 3000K Frosted, G13, Type A & B | 12 & 36 |
| | T8-EZ6-GS-4FT-18W-35K-C 18W 2250LM 3500K Clear, G13, Type A & B | 12 & 36 |
| | T8-EZ6-GS-4FT-18W-35K-F 18W 2160LM 3500K Frosted, G13, Type A & B | 12 & 36 |
| | T8-EZ6-GS-4FT-18W-40K-C 18W 2250LM 4000K Clear, G13, Type A & B | 12 & 36 |
| | T8-EZ6-GS-4FT-18W-40K-F 18W 2160LM 4000K Frosted, G13, Type A & B | 12 & 36 |
| | T8-EZ6-GS-4FT-18W-50K-C 18W 2250LM 5000K Clear, G13, Type A & B | 12 & 36 |
| | T8-EZ6-GS-4FT-18W-50K-F 18W 2160LM 5000K Frosted, G13, Type A & B | 12 & 36 |

4FT. T8 GLASS LAMPS

WORKS WITH A/C DIRECT (120-277V) ONE END OR BOTH ENDS (TYPE B) NO PARTIAL/MUST SHIP CASE QTY.




| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|--|--|-----------|
| 4FT  | T8-4FT-TYPB-17W-40K-F 17W 2200LM 4000K FROSTED | 12 & 36 |
| | T8-4FT-TYPB-17W-40K-C 17W 2200LM 4000K CLEAR | 12 & 36 |
| | T8-4FT-TYPB-17W-50K-F 17W 2200LM 5000K FROSTED | 12 & 36 |
| | T8-4FT-TYPB-17W-50K-C 17W 2200LM 5000K CLEAR | 12 & 36 |
| | T8-4FT-TYPB-14W-40K-F 14W 1800LM 4000K FROSTED | 13 & 36 |
| | T8-4FT-TYPB-10.5WHL-40K-F 10.5W 1700LM 4000K FROSTED | 12 & 36 |
| | T8-4FT-TYPB-10.5WHL-40K-C 10.5W 1700LM 4000K CLEAR | 12 & 36 |

4FT. T8 LED GLASS LAMPS DIMMABLE DIRECT A/C (one end N+L)

NO PARTIAL/MUST SHIP CASE QTY.



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|--|--|-----------|
| 4FT  | T8-4FT-DIM-18W-35K-C 18W 1900LM 3500K 90-140VAC, CLEAR | 12 & 36 |
| | T8-4FT-DIM-18W-35K-F 18W 1900LM 3500K 90-140VAC, FROSTED | 12 & 36 |
| | T8-4FT-DIM-18W-50K-F 18W 2150LM 5000K 90-140VAC, FROSTED | 12 & 36 |

NEW GEN HIGH LUMEN 4FT. LED T8 GLASS LAMPS DIMMABLE DIRECT A/C (ONE END N+L)

NO PARTIAL/MUST SHIP CASE QTY.



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|------------------------------------|--------------------------|-----------|
| 4FT T8-HL-4FT-DIM-18W-40K-C | 18W 2250LM 4000K Clear | 12 & 36 |
| T8-HL-4FT-DIM-18W-40K-F | 18W 2160LM 4000K Frosted | 12 & 36 |
| T8-HL-4FT-DIM-18W-50K-C | 18W 2250LM 5000K Clear | 12 & 36 |
| T8-HL-4FT-DIM-18W-50K-F | 18W 2160LM 5000K Frosted | 12 & 36 |

8FT. SPLIT VERSION LED T8 LAMPS, TYPE B

NO PARTIAL/MUST SHIP CASE QTY.



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|--------------------------------------|--------------------------|-----------|
| 8FT T8-HL-8FT-SPLIT-42W-40K-C | 42W 6000LM 4000K Clear | 18 |
| T8-HL-8FT-SPLIT-42W-40K-F | 42W 5500LM 4000K Frosted | 18 |
| T8-HL-8FT-SPLIT-42W-50K-C | 42W 6000LM 5000K Clear | 18 |
| T8-HL-8FT-SPLIT-42W-50K-F | 42W 5500LM 5000K Frosted | 18 |
| T8-R17D-CONV | R17D Conversion kit | |

8FT. LED T8 LAMPS, TYPE B DIRECT A/C 100-277V (TWO ENDS)

NO PARTIAL/MUST SHIP CASE QTY.



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|--------------------------------|--------------------------|-----------|
| 8FT T8-HL-8FT-40W-40K-C | 40W 4600LM 4000K Clear | 20 |
| T8-HL-8FT-40W-40K-F | 40W 4400LM 4000K Frosted | 20 |
| T8-HL-8FT-40W-50K-C | 40W 4600LM 5000K Clear | 20 |
| T8-HL-8FT-40W-50K-F | 40W 4400LM 5000K Frosted | 20 |

T12 X-GEN SELECTABLE-CCT LED LAMPS, TYPE A+B FOR A/C OR BALLAST

NO PARTIAL/MUST SHIP CASE QTY.



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|--------------------------|---|-----------|
| T12-EZX-MCT-GS-4FT-16W-F | 16W 2000LM 30K/40K/50K/65K Frosted, G13, Type B | 20 |

4FT. LED T5 GLASS LAMPS, TYPE A+B, WORK WITH DIRECT A/C OR BALLAST



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|------------------------------------|--------------------------|-----------|
| 4FT T5-EZ6-GS-4FT-24W-40K-F | 24W 3000LM 4000K Frosted | 12 & 36 |
| T5-EZ6-GS-4FT-24W-50K-F | 24W 3000LM 4000K Frosted | 12 & 36 |

4FT. LED T5 GLASS LAMPS

NO PARTIAL/MUST SHIP CASE QTY.

| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|------------------------------|--------------------------|-----------|
| 4FT T5-TYPA-27W-40K-F | 27W 3200LM 4000K FROSTED | 40 |
| T5-TYPA-27W-50K-F | 27W 3200LM 5000K FROSTED | 40 |
| T5-TYPB-25W-40K-F | 25W 3200LM 4000K FROSTED | 40 |

5FT. & 6FT. LED REFRIGERATOR LAMPS



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|--------------------------------|------------------------|-----------|
| 5FT T-RFG-5FT-22W-50K-C | 22W 3100LM 5000K CLEAR | 25 |
| 6FT T-RFG-6FT-30W-50K-C | 30W 4200LM 5000K CLEAR | 25 |

LED EMERGENCY DRIVER FOR ALL T8 LAMPS



| CATALOG NO. | DESCRIPTION |
|--------------------|--|
| ELB-18150-B | Field-installed emergency ballast for all T8 Lamps; Input voltage: 100-277VAC, 50-60Hz; Output: 18W Maximum for 90 minutes |

COMMERCIAL
T8
LAMPS

LED COMMERCIAL RECESSED LIGHT
(CLIP-ON/SNAP-IN) WITH OR WITHOUT HOUSING











| WATTS | LUMENS |
|-------|-------------|
| 15W | 1200-1275LM |
| 20W | 1600-1720LM |

15W ENGINE

20W ENGINE

40W MAX ENGINE

| | | |
|---|---|--|
|  CRLC-EGN-15W-50K-D CRLC-EGN-15W-MCT-D |  CRLC-EGN-20W-50K-D CRLC-EGN-20W-MCTP-D |  27W/34W/40W & 30K/35K/40K CRLC-EGN-40W-MCTP-D |
| 15W RECSSED LIGHT | 20W RECSSED LIGHT | 40W RECSSED LIGHT |

| 4" ROUND TRIM | | 4" ROUND RECESSED LIGHT | | 15W ENGINE | 20W ENGINE | 40W MAX ENGINE | |
|----------------|---------------------------|---------------------------|--|--|--|---|---|
| 4" ROUND TRIM | HAZE FINISH & WHITE RING | OPEN |  CRLC-TRM-4 | → | CRLC4-15W-MCT-D | CRLC4-20W-MCTP-D | CRLC4-40W-MCTP-D |
| | HAZE FINISH & WHITE RING | WALL WASH |  CRLC-TRM-4A | → | CRLC4-15W-50K-A-D CRLC4-15W-MCT-A-D | CRLC4-20W-50K-A-D CRLC4-20W-MCTP-A-D | CRLC4-40W-MCTP-A-D |
| | | WHITE FINISH & WHITE RING | OPEN |  CRLC-TRM-4-WH | → | CRLC4-15W-50K-D-WH CRLC4-15W-MCT-D-WH | CRLC4-20W-50K-D-WH CRLC4-20W-MCTP-D-WH |
| | WHITE FINISH & WHITE RING | WALL WASH |  CRLC-TRM-4A-WH | → | CRLC4-15W-50K-A-D-WH CRLC4-15W-MCT-A-D-WH | CRLC4-20W-50K-A-D-WH CRLC4-20W-MCTP-A-D-WH | CRLC4-40W-MCTP-A-D-WH |
| 4" SQUARE TRIM | HAZE FINISH & WHITE RING | OPEN |  CRLC-TRM-4S | → | CRLC4-15W-50K-S-D CRLC4-15W-MCT-S-D | CRLC4-20W-50K-S-D CRLC4-20W-MCTP-S-D | CRLC4-40W-MCTP-S-D |
| | | WALL WASH |  CRLC-TRM-4SA | → | CRLC4-15W-50K-SA-D CRLC4-15W-MCT-SA-D | CRLC4-20W-50K-SA-D CRLC4-20W-MCTP-SA-D | CRLC4-40W-MCTP-SA-D |
| | WHITE FINISH & WHITE RING | OPEN |  CRLC-TRM-4S-WH | → | CRLC4-15W-50K-S-D-WH CRLC4-15W-MCT-S-D-WH | CRLC4-20W-50K-S-D-WH CRLC4-20W-MCTP-S-D-WH | CRLC4-40W-MCTP-S-D-WH |
| | | WALL WASH |  CRLC-TRM-4SA-WH | → | CRLC4-15W-50K-SA-D-WH CRLC4-15W-MCT-SA-D-WH | CRLC4-20W-50K-SA-D-WH CRLC4-20W-MCTP-SA-D-WH | CRLC4-40W-MCTP-SA-D-WH |



ROUND & OPEN RECESSED LIGHT



SQUARE & OPEN RECESSED LIGHT



ROUND & WALL WASH RECESSED LIGHT



SQUARE & WALL WASH RECESSED LIGHT

LED COMMERCIAL RECESSED LIGHT
(CLIP-ON/SNAP-IN) WITH OR WITHOUT HOUSING



| WATTS | LUMENS |
|-------|-------------|
| 15W | 1200-1275LM |
| 20W | 1600-1720LM |

15W ENGINE

20W ENGINE

40W MAX ENGINE



CRLC-EGN-15W-50K-D
CRLC-EGN-15W-MCT-D

CRLC-EGN-20W-50K-D
CRLC-EGN-20W-MCTP-D

CRLC-EGN-40W-MCTP-D

15W RECESSED LIGHT

20W RECESSED LIGHT

40W RECESSED LIGHT

| 6" ROUND TRIM | | HAZE FINISH & WHITE RING | | 6" ROUND RECESSED LIGHT | 15W ENGINE | | 20W ENGINE | | 40W MAX ENGINE | |
|---------------------------|---------------------------|--------------------------|-----------------|--|---|---|-----------------------|--|----------------|--|
| COMMERCIAL RECESSED | OPEN | | CRLC-TRM-6 | | CRLC6-15W-MCT-D | CRLC6-20W-MCTP-D | CRLC6-40W-MCTP-D | | | |
| | WALL WASH | | CRLC-TRM-6A | | CRLC6-15W-50K-A-D CRLC6-15W-MCT-A-D | CRLC6-20W-50K-A-D CRLC6-20W-MCTP-A-D | CRLC6-40W-MCTP-A-D | | | |
| WHITE FINISH & WHITE RING | | OPEN | | | CRLC6-15W-MCT-D-WH | CRLC6-20W-MCTP-D-WH | CRLC6-40W-MCTP-D-WH | | | |
| | WALL WASH | | CRLC-TRM-6A-WH | CRLC6-15W-50K-A-D-WH CRLC6-15W-MCT-A-D-WH | CRLC6-20W-50K-A-D-WH CRLC6-20W-MCTP-A-D-WH | CRLC6-40W-MCTP-A-D-WH | | | | |
| 6" SQUARE TRIM | | HAZE FINISH & WHITE RING | | 6" SQUARE RECESSED LIGHT | 15W ENGINE | | 20W ENGINE | | 40W MAX ENGINE | |
| COMMERCIAL RECESSED | OPEN | | CRLC-TRM-6S | | CRLC6-15W-50K-S-D CRLC6-15W-MCT-S-D | CRLC6-20W-50K-S-D CRLC6-20W-MCTP-S-D | CRLC6-40W-MCTP-S-D | | | |
| | WALL WASH | | CRLC-TRM-6SA | | CRLC6-15W-50K-SA-D CRLC6-15W-MCT-SA-D | CRLC6-20W-50K-SA-D CRLC6-20W-MCTP-SA-D | CRLC6-40W-MCTP-SA-D | | | |
| WHITE FINISH & WHITE RING | | OPEN | | | CRLC6-15W-50K-S-D-WH CRLC6-15W-MCT-S-D-WH | CRLC6-20W-50K-S-D-WH CRLC6-20W-MCTP-S-D-WH | CRLC6-40W-MCTP-S-D-WH | | | |
| | WALL WASH | | CRLC-TRM-6SA-WH | CRLC6-15W-50K-SA-D-WH CRLC6-15W-MCT-SA-D-WH | CRLC6-20W-50K-SA-D-WH CRLC6-20W-MCTP-SA-D-WH | CRLC6-40W-MCTP-SA-D-WH | | | | |
| 8" ROUND TRIM | | HAZE FINISH & WHITE RING | | 8" ROUND RECESSED LIGHT | 15W ENGINE | | 20W ENGINE | | 40W MAX ENGINE | |
| COMMERCIAL RECESSED | OPEN | | CRLC-TRM-8 | | CRLC8-15W-MCT-D | CRLC8-20W-MCTP-D | CRLC8-40W-MCTP-D | | | |
| | WHITE FINISH & WHITE RING | | OPEN | | CRLC8-15W-MCT-D-WH | CRLC8-20W-MCTP-D-WH | CRLC8-40W-MCTP-D-WH | | | |



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

| WATTS | EM OPTION | DESCRIPTION | PHOTOCELL | DESCRIPTION | PAINT | SENSOR | DESCRIPTION |
|------------|-------------|-------------|-----------|-------------|-------|--------|-------------|
| ALL MODELS | OPT-EM-CRLC | EXTERNAL | N/A | N/A | N/A | N/A | N/A |

LED COMMERCIAL RECESSED LIGHT, 120-277V

HAZE



| CODE | TRIM DESCRIPTION | WATTS | | COLOR TEMP | | WATT |
|--------------|---|------------|---------------|------------|-------------|------|
| | | CODE | DESCRIPTION | CODE | DESCRIPTION | |
| CRL4 | 4" LED Commercial trim only, 4 inches | 27W | 1950LM | 30K | 3000K | 27W: |
| | | 40W | 2387LM | 40K | 4000K | |
| | | 54W | 2834LM | 50K | 5000K | |
| CRL6 | 6" LED Commercial trim only, 6 inches | 18W | 1639LM | 30K | 3000K | 18W: |
| | | 27W | 2387LM | 40K | 4000K | 27W: |
| | | 40W | 3447LM | 50K | 5000K | 40W: |
| CRL8 | 8" LED Commercial trim only, 8 inches | 18W | 1639LM | 30K | 3000K | 18W: |
| | | 27W | 2387LM | 40K | 4000K | 27W: |
| | | 40W | 3447LM | 50K | 5000K | 40W: |
| CRL10 | 10" LED Commercial trim only, 10 inches | 18W | 1639LM | 30K | 3000K | 18W: |
| | | 27W | 2387LM | 40K | 4000K | 27W: |
| | | 40W | 3447LM | 50K | 5000K | 40W: |



Shown with Housing (Not Incl., See Below)

SEE NEXT PAGE FOR HOUSING

Sample Order:

CRL6-27W-40K



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

| WATTS | EM OPTION | DESCRIPTION | PHOTOCELL | DESCRIPTION | PAINT | SENSOR | DESCRIPTION |
|------------|------------|-------------|-----------|-------------|-------|--------|-------------|
| ALL MODELS | OPT-EM-CRL | EXTERNAL | N/A | N/A | N/A | N/A | N/A |

SPEC SERIES COMMERCIAL RECESS LIGHT, POWER AND CCT ADJUSTABLE



| CATALOG NO. | DESCRIPTION |
|-----------------------------|--|
| CRLX4-14-27W-MCTP | 14W/20W/27W 80LM/W 30K/35K/40K 4" MCTP |
| CRLX6-18-40W-MCTP | 18W/27W/40W 85LM/W 30K/35K/40K 6" MCTP |
| CRLX6-50-80W-MP-30K | 50W/65W/80W 85LM/W 3000K 6" MP |
| CRLX6-50-80W-MP-40K | 50W/65W/80W 85LM/W 4000K 6" MP |
| CRLX6-50-80W-MP-50K | 50W/65W/80W 85LM/W 5000K 6" MP |
| CRLX8-18-40W-MCTP | 18W/27W/40W 85LM/W 30K/35K/40K 8" MCTP |
| CRLX8-50-80W-MP-30K | 50W/65W/80W 85LM/W 3000K 8" MP |
| CRLX8-50-80W-MP-40K | 50W/65W/80W 85LM/W 4000K 8" MP |
| CRLX8-50-80W-MP-50K | 50W/65W/80W 85LM/W 5000K 8" MP |
| CRLX10-18-40W-MCTP | 18W/27W/40W 85LM/W 30K/35K/40K 10" MCTP |
| CRLX10-50-80W-MP-30K | 50W/65W/80W 85LM/W 3000K 10" MP |
| CRLX10-50-80W-MP-40K | 50W/65W/80W 85LM/W 4000K 10" MP |
| CRLX10-50-80W-MP-50K | 50W/65W/80W 85LM/W 5000K 10" MP |

SEE NEXT PAGE FOR HOUSING



Back View ENGINE + TRIM

LED COMMERCIAL RECESSED LIGHT HOUSINGS

| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|--|---|-----------|
|  CRL-HSG-4 | Commercial Recessed Light Housings, 4" | 2 |
| CRL-HSG-6 | Commercial Recessed Light Housings, 6" | 2 |
| CRL-HSG-8 | Commercial Recessed Light Housings, 8" | 2 |
| CRL-HSG-10 | Commercial Recessed Light Housings, 10" | 2 |
| CRL-BH | Bar Hanger For Commercial Recessed Housings | |


BUILDER SERIES COMMERCIAL RECESS LIGHT, POWER AND CCT ADJUSTABLE **MCTP**


| CATALOG NO. | DESCRIPTION |
|---|--|
|  CRLE4-5-12W-MCTP-WH | 5W/7W/12W 100LM/W 30K/40K/50K 4" |
| CRLE6-7-18W-MCTP-WH | 7W/10W/18W 100LM/W 30K/40K/50K 6" |
|  CRLE6-H0-25-40W-MCTP-WH | 25W/30W/40W 100LM/W 30K/40K/50K 6", High-Output |
| CRLE8-10-22W-MCTP-WH | 10W/15W/22W 100LM/W 30K/40K/50K 8" |
|  CRLE8-H0-34-52W-MCTP-WH | 34W/42W/52W 100LM/W 30K/40K/50K 8", High-Output |
| CRLE10-20-32W-MCTP-WH | 20W/25W/32W 100LM/W 30K/40K/50K 10" |
|  CRLE10-H0-26-40W-MCTP-WH | 26W/32W/40W 100LM/W 30K/40K/50K 10", High-Output |
|  CRLE-RI-TBAR-UNV | Snap-In Comm. Recessed Light Universal TBAR Plate |
| CRLE-RI-UNV | Snap-In Comm. Recessed Light Universal Rough-In Plate |
|  CRLE4-TRM-BK | 4" Snap-In Comm. Recessed Light 4In Black Trim + Ring Set |
| CRLE4-TRM-BN | 4" Snap-In Comm. Recessed Light 4In Brushed Nickel Trim + Ring Set |
|  CRLE6-TRM-BK | 6" Snap-In Comm. Recessed Light 6In Black Trim + Ring Set |
| CRLE6-TRM-BN | 6" Snap-In Comm. Recessed Light 6In Brushed Nickel Trim + Ring Set |
|  CRLE8-TRM-BK | 8" Snap-In Comm. Recessed Light 8In Black Trim + Ring Set |
| CRLE8-TRM-BN | 8" Snap-In Comm. Recessed Light 8In Brushed Nickel Trim + Ring Set |
|  CRLE10-TRM-BK | 10" Snap-In Comm. Recessed Light 10In Black Trim + Ring Set |
| CRLE10-TRM-BN | 10" Snap-In Comm. Recessed Light 10In Brushed Nickel Trim + Ring Set |

 **FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

| WATTS | EM OPTION | DESCRIPTION | PHOTOCELL | DESCRIPTION | PAINT | SENSOR | DESCRIPTION |
|------------|-------------|-------------|-----------|-------------|-------|--------|-------------|
| ALL MODELS | OPT-EM-CRLE | EXTERNAL | N/A | N/A | N/A | N/A | N/A |

LED COMMERCIAL SLIM CANLESS RECESSED REGRESSED BAFFLE LIGHTS 120-277V, 0-10V DIMMING



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|---|-----------------------------------|-----------|
|  RSLC6-BF-30K | 12W 900LM 3000K 6" | 12 |
| RSLC6-BF-40K | 12W 900LM 4000K 6" | 12 |
| RSLC8-BF-30K | 24W 1900LM 3000K 8" | 12 |
| RSLC8-BF-40K | 24W 1900LM 4000K 8" | 12 |
| RSLC8-BF-50K | 24W 1900LM 5000K 8" | 12 |
| RSLC6-BF-MCT5 | 12W 900LM 27K/30K/35K/40K/50K 6" | |
| RSLC8-BF-MCT5 | 24W 1900LM 27K/30K/35K/40K/50K 8" | |
| RSL-BF-EXT-6FT | RSL-BF 6FT. DC extension cord | - |
| RSL-BF-EXT-10FT | RSL-BF 10FT. DC extension cord | - |
| RSL-BF-EXT-20FT | RSL-BF 20FT. DC extension cord | - |



HALF CIRCLE INDOOR WALL SCNCE, 5CCT



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|---------------------|--------------------------------------|-----------|
| FDLH-12-MCT5 | 12W 960LM 27K/30K/35K/40K/50K | 6 |



LSC-10-MCTP-BN
Brushed Nickel



LSC-15-MCTP-BN
Brushed Nickel



LSC-18-MCTP-BN
Brushed Nickel

MODERN INDOOR WALL SCNCE, POWER AND CCT ADJUSTABLE



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|-----------------------|--|-----------|
| LSC-10-MCTP-BN | 9W/12W/15W 80LM/W 30K/40K/50K Brushed Nickel | 6 |
| LSC-15-MCTP-BN | 12W/18W/20W 80LM/W 30K/40K/50K Brushed Nickel | 6 |
| LSC-18-MCTP-BN | 15W/20W/25W 80LM/W 30K/40K/50K Brushed Nickel | 6 |



LED VANITY LIGHT, 120-277VAC



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|------------------------|--|-----------|
| LVL-2FT-MCT-DD | 20W 2200LM 30K/40K/50K | |
| LVL-2FT-17W-30K | 17W 1900LM 3000K WHILE SUPPLIES LAST | 3 |
| LVL-2FT-17W-40K | 17W 1900LM 4000K | 3 |



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

| WATTS | EM OPTION | DESCRIPTION | ROCKER SWITCH OPTION | DESCRIPTION | PAINT | SENSOR | DESCRIPTION |
|------------|-------------------|-------------|----------------------|-------------|-------|--|---|
| ALL MODELS | OPT-EM-LVL | INTERNAL | OPT-VL-RS-BK | BOX | N/A | OPT-SEN-2MDR-36 WEC-3RC | PROGRAMMABLE MICROWAVE BI-LEVEL REMOTE CONTROL |




LVF-WS-MCT5-BN

BULDER SERIES VANITY LIGHTS WITH SLIDE-TO-CENTER WALL CANOPY



| CATALOG NO. | DESCRIPTION |
|-----------------------|--|
| LVF-18-MCT5-BN | 12W 1020LM 27K/30K/35K/40K/50K 18" Brushed Nickel |
| LVF-24-MCT5-BN | 16W 1360LM 27K/30K/35K/40K/50K 24" Brushed Nickel |
| LVF-30-MCT5-BN | 20W 1600LM 27K/30K/35K/40K/50K 30" Brushed Nickel |
| LVF-36-MCT5-BN | 24W 2000LM 27K/30K/35K/40K/50K 36" Brushed Nickel |
| LVF-48-MCT5-BN | 32W 2700LM 27K/30K/35K/40K/50K 48" Brushed Nickel |
| LVF-WS-MCT5-BN | 16W 1360LM 27K/30K/35K/40K/50K 14" Brushed Nickel |

COMMERCIAL
VANITY
LIGHTS



MODEL LVB LED SEMI-FLUSH VANITY LIGHT, 3CCT, PC LENS, 120V

FOR FACTORY OPTION BOX SEE LVE BELOW



| CATALOG NO. | DESCRIPTION |
|----------------------|--|
| LVB-12-MCT-BN | 8W 560LM 30K/40K/50K Brushed-Nickel, 12" |
| LVB-12-MCT-PC | 8W 560LM 30K/40K/50K Polished-Chrome, 12" |
| LVB-18-MCT-BN | 12W 840LM 30K/40K/50K Brushed-Nickel, 18" |
| LVB-18-MCT-PC | 12W 840LM 30K/40K/50K Polished-Chrome, 18" |
| LVB-24-MCT-BN | 16W 1440LM 30K/40K/50K Brushed-Nickel, 24" |
| LVB-24-MCT-PC | 16W 1440LM 30K/40K/50K Polished-Chrome, 24" |
| LVB-36-MCT-BN | 24W 1680LM 30K/40K/50K Brushed-Nickel, 36" |
| LVB-36-MCT-PC | 24W 1680LM 30K/40K/50K Polished-Chrome, 36" |
| LVB-48-MCT-BN | 32W 2240LM 30K/40K/50K Brushed-Nickel, 48" |
| LVB-48-MCT-PC | 32W 2240LM 30K/40K/50K Polished-Chrome, 48" |



MODEL LVC ARCHITECTURAL LED MULTI COLOR-TEMPERATURE VANITY LIGHT WITH CUBE PC LENS, 120V

FOR FACTORY OPTION BOX SEE LVE BELOW



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|-----------------------|--|-----------|
| LVC-24-MCT5-BN | 16W 1120LM 27K/30K/35K/40K/50K Brushed Nickel 24" | 10 |
| LVC-36-MCT5-BN | 24W 1680LM 27K/30K/35K/40K/50K Brushed Nickel 36" | 10 |



LVD-WS-MCT5-BN

MODEL LVD ARCHITECTURAL LED MULTI COLOR-TEMPERATURE VANITY LIGHT WITH TUBE PC, 120V

FOR FACTORY OPTION BOX SEE LVE BELOW



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|----------------|---|-----------|
| LVD-24-MCT5-BN | 16W 1300LM 27K/30K/35K/40K/50K Brushed Nickel 24" | 10 |
| LVD-36-MCT5-BN | 24W 2000LM 27K/30K/35K/40K/50K Brushed Nickel 36" | 10 |
| LVD-48-MCT5-BN | 32W 2700LM 27K/30K/35K/40K/50K Brushed Nickel 48" | 10 |
| LVD-WS-MCT5-BN | 16W 1360LM 27K/30K/35K/40K/50K Brushed Nickel 14" | |

COMMERCIAL
VANITY LIGHTS



OVAL-BACK 360° MODERN VANITY LIGHT



| CATALOG NO. | DESCRIPTION | ARRIVES THIS SEASON CHECK & PRE-ORDER | PKG. QTY. |
|----------------|---|--|-----------|
| LVO-18-MCT5-BN | 18W 1260LM 27K/30K/35K/40K/50K Brushed Nickel 18" | | 10 |
| LVO-24-MCT5-BN | 24W 1680LM 27K/30K/35K/40K/50K Brushed Nickel 24" | | 6 |
| LVO-36-MCT5-BN | 36W 2520LM 27K/30K/35K/40K/50K Brushed Nickel 36" | | 4 |



MODEL LVE MULTI COLOR-TEMPERATURE VANITY LIGHT (3CCT), WITH PC LENS AND METAL RINGS, 120V



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|---------------|---|-----------|
| LVE-24-MCT-BN | 17W 1760LM 3000K/3500K/4000K Brushed Nickel 24" | 1 |
| LVE-36-MCT-BN | 25W 2560LM 3000K/3500K/4000K Brushed Nickel 36" | 1 |
| LVE-48-MCT-BN | 34W 3500LM 3000K/3500K/4000K Brushed Nickel 48" | 1 |



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

| WATTS | 277V OPTION | DESCRIPTION | ROCKER SWITCH OPTION | DESCRIPTION | PAINT | SENSOR | DESCRIPTION |
|-------|-------------|-------------|----------------------|-------------|-------|--------|-------------|
| ALL | OPT-277V | INTERNAL | OPT-VL-RS-BK | BOX | N/A | N/A | N/A |



MODEL LVA ARCHITECTURAL LED DUAL GLASS MULTI COLOR-TEMPERATURE VANITY LIGHT, 120V

FOR FACTORY OPTION BOX SEE LVE BELOW



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|-----------------------|--|-----------|
| LVA-24-MCT5-BN | 20W 1400LM 27K/30K/35K/40K/50K Brushed Nickel 24" | 1 |
| LVA-36-MCT5-BN | 30W 2100LM 27K/30K/35K/40K/50K Brushed Nickel 36" | 1 |



MODEL LVG ARCHITECTURAL LED MULTI COLOR-TEMPERATURE VANITY LIGHT WITH SQUARE PC LENS, 120V

FOR FACTORY OPTION BOX SEE LVE BELOW



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|-----------------------|--|-----------|
| LVG-24-MCT5-BN | 18W 1300LM 27K/30K/35K/40K/50K Brushed Nickel 24" | 10 |
| LVG-36-MCT5-BN | 30W 2000LM 27K/30K/35K/40K/50K Brushed Nickel 36" | 10 |

COMMERCIAL
VANITY LIGHTS



LVS-24
LVS-36
LVS-48




LVS-WS-21


SPEC SERIES SLIM ROTATABLE VANITY LIGHTS AND SCONCES, 120V




| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|--------------------------|--|-----------|
| LVS-24-MCT5-BN | 20W 1400LM 27K/30K/35K/40K/50K 24" Brushed Nickel | 10 |
| LVS-24-MCT5-BK | 20W 1400LM 27K/30K/35K/40K/50K 24" Black | 10 |
| LVS-24-MCT5-BB | 20W 1400LM 27K/30K/35K/40K/50K 24" Brushed Brass | 10 |
| LVS-36-MCT5-BN | 30W 2100LM 27K/30K/35K/40K/50K 36" Brushed Nickel | 10 |
| LVS-36-MCT5-BK | 30W 2100LM 27K/30K/35K/40K/50K 36" Black | 10 |
| LVS-36-MCT5-BB | 30W 2100LM 27K/30K/35K/40K/50K 36" Brushed Brass | 10 |
| LVS-48-MCT5-BN | 40W 2800LM 27K/30K/35K/40K/50K 48" Brushed Nickel | 10 |
| LVS-48-MCT5-BK | 40W 2800LM 27K/30K/35K/40K/50K 48" Black | 10 |
| LVS-48-MCT5-BB | 40W 2800LM 27K/30K/35K/40K/50K 48" Brushed Brass | 10 |
| LVS-WS-21-MCT5-BN | 14W 980LM 27K/30K/35K/40K/50K 21" Brushed Nickel | 10 |
| LVS-WS-21-MCT5-BK | 14W 980LM 27K/30K/35K/40K/50K 21" Black | 10 |
| LVS-WS-21-MCT5-BB | 14W 980LM 27K/30K/35K/40K/50K 21" Brushed Brass | 10 |



CWS-48-MCTP



CWS-18-MCTP



CWS-12-MCTP



COMMERCIAL AND WAITING-ROOM INDOOR WALL SCONCE AND SUSPENDED LIGHTS

| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|------------------------|--|-----------|
| CWS-12-MCTP | 10W/15W/20W 85LM/W 30K/35K/40K | 1 |
| CWS-18-MCTP | 10W/15W/20W 85LM/W 30K/35K/40K | 1 |
| CWS-48-MCTP | 20W/30W/40W 85LM/W 30K/35K/40K | 1 |
| CWS-48-MCTP-DWA | Optional Drywall Mounting Accessory For CWS-48in | |



LMIR-18-2028-MCT-DF
LMIR-18-2436-MCT-DF



LMIR-36-2028-MCT-DF
LMIR-36-2436-MCT-DF



LMIR-18R-24D-MCT-DF
LMIR-18R-32D-MCT-DF
LMIR-18R-40D-MCT-DF



LMIR-54-2840-MCT-DF



LMIR-MC18-2432-MCT-DF

SPEC SERIES LED MIRRORS AND CABINET, ADJUSTABLE COLOR TEMP., DIMMING, WITH DEFOGGER FEATURE, (CALL SPECIAL SIZES AVAIL. BY SPECIAL ORDER)

| CATALOG NO. | DESCRIPTION | W X H | PKG. QTY. |
|---------------------------------------|-----------------------|-------------|-----------|
| SQUARE LED MIRRORS AND CABINET | | | |
| LMIR-18-2028-MCT-DF | 35W 3000K/4500K/6500K | 20"W X 28"H | 1 |
| LMIR-18-2436-MCT-DF | 44W 3000K/4500K/6500K | 24"W X 36"H | 1 |
| LMIR-36-2028-MCT-DF | 31W 3000K/4500K/6500K | 20"W X 28"H | 1 |
| LMIR-36-2436-MCT-DF | 39W 3000K/4500K/6500K | 24"W X 36"H | 1 |
| LMIR-54-2840-MCT-DF | 48W 3000K/4500K/6500K | 28"W X 40"H | 1 |
| LMIR-MC18-2432-MCT-DF | 35W 2700K-6500K | 24"W X 32"H | 1 |
| ROUND LED MIRRORS AND CABINET | | | |
| LMIR-18R-24D-MCT-DF | 30W 30K/45K/65K | 24" | 1 |
| LMIR-18R-32D-MCT-DF | 48W 30K/45K/65K | 32" | 1 |
| LMIR-18R-40D-MCT-DF | 68W 30K/45K/65K | 40" | 1 |



COMMERCIAL
WALL SCONCE
& MIRRORS



WFL-112-PC-3B-52-MCT-WH-WH
White and White blades



WFL-112-PC-3B-52-MCT-BK-BK
Black and Black blades



WFL-112-PC-3B-52-MCT-BN-RWS
Brush Nickel and Reversible
Rosewood/Silver blades



WFL-113-PC-5B-52-MCT-WH-WH
White and White blades



WFL-113-PC-5B-52-MCT-BN-RWBK
Brush Nickel and Reversible
Black/Rosewood blades



WFL-115-PC-3B-52-MCT-WH-WH
White and White blades



WFL-115-PC-3B-52-MCT-BK-BK
Black and Black blades



WFL-115-PC-3B-52-MCT-BN-RWS
Brush Nickel and Reversible
Rosewood/Silver blades



With wall switch

WFL-116-WS-3B-52-30K-WH-WH
White and White blades



With wall switch

WFL-116-WS-3B-52-30K-BK-BK
Black and Black blades



With wall switch

WFL-116-WS-3B-52-30K-BN-RWS
Brush Nickel and Reversible
Rosewood/Silver blades



WFL-107-PC-5B-52-WH-WH
White and White blades



WFL-107-PC-5B-52-BN-RWSO
Brush Nickel and Reversible
Rosewood/Silver oak



WFL-105-PC-5B-52-WH-WH
White and White blades



WFL-105-PC-5B-52-SN-RWSO
Satin Nickel and Reversible
Rosewood /Silver oak



WFL-103-PC-5B-52-WH-WH
White and White blades



WFL-103-PC-5B-52-BN-RWSO
Brush Nickel and Reversible
Rosewood/Silver oak



With wall switch

WFL-118-WS-4B-52-30K-WH-WH
White and White blades



With wall switch

WFL-118-WS-4B-52-30K-BK-BK
Black and Black blades



With wall switch

WFL-118-WS-4B-52-30K-BN-S
Brush Nickel/Silver Blades



WF-318WP-RC-3B-52-BR-WA
Bronze And Walnut Blades



With wall switch

WFL-117DL-WS-4B-52-30K-BK-BK
Black and Black blades


WESTGATE CEILING FANS



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|------------------------------|---|-----------|
| WFL-112-PC-3B-52-MCT-WH-WH | 20W 1750LM 30K/40K/50K White and White blades | 1 |
| WFL-112-PC-3B-52-MCT-BK-BK | 20W 1750LM 30K/40K/50K Black and Black blades | 1 |
| WFL-112-PC-3B-52-MCT-BN-RWS | 20W 1750LM 30K/40K/50K Brush Nickel and Reversible Rosewood/Silver blades | 1 |
| WFL-113-PC-5B-52-MCT-WH-WH | 20W 1750LM 30K/40K/50K White and White blades | 1 |
| WFL-113-PC-5B-52-MCT-BN-RWBK | 20W 1750LM 30K/40K/50K Brush Nickel and Reversible Black/Rosewood blades | 1 |
| WFL-115-PC-3B-52-MCT-WH-WH | 20W 1750LM 30K/40K/50K White and White blades | 1 |
| WFL-115-PC-3B-52-MCT-BK-BK | 20W 1750LM 30K/40K/50K Black and Black blades | 1 |
| WFL-115-PC-3B-52-MCT-BN-RWS | 20W 1750LM 30K/40K/50K Brush Nickel and Reversible Rosewood/Silver blades | 1 |
| WFL-116-WS-3B-52-30K-WH-WH | 19W 1600LM 3000K White and White blades | 1 |
| WFL-116-WS-3B-52-30K-BK-BK | 19W 1600LM 3000K Black and Black blades | 1 |
| WFL-116-WS-3B-52-30K-BN-RWS | 19W 1600LM 3000K Brush Nickel and Reversible Rosewood/Silver blades | 1 |
| WFL-107-PC-5B-52-WH-WH | 9W*2 800LM*2 3000K White and White blades | 1 |
| WFL-107-PC-5B-52-BN-RWSO | 9W*2 800LM*2 3000K Brush Nickel and Reversible Rosewood/Silver oak | 1 |
| WFL-105-PC-5B-52-WH-WH | 7W*3 600LM*3 3000K White and White blades | 1 |
| WFL-105-PC-5B-52-SN-RWSO | 7W*3 600LM*3 3000K Satin Nickel and Reversible Rosewood /Silver oak | 1 |
| WFL-103-PC-5B-52-WH-WH | 7W*3 600LM*3 3000K White and White blades | 1 |
| WFL-103-PC-5B-52-BN-RWSO | 7W*3 600LM*3 3000K Brush Nickel and Reversible Rosewood/Silver oak | 1 |
| WFL-118-WS-4B-52-30K-WH-WH | 19W 1600LM 3000K White and White blades | 1 |
| WFL-118-WS-4B-52-30K-BK-BK | 19W 1600LM 3000K Black and Black blades | 1 |
| WFL-118-WS-4B-52-30K-BN-S | 19W 1600LM 3000K Brush Nickel/Silver Blades | 1 |
| WF-318WP-RC-3B-52-BR-WA | - - - Bronze And Walnut Blades | 1 |
| WFL-117DL-WS-4B-52-30K-BK-BK | 19W 1600LM 3000K Black and Black blades | 1 |

COMMERCIAL
CEILING
FANS

CEILING FAN EXTENSION DOWNROD



| CATALOG NO. | DESCRIPTION |
|--------------------|--|
| WF-DR-12-BN | Ceiling Fan Extension Downrod 12in, Brush Nickel |
| WF-DR-18-BN | Ceiling Fan Extension Downrod 18in, Brush Nickel |
| WF-DR-24-BN | Ceiling Fan Extension Downrod 24in, Brush Nickel |
| WF-DR-36-BN | Ceiling Fan Extension Downrod 36in, Brush Nickel |
| WF-DR-12-BK | Ceiling Fan Extension Downrod 12in, Black |
| WF-DR-18-BK | Ceiling Fan Extension Downrod 18in, Black |
| WF-DR-24-BK | Ceiling Fan Extension Downrod 24in, Black |
| WF-DR-36-BK | Ceiling Fan Extension Downrod 36in, Black |
| WF-DR-12-WH | Ceiling Fan Extension Downrod 12in, White |
| WF-DR-18-WH | Ceiling Fan Extension Downrod 18in, White |
| WF-DR-24-WH | Ceiling Fan Extension Downrod 24in, White |
| WF-DR-36-WH | Ceiling Fan Extension Downrod 36in, White |

LED TRACK LIGHTS, 120V *(Fit Halo® and compatible tracks and accessories)*



| CATALOG NO. | DESCRIPTION | WHILE SUPPLIES LAST |
|-------------------------|---|---------------------|
| TR1-R-10W-WH-40K | 10W 691LM 4000K WHITE 25° LED ADJ. CYLINDER | |
| TR1-R-10W-WH-50K | 10W 702LM 5000K WHITE 25° LED ADJ. CYLINDER | |
| TR1-S-10W-WH-30K | 10W 681LM 3000K WHITE 25° LED ADJ. SQUARE | |
| TR1-S-10W-WH-40K | 10W 706LM 4000K WHITE 25° LED ADJ. SQUARE | |
| TR1-S-10W-WH-50K | 10W 732LM 5000K WHITE 25° LED ADJ. SQUARE | |
| TR1-R-10W-BK-40K | 10W 691LM 4000K BLACK 25° LED ADJ. CYLINDER | |
| TR1-S-10W-BK-30K | 10W 681LM 3000K BLACK 25° LED ADJ. SQUARE | |
| TR1-S-10W-BK-40K | 10W 706LM 4000K BLACK 25° LED ADJ. SQUARE | |
| TR1-REFL-38D | Optional Reflector For Tr1 Series Track Lights—38° Beam Angle | |



TRE-5-15W-MCTP-36D-BK
Black



TRE-15-25W-MCTP-36D-BK
Black



TRE-25-35W-MCTP-36D-BK
Black



TRE-5-15W-MCTP-36D-WH
White



TRE-15-25W-MCTP-36D-WH
White



TRE-25-35W-MCTP-36D-WH
White

BUILDER SERIES TRACK HEADS WITH EXT. DRIVERS, POWER AND CCT ADJUSTABLE, 120V



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|-------------------------------|---|-----------|
| TRE-5-15W-MCTP-36D-BK | 5W/10W/15W 84LM/W 30K/35K/40K Black | 20 |
| TRE-5-15W-MCTP-36D-WH | 5W/10W/15W 84LM/W 30K/35K/40K White | 20 |
| TRE-15-25W-MCTP-36D-BK | 15W/20W/25W 84LM/W 30K/35K/40K Black | 12 |
| TRE-15-25W-MCTP-36D-WH | 15W/20W/25W 84LM/W 30K/35K/40K White | 12 |
| TRE-25-35W-MCTP-36D-BK | 25W/30W/35W 84LM/W 30K/35K/40K Black | 10 |
| TRE-25-35W-MCTP-36D-WH | 25W/30W/35W 84LM/W 30K/35K/40K White | 10 |
| TRE26-BK | 3.5In Modern Par-Lamp Track Head 120V 3-Wire, Black | |
| TRE26-WH | 3.5In Modern Par-Lamp Track Head 120V 3-Wire, White | |



TRD-8W-MCT5-36D-BK
Black

TRD-12W-MCT5-36D-BK
Black

TRD-20W-MCT5-36D-BK
Black

TRD-30W-MCT5-36D-BK
Black

SPEC SERIES DIE-CAST TRACK HEADS 5CCT, 120V



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|-------------------------------------|---|-----------|
| TRD-8W-MCT5-36D-BK | 8W 720LM 27K/30K/35K/40K/50K Black | 40 |
| TRD-8W-MCT5-36D-WH | 8W 720LM 27K/30K/35K/40K/50K White | 40 |
| TRD-12W-MCT5-36D-BK | 12W 1080LM 27K/30K/35K/40K/50K Black | 24 |
| TRD-12W-MCT5-36D-WH | 12W 1080LM 27K/30K/35K/40K/50K White | 24 |
| TRD-20W-MCT5-36D-BK | 20W 1800LM 27K/30K/35K/40K/50K Black | 16 |
| TRD-20W-MCT5-36D-WH | 20W 1800LM 27K/30K/35K/40K/50K White | 16 |
| TRD-30W-MCT5-36D-BK | 30W 2700LM 27K/30K/35K/40K/50K Black | 16 |
| TRD-30W-MCT5-36D-WH | 30W 2700LM 27K/30K/35K/40K/50K White | 16 |
| TRD-8W-LENS-15D | TRD 8W Replacement Lens 15-Degree | |
| TRD-8W-LENS-25D | TRD 8W Replacement Lens 25-Degree | |
| TRD-8W-LENS-55D | TRD 8W Replacement Lens 55-Degree | |
| TRD-12W-LENS-15D | TRD 12W Replacement Lens 15-Degree | |
| TRD-12W-LENS-25D | TRD 12W Replacement Lens 25-Degree | |
| TRD-12W-LENS-55D | TRD 12W Replacement Lens 55-Degree | |
| TRD-20W-LENS-15D | TRD 20W Replacement Lens 15-Degree | |
| TRD-20W-LENS-25D | TRD 20W Replacement Lens 25-Degree | |
| TRD-20W-LENS-60D | TRD 20W Replacement Lens 60-Degree | |
| TRD-30W-LENS-12D | TRD 30W Replacement Lens 12-Degree | |
| TRD-30W-LENS-24D | TRD 30W Replacement Lens 24-Degree | |
| TRD-30W-LENS-60D | TRD 30W Replacement Lens 60-Degree | |

COMMERCIAL TRACK LIGHTS



TRS-10-20W-BK
Black



TRS-10-20W-WH
White



TRS-20-30W-BK
Black




TRS-20-30W-WH
White


STANDARD TRACK HEAD SERIES, WATTAGE & CCT SELECT, H-TYPE, J-TYPE CONV. KIT AVAIL., 120-277V




| CATALOG NO. | DESCRIPTION | ARRIVES THIS SEASON CHECK & PRE-ORDER | PKG. QTY. |
|---|---|--|-----------|
| TRS-10-20W-MCTP-36D-WH | 10W/15W/20W 90LM/W 27K/30K/35K/40K/50K White | | 20 |
| TRS-10-20W-MCTP-36D-BK | 10W/15W/20W 90LM/W 27K/30K/35K/40K/50K Black | | 20 |
| TRS-20-30W-MCTP-36D-WH | 20W/25W/30W 90LM/W 27K/30K/35K/40K/50K White | | 20 |
| TRS-20-30W-MCTP-36D-BK | 20W/25W/30W 90LM/W 27K/30K/35K/40K/50K Black | | 20 |
| TRS-10-20W-MCTPB-36D-WH | 10W/15W/20W 90LM/W 27K/30K/35K/40K/50K White | | 20 |
| TRS-10-20W-MCTPB-36D-BK | 10W/15W/20W 90LM/W 27K/30K/35K/40K/50K Black | | 20 |
| TRS-20-30W-MCTPB-36D-WH | 20W/25W/30W 90LM/W 27K/30K/35K/40K/50K White | | 20 |
| TRS-20-30W-MCTPB-36D-BK | 20W/25W/30W 90LM/W 27K/30K/35K/40K/50K Black | | 20 |
| TRS-H-J-WH | H-Type To J-Type Connector Head Converter, White | | |
| TRS-H-J-BK | H-Type To J-Type Connector Head Converter, Black | | |




TR-2FT
TR-4FT
TR-6FT
TR-8FT
White OR Black




TR-LE
White OR Black




TR-MC
White OR Black




TR-SC
White OR Black




TR-LC
White OR Black




TR-TC
White OR Black




TR-XC
White OR Black




TR-FLEXC
White OR Black




TR-FC
White OR Black



TR-MONC
White OR Black



TR-JBEF
White OR Black



TR-CCON
White OR Black



TR-EC
White OR Black
2 Included with each track



TR-EXTCON
White OR Black

TRACK ACCESSORIES

| CATALOG NO. | DESCRIPTION |
|---------------------|--|
| TR-2FT-BK | 2Ft 3-Wire Track, Black |
| TR-2FT-WH | 2Ft 3-Wire Track, White |
| TR-4FT-BK | 4Ft 3-Wire Track, Black |
| TR-4FT-WH | 4Ft 3-Wire Track, White |
| TR-6FT-BK | 6Ft 3-Wire Track, Black |
| TR-6FT-WH | 6Ft 3-Wire Track, White |
| TR-8FT-BK | 8Ft 3-Wire Track, Black |
| TR-8FT-WH | 8Ft 3-Wire Track, White |
| TR-LE-BK | 3-Wire Track Live End, Black |
| TR-LE-WH | 3-Wire Track Live End, White |
| TR-MC-BK | 3-Wire Track Mini Connector, Black |
| TR-MC-WH | 3-Wire Track Mini Connector, White |
| TR-SC-BK | 3-Wire Track Straight Connector, Black |
| TR-SC-WH | 3-Wire Track Straight Connector, White |
| TR-LC-BK | 3-Wire Track L Connector, Black |
| TR-LC-WH | 3-Wire Track L Connector, White |
| TR-TC-BK | 3-Wire Track T Connector, Black |
| TR-TC-WH | 3-Wire Track T Connector, White |
| TR-XC-BK | 3-Wire Track X Connector, Black |
| TR-XC-WH | 3-Wire Track X Connector, White |
| TR-FLEXC-BK | 3-Wire Track Flex Connector, Black |
| TR-FLEXC-WH | 3-Wire Track Flex Connector, White |
| TR-FC-BK | 3-Wire Track Floating Canopy, Black |
| TR-FC-WH | 3-Wire Track Floating Canopy, White |
| TR-MONC-BK | 3-Wire Track Mono Canopy, Black |
| TR-MONC-WH | 3-Wire Track Mono Canopy, White |
| TR-JBEF-BK | 3-Wire Track J-Box End Feed Kit, Black |
| TR-JBEF-WH | 3-Wire Track J-Box End Feed Kit, White |
| TR-CCON-BK | 3-Wire Track Conduit Connector, Black |
| TR-CCON-WH | 3-Wire Track Conduit Connector, White |
| TR-EC-BK | 3-Wire Track End Cap, Black |
| TR-EC-WH | 3-Wire Track End Cap, White |
| TR-EXTCON-BK | 3-Wire Track To Track Extension Connector, Black |
| TR-EXTCON-WH | 3-Wire Track To Track Extension Connector, White |

RESIDENTIAL LIGHTING

BUILDER SERIES ECO SHALLOW PC DOB RECESS TRIM, 5CCT SELECTABLE



| CATALOG NO. | DESCRIPTION | |
|---|--|--------|
|  RDDF4-MCT5 | 6.5W 650LM 27K/30K/40K/50K/60K 4" | BAFFLE |
|  RDDF6-MCT5 | 10W 1000LM 27K/30K/40K/50K/60K 6" | BAFFLE |
|  RDSD4-MCT5 | 6.5W 650LM 27K/30K/40K/50K/60K 4" | SMOOTH |
|  RDSD6-MCT5 | 10W 1000LM 27K/30K/40K/50K/60K 6" | SMOOTH |

2" ROUND COMPOSITE RECESSED TRIM, SMOOTH



| CATALOG NO. | DESCRIPTION | ARRIVES THIS SEASON CHECK & PRE-ORDER |
|---|-------------------------------------|--|
|  RDPS2-MCT5 | 7W 600LM 27K/30K/35K/40K/50K | |

BUILDER PLUS ENVIRONMENTAL SERIES PC 5CCT SELECTABLE LED RECESSED LIGHT TRIM- COMPOSITE SERIES



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|---|---|-----------|
|  RDPF4-MCT5 | 10W 800LM 27K/30K/35K/40K/50K 4" BAFFLE | 12 |
|  RDPF6-MCT5 | 13W 1040LM 27K/30K/35K/40K/50K 6" BAFFLE | 8 |
|  RDPS4-MCT5 | 10W 800LM 27K/30K/35K/40K/50K 4" SMOOTH | 12 |
|  RDPS6-MCT5 | 13W 1040LM 27K/30K/35K/40K/50K 6" SMOOTH | 8 |



2" ADJUSTABLE ROUND COMPOSITE RECESSED TRIM



| CATALOG NO. | DESCRIPTION | ARRIVES THIS SEASON CHECK & PRE-ORDER |
|---|-------------------------------------|--|
|  RDPS2-ADJ-MCT5 | 7W 600LM 27K/30K/35K/40K/50K | |





BUILDER PLUS ENVIRONMENTAL SERIES PC 5CCT SELECTABLE ADJUSTABLE-HEAD LED RECESSED LIGHT TRIMS



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|---|---|-----------|
|  RDPF4-ADJ-MCT5 | 10W 800LM 27K/30K/35K/40K/50K 4" | 12 |
|  RDPF6-ADJ-MCT5 | 11W 880LM 27K/30K/35K/40K/50K 6" | 8 |

BUILDER PLUS ENVIRONMENTAL SERIES PC 5CCT+3 POWER-LEVEL SELECTABLE LED RECESSED LIGHT TRIM- COMPOSITE SERIES



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|---|---|-----------|
|  RDPF4-MCTP | 8W/10W/13W 80LM/W 27K/30K/35K/40K/50K 4" BAFFLE | 12 |
|  RDPF6-MCTP | 10W/13W/17W 80LM/W 27K/30K/35K/40K/50K 6" BAFFLE | 8 |
|  RDPS4-MCTP | 8W/10W/13W 80LM/W 27K/30K/35K/40K/50K 4" SMOOTH | 12 |
|  RDPS6-MCTP | 10W/13W/17W 80LM/W 27K/30K/35K/40K/50K 6" SMOOTH | 8 |

RESIDENTIAL RECESSED TRIMS

SPEC SERIES LED RECESSED TRIM SERIES 3", 4", 5/6" 5CCT SELECTABLE



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|--|---|-----------|
| SMOOTH METAL LED RECESSED TRIM SERIES 4" & 5/6" SELECTABLE 5CCT [JA8] | | |
| RDL4-ST-MCT5 | 10W 700LM 27K/30K/35K/40K/50K 4" WET | 24 |
| RDL4-ST-MCT5-ORB | 10W 700LM 27K/30K/35K/40K/50K 4" WET | 24 |
| RDL4-ST-MCT5-BK | 10W 700LM 27K/30K/35K/40K/50K 4" WET | 24 |
| RDL6-ST-MCT5 | 15W 1275LM 27K/30K/35K/40K/50K 5/6" | 16 |
| RDL6-ST-MCT5-ORB | 15W 1275LM 27K/30K/35K/40K/50K 5/6" | 16 |
| RDL6-ST-MCT5-BK | 15W 1275LM 27K/30K/35K/40K/50K 5/6" | 16 |
| BAFFLE METAL LED RECESSED TRIM SERIES 4" & 5/6" SELECTABLE 5CCT [JA8] | | |
| RDL4-BF-MCT5 | 10W 700LM 27K/30K/35K/40K/50K 4" | 24 |
| RDL4-BF-MCT5-ORB | 10W 700LM 27K/30K/35K/40K/50K 4" | 24 |
| RDL4-BF-MCT5-BK | 10W 700LM 27K/30K/35K/40K/50K 4" | 24 |
| RDL6-BF-MCT5 | 15W 1275LM 27K/30K/35K/40K/50K 5/6" | 16 |
| RDL6-BF-MCT5-ORB | 15W 1275LM 27K/30K/35K/40K/50K 5/6" | 16 |
| RDL6-BF-MCT5-BK | 15W 1275LM 27K/30K/35K/40K/50K 5/6" | 16 |
| SPEC PLUS & WESTGATE SIGNATURE LED RECESSED TRIM SERIES 3", 4", 5/6" SELECTABLE 5CCT [JA8] | | |
| RDL3-MCT5-WP | 7W 560LM 27K/30K/35K/40K/50K 3" | 20 |
| RDL4-MCT5-WP | 8W 650LM 27K/30K/35K/40K/50K 4" | 20 |
| RDL6-MCT5-WP | 14W 1140LM 27K/30K/35K/40K/50K 5/6" | 20 |
| WESTGATE SIGNATURE ADJUSTABLE BAFFLE METAL LED RECESSED TRIM SERIES 4" & 5/6" SELECTABLE 5CCT [JA8] | | |
| RDL4-ADJ-MCT5 | 8W 650LM 27K/30K/35K/40K/50K 4" | 12 |
| RDL6-ADJ-MCT5 | 11W 900LM 27K/30K/35K/40K/50K 5/6" | 8 |



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

| WATTS | EM OPTION | DESCRIPTION | PHOTOCELL | DESCRIPTION | PAINT | SENSOR | DESCRIPTION |
|-----------|------------|-------------|-----------|-------------|-------|--------|-------------|
| UP TO 19W | OPT-EM-RDL | EXTERNAL | N/A | N/A | N/A | N/A | N/A |



WESTGATE SIGNATURE DEEP BAFFLE RETROFIT METAL LED RECESSED TRIM 5CCT

| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|----------------|--|-----------|
| RDMF4-MCT5 | 10W 750LM 27K/30K/35K/40K/50K White | 10 |
| RDMF4-MCT5-BK | 10W 750LM 27K/30K/35K/40K/50K Black | 10 |
| RDMF4-MCT5-ORB | 10W 750LM 27K/30K/35K/40K/50K Oil-rubbed bronze | 10 |
| RDMF6-MCT5 | 14W 1050LM 27K/30K/35K/40K/50K White | 10 |
| RDMF6-MCT5-BK | 14W 1050LM 27K/30K/35K/40K/50K Black | 10 |
| RDMF6-MCT5-ORB | 14W 1050LM 27K/30K/35K/40K/50K Oil-rubbed bronze | 10 |

RESIDENTIAL RECESSED TRIMS

LED BAFFLE AND SMOOTH RECESSED TRIMS (CLIP-ON RDL-BF & RDL-ST)



BAFFLE
SMOOTH

| CATALOG NO. | DESCRIPTION |
|-------------------------|---|
| RDL4-BF-TRMB-BK | RDL4-BF series color trim, baffle, black finish |
| RDL4-BF-TRMB-BN | RDL4-BF series color trim, baffle, brushed nickel finish |
| RDL4-BF-TRMB-ORB | RDL4-BF series color trim, baffle, oil-rubbed bronze finish |
| RDL4-BF-TRMB-GD | RDL4-BF series color trim, baffle, Specular Gold |
| RDL6-BF-TRMB-BK | RDL6-BF series color trim, baffle, black finish |
| RDL6-BF-TRMB-BN | RDL6-BF series color trim, baffle, brushed nickel |
| RDL6-BF-TRMB-ORB | RDL6-BF series color trim, baffle, oil-rubbed bronze finish |
| RDL6-BF-TRMB-GD | RDL6-BF series color trim, baffle, Specular Gold |
| RDL4-BF-TRMS-BK | RDL4-BF series color trim, smooth, black finish |
| RDL4-BF-TRMS-BN | RDL4-BF series color trim, smooth, brushed nickel |
| RDL4-BF-TRMS-WH | RDL4-BF series color trim, smooth, white finish |
| RDL4-BF-TRMS-ORB | RDL4-BF series color trim, smooth, oil-rubbed bronze finish |
| RDL4-BF-TRMS-GD | RDL4-BF series color trim, smooth, Specular Gold |
| RDL6-BF-TRMS-BK | RDL6-BF series color trim, smooth, black finish |
| RDL6-BF-TRMS-BN | RDL6-BF series color trim, smooth, brushed nickel |
| RDL6-BF-TRMS-WH | RDL6-BF series color trim, smooth, white finish |
| RDL6-BF-TRMS-ORB | RDL6-BF series color trim, smooth, oil-rubbed bronze finish |
| RDL6-BF-TRMS-GD | RDL6-BF series color trim, smooth, Specular Gold |



LED SQUARE TRIMS 4", 5/6"

RESIDENTIAL

RECESSED TRIMS

SMOOTH

BAFFLE



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|---|--|-----------|
| SMOOTH LED SQUARE TRIMS 4", 5/6" | | |
| SDL4-MCT5 | 10W 650LM 27K/30K/35K/40K/50K 4" MCT5 | 24 |
| SDL6-MCT5 | 15W 1155LM 27K/30K/35K/40K/50K 5/6" MCT5 | 16 |
| BAFFLE LED SQUARE TRIMS 4", 5/6" | | |
| SDL4-BF-27K | 10W 600LM 2700K 4" WHILE SUPPLIES LAST | 24 |
| SDL4-BF-30K | 10W 650LM 3000K 4" WHILE SUPPLIES LAST | 24 |
| SDL4-BF-41K | 10W 700LM 4100K 4" | 24 |
| SDL4-BF-50K | 10W 700LM 5000K 4" WHILE SUPPLIES LAST | 24 |
| SDL4-BF-MCT5 | 10W 700LM 27K/30K/35K/40K/50K 4" MCT5 | 24 |
| SDL6-BF-27K | 16.5W 1073LM 2700K 5/6" | 16 |
| SDL6-BF-30K | 16.5W 1100LM 3000K 5/6" | 16 |
| SDL6-BF-41K | 16.5W 1150LM 4100K 5/6" | 16 |
| SDL6-BF-50K | 16.5W 1200LM 5000K 5/6" | 16 |
| SDL6-BF-MCT5 | 15W 1155LM 27K/30K/35K/40K/50K 5/6" MCT5 | 16 |



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

| WATTS | EM OPTION | DESCRIPTION | PHOTOCELL | DESCRIPTION | PAINT | SENSOR | DESCRIPTION |
|-----------|-------------------|-------------|-----------|-------------|-------|--------|-------------|
| UP TO 19W | OPT-EM-SDL | EXTERNAL | N/A | N/A | N/A | N/A | N/A |

2" SQUARE COMPOSITE RECESSED TRIM, SMOOTH




| CATALOG NO. | DESCRIPTION |
|-------------------|-------------------------------------|
| SDPS2-MCT5 | 7W 600LM 27K/30K/35K/40K/50K |

**ARRIVES THIS SEASON
CHECK & PRE-ORDER**



WG SMART APP COMPATIBLE RGBW SMOOTH RECESSED LIGHT TRIM - ROUND, 120V


| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|---|-----------------------------------|-----------|
|  TC-RDPS4-10W-RGBW-WIFI | 10W 650LM RGBW 4" E26 Base | 12 |
| TC-RDPS6-13W-RGBW-WIFI | 13W 850LM RGBW 6" E26 Base | 8 |

12V LOW-VOLTAGE LED REPLACEMENT TRIMS FOR MR16 HOUSINGS










| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|--|--|-----------|
|  RDL4-BF-MCT5-12V | 11W 77LM 27K/30K/35K/40K/50K 4" | 24 |
| RDL4-ST-MCT5-12V | 11W 77LM 27K/30K/35K/40K/50K 4" | 24 |

J-BOX DIRECT-MOUNT RECESSED LIGHT, FITS 3-0 AND 4-0 OCTAGON BOXES

| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|---|---|-----------|
|  RDJ4-MCT5 | 10W 700LM 27K/30K/35K/40K/50K 4" | 20 |
| RDJ4-TRM-BK | 4 inch magnetic trim for RDJ4, Black | |

SPEC PLUS SERIES SINGLE CCT LED TRIMS 3", 4", 5/6" E26 included in the box (JA8-E-2016 COMPLIANT)



| CATALOG NO. | DESCRIPTION | WHILE SUPPLIES LAST | PKG. QTY. | |
|--|--|---|--|----|
|  3" | RDL3-27K-WP | 9W 540LM 2700K 3" | 20 | |
| | RDL3-30K-WP | 9W 540LM 3000K 3" | 20 | |
| | RDL3-41K-WP | 9W 540LM 4100K 3" | 20 | |
| | RDL3-50K-WP | 9W 540LM 5000K 3" | 20 | |
|  4" | RDL4-27K-WP | 12W 650LM 2700K 4" | 12 | |
| | RDL4-30K-WP | 12W 700LM 3000K 4" | 12 | |
| | RDL4-35K-WP | 12W 725LM 3500K 4" | 12 | |
| | RDL4-41K-WP | 12W 750LM 4100K 4" | 12 | |
| | RDL4-50K-WP | 12W 800LM 5000K 4" | 12 | |
| | RDL4-65K-WP | 12W 850LM 6500K 4" | 12 | |
| |  5/6" | RDL6-27K-WP | 19W 1200LM 2700K 5/6" | 8 |
| | | RDL6-30K-WP | 19W 1250LM 3000K 5/6" | 8 |
| RDL6-35K-WP | | 19W 1275LM 3500K 5/6" | 8 | |
| RDL6-41K-WP | | 19W 1300LM 4100K 5/6" | 8 | |
| RDL6-50K-WP | | 19W 1350LM 5000K 5/6" | 8 | |
| RDL6-65K-WP | | 19W 1400LM 6500K 5/6" | 8 | |
|  4" | RDL4-BF-27K | 10W 650LM 2700K 4" | 24 | |
| | RDL4-BF-30K | 10W 680LM 3000K 4" | 24 | |
| | RDL4-BF-30K-ORB | 10W 680LM 3000K 4" Oil-Rubbed Bronze | 24 | |
| | RDL4-BF-35K | 10W 720LM 3500K 4" | 24 | |
| | RDL4-BF-41K | 10W 746LM 4100K 4" | 24 | |
| | RDL4-BF-50K | 10W 761LM 5000K 4" | 24 | |
| |  5/6" | RDL6-BF-27K | 18W 1102LM 2700K 5/6" | 16 |
| | | RDL6-BF-30K | 18W 1204LM 3000K 5/6" | 16 |
| | | RDL6-BF-30K-ORB | 18W 1204LM 3000K 5/6" Oil-Rubbed Bronze | 16 |
| | | RDL6-BF-35K | 18W 1280LM 3500K 5/6" | 16 |
| RDL6-BF-41K | | 18W 1300LM 4100K 5/6" | 16 | |
| RDL6-BF-50K | | 18W 1350LM 5000K 5/6" | 16 | |
|  4" | RDL4-ADJ-27K | 10W 650LM 2700K 4" | 12 | |
| | RDL4-ADJ-30K | 10W 650LM 4" | 12 | |
| | RDL4-ADJ-41K | 10W 650LM 4100K 4" | 12 | |
| | RDL4-ADJ-50K | 10W 650LM 5000K 4" | 12 | |
| |  5/6" | RDL6-ADJ-27K | 13W 900LM 2700K 5/6" | 8 |
| | | RDL6-ADJ-30K | 13W 900LM 3000K 5/6" | 8 |
| RDL6-ADJ-41K | | 13W 900LM 4100K 5/6" | 8 | |
| RDL6-ADJ-50K | | 13W 900LM 5000K 5/6" | 8 | |

RESIDENTIAL RECESSED TRIMS



HL2R-ICAT



HL3R-ICAT



HL3-ICAT



HL4R-ICAT



HL4DW-ICAT



HL4-ICAT



HL4RS-ICAT



HL4S-ICAT



HL6R-ICAT



HL6-ICAT



HL6RS-ICAT



HL6S-ICAT



LED RECESSED HOUSINGS

| CATALOG NO. | DESCRIPTION | ARRIVES THIS SEASON CHECK & PRE-ORDER |
|-------------|---|--|
| HL2R-ICAT | 2In Led (TP24) Remodel Recessed Housing ICAT UL | |
| HL2DW-ICAT | 2In Led (TP24) Double-Wall Recessed Housing ICAT UL | |
| HL3R-ICAT | 3In Led (TP24) Remodel Recessed Housing ICAT UL | |
| HL3-ICAT | 3In Led (TP24) Recessed Housing ICAT UL | |
| HL4R-ICAT | 4In Led (TP24) Remodel Recessed Housing ICAT UL | |
| HL4DW-ICAT | 4In Led (TP24) Double-Wall Recessed Housing ICAT UL | |
| HL4-ICAT | 4In Led (TP24) Recessed Housing ICAT UL | |
| HL4RS-ICAT | 4In Led (TP24) Shallow Remodel Recessed Housing ICAT UL | |
| HL4S-ICAT | 4In Led (TP24) Shallow Recessed Housing ICAT UL | |
| HL6R-ICAT | 6In Led (TP24) Remodel Recessed Housing ICAT UL | |
| HL6-ICAT | 6In Led (TP24) Recessed Housing ICAT UL | |
| HL6RS-ICAT | 6In Led (TP24) Shallow Remodel Recessed Housing ICAT UL | |
| HL6S-ICAT | 6In Led (TP24) Shallow Recessed Housing ICAT UL | |

RESIDENTIAL
RECESSED
TRIMS

AIRTIGHT LED RECESSED LIGHT HOUSING

NO PARTIAL/MUST SHIP CASE QTY.

| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|-------------|--|-----------|
| ICF4SJBB | 4" Fire-Rated Junction Box With Bar Hangers For Surface Mount Down Lights | 24 |
| ICF4SJBP | 4" Fire-Rated Junction Box Housing For Led Surface Mount Down Lights & J-Box Recessed Lights | 6 |
| ICFAL-4 | 4" Fire-Rated Ic New Construction Led Recessed Housing | 4 |
| ICFAL-6 | 6" Fire-Rated Ic New Construction Led Recessed Housing | 4 |

FOR FACTORY-INSTALLED OPTIONS SEE SDL4 & 6 BELOW

FIRE-RATED RECESSED HOUSINGS GEN. 2, IC & AT, CONFORM TO UL263 & UL1598



| CATALOG NO. | DESCRIPTION | ARRIVES THIS SEASON CHECK & PRE-ORDER | PKG. QTY. |
|-------------|--|--|-----------|
| FR-HL4-AT | 4in 2hr Fire-Rated Recessed Housing New Const. | | 4 |
| FR-HL6-AT | 6in 2hr Fire-Rated Recessed Housing New Const. | | 4 |

FIRE-RATED (2 HR) SLIM WAFER CANLESS RECESSED LIGHT



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|--------------|----------------------------------|-----------|
| RSL4-MCT5-FR | 9W 630LM 27K/30K/35K/40K/50K 4" | 24 |
| SSL4-MCT5-FR | 9W 630LM 27K/30K/35K/40K/50K 4" | 24 |
| RSL6-MCT5-FR | 12W 840LM 27K/30K/35K/40K/50K 6" | 24 |
| SSL6-MCT5-FR | 12W 840LM 27K/30K/35K/40K/50K 6" | 24 |

RSL G2 SECOND GENERATION SLIM CANLESS WAFER LIGHTS, 5CCT



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|------------------|--|-----------|
| RSL4-G2-MCT5 | 10W 700LM 27K/30K/35K/40K/50K 4" White | 20 |
| RSL4-G2-MCT5-BK | 10W 700LM 27K/30K/35K/40K/50K 4" Black | 20 |
| RSL4-G2-MCT5-ORB | 10W 700LM 27K/30K/35K/40K/50K 4" Oil-Rubbed Bronze | 20 |
| RSL6-G2-MCT5 | 12W 1000W 27K/30K/35K/40K/50K 6" White | 20 |
| RSL6-G2-MCT5-BK | 12W 1000W 27K/30K/35K/40K/50K 6" Black | 20 |
| RSL6-G2-MCT5-ORB | 12W 1000W 27K/30K/35K/40K/50K 6" Oil-Rubbed Bronze | 20 |

With External J-Box. Included. No need for Housing

CANLESS SLIM LIGHTS, DIM-TO-WARM



| CATALOG NO. | DESCRIPTION | ARRIVES THIS SEASON CHECK & PRE-ORDER | PKG. QTY. |
|-----------------|-------------------------------------|--|-----------|
| RSL4-D2W | 11W 700LM DIM TO WARM 22-40K | | 12 |
| RSL6-D2W | 12W 900LM DIM TO WARM 22-40K | | 12 |



LED 5CCT ULTRA SLIM CANLESS RECESSED LIGHTS 3", 4", 6", 8" & 12", 120V



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|---|---|-----------|
| LED 5CCT ULTRA SLIM ROUND RECESSED LIGHTS | | |
| RSL3-MCT5 | 6W 400LM 27K/30K/35K/40K/50K 3" | 24 |
| RSL3-MCT5-BN | 6W 400LM 27K/30K/35K/40K/50K 3" | 24 |
| RSL3-MCT5-ORB | 6W 400LM 27K/30K/35K/40K/50K 3" | 24 |
| RSL4-MCT5 | 9W 630LM 27K/30K/35K/40K/50K 4" | 24 |
| RSL4-MCT5-ORB | 9W 630LM 27K/30K/35K/40K/50K 4" | 24 |
| RSL6-MCT5 | 15W 1125LM 27K/30K/35K/40K/50K 6" | 24 |
| RSL6-MCT5-ORB | 15W 1125LM 27K/30K/35K/40K/50K 6" | 24 |
| RSL8-MCT5 | 18W 1350LM 27K/30K/35K/40K/50K 8" | 24 |
| RSL10-MCT5 | 20W 1500LM 27K/30K/35K/40K/50K 10" | 24 |
| RSL12-MCT5 | 24W 1800LM 27K/30K/35K/40K/50K 12" | 24 |
| LED 5CCT BAFFLE ULTRA SLIM ROUND RECESSED LIGHTS | | |
| RSL4-BF-MCT5 | 9W 650LM 27K/30K/35K/40K/50K 4" | 12 |
| RSL6-BF-MCT5 | 12W 900LM 27K/30K/35K/40K/50K 6" | 12 |
| RSL-BF-EXT-6FT-MCT5 | 6 FT Extension Cord for RSL-BF | - |
| RSL-BF-EXT-10FT-MCT5 | 10 FT Extension Cord for RSL-BF | - |
| RSL-BF-EXT-20FT-MCT5 | 20 FT Extension Cord for RSL-BF | - |
| LED 5CCT ULTRA SLIM SQUARE RECESSED LIGHTS | | |
| SSL4-MCT5 | 9W 630LM 27K/30K/35K/40K/50K 4" | 24 |
| SSL6-MCT5 | 15W 1125LM 27K/30K/35K/40K/50K 6" | 24 |
| SSL12-MCT5 | 24W 1800LM 27K/30K/35K/40K/50K 12" | 24 |
| RSL-EXT-10FT-MCT | 10 Ft. Extension Cable for use with all MCT Slim Lights | |

With External J-Box Included, No need for Housing



RESIDENTIAL RECESSED TRIMS

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

| WATTS | EM OPTION | DESCRIPTION | PHOTOCELL | DESCRIPTION | PAINT | SENSOR | DESCRIPTION |
|-----------|-------------------|-------------|------------|-------------|------------|------------|-------------|
| UP TO 19W | OPT-EM-RSL | EXTERNAL | N/A | N/A | N/A | N/A | N/A |

LED 5CCT ADJUSTABLE ULTRA SLIM ROUND-BACK CANLESS RECESSED LIGHTS



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|--------------------|--|-----------|
| SSLRB4-MCT5 | 9W 630LM 27K/30K/35K/40K/50K 4" | 24 |
| SSLRB6-MCT5 | 15W 1125LM 27K/30K/35K/40K/50K 6" | 24 |

With External J-Box Included, No need for Housing



WET LOCATION LED 5CCT SLIM CANLESS RECESSED LIGHTS, 120V























| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|----------------------|---|-----------|
| RSL3-MCT5-WP | 6W 400LM 27K/30K/35K/40K/50K 3" | 24 |
| RSL4-MCT5-WP | 9W 630LM 27K/30K/35K/40K/50K 4" | 24 |
| RSL6-MCT5-WP | 15W 1125LM 27K/30K/35K/40K/50K 6" | 24 |
| RSL8-MCT5-WP | 18W 1350LM 27K/30K/35K/40K/50K 8" | 24 |
| RSL10-MCT5-WP | 20W 1500LM 27K/30K/35K/40K/50K 10" | 24 |
| RSL12-MCT5-WP | 24W 1800LM 27K/30K/35K/40K/50K 12" | 24 |


























With External J-Box Included, No need for Housing







LED ULTRA SLIM RECESSED LIGHT ACCESSORIES

| CATALOG NO. | DESCRIPTION |
|---|--|
|  RSL3-RI | 3" Round Rough-in Plate, 26" Long |
|  RSL4-RI | 4" Round Rough-in Plate, 26" Long |
|  RSL4-RI-13 | 4" Round Rough-in Plate, 13" Long |
|  RSL6-RI | 6" Round Rough-in Plate, 26" Long |
|  RSL6-RI-13 | 6" Round Rough-in Plate, 13" Long |
|  RSL8-RI | 8" Round Rough-in Plate, 26" Long |
|  RSL12-RI | 12" Round Rough-in Plate, 26" Long |
|  SSL4-RI | 4" Square Rough-in Plate, 26" Long |
|  SSL6-RI | 6" Square Rough-in Plate, 26" Long |
|  SSL12-RI | 12" Square Rough-in Plate, 26" Long |
|  RSL-EXT-10FT | 10 Ft. Extension Cable for use with all Slim Lights |
|  RSL-346-RIBH | 3", 4", 6" (Adjustable) Round Galvanized plate with Bar Hangers |
|  SSL-346-RIBH | 3", 4", 6" (Adjustable) Square Galvanized plate with Bar Hangers |
|  RSL4-GR | Goof ring for 4in lights with butterfly wings |
|  RSL6-GR | Goof ring for 6in lights with butterfly wings |
|  RSL8-GR | Goof ring for 8in lights with butterfly wings |
|  RSL10-GR | Goof ring for 10in lights with butterfly wings |
|  RSL12-GR | Goof ring for 12in lights with butterfly wings |
|  RSL4-VB | 4" Vapor Barrier For Slim Recessed Lights |
|  RSL6-VB | 6" Vapor Barrier For Slim Recessed Lights |

LED ULTRA SLIM RECESSED TRIMS (CLIP ON RSL & SSL SLIM LIGHTS)


| CATALOG NO. | DESCRIPTION |
|---|-----------------------------------|
|  RSL4-TRM-BK | 4" Black Clip-on Trim |
|  RSL4-TRM-ORB | 4" Oil-rubbed Bronze Clip-on Trim |
|  RSL4-TRM-CU | 4" Copper Clip-on Trim |
|  RSL4-TRM-BZ | 4" Bronze Clip-on Trim |
|  RSL4-TRM-BN | 4" Brushed Nickel Clip-on Trim |
|  RSL4-TRM-CH | 4" Chrome Clip-on Trim |
|  SSL4-TRM-BK | 4" Black Clip-on Trim |
|  SSL4-TRM-ORB | 4" Oil-rubbed Bronze Clip-on Trim |
|  SSL4-TRM-CU | 4" Copper Clip-on Trim |
|  SSL4-TRM-BZ | 4" Bronze Clip-on Trim |
|  SSL4-TRM-BN | 4" Brushed Nickel Clip-on Trim |
|  SSL4-TRM-CH | 4" Chrome Clip-on Trim |
|  RSL6-TRM-BK | 6" Black Clip-on Trim |
|  RSL6-TRM-ORB | 6" Oil-rubbed Bronze Clip-on Trim |
|  RSL6-TRM-CU | 6" Copper Clip-on Trim |
|  RSL6-TRM-BZ | 6" Bronze Clip-on Trim |
|  RSL6-TRM-BN | 6" Brushed Nickel Clip-on Trim |
|  RSL6-TRM-CH | 6" Chrome Clip-on Trim |
|  SSL6-TRM-BK | 6" Black Clip-on Trim |
|  SSL6-TRM-ORB | 6" Oil-rubbed Bronze Clip-on Trim |
|  SSL6-TRM-CU | 6" Copper Clip-on Trim |
|  SSL6-TRM-BZ | 6" Bronze Clip-on Trim |
|  SSL6-TRM-BN | 6" Brushed Nickel Clip-on Trim |
| SSL6-TRM-CH | 6" Chrome Clip-on Trim |

LED ROUND BACK RECESSED TRIMS (COMPATIBLE WITH SSLRB SERIES ONLY)

| CATALOG NO. | DESCRIPTION |
|---|--|
|  SSLRB4-TRM-BK | 4 inch square trim for SSLRB4, black |
|  SSLRB4-TRM-BN | 4 inch square trim for SSLRB4, brushed nickel |
|  SSLRB4-TRM-ORB | 4 inch square trim for SSLRB4, oil-rubbed bronze |
|  SSLRB6-TRM-BK | 6 inch square trim for SSLRB6, black |
|  SSLRB6-TRM-BN | 6 inch square trim for SSLRB6, brushed nickel |
|  SSLRB6-TRM-ORB | 6 inch square trim for SSLRB6, oil-rubbed bronze |


ADJUSTABLE FIRE-RATED SLIM CANLESS RECESSED LIGHT, 5CCT



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|---|--------------------------------------|-----------|
|  RSL4-ADJ-MCT5-FR | 9W 630LM 27K/30K/35K/40K/50K | 24 |
| RSL6-ADJ-MCT5-FR | 12W 840LM 27K/30K/35K/40K/50K | 12 |

NEW GENERATION OF ADJUSTABLE ANGLE CANLESS LIGHT




| CATALOG NO. | DESCRIPTION | ARRIVES THIS SEASON CHECK & PRE-ORDER | PKG. QTY. |
|---|--------------------------------------|--|-----------|
|  RSL4-ADJ-G2-MCT5 | 9W 630LM 27K/30K/35K/40K/50K | | 24 |
| RSL6-ADJ-G2-MCT5 | 12W 840LM 27K/30K/35K/40K/50K | | 24 |

With External J-Box Included
No need for Housing

LED 5CCT ADJUSTABLE ULTRA SLIM CANLESS RECESSED LIGHTS



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|--|---|-----------|
|  RSL4-ADJ-MCT5 | 9W 700LM 27K/30K/35K/40K/50K 4" | 24 |
| RSL6-ADJ-MCT5 | 12W 900LM 27K/30K/35K/40K/50K 6" | 24 |

With External J-Box Included
No need for Housing


WET LOCATION ADJUSTABLE LED 5CCT SLIM CANLESS RECESSED LIGHTS, 120V



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|---|--|-----------|
|  RSL4-ADJ-MCT5-WP | 9W 630LM 27K/30K/35K/40K/50K 4" | 24 |
| RSL6-ADJ-MCT5-WP | 15W 1125LM 27K/30K/35K/40K/50K 6" | 24 |


4" LED GIMBAL (EYEBALL) ROUND CANLESS RECESSED SNAP-IN LIGHT



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|---|---|-----------|
|  RSL4-GIM-MCT5 | 10W 800LM 27K/30K/35K/40K/50K 4" | 24 |

4" LED 5CCT ADJUSTABLE PULL-DOWN ULTRA SLIM CANLESS RECESSED LIGHT



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|--|---|-----------|
|  RSL4-APD-MCT5 | 10W 700LM 27K/30K/35K/40K/50K 4" | 12 |

With External J-Box Included, No need for Housing


SLIM SNAP-IN CANLESS RECESSED LIGHTS WITH J-BOX, 5CCT



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|---|--|-----------|
|  RSL4-JB-MCT5 | 10W 650LM 27K/30K/35K/40K/50K 4" | 24 |
| RSL6-JB-MCT5 | 12W 1000LM 27K/30K/35K/40K/50K 6" | 24 |

LED COMMERCIAL SLIM CANLESS RECESSED REGRESSED BAFFLE LIGHTS 120-277V, 0-10V DIMMING




| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|---|--|-----------|
|  RSLC6-BF-30K | 12W 900LM 3000K 6" | 12 |
| RSLC6-BF-40K | 12W 900LM 4000K 6" | 12 |
| RSLC8-BF-30K | 24W 1900LM 3000K 8" | 12 |
| RSLC8-BF-40K | 24W 1900LM 4000K 8" | 12 |
| RSLC8-BF-50K | 24W 1900LM 5000K 8" | 12 |
| RSLC6-BF-MCT5 | 12W 900LM 27K/30K/35K/40K/50K 6" | |
| RSLC8-BF-MCT5 | 24W 1900LM 27K/30K/35K/40K/50K 8" | |
| RSL-BF-EXT-6FT | RSL-BF 6FT. DC extension cord | - |
| RSL-BF-EXT-10FT | RSL-BF 10FT. DC extension cord | - |
| RSL-BF-EXT-20FT | RSL-BF 20FT. DC extension cord | - |

SINGLE CCT LED ULTRA SLIM CANLESS RECESSED LIGHTS


3", 4", 6", 8" & 12" 120V




| CATALOG NO. | DESCRIPTION | WHILE SUPPLIES LAST | PKG. QTY. |
|---|---------------------------------------|---------------------|-----------|
|  RSL3-27K | 6W 400LM 2700K 3" | | 24 |
| RSL4-30K-BN | 9W 630LM 3000K 4" Brushed Nickel | | 24 |
| RSL6-30K-BN | 15W 1125LM 3000K 6" Brushed Nickel | | 24 |
| RSL6-30K-ORB | 15W 1125LM 3000K 6" Oil-Rubbed Bronze | | 24 |
| SSL6-27K | 15W 1125LM 2700K 6" | | 24 |
| SSL6-30K | 15W 1125LM 3000K 6" | | 24 |
| SSL6-40K | 15W 1125LM 4000K 6" | | 24 |

FOR FACTORY OPTION SEE RSL-MCT5 ABOVE



LED ADJUSTABLE ULTRA SLIM CANLESS RECESSED LIGHTS

| CATALOG NO. | DESCRIPTION | WHILE SUPPLIES LAST | PKG. QTY. |
|---|--------------------|---------------------|-----------|
|  RSL4-ADJ-30K | 9W 700LM 3000K 4" | | 24 |
| RSL4-ADJ-40K | 9W 700LM 4000K 4" | | 24 |
| RSL4-ADJ-50K | 9W 700LM 5000K 4" | | 24 |
| RSL6-ADJ-27K | 12W 900LM 2700K 6" | | 24 |
| RSL6-ADJ-30K | 12W 900LM 3000K 6" | | 24 |
| RSL6-ADJ-40K | 12W 900LM 4000K 6" | | 24 |


4" SINGLE CCT LED ADJUSTABLE PULL-DOWN ULTRA SLIM CANLESS RECESSED LIGHTS

| CATALOG NO. | DESCRIPTION | WHILE SUPPLIES LAST | PKG. QTY. |
|--|--------------------|---------------------|-----------|
|  RSL4-APD-27K | 12W 700LM 2700K 4" | | 12 |
| RSL4-APD-40K | 12W 700LM 4000K 4" | | 12 |
| RSL4-APD-50K | 12W 700LM 5000K 4" | | 12 |


2" LED CANLESS RECESSED LIGHTS (Baffle)(JA8-E-2016 COMPLIANT)

| CATALOG NO. | DESCRIPTION | WHILE SUPPLIES LAST | PKG. QTY. |
|--|---|---------------------|-----------|
|  RDL2S-BF-40K-WH | 8W 600LM 4000K Round | WHILE SUPPLIES LAST | 18 |
| RDL2S-BF-50K-WH | 8W 600LM 5000K Round | WHILE SUPPLIES LAST | 18 |
| RDL2S-BF-MCT-WH | 8W 600LM 3000K/4000K/5000K Round | MCT5 | 18 |
|  SDL2S-BF-27K-WH | 8W 600LM 2700K Square | WHILE SUPPLIES LAST | 18 |
| SDL2S-BF-40K-WH | 8W 600LM 4000K Square | WHILE SUPPLIES LAST | 18 |
| SDL2S-BF-50K-WH | 8W 600LM 5000K Square | WHILE SUPPLIES LAST | 18 |
| SDL2S-BF-MCT-WH | 8W 600LM 3000K/4000K/5000K Square | MCT5 | 18 |
| RSL-346-RIBH | 3", 4", 6" (Adjustable) Galvanized plate with Bar Hangers | | |
| RDL2S-TRIM-ST-WH | Smooth Reflector Trim For RDL2S-BF, White | | |
| SDL2S-TRIM-ST-WH | Smooth Reflector Trim For SDL2S-BF, White | | |

3" LED ADJUSTABLE (EYEBALL) CANLESS RECESSED LIGHTS (JA8-E-2016 COMPLIANT)

| CATALOG NO. | DESCRIPTION | WHILE SUPPLIES LAST | PKG. QTY. |
|---|---|---------------------|-----------|
|  RDL3S-ADJ-27K-WH | 8W 600LM 2700K Round | | 18 |
| RDL3S-ADJ-40K-WH | 8W 600LM 4000K Round | | 18 |
| SDL3S-ADJ-27K-WH | 8W 600LM 2700K Square | | 18 |
| SDL3S-ADJ-30K-WH | 8W 600LM 3000K Square | | 18 |
| SDL3S-ADJ-40K-WH | 8W 600LM 4000K Square | | 18 |
| SDL3S-ADJ-50K-WH | 8W 600LM 5000K Square | | 18 |
| RSL-346-RIBH | 3", 4", 6" (Adjustable) Galvanized plate with Bar Hangers | | |


MINI LINEAR OPTIC-LIGHT FIXTURES, SNAP IN 5CCT

| CATALOG NO. | DESCRIPTION | WHILE SUPPLIES LAST | PKG. QTY. |
|---|--------------------------------|---------------------|-----------|
|  LDLS-6-MCT5 | 11W 600LM 27K/30K/35K/40K/50K | | 20 |
| LDLS-12-MCT5 | 18W 1200LM 27K/30K/35K/40K/50K | | 20 |

RESIDENTIAL RECESSED TRIMS


1" HIGH-OUTPUT LOW-GLARE CANLESS RECESSED LIGHTS, ROUND & SQUARE



| CATALOG NO. | DESCRIPTION | ARRIVES THIS SEASON CHECK & PRE-ORDER |
|---|---|--|
|  RDL1S-ST-MCT5-WH | 8w 600LM 27K/30K/35K/40K/50K | |
| SDL1S-ST-MCT5-BK | 8w 600LM 27K/30K/35K/40K/50K | |
| SDL1S-ST-MCT5-WH | 8w 600LM 27K/30K/35K/40K/50K | |
| RSL-1-RIBH | 1in (Adjustable) Galvanized Mounting Plate with Bar Hangers | |


CANLESS DEEP RECESS LIGHT, DIM TO WARM



| CATALOG NO. | DESCRIPTION | ARRIVES THIS SEASON CHECK & PRE-ORDER |
|--|--------------------------------------|--|
|  RDL4S-BF-D2W-WH | 12w 1050LM DIM TO WARM 22-40K | |
| RDL6S-BF-D2W-WH | 14w 1200LM DIM TO WARM 22-40K | |

CANLESS DEEP BAFFLE RECESSED LIGHTS



| CATALOG NO. | DESCRIPTION | ARRIVES THIS SEASON CHECK & PRE-ORDER | PKG. QTY. |
|--|---|--|--------------|
|  RDL4S-BF-MCT5-WH | 12w 1050LM 27K/30K/35K/40K/50K White | | 20 |
| RDL4S-BF-MCT5-BK | 12w 1050LM 27K/30K/35K/40K/50K Black | | 20 |
| RDL4S-BF-MCT5-ORB | 12w 1050LM 27K/30K/35K/40K/50K Oil-rubbed bronze | | 20 |
| RDL6S-BF-MCT5-WH | 14w 1200LM 27K/30K/35K/40K/50K White | | 20 |
| RDL6S-BF-MCT5-BK | 14w 1200LM 27K/30K/35K/40K/50K Black | | 20 |
| RDL6S-BF-MCT5-ORB | 14w 1200LM 27K/30K/35K/40K/50K Oil-rubbed bronze | | 20 |

RESIDENTIAL
RECESSED
TRIMS

HIGH-LUMEN DIE-CAST LED SNAP-IN CANLESS RECESSED LIGHTS SMOOTH AND BAFFLE TRIMS INCL.



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|--|--|--------------|
|  RDL2S-SB-MCT5-BK | 9w 600LM 27K/30K/35K/40K/50K 2" Round, Black | 20 |
| RDL4S-SB-MCT5-WH | 15w 1350LM 27K/30K/35K/40K/50K 4" Round, White | 20 |
| RDL4S-SB-MCT5-BK | 15w 1350LM 27K/30K/35K/40K/50K 4" Round, Black | 20 |
| SDL2S-SB-MCT5-BK | 9w 600LM 27K/30K/35K/40K/50K 2" Square, Black | 20 |
| SDL4S-SB-MCT5-WH | 15w 1350LM 27K/30K/35K/40K/50K 4" Square, White | 20 |
| SDL4S-SB-MCT5-BK | 15w 1350LM 27K/30K/35K/40K/50K 4" Square, Black | 20 |


3" LED ADJUSTABLE (EYEBALL) ROUND CANLESS RECESSED LIGHT



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|--|---|--------------|
|  RDL3S-ADJ-MCT5-WH | 7w 700LM 27K/30K/35K/40K/50K Round | 20 |

LED EMERGENCY DRIVER FOR ALL RECESSED TRIMS



| CATALOG NO. | DESCRIPTION |
|--|--|
|  ELB-0895 | Field-installed emergency ballast for all LED recessed trims; Input voltage: 100-277VAC, 50-60Hz; Output: 8W Maximum for 90 minutes |



LED ARCHITECTURAL TRIMLESS RECESSED LIGHTS - 4"



| CATALOG NO. | WATTAGE | COLOR TEMPERATURES | SHAPE | TRIM FINISH |
|---------------|----------------|---------------------------------|-------------------------------------|--|
| LRD-TL | 10W 10W | MCT5 27K/30K/35K/40K/50K | 4R ROUND 4S SQUARE | WH WHITE BK BLACK C CLEAR MG MATTE GOLD HZ MATTE SILVER |

SAMPLE ORDERING:

LRD-TL-10W-MCT5-4S-BK
FOR SEPARATE LIGHT ENGINE & TRIM PART NUMBERS, PLEASE SEE THE SPEC SHEETS

4" (3-1/4" Actual) COMPLETE ITEM CODE



WHITE

ENGINE

ONLY 10W ENGINE



Junction box included with fixtures

HOUSING



ROUND TRIMS



BLACK CLEAR MATTE SILVER MATTE GOLD WHITE

COMPLETE ITEM CODE



WHITE

ENGINE

ONLY 10W ENGINE



Junction box included with fixtures

HOUSING



SQUARE TRIMS



BLACK CLEAR MATTE SILVER MATTE GOLD WHITE

RESIDENTIAL RECESSED TRIMS



LED ARCHITECTURAL WINGED RECESSED LIGHTS - 3" & 4"



| CATALOG NO. | WATTAGE | COLOR TEMPERATURES | TRIM (ADJUSTBLE) | TRIM FINISH |
|-------------|--------------------------------|---------------------------------|--|---|
| LRD | 7W 7W 10W 10W | MCT5 27K/30K/35K/40K/50K | 3WTR 3" OPEN TRIM 3WTRPH 3" PIN HOLE TRIM 3WTRSL 3" SLOT TRIM 4WTR 4" OPEN TRIM 4WTRPH 4" PIN HOLE TRIM 4WTRSL 4" SLOT TRIM | WH WHITE (ALL TRIMS) BK BLACK (ALL TRIMS) C CLEAR (OPEN TRIMS ONLY) MG MATTE GOLD (OPEN TRIMS ONLY) HZ MATTE SILVER (OPEN TRIMS ONLY) ABK BLACK ON BLACK (OPEN TRIMS ONLY) |

SAMPLE ORDERING:

LRD-7W-MCT5-3WTR-MG

FOR SEPARATE LIGHT ENGINE & TRIM PART NUMBERS, PLEASE SEE THE SPEC SHEETS

4" Open



4" Pin Hole

4" Slot

3" (2-1/8" Actual) Open

3" (2-1/8" Actual) Slot



White

Black

Clear

White

Black

Matte Gold

Matte Silver

Black on Black

White

Black



LED ARCHITECTURAL MULTIPLE-TRIM RECESSED LIGHTS



| CATALOG NO. | WATTAGE | COLOR TEMPERATURES | TRIM (ADJUSTBLE) | TRIM FINISH |
|-------------|----------------|---------------------------------|--|-----------------|
| LRD | 10W 10W | MCT5 27K/30K/35K/40K/50K | WTM1 SINGLE SLOT TRIM WTM2 DOUBLE SLOT TRIM WTM3 TRIPLE SLOT TRIM | WH WHITE |

SAMPLE ORDERING:

LRD-10W-MCT5-WTM1-WH

FOR SEPARATE LIGHT ENGINE & TRIM PART NUMBERS, PLEASE SEE THE SPEC SHEETS

LRD-FGL

Frosted Glass Lens For LRD Series



Junction box included with fixtures



SINGLE TRIM



DOUBLE TRIM



TRIPLE TRIM

BUILDER SERIES 6" LED ECONOMY DISC LIGHT, 120V



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|------------------|------------------------|-----------|
| DLSE6-40K | 15W 900LM 4000K | 20 |
| DLSE6-50K | 15W 900LM 5000K | 20 |

BUILDER SERIES 4" & 6" LED 5CCT DISK LIGHT ECONOMY DISC LIGHT (JA8-E-2019 COMPLIANT)



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|----------------------|---|-----------|
| DLSE4-MCT5 | 10W 630LM 27K/30K/35K/40K/50K 4" White | 30 |
| DLSE4-MCT5-BR | 10W 630LM 27K/30K/35K/40K/50K 4" Bronze | 30 |
| DLSE6-MCT5 | 15W 1000LM 27K/30K/35K/40K/50K 6" White | 24 |
| DLSE6-MCT5-BR | 15W 1000LM 27K/30K/35K/40K/50K 6" Bronze | 24 |
| DLSE6-MCT5-BN | 15W 1000LM 27K/30K/35K/40K/50K 6" Brushed Nickel | 24 |

BUILDER SERIES 4" & 6" LED MULTI-CCT ECONOMY DISC LIGHT (JA8-E-2019 COMPLIANT)



| CATALOG NO. | DESCRIPTION | WHILE SUPPLIES LAST | PKG. QTY. |
|---------------------|---|---------------------|-----------|
| DLSE4-MCT | 9W 540LM 3000K/4000K/5000K 4" White | | 20 |
| DLSE6-40K | 15W 900LM 4000K 6" White | | 20 |
| DLSE6-50K | 15W 900LM 5000K 6" White | | 20 |
| DLSE6-MCT-BN | 15W 1000LM 3000K/4000K/5000K 6" Brushed Nickel | | 20 |

LED DISC LIGHT 4" & 6" 120V (J-BOX MOUNTING)(JA8-E-2016 COMPLIANT)



| CATALOG NO. | DESCRIPTION | WHILE SUPPLIES LAST | PKG. QTY. |
|------------------|-------------------------|---------------------|-----------|
| DLSN4-50K | 10W 600LM 5000K | | 20 |
| DLSN6-27K | 15W 1000LM 2700K | | 20 |
| DLSN6-30K | 15W 1000LM 3000K | | 20 |
| DLSN6-50K | 15W 1000LM 5000K | | 20 |

ARCHITECTURAL FLAT SURFACE DISK LIGHTS, 5CCT



| CATALOG NO. | DESCRIPTION | ARRIVES THIS SEASON CHECK & PRE-ORDER |
|-------------------|---------------------------------------|---------------------------------------|
| DLSF4-MCT5 | 12W 1080LM 27K/30K/35K/40K/50K | |
| DLSF6-MCT5 | 14W 1350LM 27K/30K/35K/40K/50K | |

SPEC SERIES 3CCT HIGH-PERFORMANCE DISC LIGHTS, 120V DIE CAST ALUMINUM, ALL MOUNTING OPTIONS INCL.



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|--------------------|--|-----------|
| DLS4-MCT | 9W 540LM 3000K/4000K/5000K 4" | 20 |
| DLS6-MCT | 15W 900LM 3000K/4000K/5000K 6" | 20 |
| DLS6-MCT-BN | 15W 900LM 3000K/4000K/5000K 6" BRUSHED NICKEL | 20 |
| DLS6-MCT-BR | 15W 900LM 3000K/4000K/5000K 6" BRONZE | 20 |
| DLS8-MCT | 20W 1200LM 3000K/4000K/5000K 8" | 10 |
| DLS10-MCT | 25W 1500LM 3000K/4000K/5000K 10" | 10 |
| DLS12-MCT | 30W 1800LM 3000K/4000K/5000K 12" | 5 |

RESIDENTIAL DISC LIGHTS

SPEC SERIES HIGH-PERFORMANCE DISC LIGHTS, 120V

DIE CAST ALUMINUM, ALL MOUNTING OPTIONS INCL.



| CATALOG NO. | DESCRIPTION | WHILE SUPPLIES LAST | PKG. QTY. |
|-------------|-------------------------------------|---------------------|-----------|
| DLS4-27K | 9W 550-600LM 2700K | 4" | 20 |
| DLS4-30K | 9W 550-600LM 3000K | 4" | 20 |
| DLS4-41K | 9W 550-600LM 4000K | 4" | 20 |
| DLS4-50K | 9W 550-600LM 5000K | 4" | 20 |
| DLS6-27K | 15W 950-1000LM 2700K | 6" | 20 |
| DLS6-30K | 15W 950-1000LM 3000K | 6" | 20 |
| DLS6-41K | 15W 950-1000LM 4000K | 6" | 20 |
| DLS6-50K | 15W 950-1000LM 5000K | 6" | 20 |
| DLS6-30K-BR | 15W 950-1000LM 3000K BRONZE | 6" | 20 |
| DLS6-30K-BN | 15W 950-1000LM 3000K BRUSHED NICKEL | 6" | 20 |

SPECS SERIES HIGH-PERFORMANCE DIE-CAST DISK LIGHTS, 277V



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|----------------|----------------------------------|-----------|
| DLS6-MCT-277V | 15W 900LM 3000K/4000K/5000K 6" | 20 |
| DLS12-MCT-277V | 30W 1800LM 3000K/4000K/5000K 12" | 5 |

SPECS SERIES HIGH-PERFORMANCE DIE-CAST DISK LIGHTS WITH PIR MOTION SENSOR



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|---------------|----------------------------------|-----------|
| DLS4-MCT-PIR | 9W 540LM 3000K/4000K/5000K 4" | 20 |
| DLS6-MCT-PIR | 15W 900LM 3000K/4000K/5000K 6" | 20 |
| DLS8-MCT-PIR | 20W 1200LM 3000K/4000K/5000K 8" | 10 |
| DLS10-MCT-PIR | 25W 1500LM 3000K/4000K/5000K 10" | 10 |
| DLS12-MCT-PIR | 30W 1800LM 3000K/4000K/5000K 12" | 5 |

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

| WATTS | EM OPTION | DESCRIPTION | PHOTOCELL | DESCRIPTION | PAINT | SENSOR | DESCRIPTION |
|--------------------|-------------------|------------------------|-------------------|-------------|-------|--------|-------------|
| DLS6, DLS6E, DLSN6 | OPT-EM-DLS6 | MOUNT IN EXTENDED BASE | OPT-PC-DLS6 | Photocell | N/A | N/A | N/A |
| DLS8 | OPT-EM-DLS8 | MOUNT IN EXTENDED BASE | OPT-PC-DLS8 | Photocell | | | |
| DLS10 | OPT-EM-DLS10 | MOUNT IN EXTENDED BASE | OPT-PC-DLS10 | Photocell | | | |
| DLS12 | OPT-EM-DLS12 | MOUNT IN EXTENDED BASE | OPT-PC-DLS12 | Photocell | | | |
| DLS6-277V | OPT-EM-DLS6-277V | MOUNT IN EXTENDED BASE | OPT-PC-DLS6-277V | Photocell | | | |
| DLS12-277V | OPT-EM-DLS12-277V | MOUNT IN EXTENDED BASE | OPT-PC-DLS12-277V | Photocell | | | |

LED 5CCT DOME FLUSH MOUNT








| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|-----------------|--|-----------|
| FMD-11-MCT5-BN | 20W 1500LM 27K/30K/35K/40K/50K Brushed Nickel 11" | 8 |
| FMD-11-MCT5-ORB | 20W 1500LM 27K/30K/35K/40K/50K Oil-Rubbed Bronze 11" | 8 |
| FMD-11-MCT5-WH | 20W 1500LM 27K/30K/35K/40K/50K White 11" | 8 |
| FMD-13-MCT5-BN | 24W 1800LM 27K/30K/35K/40K/50K Brushed Nickel 13" | 8 |
| FMD-13-MCT5-ORB | 24W 1800LM 27K/30K/35K/40K/50K Oil-Rubbed Bronze 13" | 8 |
| FMD-13-MCT5-WH | 24W 1800LM 27K/30K/35K/40K/50K White 13" | 8 |

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

| WATTS | EM OPTION | DESCRIPTION | PHOTOCELL | DESCRIPTION | PAINT | SENSOR | DESCRIPTION |
|--------|--------------|-------------|-----------|-------------|-------|-------------------------|--------------------------------------|
| FMD-11 | OPT-EM-FMD11 | INTERNAL | N/A | N/A | N/A | OPT-SEN-2US | ULTRASONIC |
| FMD-13 | OPT-EM-FMD13 | INTERNAL | | | | INTERNAL FOR ALL MODELS | BI-LEVEL DIMMING (REMOTE NOT NEEDED) |
| | | | | | | OPT-SEN-2USRC | OPTIONAL RC |

LED 5CCT DOUBLE RING FLUSH MOUNT, 120V





| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|---|---|-----------|
|  FDL-10-MCT5 | 12W 900LM 27K/30K/35K/40K/50K 10" | 8 |
|  FDL-12-MCT5 | 16W 1200LM 27K/30K/35K/40K/50K 12" | 8 |
|  FDL-12-MCT5-BK | 16W 1200LM 27K/30K/35K/40K/50K 12" | 8 |
|  FDL-14-MCT5 | 20W 1500LM 27K/30K/35K/40K/50K 14" | 8 |
|  FDL-14-MCT5-BK | 20W 1500LM 27K/30K/35K/40K/50K 14" | 8 |
|  FDL-16-MCT5 | 24W 1800LM 27K/30K/35K/40K/50K 16" | 8 |
|  FDL-18-MCT | 30W 2200LM 3000K/4000K/5000K 18" | 5 |
| FDL-SFK | Semi-Flush Accessory Kit For Fdl Flush-Mount Series | |
| FDL-SFK-BK | Semi-Flush Accessory Kit For Fdl Flush-Mount Series, Bk | |

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

| WATTS | EM OPTION | DESCRIPTION | PHOTOCELL | DESCRIPTION | PAINT | SENSOR | DESCRIPTION |
|--------|----------------------|------------------------|------------------------|----------------------------|-------|---------------------|---------------------|
| FDL-10 | OPT-EM-FDL-10 | MOUNT IN EXTENDED BASE | OPT-PC-FM | BUTTON WITH AUXILIARY BASE | N/A | OPT-SEN-2US | ULTRASONIC |
| FDL-12 | OPT-EM-FDL-12 | MOUNT IN EXTENDED BASE | 277V OPTION | DESCRIPTION | | INTERNAL FOR | BI-LEVEL DIMMING |
| FDL-14 | OPT-EM-FDL-14 | MOUNT IN EXTENDED BASE | OPT-277V-FDL-10 | EXTERNAL BOX | | ALL MODELS | (REMOTE NOT NEEDED) |
| FDL-16 | OPT-EM-FDL-16 | MOUNT IN EXTENDED BASE | OPT-277V-FDL-12 | EXTERNAL BOX | | WEC-3RC | REMOTE CONTROL |
| FDL-18 | OPT-EM-FDL-18 | INTERNAL | OPT-277V-FDL-14 | EXTERNAL BOX | | | |
| | | | OPT-277V-FDL-16 | EXTERNAL BOX | | | |
| | | | OPT-277V-FDL-18 | INTERNAL | | | |

LED 5CCT SINGLE RING FLUSH MOUNT



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|---|---|-----------|
|  FSL-11-MCT5 | 16W 1200LM 27K/30K/35K/40K/50K 11" | 8 |
|  FSL-11-MCT5-GD | 16W 1200LM 27K/30K/35K/40K/50K 11" | 8 |
| FSL-13-MCT5 | 20W 1500LM 27K/30K/35K/40K/50K 13" | 8 |
| FSL-13-MCT5-GD | 20W 1500LM 27K/30K/35K/40K/50K 13" | 8 |
| FSL-15-MCT5 | 24W 1800LM 27K/30K/35K/40K/50K 15" | 8 |
| FSL-15-MCT5-GD | 24W 1800LM 27K/30K/35K/40K/50K 15" | 8 |

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

| WATTS | EM OPTION | DESCRIPTION | PHOTOCELL | DESCRIPTION | PAINT | SENSOR | DESCRIPTION |
|--------|----------------------|------------------------|------------------------|----------------------------|-------|---------------------|---------------------|
| FSL-11 | OPT-EM-FSL-11 | MOUNT IN EXTENDED BASE | OPT-PC-FM | BUTTON WITH AUXILIARY BASE | N/A | OPT-SEN-2US | ULTRASONIC |
| FSL-13 | OPT-EM-FSL-13 | MOUNT IN EXTENDED BASE | 277V OPTION | DESCRIPTION | | INTERNAL FOR | BI-LEVEL DIMMING |
| FSL-15 | OPT-EM-FSL-15 | MOUNT IN EXTENDED BASE | OPT-277V-FSL-11 | EXTERNAL BOX | | ALL MODELS | (REMOTE NOT NEEDED) |
| | | | OPT-277V-FSL-13 | EXTERNAL BOX | | WEC-3RC | REMOTE CONTROL |
| | | | OPT-277V-FSL-15 | EXTERNAL BOX | | | |


LED 5CCT CLOUD FIXTURES, 120V



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|---|---|-----------|
|  FCRB-11HL-MCT5 | 20W 1500LM 27K/30K/35K/40K/50K 11" DIA | 8 |
| FCRB-14-MCT5 | 20W 1500LM 27K/30K/35K/40K/50K 14" DIA | 8 |

LED 5CCT CLOUD FIXTURE WITH PRE-INSTALLED SENSOR, 120V




| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|--|---|-----------|
|  FCRB-16-MCT5-SEN | 20W 1400LM 27K/30K/35K/40K/50K 16" DIA | 8 |

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

| WATTS | EM OPTION | DESCRIPTION | PHOTOCELL | DESCRIPTION | PAINT | SENSOR | DESCRIPTION |
|---------|-----------------------|------------------------|-------------------------|----------------------------|-------|---------------------|---------------------|
| FCRB-11 | OPT-EM-FCRB-11 | MOUNT IN EXTENDED BASE | OPT-PC-FM | BUTTON WITH AUXILIARY BASE | N/A | OPT-SEN-2US | ULTRASONIC |
| FCRB-14 | OPT-EM-FCRB-14 | MOUNT IN EXTENDED BASE | 277V OPTION | DESCRIPTION | | INTERNAL FOR | BI-LEVEL DIMMING |
| FCRB-16 | OPT-EM-FCRB-16 | MOUNT IN EXTENDED BASE | OPT-277V-FCRB-11 | EXTERNAL BOX | | ALL MODELS | (REMOTE NOT NEEDED) |
| | | | OPT-277V-FCRB-14 | EXTERNAL BOX | | WEC-3RC | REMOTE CONTROL |
| | | | OPT-277V-FCRB-16 | EXTERNAL BOX | | | |

LED 5CCT CLOUD FIXTURES, 120V



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|--|---|-----------|
|  FCR-11-MCT5 | 16W 1200LM 27K/30K/35K/40K/50K 11" DIA | 8 |
| FCR-14-MCT5 | 24W 1800LM 27K/30K/35K/40K/50K 14" DIA | 8 |

LED 5CCT CLOUD FIXTURES, 120V



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|--|---|-----------|
|  FCS-11HL-MCT5 | 20W 1500LM 27K/30K/35K/40K/50K 11" DIA | 8 |
| FCS-13-MCT5 | 20W 1800LM 27K/30K/35K/40K/50K 13" DIA | 8 |

LED CLOUD FIXTURES, 120V



| CATALOG NO. | DESCRIPTION | WHILE SUPPLIES LAST | PKG. QTY. |
|-------------|-------------|---------------------|-----------|
|-------------|-------------|---------------------|-----------|



FCS-11-12W-40K 15W 1100LM 4000K11" DIA

2



SHOWN WITH EM

SHOWN WITH EM



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

| WATTS | EM OPTION | DESCRIPTION | PHOTOCELL | DESCRIPTION | PAINT | SENSOR | DESCRIPTION |
|----------------|--------------|-------------|-------------------|----------------------------|-------|---------------|---------------------|
| FCR-11 | OPT-EM-FCR11 | INTERNAL | OPT-PC-FM | BUTTON WITH AUXILIARY BASE | N/A | OPT-SEN-2US | ULTRASONIC |
| FCR-14 | OPT-EM-FCR14 | INTERNAL | 277V OPTION | DESCRIPTION | | INTERNAL FOR | BI-LEVEL DIMMING |
| FCS11, FCS11HL | OPT-EM-FCS11 | INTERNAL | OPT-277V-FCR-11 | EXTERNAL BOX | | ALL MODELS | (REMOTE NOT NEEDED) |
| FCS14 | OPT-EM-FCS14 | INTERNAL | OPT-277V-FCS-11 | EXTERNAL BOX | | OPT-SEN-2USRC | OPTIONAL RC |
| FCS13 | OPT-EM-FCS13 | INTERNAL | OPT-277V-FCS-11HL | EXTERNAL BOX | | | |
| | | | OPT-277V-FCS-13 | EXTERNAL BOX | | | |

5CCT EDGE-LESS ARCHITECTURAL FLUSH MOUNT

| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|-------------|-------------|-----------|
|-------------|-------------|-----------|



FEL-R6-MCT5 10W 700LM 27K/30K/35K/40K/50K
FEL-R8-MCT5 15W 1050LM 27K/30K/35K/40K/50K
FEL-R10-MCT5 20W 1400LM 27K/30K/35K/40K/50K
FEL-R12-MCT5 25W 1750LM 27K/30K/35K/40K/50K
FEL-R14-MCT5 30W 2100LM 27K/30K/35K/40K/50K

20
10
10
5
5



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

| WATTS | EM OPTION | DESCRIPTION | VANDAL RES. | DESCRIPTION | PAINT | SENSOR | DESCRIPTION |
|-------|----------------|-------------|-------------|-------------|-------|--------|-------------|
| ALL | OPT-EM-FEL-R6 | INTERNAL | N/A | N/A | N/A | N/A | N/A |
| | OPT-EM-FEL-R8 | INTERNAL | | | | | |
| | OPT-EM-FEL-R10 | INTERNAL | | | | | |
| | OPT-EM-FEL-R12 | INTERNAL | | | | | |
| | OPT-EM-FEL-R14 | INTERNAL | | | | | |

RESIDENTIAL SURFACE MOUNT

SLIM DOUBLE-RING FLUSH MOUNT, 5CCT



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|-------------|-------------|-----------|
|-------------|-------------|-----------|



FDLS-12-MCT5 20W 1500LM 27K/30K/35K/40K/50K
FDLS-14-MCT5 24W 1800LM 27K/30K/35K/40K/50K

8
8

BUILDER COMPOSITE SERIES DECORATIVE FLUSH MOUNT FIXTURES

120V 5CCT E26 VER. INCL. (EXCEPT R12) RECESS ACCESSORIES



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|-------------------------|------------------------------------|-----------|
| FMLE-R5-MCT5-E26 | 9W 650LM 27K/30K/35K/40K/50K 5" | 20 |
| FMLE-R7-MCT5-E26 | 14W 1100LM 27K/30K/35K/40K/50K 7" | 20 |
| FMLE-R9-MCT5-E26 | 17W 1300LM 27K/30K/35K/40K/50K 9" | 10 |
| FMLE-R12-MCT5 | 21W 1500LM 27K/30K/35K/40K/50K 12" | 5 |



CONTRACTOR-FRIENDLY SNAP-IN FLUSH MOUNT SERIES, 5CCT E26 VER. INCL. RECESS ACCESSORIES



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|-------------|-------------|-----------|
|-------------|-------------|-----------|



CONTRACTOR-FRIENDLY SNAP-IN FLUSH MOUNT SERIES, 5CCT, 120V
FMLS-R5-MCT5-DT 11W 680LM 27K/30K/35K/40K/50K
FMLS-R7-MCT5-DT 14W 900LM 27K/30K/35K/40K/50K
FMLS-R9-MCT5-DT 20W 1300LM 27K/30K/35K/40K/50K
FMLS-R11-MCT5-DT 25W 1650LM 27K/30K/35K/40K/50K

12
12
8
8


DUAL-DIMMING CONTRACTOR-FRIENDLY SNAP-IN FLUSH MOUNT SERIES, 5CCT AVAIL. WITH SLIM, 120-

2
FMLS-R7-MCT5-DD 14W 1000LM 27K/30K/35K/40K/50K
FMLS-R9-MCT5-DD 20W 1600LM 27K/30K/35K/40K/50K
FMLS-R7-MCT5-DD-EM 14W 1000LM 27K/30K/35K/40K/50K
FMLS-R9-MCT5-DD-EM 20W 1600LM 27K/30K/35K/40K/50K

12
8
8
8




WG SMART APP COMPATIBLE RGBW FLUSH MOUNT FIXTURES, 120V



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|--|-----------------|-----------|
|  TC-FML-8-14W-RGBW-WIFI | 14W 980LM RGBW | 20 |
| TC-FML-10-17W-RGBW-WIFI | 17W 1190LM RGBW | 20 |
| TC-FML-12-22W-RGBW-WIFI | 22W 1540LM RGBW | 20 |
| TC-FML-14-26W-RGBW-WIFI | 26W 1820LM RGBW | 20 |


FLUSH MOUNT SERIES, UGR<19 LOW-GLARE



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|---|------------------------------------|-----------|
|  FML-R6-MCT5-UGR | 11W 700LM 27K/30K/35K/40K/50K 6" | 20 |
| FML-R8-MCT5-UGR | 14W 980LM 27K/30K/35K/40K/50K 8" | 10 |
| FML-R10-MCT5-UGR | 17W 1190LM 27K/30K/35K/40K/50K 10" | 10 |
| FML-R12-MCT5-UGR | 22W 1540LM 27K/30K/35K/40K/50K 12" | 10 |
| FML-R14-MCT5-UGR | 26W 1820LM 27K/30K/35K/40K/50K 14" | 5 |
| FML-R16-MCT5-UGR | 30W 2100LM 27K/30K/35K/40K/50K 16" | 5 |
| FML-R18-MCT5-UGR | 35W 2450LM 27K/30K/35K/40K/50K 18" | 3 |
| FML-R20-MCT5-UGR | 40W 2800LM 27K/30K/35K/40K/50K 20" | 3 |
| FML-R22-MCT5-UGR | 45W 3150LM 27K/30K/35K/40K/50K 22" | 3 |

SPEC SERIES ARCHITECTURAL DIE-CAST FLUSH MOUNT FIXTURES, 120V, 3CCT



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|--|---|-----------|
|  FML-R6-MCT | 11W 660LM 30K/40K/50K 6" | 20 |
| FML-R8-MCT | 14W 840LM 30K/40K/50K 8" | 10 |
| FML-R10-MCT | 17W 1020LM 30K/40K/50K 10" | 10 |
| FML-R14-MCT | 26W 1560LM 30K/40K/50K 14" | 5 |
| FML-R18-MCT | 30W 2100LM 30K/40K/50K 18" | 5 |
| FML-R22-MCT | 45W 2700LM 30K/40K/50K 22" | 5 |
| FML-ULK-MCT | 15W 850LM 30K/40K/50K UP LIGHT KIT FOR 18" & 22" FML SERIES | |
| FML-RK-712 | 7" OR 12" ROD KIT FOR FML FOR 18" & 22" FML SERIES | |
| FML-SK6 | 6FT ADJUSTABLE SUSPENSION KIT FOR 18" & 22" FML SERIES | |

RESIDENTIAL SURFACE MOUNT




ARCHITECTURAL FLUSH MOUNT SURFACE FIXTURES, 120V



| CATALOG NO. | DESCRIPTION | WHILE SUPPLIES LAST | PKG. QTY. |
|--|-----------------------------|---------------------|-----------|
|  FML-R6-11W-50K | 11W 550LM 5000K 6" DIAMETER | | 20 |
| FML-R8-14W-50K | 14W 750LM 5000K 8" DIAMETER | | 10 |
| FML-S6-11W-30K | 11W 550LM 3000K 6" X 6" | | 20 |
| FML-S6-11W-50K | 11W 550LM 5000K 6" X 6" | | 20 |
| FML-S8-14W-30K | 14W 750LM 3000K 8" X 8" | | 20 |
| FML-S10-17W-30K | 17W 950LM 3000K 10" X 10" | | 20 |

FML COLOR TRIMS (CLIP ON)

| CATALOG NO. | DESCRIPTION |
|---|---|
|  FML-R6-TRM-BK | 6" ROUND TRIM FOR FML-R6 SERIES, BLACK FINISH |
| FML-R6-TRM-BN | 6" ROUND TRIM FOR FML-R6 SERIES, BRUSHED NICKEL FINISH |
| FML-R6-TRM-BR | 6" ROUND TRIM FOR FML-R6 SERIES, BRONZE FINISH |
| FML-R8-TRM-BK | 8" ROUND TRIM FOR FML-R6 SERIES, BLACK FINISH |
| FML-R8-TRM-BN | 8" ROUND TRIM FOR FML-R6 SERIES, BRUSHED NICKEL FINISH |
| FML-R8-TRM-BR | 8" ROUND TRIM FOR FML-R6 SERIES, BRONZE FINISH |
| FML-R10-TRM-BK | 10" ROUND TRIM FOR FML-R6 SERIES, BLACK FINISH |
| FML-R10-TRM-BN | 10" ROUND TRIM FOR FML-R6 SERIES, BRUSHED NICKEL FINISH |
| FML-R10-TRM-BR | 10" ROUND TRIM FOR FML-R6 SERIES, BRONZE FINISH |

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

| WATTS | EM OPTION | DESCRIPTION | PHOTOCELL | DESCRIPTION | PAINT | SENSOR | DESCRIPTION |
|---------|----------------|------------------------|------------------|--------------|-------|--------|-------------|
| FML-R6 | OPT-EM-FML-R6 | MOUNT IN EXTENDED BASE | OPT-PC-FML8 | BUTTON | N/A | N/A | N/A |
| FML-R8 | OPT-EM-FML-R8 | MOUNT IN EXTENDED BASE | OPT-PC-FML10 | BUTTON | | | |
| FML-R10 | OPT-EM-FML-R10 | MOUNT IN EXTENDED BASE | 277V OPTION | DESCRIPTION | | | |
| FML-R12 | OPT-EM-FML-R12 | MOUNT IN EXTENDED BASE | OPT-277V-FML-R8 | EXTERNAL BOX | | | |
| FML-R14 | OPT-EM-FML-R14 | MOUNT IN EXTENDED BASE | OPT-277V-FML-R10 | EXTERNAL BOX | | | |
| FML-R16 | OPT-EM-FML-R16 | MOUNT IN EXTENDED BASE | | | | | |



SHOWN WITH
ROD & CANOPY



SHOWN WITH
SUSPENSION KIT
& CANOPY

LED 5CCT INTEGRATED LED FABRIC DRUM



RESIDENTIAL

PENDANT
LIGHTS

| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|------------------------|--|-----------|
| LCFF-15-MCT5-BR | 25W 1400LM 27K/30K/35K/40K/50K 15" Bronze | 2 |
| LCFF-18-MCT5-BR | 35W 1800LM 27K/30K/35K/40K/50K 18" Bronze | 2 |
| LCFF-22-MCT5-BR | 45W 2100LM 27K/30K/35K/40K/50K 22" Bronze | 2 |
| LCFF-15-MCT5-BN | 25W 1400LM 27K/30K/35K/40K/50K 15" Brushed Nickel | 2 |
| LCFF-18-MCT5-BN | 35W 1800LM 27K/30K/35K/40K/50K 18" Brushed Nickel | 2 |
| LCFF-22-MCT5-BN | 45W 2100LM 27K/30K/35K/40K/50K 22" Brushed Nickel | 2 |
| LCF-ROD-5-BR | 5In Suspension Rod For Ceiling Fixture Swivel Canopy, Bronze | |
| LCF-ROD-12-BR | 12In Suspension Rod For Ceiling Fixture Swivel Canopy, Bronze | |
| LCF-ROD-24-BR | 24In Suspension Rod For Ceiling Fixture Swivel Canopy, Bronze | |
| LCF-ROD-36-BR | 36In Suspension Rod For Ceiling Fixture Swivel Canopy, Bronze | |
| LCF-ROD-48-BR | 48In Suspension Rod For Ceiling Fixture Swivel Canopy, Bronze | |
| LCF-ROD-5-BN | 5In Suspension Rod For Ceiling Fixture Swivel Canopy, Brushed Nickel | |
| LCF-ROD-12-BN | 12In Suspension Rod For Ceiling Fixture Swivel Canopy, Brushed Nickel | |
| LCF-ROD-24-BN | 24In Suspension Rod For Ceiling Fixture Swivel Canopy, Brushed Nickel | |
| LCF-ROD-36-BN | 36In Suspension Rod For Ceiling Fixture Swivel Canopy, Brushed Nickel | |
| LCF-ROD-48-BN | 48In Suspension Rod For Ceiling Fixture Swivel Canopy, Brushed Nickel | |
| LCF-CANOPY-S-BR | Swivel Ceiling Canopy For Ceiling Fixtures, Bronze | |
| LCF-CANOPY-S-BN | Swivel Ceiling Canopy For Ceiling Fixtures, Brushed Nickel | |
| LFCF-SK10-BR | 10Ft 4Line Canopy Suspension Kit For Decorative Lights, Bronze | |
| LFCF-SK10-BN | 10Ft 4Line Canopy Suspension Kit For Decorative Lights, Brushed Nickel | |
| FML-ULK-MCT | 15W, 850Lm, 30K/40K/50K Up Light Kit | |



MODERN 3CCT FLUSH MOUNT DRUM



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|----------------------|--|-----------|
| FCD-13-MCT-BG | 25W 2350LM 3000K/4000K/5000K 13" Black/Gold | 5 |
| FCD-16-MCT-BG | 30W 2800LM 3000K/4000K/5000K 16" Black/Gold | 5 |



SHOWN WITH MODIFICATION ACCESSORY

5CCT INTEGRATED LED MODERN CONE PENDANT LIGHTS, 12" DAI.- 5FT ADJ. CORD



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|-----------------------|---|-----------|
| LCFC-MCT5-BK | 25W 1300LM 27K/30K/35K/40K/50K Black | 2 |
| LCFC-MCT5-WH | 25W 1300LM 27K/30K/35K/40K/50K White | 2 |
| LCFC-BF-ACC-GD | LCFC Pendant Modification Accessory, Electroplated Gold | |
| LCFC-BF-ACC-BN | LCFC Pendant Modification Accessory, Brushed Nickel | |



NORDIC DESIGN PENDANT WITH LEATHER STRAP, INTEGRATED 5CCT LED - 10FT ADJ. CORD



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|---------------------|---|-----------|
| LCFN-MCT5-WH | 25W 1400LM 27K/30K/35K/40K/50K White | 2 |
| LCFN-MCT5-BK | 25W 1400LM 27K/30K/35K/40K/50K Black | 2 |



SHOWN WITH WIRE GUARD BLACK

SHOWN WITH WIRE GUARD WHITE

12" INTEGRATED LED VINTAGE PENDANT LIGHTS, 5CCT - 5FT ADJ. CORD



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|---------------------|---|-----------|
| LCFA-MCT5-BK | 25W 1300LM 27K/30K/35K/40K/50K Black (Copper Inside) | 2 |
| LCFA-MCT5-WH | 25W 1300LM 27K/30K/35K/40K/50K White Gloss (Copper Inside) | 2 |
| LCFA-WG-BK | LCFA Wire Guard, Black | |
| LCFA-WG-WH | LCFA Wire Guard, White | |

RESIDENTIAL
PENDANT LIGHTS



POWER & CCT-ADJUSTABLE CONE PENDANT



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|---|--|-----------|
| 3CCT CONE PENDANT WITH 5FT ADJ. DOWNROD, 7" Dia. | | |
| LCFS-MCT-BK | 6W/9W/12W 600LM Max. 30K/40K/50K Black | 4 |
| LCFS-MCT-WH | 6W/9W/12W 600LM Max. 30K/40K/50K White | 4 |
| 3CCT CONE PENDANT WITH 6FT ADJ. CORD, 6" Dia. | | |
| LCFQ-MCT-BK | 6W/9W/12W 600LM Max. 30K/40K/50K Black | 12 |
| LCFQ-MCT-WH | 6W/9W/12W 600LM Max. 30K/40K/50K White | 12 |
| CMC2-TRMWM-AG | Replacement Trim Accessory, Anodized Gold | |
| CMC2-TRMWM-BN | Replacement Trim Accessory, Brushed Nickel | |
| POWER & CCT ADJUSTABLE TAPERED PENDANT WITH 6FT ADJ. CORD, 2" Dia. | | |
| LCFT-MCTP-BK | 3W/6W/9W 720LM Max. 30K/40K/50K Black | 8 |
| LCFT-MCTP-WH | 3W/6W/9W 720LM Max. 30K/40K/50K White | 8 |
| LCFT-MCTP-BN | 3W/6W/9W 720LM Max. 30K/40K/50K Brushed Nickel | 8 |
| LCFT-DL25 | LCFT 2in 25mm Acrylic Drop Lens | |
| WINE BOTTLE PENDANT, COMMERCIAL/RESIDENTIAL 10FT ADJ. CORD | | |
| LCFW-MCTP-BK | 6W/9W/12W 960LM Max. 30K/40K/50K Black | 4 |
| LCFW-MCTP-WH | 6W/9W/12W 960LM Max. 30K/40K/50K White | 4 |

RESIDENTIAL PENDANT LIGHTS



LCFL-MCT5-WH
White



LCFL-MCT5-BG
Black/Gold

12" MODERN DESIGNER LED PENDANT - 5FT ADJ. CORD



| CATALOG NO. | DESCRIPTION | ARRIVES THIS SEASON CHECK & PRE-ORDER | PKG. QTY. |
|--------------|--|--|-----------|
| LCFL-MCT5-WH | 10W 500LM 27K/30K/35K/40K/50K White | | 4 |
| LCFL-MCT5-BG | 10W 500LM 27K/30K/35K/40K/50K Black Gold | | 4 |



LCFD-MCT-BK
Black

LCFD-MCT-WH
White

LCFD-MCT-WS
White/Silver

LCFD-MCT-BG
Black/Gold

LCFD-20-MCT-WS
White/Silver

LCFD-20-MCT-BG
Black/Gold



5CCT INTEGRATED LED MODERN DOME PENDANT LIGHTS

| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|--|---|-----------|
| 12" INTEGRATED LED MODERN DOME PENDANT LIGHTS, 5CCT | | |
| LCFD-MCT5-BK | 25W 1300LM 27K/30K/35K/40K/50K Black 12"X62" Black | 2 |
| LCFD-MCT5-WH | 25W 1300LM 27K/30K/35K/40K/50K White 12"X62" White | 2 |
| LCFD-MCT5-WS | 25W 1300LM 27K/30K/35K/40K/50K White/Silver 12"X62" White/Silver | 2 |
| LCFD-MCT5-BG | 25W 1300LM 27K/30K/35K/40K/50K Black/Gold 12"X62" Black/Gold | 2 |
| 20" INTEGRATED LED MODERN DOME PENDANT LIGHTS | | |
| LCFD-20-MCT5-WS | 40W 2250LM 27K/30K/35K/40K/50K White/Silver 20"X62" White/Silver | 2 |
| LCFD-20-MCT5-BG | 40W 2250LM 27K/30K/35K/40K/50K Black/Gold 20"X62" Black/Gold | 2 |



24" INTEGRATED LED PAN PENDANT WITH 6FT ADJ. ROD DOWN, 5CCT



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|---------------------|--|-----------|
| LCFP-MCT5-WG | 40W 2800LM 27K/30K/35K/40K/50K White/Gold | 1 |
| LCFP-MCT5-BG | 40W 2800LM 27K/30K/35K/40K/50K Black/Gold | 1 |



12" LARGE INTEGRATED LED DOME PENDANT WITH 6FT CORD, 5CCT



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|---------------------|---|-----------|
| LCFR-MCT5-WG | 24W 820LM 27K/30K/35K/40K/50K White/Gold | 2 |
| LCFR-MCT5-BG | 24W 820LM 27K/30K/35K/40K/50K Black/Gold | 2 |

RESIDENTIAL
PENDANT
LIGHTS



MODERN 3CCT FLUSH MOUNT DRUM



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|---------------------|---|-----------|
| LDAP-10-MCT5 | 12W 700LM 27K/30K/35K/40K/50K BLACK, 10" Dia. | 4 |
| LDAP-14-MCT5 | 18W 900LM 27K/30K/35K/40K/50K BLACK, 14" Dia. | 4 |




5CCT INTEGRATED LED PENDANT LIGHTS

xFT Adjustable



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|----------------------|---|-----------|
| LCFB-1L-MCT5 | 12W 810LM 27K/30K/35K/40K/50K Single | 4 |
| LCFB-3LR-MCT5 | 36W 2430LM 27K/30K/35K/40K/50K Triple w/ Square Canopy | 2 |
| LCFB-3LS-MCT5 | 36W 2430LM 27K/30K/35K/40K/50K Triple w/ Straight Bar | 1 |



5CCT INTEGRATED LED HOLOGRAM PENDANT LIGHTS

xFT Adjustable



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|----------------------|---|-----------|
| LCFH-1L-MCT5 | 12W 810LM 27K/30K/35K/40K/50K Single | 4 |
| LCFH-3LR-MCT5 | 36W 2430LM 27K/30K/35K/40K/50K Triple w/ Square Canopy | 2 |
| LCFH-3LS-MCT5 | 36W 2430LM 27K/30K/35K/40K/50K Triple w/ Straight Bar | 1 |



4" GLASS LENS PENDANT WITH 6FT ADJ. ROD, 5CCT



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|---------------------|---|-----------|
| LCFE-MCT5-BN | 12W 720LM 27K/30K/35K/40K/50K Brushed Nickel | 4 |
| LCFE-MCT5-BK | 12W 720LM 27K/30K/35K/40K/50K Black | 4 |



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

| WATTS | EM OPTION | DESCRIPTION | 277V OPTION | DESCRIPTION | PAINT | SENSOR | DESCRIPTION |
|------------------------|-----------------------|-------------------------|-------------------------|-------------|-------|--------|-------------|
| LCFF, LCFN, LDAP, LCFD | OPT-EM-LCFX-WH | INTERNAL White | OPT-277V-LCFX-WH | 277V | N/A | N/A | N/A |
| LCFC, LCFP, LCFR, LCFB | OPT-EM-LCFX-BK | INTERNAL Black | OPT-277V-LCFX-BK | 277V | | | |
| LCFS, LCFQ, LCFA, LCFH | OPT-EM-LCFX-BN | INTERNAL Brushed Nickel | OPT-277V-LCFX-BN | 277V | | | |
| LCFS, LCFQ, LCFA, LCFE | | | | | | | |

RESIDENTIAL
PENDANT LIGHTS



BRL-RH-BK
Black



BRL-RH-BN
Brushed Nickel



BRL-RH-WH
White



BRL-SHL-BK
Black



BRL-SHL-WH
White



BRL-SHR-BK
Black



BRL-SHR-WH
White



BRL-RV-BK
Black



BRL-RV-BN
Brushed Nickel



BRL-RV-WH
White



BRL-SV-BK
Black



BRL-SV-WH
White


BEDSIDE READING LAMPS WITH BACKLIT, WIRELESS CHARGING, & USB OPTIONS



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|-----------------------|---|-----------|
| BRL-RH-WH | 3W 120LM 3000K Horizontal Recessed, White | 20 |
| BRL-RH-BK | 3W 120LM 3000K Horizontal Recessed, Black | 20 |
| BRL-RH-BN | 3W 120LM 3000K Horizontal Recessed, Brushed Nickel | 20 |
| BRL-RV-WH | 3W 120LM 3000K Vertical Recessed, White | 20 |
| BRL-RV-BK | 3W 120LM 3000K Vertical Recessed, Black | 20 |
| BRL-RV-BN | 3W 120LM 3000K Vertical Recessed, Brushed Nickel | 20 |
| BRL-SHR-WCH-WH | 10W 500LM 3000K Horiz. Surf. Backlit + USB & W/L CHG., Right Side, White | 5 |
| BRL-SHR-WCH-BK | 10W 500LM 3000K Horiz. Surf. Backlit + USB & W/L CHG., Right Side, Black | 5 |
| BRL-SHL-WCH-WH | 10W 500LM 3000K Horiz. Surf. Backlit + USB & W/L CHG., Left Side, White | 5 |
| BRL-SHL-WCH-BK | 10W 500LM 3000K Horiz. Surf. Backlit + USB & W/L CHG., Left Side, Black | 5 |
| BRL-SV-WH | 10W 500LM 3000K Vert. Surf. Backlit + USB, White | 5 |
| BRL-SV-BK | 10W 500LM 3000K Vert. Surf. Backlit + USB, Black | 5 |



LED PL LAMPS



| CATALOG NO. | DESCRIPTION | POSITION | ROTATABLE | BALLAST | WHILE SUPPLIES LAST |
|--|-----------------------|------------|-----------|--------------------|---------------------|
|  LPL-EB-9W-H-40K | 9W 800LM 4000K | Horizontal | 90° | Electronic Ballast | |


LED TYPE A+B PL LAMPS



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|---|-------------------------|-----------|
|  LPL-G24-AB-11W | 11W 1300LM 4000K | 1 |
|  LPL-GX23-AB-8W | 8W 800LM 4000K | 1 |

12 LED LAMPS /24FT. STG




| CATALOG NO. | DESCRIPTION | TOTAL LED |
|---|--|-----------|
|  STG-2412-27K | 1W per bulb 75LM per S14 bulb 2700K 1W PER BULB | 12 |

RESIDENTIAL LAMPS


53FT 15-BULB ST14 RGB STRING LIGHT



| CATALOG NO. | DESCRIPTION |
|---|--|
|  STG-5315-RGB-BT | 53Ft 15-Bulb ST14 Rgb String Light 1M Appart With 11 Fairy Lights In Between Bluetooth |


LANTERN DESIGN STRING LIGHT RGB BLUETOOTH APP CONTROLLED



| CATALOG NO. | DESCRIPTION |
|---|---|
|  STG-2415-LANT-RGBIC-BT | 24Ft 15-Lamp Lantern Design String Light Rgb Bluetooth App Controlled |
| STG-4830-LANT-RGBIC-BT | 48Ft 30-Lamp Lantern Design String Light Rgb Bluetooth App Controlled |


A19 LED LAMPS



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|--|-------------------------------------|-----------|
|  A19-9W-MCT5-D | 9W 800LM 27K/30K/35K/40K/50K | 1 |


A19 LED LAMPS (Medium Base) 240° 15K Hours



| CATALOG NO. | DESCRIPTION | MASTER QTY. |
|---|-------------------------------|-------------|
|  A19-8PK-9W-30K-D | 9W 700LM 3000K 8-PACK | 64 |
| A19-8PK-9W-40K-D | 9W 810LM 4000K 8-PACK | 64 |
| A19-8PK-9W-50K-D | 9W 810LM 5000K 8-PACK | 64 |
| A19-40PK-9W-30K-D | 9W 700LM 3000K 40-PACK | 40 |
| A19-40PK-9W-40K-D | 9W 810LM 4000K 40-PACK | 40 |
| A19-40PK-9W-50K-D | 9W 810LM 5000K 40-PACK | 40 |

WG SMART APP COMPATIBLE RGBW A19 LAMP, 120V





| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|--|-------------------------------|-----------|
|  TC-A19-9W-RGBW-WIFI | 9W 800LM RGBW E26 Base | 50 |

MR16 LED LAMPS, 12V AC/DC GU5.3 BASE 36°

*Dimmable with magnetic ballast only




| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|--|-----------------------------|-----------|
|  MR16-400L-27K-D | 5W 380LM 2700K 80CRI | 200 |
| MR16-400L-30K-D | 5W 380LM 3000K 80CRI | 200 |
| MR16-400L-41K-D | 5W 390LM 4100K 80CRI | 200 |
| MR16-400L-50K-D | 5W 400LM 5000K 80CRI | 200 |
|  MR16-500L-C90-30K-D | 7W 500LM 3000K 90CRI | 100 |
| MR16-500L-C90-40K-D | 7W 560LM 4000K 90CRI | 100 |
| MR16-500L-C90-50K-D | 7W 560LM 5000K 90CRI | 100 |

MR11 LED LAMPS, 12V AC/DC GU5.3 BASE 36°

| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|--|-----------------------|-----------|
|  MR11-250L-27K | 3W 250LM 2700K | |
| MR11-250L-30K | 3W 250LM 3000K | |


BR30 LED LAMPS



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|---|-------------------------------------|-----------|
|  BR30-9W-MCT5-D | 9W 800LM 27K/30K/35K/40K/50K | 1 |

PAR30, PAR30S, PAR38 LED LAMPS, 5CCT, WEATHERPROOF



| CATALOG NO. | DESCRIPTION | ARRIVES THIS SEASON CHECK & PRE-ORDER | PKG. QTY. |
|--|---------------------------------------|--|-----------|
|  PAR30-9W-MCT5-D-WP | 9W 800LM 27K/30K/35K/40K/50K | | 24 |
| PAR30S-9W-MCT5-D-WP | 9W 800LM 27K/30K/35K/40K/50K | | 24 |
|  PAR38-12W-MCT5-D-WP | 12W 1200LM 27K/30K/35K/40K/50K | | 1 |




PAR36 12V AC/DC G53 Terminal Base, IP65, WET LOCATION

















| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|--|-------------------------|-----------|
|  PAR36-12W-30K | 12W 1000LM 3000K | 20 |
| PAR36-12W-40K | 12W 1000LM 4000K | 20 |
| PAR36-12W-50K | 12W 1000LM 5000K | 20 |

WG SMART APP COMPATIBLE RGBW PAR20/PAR30/PAR38, 120V




| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|---|---------------------------------|-----------|
|  TC-PAR20-5W-RGBW-WIFI | 5W 400LM RGBW E26 Base | 50 |
|  TC-PAR30-11W-RGBW-WIFI | 11W 850LM RGBW E26 Base | 50 |
|  TC-PAR38-13W-RGBW-WIFI | 13W 1050LM RGBW E26 Base | 50 |

12-VOLT LED REPLACEMENT LAMPS


| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|--|---|-----------|
|  GZ-JC-39L-27K | 3W 250LM 2700K 12VAC/DC | 1000 |
|  GZ-JC-39L-30K |  3W 250LM 3000K 12VAC/DC | 1000 |
|  GZ-JC-18L-27K | 3W 250LM 2700K 12VAC/DC | 1000 |
|  GZ-JC-18L-32K | 3W 250LM 3200K 12VAC/DC | 1000 |
|  GZ-JC-WP-3W-32K |  3W 180LM 3200K 12VAC/DC | 1000 |
|  GZ-S8-32K-G2 | 2.2W 230LM 3200K 12V | 500 |
|  GZ-S8-32K | 1.4W 70LM 3200K 12V | 500 |
|  GZ-G4-9L-32K | 2W 120LM 3200K 12V | 1000 |
|  GZ-JC-60L-TFL | 3W 60LM TURTLE FRIENDLY CCT | 1000 |
|  GZ-JC-300L-27K |  3W 300LM 2700K 360° Beam Angle | 1000 |
|  GZ-JC-300L-30K |  3W 300LM 3000K 360° Beam Angle | 1000 |

LED REPLACEMENT LAMPS, 120V

| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|---|--------------------------|-----------|
|  GZ-G9-3W-32K | 3W 240LM 3200K G9 | 500 |
| GZ-G9-3W-55K | 3W 250LM 5500K G9 | 500 |

HIGH POWER GU10, 120V



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|---|---|-----------|
|  G10-600L-30K-D | 7.5W 500LM 3000K SMD CRI80 30° ANGLE | 60 |
| G10-600L-50K-D | 7.5W 600LM 5000K SMD CRI80 30° ANGLE | 60 |


LED FILAMENT CANDELABRA, 120V



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|---|--|-----------|
|  E12-FLA-5W-27K-D | 4W 400LM 2700K CLEAR TORPEDO | 48 |
| E12-FLA-5W-40K-D | 4W 400LM 4000K CLEAR TORPEDO | 48 |
| E12-FLA-5W-27K-D-F-BT | 4W 300LM 2700K FROSTED BENT TIP | 48 |
| E12-FLA-5W-40K-D-F-BT | 4W 300LM 4000K FROSTED BENT TIP | 48 |


WG SMART APP COMPATIBLE RGBW CANDELABRA, 120V




| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|--|---------------------------------|-----------|
|  TC-E12-4.5W-RGBW-WIFI | 4.5W 325LM RGBW E12 Base | 50 |

LED FILAMENT A19 BULB, 120V



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|---|-----------------------------|-----------|
|  A19-FLA-7W-27K-D | 7W 800LM 2700K CLEAR | 100 |
| A19-FLA-7W-40K-D | 7W 800LM 4000K CLEAR | 100 |

LED FILAMENT ST19 BULB, 120V

| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|---|---|-----------|
|  ST19-FLA-5W-27K-D-CL | 5W 430LM 2700K | 24 |
| ST19-FLA-5W-22K-D-AM | 5W 380LM 2200K (LED Component 2700K) | 24 |

RGB BULBS

| CATALOG NO. | DESCRIPTION |
|--|--|
|  MR16-5W-RGB | 5W 280LM RGB 12V 30° REMOTE CONTROL |




WESTGATE SMART APP COMPATIBLE RGBW SERIES



WG SMART APP COMPATIBLE RGBW SMOOTH RECESSED LIGHT TRIM - ROUND, 120V



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|---|-----------------------------------|-----------|
|  TC-RDPS4-10W-RGBW-WIFI | 10W 650LM RGBW 4" E26 Base | 12 |
| TC-RDPS6-13W-RGBW-WIFI | 13W 850LM RGBW 6" E26 Base | 8 |


WG SMART APP COMPATIBLE RGBW PAR20/PAR30/PAR38, 120V



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|--|---------------------------------|-----------|
|  TC-PAR20-5W-RGBW-WIFI | 5W 400LM RGBW E26 Base | 50 |
| TC-PAR30-11W-RGBW-WIFI | 11W 850LM RGBW E26 Base | 50 |
| TC-PAR38-13W-RGBW-WIFI | 13W 1050LM RGBW E26 Base | 50 |


WG SMART APP COMPATIBLE RGBW G25 LAMP, 120V



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|--|-------------------------------|-----------|
|  TC-G25-5W-RGBW-WIFI | 5W 450LM RGBW E26 Base | 50 |


WG SMART APP COMPATIBLE RGBW CANDELABRA, 120V



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|---|---------------------------------|-----------|
|  TC-E12-4.5W-RGBW-WIFI | 4.5W 325LM RGBW E12 Base | 50 |


WG SMART APP COMPATIBLE RGBW A19 LAMP, 120V



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|--|-------------------------------|-----------|
|  TC-A19-9W-RGBW-WIFI | 9W 800LM RGBW E26 Base | 50 |

WG SMART APP COMPATIBLE RGBW FLUSH MOUNT FIXTURES, 120V



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|---|------------------------|-----------|
|  TC-FML-8-14W-RGBW-WIFI | 14W 980LM RGBW | 20 |
| TC-FML-10-17W-RGBW-WIFI | 17W 1190LM RGBW | 20 |
| TC-FML-12-22W-RGBW-WIFI | 22W 1540LM RGBW | 20 |
| TC-FML-14-26W-RGBW-WIFI | 26W 1820LM RGBW | 20 |


BLUETOOTH WG APP COMPATIBLE RGBW FLOOD LIGHT, 40D LENS, 12V



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|---|---|-----------|
|  TC-GL-12V-15W-RGBW-BT-BR | 15W 405LM RGBW FOR REMOTE CONTROL SEE PAGE 86 | 6 |


BLUETOOTH WG APP COMPATIBLE RGBW FLOOD LIGHT, 60D LENS, 12V



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|---|---|-----------|
|  TC-FL-12V-36W-RGBW-BT-BR | 36W 824LM RGBW FOR REMOTE CONTROL SEE PAGE 86 | 4 |

BLUETOOTH WG APP COMPATIBLE RGBW FLOOD LIGHT, 60D LENS, 120-277V



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|---|---|-----------|
|  TC-FL-36W-RGBW-BT-BR | 36W 824LM RGBW FOR REMOTE CONTROL SEE PAGE 86 | 4 |

RESIDENTIAL
SMART SERIES



WESTGATE SMART APP COMPATIBLE RGBW SERIES



53FT 15-BULB ST14 RGB STRING LIGHT



CATALOG NO.

DESCRIPTION



STG-5315-RGB-BT

53Ft 15-Bulb ST14 Rgb String Light 1M Appart With 11 Fairy Lights In Between Bluetooth

LANTERN DESIGN STRING LIGHT RGB BLUETOOTH APP CONTROLLED



CATALOG NO.

DESCRIPTION



STG-2415-LANT-RGBIC-BT

24Ft 15-Lamp Lantern Design String Light Rgb Bluetooth App Controlled

STG-4830-LANT-RGBIC-BT

48Ft 30-Lamp Lantern Design String Light Rgb Bluetooth App Controlled

SPEC SERIES X GEN. RGB STADIUM LIGHTS, DMX512 CONTROLLED - SPECIAL ORDER



RESIDENTIAL SMART SERIES



CATALOG NO.

DESCRIPTION

PKG. QTY.



SHOWN WITH OPTIONAL SHROUD

SFX-G9-500W-45D-RGB

500W RGB

1

SFX-G9-800W-45D-RGB

800W RGB

1

SPEC SERIES RGBW BLUETOOTH WESTGATE APP BULLET, 120-277V



CATALOG NO.

DESCRIPTION

PKG. QTY.



FLDX-MD-15W-RGBW-BT-BR

15W 720LM RGBW Bronze

4

FOR REMOTE CONTROL SEE PAGE 86

SPEC SERIES RGBW BLUETOOTH WESTGATE APP BULLET, 12V



CATALOG NO.

DESCRIPTION

PKG. QTY.



FLVX-MD-15W-RGBW-BT-BR

15W 720LM RGBW Bronze

4

FOR REMOTE CONTROL SEE PAGE 86

RGBW LED OUTDOOR CYLINDER LIGHTS, IP65



CATALOG NO.

DESCRIPTION

PKG. QTY.



4" LED ROUND CYLINDER LIGHTS, 120V (UP/DOWN LIGHT) H: 12"

WMC-UDL-RGBW-BK

24W 1920LM RGBW 25° Black

6

WMC-UDL-RGBW-WH

24W 1920LM RGBW 25° White

6

4" LED SQUARE CYLINDER LIGHTS, 120V (UP/DOWN LIGHT) H: 10-1/4"

WMCS-UDL-RGBW-BK

24W 1920LM RGBW 30° Black

6

WMCS-UDL-RGBW-WH

24W 1920LM RGBW 30° White

6

CMC RGBW CYLINDER LIGHTS, PENDANT OR SURFACE MOUNT, APP CONTROLLED



CATALOG NO.

DESCRIPTION

PKG. QTY.



CMC2L-RGBW-BK

6W 300LM 27K-50K + RGB Black

6

CMC2L-RGBW-WH

6W 300LM 27K-50K + RGB White

6

CMC3-RGBW-BK

9W 550LM 27K-50K + RGB Black

6

CMC3-RGBW-WH

9W 550LM 27K-50K + RGB White

6

CMC4-RGBW-BK

15W 900LM 27K-50K + RGB Black

6

CMC4-RGBW-WH

15W 900LM 27K-50K + RGB White

6

CMC6-RGBW-BK

20W 1200LM 27K-50K + RGB Black

8

CMC6-RGBW-WH

20W 1200LM 27K-50K + RGB White

8

FOR REMOTE CONTROL SEE PAGE 86







RIBBON LIGHTING



24-VOLT INDOOR LED RIBBON LIGHTS - STANDARD OUTPUT



Standard
OUTPUT

| CATALOG NO. | DESCRIPTION | REEL LENGTH |
|---|--|-------------|
| STANDARD OUTPUT LED RIBBON—INDOOR (16.4FT ROLLS) (Max Run 49ft) | | |
|  ULR-IN-16F-SO-27K | 1.5W/FT 100LM/FT 2700K 8mm Width | 16.4FT |
| ULR-IN-16F-SO-30K | 1.5W/FT 100LM/FT 3000K 8mm Width | 16.4FT |
| ULR-IN-16F-SO-35K | 1.5W/FT 100LM/W 3500K 8mm Width | 16.4FT |
| ULR-IN-16F-SO-40K | 1.5W/FT 100LM/FT 4000K 8mm Width | 16.4FT |
| ULR-IN-16F-SO-50K | 1.5W/FT 100LM/FT 5000K 8mm Width | 16.4FT |
| STANDARD OUTPUT LED RIBBON—INDOOR (98.4FT ROLLS) (Max Run 49ft) | | |
|  ULR-IN-98F-SO-27K | 1.5W/FT 100LM/FT 2700K 8mm Width | 98.4FT |
| ULR-IN-98F-SO-30K | 1.5W/FT 100LM/FT 3000K 8mm Width | 98.4FT |
| ULR-IN-98F-SO-35K | 1.5W/FT 100LM/W 3500K 8mm Width | 98.4FT |
| ULR-IN-98F-SO-40K | 1.5W/FT 100LM/FT 4000K 8mm Width | 98.4FT |
| ULR-IN-98F-SO-50K | 1.5W/FT 100LM/FT 5000K 8mm Width | 98.4FT |
| INDOOR TANDEM COUPLINGS | | |
|  ULR-IN-SO-COUP-6I-WR | Coupling to connect 2 standard output ribbons, 6" | |
| ULR-IN-SO-COUP-3F-WR | Coupling to connect 2 standard output ribbons, 3ft | |
| ULR-IN-SO-COUP-NO-WR | Coupling to connect 2 standard output ribbons, no wire | |
| INDOOR POWER FEED CABLES | | |
|  ULR-IN-SO-CONN-6I-WR | 1 side ribbon connector, 1 side female socket to driver, 6" | |
| ULR-IN-SO-CONN-3F-WR | 1 side ribbon connector, 1 side female socket to driver, 3ft | |
| ULR-IN-SO-CONN-3F-PT | 1 side ribbon connector, 1 side open end, 3ft | |
| ULR-IN-SO-CONN-10F-PT | 1 side ribbon connector, 1 side open end, 10ft | |

RIBBON






24-VOLT INDOOR LED RIBBON LIGHTS - HIGH OUTPUT



High
OUTPUT

High
OUTPUT






High
OUTPUT

| CATALOG NO. | DESCRIPTION | REEL LENGTH |
|--|--|-------------|
| HIGH OUTPUT LED RIBBON—INDOOR (16.4FT ROLLS) (Max Run 20ft) | | |
|  ULR-IN-16F-HO-27K | 4.4W/FT 310LM/FT 2700K 10mm Width | 16.4FT |
| ULR-IN-16F-HO-30K | 4.4W/FT 310LM/FT 3000K 10mm Width | 16.4FT |
| ULR-IN-16F-HO-35K | 4.4W/FT 310LM/FT 3500K 10mm Width | 16.4FT |
| ULR-IN-16F-HO-40K | 4.4W/FT 330LM/FT 4000K 10mm Width | 16.4FT |
| ULR-IN-16F-HO-50K | 4.4W/FT 350LM/FT 5000K 10mm Width | 16.4FT |
| HIGH OUTPUT LED BLACK RIBBON—INDOOR (16.4FT ROLLS) (Max Run 20ft) | | |
|  ULR-IN-16F-HO-27K-BK | 4.4W/FT 310LM/FT 2700K 10mm Width | 16.4FT |
| ULR-IN-16F-HO-30K-BK | 4.4W/FT 310LM/FT 3000K 10mm Width | 16.4FT |
| ULR-IN-16F-HO-35K-BK | 4.4W/FT 310LM/FT 3500K 10mm Width | 16.4FT |
| ULR-IN-16F-HO-40K-BK | 4.4W/FT 330LM/FT 4000K 10mm Width | 16.4FT |
| ULR-IN-16F-HO-50K-BK | 4.4W/FT 350LM/FT 5000K 10mm Width | 16.4FT |
| HIGH OUTPUT LED RIBBON—INDOOR (98.4FT ROLLS) (Max Run 20ft) | | |
|  ULR-IN-98F-HO-27K | 4.4W/FT 310LM/FT 2700K 10mm Width | 98.4FT |
| ULR-IN-98F-HO-30K | 4.4W/FT 310LM/FT 3000K 10mm Width | 98.4FT |
| ULR-IN-98F-HO-35K | 4.4W/FT 310LM/FT 3500K 10mm Width | 98.4FT |
| ULR-IN-98F-HO-40K | 4.4W/FT 330LM/FT 4000K 10mm Width | 98.4FT |
| ULR-IN-98F-HO-50K | 4.4W/FT 350LM/FT 5000K 10mm Width | 98.4FT |
| INDOOR TANDEM COUPLINGS | | |
|  ULR-IN-HO-COUP-6I-WR | Coupling to connect 2 high & Extra output ribbons, 6" | |
| ULR-IN-HO-COUP-3F-WR | Coupling to connect 2 high & Extra output ribbons, 3ft | |
| ULR-IN-HO-COUP-NO-WR | Coupling to connect 2 high & Extra output ribbons, no wire | |
| INDOOR POWER FEED CABLES | | |
|  ULR-IN-HO-CONN-6I-WR | 1 side ribbon connector, 1 side female socket to driver, 6" | |
| ULR-IN-HO-CONN-3F-WR | 1 side ribbon connector, 1 side female socket to driver, 3ft | |
| ULR-IN-HO-CONN-3F-PT | 1 side ribbon connector, 1 side open end, 3ft | |
| ULR-IN-HO-CONN-10F-PT | 1 side ribbon connector, 1 side open end, 10ft | |

Extra High OUTPUT





Ultra High OUTPUT

RIBBON

| CATALOG NO. | DESCRIPTION | REEL LENGTH |
|---|--|-------------|
| EXTRA HIGH OUTPUT LED RIBBON—INDOOR (16.4FT ROLLS) (Max Run 11ft) | | |
|  ULR-IN-16F-XHO-27K | 8.8W/FT 620LM/FT 2700K 10mm Width | 16.4FT |
| ULR-IN-16F-XHO-30K | 8.8W/FT 620LM/FT 3000K 10mm Width | 16.4FT |
| ULR-IN-16F-XHO-35K | 8.8W/FT 620LM/FT 3500K 10mm Width | 16.4FT |
| ULR-IN-16F-XHO-40K | 8.8W/FT 680LM/FT 4000K 10mm Width | 16.4FT |
| ULR-IN-16F-XHO-50K | 8.8W/FT 700LM/FT 5000K 10mm Width | 16.4FT |
| EXTRA HIGH OUTPUT LED RIBBON—INDOOR (98.4FT ROLLS) (Max Run 11ft) | | |
|  ULR-IN-98F-XHO-27K | 8.8W/FT 620LM/FT 2700K 10mm Width | 98.4FT |
| ULR-IN-98F-XHO-30K | 8.8W/FT 620LM/FT 3000K 10mm Width | 98.4FT |
| ULR-IN-98F-XHO-35K | 8.8W/FT 620LM/FT 3500K 10mm Width | 98.4FT |
| ULR-IN-98F-XHO-40K | 8.8W/FT 680LM/FT 4000K 10mm Width | 98.4FT |
| ULR-IN-98F-XHO-50K | 8.8W/FT 700LM/FT 5000K 10mm Width | 98.4FT |
| ULTRA HIGH OUTPUT LED RIBBON—INDOOR (16.4FT ROLLS) (Max Run 14ft) | | |
|  ULR-IN-16F-YHO-27K | 6.7W/FT 820LM/FT 2700K 10mm Width | 16.4FT |
| ULR-IN-16F-YHO-30K | 6.7W/FT 820LM/FT 3000K 10mm Width | 16.4FT |
| ULR-IN-16F-YHO-35K | 6.7W/FT 820LM/FT 3500K 10mm Width | 16.4FT |
| ULR-IN-16F-YHO-40K | 6.7W/FT 880LM/FT 4000K 10mm Width | 16.4FT |
| ULR-IN-16F-YHO-50K | 6.7W/FT 900LM/FT 5000K 10mm Width | 16.4FT |
|  INDOOR TANDEM COUPLINGS | | |
| ULR-IN-HO-COUP-6I-WR | Coupling to connect 2 high & Extra output ribbons, 6" | |
| ULR-IN-HO-COUP-3F-WR | Coupling to connect 2 high & Extra output ribbons, 3ft | |
| ULR-IN-HO-COUP-NO-WR | Coupling to connect 2 high & Extra output ribbons, no wire | |
|  INDOOR POWER FEED CABLES | | |
| ULR-IN-HO-CONN-6I-WR | 1 side ribbon connector, 1 side female socket to driver, 6" | |
| ULR-IN-HO-CONN-3F-WR | 1 side ribbon connector, 1 side female socket to driver, 3ft | |
| ULR-IN-HO-CONN-3F-PT | 1 side ribbon connector, 1 side open end, 3ft | |
| ULR-IN-HO-CONN-10F-PT | 1 side ribbon connector, 1 side open end, 10ft | |

24-VOLT INDOOR COB RIBBON LIGHTS - HIGH OUTPUT



| CATALOG NO. | DESCRIPTION | REEL LENGTH |
|---|--|-------------|
| HIGH OUTPUT COB RIBBON—INDOOR (16.4FT ROLLS) (Max Run 20ft) | | |
|  ULR-IN-16F-HO-COB-27K | 3W/FT 290LM/FT 2700K 10mm Width | 16.4FT |
| ULR-IN-16F-HO-COB-30K | 3W/FT 304LM/FT 3000K 10mm Width | 16.4FT |
| ULR-IN-16F-HO-COB-35K | 3W/FT 304LM/FT 3500K 10mm Width | 16.4FT |
| ULR-IN-16F-HO-COB-40K | 3W/FT 337LM/FT 4000K 10mm Width | 16.4FT |
| ULR-IN-16F-HO-COB-50K | 3W/FT 340LM/FT 5000K 10mm Width | 16.4FT |
| ULR-IN-16F-HO-COB-65K | 3W/FT 340LM/FT 6500K 10mm Width | 16.4FT |
| HIGH OUTPUT COB RIBBON—INDOOR (98.4FT ROLLS) (Max Run 20ft) | | |
|  ULR-IN-98F-HO-COB-27K | 3W/FT 290LM/FT 2700K 10mm Width | 98.4FT |
| ULR-IN-98F-HO-COB-30K | 3W/FT 304LM/FT 3000K 10mm Width | 98.4FT |
| ULR-IN-98F-HO-COB-35K | 3W/FT 304LM/FT 3500K 10mm Width | 98.4FT |
| ULR-IN-98F-HO-COB-40K | 3W/FT 337LM/FT 4000K 10mm Width | 98.4FT |
| ULR-IN-98F-HO-COB-50K | 3W/FT 340LM/FT 5000K 10mm Width | 98.4FT |
| ULR-IN-98F-HO-COB-65K | 3W/FT 340LM/FT 6500K 10mm Width | 98.4FT |
|  INDOOR TANDEM COUPLINGS | | |
| ULR-IN-HO-COB-COUP-6I-WR | Coupling to connect 2 COB ribbons, 6" | |
| ULR-IN-HO-COB-COUP-3F-WR | Coupling to connect 2 COB ribbons, 3ft | |
| ULR-IN-HO-COB-COUP-NO-WR | Coupling to connect 2 COB ribbons, no wire | |
|  INDOOR POWER FEED CABLES | | |
| ULR-IN-HO-COB-CONN-6I-WR | 1 side ribbon connector, 1 side female socket to driver, 6" | |
| ULR-IN-HO-COB-CONN-3F-WR | 1 side ribbon connector, 1 side female socket to driver, 3ft | |
| ULR-IN-HO-COB-CONN-3F-PT | 1 side ribbon connector, 1 side open end, 3ft | |
| ULR-IN-HO-COB-CONN-10F-PT | 1 side ribbon connector, 1 side open end, 10ft | |



24-VOLT INDOOR WHITE-TUNING COB RIBBON LIGHTS, WHITE-TUNING WITH CONTROLLER -HIGH OUTPUT

INSTALL WITH ELECTRONIC DRIVERS ONLY



| CATALOG NO. | DESCRIPTION | REEL LENGTH |
|-------------|-------------|-------------|
|-------------|-------------|-------------|



| | | |
|-----------------------------|---|--------|
| ULR-IN-16F-HO-COB-WT | 3W/FT 340LM/FT White Tuning 10mm Width | 16.4FT |
| ULR-M2-M3-3A | White-Tuning Ribbon Light Controller With Remote | |
| ULR-LTECH-E2 | White-Tuning Ribbon Light Wall-Mount Controller | |
| ULR-T86-JB | 86X86mm PVC Junction Box For Wall-Mount Controllers | |



ULR-M2-M3-3A



ULR-LTECH-E2



ULR-T86-JB

24-VOLT IP54 DAMP LOCATION LED RIBBON LIGHTS - HIGH OUTPUT



| CATALOG NO. | DESCRIPTION | REEL LENGTH |
|-------------|-------------|-------------|
|-------------|-------------|-------------|



HIGH OUTPUT LED RIBBON— DAMP LOCATION (16.4FT ROLLS) (Max Run 20ft)

| | | |
|----------------------------|--|--------|
| ULR-IP54-16F-HO-27K | 4.4W/FT 310LM/FT 2700K 10mm Width | 16.4FT |
| ULR-IP54-16F-HO-30K | 4.4W/FT 310LM/FT 3000K 10mm Width | 16.4FT |
| ULR-IP54-16F-HO-35K | 4.4W/FT 310LM/FT 3500K 10mm Width | 16.4FT |
| ULR-IP54-16F-HO-40K | 4.4W/FT 330LM/FT 4000K 10mm Width | 16.4FT |
| ULR-IP54-16F-HO-50K | 4.4W/FT 350LM/FT 5000K 10mm Width | 16.4FT |



INDOOR TANDEM COUPLINGS



| | |
|-------------------------------|--|
| ULR-IP54-HO-COUP-6I-WR | Coupling to connect 2 high & Extra output ribbons, 6" |
| ULR-IP54-HO-COUP-3F-WR | Coupling to connect 2 high & Extra output ribbons, 3ft |
| ULR-IP54-HO-COUP-NO-WR | Coupling to connect 2 high & Extra output ribbons, no wire |



INDOOR POWER FEED CABLES

| | |
|--------------------------------|--|
| ULR-IP54-HO-CONN-6I-WR | 1 side ribbon connector, 1 side female socket to driver, 6" |
| ULR-IP54-HO-CONN-3F-WR | 1 side ribbon connector, 1 side female socket to driver, 3ft |
| ULR-IP54-HO-CONN-3F-PT | 1 side ribbon connector, 1 side open end, 3ft |
| ULR-IP54-HO-CONN-10F-PT | 1 side ribbon connector, 1 side open end, 10ft |

24-VOLT LED RGBW RIBBON LIGHTS, Max Run 16.4ft INDOOR & OUTDOOR VERSIONS

INSTALL WITH ELECTRONIC DRIVERS ONLY



| CATALOG NO. | DESCRIPTION | REEL LENGTH |
|-------------|-------------|-------------|
|-------------|-------------|-------------|



| | | |
|----------------------------------|---|-------------|
| ULR-IN-16F-HO-RGBW | INDOOR 5.8W/FT 225LM/FT RGB 20FT. Max Run 10mm Width | 16.4FT IP20 |
| ULR-OT-16F-HO-RGBW | OUTDOOR 5.8W/FT 225LM/FT RGB 20FT. Max Run 10mm Width | 16.4FT IP67 |
| RGBW-CONTROLLER | RGBW Controller (Remote incl.), 192W Max, 12-24 VDC | |
| RGBW-WIFI-CONTROLLER | RGBW lighting controller with integrated WI-FI and app, RC incl. | |
| ULR-IN-HO-RGBW-COUP-6I-WR | Coupling to connect 2 RGBW ribbons, 6" | |
| ULR-IN-HO-RGBW-COUP-3F-WR | Coupling to connect 2 RGBW ribbons, 3ft. | |
| ULR-IN-HO-RGBW-COUP-NO-WR | Coupling to connect 2 RGBW ribbons, no wire | |
| ULR-IN-HO-RGBW-CONN-6I-WR | 1 side ribbon connector, 1 side open end, 6" | |
| ULR-IN-HO-RGBW-CONN-3F-WR | 1 side ribbon connector, 1 side open end, 3ft | |
| ULR-OT-HO-RGBW-CONN-3F-WR | 3ft RGBW 5C wire both side's open with 1 rubber jacket (use silicone, page 175) | |

RGBW CONTROLLERS

REQUIRES 24V ELECTRONIC DRIVER

| CATALOG NO. | DESCRIPTION |
|-------------|-------------|
|-------------|-------------|

| | |
|-----------------------------|--|
| RGBW-CONTROLLER | RGBW Controller (Remote incl.), 192W Max, 12-24 VDC |
| ULR-M4-M4-3A | RGBW Controller (Remote incl.), 288W Max, 12-24 VDC |
| RGBW-WIFI-CONTROLLER | RGBW lighting controller with integrated WI-FI and app, RC incl. |
| ULR-LTECH-E5S | RGBW-Tuning Ribbon Light Wall-Mount Controller |
| ULR-T86-JB | 86X86mm PVC Junction Box For Wall-Mount Controllers |



RGBW-CONTROLLER



ULR-M4-M4-3A



RGBW-WIFI-CONTROLLER



ULR-LTECH-E5S



ULR-T86-JB



24-VOLT IP67 OUTDOOR LED RIBBON LIGHTS - HIGH OUTPUT




High
OUTPUT

High
OUTPUT


RIBBON

| CATALOG NO. | DESCRIPTION | REEL LENGTH |
|---|-----------------------------------|-------------|
| HIGH OUTPUT LED RIBBON—OUTDOOR (16.4FT ROLLS) (Max Run 20ft) | | |
|  ULR-OT-16F-HO-27K | 4.4W/FT 310LM/FT 2700K 10mm Width | 16.4FT |
| ULR-OT-16F-HO-30K | 4.4W/FT 310LM/FT 3000K 10mm Width | 16.4FT |
| ULR-OT-16F-HO-35K | 4.4W/FT 310LM/FT 3500K 10mm Width | 16.4FT |
| ULR-OT-16F-HO-40K | 4.4W/FT 330LM/FT 4000K 10mm Width | 16.4FT |
| ULR-OT-16F-HO-50K | 4.4W/FT 350LM/FT 5000K 10mm Width | 16.4FT |
| HIGH OUTPUT LED RIBBON—OUTDOOR (49FT ROLLS) (Max Run 20ft) | | |
|  ULR-OT-49F-HO-27K | 4.4W/FT 350LM/FT 2700K 10mm Width | 49FT |
| ULR-OT-49F-HO-30K | 4.4W/FT 310LM/FT 3000K 10mm Width | 49FT |
| ULR-OT-49F-HO-35K | 4.4W/FT 310LM/FT 3500K 10mm Width | 49FT |
| ULR-OT-49F-HO-40K | 4.4W/FT 330LM/FT 4000K 10mm Width | 49FT |
| ULR-OT-49F-HO-50K | 4.4W/FT 350LM/FT 5000K 10mm Width | 49FT |

OUTDOOR TANDEM COUPLINGS

| | |
|--|--|
|  ULR-OT-HO-COUP-6I-WR | Coupling to connect 2 high & Extra output ribbons, 6" |
| ULR-OT-HO-COUP-3F-WR | Coupling to connect 2 high & Extra output ribbons, 3ft |
| ULR-OT-HO-COUP-NO-WR | Coupling to connect 2 high & Extra output ribbons, no wire |



OUTDOOR POWER FEED CABLES

| | |
|--|--|
|  ULR-OT-HO-CONN-6I-WR | 1 side ribbon connector, 1 side female socket to driver, 6" |
| ULR-OT-HO-CONN-3F-WR | 1 side ribbon connector, 1 side female socket to driver, 3ft |
| ULR-OT-HO-CONN-3F-PT | 1 side ribbon connector, 1 side open end, 3ft |
| ULR-OT-HO-CONN-10F-PT | 1 side ribbon connector, 1 side open end, 10ft |


24-VOLT IP67 OUTDOOR LED RIBBON LIGHTS - EXTRA HIGH OUTPUT




Extra High
OUTPUT

| CATALOG NO. | DESCRIPTION | REEL LENGTH |
|--|-----------------------------------|-------------|
| EXTRA HIGH OUTPUT LED RIBBON—OUTDOOR (16.4FT ROLLS) (Max Run 16.4ft) | | |
|  ULR-OT-16F-XHO-27K | 5.8W/FT 440LM/FT 2700K 10mm Width | 16.4FT |
| ULR-OT-16F-XHO-30K | 5.8W/FT 440LM/FT 3000K 10mm Width | 16.4FT |
| ULR-OT-16F-XHO-35K | 5.8W/FT 440LM/FT 3500K 10mm Width | 16.4FT |
| ULR-OT-16F-XHO-40K | 5.8W/FT 450LM/FT 4000K 10mm Width | 16.4FT |
| ULR-OT-16F-XHO-50K | 5.8W/FT 450LM/FT 5000K 10mm Width | 16.4FT |
| EXTRA HIGH OUTPUT LED RIBBON—OUTDOOR (49FT ROLLS) (Max Run 16.4ft) | | |
|  ULR-OT-49F-XHO-27K | 5.8W/FT 450LM/FT 2700K 10mm Width | 49FT |
| ULR-OT-49F-XHO-30K | 5.8W/FT 440LM/FT 3000K 10mm Width | 49FT |
| ULR-OT-49F-XHO-35K | 5.8W/FT 440LM/FT 3500K 10mm Width | 49FT |
| ULR-OT-49F-XHO-40K | 5.8W/FT 450LM/FT 4000K 10mm Width | 49FT |
| ULR-OT-49F-XHO-50K | 5.8W/FT 450LM/FT 5000K 10mm Width | 49FT |

OUTDOOR TANDEM COUPLINGS

| | |
|--|--|
|  ULR-OT-HO-COUP-6I-WR | Coupling to connect 2 high & Extra output ribbons, 6" |
| ULR-OT-HO-COUP-3F-WR | Coupling to connect 2 high & Extra output ribbons, 3ft |
| ULR-OT-HO-COUP-NO-WR | Coupling to connect 2 high & Extra output ribbons, no wire |


OUTDOOR POWER FEED CABLES

| | |
|--|--|
|  ULR-OT-HO-CONN-6I-WR | 1 side ribbon connector, 1 side female socket to driver, 6" |
| ULR-OT-HO-CONN-3F-WR | 1 side ribbon connector, 1 side female socket to driver, 3ft |
| ULR-OT-HO-CONN-3F-PT | 1 side ribbon connector, 1 side open end, 3ft |
| ULR-OT-HO-CONN-10F-PT | 1 side ribbon connector, 1 side open end, 10ft |

| CATALOG NO. | DESCRIPTION | REEL LENGTH |
|---|---|-------------|
| HIGH OUTPUT COB RIBBON—OUTDOOR (16.4FT ROLLS) (Max Run 20ft) | | |
|  ULR-0T-16F-HO-COB-27K | 3W/FT 290LM/FT 2700K 10mm Width | 16.4FT |
| ULR-0T-16F-HO-COB-30K | 3W/FT 304LM/FT 3000K 10mm Width | 16.4FT |
| ULR-0T-16F-HO-COB-35K | 3W/FT 304LM/FT 3500K 10mm Width | 16.4FT |
| ULR-0T-16F-HO-COB-40K | 3W/FT 337LM/FT 4000K 10mm Width | 16.4FT |
| ULR-0T-16F-HO-COB-50K | 3W/FT 340LM/FT 5000K 10mm Width | 16.4FT |
| ULR-0T-16F-HO-COB-65K | 3W/FT 340LM/FT 6500K 10mm Width | 16.4FT |
| HIGH OUTPUT COB RIBBON—OUTDOOR (98.4FT ROLLS) (Max Run 20ft) | | |
|  ULR-0T-98F-HO-COB-27K | 3W/FT 290LM/FT 2700K 10mm Width | 98.4FT |
| ULR-0T-98F-HO-COB-30K | 3W/FT 304LM/FT 3000K 10mm Width | 98.4FT |
| ULR-0T-98F-HO-COB-35K | 3W/FT 304LM/FT 3500K 10mm Width | 98.4FT |
| ULR-0T-98F-HO-COB-40K | 3W/FT 337LM/FT 4000K 10mm Width | 98.4FT |
| ULR-0T-98F-HO-COB-50K | 3W/FT 340LM/FT 5000K 10mm Width | 98.4FT |
| ULR-0T-98F-HO-COB-65K | 3W/FT 340LM/FT 6500K 10mm Width | 98.4FT |
| INDOOR TANDEM COUPLINGS | | |
|  ULR-0T-HO-COB-COUP-6I-WR | 6In Ribbon-To-Ribbon Coupling For COB IP65 Creates IP20 Ends | |
| ULR-0T-HO-COB-COUP-3F-WR | 3Ft Ribbon-To-Ribbon Coupling For COB IP65 Creates IP20 Ends | |
| INDOOR POWER FEED CABLES | | |
|  ULR-0T-HO-COB-CONN-3F-PT | 3Ft Ribbon Pigtail Snap Connector To Female End For COB IP65 Creates IP20 End | |
|  ULR-0T-HO-COB-CONN-10F-PT | 10Ft Ribbon Pigtail Snap Connector To Female End For COB IP65 Creates IP20 End | |
| ULR-0T-HO-COB-CONN-6I-WR | 6In Ribbon Pigtail Snap Connector To Stripped End For COB IP65 Creates IP20 End | |
| ULR-0T-HO-COB-CONN-3F-WR | 3Ft Ribbon Pigtail Snap Connector To Stripped End For COB IP65 Creates IP20 End | |
| ULR-0T-HO-COB-CONN-6I-WR-IP65 | COB Ribbon Wet Loc IP65 Cap With Pigtail For Solder And Silicone Bag Of 5, Creates IP65 End | |
| ULR-0T-HO-COB-UCLIP-5PC | COB Ribbon Wet Loc IP65 Mounting Clips And Screws Bag Of 5 | |
| ULR-0T-HO-COB-ENDC-5PC | COB Ribbon Wet Loc IP65 Closed End Cap Bag Of 5, Use With Silicone For IP65 Results | |


RIBBON

LED INDOOR ELECTRONIC RIBBON LIGHT PLUG-IN DRIVERS (FOR DIMMABLE DRIVERS SEE PAGE 195)

| CATALOG NO. | DESCRIPTION |
|---|--|
|  ULR-IN-PIDR-48W | 48W MAX, 2A, 100-240V INPUT, 15A Plug & Male 24V Connector |
| ULR-IN-PIDR-72W | 72W MAX, 3A, 100-240V INPUT Plug & Male 24V Connector |

LED INDOOR ELECTRONIC RIBBON LIGHT HARDWIRE DRIVERS, NON-DIMMABLE



| CATALOG NO. | DESCRIPTION |
|---|--|
|  ULR-IN-HWDR-75W | 75W MAX, 3.2A, 85-264V INPUT, 15A, 24V |
| ULR-IN-HWDR-100W | 100W MAX, 4.5A, 85-264V INPUT, 15A, 24V |
| ULR-IN-HWDR-150W | 150W MAX, 6.5A, 85-132V INPUT, 15A, 24V |
| ULR-IN-HWDR-200W | 200W MAX, 8.8A, 90-132V INPUT, 15A, 24V |
| ULR-IN-HWDR-350W | 350W MAX, 14.6A, 90-132V INPUT, 15A, 24V |
| ULR-IN-HWDR-450W | 450W MAX, 18.8A, 90-132V INPUT, 15A, 24V |
| ULR-IN-HWDR-600W | 600W MAX, 25A, 90-132V INPUT, 15A, 24V |

5-IN-1 DIMMABLE ELECTRONIC LED DRIVER WITH JUNCTION BOX, 120-277V



| CATALOG NO. | DESCRIPTION |
|----------------------------|---|
| LEDDR-24V-60W-UNIV | 5-In-1 Dimmable Electronic Led Driver With Junction Box, 120-277V To 24V 60W |
| LEDDR-24V-96W-UNIV | 5-In-1 Dimmable Electronic Led Driver With Junction Box, 120-277V To 24V 96W |
| LEDDR-24V-120W-UNIV | 5-In-1 Dimmable Electronic Led Driver With Junction Box, 120-277V To 24V 120W |
| LEDDR-24V-150W-UNIV | 5-In-1 Dimmable Electronic Led Driver With Junction Box, 120-277V To 24V 150W |
| LEDDR-24V-192W-UNIV | 5-In-1 Dimmable Electronic Led Driver With Junction Box, 120-277V To 24V 192W |
| LEDDR-24V-288W-UNIV | 5-In-1 Dimmable Electronic Led Driver With Junction Box, 120-277V To 24V 288W |
| LEDDR-24V-384W-UNIV | 5-In-1 Dimmable Electronic Led Driver With Junction Box, 120-277V To 24V 384W |


24-VOLT LED OUTDOOR ELECTRONIC **NON-DIMMABLE** DRIVERS 120V INPUT

(FOR MAG. DIMMABLE DRIVERS SEE PAGE 195)




| CATALOG NO. | DESCRIPTION |
|--------------------------|-----------------|
| LEDDR-24V-WP-200W | 200W 120V INPUT |

SURFACE MOUNT CHANNELS & LENSES




| CATALOG NO. | DESCRIPTION |
|--------------------------------|--|
| ULR-CH-SURF-SHALLOW | 12X6 mm Surface mount channel, 4ft. |
| ULR-CH-SURF-DEEP | 12X12 mm Surface mount channel, 4ft. |
| ULR-LENS-SURF-F | Frosted Lens for 12X6 mm & 12X12 mm Channels |
| ULR-LENS-SURF-C | Clear Lens for 12X6 mm & 12X12 mm Channels |
| ULR-CH-SURF-SHALLOW-CAP | End Cap for 12X6 mm Channels |
| ULR-CH-SURF-DEEP-CAP | End Cap for 12X12 mm Channels |




| | |
|--------------------------------|---|
| ULR-CH-SURF-16X14 | 16X14 mm Surface mount channel, 4ft. |
| ULR-LENS-SURF-16X14-F | Frosted Lens for 16X14 mm Channels |
| ULR-LENS-SURF-16X14-C | Clear Lens for 16X14 mm Channels |
| ULR-LENS-SURF-16X14-CAP | End Cap for 16X14 mm Channels |

MUD-IN RECESSED MOUNT CHANNELS & LENSES



| CATALOG NO. | DESCRIPTION |
|-----------------------------|---|
| ULR-CH-MUD-13X15 | 13X15 mm Mud-In Recessed mount channel, 4ft. |
| ULR-LENS-MUD-13X15-F | Frosted Lens for 13X15 mm Channels |
| ULR-LENS-MUD-13X15-C | Clear Lens for 13X15 mm Channels |
| ULR-CH-MUD-13X15-CAP | End Cap for 13X15 mm Channels |



| | |
|-------------------------------|--|
| ULR-CH-MUD-37X15 | 37X15 mm Mud-In Recessed mount channel (Can fit 2 Ribbons), 4ft. |
| ULR-LENS-MUD-37X15-F | Frosted Lens for 37X15 mm Channels |
| ULR-LENS-MUD-37X15-C | Clear Lens for 37X15 mm Channels |
| ULR-LENS-MUD-37X15-CAP | End Cap for 37X15 mm Channels |

45 DEGREE CHANNEL & LENSES



| CATALOG NO. | DESCRIPTION |
|-----------------------|-----------------------------------|
| ULR-CH-45D | 12X18 mm 45° Channel, 4ft. |
| ULR-LENS-45D-F | Frosted Lens for 45° Channels |
| ULR-CH-45D-CAP | End Cap for 45° Channels |

RIBBON

RECESSED MOUNT CHANNELS & LENSES

| | CATALOG NO. | DESCRIPTION |
|--|-------------------------------|--|
| | ULR-CH-REC-SHALLOW | 20X10 mm Recessed mount channel, 4ft. |
| | ULR-CH-REC-DEEP | 20X20 mm Recessed mount channel(Can fit 2 Ribbons), 4ft. |
| | ULR-LENS-REC-F | Frosted Lens for 20X10 mm & 20X20 mm Channels |
| | ULR-LENS-REC-C | Clear Lens for 20X10 mm & 20X20 mm Channels |
| | ULR-CH-REC-SHALLOW-CAP | End Cap for 20X10 mm Channels |
| | ULR-CH-REC-DEEP-CAP | End Cap for 20X20 mm Channels |
| | ULR-CH-REC-12X7 | 12X7 mm Recessed mount channel, 4ft. |
| | ULR-LENS-REC-12X7-F | Frosted Lens for 12X7 mm Channels |
| | ULR-LENS-REC-12X7-C | Clear Lens for 12X7 mm Channels |
| | ULR-CH-REC-12X7-CAP | End Cap for 12X7 mm Channels |
| | ULR-CH-REC-12X12 | 12X12 mm Recessed mount channel, 4ft. |
| | ULR-LENS-REC-12X12-F | Frosted Lens for 12X12 mm Channels |
| | ULR-LENS-REC-12X12-C | Clear Lens for 12X12 mm Channels |
| | ULR-CH-REC-12X12-CAP | End Cap for 12X12 mm Channels |

ACCESSORIES

| | CATALOG NO. | DESCRIPTION |
|--|---------------------------|-------------------------------------|
| | ULR-OUT-ENDC-5PC | End cap for IP67 ribbons, Pack of 5 |
| | ULR-OUT-UCLIP-10PC | Mounting Clip, Pack of 10 |
| | ULR-OUT-SGLUE | Silicone glue for sealing compound |
| | ULR-2HSTRP | 2-hole rubber strap, Pack of 10 |

EXTENSION CORDS FOR SECONDARY-SIDE OF DRIVERS

| | CATALOG NO. | DESCRIPTION |
|--|--------------------------|---|
| | ULR-DCJ-2ML-1FT | DC Jumper cable, Both sides male, 1ft. |
| | ULR-DCJ-2ML-3FT | DC Jumper cable, Both sides male, 3ft. |
| | ULR-DCJ-2ML-10FT | DC Jumper cable, Both sides male, 10ft. |
| | ULR-DCJ-1MIF-1FT | DC Jumper cable, one side male one side female, 1ft. |
| | ULR-DCJ-1MIF-3FT | DC Jumper cable, one side male one side female, 3ft. |
| | ULR-DCJ-1MIF-10FT | DC Jumper cable, one side male one side female, 10ft. |
| | ULR-DCJ-2FM-1FT | DC Jumper cable, Both sides female, 1ft. |
| | ULR-DCJ-2FM-3FT | DC Jumper cable, Both sides female, 3ft. |
| | ULR-DCJ-2FM-10FT | DC Jumper cable, Both sides female, 10ft. |
| | ULR-DCJ-1S1F-3FT | DC Jumper cable, one side female one side striped, 3ft |
| | ULR-DCJ-1S1F-10FT | DC Jumper cable, one side female one side striped, 10ft |
| | ULR-DCJ-1S1M-3FT | DC Jumper cable, one side male one side striped, 3ft |
| | ULR-DCJ-1S1M-10FT | DC Jumper cable, one side male one side striped, 10ft |

WIRES

| | CATALOG NO. | DESCRIPTION |
|--|--------------------------|----------------------------|
| | ULR-2WRE-50FT-18 | 50' Roll of 18/2 AWG wire |
| | ULR-2WRE-100FT-18 | 100' Roll of 18/2 AWG wire |
| | ULR-2WRE-50FT-22 | 50' Roll of 22/2 AWG wire |
| | ULR-2WRE-100FT-22 | 100' Roll of 22/2 AWG wire |
| | ULR-5WRE-50FT-22 | 50' Roll of 22/5 AWG wire |
| | ULR-5WRE-100FT-22 | 100' Roll of 22/5 AWG wire |

RIBBON



CUSTOM LENGTHS/ORDER BY FOOT

We Cut & Solder Each Section With Your Desired Sizes

24-VOLT INDOOR LED RIBBON LIGHTS - STANDARD OUTPUT IP20

| CATALOG NO. | DESCRIPTION | MAX ORDER LENGTH PER CONNECTION |
|--|-------------------|---------------------------------------|
| STANDARD OUTPUT LED RIBBON—INDOOR | | |
| STANDARD OUTPUT | ULR-IN-1FT-SO-27K | 1.5W/FT 100LM/FT 2700K 8mm Width 49FT |
| | ULR-IN-1FT-SO-30K | 1.5W/FT 100LM/FT 3000K 8mm Width 49FT |
| | ULR-IN-1FT-SO-40K | 1.5W/FT 100LM/FT 4000K 8mm Width 49FT |
| | ULR-IN-1FT-SO-50K | 1.5W/FT 100LM/FT 5000K 8mm Width 49FT |

24-VOLT INDOOR LED RIBBON LIGHTS - HIGH OUTPUT IP20

| CATALOG NO. | DESCRIPTION | MAX ORDER LENGTH PER CONNECTION |
|--|----------------------|--|
| HIGH OUTPUT LED RIBBON—INDOOR | | |
| HIGH OUTPUT | ULR-IN-1FT-HO-27K | 4.4W/FT 310LM/FT 2700K 10mm Width 20FT |
| | ULR-IN-1FT-HO-30K | 4.4W/FT 310LM/FT 3000K 10mm Width 20FT |
| | ULR-IN-1FT-HO-40K | 4.4W/FT 330LM/FT 4000K 10mm Width 20FT |
| | ULR-IN-1FT-HO-50K | 4.4W/FT 350LM/FT 5000K 10mm Width 20FT |
| HIGH OUTPUT LED BLACK RIBBON—INDOOR | | |
| HIGH OUTPUT | ULR-IN-1FT-HO-27K-BK | 4.4W/FT 310LM/FT 2700K 10mm Width 20FT |
| | ULR-IN-1FT-HO-30K-BK | 4.4W/FT 310LM/FT 3000K 10mm Width 20FT |
| | ULR-IN-1FT-HO-40K-BK | 4.4W/FT 330LM/FT 4000K 10mm Width 20FT |
| | ULR-IN-1FT-HO-50K-BK | 4.4W/FT 350LM/FT 5000K 10mm Width 20FT |

24-VOLT INDOOR LED RIBBON LIGHTS - EXTRA HIGH OUTPUT IP20

| CATALOG NO. | DESCRIPTION | MAX ORDER LENGTH PER CONNECTION |
|--|--------------------|--|
| EXTRA HIGH OUTPUT LED RIBBON—INDOOR | | |
| EXTRA HIGH OUTPUT | ULR-IN-1FT-XHO-27K | 8.8W/FT 620LM/FT 2700K 10mm Width 11FT |
| | ULR-IN-1FT-XHO-30K | 8.8W/FT 620LM/FT 3000K 10mm Width 11FT |
| | ULR-IN-1FT-XHO-40K | 8.8W/FT 680LM/FT 4000K 10mm Width 11FT |
| | ULR-IN-1FT-XHO-50K | 8.8W/FT 700LM/FT 5000K 10mm Width 11FT |
| ULTRA HIGH OUTPUT LED RIBBON—INDOOR | | |
| ULTRA HIGH OUTPUT | ULR-IN-1FT-YHO-27K | 6.7W/FT 820LM/FT 2700K 10mm Width 14FT |
| | ULR-IN-1FT-YHO-30K | 6.7W/FT 820LM/FT 3000K 10mm Width 14FT |
| | ULR-IN-1FT-YHO-40K | 6.7W/FT 880LM/FT 4000K 10mm Width 14FT |
| | ULR-IN-1FT-YHO-50K | 6.7W/FT 900LM/FT 5000K 10mm Width 14FT |

24-VOLT INDOOR COB RIBBON LIGHTS - HIGH OUTPUT IP20

| CATALOG NO. | DESCRIPTION | MAX ORDER LENGTH PER CONNECTION |
|--|-----------------------|--------------------------------------|
| EXTRA HIGH OUTPUT COB RIBBON—INDOOR | | |
| HIGH OUTPUT | ULR-IN-1FT-HO-COB-27K | 3W/FT 290LM/FT 2700K 10mm Width 20FT |
| | ULR-IN-1FT-HO-COB-30K | 3W/FT 304LM/FT 3000K 10mm Width 20FT |
| | ULR-IN-1FT-HO-COB-40K | 3W/FT 337LM/FT 4000K 10mm Width 20FT |
| | ULR-IN-1FT-HO-COB-50K | 3W/FT 340LM/FT 5000K 10mm Width 20FT |
| | ULR-IN-1FT-HO-COB-65K | 3W/FT 340LM/FT 6500K 10mm Width 20FT |

24-VOLT INDOOR WHITE-TUNING COB RIBBON LIGHTS, WHITE-TUNING WITH CONTROLLER -HIGH OUTPUT INSTALL WITH ELECTRONIC DRIVERS ONLY

| CATALOG NO. | DESCRIPTION | MAX ORDER LENGTH PER CONNECTION |
|--------------------|------------------------|--|
| HIGH OUTPUT | ULR-IN-1FT-HO-COB-WT | 3W/FT 340LM/FT White Tuning 10mm Width 20FT |
| | OPT-CONNECT-WTUNE-CTRL | Connect Ribbon With White Tuning Controller and Driver |

RIBBON



24-VOLT IP54 DAMP LOCATION LED RIBBON LIGHTS - HIGH OUTPUT IP54

| CATALOG NO. | DESCRIPTION | MAX ORDER LENGTH PER CONNECTION |
|--|---------------------|--|
| HIGH OUTPUT LED RIBBON— DAMP LOCATION | | |
| HIGH OUTPUT | ULR-IP54-1FT-H0-27K | 4.4W/FT 310LM/FT 2700K 10mm Width 20FT |
| | ULR-IP54-1FT-H0-30K | 4.4W/FT 310LM/FT 3000K 10mm Width 20FT |
| | ULR-IP54-1FT-H0-40K | 4.4W/FT 330LM/FT 4000K 10mm Width 20FT |
| | ULR-IP54-1FT-H0-50K | 4.4W/FT 350LM/FT 5000K 10mm Width 20FT |

24-VOLT LED RGBW RIBBON LIGHTS



| CATALOG NO. | DESCRIPTION | MAX ORDER LENGTH PER CONNECTION |
|--------------------|-----------------------|---|
| HIGH OUTPUT | ULR-IN-1FT-H0-RGBW | 5.8W/FT 225LM/FT RGB 10mm Width IP20 20FT |
| | ULR-OT-1FT-H0-RGBW | 5.8W/FT 225LM/FT RGB 10mm Width IP67 20FT |
| | OPT-CONNECT-RGBW-CTRL | Connect RGBW With Controller and Driver |

24-VOLT IP67 OUTDOOR LED RIBBON LIGHTS - HIGH OUTPUT IP67

| CATALOG NO. | DESCRIPTION | MAX ORDER LENGTH PER CONNECTION |
|---------------------------------------|-------------------|--|
| HIGH OUTPUT LED RIBBON—OUTDOOR | | |
| HIGH OUTPUT | ULR-OT-1FT-H0-27K | 4.4W/FT 310LM/FT 2700K 10mm Width 20FT |
| | ULR-OT-1FT-H0-30K | 4.4W/FT 310LM/FT 3000K 10mm Width 20FT |
| | ULR-OT-1FT-H0-40K | 4.4W/FT 330LM/FT 4000K 10mm Width 20FT |
| | ULR-OT-1FT-H0-50K | 4.4W/FT 350LM/FT 5000K 10mm Width 20FT |

24-VOLT IP67 OUTDOOR LED RIBBON LIGHTS - EXTRA HIGH OUTPUT IP67

| CATALOG NO. | DESCRIPTION | MAX ORDER LENGTH PER CONNECTION |
|---|--------------------|--|
| EXTRA HIGH OUTPUT LED RIBBON—OUTDOOR | | |
| EXTRA HIGH OUTPUT | ULR-OT-1FT-XH0-27K | 5.8W/FT 440LM/FT 2700K 10mm Width 16.4FT |
| | ULR-OT-1FT-XH0-30K | 5.8W/FT 440LM/FT 3000K 10mm Width 16.4FT |
| | ULR-OT-1FT-XH0-40K | 5.8W/FT 450LM/FT 4000K 10mm Width 16.4FT |
| | ULR-OT-1FT-XH0-50K | 5.8W/FT 450LM/FT 5000K 10mm Width 16.4FT |

FACTORY-INSTALLED OPTIONS FOR ULR 1FT

| CATALOG NO. | DESCRIPTION |
|-------------------|---|
| OPT-PT-2HW-6I | Solder 6" 2 Wire Pigtail To Ribbon |
| OPT-PT-2HW-36I | Solder 36" 2 Wire Pigtail To Ribbon |
| OPT-PT-2HW-120I | Solder 120" 2 Wire Pigtail To Ribbon |
| OPT-PT-2HW-240I | Solder 240" 2 Wire Pigtail To Ribbon |
| OPTF-PTF-2W-6I | Solder 6" 2 Wire Pigtail To Ribbon With Female DC |
| OPTF-PTF-2W-36I | Solder 36" 2 Wire Pigtail To Ribbon With Female DC |
| OPTF-PTF-2W-120I | Solder 120" 2 Wire Pigtail To Ribbon With Female DC |
| OPTF-PTF-2W-240I | Solder 240" 2 Wire Pigtail To Ribbon With Female DC |
| OPT-PT-5HW-6I | Solder 6" 5 Wire Pigtail To Ribbon |
| OPT-PT-5HW-36I | Solder 36" 5 Wire RGBW Pigtail To Ribbon |
| OPT-PT-5HW-120I | Solder 120" 5 Wire RGBW Pigtail To Ribbon |
| OPT-PT-5HW-240I | Solder 240" 5 Wire RGBW Pigtail To Ribbon |
| OPT-COUP-2HW | Couple Two Ribbons No Wire |
| OPT-COUP-2HW-XXI | Couple Two Ribbons W. Specified Length 2 Wire |
| OPT-COUP-2HW-6I | Couple Two Ribbons W. 6" 2 Wire |
| OPT-COUP-2HW-36I | Couple Two Ribbons W. 36" 2 Wire |
| OPT-COUP-2HW-120I | Couple Two Ribbons W. 120" 2 Wire |
| OPT-COUP-2HW-240I | Couple Two Ribbons W. 240" 2 Wire |
| OPT-COUP-5HW-XXI | Couple Two Ribbons W. Specified Length 5 Wire |
| OPT-COUP-5HW-6I | Couple Two RGBW Ribbons W. 6" 5 Wire |
| OPT-COUP-5HW-36I | Couple Two RGBW Ribbons W. 36" 5 Wire |
| OPT-COUP-5HW-120I | Couple Two RGBW Ribbons W. 120" 5 Wire |
| OPT-COUP-5HW-240I | Couple Two RGBW Ribbons W. 240" 5 Wire |



Black Brass Simulation Oil-Rubbed Bronze
12V 7W LED NEW GENERATION ALUMINUM SPOT LIGHT
 Aluminum, Black & Metallic Oil-Rubbed Bronze & Brass Simulation Finishes

| CATALOG NO. | DESCRIPTION |
|-----------------------------|----------------------------------|
| AD-018-MCT-BK | 7W 600LM 30K/40K/50K |
| AD-018-MCT-ORB | 7W 600LM 30K/40K/50K |
| AD-018-MCT-AZ | 7W 600LM 30K/40K/50K |
| AD-018-RGBW-PB-ORB | 7W 600LM RGBW PUSH BUTTON |
| AD-018-RGBW-W-BT-ORB | 7W 600LM RGBW APP CONTROL |



120V GARDEN BULLET WITHOUT OR WITH SHROUD, INTE-

| CATALOG NO. | DESCRIPTION |
|--------------------------|---------------------------------|
| AD120-017-MCT-ORB | 8W 700LM 30K/40K/50K 17" |
| AD120-017-MCT-BK | 8W 700LM 30K/40K/50K 17" |
| AD120-017-MCT-WH | 8W 700LM 30K/40K/50K 17" |
| AD120-018-MCT-ORB | 8W 700LM 30K/40K/50K 18" |
| AD120-018-MCT-BK | 8W 700LM 30K/40K/50K 18" |



12-VOLT AC/DC LED GARDEN FLOOD LIGHTS

| CATALOG NO. | DESCRIPTION |
|--------------------------|-------------------------|
| GL-12V-12W-30K-BR | 12W 960LM 3000K |
| GL-12V-12W-40K-BR | 12W 960LM 4000K |
| GL-12V-12W-50K-BR | 12W 960LM 5000K |
| GL-12V-24W-30K-BR | 24W 1920LM 3000K |
| GL-12V-24W-40K-BR | 24W 1920LM 4000K |
| GL-12V-24W-50K-BR | 24W 1920LM 5000K |



12V LED DIRECTIONAL LIGHT - SOLID BRASS

| CATALOG NO. | DESCRIPTION |
|------------------------|-------------------------------------|
| LFLD-5W-30K-BZB | 5W 400LM 3000K Bronzed Brass |
| LFLD-5W-30K-BZ | 5W 400LM 3000K Bronze |
| LD-180-BZ | 6W 300LM 3000K Bronze |



12V LED DIRECTIONAL LIGHT - SOLID BRASS

| CATALOG NO. | DESCRIPTION |
|------------------------|-----------------------|
| LFLD2-6W-30K-BZ | 6W 280LM 3000K |
| LFLD3-8W-30K-BZ | 8W 430LM 3000K |



12V INTEGRATED LED LANDSCAPE FLOOD LIGHTS

| CATALOG NO. | DESCRIPTION |
|----------------------|-------------------------|
| FLV12-6W-30K | 6W 500LM 3000K |
| FLV12-6W-50K | 6W 550LM 5000K |
| FLV12-12W-30K | 12W 1200LM 3000K |
| FLV12-12W-50K | 12W 1300LM 5000K |
| FLV12-24W-30K | 24W 2200LM 3000K |
| FLV12-24W-50K | 24W 2500LM 5000K |
| FLV12-32W-30K | 32W 3200LM 3000K |
| FLV12-32W-50K | 32W 3500LM 5000K |



12-VOLT AC/DC LED GARDEN LIGHT

| CATALOG NO. | DESCRIPTION |
|------------------------|-----------------------------|
| LF12-6W-27K-KN | 6W 400LM 2700K |
| LF12-6W-30K-KN | 6W 400LM 3000K |
| LF12-6W-40K-KN | 6W 450LM 4000K |
| LF12-6W-50K-KN | 6W 450LM 5000K |
| LF12-6W-RGBW-KN | 6W 450LM RGB - 3000K |

2ND GEN. 12-VOLT AC/DC LED GARDEN LIGHT

| | |
|----------------------------|----------------------|
| LF12-G2-7W-MCT5-BK | 7W 550LM 5CCT |
| LF12-G2-7W-MCT5-ORB | 7W 550LM 5CCT |

NEEDS RGBW CONTROLLER SEE PAGE 186.

12V Wall Wash

(INTEGRATED) LED FLOODLIGHTS



12V INTEGRATED LED WALL WASH LIGHTS

| CATALOG NO. | DESCRIPTION |
|------------------------|-------------------------|
| LF4-12V-6W-30K | 6W 440LM 3000K |
| LF4-12V-6W-50K | 6W 500LM 5000K |
| LF4-12V-12W-30K | 12W 1080LM 3000K |
| LF4-12V-12W-50K | 12W 1260LM 5000K |
| LF4-12V-24W-30K | 24W 2155LM 3000K |
| LF4-12V-24W-50K | 24W 2500LM 5000K |
| LF4-12V-30W-30K | 30W 2700LM 3000K |
| LF4-12V-30W-50K | 30W 3150LM 5000K |
| LF4-12V-50W-30K | 50W 4500LM 3000K |
| LF4-12V-50W-50K | 50W 5250LM 5000K |



LD-098-CR LD-176-CR LD-009-BZ LD-009-BZB LD-176-BZ LD-176-BZB
12V LED DIRECTIONAL LIGHTS - SOLID COPPER & SOLID BRASS

| CATALOG NO. | DESCRIPTION |
|-------------|------------------------------|
| LD-098-CR | 5W 400LM 3000K Cast Copper |
| LD-176-CR | 5W 400LM 3000K Cast Copper |
| LD-009-BZ | 5W 400LM 3000K Bronze |
| LD-009-BZB | 5W 400LM 3000K Bronzed Brass |
| LD-176-BZ | 5W 400LM 3000K Bronze |
| LD-176-BZB | 5W 400LM 3000K Bronzed Brass |



LD-006-BZB LD-103-BZB LD-103-AN



LD-099-BZ LD-099-BZB LD-174-BZ LD-110-BZ

12V LED DIRECTIONAL LIGHTS

| CATALOG NO. | DESCRIPTION |
|-------------|------------------------------|
| LD-006-BZ | 5W 400LM 3000K Bronze |
| LD-006-BZB | 5W 400LM 3000K Bronzed Brass |
| LD-103-BZ | 5W 400LM 3000K Bronze |
| LD-103-BZB | 5W 400LM 3000K Bronzed Brass |
| LD-103-AN | 5W 400LM 3000K Aged Nickel |
| LD-099-BZ | 5W 400LM 3000K Bronze |
| LD-099-BZB | 5W 400LM 3000K Bronzed Brass |
| LD-174-BZ | 5W 400LM 3000K Bronze |
| LD-110-BZ | 5W 400LM 3000K Bronze |



AD-102-BK AD-003-BK AD-003-SIL AD-131-BR
 AD-102-BR AD-003-BR

12V LED DIRECTIONAL LIGHTS - ALUMINUM

| CATALOG NO. | DESCRIPTION |
|-------------|-----------------------|
| AD-102-BK | 5W 400LM 3000K Black |
| AD-102-BR | 5W 400LM 3000K Bronze |
| AD-003-BK | 5W 400LM 3000K Black |
| AD-003-BR | 5W 400LM 3000K Bronze |
| AD-003-SIL | 5W 400LM 3000K Silver |
| AD-131-BR | 5W 400LM 3000K Bronze |



LD-192-BZ LD-192-BZB AD-192-BK AD-192-BR LD-192-FBK
 BRASS BRASS ALUMINUM FIBER GLASS

12V LED DIRECTIONAL LIGHTS - SOLID BRASS, CAST

| CATALOG NO. | DESCRIPTION |
|-------------|------------------------------|
| LD-192-BZ | 5W 400LM 3000K Bronze |
| LD-192-BZB | 5W 400LM 3000K Bronzed Brass |
| AD-192-BR | 5W 400LM 3000K Bronze |



LVW-100-MCT-ORB
5.25"(D) x 2.66"(H)



LVW-110-MCT-ORB
3.12"(W) x 3.40"(H) x 3.71"(D)



LVW-110-UD-MCT-ORB
3.71"(W) x 4.12"(H) x 5.20"(D)



LVW-115-MCT-ORB
5.25"(D) x 3.75"(H)



LVW-200-MCT-ORB
5.20"(SQ) x 2.66"(H)



LVW-210-MCT-ORB
3.75"(W) x 4.12"(H) x 3.4"(D)



LVW-210-UD-MCT-ORB
3.75"(W) x 4.12"(H) x 5.20"(D)



LVW-215-MCT-ORB
5.25"(SQ) x 4.33"(H)



LVW-250-MCT-ORB
5.75"(W) x 5.75"(H) x 2.25"(D)



LVW-300-MCT-ORB
LVW-300-MCT-WH
7"(W) x 5"(H) x 2.25"(D)



LVW-310-MCT-ORB
LVW-310-MCT-WH
7.50"(W) x 4.20"(H) x 2"(D)

12V SELECTABLE CCT LED MINI WALL SCONCES

| CATALOG NO. | DESCRIPTION |
|--------------------|----------------------|
| LVW-100-MCT-ORB | 3W 200LM 30K/40K/50K |
| LVW-110-MCT-ORB | 3W 200LM 30K/40K/50K |
| LVW-110-UD-MCT-ORB | 6W 400LM 30K/40K/50K |
| LVW-115-MCT-ORB | 3W 200LM 30K/40K/50K |
| LVW-200-MCT-ORB | 3W 200LM 30K/40K/50K |
| LVW-210-MCT-ORB | 3W 200LM 30K/40K/50K |
| LVW-210-UD-MCT-ORB | 6W 400LM 30K/40K/50K |
| LVW-215-MCT-ORB | 3W 200LM 30K/40K/50K |
| LVW-250-MCT-ORB | 6W 400LM 30K/40K/50K |
| LVW-300-MCT-ORB | 6W 400LM 30K/40K/50K |
| LVW-300-MCT-WH | 6W 400LM 30K/40K/50K |
| LVW-310-MCT-ORB | 6W 400LM 30K/40K/50K |
| LVW-310-MCT-WH | 6W 400LM 30K/40K/50K |

12V OIL-RUBBED BRONZE & BRUSHED NICKEL FINISH



12V LED WALL CYLINDERS



| CATALOG NO. | DESCRIPTION |
|--|------------------------|
| 12V 1IN LED WALL CYLINDERS, 25° | |
| WMC1-12V-DL-MCT-ORB | 3W 300LM 30K/40K/50K |
| WMC1-12V-DL-MCT-BN | 3W 300LM 30K/40K/50K |
| WMC1-12V-UDL-MCT-ORB | 2X3W 600LM 30K/40K/50K |
| WMC1-12V-UDL-MCT-BN | 2X3W 600LM 30K/40K/50K |
| 12V 2IN LED WALL CYLINDERS, 25° | |
| WMC2-12V-DL-MCT-ORB | 5W 500LM 30K/40K/50K |
| WMC2-12V-DL-MCT-BN | 5W 500LM 30K/40K/50K |
| WMC2-12V-UDL-MCT-ORB | 10W 1000LM 30K/40K/50K |
| WMC2-12V-UDL-MCT-BN | 10W 1000LM 30K/40K/50K |

AA SERIES NEW GENERATION OF PATH LIGHTS

LANDSCAPE



AA-18L-ORB

- + AA-STEM-22-MCT-ORB
- + AA-STEM-15-MCT-ORB
- + AA-STEM-22-RGBW-PB-ORB
- + AA-STEM-15-RGBW-PB-ORB
- + AA-STEM-22-RGBWW-BT-ORB
- + AA-STEM-15-RGBWW-BT-ORB



AA-18L-BK

- + AA-STEM-22-MCT-BK
- + AA-STEM-15-MCT-BK
- + AA-STEM-22-RGBW-PB-BK
- + AA-STEM-15-RGBW-PB-BK
- + AA-STEM-22-RGBWW-BT-BK
- + AA-STEM-15-RGBWW-BT-BK



AA-18L-AZ

- + AA-STEM-22-MCT-AZ
- + AA-STEM-15-MCT-AZ
- + AA-STEM-22-RGBW-PB-AZ
- + AA-STEM-15-RGBW-PB-AZ
- + AA-STEM-22-RGBWW-BT-AZ
- + AA-STEM-15-RGBWW-BT-AZ



AA-19L-ORB

- + AA-STEM-22-MCT-ORB
- + AA-STEM-15-MCT-ORB
- + AA-STEM-22-RGBW-PB-ORB
- + AA-STEM-15-RGBW-PB-ORB
- + AA-STEM-22-RGBWW-BT-ORB
- + AA-STEM-15-RGBWW-BT-ORB



AA-19L-BK

- + AA-STEM-22-MCT-BK
- + AA-STEM-15-MCT-BK
- + AA-STEM-22-RGBW-PB-BK
- + AA-STEM-15-RGBW-PB-BK
- + AA-STEM-22-RGBWW-BT-BK
- + AA-STEM-15-RGBWW-BT-BK



AA-19L-AZ

- + AA-STEM-22-MCT-AZ
- + AA-STEM-15-MCT-AZ
- + AA-STEM-22-RGBW-PB-AZ
- + AA-STEM-15-RGBW-PB-AZ
- + AA-STEM-22-RGBWW-BT-AZ
- + AA-STEM-15-RGBWW-BT-AZ



AA-20L-ORB

- + AA-STEM-22-MCT-ORB
- + AA-STEM-15-MCT-ORB
- + AA-STEM-22-RGBW-PB-ORB
- + AA-STEM-22-RGBWW-BT-ORB
- + AA-STEM-15-RGBWW-BT-ORB



AA-20L-BK

- + AA-STEM-22-MCT-BK
- + AA-STEM-15-MCT-BK
- + AA-STEM-22-RGBW-PB-BK
- + AA-STEM-22-RGBWW-BT-BK
- + AA-STEM-15-RGBWW-BT-BK



AA-20L-AZ

- + AA-STEM-22-MCT-AZ
- + AA-STEM-15-MCT-AZ
- + AA-STEM-22-RGBW-PB-AZ
- + AA-STEM-22-RGBWW-BT-AZ
- + AA-STEM-15-RGBWW-BT-AZ



AA-21L-ORB

- + AA-STEM-22-MCT-ORB
- + AA-STEM-15-MCT-ORB
- + AA-STEM-22-RGBW-PB-ORB
- + AA-STEM-22-RGBWW-BT-ORB
- + AA-STEM-15-RGBWW-BT-ORB



AA-21L-BK

- + AA-STEM-22-MCT-BK
- + AA-STEM-15-MCT-BK
- + AA-STEM-22-RGBW-PB-BK
- + AA-STEM-22-RGBWW-BT-BK
- + AA-STEM-15-RGBWW-BT-BK



AA-21L-AZ

- + AA-STEM-22-MCT-AZ
- + AA-STEM-15-MCT-AZ
- + AA-STEM-22-RGBW-PB-AZ
- + AA-STEM-22-RGBWW-BT-AZ
- + AA-STEM-15-RGBWW-BT-AZ



AA-22L-ORB

- + AA-STEM-22-MCT-ORB
- + AA-STEM-15-MCT-ORB
- + AA-STEM-22-RGBW-PB-ORB
- + AA-STEM-22-RGBWW-BT-ORB
- + AA-STEM-15-RGBWW-BT-ORB



AA-22L-BK

- + AA-STEM-22-MCT-BK
- + AA-STEM-15-MCT-BK
- + AA-STEM-22-RGBW-PB-BK
- + AA-STEM-22-RGBWW-BT-BK
- + AA-STEM-15-RGBWW-BT-BK



AA-22L-AZ

- + AA-STEM-22-MCT-AZ
- + AA-STEM-15-MCT-AZ
- + AA-STEM-22-RGBW-PB-AZ
- + AA-STEM-22-RGBWW-BT-AZ
- + AA-STEM-15-RGBWW-BT-AZ



AA-23L-ORB

- + AA-STEM-22-MCT-ORB
- + AA-STEM-15-MCT-ORB
- + AA-STEM-22-RGBW-PB-ORB
- + AA-STEM-22-RGBWW-BT-ORB
- + AA-STEM-15-RGBWW-BT-ORB



AA-23L-BK



- + AA-STEM-22-MCT-BK
- + AA-STEM-15-MCT-BK
- + AA-STEM-22-RGBW-PB-BK
- + AA-STEM-22-RGBWW-BT-BK
- + AA-STEM-15-RGBWW-BT-BK



AA-23L-AZ

- + AA-STEM-22-MCT-AZ
- + AA-STEM-15-MCT-AZ
- + AA-STEM-22-RGBW-PB-AZ
- + AA-STEM-22-RGBWW-BT-AZ
- + AA-STEM-15-RGBWW-BT-AZ

LED PATH LIGHTS

| CATALOG NO. | DESCRIPTION |
|--|--|
| 3CCT LED PATH LIGHTS | |
| AA-STEM-22-MCT-ORB | 5W 200LM 30K/40K/50K 22" Oil-Rubbed Bronze |
| AA-STEM-22-MCT-BK | 5W 200LM 30K/40K/50K 22" Black |
| AA-STEM-22-MCT-AZ | 5W 200LM 30K/40K/50K 22" Antique Brass |
| AA-STEM-15-MCT-ORB | 5W 200LM 30K/40K/50K 15" Oil-Rubbed Bronze |
| AA-STEM-15-MCT-BK | 5W 200LM 30K/40K/50K 15" Black |
| AA-STEM-15-MCT-AZ | 5W 200LM 30K/40K/50K 15" Antique Brass |
| PUSH BUTTON RGBW LED PATH LIGHTS  | |
| AA-STEM-22-RGBW-PB-ORB | 5W 200LM RGBW 22" Oil-Rubbed Bronze |
| AA-STEM-22-RGBW-PB-BK | 5W 200LM RGBW 22" Black |
| AA-STEM-22-RGBW-PB-AZ | 5W 200LM RGBW 22" Antique Brass |
| AA-STEM-15-RGBW-PB-ORB | 5W 200LM RGBW 15" Oil-Rubbed Bronze |
| AA-STEM-15-RGBW-PB-BK | 5W 200LM RGBW 15" Black |
| AA-STEM-15-RGBW-PB-AZ | 5W 200LM RGBW 15" Antique Brass |
| RGBW/W BLUETOOTH WG APP LED PATH LIGHTS  | |
| AA-STEM-22-RGBW-W-BT-ORB | 5W 200LM RGBW 22" Oil-Rubbed Bronze |
| AA-STEM-22-RGBW-W-BT-BK | 5W 200LM RGBW 22" Black |
| AA-STEM-22-RGBW-W-BT-AZ | 5W 200LM RGBW 22" Antique Brass |
| AA-STEM-15-RGBW-W-BT-ORB | 5W 200LM RGBW 15" Oil-Rubbed Bronze |
| AA-STEM-15-RGBW-W-BT-BK | 5W 200LM RGBW 15" Black |
| AA-STEM-15-RGBW-W-BT-AZ | 5W 200LM RGBW 15" Antique Brass |

FOR REMOTE CONTROL SEE PAGE 86

ALUMINUM PATH LIGHT CAP

| CATALOG NO. | DESCRIPTION |
|-------------|---|
| AA-18L-ORB | Model 18 Aluminum Path Light Cap, Oil-Rubbed Bronze |
| AA-18L-BK | Model 18 Aluminum Path Light Cap, Black |
| AA-18L-AZ | Model 18 Aluminum Path Light Cap, Antique Bras |
| AA-19L-ORB | Model 19 Aluminum Path Light Cap, Oil-Rubbed Bronze |
| AA-19L-BK | Model 19 Aluminum Path Light Cap, Black |
| AA-19L-AZ | Model 19 Aluminum Path Light Cap, Antique Bras |
| AA-20L-ORB | Model 20 Aluminum Path Light Cap, Oil-Rubbed Bronze |
| AA-20L-BK | Model 20 Aluminum Path Light Cap, Black |
| AA-20L-AZ | Model 20 Aluminum Path Light Cap, Antique Bras |
| AA-21L-ORB | Model 21 Aluminum Path Light Cap, Oil-Rubbed Bronze |
| AA-21L-BK | Model 21 Aluminum Path Light Cap, Black |
| AA-21L-AZ | Model 21 Aluminum Path Light Cap, Antique Bras |
| AA-22L-ORB | Model 22 Aluminum Path Light Cap, Oil-Rubbed Bronze |
| AA-22L-BK | Model 22 Aluminum Path Light Cap, Black |
| AA-22L-AZ | Model 22 Aluminum Path Light Cap, Antique Bras |
| AA-23L-ORB | Model 23 Aluminum Path Light Cap, Oil-Rubbed Bronze |
| AA-23L-BK | Model 23 Aluminum Path Light Cap, Black |
| AA-23L-AZ | Model 23 Aluminum Path Light Cap, Antique Bras |

**NEW GENERATION OF INTEGRATED LED PATH LIGHTS, ALUM. ALLOY
 SELECTABLE COLOR TEMPERATURE OR PUSH-BUTTON RGBW WITH SCENES, APP-CONTROLLED RGBW
 IN 3 FINISHES, SIMULATED DARK BRASS, BLACK, METALLIC OIL-RUBBED BRONZE
 2 DIFFERENT HEIGHTS: 15" OR 22"
 STEMS AND CAPS SOLD SEPARATELY**

LANDSCAPE

23"
12V AREA LIGHTS
SOLID BRASS
TOTAL LENGTH: 23"
BUILT-IN INTEGRATED LED



12V LED AREA LIGHTS - SOLID BRASS

| CATALOG NO. | DESCRIPTION |
|-------------|----------------|
| LA-112-BZ | 3W 200LM 3000K |
| LA-115-BZ | 3W 200LM 3000K |
| LA-117-BZ | 3W 200LM 3000K |
| LA-116-BZ | 3W 200LM 3000K |
| LA-120-BZ | 3W 200LM 3000K |

12V AREA LIGHTS
SOLID BRASS

BUILT-IN INTEGRATED LED



12V LED AREA LIGHTS - SOLID BRASS

| CATALOG NO. | DESCRIPTION |
|-------------|----------------|
| LA-118-BZ | 3W 200LM 3000K |
| LA-111-BZ | 3W 200LM 3000K |
| LA-008-BZ | 3W 200LM 3000K |
| LA-010-BZ | 3W 200LM 3000K |
| LA-002-BZ | 3W 200LM 3000K |

12"
12V AREA LIGHTS
SOLID BRASS
TOTAL LENGTH: 12"
BUILT-IN INTEGRATED LED



12V LED AREA LIGHTS

| CATALOG NO. | DESCRIPTION |
|----------------|----------------|
| LA-112-BZ-12IN | 3W 200LM 3000K |
| LA-115-BZ-12IN | 3W 200LM 3000K |
| LA-117-BZ-12IN | 3W 200LM 3000K |
| LA-116-BZ-12IN | 3W 200LM 3000K |
| LA-118-BZ-12IN | 3W 200LM 3000K |
| LA-111-BZ-12IN | 3W 200LM 3000K |
| LA-111-CR-12IN | 3W 200LM 3000K |
| LA-116-CR-12IN | 3W 200LM 3000K |
| LA-117-CR-12IN | 3W 200LM 3000K |


12V AGED NICKEL
COLLECTION
Cast Brass, Aged Nickel Finish
TOTAL LENGTH: 23"
BUILT-IN INTEGRATED LED



AGED NICKEL COLLECTION

| CATALOG NO. | DESCRIPTION |
|-------------|----------------|
| LA-112-AN | 3W 200LM 3000K |
| LA-117-AN | 3W 200LM 3000K |
| LA-116-AN | 3W 200LM 3000K |
| LA-111-AN | 3W 200LM 3000K |

12V AREA LIGHTS
SOLID COPPER
TOTAL LENGTH: 23"
BUILT-IN INTEGRATED LED



12V LED AREA LIGHTS - SOLID COPPER

| CATALOG NO. | DESCRIPTION |
|-------------|----------------|
| LA-111-CR | 3W 200LM 3000K |
| LA-116-CR | 3W 200LM 3000K |
| LA-117-CR | 3W 200LM 3000K |

12V AREA LIGHTS
SOLID COPPER



12V LED AREA LIGHTS - SOLID COPPER

| CATALOG NO. | DESCRIPTION |
|-------------|----------------|
| LA-010-CR | 3W 200LM 3000K |
| LA-112-CR | 3W 200LM 3000K |
| LA-118-CR | 3W 200LM 3000K |

12V PAGODA LIGHTS
BLACK OR BRONZE



12V LED PAGODA LIGHTS

| CATALOG NO. | DESCRIPTION |
|-------------|----------------|
| AA-146-BK | 3W 200LM 3000K |
| AA-146-BR | 3W 200LM 3000K |

LANDSCAPE

12V AREA LIGHTS For 120V installations, add a mini transformer inside the LAL fixtures. see page 188
POWDER-COATED
BRONZE OR BLACK



12V LED AREA LIGHTS—GROUND OR SURFACE MOUNT Custom Design Aluminum Spike & Surface Mounting Base Inc.



| CATALOG NO. | DESCRIPTION |
|-----------------------|---------------------|
| LAL-12V-117-31-30K-BR | 10W 720LM 3000K 31" |
| LAL-12V-117-31-30K-BK | 10W 720LM 3000K 31" |
| LAL-12V-118-31-30K-BR | 10W 720LM 3000K 31" |
| LAL-12V-118-31-30K-BK | 10W 720LM 3000K 31" |
| LAL-12V-120-23-30K-BR | 10W 720LM 3000K 23" |
| LAL-12V-120-23-30K-BK | 10W 720LM 3000K 23" |
| LAL-12V-122-31-30K-BR | 10W 720LM 3000K 31" |
| LAL-12V-122-31-30K-BK | 10W 720LM 3000K 31" |
| LAL-12V-124-15-30K-BR | 10W 720LM 3000K 15" |
| LAL-12V-124-15-30K-BK | 10W 720LM 3000K 15" |
| LAL-12V-124-31-30K-BR | 10W 720LM 3000K 31" |
| LAL-12V-124-31-30K-BK | 10W 720LM 3000K 31" |
| LAL-12V-127-23-30K-BR | 10W 720LM 3000K 23" |
| LAL-12V-127-23-30K-BK | 10W 720LM 3000K 23" |
| LAL-12V-128-31-30K-BR | 10W 720LM 3000K 31" |
| LAL-12V-128-31-30K-BK | 10W 720LM 3000K 31" |
| LAL-12V-130-31-30K-BR | 10W 720LM 3000K 31" |
| LAL-12V-130-31-30K-BK | 10W 720LM 3000K 31" |

12V PATH LIGHTS
POWDER-COATED
BRONZE OR BLACK OR SILVER
TOTAL LENGTH: 23"



12V LED PATH LIGHTS

| CATALOG NO. | DESCRIPTION |
|----------------------|----------------------|
| LAL-136-MCT-ORB | 5W 300LM 30K/40K/50K |
| LAL-136-MCT-BK | 5W 300LM 30K/40K/50K |
| LAL-136-RGBWW-BT-ORB | 5W 200LM RGBW |
| LAL-136-RGBWW-BT-BK | 5W 200LM RGBW |
| LAL-136-RGBWW-PB-ORB | 5W 200LM RGBWW |
| LAL-131-30K-ORB | 5W 200LM 3000K |
| LAL-131-30K-BK | 5W 200LM 3000K |
| LAL-126-BR | 3W 200LM 3000K |



12V INTEGRATED LED LANDSCAPE UPLIGHTS

| CATALOG NO. | WHILE SUPPLIES LAST |
|--------------|---------------------|
| LFLV-7W-27K | 7W 500LM 2700K |
| LFLV-7W-30K | 7W 500LM 3000K |
| LFLV-7W-40K | 7W 550LM 4000K |
| LFLV-7W-50K | 7W 550LM 5000K |
| LFLV-12W-27K | 12W 800LM 2700K |
| LFLV-12W-30K | 12W 800LM 3000K |
| LFLV-12W-40K | 12W 900LM 4000K |
| LFLV-12W-50K | 12W 900LM 5000K |

12V
ALUMINUM



AS-158-BK
AS-158-BR
AS-158-30K-ORB

STEP LIGHTS WITH LED LAMPS- ALUMINUM

| CATALOG NO. | DESCRIPTION |
|----------------|-----------------|
| AS-158-BR | 3W 200LM 3000K |
| AS-158-BK | 3W 200LM 3000K |
| AS-158-30K-ORB | 2.5W 80LM 3000K |

LED 3W, 30K JC
ARCHITECTURAL
SOLID BRASS



LS-185-BZ LS-158-BZ LS-159-BZ

STEP LIGHTS WITH LED LAMPS

| CATALOG NO. | DESCRIPTION |
|-------------|----------------|
| LS-185-BZ | 3W 200LM 3000K |
| LS-158-BZ | 3W 200LM 3000K |
| LS-158-SS | 3W 200LM 3000K |
| LS-159-BZ | 3W 200LM 3000K |

12V STEP LIGHTS WITH INTEGRATED SMD LED MODULE



LS-124-AN LS-161-BZ LS-155-BZ LS-160-BZ LS-160-AN

LED STEP LIGHTS

| CATALOG NO. | DESCRIPTION |
|-------------|----------------|
| LS-124-AN | 3W 200LM 3000K |
| LS-161-BZ | 3W 200LM 3000K |
| LS-160-BZ | 3W 200LM 3000K |
| LS-160-AN | 3W 200LM 3000K |
| LS-155-BZ | 3W 200LM 3000K |



SLSM-LH-MCT5-ORB Surface Mount (NO HOUSING)
SLSM-LH-MCT5-WH Surface Mount (NO HOUSING)
LS-172-BZ-LEDI Surface Mount (NO HOUSING)

SURFACE-MOUNT HORIZONTAL LOUVER STEP LIGHT

| CATALOG NO. | DESCRIPTION |
|------------------|-----------------------------|
| SLSM-LH-MCT5-ORB | 4W 30LM 27K/30K/35K/40K/50K |
| SLSM-LH-MCT5-WH | 4W 30LM 27K/30K/35K/40K/50K |
| LS-172-BZ-LEDI | 3W 200LM 3000K |



12V INTEGRATED LED (IN GROUND) LIGHTS

| CATALOG NO. | DESCRIPTION |
|--------------|---|
| IGL-1W-30K | 1W 100LM 3000K |
| IGL-1W-40K | 1W 100LM 4000K |
| IGL-1W-TWLN | 1W in ground light lock nut for thin wall |
| IGL-3W-30K | 3W 290LM 3000K |
| IGL-3W-40K | 3W 290LM 4000K |
| IGL-3W-RGBW | 3W 290LM RGB+3000K |
| IGL-7W-30K | 7W 620LM 3000K |
| IGL-7W-40K | 7W 620LM 4000K |
| IGL-10W-RGBW | 10W 620LM RGB+3000K |

RGBW-CONTROLLER RGBW Controller (Remote incl.), 192W Max, 12-24 VDC

RGBW-WIFI-CONTROLLER RGBW lighting controller with integrated WI-FI and app, RC incl.



OPTIONAL TRIMS FOR 1W IN-GROUND FIXTURES

| CATALOG NO. | DESCRIPTION |
|----------------------|----------------|
| IGL-1W-TRM-AL-RBK | 1.8" DIAMETER |
| IGL-1W-TRM-AL-RWH | 1.8" DIAMETER |
| IGL-1W-TRM-AL-RBN | 1.8" DIAMETER |
| IGL-1W-TRM-AL-RLBN | 2.75" DIAMETER |
| IGL-1W-TRM-AL-SCP | 1.8" DIAMETER |
| IGL-1W-TRM-SS-1WY | 1.8" DIAMETER |
| IGL-1W-TRM-SS-2WY | 1.8" DIAMETER |
| IGL-1W-TRM-SS-SQR | 1.8" DIAMETER |
| IGL-1W-TRM-SS-SQSO | 1.8" DIAMETER |
| IGL-1W-TRM-AL-RAZ | 1.8" DIAMETER |
| IGL-1W-TRM-AL-SCP-AZ | 1.8" DIAMETER |



OPTIONAL TRIMS FOR 3W IN-GROUND FIXTURES

| CATALOG NO. | DESCRIPTION |
|----------------------|-----------------------|
| IGL-3W-TRM-SS-1WY | 2.3" DIAMETER |
| IGL-3W-TRM-SS-2WY | 2.3" DIAMETER |
| IGL-3W-TRM-SS-SQR | 2.3" DIAMETER |
| IGL-3W-TRM-SS-SQSO | 2.3" DIAMETER |
| IGL-3W-TRM-SS-R | 2.3" DIAMETER |
| IGL-3W-TRM-AL-RBN | 2.75" DIAMETER |
| IGL-3W-TRM-SS-SCP | 2.3" DIAMETER |
| IGL-3W-TRM-SS-SCP-AZ | 2.3" DIAMETER, BRONZE |
| IGL-3W-TRM-AL-AZ | 2.3" DIAMETER |

LANDSCAPE

PVC SLEEVES
BRUSHED NICKEL FINISH



IGLA-3W-30K-BN



IGLA-7W-30K-BN

12V ALUM. INTEGRATED LED INGROUND LIGHTS

| CATALOG NO. | DESCRIPTION |
|----------------|----------------|
| IGLA-3W-30K-BN | 3W 320LM 3000K |
| IGLA-7W-30K-BN | 7W 720LM 3000K |

12V HARDSCAPE AREA LIGHTS 8 FT Cable
BRONZE



HSL-3-30K



HSL-7-30K
HSL-7-MCT
HSL-7-RGBCW



HSL-13-30K
HSL-12MCT
HSL-12-RGBCW

LED HARDSCAPE LIGHTS WITH FRONT TRIM

| CATALOG NO. | DESCRIPTION |
|--------------|----------------------|
| HSL-3-30K | 1W 30LM 3000K |
| HSL-7-30K | 2W 100LM 3000K |
| HSL-13-30K | 3W 160LM 3000K |
| HSL-7-MCT | 5W 200LM 30K/40K/50K |
| HSL-12-MCT | 7W 280LM 30K/40K/50K |
| HSL-7-RGBCW | 5W 200LM RGBCW |
| HSL-12-RGBCW | 7W 280LM RGBCW |



WL-140-FBK
FIBER GLASS
FOR PAR36
No Lamp



LD-001-BZ
CAST BRASS
FOR PAR36
No Lamp

| CATALOG NO. | DESCRIPTION |
|-------------|---------------------------------------|
| WL-140-FBK | Fiber Glass, Black |
| LD-001-BZ | Die-cast Brass, Antique Bronze Finish |

UNDERWATER LIGHTS

INCL. 5W 30K MR16 LED



UW-125-SS



UW-125-BS



UW-126-BZ

LED UNDERWATER LIGHTS 30FT CABLE

| CATALOG NO. | DESCRIPTION |
|-------------|----------------|
| UW-125-SS | 5W 400LM 3000K |
| UW-125-BS | 5W 400LM 3000K |
| UW-126-BZ | 5W 400LM 3000K |

4" DIA. & PVC SLEEVES



WLL-105-30K-BK
WLL-105-RGBWW-BT-ORB



WLL-106-30K-BK



WLL-152-30K-BK
WLL-152-30K-ORB



WLL-157-30K-BK
WLL-157-RGBWW-BT-ORB



WLL-159-30K-BK




WLL-181-30K-BK
WLL-181-RGBWW-BT-ORB

INTEGRATED ALUMINUM LED WELL/PATH LIGHTS

| CATALOG NO. | DESCRIPTION |
|----------------------|----------------------------------|
| WLL-105-30K-BK | 6W 580LM 3000K |
| WLL-105-RGBWW-BT-ORB | 6W 580LM RGBW |
| WLL-106-30K-BK | 6W 500LM 3000K |
| WLL-152-30K-BK | 6W 200LM 3000K |
| WLL-152-30K-ORB | 6W 200LM 3000K Oil-Rubbed Bronze |
| WLL-157-30K-BK | 6W 500LM 3000K |
| WLL-157-RGBWW-BT-ORB | 6W 180LM RGBW |
| WLL-159-30K-BK | 6W 400LM 3000K |
| WLL-181-30K-BK | 6W 580LM 3000K |
| WLL-181-RGBWW-BT-ORB | 6W 420LM RGBW |

FOR REMOTE CONTROL SEE PAGE 86



SOLR-SL1-60K-SEN
1 1/4"(H) X 4 1/2"(W)



SOLRW-30K
4 1/7"(H) X 3 5/6"(W)



SOLR-WL2-MCT-SEN
4 1/2"(H) X 12"(W) X 2 1/2"(D)



SOLR-WL1-30K-SEN-BK
5"(H) X 6 1/3"(W) X 2 3/7"(D)



SOLR-PL1-30K
20 8/9"(H) X 4 2/7"(W) X 4 1/2"(D)

SPEC SERIES SOLAR LIGHT COLLECTION



| CATALOG NO. | DESCRIPTION |
|---------------------|-----------------------------|
| SOLRW-30K | 0.2W 50LM 3000K |
| SOLR-SL1-60K-SEN | 0.5W+0.2W 100LM 6000K/3000K |
| SOLR-WL1-30K-SEN-BK | 5W 500LM 3000K |
| SOLR-WL2-MCT-SEN | 8W 1000LM 3000K/6000K |
| SOLR-PL1-30K | 3W 300LM 3000K |

12V WELL LIGHTS MR16 LED INCL. 5W 30K



WL-105-1-BK WL-105-BK WL-181-BK WL-181-BZ WL-157-FGBZ

WELL LIGHTS WITH SLEEVE & LED LAMPS

| CATALOG NO. | DESCRIPTION |
|-------------|----------------|
| WL-105-1-BK | 5W 400LM 3000K |
| WL-105-BK | 5W 400LM 3000K |
| WL-181-BK | 5W 400LM 3000K |
| WL-181-BZ | 5W 400LM 3000K |
| WL-181-BR | 5W 400LM 3000K |
| WL-157-FGBZ | 5W 400LM 3000K |

12V WELL LIGHTS MR16 LED INCL. 5W 30K



WL-137-BK WL-137-BZ Solid Brass WL-138-BK WL-138-BZ Solid Brass WL-138-SS

WELL LIGHTS WITH SLEEVE & LED LAMPS

| CATALOG NO. | DESCRIPTION |
|-------------|----------------|
| WL-137-BK | 5W 400LM 3000K |
| WL-137-BZ | 5W 400LM 3000K |
| WL-138-BK | 5W 400LM 3000K |
| WL-138-BZ | 5W 400LM 3000K |
| WL-138-SS | 5W 400LM 3000K |

12V WELL LIGHTS MR16 LED WITH DIRECTIONAL LAMP BRACKET INCL. 5W 30K, 400LM



WL-701-FGBZ WL-705-FGBZ WL-707-FGBZ WL-708-FGBZ

SOLID BRASS WELL LIGHTS WITH DIRECTIONAL LAMP BRACKET

| CATALOG NO. | DESCRIPTION |
|-------------|----------------|
| WL-701-FGBZ | 5W 400LM 3000K |
| WL-705-FGBZ | 5W 400LM 3000K |
| WL-707-FGBZ | 5W 400LM 3000K |
| WL-708-FGBZ | 5W 400LM 3000K |

DUAL-TAP WITH TIMER & PHOTOCELL SLIDE DOOR **WET** STAINLESS STEEL



TR-40W-DT-TPC-SS TR-75W-DT-TPC-SS TR-100W-DT-TPC-SS TR-200W-DT-TPC-SS

DUAL-TAP (12V/15V AC) LANDSCAPE TRANSFORMERS WITH TIMER & PHOTOCELL SLIDE

| CATALOG NO. | DESCRIPTION |
|-------------------|-------------|
| TR-40W-DT-TPC-SS | 40W |
| TR-75W-DT-TPC-SS | 75W |
| TR-100W-DT-TPC-SS | 100W |
| TR-200W-DT-TPC-SS | 200W |

PROFESSIONAL SERIES TRANSFORMERS MULTI-TAP WITH TIMER & PHOTOCELL READY **WET** STAINLESS STEEL



TR-150W-MT-SS TR-300W-MT-SS TR-600W-MT-SS TR-900W-MT-SS

MULTI-TAP (12V/13V/14V/15V AC) LANDSCAPE TRANSFORMERS TIMER & PHOTOCELL READY (NOT INCLUDED) HINGE DOOR

| CATALOG NO. | DESCRIPTION |
|---------------|-------------|
| TR-150W-MT-SS | 150W |
| TR-300W-MT-SS | 300W |
| TR-600W-MT-SS | 600W |
| TR-900W-MT-SS | 900W |



TR-MTMR TR-DTMR TR-PC

MULTI-TAP LANDSCAPE TRANSFORMERS PLUG-IN OPTIONS

| CATALOG NO. | DESCRIPTION |
|-------------|------------------|
| TR-MTMR | MECHANICAL TIMER |
| TR-DTMR | DIGITAL TIMER |
| TR-PC | PHOTOCELL |



LVT-60 LVT-100

DRY LOCATION AC TRANSFORMERS, 12V

| CATALOG NO. | DESCRIPTION |
|-------------|-------------|
| LVT-60 | 60W |
| LVT-100 | 100W |

LANDSCAPE



MR16

MR16-400L-D MR16-500L-D MR16-5W-RGB

| CATALOG NO. | DESCRIPTION |
|---------------------|----------------|
| MR16-400L-27K-D | 5W 380LM 2700K |
| MR16-400L-30K-D | 5W 380LM 3000K |
| MR16-400L-41K-D | 5W 390LM 4100K |
| MR16-400L-50K-D | 5W 400LM 5000K |
| MR16-500L-C90-30K-D | 7W 500LM 3000K |
| MR16-500L-C90-40K-D | 7W 560LM 4000K |
| MR16-500L-C90-50K-D | 7W 560LM 5000K |



PVC POST WITH BRASS HUB

| CATALOG NO. | DESCRIPTION |
|--------------|---|
| WE167 | 3" 18-1/2" PVC mounting post with brass hub |
| WE167-25 | 3" 25" PVC mounting post with brass hub |
| WE167-CAP | Cap only for WE167 |
| WE167-CAP-BZ | Brass with bronze finish Cap only for WE167 |



TREE BASE

| CATALOG NO. | DESCRIPTION |
|-------------|--|
| A-41-S | Tree mounting base |
| A-51-BK | 1/2In Modern Surface Mounting Base, Alum., Black |
| A-51-ORB | 1/2In Modern Surface Mounting Base, Alum., Orb |
| A-GM-50 | Gutter Surface Mounting Bracket With 1/2In Hub, Orb |
| A-STAB | Inground Stabilizer Plate With Male And Female 1/2" Hubs |
| LG-SMB-BZ | 12V brass landscape tree or surface bracket, antique bronze finish |

BUNGEE CORDS

| CATALOG NO. | DESCRIPTION |
|-------------|-----------------------------|
| BC-10 | 10" Bungee cords with hooks |
| BC-15 | 15" Bungee cords with hooks |
| BC-18 | 18" Bungee cords with hooks |
| BC-21 | 21" Bungee cords with hooks |
| BC-32 | 32" Bungee cords with hooks |



PATH LIGHTING ACCESSORIES

| CATALOG NO. | DESCRIPTION |
|-------------|---|
| LA-T-BZ | Fixture mounting "T" Attachment |
| LA-90-BZ | Fixture mounting 90° elbow Attachment |
| LA-FMS21-BZ | 21" Solid brass fixture mounting stem Antique bronze finish |

PAR36-IP65



| CATALOG NO. | DESCRIPTION |
|---------------|------------------|
| PAR36-12W-30K | 12W 1000LM 3000K |
| PAR36-12W-40K | 12W 1000LM 4000K |
| PAR36-12W-50K | 12W 1000LM 5000K |



12V AC/DC REPLACEMENT LAMPS

| CATALOG NO. | DESCRIPTION |
|-----------------|-----------------------------|
| GZ-JC-39L-27K | 3W 250LM 2700K |
| GZ-JC-39L-30K | 3W 250LM 3000K |
| GZ-JC-18L-27K | 3W 250LM 2700K |
| GZ-JC-18L-32K | 3W 250LM 3200K |
| GZ-JC-WP-3W-32K | 3W 180LM 3200K |
| GZ-S8-32K-G2 | 2.2W 230LM 3200K |
| GZ-S8-32K | 1.4W 70LM 3200K |
| GZ-G4-9L-32K | 2W 120LM 3200K |
| GZ-JC-60L-TFL | 3W 60LM TURTLE FRIENDLY CCT |
| GZ-JC-300L-27K | 3W 300LM 2700K |
| GZ-JC-300L-30K | 3W 300LM 3000K |

BRASS BASE

| CATALOG NO. | DESCRIPTION |
|-------------|--|
| B-41 | 1/2" NPT hub, Solid Brass, Antique Bronze finish |
| B-41-AN | 1/2" NPT hub, Solid Brass, Aged Nickel finish |



ALUMINUM BASE

| CATALOG NO. | DESCRIPTION |
|-------------|--|
| A-41-BR | 1/2" NPT hub, Cast aluminum, Bronze Powder coat finish |
| A-41-BK | 1/2" NPT hub, Cast aluminum, Black Powder coat finish |



SILICON-FILLED WIRE NUTS

| CATALOG NO. | DESCRIPTION |
|-------------|---|
| LSWN1 | Bag of 24, Waterproof wire connectors, for up to two 14-2 + one 16-2 cables |
| LSWN2 | Box of 24, Waterproof wire connectors, for up to three 12-2 cables |
| LSWN2-100 | Jar of 100, Waterproof wire connectors, for up to three 12-2 cables |

LANDSCAPE



SPIKES

WL-SLEEVE

SPIKE-BG

SPIKE-10

| CATALOG NO. | DESCRIPTION |
|------------------|-----------------------------------|
| WL-SLEEVE | PVC sleeve Kit for 4" well lights |
| SPIKE-BG | 8.5" PVC spike |
| SPIKE-10 | 10" PVC spike |



LA-STEM-REPL-LED LA-STEM-RL LA-STEM-KNOB

AREA LIGHTING REPLACEMENT PARTS

| CATALOG NO. | DESCRIPTION |
|-----------------------------|---|
| LA-STEM-RL | Replacement Glass Lens for Path Light stem |
| LA-STEM-KNOB | Replacement Knob |
| LA-STEM-REPL-LED | 3000K Replacement LED Tower for path lights Also fits Pagoda Lights |
| LA-STEM-REPL-LED-27K | 2700K Replacement LED Tower for path lights Also fits Pagoda Lights |
| LA-STEM-REPL-LED-40K | 4000K Replacement LED Tower for path lights Also fits Pagoda Lights |
| LA-STEM-REPL-LED-50K | 5000K Replacement LED Tower for path lights Also fits Pagoda Lights |



PAGODA LIGHTS REPLACEMENT GLASS

| CATALOG NO. | DESCRIPTION |
|------------------|--------------------------------------|
| AA-145-RG | Replacement Glass for 2-Tier pagodas |
| AA-146-RG | Replacement Glass for 3-Tier pagodas |
| AA-147-RG | Replacement Glass for 4-Tier pagodas |



WE-CONN

LSFLC-20

12V SNAP CONNECTOR

| CATALOG NO. | DESCRIPTION |
|-----------------|---|
| WE-CONN | black color |
| LSFLC-20 | 20 Fast-Lock In-Line Landscape Connectors |



LOW-VOLTAGE CABLE MUST ORDER IN MULTIPLES OF 500FT

| CATALOG NO. | DESCRIPTION |
|---------------|-----------------------|
| LOV-14 | #14 AWG (41 Strands) |
| LOV-12 | #12 AWG (65 Strands) |
| LOV-10 | #10 AWG (104 Strands) |
| LOV-8 | #8 AWG (168 Strands) |



LOW-VOLTAGE CABLE MUST ORDER IN MULTIPLES OF 500FT

| CATALOG NO. | DESCRIPTION |
|---------------------|-----------------------|
| LOV-14-100FT | #14 AWG (41 Strands) |
| LOV-12-100FT | #12 AWG (65 Strands) |
| LOV-10-100FT | #10 AWG (104 Strands) |
| LOV-8-100FT | #8 AWG (168 Strands) |



STEP LIGHTING REPLACEMENT LED MODULE

| CATALOG NO. | DESCRIPTION |
|------------------------|------------------------------|
| LS-REPL-LED | 3000K Replacement LED Module |
| LS-REPL-LED-27K | 2700K Replacement LED Module |



LANDSCAPE-DISPLAY LANDSCAPE-DISPLAY2-UBR LANDSCAPE-DISPLAY2-UBK

LANDSCAPE DISPLAY

| CATALOG NO. | DESCRIPTION |
|-------------------------------|-----------------------|
| LANDSCAPE-DISPLAY | Display for Landscape |
| LANDSCAPE-DISPLAY2-UBK | Display for Landscape |
| LANDSCAPE-DISPLAY2-UBR | Display for Landscape |

BOLLARD CUSTOMIZATION

| CATALOG NO. | POST SIZE | | FIXTURES PER POLE | | COLOR TEMPERATURE | | FINISH DESCRIPTION | |
|--------------|-----------|-------------|-------------------|-------------|-------------------|-------------|--------------------|-------------|
| | CODE | DESCRIPTION | CODE | DESCRIPTION | CODE | DESCRIPTION | CODE | DESCRIPTION |
| WMS-S | 18 | 18 Inch | 1 | 1 Sided | 30K | 3000K | BR | Bronze |
| WMS-R | 36 | 36 Inch | 2 | 2 Sided | 40K | 4000K | WH | White |
| LMW | | | | | 50K | 5000K | | |

For more information on each fixture model, refer to: LWA-12 page 4, LMW page 12, WMS page 12.



Mounting Options Shown with LMW series



Mounting Options Shown with LWA-12W



Mounting Options Shown with WMS series



SLE-A-120V-MCT-WH
SLE-A-12V-MCT-WH
White



SLE-A-120V-MCT-ORB
SLE-A-12V-MCT-ORB
SLE-A-120V-RGBWW-PB-ORB
SLE-A-12V-RGBWW-PB-ORB



SLE-A-120V-MCT-BN
SLE-A-12V-MCT-BN
Brushed Nickel



SLE-A-120V-MCT-PIR-WH
SLE-A-12V-MCT-PIR-WH
White



SLE-A-120V-MCT-PIR-ORB
SLE-A-12V-MCT-PIR-ORB
Oil-Rubbed Bronze



SLE-F-120V-MCT-WH
SLE-F-12V-MCT-WH
White



SLE-F-120V-MCT-ORB
SLE-F-12V-MCT-ORB
Oil-Rubbed Bronze



SLE-F-120V-MCT-BN
SLE-F-12V-MCT-BN
Brushed Nickel



SLE-LH-120V-MCT-WH
SLE-LH-12V-MCT-WH
White



SLE-LH-120V-MCT-ORB
SLE-LH-12V-MCT-ORB
Oil-Rubbed Bronze



SLE-LH-120V-MCT-BN
SLE-LH-12V-MCT-BN
Brushed Nickel



SLE-EL-120V-MCT-WH
SLE-EL-12V-MCT-WH
White



SLE-EL-120V-MCT-ORB
SLE-EL-12V-MCT-ORB
Oil-Rubbed Bronze

SELECTABLE CCT LED INTEGRATED STEP LIGHTS



| CATALOG NO. | DESCRIPTION |
|-------------|-------------|
|-------------|-------------|

MODEL A - 120V SELECTABLE CCT LED INTEGRATED STEP LIGHTS

| | | |
|-------------------------|------------------------|-------------------|
| SLE-A-120V-MCT-WH | 3.5W 100LM 30K/40K/50K | White |
| SLE-A-120V-MCT-ORB | 3.5W 50LM 30K/40K/50K | Oil-Rubbed Bronze |
| SLE-A-120V-RGBWW-PB-ORB | 3.5W 50LM RGBWW | Oil-Rubbed Bronze |
| SLE-A-120V-MCT-BN | 3.5W 50LM 30K/40K/50K | Brushed Nickel |

MODEL A - 120V SELECTABLE CCT LED INTEGRATED STEP LIGHTS WITH PIR MOTION SENSOR & PHOTOCELL

| | | |
|------------------------|----------------------|-------------------|
| SLE-A-120V-MCT-PIR-WH | 3W 150LM 30K/40K/50K | White |
| SLE-A-120V-MCT-PIR-ORB | 3W 75LM 30K/40K/50K | Oil-Rubbed Bronze |

MODEL LH - 120V SELECTABLE CCT LED INTEGRATED STEP LIGHTS

| | | |
|---------------------|----------------------|-------------------|
| SLE-LH-120V-MCT-WH | 5W 150LM 30K/40K/50K | White |
| SLE-LH-120V-MCT-ORB | 5W 75LM 30K/40K/50K | Oil-Rubbed Bronze |
| SLE-LH-120V-MCT-BN | 5W 75LM 30K/40K/50K | Brushed Nickel |

MODEL F - 120V SELECTABLE CCT LED INTEGRATED STEP LIGHTS

| | | |
|--------------------|------------------------|-------------------|
| SLE-F-120V-MCT-WH | 3.5W 200LM 30K/40K/50K | White |
| SLE-F-120V-MCT-ORB | 3.5W 100LM 30K/40K/50K | Oil-Rubbed Bronze |
| SLE-F-120V-MCT-BN | 3.5W 75LM 30K/40K/50K | Brushed Nickel |

MODEL EL - 120V SELECTABLE CCT LED INTEGRATED STEP LIGHTS

| | | |
|----------------------|-----------------------------|----------------|
| SLE-EL-120V-MCT5-WH | 3W 90LM 27K/30K/35K/40K/50K | Brushed Nickel |
| SLE-EL-120V-MCT5-ORB | 3W 50LM 27K/30K/35K/40K/50K | Brushed Nickel |

MODEL A - 12V SELECTABLE CCT LED INTEGRATED STEP LIGHTS

| | | |
|------------------------|------------------------|-------------------|
| SLE-A-12V-MCT-WH | 3.5W 100LM 30K/40K/50K | White |
| SLE-A-12V-MCT-ORB | 3.5W 50LM 30K/40K/50K | Oil-Rubbed Bronze |
| SLE-A-12V-RGBWW-PB-ORB | 3.5W 50LM RGBWW | Oil-Rubbed Bronze |
| SLE-A-12V-MCT-BN | 3.5W 50LM 30K/40K/50K | Brushed Nickel |

MODEL A - 12V SELECTABLE CCT LED INTEGRATED STEP LIGHTS WITH PIR MOTION SENSOR & PHOTOCELL

| | | |
|-----------------------|----------------------|-------------------|
| SLE-A-12V-MCT-PIR-WH | 3W 150LM 30K/40K/50K | White |
| SLE-A-12V-MCT-PIR-ORB | 3W 75LM 30K/40K/50K | Oil-Rubbed Bronze |

MODEL LH - 12V SELECTABLE CCT LED INTEGRATED STEP LIGHTS

| | | |
|--------------------|----------------------|-------------------|
| SLE-LH-12V-MCT-WH | 5W 150LM 30K/40K/50K | White |
| SLE-LH-12V-MCT-ORB | 5W 75LM 30K/40K/50K | Oil-Rubbed Bronze |
| SLE-LH-12V-MCT-BN | 5W 75LM 30K/40K/50K | Brushed Nickel |

MODEL F - 12V SELECTABLE CCT LED INTEGRATED STEP LIGHTS

| | | |
|-------------------|------------------------|-------------------|
| SLE-F-12V-MCT-WH | 3.5W 200LM 30K/40K/50K | White |
| SLE-F-12V-MCT-ORB | 3.5W 100LM 30K/40K/50K | Oil-Rubbed Bronze |
| SLE-F-12V-MCT-BN | 3.5W 75LM 30K/40K/50K | Brushed Nickel |

MODEL EL - 12V SELECTABLE CCT LED INTEGRATED STEP LIGHTS

| | | |
|---------------------|-----------------------------|----------------|
| SLE-EL-12V-MCT5-WH | 3W 90LM 27K/30K/35K/40K/50K | Brushed Nickel |
| SLE-EL-12V-MCT5-ORB | 3W 50LM 27K/30K/35K/40K/50K | Brushed Nickel |

MODERN LED TREE LIGHTS

| CATALOG NO. | DESCRIPTION |
|-------------|-------------|
|-------------|-------------|



| | |
|----------------|------------------------|
| TL-118-MCT-ORB | 4.5W 300LM 30K/40K/50K |
| TL-118-MCT-AZ | 4.5W 300LM 30K/40K/50K |



STEP LIGHT ENGINES Polycarbonate WET ETL

SPEC SERIES

| DESCRIPTION | | | |
|---------------|----|------|-------|
| SLEA-12V-27K | 2W | 86LM | 2700K |
| SLEA-12V-30K | 2W | 86LM | 3000K |
| SLEA-12V-40K | 2W | 86LM | 4000K |
| SLEA-12V-50K | 2W | 86LM | 5000K |
| SLEA-120V-27K | 2W | 86LM | 2700K |
| SLEA-120V-30K | 2W | 86LM | 3000K |
| SLEA-120V-40K | 2W | 86LM | 4000K |
| SLEA-120V-50K | 2W | 86LM | 5000K |

120V 12V

FACE For SLEA PLATES (Order Separately)

PRECISION-CAST ALUMINUM



SLT-A-WH (WHITE FINISH)



SLT-A-BN (BRUSHED NICKEL FINISH)



SLT-A-AZ (ANTIQUe BRONZE FINISH)



SLT-A-ORB (OIL-RUBBED BRONZE FINISH)



STEP LIGHT ENGINES Polycarbonate WET ETL

SPEC SERIES

| DESCRIPTION | | | |
|---------------|----|------|-------|
| SLEB-12V-27K | 2W | 86LM | 2700K |
| SLEB-12V-30K | 2W | 86LM | 3000K |
| SLEB-12V-40K | 2W | 86LM | 4000K |
| SLEB-12V-50K | 2W | 86LM | 5000K |
| SLEB-120V-27K | 2W | 86LM | 2700K |
| SLEB-120V-30K | 2W | 86LM | 3000K |
| SLEB-120V-40K | 2W | 86LM | 4000K |
| SLEB-120V-50K | 2W | 86LM | 5000K |

120V 12V

FACE For SLEB PLATES (Order Separately)

PRECISION-CAST ALUMINUM



SLT-B-WH (WHITE FINISH)



SLT-B-BN (BRUSHED NICKEL FINISH)



SLT-B-AZ (ANTIQUe BRONZE FINISH)



SLT-B-ORB (OIL-RUBBED BRONZE FINISH)



STEP LIGHT ENGINES Polycarbonate WET ETL

SPEC SERIES

| CATALOG NO. | DESCRIPTION | | |
|--------------|-------------|-------|-------|
| SLE-12V-27K | 2w | 100LM | 2700K |
| SLE-12V-30K | 2w | 100LM | 3000K |
| SLE-12V-40K | 2w | 100LM | 4000K |
| SLE-12V-50K | 2w | 118LM | 5000K |
| SLE-120V-27K | 2w | 90LM | 2700K |
| SLE-120V-30K | 2w | 90LM | 3000K |
| SLE-120V-40K | 2w | 90LM | 4000K |
| SLE-120V-50K | 2w | 104LM | 5000K |

120V 12V

FACE For SLE PLATES (Order Separately)

PRECISION-CAST ALUMINUM



SLT-LH-ORB (OIL-RUBBED BRONZE FINISH)



SLT-LH-BN (BRUSHED NICKEL FINISH)



SLT-LH-WH (WHITE FINISH)



SLT-LH-AZ (ANTIQUe BRONZE FINISH)



SLT-F-ORB (OIL-RUBBED BRONZE FINISH)



SLT-F-BN (BRUSHED NICKEL FINISH)




SLT-F-WH (WHITE FINISH)



SLT-F-AZ (ANTIQUe BRONZE FINISH)



SLT-S-ORB (OIL-RUBBED BRONZE FINISH)



SLT-S-BN (BRUSHED NICKEL FINISH)



SLT-S-WH (WHITE FINISH)



SLT-S-AZ (ANTIQUe BRONZE FINISH)



SLT-LV-ORB (OIL-RUBBED BRONZE FINISH)



SLT-LV-BN (BRUSHED NICKEL FINISH)



SLT-LV-WH (WHITE FINISH)



SLT-LV-AZ (ANTIQUe BRONZE FINISH)



Clear PVC Gasket Set Included with Light Engine for J-box or weatherproof box mounting

LANDSCAPE

UNDERCABINET LIGHTING



UCE-9-WHT
White

UCE-12-WHT
White

UCE-18-WHT
White

UCE-21-WHT
White

UCE-24-WHT
White

UCE-32-WHT
White

UCE-40-WHT
White

BUILDER SERIES 5CCT HARD-WIRE UNDER CABINET LIGHT, OPTIONAL CORD



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|-----------------------|---|-----------|
| UCE-9-WHT | 3W 180LM 27K/30K/35K/40K/50K White | 10 |
| UCE-12-WHT | 5W 300LM 27K/30K/35K/40K/50K White | 10 |
| UCE-18-WHT | 8W 480LM 27K/30K/35K/40K/50K White | 10 |
| UCE-21-WHT | 10W 600LM 27K/30K/35K/40K/50K White | 10 |
| UCE-24-WHT | 12W 720LM 27K/30K/35K/40K/50K White | 10 |
| UCE-32-WHT | 16W 960LM 27K/30K/35K/40K/50K White | 10 |
| UCE-40-WHT | 20W 1200LM 27K/30K/35K/40K/50K White | 10 |
| UCA-LC8-WHT | 8in Linking Cord For UCA And UCE Series, White | |
| UCA-PC-6FT-WHT | 6Ft Power Cord Cord For UCA And UCE Series, White | |

ADJUSTABLE ANGLE MULTI COLOR-TEMPERATURE UNDERCABINET LIGHTS



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|-----------------------|--|-----------|
| UCA-8-WHT | 3W 150LM 2700K/3000K/4000K 8"L WHITE | 10 |
| UCA-12-WHT | 5W 275LM 2700K/3000K/4000K 12"L WHITE | 10 |
| UCA-16-WHT | 6.5W 390LM 2700K/3000K/4000K 16" WHITE | 10 |
| UCA-21-WHT | 8W 450LM 2700K/3000K/4000K 21"L WHITE | 10 |
| UCA-24-WHT | 12W 650LM 2700K/3000K/4000K 24"L WHITE | 10 |
| UCA-33-WHT | 16W 900LM 2700K/3000K/4000K 33"L WHITE | 10 |
| UCA-42-WHT | 20W 1100LM 2700K/3000K/4000K 42"L WHITE | 10 |
| UCA-LC12-WHT | 12" Linking Cable for White UCA Series - White color | |
| UCA-LC8-WHT | 8in Linking Cord For Uce And UCE Series, White | |
| UCA-PC-6FT-WHT | 6Ft Power Cord Cord For Uce And UCE Series, White | |
| UCA-8-BRZ | 3W 150LM 2700K/3000K/4000K 8"L BRONZE | 10 |
| UCA-12-BRZ | 5W 275LM 2700K/3000K/4000K 12"L BRONZE | 10 |
| UCA-16-BRZ | 6.5W 390LM 2700K/3000K/4000K 16"L BRONZE | 10 |
| UCA-21-BRZ | 8W 450LM 2700K/3000K/4000K 21"L BRONZE | 10 |
| UCA-24-BRZ | 12W 650LM 2700K/3000K/4000K 24"L BRONZE | 10 |
| UCA-33-BRZ | 16W 900LM 2700K/3000K/4000K 33"L BRONZE | 10 |
| UCA-42-BRZ | 20W 1100LM 2700K/3000K/4000K 42"L BRONZE | 10 |
| UCA-LC12-BLK | 12" Linking Cable for Bronze UCA Series - Black color (Matches the color of included cables) | |
| UCA-LC8-BLK | 8in Linking Cord For UCA And UCE Series, Black | |
| UCA-PC-6FT-BLK | 6Ft Power Cord Cord For UCA And UCE Series, Black | |
| UCA-DISPLAY | Display Board for UCA Series | |

120V 120V



MULTI COLOR-TEMPERATURE LIGHTS Accessories Included



- 6' Power Cord
- 8" Interconnect Cable
- End-to-End Coupling
- Mounting Screws



On/Off Switch with 100% /50% Dimming. Color Temp. selection Switch: 2700K/ 3000K/ 4000k



3/8" K0s Cable Connector included



UCR-12-WHT
White



UCR-18-WHT
White



UCR-24-WHT
White



UCR-32-WHT
White



UCR-40-WHT
White

UNDERCABINET SERIES WITH RECEPTACLES AND USB PORTS



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|-------------------|--|-----------|
| UCR-12-WHT | 5W 300LM 27K/30K/35K/40K/50K White, 1 Outlet | 10 |
| UCR-18-WHT | 8W 480LM 27K/30K/35K/40K/50K White, 1 outlet, 1 USB port, and 1 USB-C port | 10 |
| UCR-24-WHT | 12W 720LM 27K/30K/35K/40K/50K White, 3 outlets, 2 USB ports, 2 USB-C ports | 10 |
| UCR-32-WHT | 16W 960LM 27K/30K/35K/40K/50K White, 4 outlets, 2 USB ports, 2 USB-C ports | 10 |
| UCR-40-WHT | 20W 1200LM 27K/30K/35K/40K/50K White, 4 outlets, 2 USB ports, 2 USB-C ports | 10 |

RGBW (9 MODES) & 3CCT UNDER CABINET LIGHT, PUSH-BUTTON COLOR CONTROL



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|--------------------------|--|-----------|
| UCA-RGBW-PB-12-BR | 5W 275LM 30K/40K/50K + RGB Bronze | 10 |
| UCA-RGBW-PB-12-WH | 5W 275LM 30K/40K/50K + RGB White | 10 |
| UCA-RGBW-PB-18-BR | 8W 440LM 30K/40K/50K + RGB Bronze | 10 |
| UCA-RGBW-PB-18-WH | 8W 440LM 30K/40K/50K + RGB White | 10 |
| UCA-RGBW-PB-24-BR | 12W 660LM 30K/40K/50K + RGB Bronze | 10 |
| UCA-RGBW-PB-24-WH | 12W 660LM 30K/40K/50K + RGB White | 10 |
| UCA-RGBW-PB-32-BR | 16W 880LM 30K/40K/50K + RGB Bronze | 10 |
| UCA-RGBW-PB-32-WH | 16W 880LM 30K/40K/50K + RGB White | 10 |
| UCA-RGBW-PB-40-BR | 20W 1100LM 30K/40K/50K + RGB Bronze | 10 |
| UCA-RGBW-PB-40-WH | 20W 1100LM 30K/40K/50K + RGB White | 10 |

LED LINEAR UNDERCABINET LIGHTS (Use External Drivers)



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|-------------------|-----------------------------|-----------|
| UCW6WW | 2W 140LM 3000K 6" | 30 |
| UCW6W | 2W 168LM 6000K 6" | 30 |
| UCW12WW | 3W 250LM 3000K 12" | 30 |
| UCW12W | 3W 280LM 6000K 12" | 30 |
| UCW20WW | 5W 420LM 3000K 20" | 30 |
| UCW20W | 5W 462LM 6000K 20" | 30 |
| UCW32WW | 8W 590LM 3000K 32" | 30 |
| UCW32W | 8W 640LM 6000K 32" | 30 |
| UCW40WW | 11W 820LM 3000K 40" | 30 |
| UCW40W | 11W 880LM 6000K 40" | 30 |
| UC6WW | 2W 140LM 3000K 6" | 30 |
| UC6W | 2W 168LM 6000K 6" | 30 |
| UC12WW | 3W 250LM 3000K 12" | 30 |
| UC12W | 3W 280LM 6000K 12" | 30 |
| UC20WW | 5W 420LM 3000K 20" | 30 |
| UC20W | 5W 462LM 6000K 20" | 30 |
| UC32WW | 8W 590LM 3000K 32" | 30 |
| UC32W | 8W 640LM 6000K 32" | 30 |
| UC40WW | 11W 820LM 3000K 40" | 30 |
| UC40W | 11W 880LM 6000K 40" | 30 |
| UC-DISPLAY | Display Board for UC Series | - |

UNDERCABINET

12V

24V



PLUG-IN DRIVERS (Non-Dimming)

| CATALOG NO. | DESCRIPTION |
|------------------|--|
| UC12PS6W | 6W, 12V, POWER SUPPLY WITH CABLE |
| UC12PS12W | 12W, 12V, POWER SUPPLY W/ SWITCH & 1.5 POWER CABLE |
| UCPS6W | 6W, 24V, POWER SUPPLY W/ CABLE |
| UCPS12W | 12W, 24V, POWER SUPPLY W/ 1.5 POWER CABLE |
| UCPS24W | 24W, 24V, 1A, POWER SUPPLY W/ 1.5 POWER CABLE |
| UCPS48W | 48W, 24V, 1A, POWER SUPPLY W/ 1.5 POWER CABLE |

MAGNETIC DIMMABLE DRIVERS* (Use Magnetic Low-Voltage Dimmers)



| CATALOG NO. | DESCRIPTION |
|----------------------|---------------------------------------|
| UCM-20L-12DC | DIMMABLE, 20W, 12V, 5" X 2-1/8" X 2" |
| UCM-40L-12DC | DIMMABLE, 40W, 12V, 5" X 2-1/8" X 2" |
| UCM-50L-12DC | DIMMABLE, 50W, 12V, 5" X 2-1/8" X 2" |
| UCM-100L-12DC | DIMMABLE, 100W, 12V, 5" X 4-1/8" X 2" |
| UCM-150L-12DC | DIMMABLE, 150W, 12V, 5" X 4-1/8" X 4" |
| UCM-300L-12DC | DIMMABLE, 300W, 12V, 5" X 4-1/8" X 4" |
| UCM-20L-24DC | DIMMABLE, 20W, 24V, 5" X 2-1/8" X 2" |
| UCM-40L-24DC | DIMMABLE, 40W, 24V, 5" X 2-1/8" X 2" |
| UCM-50L-24DC | DIMMABLE, 50W, 24V, 5" X 2-1/8" X 2" |
| UCM-60L-24DC | DIMMABLE, 60W, 24V, 5" X 2-1/8" X 2" |
| UCM-96L-24DC | DIMMABLE, 96W, 24V, 5" X 4-1/8" X 2" |
| UCM-150L-24DC | DIMMABLE, 150W, 24V, 5" X 4-1/8" X 4" |
| UCM-300L-24DC | DIMMABLE, 300W, 24V, 5" X 4-1/8" X 4" |

*Not dimmable with RGB products (use the dimming feature of your RGB controller)

UNDER CABINET LIGHTING PARTS & ACCESSORIES

| CATALOG NO. | DESCRIPTION |
|--------------------------|--|
| UCDIMMER | LED UNDER CABINET LIGHTS DIMMER |
| UCDIMMER-TOUCH | LINEAR UNDER CABINET TOUCH DIMMER TO CONNECT TO FIXTURES END, BLACK |
| UCDIMMER-TOUCH-WH | LINEAR UNDER CABINET TOUCH DIMMER TO CONNECT TO FIXTURES END, WHITE |
| UCJUNCTION-B | HARD WIRE POWER FEED IN / OUT, BLACK |
| UCJUNCTION-W | HARD WIRE POWER FEED IN / OUT, WHITE |
| UCSENS-PIR-1 | PIR SENSOR, AUTO ON/OFF WHEN MOVEMENT, MAX 72W, 4" (10CM) RANGE, 120D, -20°C TO 40°C |
| UCSENS-PIR | PIR SENSOR, AUTO ON/OFF WHEN MOVEMENT, MAX 72W, 4" (10CM) RANGE, 120D, -20°C TO 40°C |
| UCCONCABLE | 3.25 FT. CONNECTOR CABLE, BLACK |
| UCCONCABLE-WH | 3.25 FT. CONNECTOR CABLE, WHITE |
| UCCONCABLE-10 | 10 FT. UNDER CABINET LIGHT CONNECTOR CABLE, BOTH SIDE MALE, BLACK |
| UCCONCABLE-10-WH | 10 FT. UNDER CABINET LIGHT CONNECTOR CABLE, BOTH SIDE MALE, WHITE |
| UCCOP-3F | 3 FT. UNDER CABINET LIGHT COUPLING, BOTH SIDE FEMALE, BLACK |
| UCCOP-3F-WH | 3 FT. UNDER CABINET LIGHT COUPLING, BOTH SIDE FEMALE, WHITE |
| UCPOWERC-10F | 10 FT. UNDER CABINET LIGHT POWER CONNECTOR, 1 SIDE MALE, 1 SIDE FEMALE, BLACK |
| UCPOWERC-10F-WH | 10 FT. UNDER CABINET LIGHT POWER CONNECTOR, 1 SIDE MALE, 1 SIDE FEMALE, WHITE |
| UCRE04 | 4 OUTPUT EASY RECEPTACLE |
| UCRE08 | 8 OUTPUT EASY RECEPTACLE |
| UCAC01 | CORNER CONNECTOR, BLACK |
| UCAC01-WH | CORNER CONNECTOR, WHITE |
| UCPLASCONN | PLASTIC CONNECTOR, BLACK |
| UCPLASCONN-WH | PLASTIC CONNECTOR, WHITE |
| UCMAGNET+3M | 2 PCS OF MAGNET AND 2 PCS OF 3M TAPE FOR LED UNDER CABINET LIGHTS |

LED ADJUSTABLE UNDERCABINET, 24V

| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|------------------------|--|-----------|
| UC-ADJ-12WW | 5W 380LM 3000K 11.81" | 30 |
| UC-ADJ-12W | 5W 400LM 6000K 11.81" | 30 |
| UC-ADJ-20WW | 8W 600LM 3000K 19.68" | 30 |
| UC-ADJ-20W | 8W 640LM 6000K 19.68" | 30 |
| UC-ADJ-40WW | 16W 1200LM 3000K 39.37" | 30 |
| UC-ADJ-40W | 16W 1280LM 6000K 39.37" | 30 |
| UC-ADJ-PIR | PIR SENSOR FOR U/C ADJUSTABLE SERIES | - |
| UC-ADJ-DMR | TOUCH DIMMER WITH MEMORY FOR U/C ADJUSTABLE SERIES | - |
| UC-ADJ-JUNCTION | JUNCTION CONNECTOR FOR U/C ADJUSTABLE SERIES | - |

LED LINKABLE STRIP WITH INTERNAL DRIVER, 120VAC DIRECT, DIMMABLE

(SURFACE MOUNTING BRACKETS & SCREWS INCLUDED)



| CATALOG NO. | DESCRIPTION | WHILE SUPPLIES LAST | MAX RUN | PKG. QTY. |
|-------------------|--------------------------------------|---------------------|---------|-----------|
| T5-12IN-5W-30K-D | 5W 575LM | 3000K 1FT. | 15' | 24 |
| T5-12IN-5W-40K-D | 5W 575LM | 4000K 1FT. | 15' | 24 |
| T5-12IN-5W-50K-D | 5W 625LM | 5000K 1FT. | 15' | 24 |
| T5-22IN-9W-30K-D | 9W 1035LM | 3000K 2FT. | 24' | 24 |
| T5-22IN-9W-40K-D | 9W 1035LM | 4000K 2FT. | 24' | 24 |
| T5-22IN-9W-50K-D | 9W 1125LM | 5000K 2FT. | 24' | 24 |
| T5-47IN-16W-30K-D | 16W 1840LM | 3000K 4FT. | 31' | 24 |
| T5-47IN-16W-50K-D | 16W 2000LM | 5000K 4FT. | 31' | 24 |
| T5-6FT-PC | 6 FT. Plug-in Power Cord | | | - |
| T5-6FT-PCS | 6 FT. Plug-in Power Cord with Switch | | | - |
| T5-8IN-JUMP | 8" Linking Cable | | | - |
| T5-6FT-PT | 6' AC Input Wire (PIGTAIL) | | | - |
| T5-COUPLER | Coupler (1 Included) | | | - |
| T5-MAGSET | Clip-on Secure Magnet Set | | | - |



LED ADJUSTABLE PUCK LIGHTS, 120V

6Ft. Power Cord with In-Line switch



| CATALOG NO. | DESCRIPTION |
|--|---------------------------------|
| 3" ROUND ADJUSTABLE PUCK LIGHT | |
| PL120ADJ-30K-WH | 4.5W 250LM 3000K White |
| PL120ADJ-40K-WH | 4.5W 250LM 4000K White |
| PL120ADJ-50K-WH | 4.5W 250LM 5000K White |
| PL120ADJ-30K-BK | 4.5W 250LM 3000K Black |
| PL120ADJ-40K-BK | 4.5W 250LM 4000K Black |
| PL120ADJ-50K-BK | 4.5W 250LM 5000K Black |
| PL120ADJ-30K-BN | 4.5W 250LM 3000K Brushed-Nickel |
| PL120ADJ-40K-BN | 4.5W 250LM 4000K Brushed-Nickel |
| PL120ADJ-50K-BN | 4.5W 250LM 5000K Brushed-Nickel |
| 3-PACK 3" ROUND ADJUSTABLE PUCK LIGHT | |
| PL120ADJ-3KIT-30K-WH | 4.5W 250LM 3000K White |
| PL120ADJ-3KIT-40K-WH | 4.5W 250LM 4000K White |
| PL120ADJ-3KIT-50K-WH | 4.5W 250LM 5000K White |
| PL120ADJ-3KIT-30K-BK | 4.5W 250LM 3000K Black |
| PL120ADJ-3KIT-40K-BK | 4.5W 250LM 4000K Black |
| PL120ADJ-3KIT-50K-BK | 4.5W 250LM 5000K Black |
| PL120ADJ-3KIT-30K-BN | 4.5W 250LM 3000K Brushed-Nickel |
| PL120ADJ-3KIT-40K-BN | 4.5W 250LM 4000K Brushed-Nickel |
| PL120ADJ-3KIT-50K-BN | 4.5W 250LM 5000K Brushed-Nickel |



120V

UNDERCABINET

LED PUCK LIGHTS (3.3 FT. CORD WITH MALE SOCKET, MOUNTING HARDWARE, SCREWLESS TRIM)



| CATALOG NO. | DESCRIPTION |
|--|--|
| 4" ROUND & SQUARE SLIM PUCK LIGHT | |
| PL12R-30K-WH | 3.5W 230LM 3000K White |
| PL12R-40K-WH | 3.5W 230LM 4000K White |
| PL12R-50K-WH | 3.5W 230LM 5000K White |
| PL12S-30K-WH | 3.5W 230LM 3000K White |
| PL12S-40K-WH | 3.5W 230LM 4000K White |
| PL12S-50K-WH | 3.5W 230LM 5000K White |
| PL12R & PL12S SERIES COLOR TRIMS | |
| PL12R-TRM-BK | PL12R series replacement color trim-Black |
| PL12R-TRM-BN | PL12R series replacement color trim-Brushed-Nickel |
| PL12R-TRM-BR | PL12R series replacement color trim-Bronze |
| PL12S-TRM-BK | PL12S series replacement color trim-Black |
| PL12S-TRM-BN | PL12S series replacement color trim-Brushed-Nickel |
| PL12S-TRM-BR | PL12S series replacement color trim-Bronze |



12V

LED PUCK LIGHTS (3.3 FT. CORD WITH MALE SOCKET, MOUNTING HARDWARE, SCREWLESS TRIM)



12V



3" ROUND SLIM PUCK LIGHT - 1/8" H (1/16" WHEN RECESSED)

| CATALOG NO. | DESCRIPTION |
|-------------|-------------------------------|
| PL12-30K-WH | 2W 120LM 3000K White |
| PL12-40K-WH | 2W 120LM 4000K White |
| PL12-50K-WH | 2W 120LM 5000K White |
| PL12-30K-BK | 2W 120LM 3000K Black |
| PL12-40K-BK | 2W 120LM 4000K Black |
| PL12-50K-BK | 2W 120LM 5000K Black |
| PL12-30K-BN | 2W 120LM 3000K Brushed-Nickel |
| PL12-40K-BN | 2W 120LM 4000K Brushed-Nickel |
| PL12-50K-BN | 2W 120LM 5000K Brushed-Nickel |

12V



3-PACK 3" ROUND SLIM PUCK LIGHT - 1/8" H (1/16" WHEN RECESSED)

| | |
|------------------|-------------------------------|
| PL12-3KIT-30K-WH | 2W 120LM 3000K White |
| PL12-3KIT-40K-WH | 2W 120LM 4000K White |
| PL12-3KIT-50K-WH | 2W 120LM 5000K White |
| PL12-3KIT-30K-BK | 2W 120LM 3000K Black |
| PL12-3KIT-40K-BK | 2W 120LM 4000K Black |
| PL12-3KIT-50K-BK | 2W 120LM 5000K Black |
| PL12-3KIT-30K-BN | 2W 120LM 3000K Brushed-Nickel |
| PL12-3KIT-40K-BN | 2W 120LM 4000K Brushed-Nickel |
| PL12-3KIT-50K-BN | 2W 120LM 5000K Brushed-Nickel |



PL12 SERIES COLOR TRIMS

| | |
|-------------|---|
| PL12-TRM-BK | PL12 series replacement color trim-Black |
| PL12-TRM-BN | PL12 series replacement color trim-Brushed-Nickel |
| PL12-TRM-BR | PL12 series replacement color trim-Bronze |

12V



3" ROUND ADJUSTABLE PUCK LIGHT - DRIVER NOT INCL.

| | |
|----------------|---------------------------------|
| PL12ADJ-30K-WH | 4.5W 250LM 3000K White |
| PL12ADJ-40K-WH | 4.5W 250LM 4000K White |
| PL12ADJ-50K-WH | 4.5W 250LM 5000K White |
| PL12ADJ-30K-BK | 4.5W 250LM 3000K Black |
| PL12ADJ-40K-BK | 4.5W 250LM 4000K Black |
| PL12ADJ-50K-BK | 4.5W 250LM 5000K Black |
| PL12ADJ-30K-BN | 4.5W 250LM 3000K Brushed-Nickel |
| PL12ADJ-40K-BN | 4.5W 250LM 4000K Brushed-Nickel |
| PL12ADJ-50K-BN | 4.5W 250LM 5000K Brushed-Nickel |

LED PUCK LIGHT ACCESSORIES



| | |
|------------------|--|
| PL12-SPLIT3-WH | 3-Hole mini splitter with female socket & 40" cord, white |
| PL12-SPLIT3-BK | 3-Hole mini splitter with female socket & 40" cord, Black |
| PL12-SPLIT6-WH | 6-Hole mini splitter with female socket & 40" cord, white |
| PL12-SPLIT6-BK | 6-Hole mini splitter with female socket & 40" cord, Black |
| PL12-SPLIT10-WH | 10-Hole mini splitter with female socket & 40" cord, white |
| PL12-SPLIT10-BK | 10-Hole mini splitter with female socket & 40" cord, Black |
| PL12-PF-WH | 6" Power feed cord, White |
| PL12-PF-BK | 6" Power feed cord, Black |
| PL12-PIDR-12W-WH | 12W Plug-in driver with switch, white |
| PL12-PIDR-12W-BK | 12W Plug-in driver with switch, Black |
| PL12-PIDR-24W-WH | 24W Plug-in driver with switch, white |
| PL12-PIDR-24W-BK | 24W Plug-in driver with switch, Black |
| PL12-ILDMR-WH | In-Line dimming control, White |
| PL12-ILDMR-BK | In-Line dimming control, Black |
| PL12-HWDR-25W-D | 25W Plug-in Dimmable driver with switch, 120V |

LED PUCK LIGHTS DISPLAY BOARD

CATALOG NO.

DESCRIPTION





PL12-DISPLAY

Display board with Brochures for PL12 Series

EXIT & EMERGENCY LIGHTING


BUILDER SERIES SUPER SLIM LED EXIT SIGN, 120-277V, 12"(W) x 7 1/2"(H) x 1"(D)



| CATALOG NO. | NUMBER OF FACES | LETTERS COLOR | HOUSING | BATTERY |
|--|-------------------------|---------------|---------|------------|
|  XTSL-RW | Universal Single/Double | RED | White | 1.2V Ni-MH |
|  XTSL-GW | Universal Single/Double | GREEN | White | 1.2V Ni-MH |

LED EXIT SIGN EXIT SIGN, 120-277V, 12"(W) x 7 1/2"(H) x 1 1/2"(D)





| CATALOG NO. | NUMBER OF FACES | LETTERS COLOR | HOUSING | BATTERY |
|---|-------------------------|---------------|---------|---------|
|  XT-RW-EM | Universal Single/Double | RED | White | NiCd |
| XT-GW-EM | Universal Single/Double | GREEN | White | NiCd |

2-IN-1 COLOR- SELECTABLE UNIVERSAL EXIT SIGN, 120-277V, 15 1/2"(W) x 12 1/2"(H) x 9"(D)


DEFAULT IS RED, FLIP SWITCH INSIDE AND CHANGE PROVIDED GREEN FILM[S] FOR GREEN



| CATALOG NO. | NUMBER OF FACES | LETTERS COLOR | HOUSING | BATTERY |
|---|-------------------------|---------------|---------|------------------|
|  XTU-RG-EM-BK | Universal Single/Double | RED/GREEN | Black | 1.2V Ni-MH |
| XTU-RG-EM | Universal Single/Double | RED/GREEN | White | 1.2V Ni-MH |
|  XTU-RG-2C-120V | Universal Single/Double | RED/GREEN | White | N/A Two Circuits |
| XTU-RG-2C-277V | Universal Single/Double | RED/GREEN | White | N/A Two Circuits |
| XTU-RG-BK-2C-120V | Universal Single/Double | RED/GREEN | Black | N/A Two Circuits |
| XTU-RG-BK-2C-277V | Universal Single/Double | RED/GREEN | Black | N/A Two Circuits |


SPEC SERIES THIN DIECAST LED EXIT SIGN, 120-277V, 11-13/16"(W) x 7-3/4"(H) x 7/8"(D)



| CATALOG NO. | NUMBER OF FACES | LETTER COLOR | HOUSING | BATTERY |
|--|-----------------|--------------|----------|---------|
|  XD-TH-1GAEM | Single Face | Green | Aluminum | NiCd |
| XD-TH-1GBBEM | Single Face | Green | Black | NiCd |
| XD-TH-1GWWEM | Single Face | Green | White | NiCd |
| XD-TH-1RAAEM | Single Face | Red | Aluminum | NiCd |
| XD-TH-1RBBEM | Single Face | Red | Black | NiCd |
| XD-TH-1RWWEM | Single Face | Red | White | NiCd |
| XD-TH-2GAEM | Double Face | Green | Aluminum | NiCd |
| XD-TH-2GBBEM | Double Face | Green | Black | NiCd |
| XD-TH-2GWWEM | Double Face | Green | White | NiCd |
| XD-TH-2RAAEM | Double Face | Red | Aluminum | NiCd |
| XD-TH-2RBBEM | Double Face | Red | Black | NiCd |
| XD-TH-2RWWEM | Double Face | Red | White | NiCd |

BUILDER SERIES EDGELIT LED EXIT SIGN WITH ALUMINUM HOUSING, SINGLE FACE WITH OPTIONAL DOUBLE FACE, OPT. RECESS-MT. ACCESSORY



| CATALOG NO. | NUMBER OF FACES | LETTER COLOR | FACE COLOR | BATTERY | HOUSING |
|--|--|--------------|------------|---------|----------|
|  XT-EL1RCA-EM | Single Face | Red | Clear | NiCd | Aluminum |
| XT-EL1GCA-EM | Single Face | Green | Clear | NiCd | Aluminum |
| XT-EL1RCA-EM-WH | Single Face | Red | Clear | NiCd | White |
| XT-EL1GCA-EM-WH | Single Face | Green | Clear | NiCd | White |
| XT-EL2RM-CP | Field-Installed Double-Face Mirror Panel only to Convert Single Face to Double Face- Red | | | | |
| XT-EL2GM-CP | Field-Installed Double-Face Mirror Panel only to Convert Single Face to Double Face- Green | | | | |
| XT-ELRMA | Field-Installed Recessed Mounting Conversion Kit, Order together with Exit Sign above | | | | |
| XT-ELRMA-WH | Field-Installed Recessed Mounting Conversion Kit, Order together with Exit Sign above, White | | | | |



XT-ELRMA RECESSED CONVERSION KIT (FIXTURE NOT INCL.)

SPEC SERIES EDGELIT LED EXIT SIGN, 120-277V, 13"(W) x 11-1/8"(H) x 1-3/4"(D)



| CATALOG NO. | NUMBER OF FACES | LETTER COLOR | FACE COLOR | CANOPY | BATTERY |
|-------------------|--------------------------------|--------------|------------|----------|---------|
| XE-1RCA-EM | Single Face | Red | Clear | Aluminum | NiCd |
| XE-1RCW-EM | Single Face | Red | Clear | White | NiCd |
| XE-2RMW-EM | Double Face | Red | Mirror | White | NiCd |
| XE-2RMA-EM | Double Face | Red | Mirror | Aluminum | NiCd |
| XE-1GCA-EM | Single Face | Green | Clear | Aluminum | NiCd |
| XE-1GCW-EM | Single Face | Green | Clear | White | NiCd |
| XE-2GMW-EM | Double Face | Green | Mirror | White | NiCd |
| XE-2GMA-EM | Double Face | Green | Mirror | Aluminum | NiCd |
| XE-2C-120V | Optional Dual circuits, 120V | | | | |
| XE-2C-277V | Optional Dual circuits, 277V | | | | |
| XE-SDT | Optional Self Diagnostics Test | | | | |



WET LOCATION LED EXIT SIGN, UNIVERSAL

| CATALOG NO. | NUMBER OF FACES | LETTER COLOR | HOUSING | BATTERY |
|--------------------|-------------------------|--------------|---------|---------|
| XT-WP-RG-EM | Universal Single/Double | Red | Gray | NiCd |
| XT-WP-GG-EM | Universal Single/Double | Green | Gray | NiCd |



SPEC SERIES WET LOCATION LED EXIT SIGN

(TWO-CIRCUITS OPTION AVAILABLE), 120-277V, 12-1/2"(W) x 9-1/4"(H) x 4-3/8"(D)



| CATALOG NO. | NUMBER OF FACES | LETTER COLOR | HOUSING | BATTERY | |
|----------------------|--------------------------------|--------------|---------|---------|--|
| XT-WP-1RG-EM | Single Face | Red | Gray | NiCd | |
| XT-WP-1GG-EM | Single Face | Green | Gray | NiCd | |
| XT-WP-2RG-EM | Double Face | Red | Gray | NiCd | |
| XT-WP-2GG-EM | Double Face | Green | Gray | NiCd | |
| XT-WP-1RB-EM | Single Face | Red | Black | NiCd | |
| XT-WP-1GB-EM | Single Face | Green | Black | NiCd | |
| XT-WP-2RB-EM | Double Face | Red | Black | NiCd | |
| XT-WP-2GB-EM | Double Face | Green | Black | NiCd | |
| XT-WP-SDT | Optional Self Diagnostics Test | | | | |
| XT-WP-2C-120V | Optional Dual circuits, 120V | | | | |
| XT-WP-2C-277V | Optional Dual circuits, 277V | | | | |



SPEC SERIES NEMA 4X LED EXIT SIGN, 120-277V 14-3/4"(W) X 10"(H) X 6"(D)



| CATALOG NO. | WATTS | NUMBER OF FACES | LETTER COLOR | HOUSING COLOR | BATTERY |
|--------------------|-------|-----------------|--------------|---------------|---------|
| XTN4X-1GB | 3.8W | Single Face | Green | Black | - |
| XTN4X-1GW | 3.8W | Single Face | Green | White | - |
| XTN4X-1RB | 3.2W | Single Face | Red | Black | - |
| XTN4X-1RW | 3.2W | Single Face | Red | White | - |
| XTN4X-2GB | 3.8W | Double Face | Green | Black | - |
| XTN4X-2GW | 3.8W | Double Face | Green | White | - |
| XTN4X-2RB | 3.2W | Double Face | Red | Black | - |
| XTN4X-2RW | 3.2W | Double Face | Red | White | - |
| XTN4X-1GBEM | 3.8W | Single Face | Green | Black | NiCd |
| XTN4X-1GWEM | 3.8W | Single Face | Green | White | NiCd |
| XTN4X-1RBEM | 3.2W | Single Face | Red | Black | NiCd |
| XTN4X-1RWEM | 3.2W | Single Face | Red | White | NiCd |
| XTN4X-2GBEM | 3.8W | Double Face | Green | Black | NiCd |
| XTN4X-2GWEM | 3.8W | Double Face | Green | White | NiCd |
| XTN4X-2RBEM | 3.2W | Double Face | Red | Black | NiCd |
| XTN4X-2RWEM | 3.2W | Double Face | Red | White | NiCd |

NEMA 4X RATED



EXIT & EMERGENCY

BUILDER SERIES SUPER SLIM LED EXIT SIGN

WITH ADJUSTABLE LED HEADS, 120-277V, 12"(W) x 7 3/5"(H) x 1"(D)




| CATALOG NO. | NUMBER OF FACES | LETTERS COLOR | HOUSING | BATTERY |
|-------------------|-------------------------|---------------|---------|-----------|
| XTSL-CL-RW | Universal Single/Double | RED | White | 3.6 Ni-MH |
| XTSL-CL-GW | Universal Single/Double | GREEN | White | 3.6 Ni-MH |





COMBINATION LED EXIT SIGN & LED EMERGENCY, 120-277V, 21"(W) x 9"(H) x 4-7/16"(D)



| CATALOG NO. | NUMBER OF FACES | LETTER COLOR | HOUSING | BATTERY |
|--|-------------------------|--------------|---------|---------|
|  XT-CL-RW-EM | Universal Single/Double | Red | White | NiCd |
| XT-CL-GW-EM | Universal Single/Double | Green | White | NiCd |



2-IN-1 COLOR-SELEC UNIVERSAL COMBO UNIT, 120-277V, 15-1/2"(W) x 12-1/2"(H) x 9"(D)
 DEFAULT IS RED, FLIP SWITCH INSIDE AND CHANGE PROVIDED GREEN FILM[S] FOR GREEN



| CATALOG NO. | NUMBER OF FACES | LETTERS COLOR | HOUSING | BATTERY | |
|--|-------------------------|---------------|---------|------------|----------------|
|  XTU-CL-RG-EM-BK | Universal Single/Double | RED/GREEN | Black | 1.2V Ni-MH | |
| XTU-CL-RG-EM | Universal Single/Double | RED/GREEN | White | 1.2V Ni-MH | |
|  XTU-CL-RG-EM-RC | Universal Single/Double | RED/GREEN | White | 1.2V Ni-MH | Remote Capable |
| XTU-CL-RG-EM-RC-BK | Universal Single/Double | RED/GREEN | Black | 1.2V Ni-MH | Remote Capable |

LED STRIP COMBINATION EXIT/EMERGENCY LIGHT, SINGLE OR DOUBLE FACE




| ARRIVES THIS SEASON CHECK & PRE-ORDER | | CATALOG NO. | NUMBER OF FACES | LETTER COLOR | HOUSING | BATTERY |
|---|--|-----------------------|-----------------|--------------|---------|---------|
|  | | XIT-STRIP-2R-W | Double Face | Red | White | NiCd |
| | | XIT-STRIP-2G-W | Double Face | Green | White | NiCd |
| | | XIT-STRIP-2R-B | Double Face | Red | Black | NiCd |
|  | | XIT-STRIP-2G-B | Double Face | Green | Black | NiCd |

SPEC SERIES COMBO DIE-CAST ALUMINUM LED EXIT SIGN

ADJUSTABLE HEADS, 120-277V, 12-1/2"(W) x 11-3/4"(H) x 2-3/8"(D)




| CATALOG NO. | NUMBER OF FACES | LETTER COLOR | HOUSING | BATTERY |
|--|----------------------------|--------------|----------|---------|
|  XT-C-ADJ-3RBBEM | Universal Single/Double | Red | Black | NiCd |
| XT-C-ADJ-3RAAEM | Universal Single/Double | Red | Aluminum | NiCd |
| XT-C-ADJ-3RWEM | Universal Single/Double | Red | White | NiCd |
| XT-C-ADJ-3GBBEM | Universal Single/Double | Green | Black | NiCd |
| XT-C-ADJ-3GAAEM | Universal Single/Double | Green | Aluminum | NiCd |
| XT-C-ADJ-3GWEM | Universal Single/Double | Green | White | NiCd |
| XT-C-ADJ-RC | Optional Remote Capability | | | |

SPEC SERIES WET LOCATION COMBINATION LED EXIT SIGN &


LED EMERGENCY, 120-277V 3.6W, 13-11/16"(W) x 12-3/8"(H) x 4-1/16"(D)



| CATALOG NO. | NUMBER OF FACES | LETTER COLOR | HOUSING |
|---|--------------------------------|--------------|---------|
|  CWLEZXE1GW | Single Face | Green | White |
| CWLEZXE1GG | Single Face | Green | Gray |
| CWLEZXE1RW | Single Face | Red | White |
| CWLEZXE1RG | Single Face | Red | Gray |
| CWLEZXE1GB | Single Face | Green | Black |
| CWLEZXE1RB | Single Face | Red | Black |
| CWLEZXE2GB | Double Face | Green | Black |
| CWLEZXE2RB | Double Face | Red | Black |
| CWLEZXE2GW | Double Face | Green | White |
| CWLEZXE2GG | Double Face | Green | Gray |
| CWLEZXE2RW | Double Face | Red | White |
| CWLEZXE2RG | Double Face | Red | Gray |
| CWLEZ-SDT | Optional Self Diagnostics Test | | |
| CWLEZ-RC | Optional Remote Capability | | |
| CWLEZ-CW | Optional Cold Weather | | |

SPEC SERIES NEMA 4X COMBINATION LED EXIT SIGN & LED EMERGENCY, 120-277V





| CATALOG NO. | NO. OF FACES/LETTER COLOR | VOLTAGE | WATTAGE | HOUSING COLOR | ITEMS DESCRIPTION |
|--|---------------------------|----------------|-------------------------------|------------------------------|---|
|  XTCLN4X | 1G 1R 2G 2R | 6 6V 12 12V | 12W 12W 15W 15W 28W 28W | W WHITE B BLACK G GRAY | 6V, 15W, SINGLE FACE 6V, 28W, SINGLE FACE 12V, 15W, SINGLE FACE 12V, 28W, SINGLE FACE 6V, 12W, DOUBLE FACE 12V, 12W, DOUBLE FACE |
| SAMPLE ORDERING: XTCLN4X-1G-12-15W-W | | | | | |



WET LOCATION COMBO LED EXIT & EMERGENCY SIGN, UNIVERSAL




| CATALOG NO. | NUMBER OF FACES | LETTER COLOR | FACE COLOR | BATTERY |
|--|-------------------------|--------------|------------|---------|
|  XT-CLWP-RG-EM | Universal Single/Double | Red | White | NiCd |
|  XT-CLWP-GG-EM | Universal Single/Double | Green | White | NiCd |

WET LOCATION COMBINATION LED EXIT SIGN &



INCANDESCENT EMERGENCY, 120-277V, 11-3/4"(W) x 18-1/4"(H) x 3-3/4"(D)



| CATALOG NO. | NUMBER OF FACES | LETTER COLOR | HOUSING COLOR | BATTERY |
|---|--------------------------|--------------|---------------|---------|
|  XT-CWP-RG-EM | Single Face | Red | Gray | NiCd |
| XT-CWP-GG-EM | Single Face | Green | Gray | NiCd |
| XT-CWP-HTR | Optional Internal Heater | | | |


LED 2-HEAD MINI EMERGENCY LIGHT, 120-277V, 4"(H) x 8 1/2"(W) x 1 3/4"(D)



| CATALOG NO. | WATTS | HOUSING COLOR | MOUNTING | BATTERY |
|---|-------|---------------|----------|-----------|
|  EL-M2 | 1W(2) | White | Wall | 3.6V NiCd |
|  EL-M2-BK | 1W(2) | Black | Wall | 3.6V NiCd |

LED 2-HEAD MINI EMERGENCY LIGHT, 120-277V, 4-1/4"(H) x 9-1/4"(W) x 1-3/5"(D)



| CATALOG NO. | WATTS | HOUSING COLOR | MOUNTING | BATTERY | LUMEN |
|---|---------|---------------|----------|------------|-------|
|  EL-M1 | 1.1W(2) | White | Wall | 3.6V Ni-MH | 200LM |
|  EL-M1-BK | 1.1W(2) | Black | Wall | 3.6V Ni-MH | 200LM |



BUILDER SERIES LED EMERGENCY LIGHTS, 120-277V, 13.7" W X 4.3" H X 3.5" D



| CATALOG NO. | WATTS | HOUSING COLOR | MOUNTING | BATTERY |
|---|-------------|---------------|----------------|---------|
|  EL-1 | 1W per Head | White | Wall & Ceiling | NiCd |

SPEC SERIES LARGE LED EMERGENCY LIGHTS WITH HIGHER OUTPUT, 120-277V, 15.5" W X 5" H X 4.75" D



| CATALOG NO. | WATTS | HOUSING COLOR | MOUNTING | BATTERY |
|---|---------------|---------------|----------------|---------|
|  EL-1L | 1.2W per Head | White | Wall & Ceiling | NiCd |
|  EL-1L-BK | 1.2W per Head | Black | Wall & Ceiling | NiCd |

SPEC SERIES LARGE LED EMERGENCY LIGHTS


WITH REMOTE CAPABLE & HIGHER OUTPUT, 120-277V, 15.5" W X 5" H X 4.75" D



| CATALOG NO. | WATTS | HOUSING COLOR | MOUNTING | BATTERY |
|---|---------------|---------------|----------------|---------------------|
|  EL-1L-RC | 1.2W per Head | White | Wall & Ceiling | NiCd Remote Capable |


LED 2-HEAD DESIGNER EMERGENCY LIGHT, 120-277V, 4- 1/3"(H) x 13- 1/2"(W) x 3- 1/2"(D)



| CATALOG NO. | WATTS | HOUSING COLOR | MOUNTING | BATTERY |
|--|---------|---------------|----------|-----------|
|  EL-ID | 2.4W(2) | White | Wall | 3.6V NiCd |

BUILDER SERIES LED EMERGENCY LIGHTS, 120-277V, 4 5/8"(H) x 9 1/2"(W) x 2 1/4"(D)



| CATALOG NO. | WATTS | HOUSING COLOR | MOUNTING | BATTERY |
|--|---------------|---------------|----------------|-----------------|
|  EL-2A | 1.2W per head | White | Wall & Ceiling | 3.6V 1Ah NI-CAD |

SPEC SERIES LED 2-HEAD HIGH-OUTPUT EMERGENCY LIGHT, 120-277V, 5"(H) x 12-1/2"(W) x 2-4/5"(D)



| CATALOG NO. | WATTS | HOUSING COLOR | BATTERY | LUMEN |
|--------------|-------|---------------|-----------|-------|
| EL-HO | 3W(2) | White | Lead Acid | 650LM |

LED 2-HEAD EXTRA HIGH-OUTPUT EMERGENCY LIGHT, 120-277V, 5"(H) x 12-1/2"(W) x 2-4/5"(D)



| CATALOG NO. | WATTS | HOUSING COLOR | BATTERY | LUMENS |
|---------------|--------------|---------------|-----------|--------|
| EL-EHO | 10W per Head | White | Lead Acid | 1250LM |

LED MR16 EMERGENCY LIGHTS, 120-277V, 3"(H) x 13-3/4"(W) x 5-1/8"(D)



| CATALOG NO. | WATTS | HOUSING COLOR | MOUNTING | BATTERY |
|------------------|---------------|---------------|----------|-----------|
| EW-16-LED | 3.3W per Head | White | Wall | Lead Acid |

WET LOCATION LED 2-HEAD EMERGENCY LIGHT, 120-277V 4-1/5"(H) x 12-1/4"(W) x 5-1/4"(D)



| CATALOG NO. | WATTS | HOUSING COLOR | MOUNTING | BATTERY | LUMEN |
|--------------|-------|---------------|----------------|----------|-------|
| EL-WP | 6W(2) | White | Wall & Ceiling | 6V Ni-MH | 400LM |

INDOOR SQUARE LED REMOTE HEADS, 120-277V



| CATALOG NO. | WATTS | VOLTAGE | HOUSING COLOR | HEADS PER FIXTURE | |
|---------------|-------------|--------------------|---------------|-------------------|------------------------------------|
| EL-RH1 | 1W per Head | 3.6V/6V/9.9V/12 DC | White | Single | 6-3/8"(H) x 4-1/4"(W) x 4-1/4"(D) |
| EL-RH2 | 1W per Head | 3.6V/6V/9.9V/12 DC | White | Double | 6-3/4"(H) x 4-1/4"(W) x 10-3/8"(D) |

WET LOCATION OUTDOOR SQUARE LED REMOTE HEADS, 120-277V



| CATALOG NO. | WATTS | VOLTAGE | HOUSING COLOR | HEADS PER FIXTURE | |
|------------------|-------------|--------------------|---------------|-------------------|------------------------------------|
| EL-RH1-WP | 1W per Head | 3.6V/6V/9.9V/12 DC | White | Single | 6-3/8"(H) x 4-1/4"(W) x 4-1/4"(D) |
| EL-RH2-WP | 1W per Head | 3.6V/6V/9.9V/12 DC | White | Double | 6-3/4"(H) x 4-1/4"(W) x 10-3/8"(D) |

WET LOCATION LED EMERGENCY LIGHTS WITH REMOTE CAPABILITY, 120-277V, 6"(H) x 12-1/2"(W) x 8-1/2"(D)



| CATALOG NO. | WATTS | HOUSING COLOR | MOUNTING | BATTERY |
|-------------------|-----------------|---------------|----------|---------|
| LEDTFX-2 | 1.875W per Head | Gray | Wall | NiCd |
| LEDTFX-2-B | 1.875W per Head | Black | Wall | NiCd |

BUILDER SERIES ECONOMY OUTDOOR EMERGENCY WALL PACK

WITH PHOTOCELL, SELECTABLE 15-30W, 30/40K/50K, 120-277V **7 DAYS LEAD TIME**



| CATALOG NO. | DESCRIPTION |
|---------------------------------|--|
| LESW-15-30W-MCTP-P-EM | 15W/20W/30W 135LM/W 3000K/4000K/5000K Bronze |
| LESW-15-30W-MCTP-P-WH-EM | 15W/20W/30W 135LM/W 3000K/4000K/5000K White |



BUILDER SERIES DECORATIVE OUTDOOR LED AC/EMERGENCY UNIT, 120-277V, 3-5/8"(H) x 10-1/2"(W) x 6-3/5"(D)



| CATALOG NO. | WATTS | HOUSING COLOR | BATTERY | DESCRIPTION |
|------------------------|-------|---------------|---------|----------------|
| DELW-15W-MCT-BK | 15W | Black | NiCd | With Photocell |
| DELW-15W-MCT-BR | 15W | Dark Bronze | NiCd | With Photocell |
| DELW-15W-MCT-WH | 15W | White | NiCd | With Photocell |



SPEC SERIES DECORATIVE OUTDOOR LED AC/EMERGENCY UNIT, 120-277V, 3-5/8"(H) x 10-1/2"(W) x 6-3/5"(D)



| CATALOG NO. | WATTS | HOUSING COLOR | BATTERY | DESCRIPTION |
|----------------------------|-------|---------------|---------|-------------------------------|
| DBEL-ACEM-WH-SDT | 12W | White | NiCd | With Photocell |
| DBEL-ACEM-BK-SDT | 12W | Black | NiCd | With Photocell |
| DBEL-ACEM-BR-SDT | 12W | Dark Bronze | NiCd | With Photocell |
| DBEL-ACEM-N-SDT | 12W | Nickel | NiCd | With Photocell |
| DBEL-ACEM-WH-SDT-CW | 12W | White | NiCd | With Cold Weather & Photocell |
| DBEL-ACEM-BK-SDT-CW | 12W | Black | NiCd | With Cold Weather & Photocell |
| DBEL-ACEM-BR-SDT-CW | 12W | Dark Bronze | NiCd | With Cold Weather & Photocell |
| DBEL-ACEM-N-SDT-CW | 12W | Nickel | NiCd | With Cold Weather & Photocell |



SPEC SERIES NEMA 4X OUTDOOR LED REMOTE HEADS, 120-277V, 4-7/8"(H) x 9-5/8"(W) x 5-1/2"(D)



| CATALOG NO. | WATTS | VOLTAGE | HOUSING COLOR | HEADS | PER FIXTURE |
|-----------------|---------------|----------|---------------|--------------------|-------------|
| RHN4X-1W | 3.3W per Head | 6V/12VDC | White | Single Square Head | |
| RHN4X-1B | 3.3W per Head | 6V/12VDC | Black | Double Square Head | |
| RHN4X-2W | 3.3W per Head | 6V/12VDC | White | Single Square Head | |
| RHN4X-2B | 3.3W per Head | 6V/12VDC | Black | Double Square Head | |



SPEC SERIES NEMA 4X LED EMERGENCY LIGHTS, 120-277V



| CATALOG NO. | WATTS | VOLTAGE | HOUSING COLOR | BATTERY |
|-----------------------|-------|---------|---------------|---------|
| ELN4X-12-15W-B | 15W | 12V | Black | NiCd |
| ELN4X-12-15W-W | 15W | 12V | White | NiCd |
| ELN4X-12-36W-B | 36W | 12V | Black | NiCd |
| ELN4X-12-36W-W | 36W | 12V | White | NiCd |
| ELN4X-12-54W-B | 54W | 12V | Black | NiCd |
| ELN4X-12-54W-W | 54W | 12V | White | NiCd |
| ELN4X-6-15W-B | 15W | 6V | Black | NiCd |
| ELN4X-6-15W-W | 15W | 6V | White | NiCd |
| ELN4X-6-36W-B | 36W | 6V | Black | NiCd |
| ELN4X-6-36W-W | 36W | 6V | White | NiCd |
| ELN4X-6-54W-B | 54W | 6V | Black | NiCd |
| ELN4X-6-54W-W | 54W | 6V | White | NiCd |



POLYCARBONATE VANDAL/ENVIRONMENTAL SHIELD GUARDS



| CATALOG NO. | DESCRIPTION |
|--------------|---|
| PCS-1 | For use with most standard Exit signs |
| BG-1 | For use with most standard Exit signs |
| BGR-1 | For use with most standard Emergency lights |
| WG-1 | Wire Guard, 13-3/4 X 15-1/4 X 6" |
| WG-3 | Wire Guard, 13-3/4 X 30-1/4 X 6" |





EMERGENCY BATTERY BACKUPS



| CATALOG NO. | OUTPUT VOLTAGE | OUTPUT POWER | BATTERY | NOTES |
|---------------------------|--|--------------|-----------------|-------------------------------------|
| ELB-0848 | 25-48V DC | 8W MAX | Li-ion 2500mAh | 8W SPLIT |
| ELB-1048-HH | 25-48V DC | 10W MAX | LifeP04 3000mAh | 10W SPLIT HEAT TOLERANT |
| ELB-1248 | 25-48V DC | 12W MAX | Li-ion 2500mAh | 12W SPLIT |
| ELB-1548-HH | 25-48V DC | 15W MAX | LifeP04 3000mAh | 15W SPLIT HEAT TOLERANT |
| ELB-2048 | 25-48V DC | 20W MAX | Li-ion 4000mAh | 20W SPLIT |
| ELB-0460-FM | 10-60V DC | 4W MAX | Li-ion 2500mAh | 4W INTEGRATED |
| ELB-2048-EXTR | 25-48V DC | 20W MAX | Ni-MH 4000mAh | 20W INTEGRATED |
| ELB-3048-FLEX | 25-48V DC | 30W MAX | Li-ion 4000mAh | 30W INTEGRATED |
| ELB-0895 | 95V DC MAX | 8W MAX | Ni-MH 2600mAh | 8W INTEGRATED HIGH DC VOLTAGE |
| ELB-30150-FLEX | 50-150V DC | 30W MAX | Li-ion 4000mAh | 30W INTEGRATED HIGH DC VOLTAGE |
| ELB-2048-IP65 | 25-48V DC | 20W MAX | Li-ion 4000mAh | 20W INTEGRATED IP65 |
| ELB-20150-IP65 | 50-150V DC | 20W MAX | Li-ion 4000mAh | 20W INTEGRATED HIGH DC VOLTAGE IP65 |
| ELB-20150 | 50-150V DC | 20W MAX | Li-ion 4000mAh | 20W INTEGRATED HIGH DC VOLTAGE |
| ELB-30250-FLEX | 250V DC MAX | 30W MAX | Li-ion 4000mAh | 30W INTEGRATED HIGH DC VOLTAGE |
| ELB-08120-AC | 120V AC | 8W MAX | Li-ion | 8W & AC VOLTAGE |
| ELB-08170-EXTR | 170VDC | 8W MAX | Li-ion | WITH FLEX |
| ELB-09120-AC | 120V AC | 9W MAX | Li-ion | 9W & AC VOLTAGE |
| ELB-12120-AC | 120V AC | 12W MAX | Li-ion | 12W & AC VOLTAGE |
| ELB-15120-AC | 120V AC | 15W MAX | Li-ion | 15W & AC VOLTAGE |
| ELB-20175-AC-FLEX | 175VDC | 20W MAX | Li-ion 4000mAh | 20W INTEGRATED |
| ELB-30175-AC-HB | 50-150VDC | 30W MAX | Li-ion | 30W INTEGRATED |
| ELB-18150-B | 50-150VDC | 18W MAX | Li-ion | 18W SPLIT |
| ELB-CW-18W-MW | COLD-WEATHER LED EMERGENCY BACKUP 18W MULTI-VOLTAGE INTERNAL | | | |
| ELB-CW-27W-MW | COLD-WEATHER LED EMERGENCY BACKUP 27W MULTI-VOLTAGE INTERNAL | | | |
| ELB-CW-27W-MW-IP66 | COLD-WEATHER LED EMERGENCY BACKUP 27W MULTI-VOLTAGE INTERNAL, IP66 | | | |

EXIT & EMERGENCY



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

| CATALOG NO. | DESCRIPTION |
|----------------------|---|
| OPT-EM-CW2EXT | COLD-WEATHER EXTERNAL EMERGENCY POWER SUPPLY 27W FACTORY OPTION |
| OPT-EM-CW2INT | COLD-WEATHER INTERNAL EMERGENCY POWER SUPPLY 27W FACTORY OPTION |
| OPT-EM-CW1INT | COLD-WEATHER INTERNAL EMERGENCY POWER SUPPLY 18W FACTORY OPTION |



ELECTRICAL PRODUCTS

ONE-GANG BOXES, 2" DEEP

| | CATALOG NO. | DESCRIPTION | PKG. QTY. |
|--------------------|---|---|-----------|
| | W1B50-3 | 1/2" trade size, 3 outlet holes, 18.3 cu. in. | 20 |
| | W1B50-3-WH | 1/2" trade size, 3 outlet holes, 18.3 cu. in., white | 20 |
| | W1B50-3-BRZ | 1/2" trade size, 3 outlet holes, 18.3 cu. in., bronze | 20 |
| | W1B75-3 | 3/4" trade size, 3 outlet holes, 18.3 cu. in. | 20 |
| | W1B75-3-WH | 3/4" trade size, 3 outlet holes, 18.3 cu. in., white | 20 |
| | W1B75-3-BRZ | 3/4" trade size, 3 outlet holes, 18.3 cu. in., bronze | 20 |
| | W1B100-3 | 1" trade size, 3 outlet holes, 18.3 cu. in. | 20 |
| | W1B50-4 | 1/2" trade size, 4 outlet holes, 18.3 cu. in. | 20 |
| | W1B50-4-WH | 1/2" trade size, 4 outlet holes, 18.3 cu. in., white | 20 |
| | W1B50-4-BRZ | 1/2" trade size, 4 outlet holes, 18.3 cu. in., bronze | 20 |
| | W1B75-4 | 3/4" trade size, 4 outlet holes, 18.3 cu. in. | 20 |
| | W1B75-4-WH | 3/4" trade size, 4 outlet holes, 18.3 cu. in., white | 20 |
| | W1B75-4-BRZ | 3/4" trade size, 4 outlet holes, 18.3 cu. in., bronze | 20 |
| | W1B50-5 | 1/2" trade size, 5 outlet holes, 18.3 cu. in. | 20 |
| | W1B50-5-WH | 1/2" trade size, 5 outlet holes, 18.3 cu. in., white | 20 |
| W1B50-5-BRZ | 1/2" trade size, 5 outlet holes, 18.3 cu. in., bronze | 20 | |
| W1B75-5 | 3/4" trade size, 5 outlet holes, 18.3 cu. in. | 20 | |
| W1B75-5-WH | 3/4" trade size, 5 outlet holes, 18.3 cu. in., white | 20 | |
| W1B75-5-BRZ | 3/4" trade size, 5 outlet holes, 18.3 cu. in., bronze | 20 | |
| W1B50-5X | 1/2" trade size, 5 outlet holes, 18.3 cu. in. | 20 | |
| W1B75-5X | 3/4" trade size, 5 outlet holes, 18.3 cu. in. | 20 | |

ONE-GANG DEVICE COVERS DEEP









| | CATALOG NO. | DESCRIPTION | PKG. QTY. |
|-------------------|--|--|-----------|
| | W1BC | BLANK COVER | 50 |
| | W1BC-WH | BLANK COVER, white | 50 |
| | W1BC-BRZ | BLANK COVER, bronze | 50 |
| | W1BC-G | HEAVY DUTY GALVANIZED BLANK COVER - gray | 50 |
| | W1C-DV | DUPLEX, VERTICAL | 25 |
| | W1C-DV-WH | DUPLEX, VERTICAL, white | 25 |
| | W1C-DV-BRZ | DUPLEX, VERTICAL, bronze | 25 |
| | W1C-GV | GFCI, VERTICAL | 25 |
| | W1C-GV-WH | GFCI, VERTICAL - white | 25 |
| | W1C-GV-BRZ | GFCI, VERTICAL - Bronze | 25 |
| | W1C-P020 | 20A RECEPTACLE, 1.60" DIAMETER | 25 |
| | W1C-P030 | 30A RECEPTACLE, 1.75" DIAMETER | 25 |
| | W1C-P040 | 40-50A RECEPTACLE, 2.30" DIAMETER | 25 |
| | W1C-SV | SINGLE RECEPTACLE, VERTICAL | 25 |
| | W1C-SV-WH | SINGLE RECEPTACLE, VERTICAL, white | 25 |
| | W1C-SV-BRZ | SINGLE RECEPTACLE, VERTICAL, bronze | 25 |
| | W1C-SW | 1 LEVER, VERTICAL, SWITCH NOT INCLUDED | 25 |
| W1C-SW-WH | 1 LEVER, VERTICAL, SWITCH NOT INCLUDED | 25 | |
| W1C-SW-BRZ | 1 LEVER, VERTICAL, SWITCH NOT INCLUDED | 25 | |

ELECTRICAL













ONE-GANG DEVICE COVERS

| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|---|---------------------------------|-----------|
|  W1C-TS | TOGGLE SWITCH, VERTICAL | 25 |
|  W1C-TS-WH | TOGGLE SWITCH, VERTICAL, white | 25 |
|  W1C-TS-BRZ | TOGGLE SWITCH, VERTICAL, bronze | 25 |
|  W1C-DH | DUPLEX, HORIZONTAL | 25 |
|  W1C-GH | GFCI, HORIZONTAL | 25 |
|  W1C-GH-WH | GFCI, HORIZONTAL - white | 25 |
|  W1C-GH-BRZ | GFCI, HORIZONTAL - bronze | 25 |
|  W1CL-DV | LOCKABLE 1 GANG W/P COVER 1 SI | 25 |
| W1CL-GV | LOCKABLE 1 GANG W/P DEVICE COV | 25 |
| W1CL-SV | LOCKABLE 1 GANG W/P COVER 1 SI | 25 |
| W1C-SH | SINGLE RECEPTACLE HORIZONTAL | 25 |


ONE-GANG BOXES | 2-5/8" DEEP

| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|---|---|-----------|
|  W1DB50-3 | 1/2" trade size, 3 outlet holes, 23.8 cu. in. | 12 |
|  W1DB75-3 | 3/4" trade size, 3 outlet holes, 23.8 cu. in. | 12 |
|  W1DB100-3 | 1" trade size, 3 outlet holes, 23.8 cu. in. | 12 |
|  W1DB50-4 | 1/2" trade size, 4 outlet holes, 23.8 cu. in. | 12 |
|  W1DB75-4 | 3/4" trade size, 4 outlet holes, 23.8 cu. in. | 12 |
|  W1DB50-5X | 1/2" trade size, 5 outlet holes, 23.8 cu. in. | 12 |
|  W1DB75-5X | 3/4" trade size, 5 outlet holes, 23.8 cu. in. | 12 |
|  W1DB100-5X | 1" trade size, 5 outlet holes, 23.8 cu. in. | 12 |


TWO-GANG STANDARD BOXES | 2" DEEP

| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|--|---|-----------|
|  W2B50-3 | 1/2" trade size, 3 outlet holes, 30.5 cu. in. | 12 |
|  W2B75-3 | 3/4" trade size, 3 outlet holes, 30.5 cu. in. | 12 |
|  W2B100-3 | 1" trade size, 3 outlet holes, 30.5 cu. in. | 12 |
|  W2B50-4 | 1/2" trade size, 4 outlet holes, 30.5 cu. in. | 12 |
|  W2B75-4 | 3/4" trade size, 4 outlet holes, 30.5 cu. in. | 12 |
|  W2B100-4 | 1" trade size, 4 outlet holes, 30.5 cu. in. | 12 |
|  W2B50-5 | 1/2" trade size, 5 outlet holes, 30.5 cu. in. | 12 |
|  W2B75-5 | 3/4" trade size, 5 outlet holes, 30.5 cu. in. | 12 |
|  W2B50-5X | 1/2" trade size, 5 outlet holes, 30.5 cu. in. | 12 |
|  W2B75-5X | 3/4" trade size, 5 outlet holes, 30.5 cu. in. | 12 |
|  W2B100-5X | 1" trade size, 4 outlet holes, 30.5 cu. in. | 12 |
|  W2B50-6X | 1/2" trade size, 6 outlet holes, 30.5 cu. in. | 12 |
| W2B75-6X | 3/4" trade size, 6 outlet holes, 30.5 cu. in. | 12 |
| W2B50-7 | 1/2" trade size, 7 outlet holes, 30.5 cu. in. | 12 |
| W2B75-7 | 3/4" trade size, 7 outlet holes, 30.5 cu. in. | 12 |
| W2B50-7X | 1/2" trade size, 7 outlet holes, 30.5 cu. in. | 12 |
| W2B75-7X | 3/4" trade size, 7 outlet holes, 30.5 cu. in. | 12 |
| W2B50-9 | 1/2" trade size, 9 outlet holes, 30.5 cu. in. | 12 |
| W2B75-9 | 3/4" trade size, 9 outlet holes, 30.5 cu. in. | 12 |


TWO-GANG DEVICE COVERS

| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|---|---|-----------|
|  W2BC | 2 GANG WEATHERPROOF BLANK COVE | 25 |
| W2BC-WH | 2 GANG WEATHERPROOF BLANK COVE, white | 25 |
| W2BC-BRZ | 2 GANG WEATHERPROOF BLANK COVE, bronze | 25 |
| W2C-2D | 2 DUPLEX RECEPTACLES | 12 |
| W2BC-G | HEAVY DUTY GALVANIZED BLANK COVER | 25 |
| W2C-2G | 2 GFCI RECEPTACLES | 12 |
| W2C-2S | 2 SINGLE RECEPTACLES 1.406" DIAMETER | 12 |
| W2C-GD | 1 GFCI & 1 DUPLEX RECEPTACLE | 12 |
| W2C-GS | 1 GFCI & 1 SINGLE RECEPTACLE | 12 |
| W2C-SD | 1 DUPLEX & 1 SINGLE RECEPTACLE 1.41" DIAMETER | 12 |
| W2C-SW | 2 LEVERS + 2-15A SINGLE POLE SWITCHES -NOT INCLUDED | 12 |
| W2CL-P050 | 40-50A RECEPTACLE, 2.125" DIAMETER, LOCKABLE | 12 |
| W2CL-P060 | 60A RECEPTACLE, 2.468" DIAMETER, LOCKABLE | 12 |
| W2C-DH | OVER-SIZED DUPLEX, HORIZONTAL | 12 |

SERVICE ENTRANCE CAPS

| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|---|--------------------------------|-----------|
|  WC2-50 | SERVICE ENTRANCE CAPS, DIE-CAS | 15 |
| WC2-75 | SERVICE ENTRANCE CAPS, DIE-CAS | 10 |
| WC2-100 | SERVICE ENTRANCE CAPS, DIE-CAS | 7 |
| WC2-125 | SERVICE ENTRANCE CAPS, DIE-CAS | 5 |
| WC2-150 | SERVICE ENTRANCE CAPS, DIE-CAS | 4 |
| WC2-200 | SERVICE ENTRANCE CAPS, DIE-CAS | 4 |
| WC2-250 | SERVICE ENTRANCE CAPS, DIE-CAS | 1 |
| WC2-300 | SERVICE ENTRANCE CAPS, DIE-CAS | 1 |
| WC2-350 | SERVICE ENTRANCE CAPS, DIE-CAS | 1 |
| WC2-400 | SERVICE ENTRANCE CAPS, DIE-CAS | 1 |


TWO-GANG DEEP BOXES | 2-5/8" DEEP

| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|---|---|-----------|
|  W2DB50-5 | 1/2" trade size, 5 outlet holes, 40.3 cu. in. | 9 |
| W2DB75-5 | 3/4" trade size, 5 outlet holes, 40.3 cu. in. | 9 |
| W2DB100-5 | 1" trade size, 5 outlet holes, 40.3 cu. in. | 9 |
| W2DB50-7X | 1/2" trade size, 7 outlet holes, 40.3 cu. in. | 9 |
| W2DB75-7X | 3/4" trade size, 7 outlet holes, 40.3 cu. in. | 9 |
| W2DB100-7X | 1" trade size, 7 outlet holes, 40.3 cu. in. | 9 |


TWO-GANG EXTENSION BOXES | 1-9/16" DEEP

| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|---|---|-----------|
|  W2XB50-6 | 1/2" trade size, 6 outlet holes, 15.0 cu. in. | 9 |
| W2XB75-6 | 3/4" trade size, 6 outlet holes, 15.0 cu. in. | 9 |
| W2XB50-8 | 1/2" trade size, 8 outlet holes, 15.0 cu. in. | 9 |
| W2XB75-8 | 3/4" trade size, 8 outlet holes, 15.0 cu. in. | 9 |


THREE-GANG DEVICE COVER

| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|---|-------------------------------------|-----------|
|  W3BC | BLANK COVER | 7 |
| W3C-3D | 3 DUPLEX RECEPTACLES | 7 |
| W3C-3G | 3 GFCI RECEPTACLES | 7 |
| W3C-3S | 3 SINGLE 1.41" DIAMETER RECEPTACLES | 7 |

THREE-GANG DEEP BOXES | 2-5/8" DEEP

| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|---|---|-----------|
|  W3DB50-7 | 1/2" trade size, 7 outlet holes, 54.0 cu. in. | 10 |
| W3DB75-7 | 3/4" trade size, 7 outlet holes, 54.0 cu. in. | 10 |
| W3DB100-7 | 1" trade size, 7 outlet holes, 54.0 cu. in. | 10 |




ROUND EXTENSION BOXES | 4" DEEP

| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|---|---|-----------|
|  WB50-5 | 1/2" trade size, 5 outlet holes, 15.8 cu. in. | 16 |
| WB50-5-WH | 1/2" trade size, 5 outlet holes, 15.8 cu. in., white | 16 |
| WB50-5-BRZ | 1/2" trade size, 5 outlet holes, 15.8 cu. in., bronze | 16 |
| WB75-5 | 3/4" trade size, 5 outlet holes, 54.0 cu. in | 16 |


ROUND COVERS | 4" DEEP

| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|--|---|-----------|
|  WRC-1 | 1/2" trade size, 1 outlet holes | 25 |
| WRC-1-WH | 1/2" trade size, 1 outlet holes, white | 25 |
| WRC-1-BRZ | 1/2" trade size, 1 outlet holes, bronze | 25 |
|  WRC-2 | 1/2" trade size, 2 outlet holes | 25 |
| WRC-2-WH | 1/2" trade size, 2 outlet holes, white | 25 |
| WRC-2-BRZ | 1/2" trade size, 2 outlet holes, bronze | 25 |
|  WRC-3 | 1/2" trade size, 3 outlet holes | 25 |
| WRC-3-WH | 1/2" trade size, 3 outlet holes, white | 25 |
| WRC-3-BRZ | 1/2" trade size, 3 outlet holes, bronze | 25 |
|  W4RBC | 4" round blank cover with gasket | 50 |




ONE-GANG RECTANGULAR COVERS

| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|---|---|-----------|
|  WRE-1 | 1/2" trade size, 1 outlet holes | 25 |
| WRE-1-WH | 1/2" trade size, 1 outlet holes, white | 25 |
| WRE-1-BRZ | 1/2" trade size, 1 outlet holes, bronze | 25 |
|  WRE-2 | 1/2" trade size, 2 outlet holes | 25 |
| WRE-2-WH | 1/2" trade size, 2 outlet holes, white | 25 |
| WRE-2-BRZ | 1/2" trade size, 2 outlet holes, bronze | 25 |
|  WRE-3 | 1/2" trade size, 3 outlet holes | 25 |
| WRE-3-WH | 1/2" trade size, 3 outlet holes, white | 25 |
| WRE-3-BRZ | 1/2" trade size, 3 outlet holes, bronze | 25 |



ONE-GANG EXTENSION BOXES | 1-3/8" DEEP

| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|---|--|-----------|
|  WB50-4 | 1/2" trade size, 4 outlet holes, 9.5 cu. in. | 12 |
| WB75-4 | 3/4" trade size, 4 outlet holes, 9.5 cu. in. | 12 |
| WB50-6 | 1/2" trade size, 6 outlet holes, 9.5 cu. in | 12 |
| WB75-6 | 3/4" trade size, 6 outlet holes, 9.5 cu. in. | 12 |


ONE-GANG FLANGED EXTENSION BOXES | 1-9/16" DEEP

| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|--|---|-----------|
|  WXF50-2 | 1/2" trade size, 2 outlet holes, 13.5 cu. in. | 10 |
| WXF75-2 | 3/4" trade size, 2 outlet holes, 13.5 cu. in. | 10 |
|  WXF50-4 | 1/2" trade size, 4 outlet holes, 13.5 cu. in. | 10 |
| WXF75-4 | 3/4" trade size, 4 outlet holes, 13.5 cu. in. | 10 |
|  WXF50-6 | 1/2" trade size, 6 outlet holes, 13.5 cu. in. | 10 |
| WXF75-6 | 3/4" trade size, 6 outlet holes, 13.5 cu. in | 10 |


ONE-GANG FLANGED EXTENSION RING | 1" DEEP

| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|--|--------------------------------|-----------|
|  WXR-1 | 1 GANG W/P EXTENSION RING | 24 |
| WXR-2 | 2 GANG W/P EXTENSION RING | 12 |
|  WXR50-4 | 4" ROUND W/P EXT. BOX 4 1/2" H | 16 |
| WXR75-4 | 4" ROUND W/P EXT. BOX 4 3/4" H | 16 |
| WRC-GASKET | Universal 1-gang foam gasket | 25 |


THREADED CONDUIT BODIES | LB SERIES

| | CATALOG NO. | TRADE SIZE | LENGTH | WIDTH | HEIGHT | PKG. QTY. |
|---|-----------------|------------|---------------|----------|----------|-----------|
|  | LB-50CG | 1/2" | 4-5/16" | 1-5/16" | 2-11/32" | 10 |
| | LB-75CG | 3/4" | 5-3/32" | 1-9/16" | 2-5/8" | 10 |
| | LB-100CG | 1" | 5-29/32" | 1-13/16" | 3" | 5 |
| | LB-125CG | 1-1/4" | 7-13/16" | 2-1/2" | 3-3/4" | 2 |
| | LB-150CG | 1-1/2" | 7-13/16" | 2-1/2" | 3-3/4" | 2 |
| | LB-200CG | 2" | 10-1/16" | 3-3/16" | 4-3/4" | 1 |
| | LB-250CG | 2-1/2" | 12-13/16" 12- | 4-1/2" | 5-9/16" | 1 |
| | LB-300CG | 3" | 13/16" | 4-1/2" | 6-5/32" | 1 |
| | LB-400CG | 4" | 15-5/8" | 5-9/16" | 7-9/16" | 1 |


THREADED CONDUIT BODIES | LL SERIES

| | CATALOG NO. | TRADE SIZE | LENGTH | WIDTH | HEIGHT | PKG. QTY. |
|---|-----------------|------------|---------------|----------|--------|-----------|
|  | LL-50CG | 1/2" | 4-5/16" | 2-1/32" | 1-5/8" | 10 |
| | LL-75CG | 3/4" | 5-3/32" | 2-5/16" | 1-7/8" | 10 |
| | LL-100CG | 1" | 5-29/32" | 2-11/16" | 2-1/8" | 5 |
| | LL-125CG | 1-1/4" | 7-13/16" | 3-1/2" | 2-3/4" | 2 |
| | LL-150CG | 1-1/2" | 7-13/16" | 3-1/2" | 2-3/4" | 2 |
| | LL-200CG | 2" | 10-1/16" | 4-9/32" | 3-5/8" | 1 |
| | LL-250CG | 2-1/2" | 12-13/16" 12- | 5-7/8" | 4-1/4" | 1 |
| | LL-300CG | 3" | 13/16" | 5-7/8" | 4-3/4" | 1 |
| | LL-400CG | 4" | 15-5/8" | 7-21/32" | 5-7/8" | 1 |


THREADED CONDUIT BODIES | LR SERIES

| | CATALOG NO. | TRADE SIZE | LENGTH | WIDTH | HEIGHT | PKG. QTY. |
|--|-----------------|------------|---------------|----------|--------|-----------|
|  | LR-50CG | 1/2" | 4-5/16" | 2-1/32" | 1-5/8" | 10 |
| | LR-75CG | 3/4" | 5-3/32" | 2-5/16" | 1-7/8" | 10 |
| | LR-100CG | 1" | 5-29/32" | 2-11/16" | 2-1/8" | 5 |
| | LR-125CG | 1-1/4" | 7-13/16" | 3-1/2" | 2-3/4" | 2 |
| | LR-150CG | 1-1/2" | 7-13/16" | 3-1/2" | 2-3/4" | 2 |
| | LR-200CG | 2" | 10-1/16" | 4-9/32" | 3-5/8" | 1 |
| | LR-250CG | 2-1/2" | 12-13/16" 12- | 5-7/8" | 4-1/4" | 1 |
| | LR-300CG | 3" | 13/16" | 5-7/8" | 4-3/4" | 1 |
| | LR-400CG | 4" | 15-5/8" | 7-21/32" | 5-7/8" | 1 |


THREADED CONDUIT BODIES | C SERIES

| | CATALOG NO. | TRADE SIZE | LENGTH | WIDTH | HEIGHT | PKG. QTY. |
|---|----------------|------------|----------|----------|--------|-----------|
|  | C-50CG | 1/2" | 4-11/16" | 1-5/16" | 1-5/8" | 10 |
| | C-75CG | 3/4" | 5-1/2" | 1-9/16" | 1-7/8" | 10 |
| | C-100CG | 1" | 6-7/16" | 1-13/16" | 2-1/8" | 5 |
| | C-125CG | 1-1/4" | 8-3/8" | 2-1/2" | 2-3/4" | 2 |
| | C-150CG | 1-1/2" | 8-3/8" | 2-1/2" | 2-3/4" | 2 |
| | C-200CG | 2" | 10-9/16" | 3-3/16" | 3-5/8" | 1 |
| | C-250CG | 2-1/2" | 13-1/2" | 4-1/2" | 4-1/4" | 1 |
| | C-300CG | 3" | 13-1/2" | 4-1/2" | 4-3/4" | 1 |
| | C-400CG | 4" | 16-5/16" | 5-9/16" | 5-7/8" | 1 |


THREADED CONDUIT BODIES | T SERIES

| | CATALOG NO. | TRADE SIZE | LENGTH | WIDTH | HEIGHT | PKG. QTY. |
|---|----------------|------------|----------|----------|--------|-----------|
|  | T-50CG | 1/2" | 4-11/16" | 2-1/32" | 1-5/8" | 10 |
| | T-75CG | 3/4" | 5-1/2" | 2-5/16" | 1-7/8" | 10 |
| | T-100CG | 1" | 6-7/16" | 2-11/16" | 2-1/8" | 5 |
| | T-125CG | 1-1/4" | 8-3/8" | 3-1/2" | 2-3/4" | 2 |
| | T-150CG | 1-1/2" | 8-3/8" | 3-1/2" | 2-3/4" | 2 |
| | T-200CG | 2" | 10-9/16" | 4-9/32" | 3-5/8" | 1 |
| | T-250CG | 2-1/2" | 13-1/2" | 5-7/8" | 4-1/4" | 1 |
| | T-300CG | 3" | 13-1/2" | 5-7/8" | 4-3/4" | 1 |
| | T-350CG | 3-1/2" | 16-5/16" | 7-21/32" | 5-7/8" | 1 |
| T-400CG | 4" | 16-5/16" | 7-21/32" | 5-7/8" | 1 | |

THREADED CONDUIT BODIES | SLB SERIES

| | CATALOG NO. | TRADE SIZE | LENGTH | WIDTH | HEIGHT | PKG. QTY. |
|---|----------------|------------|----------|----------|----------|-----------|
|  | SLB-50 | 1/2" | 3-9/32" | 1-3/8" | 1-5/8" | 20 |
| | SLB-75 | 3/4" | 3-19/32" | 1-9/16" | 1-27/32" | 20 |
| | SLB-100 | 1" | 4-5/16" | 1-31/32" | 2-1/8" | 10 |


COVERS & GASKETS FOR THREADED CONDUIT BODIES

| | CATALOG NO. | TRADE SIZE | LENGTH | WIDTH | HEIGHT | PKG. QTY. |
|---|-------------------|------------|----------|-----------|--------|-----------|
|  | CG-50 | 1/2" | 3-7/8" | 1-5/16" | - | 100 |
| | CG-75 | 3/4" | 4-11/16" | 1-9/16" | - | 50 |
| | CG-100 | 1 | 5-3/8" | 1-3/4" | - | 50 |
| | CG-125/150 | 1-1/4" & | 7-5/16" | 2-1/2" | - | 25 |
| | CG-200 | 1-1/2" | 9-1/2" | 3-1/8" | - | 10 |
| | CG-250/300 | 2" | 12-1/16" | 4-7/16" | - | 10 |
| | CG-350/400 | 2-1/2" | 15-1/16" | 5/9/2016" | - | 5 |


LAMP HOLDERS

| | CATALOG NO. | DESCRIPTION | PKG. QTY. |
|---|---------------------|---|-----------|
|  | LH150-1 | STANDARD WEATHERPROOF LAMP HOLDER | 20 |
| | LH150-1-BRZ | STANDARD WEATHERPROOF LAMP HOLDER, white | 12 |
| | LH150-1-WH | STANDARD WEATHERPROOF LAMP HOLDER, bronze | 12 |
| | LH150-GASKET | Silicon Gasket For LH150 | 20 |


LAMP HOLDERS

| | CATALOG NO. | DESCRIPTION | PKG. QTY. |
|---|------------------|--|-------------|
|  | PL-50 | CLOSE-UP PLUG 1/2" - 50 PER BA | 500 per bag |
| | PL-50-BRZ | CLOSE-UP PLUG 1/2" - 50 PER BA, BRONZE | 500 per bag |
| | PL-50-WH | CLOSE-UP PLUG 1/2" - 50 PER BA, WHITE | 500 per bag |
| | PL-75 | CLOSE-UP PLUG 3/4" - 50 PER BA | 500 per bag |
| | PL-100 | CLOSE-UP PLUG 1" - 50 PER BAG | 200 per bag |


PORCELAIN LAMP HOLDERS

| | CATALOG NO. | DESCRIPTION | PKG. QTY. |
|---|------------------|---|-----------|
|  | M507CW-UL | E26, PORCELAIN LAMPHOLDER WITH PULL CHAIN, 4 TERMINAL SCREWS, 660W/250V RATING, WHITE | 48 |

PLASTIC LAMP HOLDERS

| | CATALOG NO. | DESCRIPTION | PKG. QTY. |
|---|------------------|--|-----------|
|  | M507C-UL | E26, BAKELITE KEYLESS LAMPHOLDER WITH 2 TERMINAL SCREWS, 660W/250V RATING, WHITE | 108 |
| | M507CW-UL | E26, BAKELITE LAMPHOLDER WITH PULL CHAIN, 2 TERMINAL SCREWS, 660W/250V RATING, WHITE | 108 |


ANGLE PLUG, GENERAL PURPOSE CORDS | 125V-13A, GRAY

| | CATALOG NO. | DESCRIPTION | PKG. QTY. |
|---|---------------|---|-----------|
|  | GPA3-2 | SPT-2 16AWG/ 3 CONDUCTOR, ANGLE PLUG, NEMA 5-15P, 125V, GRAY, 3FT | 100 |
| | GPA6-2 | SPT-2 16AWG/ 3 CONDUCTOR, ANGLE PLUG, NEMA 5-15P, 125V, GRAY, 6FT | 100 |
| | GPA8-2 | SPT-2 16AWG/ 3 CONDUCTOR, ANGLE PLUG, NEMA 5-15P, 125V, GRAY, 8FT | 100 |

STRAIGHT PLUG, GENERAL PURPOSE CORDS | 125V-13A, GRAY

| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|---|--|-----------|
|  GPS3-2 | SPT-2 16AWG/ 3 CONDUCTOR, STRAIGHT PLUG, NEMA 5-15P, 125V, GRAY, 3FT | 100 |
| GPS6-2 | SPT-2 16AWG/ 3 CONDUCTOR, STRAIGHT PLUG, NEMA 5-15P, 125V, GRAY, 6FT | 100 |
| GPS8-2 | SPT-2 16AWG/ 3 CONDUCTOR, STRAIGHT PLUG, NEMA 5-15P, 125V, GRAY, 8FT | 100 |

STRAIGHT PLUG WITH VINYL INSULATION

| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|--|--------------------------------------|-----------|
|  EX123-100 | Replacement Cords For Range Or Dryer | |
| EX143-50 | Replacement Cords For Range Or Dryer | |

DIRECTIONAL ARMORED GROUND CLAMP WITH STEEL SCREWS

| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|--|-------------------------------------|-----------|
|  MVP98 | TRADE SIZE 1/2"- 1" WIRE SIZE 4-6-8 | 100 |

FEED-THROUGH ARMORED GROUND CLAMP WITH STEEL SCREWS

| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|--|--------------------------------------|-----------|
|  MVP99 | TRADE SIZE 1/2"- 1" WIRE SIZE 4-6-8, | 100 |


FEED-THROUGH ARMORED GROUND CLAMP WITH STEEL SCREWS

| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|---|--|-----------|
|  MVP94-50 | 1/2" FEED-THROUGH ARMORED GROUND CLAMP | 100 |
| MVP94-75 | 3/4" FEED-THROUGH ARMORED GROUND CLAMP | 100 |

FEED-THROUGH ARMORED GROUND CLAMP WITH CABLE ADAPTOR

| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|---|---|-----------|
|  MVP99-360-1C | TRADE SIZE 1/2"- 1" WIRE SIZE 4-6-8, MASTER 80 WITH 1 ARMORED CABLE ADAPTOR | 80 |
| MVP99-360-2C | TRADE SIZE 1/2"- 1" WIRE SIZE 4-6-8, MASTER 80 WITH 2 ARMORED CABLE ADAPTOR | 80 |


STEEL JACK CHAIN & FIXTURE HANGER

| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|--|--|-----------|
|  CH-1212 | Steel jack chain, 100ft., 12GA, (Meets weight requirements for Linear High Bays) | |
| CH-1010 | Steel jack chain, 100ft., 10GA | |
| FH-S | Side mount Steel fixture hangers, 10GA | |
| FH-E | End mount Steel fixture hangers, 10GA | |
| LH-SCREW | Steel flat hanger screw with single hole, 1/4" x 3" | |

OCCUPANCY/VACANCY SENSORS

| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|---|---|-----------|
|  YM183-W | Occupancy PIR Sensor, 180°, 30FT (720FT), 120V 800/1200W max, Single Pole, Neutral Req. | |
| YM2108-W | Vacancy & Occupancy PIR Sensor, 180°, 30FT (720FT), 120V 800/1200W max, Single Pole, Neutral Req. | |
| YM2108-T-W | Vacancy & Occupancy PIR Sensor, 180°, 25FT (600FT), 120V 600/1000W max, 3-Way, Neutral Req. | |

2 VERTICAL USB PORT 5V DC

| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|---|------------------------------|-----------|
|  USB2-15TR-WH | 15A Receptacle W/2 USB Ports | |
| USB2-20TR-WH | 20A Receptacle W/2 USB Ports | |

FINAL PRODUCTION DEALS

"WHILE SUPPLIES LAST"

LED ADJUSTABLE CUTOFF WALL PACK, 120-277V

TYPE 2 LENS

Dark Bronze & White




| CATALOG NO. | DESCRIPTION |
|--------------------|---------------------------|
| LWA-50CW-WH | 50W 5200LM 5000K |
| LWA-50WW-WH | 50W 4900LM 3000K |
| LWA-120NW | 120W 13700LM 4000K |
| LWA-120WW | 120W 13700LM 5000K |

LED CUTOFF WALL PACK, 120-277V



| CATALOG NO. | DESCRIPTION | REPLACEMENT RANGE |
|-----------------|-------------------------|-------------------|
| LWP-22CW | 22W 2000LM 5000K | 50-100 MH |
| LWP-80CW | 80W 7900LM 5000K | 320-400 MH |

LED ROTATABLE WALL PACKS, 120-277V



| CATALOG NO. | DESCRIPTION |
|-------------------------|-------------------------|
| LW360-25W-50K-WH | 25W 3375LM 5000K |
| LW360-60W-30K | 60W 8100LM 3000K |

LED NON-CUTOFF WALL PACK WITH GLASS LENS, 120-277V

Dark Bronze



| CATALOG NO. | DESCRIPTION |
|---------------------|---------------------------|
| WML-30CW-SM | 30W 3200LLM 5000K |
| WML-60CW | 60W 6600LM 5000K |
| WML-60NW | 60W 6400LM 4000K |
| WML-120WW-LG | 120W 12000LM 3000K |

LED NON-CUTOFF WALL PACKS, 120-277V



| CATALOG NO. | DESCRIPTION |
|------------------------|---------------------------|
| WML-HL-100W-30K | 100W 14800LM 3000K |
| WML-HL-30W-30K | 30W 4200LM 3000K |
| WML-HL-30W-40K | 30W 4200LM 4000K |
| WML-HL-60W-30K | 60W 8700LM 3000K |
| WML-HL-80W-30K | 80W 11600LM 3000K |
| WML-HL-80W-50K | 80W 11600LM 5000K |

Items displayed in this sheet will no longer be reproduced.

FINAL DEALS

FINAL PRODUCTION DEALS

"WHILE SUPPLIES LAST"

LED NON-CUTOFF WALL PACKS WITH DIRECTIONAL OPTIC LENS



| CATALOG NO. | DESCRIPTION |
|---------------------------|-------------------------|
| WML2-28W-50K-HL-SM | 28W 3780LM 5000K |
| WML2-50W-30K-HL | 48W 6000LM 3000K |
| WML2-50W-30K-SM | 50W 5500LM 3000K |

LED SMALL NON-CUTOFF WALL PACK WITH PHOTOCELL, 120V



| CATALOG NO. | DESCRIPTION | REPLACEMENT RANGE | PKG. QTY. |
|-----------------------|-------------------------|-------------------|-----------|
| LESW-12W-30K-P | 12W 1225LM 3000K | 50-70MH | 6 |

LF2 ARCHITECTURAL FLOOD LIGHTS, 120-277V



| CATALOG NO. | DESCRIPTION | REPLACEMENT RANGE |
|--------------------|---------------------------------|-------------------|
| LF2-10CW-TR | 10W 942LM 5000K TRUNNION | 90-100 MH |
| LF2-10WW-TR | 10W 900LM 3000K TRUNNION | 90-100 MH |

12V LED GARDEN LIGHT



| CATALOG NO. | DESCRIPTION |
|-----------------|-----------------------|
| LF12-6NW | 6W 450LM 4000K |

LED FLOOD LIGHTS LF3 SERIES w/ SLIP FITTER, 120-277V

Dark Bronze



| CATALOG NO. | DESCRIPTION | REPLACEMENT RANGE |
|---------------------|---------------------------|-------------------|
| LF3-80WW-SF | 80W 9600LM 3000K | 150-250 MH |
| LF3-220WW-SF | 220W 22000LM 3000K | 350-400 MH |
| LF3-300WW-SF | 300W 30800LM 3000K | 1000 MH |

Items displayed in this sheet will no longer be reproduced.

FINAL PRODUCTION DEALS

"WHILE SUPPLIES LAST"

MOUNTING ACCESSORIES FOR LF3 SERIES

| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|-------------------|--|-----------|
| LF3-EXTARM | Straight Extension Arm For Shoe Box Application, W/ K/O To Install PC Or Sensor (LF3-80-300) | 6 |
| LF3-STR | Street Light Arm 6" Long With 20" Wire And Strain Relief Connector (LF3-80-300) | 6 |
| LF3-SF | Adjustable Slip Fitter For Pole Mount 2"-2-1/2", W/ K/O To Install PC Or Sensor (LF3-80-300) | 6 |
| LF3-PK | Photocell Kit For LF3-80W, 100W, 150W Field Installed | |
| LF3-WG3 | WIRE GUARD FOR LF3-HL-80W/100W/150W | |
| LF3-WG4 | WIRE GUARD FOR LF3-HL-230W | |
| LF3-WMA | WALL MOUNTING PLATE FOR LF3 AND LF3-HL SERIES | |



ACCESSORIES FOR LF3 HL CSERIES

| CATALOG NO. | DESCRIPTION |
|---------------------------------|--|
| LF3-EXTARM | STRAIGHT EXTENSION ARM FOR SHOE BOX APPLICATION, WITH K/O TO INSTALL PC OR |
| LF3-HL-ASA | ADJUSTABLE STRAIGHT ARM FOR LF3-HL SERIES |
| LF3-HL-EXT | STRAIGHT EXTENSION ARM FOR SHOE BOX APPLICATION |
| LF3-HL-PMR1 | ROUND POLE MOUNT FOR LF3-HL-80W/100W/150W |
| LF3-HL-PMR2 | ROUND POLE MOUNT FOR LF3-HL-300W |
| LF3-HL-PMS1 | SQUARE POLE MOUNT FOR LF3-HL-80W/100W/150W |
| LF3-HL-RSF | ROUND SLIP FITTER FOR LF3-HL SERIES |
| LF3-HL-SF | ADJUSTABLE SLIP FITTER FOR POLE MOUNT |
| LF3-HL-TR-230/300W | U BRACKET FOR LF3-HL-230W&300W |
| LF3-HL-TR-80/100/150W | U BRACKET FOR LF3-HL-80W,100W, AND 150W. |
| LF3-HL-TYPEIV-100W | TYPE 4 LENS FOR LF3-HL SERIES 100W (ORDER 2) |
| LF3-HL-YK-100W/150W/230W | ADJUSTABLE U SHAPE YOKE MOUNT FOR LF3-HL-100W/150W/230W |
| LF3-HL-YK-300W | ADJUSTABLE U SHAPE YOKE MOUNT FOR LF3-HL-300W |

ECONOMY FLOOD/AREA LIGHT SERIES TYPE 3 LENSES



| CATALOG NO. | DESCRIPTION |
|---------------------|-------------------------------|
| LFCO-80W-40K | 80W 10800LM 4000K |
| LFCO-80W-50K | 80W 10800LM 5000K |
| LFCO-TR1 | "U" Bracket For 80W 100W 150W |
| LFCO-TR2 | "U" Bracket For 300W |



LED ARCHITECTURAL FLOOD LIGHTS LF4 SERIES, 120V-277V



| CATALOG NO. | DESCRIPTION |
|--------------------|-------------------------|
| LF4-30WW-TR | 30W 3100LM 3000K |
| LF4-50WW-TR | 50W 5400LM 3000K |
| LF4-80CW-TR | 80W 9500LM 5000K |



FINAL DEALS

FINAL PRODUCTION DEALS

"WHILE SUPPLIES LAST"

LED BULLET FLOOD LIGHTS w/ 1/2" KNUCKLE (1st Gen.)



| CATALOG NO. | DESCRIPTION | REPLACEMENT RANGE | PKG. QTY. |
|---------------------|-------------------------------|-------------------|-----------|
| FLD-12WW-WH | 12W 800LM 3000K WHITE | 100 PAR | 6 |
| FLD-30CW-WH | 30W 2500LM 5000K WHITE | 70-100 MH | 6 |
| FLD-30WW-WH | 30W 2450LM 3000K WHITE | 70-100 MH | 6 |
| FLD-30CW-GRN | 30W 2500LM 5000K GREEN | 70-100 MH | 6 |



DIMMABLE SECURITY LIGHTS



| CATALOG NO. | DESCRIPTION |
|------------------------|-------------------------|
| SL-28W-30K-BZ-D | 28W 3400LM 3000K |
| SL-28W-30K-WH-D | 28W 3400LM 3000K |
| SL-28W-50K-WH-D | 28W 3400LM 5000K |
| SL-30W-30K-BZ-D | 30W 2800LM 3000K |
| SL-30W-30K-WH-D | 30W 2800LM 3000K |
| SL-30W-50K-WH-D | 30W 2800LM 5000K |
| SL-40W-30K-BZ-D | 40W 4800LM 3000K |
| SL-40W-50K-BZ-D | 40W 4800LM 5000K |



PHOTOCELL SECURITY LIGHTS



| CATALOG NO. | DESCRIPTION |
|------------------------|-------------------------|
| SL-28W-30K-BZ-P | 28W 3400LM 3000K |
| SL-28W-30K-WH-P | 28W 3400LM 3000K |
| SL-28W-50K-WH-P | 28W 3400LM 5000K |
| SL-30W-30K-BZ-P | 30W 2800LM 3000K |
| SL-30W-30K-WH-P | 30W 2800LM 3000K |
| SL-30W-50K-BZ-P | 30W 2800LM 5000K |
| SL-30W-50K-WH-P | 30W 2800LM 5000K |



LED RESIDENTIAL LANTERNS



| CATALOG NO. | DESCRIPTION |
|---------------------|-------------------------|
| LRS-B-40K-PC | 6W 550LM 4000K |
| LRS-C-30K-D | 12W 1100LM 3000K |
| LRS-C-40K-D | 12W 1100LM 4000K |
| LRS-D-30K-D | 12W 1100LM 3000K |
| LRS-D-40K-D | 12W 1100LM 4000K |



FINAL DEALS

FINAL PRODUCTION DEALS

"WHILE SUPPLIES LAST"

CREST ENGINES



| CATALOG NO. | DESCRIPTION |
|-----------------------------|--------------------------------|
| CRE-EGN-40K-BR | 10W(2.5WX4) 900LM 4000K |
| CRE-EGN-50K-BR | 10W(2.5WX4) 900LM 5000K |
| CRE-EGN-HL20-30K-BR | 20W(5WX4) 1800LM 3000K |
| CRE-EGN-HL20-30K-SIL | 20W(5WX4) 1800LM 3000K |

4" CYLINDER LIGHTS, 120V, IP65



| CATALOG NO. | DESCRIPTION |
|--------------------------|-------------------------|
| WMC-DL-15W-50K-BN | 15W 1144LM 5000K |

LED DECORATIVE WALL SCONCE, 120V



| CATALOG NO. | DESCRIPTION |
|----------------------|-------------------------|
| LDS-12W-30K-D | 12W 1200LM 3000K |

LR ECO ARM



| CATALOG NO. | DESCRIPTION |
|-------------------|--|
| LR-ECO-ARM | 90° Arm for LR-ECO Series.(Mounting Strap Incl.) |

LED STREET/ROADWAY LIGHTS_w/NEMA TWIST-LOCK PHOTOCELL SOCKET, (SHORTING CAP INCL.)



| CATALOG NO. | DESCRIPTION |
|-----------------------|--------------------------|
| STL2-80W-30K | 80W 10800LM 3000K |
| STL3-50W-30K-L | 50W 6750LM 3000K |

STADIUM LIGHTS, 120-277V



| CATALOG NO. | DESCRIPTION |
|-------------------|-----------------------------------|
| SFX-G5-RB | ROTATABLE BASE FOR SFX SERIES |
| SFX-G5-SF | SLIP FITTER FOR SFX SERIES |
| SFX-G5-SH2 | SHROUD FOR 1000W - FOR SFX SERIES |

FINAL DEALS

FINAL PRODUCTION DEALS

"WHILE SUPPLIES LAST"

LED GAS STATION/CANOPY LIGHT, 120-277V



| CATALOG NO. | DESCRIPTION | REPLACEMENT RANGE | PKG. QTY. |
|---------------------------|------------------------------|-------------------|-----------|
| GS-CANOPY-150W-50K | 150W 20558LM 5000K | 250-400 MH | 1 |
| GS-CANOPY-SMB | GS Surface Mounting Shoe Box | | - |



BOLLARD ROUND FROSTED LENS ACCESSORY

| CATALOG NO. | DESCRIPTION |
|---------------------|-------------|
| BOL-R-ACC-FL | |

MOTION SENSORS FOR OUTDOOR


| CATALOG NO. | DESCRIPTION |
|--------------------------|--|
| WEC-2P-44 | 0-10V PIR 6-24VDC TROFFER SENSOR DIP |
| WEC-3MDR-42 | 0-10V MW 120-277V SENSOR DIP & RC |
| WEC-3MR-4-BR | 90-DEGREE IP67 MICROWAVE SENSOR, REMOTE CAPABLE, BRONZE |
| WEC-3MR-4-WH | 90-DEGREE IP67 MICROWAVE SENSOR, REMOTE CAPABLE, WHITE |
| WEC-3MRLV-5-GY | 0-10V MW LOW-VOLTAGE DIMMER WITH REMOTE DRIVER 120-277V REMOTE CAPABLE - GRAY |
| WEC-3MRLV-5-WH | 0-10V MW LOW-VOLTAGE DIMMER WITH REMOTE DRIVER 120-277V REMOTE CAPABLE - WHITE |
| WEC-3PDR-52 | 0-10V PIR 120-277V SENSOR DIP & RC |
| WEC-3PDR-52CAP-BR | REPLACEMENT CAP WITH LENS FOR BRI823 BRONZE TO MATCH COLOR OF LIGHTS |
| WEC-ON50-WH | SENSOR MOUNTING OFFSET NIPPLE, 1/2 INCH SIZE , WHITE |



LED HIGH-LUMEN UFO HIGH BAY, 110° BEAM ANGLE- HOOK WITH 3/4" THREAD



| CATALOG NO. | DESCRIPTION |
|---------------------------|---|
| ULHB-100W-50K-480V | 100W 13000LM 5000K |
| ULHB-90KIT-200/240 | 90 Degree Reflector and Glass Kit for 200W & 240W (Conversion from default 110° beam angle) |
| ULHB-ALR-100/150 | Aluminum Reflector for 100W & 150W |
| ULHB-ALR-200/240 | Aluminum Reflector for 200W & 240W |
| ULHB-EMK | Emergency Battery Backup Kit for 120-277V UFO High Bays (All wattages) |
| ULHB-FL-200/240 | FROSTED LENS FOR ULHB 200-240W |
| ULHB-FL-50/100/150 | FROSTED LENS FOR ULHB 50-150W |
| ULHB-PCC-100/150 | Polycarbonate Cover for 100W & 150W (for ULHB-PCR-100/150 only) - Increases heat captured |
| ULHB-PCC-200/240 | Polycarbonate Cover for 200W & 240W (for ULHB-PCR-200/240 only) - Increases heat cap- |
| ULHB-PCR-100/150 | Polycarbonate Reflector for 100W & 150W |
| ULHB-SC-100/150 | Safety Cable for 100W & 150W |
| ULHB-SC-200/240 | Safety Cable for 200W & 240W |
| ULHB-SK | Ultrasonic Bi-Level (Dimming) Motion Sensor Kit for 120-277V UFO High Bays |
| ULHB-SK-480V | Ultrasonic Bi-Level (Dimming) Motion Sensor Kit for 480V UFO High Bays |
| ULHB-SMB-100/150 | Surface Mount Bracket for 100W & 150W |
| ULHB-SMB-200/240 | Surface Mount Bracket for 200W & 240W |
| ULHB-WG-100/150 | Wire Guard for 100W & 150W |
| ULHB-WG-200/240 | Wire Guard for 200W & 240W |



FINAL DEALS

FINAL PRODUCTION DEALS

"WHILE SUPPLIES LAST"

LED SATURN ARCHITECTURAL HIGH BAY



| CATALOG NO. | DESCRIPTION |
|----------------------|---------------------------|
| USHB-200W-50K | 200W 26000LM 5000K |



LED FOOD SERVICE & LABORATORY HIGH BAY



| CATALOG NO. | DESCRIPTION |
|----------------------|---------------------------|
| UFHB-150W-50K | 150W 20250LM 5000K |



LED LINEAR VAPOR LIGHT



| CATALOG NO. | DESCRIPTION |
|----------------------------|---------------------------|
| LLVT-8FT-65W-40K-D | 65W 8450LM 4000K |
| LLVT-4FT-150W-50K-D | 150W 20250LM 5000K |



SPEC SERIES 4TH GENERATION OF LINEAR HIGH BAYS

| CATALOG NO. | DESCRIPTION |
|------------------------|---|
| LLHB-CL-120/180 | CLEAR LENS FOR LLHB 120W & 180W |
| LLHB-OC-REMOTE | INDOOR HIGHBAY OCCUPANCY SENSOR WITH BI-LEVEL DIMMING - NEEDS LLHB-OC-REMOTE TO CHANGE SETTINGS |

SPEC SERIES 4TH GENERATION OF LINEAR HIGH BAYS, 480V



| CATALOG NO. | DESCRIPTION |
|-------------------------|---------------------------|
| LLHB4-100W-50K-D | 100W 15500LM 5000K |
| LLHB4-200W-50K-D | 200W 31000LM 5000K |



HIGH-LUMEN LED CORN LAMP WITH UP LIGHT, 100-277V AC



| CATALOG NO. | DESCRIPTION |
|-------------------------------|-------------------------------|
| CL-HL-18W-50K-E26 | 18W 2340LM 5000K E26 |
| CL-HL-27W-30K-E26 | 27W 3510LM 3000K E26 |
| CL-HL-36W-50K-E39 | 36W 4680LM 5000K E39 |
| CL-HL-45W-30K-E39 | 45W 5850LM 3000K E39 |
| CL-HL-45W-50K-E39 | 45W 5850LM 5000K E39 |
| CL-HL-54W-30K-E39 | 54W 7020LM 3000K E39 |
| CL-HL-54W-50K-E39 | 54W 7020LM 5000K E39 |
| CL-HL-75W-30K-E39 | 75W 9750LM 3000K E39 |
| CL-HL-75W-50K-E39 | 75W 9750LM 5000K E39 |
| CL-HL-125W-50K-E39-NRW | 125W 16250LM 5000K E39 |






FINAL DEALS

FINAL PRODUCTION DEALS

"WHILE SUPPLIES LAST"

LED HIGH POWER LAMPS, 120-277V



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|---|---|-----------|
|  HPL-16W-30K-E26 | 16W 2000LM 3000K E26 Medium Base | 20 |
|  HPL-24W-30K-E26 | 24W 3000LM 3000K E26 Medium Base | 20 |
|  HPL-HB-60W-50K-E39 | 60W 6480LM 5000K E39 Mogul Base | 4 |
| HPL-HB-75W-50K-E39 | 75W 8100LM 5000K E39 Mogul Base | 4 |
| HPL-HB-100W-50K-E39 | 100W 12500LM 5000K E39 Mogul Base | 4 |
| HPL-HB-R1 | Optional PC Reflector for HPL-HB-60W | 12 |
| HPL-HB-R3 | Optional PC Reflector for HPL-HB-120W & HPL-HB-140W | 8 |

LED BACKLIT PANEL LIGHT, 100-277VAC



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|---|-----------------------------|-----------|
|  LPNG-2X2-4KLM-27K-D | 40W 3800LM 2700K | 4 |
| LPNG-2X2-MCTP | 20/30/40W 3500K/4000K/5000K | 4 |
|  LPNG-2X4-4KLM-50K-D | 40W 4200LM 5000K | 4 |
| LPNG-2X4-5KLM-50K-D | 50W 5250LM 5000K | 4 |
| LPNG-2X4-5KLM-35K-D | 50W 5140LM 3500K | 4 |
|  LPNG-1X4-4KLM-27K-D | 40W 3800LM 2700K | 4 |

LED PANEL LIGHTS




| CATALOG NO. | DESCRIPTION |
|---|-------------------------|
|  LP-1X4-45W-40K-D | 45W 5175LM 4000K |
| LP-1X4-45W-50K-D | 45W 5175LM 5000K |
|  LP-2X2-45W-35K-D | 45W 5175LM 3500K |
| LP-2X2-45W-40K-D | 45W 5175LM 4000K |
| LP-2X2-45W-50K-D | 45W 5175LM 5000K |
|  LP-2X4-60W-35K-D | 60W 6900LM 3500K |
| LP-2X4-60W-40K-D | 60W 6900LM 4000K |
| LP-2X4-60W-50K-D | 60W 6900LM 5000K |

PREMIUM HIGH-OUTPUT LED PANELS, 125LM/W



| CATALOG NO. | DESCRIPTION |
|--|-------------------------|
|  LP-2X4-50W-40K-D-HL | 50W 6260LM 4000K |
| LP-2X4-50W-50K-D-HL | 50W 6260LM 5000K |

LED PANEL LIGHTS (2X2 & 2X4)- MULTI WATTAGE, 110LM/W

| CATALOG NO. | DESCRIPTION |
|--|----------------------------------|
|  LP-2X2-MW-40K-DS | 30W,35W,40W,50W N/A 4000K |
| LP-2X4-MW-35K-DS | 30W,35W,40W,50W N/A 3500K |
| LP-2X4-MW-40K-DS | 30W,35W,40W,50W N/A 4000K |

FINAL PRODUCTION DEALS

"WHILE SUPPLIES LAST"

LED PANEL LIGHTS WITH EMERGENCY BATTERY BACKUP



| CATALOG NO. | DESCRIPTION |
|--|------------------|
|  LP-1X4-40W-40K-DS-EM | 40W 4400LM 4000K |
|  LP-1X4-40W-50K-DS-EM | 40W 4400LM 5000K |
|  LP-2X2-40W-40K-DS-EM | 40W 4400LM 4000K |
|  LP-2X2-40W-50K-DS-EM | 40W 4400LM 5000K |
|  LP-2X4-60W-40K-DS-EM | 60W 6600LM 4000K |

LED PANEL LIGHTS



| CATALOG NO. | DESCRIPTION |
|---|------------------|
|  LP-1X4-40W-27K-DS | 40W 3600LM 2700K |
|  LP-2X2-40W-35K-DS | 40W 4200LM 3500K |
|  LP-2X2-40W-40K-DS | 40W 4400LM 4000K |
|  LP-2X2-40W-50K-DS | 40W 4400LM 5000K |
|  LP-2X4-60W-27K-DS | 60W 5400LM 2700K |
|  LP-2X4-60W-35K-DS | 60W 6300LM 3500K |
|  LP-2X4-60W-40K-DS | 60W 6600LM 4000K |
|  LP-2X4-60W-50K-DS | 60W 6600LM 5000K |
|  LP-2X4-72W-27K-DS | 72W 6480LM 2700K |
|  LP-2X4-72W-35K-DS | 72W 7560LM 3500K |
|  LP-2X4-72W-40K-DS | 72W 7920LM 4000K |

SINGLE CCT T-BAR GRID LIGHTS



| CATALOG NO. | DESCRIPTION |
|---|------------------|
|  TGL-2X4-30K | 60W 6000LM 3000K |

INTERNAL-DRIVER LED SURFACE MOUNT PANELS, (1X4 & LARGER CAN BE RECESS MOUNTED)




| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|---|--------------------------|--------------|
|  LPS-1X4-50K-D | 40W 4000LM 5000K 1' X 4' | 120-277VAC 1 |
|  LPS-1X4-40K-D | 40W 4000LM 4000K 1' X 4' | 120-277VAC 1 |
|  LPS-2X2-50K-D | 40W 4400LM 5000K 2' X 2' | 120-277VAC 1 |
|  LPS-2X4-50K-D | 50W 5500LM 5000K 2' X 4' | 120-277VAC 1 |
|  LPS-2X4-40K-D | 50W 5500LM 4000K 2' X 4' | 120-277VAC 1 |


DURABLE (PC BODY) TROFFER LIGHTS, 140LM/W



| CATALOG NO. | DESCRIPTION |
|--|------------------|
|  LTRP-2X2-35W-40K-D | 35W 4900LM 4000K |
|  LTRP-2X2-35W-50K-D | 35W 4900LM 5000K |
|  LTRP-2X4-50W-50K-D | 50W 6850LM 5000K |

LED DIRECT-INDIRECT (METAL HOUSING+PC LENS) TROFFERS



| CATALOG NO. | DESCRIPTION |
|---|--------------------------------------|
|  LTR-2X4-50W-40K-D | 50W 5590LM 4000K |
| LTR-SRFC-2X4 | SURFACE MOUNTING KIT FOR 2X4 TROFFER |



FINAL DEALS

FINAL PRODUCTION DEALS

"WHILE SUPPLIES LAST"


HIGH LUMEN LED RETROFIT BASKET TROFFER



| CATALOG NO. | DESCRIPTION |
|---|-------------------------|
|  LRT-HL-2X2-40W-40K-D | 40W 5200LM 4000K |
|  LRT-HL-2X4-50W-40K-D | 50W 6500LM 4000K |


SCX LINEAR SERIES



| CATALOG NO. | DESCRIPTION |
|--|--------------------------|
|  SCX-2FT-20W-30K-D | 20W 2240LM 3000K |
| SCX-2FT-20W-35K-D | 20W 2300LM 3500K |
| SCX-2FT-20W-40K-D | 20W 2360LM 4000K |
| SCX-2FT-20W-50K-D | 20W 2420LM 5000K |
| SCX-3FT-30W-30K-D | 30W 3360LM 3000K |
| SCX-6FT-60W-35K-D | 60W 6900LM 3500K |
| SCX-6FT-60W-50K-D | 60W 7260LM 5000K |
| SCX-8FT-80W-30K-D | 80W 8960LM 3000K |
| SCX-8FT-80W-35K-D | 80W 9200LM 3500K |
| SCX-ULM-8FT-32W-50K | UPLIGHT FOR SCX |
| SCX-T-40K | SCX SERIES T SECTION 40K |

LED PARABOLIC SUSPENDED LIGHT



| CATALOG NO. | DESCRIPTION |
|--|------------------------------------|
|  SCLP-4FT-40W-35K-D | 40W 4600LM 3500K |
| SCLP-4FT-40W-40K-D | 40W 4600LM 4000K |
| SCLP-4FT-40W-50K-D | 40W 4600LM 5000K |
|  SCLP-UD-4FT-60W-35K-D | 40W/20W 4400LM/2100LM 3500K |
| SCLP-UD-4FT-60W-40K-D | 40W/20W 4400LM/2100LM 4000K |
| SCLP-UD-4FT-60W-50K-D | 40W/20W 4400LM/2100LM 5000K |

LED PARABOLIC SUSPENDED LIGHT



| CATALOG NO. | DESCRIPTION |
|---|-------------------------|
|  SCLT-4FT-40W-35K-D | 40W 4600LM 3500K |
| SCLT-4FT-40W-40K-D | 40W 4600LM 4000K |
| SCLT-4FT-40W-50K-D | 40W 4600LM 5000K |

LED SUSPENDED UP/DOWN CLEAR PANEL LIGHT, 120-277V (SUSPENSION & CORD NOT INCL.)



| CATALOG NO. | DESCRIPTION |
|---|--------------------------------|
|  SPL-4FT-40W-40K-D | 40W 2100LM/2100LM 4000K |
| SPL-4FT-40W-50K-D | 40W 2100LM/2100LM 5000K |

LED SUSPENDED UP/DOWN CLEAR ROUND PANEL LIGHT, 22" DIA., 6FT HEIGHT



| CATALOG NO. | DESCRIPTION |
|---|--------------------------------|
|  SRPL-40W-35K-D | 40W 2100LM/2100LM 3500K |
| SRPL-40W-40K-D | 40W 2100LM/2100LM 4000K |
| SRPL-40W-50K-D | 40W 2100LM/2100LM 5000K |

FINAL PRODUCTION DEALS

"WHILE SUPPLIES LAST"

LED ARCHITECTURAL ROUND SUSPENDED DOWN LIGHT, 24" DIA, 6FT HEIGHT



| CATALOG NO. | DESCRIPTION |
|----------------------|------------------|
| SCR-24D-40K-D | 50W 5197LM 4000K |
| SCR-24D-50K-D | 50W 5267LM 5000K |



ADJ. 6FT 1/16in DOUBLE SUSPENSION KIT

| CATALOG NO. | DESCRIPTION |
|----------------|---|
| SCL-CSY | ADJ. 6FT 1/16in DOUBLE SUSPENSION KIT WITH Y DOUBLE KEY HOLE CONNECTORS, CANOPIES, T-BAR CLIPS, ACCESSORIES |



SPEC SERIES LED ARCHITECTURAL WRAP-AROUND LIGHT



| CATALOG NO. | DESCRIPTION |
|-------------------------|------------------------------|
| WA-2FT-25W-35K-D | 25W 2750LM 3500K |
| WA-2FT-25W-40K-D | 25W 2750LM 4000K |
| WA-2FT-25W-50K-D | 25W 2750LM 5000K |
| WA-4FT-30W-MCT-D | 30W 3200LM 3500K/4000K/5000K |



BUILDER SERIES LED ECONOMY WRAP-AROUND FIXTURES




| CATALOG NO. | DESCRIPTION |
|-----------------------|------------------------------|
| WAE-2FT-MCT-DT | 20W 1600LM 3000K/4000K/5000K |



4FT. LED T8-EZ5 GLASS LAMPS



| CATALOG NO. | DESCRIPTION |
|--------------------------------|------------------|
| T8-EZ5-GS-4FT-18W-40K-F | 18W 2100LM 4000K |
| T8-EZ5-GS-4FT-18W-50K-C | 18W 2100LM 5000K |
| T8-EZ5-GS-4FT-18W-50K-F | 18W 2100LM 5000K |



LED T8 2FT, PLASTIC ALUMINUM TUBE



| CATALOG NO. | DESCRIPTION |
|---------------------------------|------------------|
| T8-EZ6-AHL-2FT-15W-40K-F | 15W 1650LM 4000K |



8FT. LED T8 LAMPS



| CATALOG NO. | DESCRIPTION |
|-------------------------|------------------|
| T8-8FT-40W-40K-F | 40W 4800LM 4000K |
| T8-8FT-40W-50K-C | 40W 4800LM 5000K |
| T8-8FT-40W-50K-F | 40W 4800LM 5000K |



4FT. LED T8-EZ4 LAMPS



| CATALOG NO. | DESCRIPTION |
|----------------------------|------------------|
| T8-EZ4-HL-15W-40K-C | 15W 2100LM 4000K |



FINAL DEALS

FINAL PRODUCTION DEALS

"WHILE SUPPLIES LAST"

4FT. LED T8 LAMPS



| CATALOG NO. | DESCRIPTION |
|---------------------------|------------------|
| T8-4FT-18W-35K-D-F | 18W 1900LM 3500K |



LED 4FT T8 TYPE B, SINGLE/DOUBLE ENDED



| CATALOG NO. | DESCRIPTION |
|---------------------------------|------------------|
| T8-4FT-TYPB-2E-18W-40K-C | 18W 2200LM 4000K |



4FT. T8 LED GLASS LAMPS DIMMABLE DIRECT A/C (one end N+L)



| CATALOG NO. | DESCRIPTION |
|-----------------------------|------------------|
| T8-4FT-DIM-18W-35K-C | 18W 1900LM 3500K |
| T8-4FT-DIM-18W-35K-F | 18W 1900LM 3500K |
| T8-4FT-DIM-18W-40K-C | 18W 2150LM 4000K |
| T8-4FT-DIM-18W-50K-C | 18W 2150LM 5000K |
| T8-4FT-DIM-18W-50K-F | 18W 2150LM 5000K |



4FT. LED T5 GLASS LAMPS



| CATALOG NO. | DESCRIPTION |
|--------------------------|------------------|
| T5-TYPA-27W-40K-F | 27W 3200LM 4000K |



CRL ENGINES AND TRIMS

| CATALOG NO. | DESCRIPTION |
|------------------------|------------------|
| CRL-EGN-18W-30K | 18W 1639LM 3000K |
| CRL-EGN-18W-50K | 18W 1639LM 5000K |
| CRL-EGN-27W-30K | 27W 2387LM 3000K |
| CRL-EGN-27W-40K | 27W 2387LM 4000K |
| CRL-EGN-40W-30K | 40W 3447LM 3000K |
| CRL-EGN-40W-40K | 40W 3447LM 4000K |
| CRL-EGN-40W-50K | 40W 3447LM 5000K |
| CRL-EGN-54W-40K | 54W 4500LM 4000K |
| CRL-EGN-54W-50K | 54W 4500LM 5000K |
| CRL-TRM-8 | 8" Trim for CRL |



CRLC ENGINES

| CATALOG NO. | DESCRIPTION |
|---------------------------|------------------|
| CRLC-EGN-15W-30K-D | 15W 1200LM 3000K |
| CRLC-EGN-15W-40K-D | 15W 1245LM 4000K |
| CRLC-EGN-15W-50K-D | 15W 1275LM 5000K |
| CRLC-EGN-20W-50K-D | 20W 1720LM 5000K |



LED VANITY LIGHT, 120-277VAC



| CATALOG NO. | DESCRIPTION |
|------------------------|------------------|
| LVL-2FT-17W-30K | 17W 1900LM 3000K |



FINAL PRODUCTION DEALS

"WHILE SUPPLIES LAST"






LED TRACK LIGHTS, 120V



| CATALOG NO. | DESCRIPTION |
|---|------------------------|
|  TRI-R-10W-WH-40K | 10W 691LM 4000K |
|  TRI-S-10W-BK-30K | 10W 681LM 3000K |
|  TRI-S-10W-BK-40K | 10W 706LM 4000K |
| TRI-S-10W-WH-30K | 10W 681LM 3000K |
| TRI-S-10W-WH-40K | 10W 706LM 4000K |
| TRI-S-10W-WH-50K | 10W 732LM 5000K |

SINGLE CCT LED TRIMS 3", 4", 5/6" E26 included in the box
(JA8-E-2016 COMPLIANT)



| CATALOG NO. | DESCRIPTION | PKG. QTY. | |
|---|------------------------|--|----|
|  SMOOTH | RDL3-27K-WP | 9W 540LM 2700K 3" | 20 |
| | RDL3-30K-WP | 9W 540LM 3000K 3" | 20 |
| | RDL3-41K-WP | 9W 540LM 4100K 3" | 20 |
| | RDL3-50K-WP | 9W 540LM 5000K 3" | 20 |
|  SMOOTH | RDL4-27K-WP | 12W 650LM 2700K 4" | 12 |
| | RDL4-30K-WP | 12W 700LM 3000K 4" | 12 |
| | RDL4-35K-WP | 12W 725LM 3500K 4" | 12 |
| | RDL4-41K-WP | 12W 750LM 4100K 4" | 12 |
| | RDL4-50K-WP | 12W 800LM 5000K 4" | 12 |
| | RDL4-65K-WP | 12W 850LM 6500K 4" | 12 |
|  SMOOTH | RDL6-27K-WP | 19W 1200LM 2700K 5/6" | 8 |
| | RDL6-30K-WP | 19W 1250LM 3000K 5/6" | 8 |
| | RDL6-35K-WP | 19W 1275LM 3500K 5/6" | 8 |
| | RDL6-41K-WP | 19W 1300LM 4100K 5/6" | 8 |
| | RDL6-50K-WP | 19W 1350LM 5000K 5/6" | 8 |
| | RDL6-65K-WP | 19W 1400LM 6500K 5/6" | 8 |
|  BAFFLE | RDL4-BF-27K | 10W 650LM 2700K 4" | 24 |
| | RDL4-BF-30K | 10W 680LM 3000K 4" | 24 |
| | RDL4-BF-35K | 10W 720LM 3500K 4" | 24 |
| | RDL4-BF-41K | 10W 746LM 4100K 4" | 24 |
| | RDL4-BF-50K | 10W 761LM 5000K 4" | 24 |
|  BAFFLE | RDL6-BF-27K | 18W 1102LM 2700K 5/6" | 16 |
| | RDL6-BF-30K | 18W 1204LM 3000K 5/6" | 16 |
| | RDL6-BF-30K-ORB | 18W 1204LM 3000K 5/6" Oil-Rubbed Bronze | 16 |
| | RDL6-BF-35K | 18W 1280LM 3500K 5/6" | 16 |
| | RDL6-BF-41K | 18W 1300LM 4100K 5/6" | 16 |
| | RDL6-BF-50K | 18W 1350LM 5000K 5/6" | 16 |
|  ADJUSTABLE EYEBALL | RDL4-ADJ-41K | 10W 650LM 4100K 4" | 12 |
| | RDL4-ADJ-50K | 10W 650LM 5000K 4" | 12 |
| | RDL6-ADJ-50K | 13W 900LM 5000K 5/6" | 8 |

4" LED SQUARE TRIMS



| CATALOG NO. | DESCRIPTION |
|--|------------------------|
|  SDL4-BF-27K | 10W 600LM 2700K |
| SDL4-BF-30K | 10W 650LM 3000K |
| SDL4-BF-50K | 10W 700LM 5000K |

FINAL DEALS

FINAL PRODUCTION DEALS

"WHILE SUPPLIES LAST"


SINGLE CCT LED ULTRA SLIM RECESSED LIGHTS, 120V



| CATALOG NO. | DESCRIPTION |
|---|------------------|
|  RSL3-27K | 6W 400LM 2700K |
| RSL3-50K | 6W 420LM 5000K |
| RSL4-27K | 9W 630LM 2700K |
| RSL4-30K | 9W 630LM 3000K |
| RSL4-30K-BN | 9W 630LM 3000K |
| RSL4-40K | 9W 650LM 4000K |
| RSL4-50K | 9W 650LM 5000K |
|  RSL6-40K | 15W 1125LM 4000K |
| RSL6-50K | 15W 1125LM 5000K |
| RSL8-40K | 18W 1300LM 4000K |
| RSL8-50K | 18W 1300LM 5000K |
|  RSL12-30K | 24W 1800LM 3000K |
| RSL12-40K | 24W 1800LM 4000K |
| RSL12-50K | 24W 1800LM 5000K |

SINGLE CCT LED ULTRA SLIM RECESSED LIGHTS, 120V



| CATALOG NO. | DESCRIPTION |
|---|---|
|  SSL4-50K | 9W 650LM 5000K |
| SSL6-27K | 15W 1125LM 2700K |
| SSL6-30K | 15W 1125LM 3000K |
| SSL6-40K | 15W 1125LM 4000K |
| SSL6-MCT | 15W 1125-1200LM MULTI-CCT:3000K/4000K/5000K |


4" SINGLE CCT LED ADJUSTABLE PULL-DOWN ULTRA SLIM RECESSED LIGHTS



| CATALOG NO. | DESCRIPTION |
|--|-----------------|
|  RSL4-APD-27K | 12W 700LM 2700K |
| RSL4-APD-50K | 12W 700LM 5000K |

LED ADJUSTABLE ULTRA SLIM RECESSED LIGHTS



| CATALOG NO. | DESCRIPTION |
|--|-----------------|
|  RSL4-ADJ-27K | 9W 700LM 2700K |
| RSL4-ADJ-30K | 9W 700LM 3000K |
| RSL4-ADJ-40K | 9W 700LM 4000K |
| RSL6-ADJ-30K | 12W 900LM 3000K |

2" LED RECESSED LIGHTS (Baffle)(JA8-E-2016 COMPLIANT)



| CATALOG NO. | DESCRIPTION |
|---|----------------|
|  RDL2S-BF-40K-WH | 8W 600LM 4000K |
| RDL2S-BF-50K-WH | 8W 600LM 5000K |

2" LED RECESSED LIGHTS (Baffle)(JA8-E-2016 COMPLIANT)



| CATALOG NO. | DESCRIPTION |
|---|----------------|
|  SDL2S-BF-27K-WH | 8W 600LM 2700K |
| SDL2S-BF-40K-WH | 8W 600LM 4000K |
| SDL2S-BF-50K-WH | 8W 600LM 5000K |

FINAL PRODUCTION DEALS

"WHILE SUPPLIES LAST"

3" LED ADJUSTABLE (EYEBALL) RECESSED LIGHTS (JA8-E-2016 COMPLIANT)



| CATALOG NO. | DESCRIPTION |
|---|-----------------------|
|  SDL3S-ADJ-27K-WH | 8W 600LM 2700K |
| SDL3S-ADJ-30K-WH | 8W 600LM 3000K |
| SDL3S-ADJ-40K-WH | 8W 600LM 4000K |

DUSK-TO-DAWN AREA LIGHT, 120-277V

| CATALOG NO. | DESCRIPTION |
|--|------------------------|
|  LRD-EGN-10W-27K-D | 10W 700LM 2700K |
| LRD-EGN-10W-30K-D | 10W 700LM 3000K |
| LRD-EGN-10W-35K-D | 10W 700LM 3500K |
| LRD-EGN-10W-40K-D | 10W 700LM 4000K |
| LRD-EGN-10W-50K-D | 10W 700LM 5000K |

Junction box included with fixtures

LED 5CCT CLOUD FIXTURE WITH PRE-INSTALLED SENSOR, 120V



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|--|---|-----------|
|  FCRB-16-MCT5-SEN | 20W 1400LM 27K/30K/35K/40K/50K 16" DIA | 8 |

12V LED DIRECTIONAL LIGHTS - ALUMINUM



| CATALOG NO. | DESCRIPTION |
|---|-------------------------|
|  FCS-11-12W-40K | 15W 1100LM 4000K |

12V LED DIRECTIONAL LIGHTS - ALUMINUM



| CATALOG NO. | DESCRIPTION |
|---|-------------------------|
|  FCR-14-18W-40K | 22W 1800LM 4000K |

LED DRUM FIXTURES, 120V



| CATALOG NO. | DESCRIPTION |
|---|---|
|  FDL-14-20W-30K | 20W 1500LM 3000K 14" |
| FDL-14-20W-40K | 20W 1500LM 4000K 14" |
| FDL-14-MCT5 | 20W 1500LM 27K/30K/35K/40K/50K 14" |
| FDL-16-25W-30K | 25W 1800LM 3000K 16" |
| FDL-16-25W-40K | 25W 1800LM 4000K 16" |
| FDL-16-MCT5 | 24W 1800LM 27K/30K/35K/40K/50K 16" |
| FDL-18-30W-30K | 30W 2250LM 3000K 18" |
| FDL-18-30W-40K | 30W 2250LM 4000K 18" |

FINAL DEALS

FINAL PRODUCTION DEALS

"WHILE SUPPLIES LAST"

BUILDER SERIES 6" LED ECONOMY DISC LIGHT, 120V



| | CATALOG NO. | DESCRIPTION | PKG. QTY. |
|--|---------------------|-------------------------------------|-----------|
| | DLSE4-MCT | 9W 540LM 3000K/4000K/5000K | 20 |
| | DLSE6-40K | 15W 900LM 4000K | 20 |
| | DLSE6-50K | 15W 900LM 5000K | 20 |
| | DLSE6-MCT-BN | 15W 1000LM 3000K/4000K/5000K | 20 |

LED DISC LIGHT 4" & 6" 120V (J-BOX MOUNTING)(JA8-E-2016 COMPLIANT)



| | CATALOG NO. | DESCRIPTION | PKG. QTY. |
|--|------------------|-------------------------|-----------|
| | DLSN4-50K | 10W 600LM 5000K | 20 |
| | DLSN6-27K | 15W 1000LM 2700K | 20 |
| | DLSN6-30K | 15W 1000LM 3000K | 20 |
| | DLSN6-50K | 15W 1000LM 5000K | 20 |

SPEC SERIES HIGH-PERFORMANCE DISC LIGHTS, 120V DIE CAST ALUMINUM, ALL MOUNTING OPTIONS INCL.



| | CATALOG NO. | DESCRIPTION | PKG. QTY. |
|--|--------------------|--|-----------|
| | DLS4-30K | 9W 550-600LM 3000K | 20 |
| | DLS4-41K | 9W 550-600LM 4000K | 20 |
| | DLS4-50K | 9W 550-600LM 5000K | 20 |
| | DLS6-41K | 15W 950-1000LM 4000K | 20 |
| | DLS6-30K-BN | 15W 950-1000LM 3000K BRUSHED NICKEL | 20 |

LED PL LAMPS

| | CATALOG NO. | DESCRIPTION |
|--|------------------------|-----------------------|
| | LPL-MB-9W-H-40K | 9W 800LM 4000K |

LED LINKABLE STRIP WITH INTERNAL DRIVER, 120VAC DIRECT, DIMMABLE




| | CATALOG NO. | DESCRIPTION | MAX RUN | PKG. QTY. |
|--|--------------------------|--------------------------------------|---------|-----------|
| | T5-12IN-5W-30K-D | 5W 575LM 3000K 1FT. | 15' | 24 |
| | T5-12IN-5W-40K-D | 5W 575LM 4000K 1FT. | 15' | 24 |
| | T5-12IN-5W-50K-D | 5W 625LM 5000K 1FT. | 15' | 24 |
| | T5-22IN-9W-30K-D | 9W 1035LM 3000K 2FT. | 24' | 24 |
| | T5-22IN-9W-40K-D | 9W 1035LM 4000K 2FT. | 24' | 24 |
| | T5-22IN-9W-50K-D | 9W 1125LM 5000K 2FT. | 24' | 24 |
| | T5-47IN-16W-30K-D | 16W 1840LM 3000K 4FT. | 31' | 24 |
| | T5-47IN-16W-50K-D | 16W 2000LM 5000K 4FT. | 31' | 24 |
| | T5-6FT-PC | 6 FT. Plug-in Power Cord | - | - |
| | T5-6FT-PCS | 6 FT. Plug-in Power Cord with Switch | - | - |
| | T5-8IN-JUMP | 8" Linking Cable | - | - |
| | T5-6FT-PT | 6' AC Input Wire (PIGTAIL) | - | - |
| | T5-COUPLER | Coupler (1 Included) | - | - |
| | T5-MAGSET | Clip-on Secure Magnet Set | - | - |

FINAL PRODUCTION DEALS

"WHILE SUPPLIES LAST"

LED T5 RETROFIT LAMPS WITH INTERNAL DRIVER




| CATALOG NO. | DESCRIPTION | MAX RUN | PKG. QTY. |
|--|-----------------------------|---------|-----------|
|  T5-22IN-9W-40K | 9W 1035LM 4000K 2FT | 24' | 24 |
| T5-22IN-9W-50K | 9W 1125LM 5000K 2FT | 24' | 24 |
| T5-47IN-16W-40K | 16W 1840LM 4000K 4FT | 31' | 24 |
| T5-47IN-16W-50K | 16W 2000LM 5000K 4FT | 31' | 24 |
|  T5-6FT-PC | 6 FT. Plug-in Power Cord | - | - |
| T5-6FT-PCS | 7 FT. Plug-in Power Cord | - | - |
| T5-8IN-JUMP | 8" Linking Cable | - | - |
| T5-6FT-PT | 6' AC Input Wire (PIGTAIL) | - | - |
| T5-COUPLER | Coupler (1 Included) | - | - |
| T5-MAGSET | Clip-on Secure Magnet Set | - | - |

LED PUCK LIGHTS, 120V INTERNAL DRIVERS Surface/Recess



6Ft. Power Cord with In-Line switch



| CATALOG NO. | DESCRIPTION | PKG. QTY. |
|---|---|-----------|
|  PL12ADJ-30K-BK | 4.5W 250LM 3000K PLASTIC WHITE 1LIGHT | 50 |
| PL12ADJ-40K-BK | 4.5W 250LM 4000K PLASTIC BRUSHED NICKEL 1LIGHT | 50 |
| PL12ADJ-50K-BK | 4.5W 250LM 5000K PLASTIC BLACK 1LIGHT | 50 |

12-VOLT AC/DC INTEGRATED LED LANDSCAPE UPLIGHTS



| CATALOG NO. | DESCRIPTION | WHILE SUPPLIES LAST | PKG. QTY. |
|---|---|---------------------|-----------|
|  LFLV-7W-27K | 7W 500LM 2700K BRONZE 40° ADJUSTABLE HOOD | | 12 |
| LFLV-7W-30K | 7W 500LM 3000K BRONZE 40° ADJUSTABLE HOOD | | 12 |
| LFLV-7W-40K | 7W 550LM 4000K BRONZE 40° ADJUSTABLE HOOD | | 12 |
| LFLV-7W-50K | 7W 550LM 5000K BRONZE 40° ADJUSTABLE HOOD | | 12 |
|  LFLV-12W-27K | 12W 800LM 2700K BRONZE 60° ADJUSTABLE HOOD | | 12 |
| LFLV-12W-30K | 12W 800LM 3000K BRONZE 60° ADJUSTABLE HOOD | | 12 |
| LFLV-12W-40K | 12W 900LM 4000K BRONZE 60° ADJUSTABLE HOOD | | 12 |
| LFLV-12W-50K | 12W 900LM 5000K BRONZE 60° ADJUSTABLE HOOD | | 12 |

12V LED DIRECTIONAL LIGHTS - ALUMINUM

| CATALOG NO. | DESCRIPTION |
|------------------|------------------------------|
| AD-130-BR | 5W 400LM 3000K Bronze |



WELL LIGHTS WITH SLEEVE & LED LAMPS

| CATALOG NO. | DESCRIPTION |
|--|-----------------------|
|  WL-105-1-BK | 5W 400LM 3000K |
|  WL-157-BK | 5W 400LM 3000K |
|  WL-157-FGBZ | 5W 400LM 3000K |
|  WL-181-BR | 5W 400LM 3000K |
| WL-181-BZ | 5W 400LM 3000K |


FINAL PRODUCTION DEALS

"WHILE SUPPLIES LAST"


12V LED PATH LIGHTS

| CATALOG NO. | DESCRIPTION |
|---|-----------------------|
|  LAL-126-BR | 3W 200LM 3000K |
| LAL-126-SIL | 3W 200LM 3000K |


WET LOCATION COMBINATION LED EXIT SIGN & INCANDESCENT EMERGENCY, 120-277V, 11-3/4"(W) x 18-1/4"(H) x 3-3/4"(D)

| CATALOG NO. | NUMBER OF FACES | LETTER COLOR | HOUSING | BATTERY |
|---|-----------------|--------------|---------|---------|
|  XT-CWP-GG-EM | Single Face | Green | Gray | NiCd |



LED EMERGENCY DRIVER

| CATALOG NO. | DESCRIPTION |
|--|--|
|  ELB-2548-EXTR | LED EMERGENCY DRIVER FOR LED PRODUCTS WITH EXTERNAL DRIVER, UL RECOGNIZED 120-277 INPUT 25W 90 ... |

SENSOR, IP66

| CATALOG NO. | DESCRIPTION |
|--|--|
|  MSK-IP66-KN | Ultrasonic Bi-Level Outdoor Lighting Sensor Kit with DIP Switch Settings |
| MSO-IP66-KN | OUTDOOR BI-LEVEL PROGRAMMABLE MOTIONS SENSOR WITH 1/2" KNUCKLE |

EXTENSION CORD

| CATALOG NO. | DESCRIPTION |
|--|---|
|  EX143-25 | SJTW 14Awg/3C, 25 Ft, 13A, 125V, Outside Extension Cord, 10 Pcs/Ctn |
| EX163-50 | SJTW 14Awg/3C, 50 Ft, 13A, 125V, Outside Extension Cord, 8 Pcs/Ctn |
|  EXL143-50 | SJTW 14Awg/3C, 50 Ft, 15A, 125V, Blue Outdoor Extension Cord, Lighted Plug, 6 Pcs/Ctn |
| EXL123-50 | SJTW 3C/12Awg, 50 Ft, 15A, 125V, Blue Outdoor Extension Cord, Lighted Plug, 4 Pcs/Ctn |

STRAIGHT ANGLE PLUG WITH THICK VINYL INSULATION

| CATALOG NO. | DESCRIPTION |
|---|--|
|  DRY4 | Heavy-Duty Strain Relief Protects Cord Resulting In Longer Cord Life |
| DRY5 | Heavy-Duty Strain Relief Protects Cord Resulting In Longer Cord Life |

FINAL DEALS

Westgate Series INDEX

| WG Series | Page No. | WG Series | Page No. | WG Series | Page No. | WG Series | Page No. | WG Series | Page No. | WG Series | Page No. | WG Series | Page No. |
|--------------|----------|------------|----------|--------------|----------|---------------------|----------|-----------------|----------|-------------------|----------|-----------|----------|
| A19 | 166 | EVC | 72 | LDL | 83 | LRS-Q | 28 | RDP52 | 144 | STP | 13 | W1B | 205 |
| A19-FLA | 168 | EW-16 | 202 | LDLS | 152 | LRS-R | 22 | RDP52-ADJ | 144 | T | 209 | W1C | 205 |
| A-41 | 189 | EX | 211 | LDS | 24 | LRS-S | 22 | REMOTES | 71 | T12-EZX | 130 | W1D | 206 |
| AA-146 | 184 | EXPF | 54 | LDSC | 24 | LRS-S | 26 | RHN4X | 203 | T5 | 76 | W2B | 206 |
| AA-RG | 190 | FCD | 160 | LDSL | 24 | LRS-SWG | 26 | RMS | 76 | T5-D | 195 | W2C | 207 |
| AA-STEM | 183 | FCRB | 157 | LDS-PIR | 24 | LRS-T | 22 | RSL | 152 | T5-EZ6-GS | 130 | W2D | 207 |
| AD | 181 | FCRB-SEN | 157 | LDSS | 23 | LRS-TU | 22 | RSL ACCESSORIES | 150 | T5-TYPA | 130 | W2X | 207 |
| AD018 | 180 | FCR-MCT5 | 157 | LDSW | 23 | LRS-V | 27 | RSL45-BF | 153 | T8-DIM | 129 | W3B | 207 |
| AD120 | 43 | FCS | 158 | LDSX | 23 | LRS-WS | 27 | RSL-ADJ | 152 | T8-EZ6-GS | 129 | W3C | 207 |
| AD120 | 180 | FDLH | 135 | LDSXL | 24 | LRT-HL | 92 | RSL-ADJ-FR | 151 | T8-EZ6-U2F | 128 | W3D | 207 |
| AS | 186 | FDLH | 157 | LEDDR | 176 | LRX | 48 | RSL-ADJ-G2 | 151 | T8-EZX-GS | 128 | WA | 117 |
| B-41 | 189 | FDLS | 158 | LEDTFX | 202 | LSC | 135 | RSL-ADJ-MCT5 | 151 | T8-EZX-PRO | 128 | WAE | 118 |
| BKH | 9 | FEL | 89 | LESW | 13 | LSC | 186 | RSL-ADJ-WP | 151 | T8-EZX-TB | 128 | WAS | 117 |
| BOL-44 | 68 | FLD2 | 43 | LESW-EM | 203 | LSL | 115 | RSL-APD | 152 | T8-HL | 130 | WAX | 7 |
| BOL-502 | 66 | FLD3 | 43 | LF12 | 46 | LSN | 114 | RSL-APD-MCT5 | 151 | T8-HL-DIM | 130 | WCLP | 112 |
| BOL-505 | 66 | FLDF | 42 | LF12 | 180 | LSP | 117 | RSLC | 151 | T8-HL-SPLIT | 130 | WCP | 112 |
| BOL-602 | 67 | FLDVX | 41 | LF3-HL-KN | 36 | LS-REPL | 190 | RSLC6 | 134 | T8-TYPB | 129 | WE167 | 189 |
| BOL-608 | 67 | FLDXPRO | 41 | LF3-KN | 36 | LSS | 113 | RSL-D2W | 149 | T8-U2F-EZ3 | 128 | WEC-MOD | 71 |
| BOL-G2 | 65 | FLDX-RGBW | 42 | LF3-TR | 37 | LSWN | 189 | RSL-FRM | 148 | TC | 29 | WEC-SW | 71 |
| BOL-G4-SOLAR | 63 | FLDX-RGBW | 170 | LF4-SHROUD | 36 | LSWX | 13 | RSL-G2 | 148 | TC-A19 | 169 | WF-DR | 141 |
| BOL-G4-SOLAR | 64 | FLH | 43 | LF4-12V | 46 | LTPV | 80 | RSL-GIM | 151 | TC-E12 | 169 | WFL | 140 |
| BOL-G5 | 64 | FL-HL | 148 | LF4-12V | 180 | LTRB | 90 | RSL-JB | 151 | TC-FL | 169 | WHCX | 7 |
| BPS | 63 | FLS | 43 | LF4-KN | 36 | LTRC | 91 | RSL-MCT5 | 149 | TC-FL-12V-RGBW | 45 | WL | 188 |
| BR30 | 167 | FLV12 | 45 | LF4PRO | 32 | LTRD | 91 | RSL-TRM | 150 | TC-FL-RGBW | 42 | WL-140 | 187 |
| BRL | 165 | FLV12 | 180 | LFCO | 38 | LTRG | 90 | RSL-WP | 149 | TC-FML | 169 | WL-3IN1 | 47 |
| BUNGEE CORDS | 189 | FLVX | 44 | LFE | 38 | LTRG | 92 | SCE | 93 | TC-G25 | 169 | WL-EZCG | 47 |
| C | 209 | FLVXPRO | 44 | LFE-KN | 35 | LTRM | 91 | SCLL-UD | 109 | TC-GL-12V-RGBW | 45 | WLL | 187 |
| CAX | 60 | FLVX-RGBW | 45 | LFE-TR | 37 | LTRR | 91 | SCLP | 109 | TC-PAR | 169 | WMA | 18 |
| CDLX | 59 | FLVX-RGBW | 170 | LF1D | 180 | LTRS | 90 | SCLP-UD | 109 | TC-RDPS | 169 | WMC5-12V | 181 |
| CDX | 59 | FMD | 156 | LF1V-12V | 46 | LTRW | 91 | SCO | 101 | TGL | 88 | WMC2 | 18 |
| CG | 210 | FML | 158 | LF1V-12V | 185 | LTW | 9 | SCP | 108 | TGLK | 88 | WMC3 | 18 |
| CGL | 60 | FMLE | 158 | LFX | 33 | LVA | 138 | SCPL-UD | 110 | TL | 191 | WMC4 | 19 |
| CIGL | 68 | FML-MCT | 159 | LFX MOUNTING | 34 | LVB | 136 | SCPP-UD | 110 | TOL | 49 | WMC6 | 20 |
| CL-COST | 85 | FMLS | 158 | LFX SHROUD | 34 | LVC | 136 | SCR | 111 | TR1 | 141 | WMC8 | 20 |
| CL-EHL | 84 | FML-TRM | 159 | LFXE | 31 | LVD | 137 | SCX | 96 | TRACK ACCESSORIES | 143 | WMCL | 20 |
| CL-FLT | 83 | FML-UGR | 159 | LFX-KN | 35 | LVE | 137 | SCX | 97 | TRD | 142 | WMC-RGBW | 20 |
| CL-FLT | 85 | FSL | 157 | LFXMAX | 32 | LVF | 136 | SCX2 | 100 | TR-DT-TPC-SS | 188 | WMC-RGBW | 170 |
| CL-HL | 84 | G10 | 168 | LFXPRO | 31 | LVG | 138 | SCX-2X2 | 103 | TRE | 141 | WMCSS-DL | 21 |
| CMC1 | 123 | GL | 42 | LFX-TR | 37 | LVL | 135 | SCX4 | 99 | T-RFG | 130 | WMCSS-UDL | 21 |
| CMC2 | 124 | GL-12V | 45 | LH150 | 210 | LVO | 137 | SCX4-IP66 | 93 | TR-MT-SS | 188 | WMCSS-DL | 21 |
| CMC3 | 123 | GL-12V | 180 | LHB2 | 76 | LVS | 138 | SCX6 | 100 | TRS | 142 | WMCSS-UDL | 21 |
| CMC4 | 125 | GL-MCTB | 42 | LHCX | 77 | LVTE | 81 | SCXA | 95 | TVT | 188 | WML2 | 10 |
| CMC4-ADJ | 126 | GNB | 17 | LL | 209 | LVW | 26 | SCXA2 | 94 | UCA | 193 | WML-HL | 10 |
| CMC6 | 126 | GPA | 210 | LLBF | 80 | LVW | 181 | SCX-BK | 98 | UCA | 194 | WMQ5 | 21 |
| CMC9 | 127 | GPC | 51 | LLHB | 78 | LW360 | 6 | SCXC | 103 | UCA-RGBW | 194 | WMS | 12 |
| CMC-RGBW | 127 | GPE | 51 | LHBA4 | 79 | LWAX | 4 | SCXR | 101 | UCE | 193 | WMS-POST | 68 |
| CMC-RGBW | 170 | GPH | 52 | LLHC | 77 | LWAX-P | 5 | SCXT | 102 | UCM | 195 | WNV | 9 |
| CRE | 16 | GPL | 51 | LLVT | 82 | LWPX | 8 | SDL | 146 | UCR | 194 | WMX | 11 |
| CREA | 16 | GPS | 211 | LTVT-480V | 83 | M507 | 210 | SDP52 | 146 | UCW | 194 | WMXE | 10 |
| CRE5 | 16 | GPX | 50 | LMIR | 139 | MR11 | 167 | SDTL | 108 | UHL | 76 | WMXMAX | 11 |
| CRL | 133 | G SX | 62 | LMW | 12 | MR16 | 167 | SENSORS | 70 | UHX | 73 | WPAX | 8 |
| CRLC4 | 131 | GZ | 168 | LOHB | 47 | MR16 | 189 | SFL | 108 | UHX-480V | 74 | WPCX | 7 |
| CRLC6 | 132 | HBL | 85 | LOV | 190 | MR16-RGB | 168 | SFX-G7 | 54 | UHXE | 75 | WPFX | 10 |
| CRLC8 | 132 | HL HOUSING | 148 | LPCR | 92 | MVP | 211 | SFX-G9 | 55 | UHXS-R | 74 | WPMX | 7 |
| CRLE | 134 | HML | 55 | LP-D-HL | 88 | OUTDOOR ACCESSORIES | 39 | SFX-G9-RGB | 170 | ULR-1FT-RGBW | 179 | WPV | 9 |
| CRLX | 133 | HPL | 85 | LPF | 118 | OUTDOOR ACCESSORIES | 40 | SL | 15 | ULR-2WRE | 177 | WPX | 8 |
| CWLEZXTTE | 200 | HSL | 187 | LPL | 166 | PAR36 | 167 | SLB | 210 | ULR-CH | 176 | WRB | 208 |
| CWS | 139 | ICF | 148 | LPNG | 86 | PAR36 | 189 | SL-D | 15 | ULR-DCJ | 177 | WRC | 208 |
| CXE5 | 61 | IGL | 186 | LPNP | 87 | PHOTOCELL | 69 | SLE | 191 | ULR-IN-1FT-HO | 178 | WRE | 208 |
| CXU | 61 | IGLA | 187 | LPS | 89 | PL | 210 | SLE-120V | 192 | ULR-IN-1FT-HO-COB | 178 | WSO | 17 |
| DAB | 52 | LA | 184 | LR | 209 | PL12 | 197 | SLE-12V | 192 | ULR-IN-1FT-SO | 178 | WSX | 17 |
| DBEL | 203 | LAL | 185 | LRD | 154 | PL120ADJ | 196 | SLEA | 192 | ULR-IN-1FT-XHO | 178 | WXB | 208 |
| DELW | 203 | LA-STEM | 190 | LRP-HL | 92 | PL12R | 196 | SL-P | 14 | ULR-IN-1FT-YHO | 178 | WXF | 208 |
| DLS | 156 | LA-T | 189 | LRS-A | 26 | PL12S | 196 | SLR | 116 | ULR-IN-HWDR | 176 | WXR | 208 |
| DLS-277V | 156 | LB | 209 | LRS-B | 26 | PML | 53 | SLRP | 76 | ULR-IN-PIDR | 176 | XD | 198 |
| DISE | 155 | LCFA | 161 | LRS-C | 26 | POB | 112 | SLSM | 186 | ULR-IP54 | 173 | XE | 199 |
| DLSF | 155 | LCFB | 164 | LRS-CR2 | 27 | POL | 50 | SLX | 14 | ULR-IP54-1FT-HO | 179 | XIT | 200 |
| DLS-MCT | 155 | LCFC | 161 | LRS-D | 26 | RDDF | 144 | SOLA | 57 | ULR-LENS | 177 | XT-C-ADJ | 200 |
| DLSN | 155 | LCFD | 163 | LRS-E | 25 | RDDS | 144 | SOLA-SPLT | 56 | ULR-OT-1FT-XHO | 179 | XT-CL | 200 |
| DLS-PIR | 156 | LCFE | 164 | LRS-F | 25 | RDJ | 147 | SOLF | 56 | ULR-OT-COB | 175 | XTCLN4X | 200 |
| DLW | 13 | LCFF | 160 | LRS-G | 25 | RDL | 147 | SOLN | 57 | ULR-OT-HO | 174 | XT-CLWP | 201 |
| DMX | 30 | LCFH | 164 | LRS-H | 25 | RDL-12V | 147 | SOLRW | 187 | ULR-OT-XHO | 174 | XT-CWP | 201 |
| E12 | 168 | LCFL | 162 | LRS-J | 25 | RDL15-ST | 153 | SOLS | 47 | ULR-OUT | 177 | XT-EL | 198 |
| EL-1 | 201 | LCFN | 161 | LRS-K | 27 | RDL25-BF | 152 | SP10KV | 71 | ULR-RGBW | 173 | XT-EM | 198 |
| EL-1D | 201 | LCFP | 163 | LRLS | 116 | RDL25-SB | 153 | SPL | 110 | URL-HO-COB | 172 | XTN4X | 199 |
| EL-2A | 201 | LCFQ | 162 | LRLS | 117 | RDL35 | 152 | SRC | 103 | URL-HO-COB-XT | 173 | XTSL | 198 |
| ELB | 204 | LCFR | 163 | LRS-L | 26 | RDL35 | 153 | SRL6 | 86 | URL-IN-HO | 171 | XTSL | 199 |
| EL-EHO | 202 | LCFS | 162 | LRS-M | 27 | RDL45-BF-D2W | 153 | SRPL | 111 | URL-IN-SO | 171 | XTU | 198 |
| EL-HO | 202 | LCFT | 162 | LRS-MC | 28 | RDL-MCT5 | 145 | SSLRB | 149 | URL-IN-XHO | 172 | XTU-CL-EM | 200 |
| EL-M | 201 | LCFW | 162 | LRS-N | 27 | RDL-TRMB | 146 | SSLRB-TRM | 150 | USB2 | 211 | XT-WP | 199 |
| ELN4X | 203 | LCL | 116 | LRS-O | 27 | RDMF | 145 | STG | 166 | UW | 187 | YM | 211 |
| EL-RH | 202 | LD | 181 | LRS-P | 22 | RDPF | 144 | STG-RGB | 170 | VTA | 48 | | |
| EL-WP | 202 | LDAP | 164 | LRS-PV | 26 | RDPF-ADJ | 144 | STL | 58 | VTU | 48 | | |

NEED ADDITIONAL SERVICES?

REVIEW THE BELOW LIST OF FLAT RATE SERVICES OFFERED BY WESTGATE

Optional Add-Ons:

| PART# | SERVICE DESCRIPTION | 2024 Terms |
|-------------------------------|---|-----------------|
| /SR-EXTW-3YR | 3 years Additional Warranty | Request A Quote |
| /SR-STRG-14D | Additional 14days Storage* | Request A Quote |
| /SR-STRG-30D | Additional 30days Storage* | Request A Quote |
| /SR-EXPED-LTL | Expedited Pallet Delivery** | Request A Quote |
| /SR-SIGN-PKG | Signature Required For FedEx/UPS Delivery | Request A Quote |

* Westgate offers up to 14 days of free storage hold for your orders.

**Free freight is the standard speed is at Westgate's discretion.

Manadatory Charges:

| PART# | SERVICE DESCRIPTION | 2024Terms |
|--------------------------------|-----------------------------------|-----------------|
| /SR-RESI-D | Residential Pallet Delivery fee* | Request A Quote |
| /SR-LIFT-G | Lift Gate fee | Request A Quote |
| /SR-REDELIVERY | Truck Re-delivery Fee | Request A Quote |
| /SR-WAIT-T | Wait Fee At The Delivery Location | Request A Quote |


* The additional fee applies even if when the standard shipping is Prepaid by Westgate.

**All Rates Subject to Change in 2025.

Westgate will send a new invoice referencing the original purchase order number when the additional freight charges occur after the initial invoice.

Extend Invoice Pay Terms:

| PART# | SERVICE DESCRIPTION | Cost/Invoice |
|-----------------------|---------------------|-----------------|
| /EXT1 | 1-month extension | Request A Quote |
| /EXT2 | 2-month extension | Request A Quote |
| /EXT3 | 3-month extension | Request A Quote |
| /EXT4 | 4-month extension | Request A Quote |
| /EXT5 | 5-month extension | Request A Quote |
| /EXT6 | 6-month extension | Request A Quote |



FREE LIGHTING LAYOUT DESIGN



Online Warranty Processing



WE CUSTOMIZE

EM, Sensor, PC, Powdercoat,
Cold-Weather EM, Whips

Energy-efficient lighting easier and more profitable!

NO MINIMUMS 🚫

QUICK FREE SHIPPING 🚚

FRIENDLY POLICIES 😊

\$1

WESTGATEMFG.COM



Follow us @westgatemfg

Loving Lighting?

CALL/TEXT
877-805-2252