

Under Counter Module – 890 mm High


Made entirely of stainless steel

Also available with black front.

Integrated handle bar (stainless steel)



Supply lines can be installed beneath the removable bottom plate.



The under counter refrigerators of the series “KUB 890” and the under counter modules listed here can be mounted together on base rails (height 40 or 50 mm) to form a block. The base rail is to be added separately per running meter of body length.

The under counter modules are designed so that the lower bottom plate can be removed and this space is available for the installation of supply lines.

Special Accessories

	<u>Art.-No.</u>
End plate, stainless steel height 890 mm, depth 600 mm, thickness 20 mm	9138
Base rail 40 mm high, price per r.m. body length, fully mounted	9133
Base rail 50 mm high, price per r.m. body length, fully mounted	9134

Open Module with Intermediate Shelf, Height=890 mm

	<u>Art.-No.</u>
Width 400 mm	13500
Width 450 mm	13501
Width 500 mm	13502
Width 600 mm	13504
Width 800 mm	13505
Width 1000 mm	13506



Design

Body is made entirely of stainless steel, material 1.4016. The exterior surface of the front side is ground. The bottom plate is removable so that the base area is accessible for the installation of supply lines. The intermediate shelf is height adjustable. Load capacity of the shelves is up to 50 kg. The upper support edges of the body are equipped with holes to screw on worktops.

11. Under Counter Refrigerators

Accessories KUB 890



Module with Wing Door and Intermediate Shelf, Height=890 mm

	<u>Art.-No.</u>
Width 400 mm, wing door, hinged left	13510
Width 400 mm, wing door, hinged right	13511
Width 450 mm, wing door, hinged left	13512
Width 450 mm, wing door, hinged right	13513
Width 500 mm, wing door, hinged left	13530
Width 500 mm, wing door, hinged right	13531
Width 600 mm, wing door, hinged left	13532
Width 600 mm, wing door, hinged right	13533



Design

Body and wing door are made entirely of stainless steel, material 1.4016. The exterior surface of the front side is ground. The bottom plate is removable so that the base area is accessible for the installation of supply lines.

The intermediate shelf is height adjustable. Load capacity of the shelves is up to 50 kg. The upper support edges of the body are equipped with holes to screw on worktops. The wing door panel contains an integrated handle bar.

Extra Intermediate Shelf

	<u>Art.-No.</u>
Body width 400 mm	13510-011
Body width 450 mm	13512-011
Body width 500 mm	13530-011
Body width 600 mm	13504-011
Body width 800 mm	13606-011
Body width 1000 mm	13608-011




Load capacity of the shelves is up to 50 kg.

Module with Drawers, Height=890 mm

Indication of the usable heights (UH) from top to bottom.

	<u>Art.-No.</u>
Width 400 mm, 2 roller drawers, UH=350/350	13560
Width 400 mm, 2 roller drawers, UH=300/400	13561
Width 400 mm, 2 roller drawers, UH=400/300	13562
Width 400 mm, 3 roller drawers, UH=165/185/300	13563



Design

Body and roller drawer are made entirely of stainless steel, material 1.4016. The exterior surface of the front side is ground. There is free space for the installation of supply lines underneath the roller drawers. The upper support edges of the body are equipped with holes to screw on worktops.

The drawers are fitted out with sturdy stainless-steel rollers (load capacity 100 kg). The drawer panels contain integrated handle bars made of stainless steel.

11
Under Counter
Refrigerators

Waste Dumper/Roller Drawer, H=890 mm

	<u>Art.-No.</u>
Width 400 mm, waste dumper at the bottom, roller drawer at the top (usable height=300)	13570

Waste Drawer/Roller Drawer, H=890 mm

	<u>Art.-No.</u>
Width 400 mm, waste drawer at the bottom, roller drawer at the top (usable height=300)	13571

Design

Body, drawers and waste dumper are made entirely of stainless steel, material 1.4016. The exterior surface of the front side is ground. There is free space in the bottom of the body for laying installation cables. The upper support edges of the body are equipped with holes to screw on worktops. The drawers are fitted out with sturdy stainless-steel rollers (load capacity 100 kg). The waste dumper and the waste drawer are in a closed casing box and can be removed for emptying and cleaning. The front panels contain integrated handle bars made of stainless steel.



Waste Dumper/Coffee Grounds Dumper, Height=890 mm

Width 400 mm,
combination: waste dumper at the bottom,
coffee grounds dumper with knocking rod at the top

Art.-No.
13891

Large-Capacity Coffee Ground Container, Height=890 mm


Width 400 mm,
combination: wing door compartment with waste container at the bottom,
coffee grounds dumper with knocking rod at the top
(removable coffee grounds slide)

Wing door, hinged left
Wing door, hinged right


Art.-No.
13895
13896

Design

The upper compartment can be swung open and is equipped with a robust stainless steel knocking rod with plastic coating. The knocked off coffee grounds falls down into the large-capacity container located in the lower compartment.
Body, wing door and dumper are made entirely of stainless steel, material 1.4016. The exterior surface of the front side is ground. Free space is available for the installation of supply lines in the lowest part of the body. The upper support edges of the body are equipped with holes to screw on worktops. The front panels contain integrated handle bars made of stainless steel.



**Ideal for coffee shops
with high sales.**



Under Counter Modules for Sinks, Height=890 mm

Height of the upper cover panel: approx. 310 mm
Usable height of the wing door compartment: approx. 475 mm

Width 400 mm, wing door, hinged left
Width 400 mm, wing door, hinged right

Art.-No.
13580
13581

Width 500 mm, wing door, hinged left
Width 500 mm, wing door, hinged right

13582
13583

Design

Body and wing door are made entirely of stainless steel, material 1.4016. The exterior surface of the front side is ground.
The module is equipped with a cover panel in the upper area and a wing door in the lower part. On the rear side with cut-outs for the installation of water and waste water pipes.
The bottom plate is removable so that the base area is accessible for the installation of supply lines. The upper support edges of the body are equipped with holes to screw on worktops. The wing door panel contains an integrated handle bar.



End Plate for Under Counter Modules for Sinks and Under Counter Modules, Height=890 mm

If the side areas of the under counter modules are visible, an end plate is necessary.

The end plate is made of stainless steel, material 1.4016 with ground surface. It is lined with wood-based material, so that the end plate can be mounted easily with wood screws from the inside of the under counter module.

Dimensions: height 890 mm, depth 600 mm, thickness 20 mm

End plate, height=890 mm

Art.-No.
9138

Base Rails

Base rail 40 mm high,
price per r.m. body length, fully mounted

Art.-No.
9133

Base rail 50 mm high,
price per r.m. body length, fully mounted

9134

