


9. Display Cases – heated

for keeping food warm



Snack-Counter HOT 520/710 SB

Heated display case with hotplate for a dry heat – self-service version, the customer side has self-service flaps



Snack-Counter HOT 520 SB	1 intermediate level			Width [mm]	Connection
	round	angular	slanted		
Self-service version Height glass top 520 mm					
Snack-Counter HOT 520 SB - DT 1.5 **	25634	25635	25636	587	230V/1.0kW
Snack-Counter HOT 520 SB - 2 *	25375	25379	25383	750	230V/1.25kW
Snack-Counter HOT 520 SB - DT 2 **	25376	25380	25384	750	230V/1.25kW
Snack-Counter HOT 520 SB - 3	25377	25381	25385	1075	230V/1.75kW
Snack-Counter HOT 520 SB - 4	25378	25382	25386	1400	230V/2.20kW

* The maximum opening width is approx. 277 mm due to the sliding door.

** The operator side has wing doors instead of sliding doors.

Snack-Counter HOT 710 SB	2 intermediate levels			Width [mm]	Connection
	round	angular	slanted		
Self-service version Height glass top 710 mm					
Snack-Counter HOT 710 SB - DT 1.5 **	25637	25638	25639	587	230V/1.30kW
Snack-Counter HOT 710 SB - 2 *	25387	25391	25395	750	230V/1.65kW
Snack-Counter HOT 710 SB - DT 2 **	25388	25392	25396	750	230V/1.65kW
Snack-Counter HOT 710 SB - 3	25389	25393	25397	1075	230V/2.25kW
Snack-Counter HOT 710 SB - 4	25390	25394	25398	1400	230V/2.90kW

* The maximum opening width is approx. 277 mm due to the sliding door.

** The operator side has wing doors instead of sliding doors.

Special Accessories

	Art.-No.
Price label rail glass shelf GN 1.5	26454
Price label rail glass shelf GN 2	26455
Price label rail glass shelf GN 3	26456
Price label rail glass shelf GN 4	26475
Price label rail lower display area GN 1.5	14004
Price label rail lower display area GN 2	14005
Price label rail lower display area GN 3	14006
Price label rail lower display area GN 4	14007

Description

Heated display case with hotplate to keep food warm. The merchandise displays are made of toughened black glass.

The temperature is adjustable from approx. 30°C to approx. 75°C.

The customer side has self-service flaps and a rounded, angular or slanted glass construction made of safety glass.

The operator side has sliding doors or wing doors made of insulating glass.

All display levels are provided with a heat bridge and lighting.

Commercial product for the installation in stationary food and service counter.

Design

Inner surfaces and heat radiator are entirely made of stainless steel 1.4301 with ground surface.
The customer side has self-closing flaps made of safety glass. The side glass panes are also made of safety glass.







For even heating and for good illumination, a heat bridge with protected quartz heat radiators and protected LED lighting (warm colour reproduction, 3000 K) is mounted above each shelf. The temperature of the heat bridges and the temperature of the lower hotplate can be set digitally.
The digital thermostat for the hotplate and for the infrared heat radiators is housed in an installation housing that is easy to maintain. Alternatively, this installation housing can also be mounted in a counter panel (cable length approx. 1 m).

Version DT:

The operator side has wing doors made of insulating glass.

Otherwise:

The operator side has sliding doors made of insulating glass, easily removable for cleaning (without bottom rail).



More drawings are available on www.wiha-web.com under "Info Centre / Customer Area".