

Combi-Line GN NEUTRAL 520/710 BE

(without cooling)



NEW!

With **WIHA CLOUD CONTROL**,
more infos on page 432.

- Easy to combine
- Very transparent design – unobstructed view of the goods
- High-quality lighting emphasises the product freshness
- The bottom display area can be lowered so that it can be used as a storage compartment for bread rolls, for example
- Height-adjustable and inclinable glass shelves
- DROP-IN – easy installation from above
- With **WIHA CLOUD CONTROL**: smart control via **WIHA app**

Combi-Line GN NEUTRAL 520 E BE Serve-over version Height glass top 520 mm	Operator side with wing doors or sliding doors	Width [mm]	Connection	
	angular			
Combi-Line GN NEUTRAL 520 E BE - DT 1.5	33410	588	230V/15W	■
Combi-Line GN NEUTRAL 520 E BE - 2 *	33411	750	230V/18W	■
Combi-Line GN NEUTRAL 520 E BE - DT 2	33412	750	230V/18W	■
Combi-Line GN NEUTRAL 520 E BE - 3	33413	1075	230V/26W	■ ■
Combi-Line GN NEUTRAL 520 E BE - 4	33414	1400	230V/36W	■ ■ ■

The version "DT" has wing doors on the operator side instead of sliding doors (model DT 1.5: 1 hinged door; door hinge on the left as standard, can be changed).

* Max. opening width of the sliding door approx. 300 mm.

Combi-Line GN NEUTRAL 710 E BE Serve-over version Height glass top 710 mm	Operator side with wing doors or sliding doors	Width [mm]	Connection	
	angular			
Combi-Line GN NEUTRAL 710 E BE - DT 1.5	33415	588	230V/21W	■
Combi-Line GN NEUTRAL 710 E BE - 2 *	33416	750	230V/27W	■
Combi-Line GN NEUTRAL 710 E BE - DT 2	33417	750	230V/27W	■
Combi-Line GN NEUTRAL 710 E BE - 3	33418	1075	230V/39W	■ ■
Combi-Line GN NEUTRAL 710 E BE - 4	33419	1400	230V/54W	■ ■ ■

The version "DT" has wing doors on the operator side instead of sliding doors (model DT 1.5: 1 hinged door; door hinge on the left as standard, can be changed).

* Max. opening width of the sliding door approx. 300 mm.

10. Display Cases – Combi-Line

Neutral Display Cases




Special Accessories

Price label rail with stopper, intermediate shelf GN 1.5	33484
Price label rail with stopper, intermediate shelf GN 2	33485
Price label rail with stopper, intermediate shelf GN 3	33486
Price label rail with stopper, intermediate shelf GN 4	33487


The price label rails with stopper for the intermediate shelves can be attached to the front of the glass shelves.

Price label rail, lower display area GN 1.5	11485
Price label rail, lower display area GN 2	11486
Price label rail, lower display area GN 3	11487
Price label rail, lower display area GN 4	11488


The price label rails for the lower display areas can be inserted into the tilting bearing profile.




Art.-No. 33410 Combi-Line GN NEUTRAL 520 E BE - DT 1.5




Art.-No. 33415 Combi-Line GN NEUTRAL 710 E BE - DT 1.5




Art.-No. 33412 Combi-Line GN NEUTRAL 520 E BE - DT 2



Art.-No. 33417 Combi-Line GN NEUTRAL 710 E BE - 2



Art.-No. 33413 Combi-Line GN NEUTRAL 520 E BE - 3



Art.-No. 33418 Combi-Line GN NEUTRAL 710 E BE - 3

The drawings are shown with special accessory that is not included in the scope of delivery; more drawings are available on www.wiha-web.com under "Info Centre / Customer Area".

Combi-Line EN NEUTRAL 520/710 BE

(without cooling)



NEW!
With **WIHA CLOUD CONTROL**,
more infos on page 432.

- Easy to combine
- Very transparent design – unobstructed view of the goods
- High-quality lighting emphasises the product freshness
- The bottom display area can be lowered so that it can be used as a storage compartment for bread rolls, for example
- Height-adjustable and inclinable glass shelves
- DROP-IN – easy installation from above
- With **WIHA CLOUD CONTROL**: smart control via **WIHA app**

Combi-Line EN NEUTRAL 520 E BE Serve-over version Height glass top 520 mm	Operator side with wing doors or sliding doors	Width [mm]	Connection	
	angular			
Combi-Line EN NEUTRAL 520 E BE - DT 400	33468	525	230V/50W	■
Combi-Line EN NEUTRAL 520 E BE - DT 800	33469	925	230V/50W	■ ■
Combi-Line EN NEUTRAL 520 E BE - 1200	33470	1325	230V/50W	■ ■ ■
Combi-Line EN NEUTRAL 520 E BE - 1600	33471	1725	230V/50W	■ ■ ■ ■

The version "DT" has wing doors on the operator side instead of sliding doors (model DT 400: 1 hinged door; door hinge on the left as standard, can be changed).

Combi-Line EN NEUTRAL 710 E BE Serve-over version Height glass top 710 mm	Operator side with wing doors or sliding doors	Width [mm]	Connection	
	angular			
Combi-Line EN NEUTRAL 710 E BE - DT 400	33472	525	230V/75W	■
Combi-Line EN NEUTRAL 710 E BE - DT 800	33473	925	230V/75W	■ ■
Combi-Line EN NEUTRAL 710 E BE - 1200	33474	1325	230V/75W	■ ■ ■
Combi-Line EN NEUTRAL 710 E BE - 1600	33475	1725	230V/75W	■ ■ ■ ■

The version "DT" has wing doors on the operator side instead of sliding doors (model DT 400: 1 hinged door; door hinge on the left as standard, can be changed).

Special Accessories









	Art.-No.		Art.-No.
Price label rail with stopper, intermediate shelf EN 400	33488	Price label rail, lower display area EN 400	33483
Price label rail with stopper, intermediate shelf EN 800	33489	Price label rail, lower display area EN 800	11492
Price label rail with stopper, intermediate shelf EN 1200	33490	Price label rail, lower display area EN 1200	11491
Price label rail with stopper, intermediate shelf EN 1600	33491	Price label rail, lower display area EN 1600	11490

The price label rails with stopper for the intermediate shelves can be attached to the front of the glass shelves.

The price label rails for the lower display areas can be inserted into the tilting bearing profile.

10. Display Cases – Combi-Line

Neutral Display Cases



The drawings are shown with special accessory that is not included in the scope of delivery; more drawings are available on www.wiha-web.com under "Info Centre / Customer Area".